STATUS REPORT ON MISSOURI'S SUBSTANCE ABUSE AND MENTAL HEALTH PROBLEMS

Eighteenth Edition -- 2012



MISSOURI DEPARTMENT OF MENTAL HEALTH Divisions of Alcohol and Drug Abuse & Comprehensive Psychiatric Services

STATUS REPORT ON MISSOURI'S SUBSTANCE ABUSE AND MENTAL HEALTH PROBLEMS

EIGHTEENTH EDITION — 2012

Randall C. Smith, M.P.A., M.Ed.
Christie J. Lundy, Ph.D.
Renee M. Rothermich, M.A.

MISSOURI DEPARTMENT OF MENTAL HEALTH

Divisions of Alcohol and Drug Abuse and Comprehensive Psychiatric Services

1706 East Elm Street; P.O. Box 687 Jefferson City, MO 65102 (573) 751-9499 (573) 751-7814 FAX http://dmh.mo.gov/ada/

Keith Schafer, Ed.D. Director, Department of Mental Health

Mark Stringer Director, Divisions of Alcohol and Drug Abuse

and Comprehensive Psychiatric Services

Steve Reeves Deputy Director, Divisions of Alcohol and Drug Abuse

and Comprehensive Psychiatric Services

Clive Woodward Director of Research and Statistics, Divisions of Alcohol and

Drug Abuse and Comprehensive Psychiatric Services



JEREMIAH W. (JAY) NIXON
GOVERNOR

KEITH SCHAFER, Ed.D.



STATE OF MISSOURI DEPARTMENT OF MENTAL HEALTH

1706 EAST ELM STREET P.O. BOX 687 JEFFERSON CITY, MISSOURI 65102 (573) 751-4122 (573) 751-8224 FAX

www.dmh.mo.gov

MARK STRINGER

DIRECTOR
DIVISIONS OF ALCOHOL& DRUG ABUSE
and
COMPREHENSIVE PSYCHIATRIC SERVICES
(573) 751-9499
(573) 751-7814 FAX

BERNARD SIMONS
DIRECTOR
DIVISION OF
DEVELOPMENTAL DISABILITIES
(573) 751-4054
(573) 751-9207 FAX

PREFACE

The Status Report on Missouri's Substance Abuse and Mental Health Problems is a compilation of data intended to support the numerous programs and projects that address alcohol and drug addiction and other behavioral health impairments. The Status Report presents national and state survey data, state and county problem indicators, and data from clinical treatment programs administered by the Divisions of Alcohol and Drug Abuse and Comprehensive Psychiatric Services. Status Report data are used for needs assessments, planning and development of prevention and treatment services, and public information—all vital in our efforts to restore and enhance the mental health and productivity of our citizens.

Multiple personal problems often contribute to—or result from—substance abuse and mental illness. The *Status Report* tracks a variety of documented events, recognizing that data-driven collaboration is essential among numerous responding and affected agencies. One year ago, the Missouri Department of Mental Health convened the Missouri Behavioral Health Epidemiology Workgroup. These data specialists study and recommend ways to improve the collection, dissemination, and utilization of behavioral health data. Through their guidance and support, the Department has developed a data querying website that enables users to extract and analyze multiple years of behavioral health indicators, statistics from national and state surveys, population estimates, and substance abuse/mental health treatment data. Visit https://dmh.mo.gov/seow/default.aspx.

Inquiries and comments should be directed to the Divisions of Alcohol and Drug Abuse and Comprehensive Psychiatric Services, Research and Statistics office at: mailto:adamail@dmh.mo.gov.

Prior editions of the *Status Report* are accessible at this website: http://www.dmh.missouri.gov/ada/rpts/status.htm.

Sincerely,

Mark Stringer

ACKNOWLEDGMENTS

The authors would like to recognize and thank several agencies, and especially these individuals, for their contributions of data and support in producing this 18th Edition of the Status Report:

Kathleen Anderson, University of Missouri—Columbia Bryan Angell, Missouri Department of Health and Senior Services Ron Beck, Missouri Department of Public Safety Carol Bontempo, Missouri Department of Health and Senior Services Karin Bosh, Missouri Department of Health and Senior Services Gerard Callahan, Missouri Department of Public Safety Avera Daniels, Missouri Department of Corrections Susan Depue, Missouri Institute of Mental Health John Doyle, Missouri Department of Public Safety Keith Gast, Missouri Department of Revenue Art Hughes, U.S. Department of Health and Human Services Andrew Hunter, Missouri Department of Health and Senior Services Anne Janku, Office of State Courts Administrator Brad Jones, Missouri Department of Public Safety Jeremy Kintzel, Missouri Department of Health and Senior Services Rebecca Kniest, Missouri Department of Social Services Tracy Lehmen, Missouri Department of Public Safety David Litchfield, Missouri Department of Health and Senior Services Rick McElfresh, Missouri Office of State Courts Administrator Joan Masters, University of Missouri—Columbia Kimberly McKane, Missouri Department of Social Services Richard Morrisey, Missouri Office of State Courts Administrator Tom Ogle, Missouri Department of Elementary and Secondary Education Mary Pearce, Missouri Department of Elementary and Secondary Education Angela Plunkett, Missouri Office of State Courts Administrator Dan Reilly, University of Missouri—Columbia Tracy Greever Rice, University of Missouri, Office of Social and Economic Data Analysis Liz Sale, Missouri Institute of Mental Health Tina Senter, Missouri Office of State Courts Administrator Freddie Spraggs, Missouri Department of Social Services Dewayne Sprenger, Missouri Department of Public Safety Meliny Staysa, Missouri Department of Social Services Angie Stuckenschneider, Missouri Department of Mental Health Lois Thomas, Missouri Department of Mental Health Mark VanTuinen, Missouri Department of Health and Senior Services Clive Woodward, Missouri Department of Mental Health Shumei Yun, Missouri Department of Health and Senior Services

TABLE OF CONTENTS

SECTION A: NARRATIVES AND DATA ANALYSIS

Introduction and Data Analysis	PAGE NUMBER
Report Cover	A1
Title Page	A2
Preface	A3
Acknowledgments	A4
Table of Contents	A5-A9
Highlights	
Prevalence of Substance Use	A10
Prevalence of Substance Use Disorder	A11
Substance Abuse Intervention and Treatment	A12
Unmet Need for Substance Abuse Treatment	A13
Prevalence of Mental Illness	A14
Co-Occurrence of Mental Illness and Substance Abuse	A14
Mental Illness and Substance Abuse Prevalence Illustration	A15
Mental Illness Treatment	A16
Unmet Need for Mental Illness Treatment	A16
Substance Abuse and Mental Illness Related Deaths	A17
Substance Abuse Related Hospital Episodes	A17
Substance Abuse Related Traffic Crashes	A17
Alcohol and Drug Arrests	A17
Juvenile Court Services	A18
Corrections Supervision	A18
School Dropouts and Suspensions	A18
Looking Ahead	A19
SECTION B: UNITED STATES AND MISSOURI PREVALENCE SURVEYS	
National Survey on Drug Use and Health (NSDUH) — Alcohol and Drug Tables and Charts	
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 12 & Older	B1
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 12-17	B2
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 18-25	B3
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 26 & Older	B4
Alcohol — Past-Month Use: U.S./Missouri Comparison	B5
Alcohol — Past-Month Binge Use: U.S./Missouri Comparison	B6 B7
Alcohol — Perceived Risk of Binge Use: U.S./Missouri Comparison	B8
Alcohol — Past-Month, Binge, and Perceived Risk: Missouri Age Groups Alcohol — Past Month, Binge, and Perceived Risk: Missouri Regions	B9
Alcohol — Past-Month, Binge, and Perceived Risk: Missouri Regions Tobacco — Past-Month Cigarette Use: U.S./Missouri Comparison	B10
Tobacco — Perceived Risk of Cigarette Use: U.S./Missouri Comparison	B10
Tobacco — Past-Month Tobacco and Cigarette Use and Perceived Risk: Missouri Age Groups	B12
Tobacco — Past-Month Tobacco and Cigarette Use and Perceived Risk: Missouri Regions	B13
Illicit Drugs — Past-Month Use of Any Illicit Drug: U.S./Missouri Comparison	B14
Illicit Drugs — Past-Month Use of Any Illicit Drug Other Than Marijuana: U.S./Missouri Comparison	B15
Illicit Drugs — Past-Month Use of Any Illicit Drug and Any Other Than Marijuana: Missouri Regions	B16
Marijuana — Past-Month Use: U.S./Missouri Comparison	B17
Marijuana — Past-Year Use: U.S./Missouri Comparison	B18
Marijuana — Perceived Risk of Use: U.S./Missouri Comparison	B19
Marijuana — Past-Month, First-Use in Past Year, Perceived Risk: Missouri Age Groups	B20
Marijuana — Past-Month, First-Use in Past Year, Perceived Risk: Missouri Regions	B21
Marijuana, Cocaine, Pain Relievers — Past-Year Use: Missouri Regions	B22
Cocaine — Past-Year Use: U.S./Missouri Comparison	B23
Pain Relievers — Past-Year Use: U.S./Missouri Comparison	B24
Alcohol, Illicit Drugs — Past-Year Dependence/Abuse: U.S./Missouri Comparison	B25
Alcohol, Illicit Drugs — Past-Year Dependence/Abuse: Missouri Population Estimates	B26
Alcohol, Illicit Drugs — Past-Year Dependence/Abuse: Missouri Regions Trend	B27
Alcohol, Illicit Drugs — Past-Year Dependence/Abuse: Missouri Regions and Age Groups	B28

SECTION B: UNITED STATES AND MISSOURI PREVALENCE SURVEYS (continued)

National Survey on Drug Use and Health (NSDUH) — Alcohol and Drug Charts (continued)	
Alcohol, Illicit Drugs — Past-Year Unmet Treatment Need: Missouri Population Estimates	B29
Alcohol, Illicit Drugs — Past-Year Unmet Treatment Need: Missouri Regions Trend	B30
Alcohol, Illicit Drugs — Past-Year Unmet Treatment Need: Missouri Regions and Age Groups	B31
National Survey on Drug Use and Health (NSDUH) — Mental Health Charts	
Mental Illness — Any Mental Illness in Past Year: U.S./Missouri Comparison	B32
Mental Illness — Serious Mental Illness in Past Year: U.S./Missouri Comparison	B33
Depression — Major Past-Year Episode: U.S./Missouri Comparison	B34
Depression — Major Past-Year Episode: Missouri Regions	B35
Suicide — Serious Thoughts of Suicide in Past Year: U.S./Missouri Comparison and Missouri Regions	B36
Missouri Student Survey (MSS) — Alcohol and Drug Tables and Charts	
Alcohol, Tobacco, Illicit Drugs — Overview of Past 30-Day Use: Missouri Students in Grades 6-12	B37
Alcohol, Tobacco, Illicit Drugs — Overview of Lifetime Use: Missouri Students in Grades 6-12	B38
Alcohol — Past 30-Day, Binge, and Lifetime Use: Missouri Students in Grades 6-12	B39
Tobacco — Past 30-Day and Lifetime Cigarette and Chewing Tobacco Use: Missouri Students in Grades 6-12	B40
Marijuana — Past 30-Day and Lifetime Use: Missouri Students in Grades 6-12	B41
Cocaine, Heroin — Past 30-Day and Lifetime Use: Missouri Students in Grades 6-12	B42
Stimulants — Past 30-Day and Lifetime Use: Missouri Students in Grades 6-12	B43
Inhalants — Past 30-Day and Lifetime Use: Missouri Students in Grades 6-12	B44
Hallucinogens — Past 30-Day and Lifetime Use: Missouri Students in Grades 6-12	B45
Club Drugs — Past 30-Day and Lifetime Use: Missouri Students in Grades 6-12	B46
Pharmaceutical Drugs — Lifetime Non-Prescribed Use: Missouri Students in Grades 6-12	B47
Over-the-Counter, Synthetic Drugs — Lifetime Non-Medical Use: Missouri Students in Grades 6-12	B48
Injection Drug Use — Lifetime IDU: Missouri Students in Grades 6-12	B49
Youth Risk Behavior Survey (YRBS) — Alcohol and Drug Tables and Charts	
Alcohol, Tobacco — Past 30-Day, Lifetime, and Use Before Age 13: U.S./Missouri Comparison Grades 9-12	B50
Alcohol — Past 30-Day Use: U.S./Missouri Comparison Grades 9-12	B51
Alcohol — Past 30-Day Binge Use: U.S./Missouri Comparison Grades 9-12	B52
Alcohol — Past 30-Day, Binge, and Use Before Age 13: Missouri Grades 9-12	B53
Tobacco — Past 30-Day Cigarette Use: U.S./Missouri Comparison Grades 9-12	B54
Illicit Drugs — Past 30-Day and Lifetime Use: U.S./Missouri Comparison Grades 9-12	B55
Marijuana — Past 30-Day Use: U.S./Missouri Comparison Grades 9-12	B56 B57
Marijuana — Use Before Age 13: U.S./Missouri Comparison Grades 9-12	
Missouri College Health Behavior Survey (MCHBS) — Alcohol, Drug, and Mental Health Tables and C	
Alcohol — Past 30-Day, Past-Year, and Binge Alcohol Use: Missouri College Students	B58
Illicit Drugs — Past-Year Use: Missouri College Students	B59
Alcohol, Illicit Drugs — Past-Year Use and Related Problems: Missouri College Students	B60
Mental Health — Past-Year Problems: Missouri College Students Combling — Past Year Problems: Missouri College Students	B61
Gambling — Past-Year Problems: Missouri College Students	B62
Behavioral Risk Factor Survey (BRFS) — Alcohol and Tobacco Table	
Alcohol, Tobacco — Past 30-Day Use: U.S./Missouri Comparison Ages 18 and Older	B63
Monitoring The Future Survey (MTF) — Alcohol and Drug Tables	
Alcohol, Tobacco, Illicit Drugs: Daily, Past 30-Day, and Lifetime Use: U.S. Grade 8	B64
Alcohol, Tobacco, Illicit Drugs: Daily, Past 30-Day, and Lifetime Use: U.S. Grade 10	B65
Alcohol, Tobacco, Illicit Drugs: Daily, Past 30-Day, and Lifetime Use: U.S. Grade 12	B66
Alcohol, Tobacco, Illicit Drugs: Daily, Past 30-Day, and Lifetime Use: U.S. College Students	B67
Alcohol, Tobacco, Illicit Drugs: Daily, Past 30-Day, and Lifetime Use: U.S. Adults Ages 19-28	B68
NSDUH, YRBS, and MSS Survey Results Comparisons — Charts	
Alcohol — Past-Month Use: Missouri Age Group and Grade Level Comparisons	B69
Tobacco — Past-Month Cigarette Use: Missouri Age Group and Grade Level Comparisons	B70
Marijuana — Past-Month Use: Missouri Age Group and Grade Level Comparisons	B71

SECTION C: SUBSTANCE ABUSE INDICATORS IN TABLES AND CHARTS

Heroin Admissions
Other Drug Admissions

Age Profiles of ADA Intervention and Treatment Program Admissions

Births and Fetal Exposure to Alcohol, Tobacco, and Other Drugs: Missouri	C1
Alcohol and Drug Related Hospitalizations and Emergency Department Episodes: Missouri	C2
Diseases Associated with Substance Abuse: Missouri	C3
Alcohol, Drug, and Smoking Induced Deaths: Missouri	C4
Alcohol-Involved Traffic Crashes: Missouri	C5
Drug-Involved Traffic Crashes: Missouri	C6
Alcohol and Drug Arrests: Missouri	C7
Alcohol and Drug Related Out-of-Home Placements and Juvenile Court Referrals: Missouri	C8
Criminal Justice Services for Alcohol and Drug Offenses: Missouri	C9
Per Capita Consumption of Beverage Alcohol Based on Sales: U.S. and Missouri	C10
Liquor Licenses: Missouri	C11
Cigarette Sales Based on Tax Revenue: Missouri	C12
Unemployment Rate: U.S. and Missouri	C13
Economic Cost of Substance Abuse: U.S. and Missouri	C14
SECTION D: DIVISION OF ALCOHOL AND DRUG ABUSE STATEWIDE TREATMENT SERVICES	
Treatment Admissions Overview	D1
Male Treatment Admissions	D2
Female Treatment Admissions	D3
Alcohol Admissions	D4
Marijuana Admissions	D5
Cocaine Admissions	D6
Methamphetamine Admissions	D7

D8

D9

D10

SECTION E: INDICATORS AND TREATMENT SERVICES BY GEOGRAPHIC AREA

Missouri

Audrain	Statewide Missouri	E1-E4				
Audrain E17-E20 Barry E21-E24 Barton E25-E28 Bates E29-E32 Benton E33-E36 Bollinger E37-E4 Boone E41-E44 Buchanan E45-E48 Butter E49-E5 Caldwell E53-E56 Callaway E57-E60 Camden E61-E6 Cape Girardeau E65-E68 Carroll E69-E72 Carter E73-E7 Cass F77-E80 Cedar E81-E84 Charlton E86-E6 Christian E89-E92 Clark E93-E96 Clay E97-E10 Clinton E101-E104 Cole E105-E108 Cooper E109-E11 Crawford E113-E116 Dade E117-E120 Dallas E121-E12 Daviess E125-E128 Derkalb E129-E122 Dent E133-E13 Douglas E137-E140 Dunklin E141-E144 Franklin E145-E16 Grundy E161-E164 Harris Harris E169-E17 Grundy	Missouri Counties					
Bates E29-E32 Benton E33-E36 Bollinger E37-E48 Boone E41-E44 Buchanan E45-E48 Butler E49-E26 Caldwell E53-E56 Calmana E45-E48 Butler E49-E26 Cape Girardeau E65-E68 Carroll E69-E72 Carder E73-E7 Cass E77-E80 Cedar E81-E84 Chariton E86-E86 Christian E89-E92 Clark E93-E96 Clay E97-E10 Clinton E101-E104 Cole E105-E108 Cooper E109-E11 Crawford E113-E116 Dade E117-E120 Dallas E121-E12 Daviess E125-E128 DeKalb E129-E132 Dent E133-E13 Douglas E137-E140 Dunklin E141-E144 Franklin E145-E128 Gasconade E149-E125 Gentry E153-E166 Greene E157-E16 Grundy E161-E164 Harrison E165-E168 Henry E169-E17	Adair	E5-E8	Andrew	E9-E12	Atchison	E13-E16
Boone E41-E44 Buchanan E45-E48 Butler E49-E5 Caldwell E53-E56 Callaway E57-E60 Carden E61-E6 Cape Girardeau E65-E68 Carroll E69-E72 Carter E73-E7 Cass E77-E80 Cedar E61-E84 Chariton E85-E6 Christian E89-E92 Clark E93-E96 Clay E97-E10 Clinton E101-E104 Cole E105-E108 Cooper E109-E11 Cilinton E101-E104 Cole E110-E102 Dallas E129-E132 Daviess E125-E128 DeKalb E129-E132 Dent E133-E13 Douglas E137-E140 Dunklin E141-E144 Franklin E145-E146 Gasconade E149-E152 Gentry E153-E166 Greene E157-E16 Grundy E161-E164 Harrison E165-E168 Henry E169-E17 Hickory E173-E176 Holt E177-E180 Howard E181-E18	Audrain	E17-E20	Barry	E21-E24	Barton	E25-E28
Caldwell E53-E56 Callaway E57-E60 Camden E61-E6 Cape Girardeau E65-E68 Carroll E69-E72 Carter E73-E7 Cass E77-E80 Cedar E81-E84 Chariton E85-E8 Christian E89-E92 Clark E93-E96 Clay E87-E16 Clinton E101-E104 Cole E105-E108 Cooper E109-E112 Clinton E113-E116 Dade E117-E120 Dallas E121-E12 Daviess E125-E128 DeKalb E129-E132 Dent E133-E13 Douglas E137-E140 Dunklin E141-E144 Franklin E143-E146 Gasconade E149-E152 Gentry E153-E156 Greene E157-E16 Groundy E161-E164 Harrison E165-E168 Henny E169-E17 Hickory E173-E175 Holt E177-E180 Howard E181-E18 Howell E185-E188 Iron E189-E192 Jackson E193-E19 <td>Bates</td> <td>E29-E32</td> <td>Benton</td> <td>E33-E36</td> <td>Bollinger</td> <td>E37-E40</td>	Bates	E29-E32	Benton	E33-E36	Bollinger	E37-E40
Cape Girardeau E65-E68 Carroll E69-E72 Carter E73-E7 Cass E77-E80 Cedar E81-E84 Chariton E85-E8 Christian E89-E92 Clark E93-E96 Clay E97-E10 Cinton E101-E104 Cole E105-E108 Cooper E199-E12 Crawford E113-E116 Dade E117-E120 Dallas E121-E12 Daviess E125-E128 DeKalb E129-E132 Dent E133-E13 Daviess E127-E126 Dekalb E129-E132 Dent E133-E13 Gasconade E149-E152 Gentry E153-E156 Greene E157-E16 Grundy E161-E164 Harrison E165-E168 Henry E169-E17 Hickory E173-E176 Holt E177-E180 Howard E181-E18 Jasper E197-E200 Jefferson E201-E204 Johnson E205-E26 Knox E209-E211 Laclede E213-E216 Lafayette E217-E22 </td <td>Boone</td> <td>E41-E44</td> <td>Buchanan</td> <td>E45-E48</td> <td>Butler</td> <td>E49-E52</td>	Boone	E41-E44	Buchanan	E45-E48	Butler	E49-E52
Cass E77-E80 Cedar E81-E84 Chariton E85-E8 Christian E89-E92 Clark E93-E96 Clay E97-E10 Clinton E101-E104 Cole E105-E108 Cooper E109-E11 Crawford E113-E116 Dade E117-E120 Dallas E121-E12 Daviess E125-E128 DeKallb E129-E132 Dent E133-E13 Douglas E137-E140 Dunklin E141-E144 Franklin E145-E14 Gasconade E149-E152 Gentry E153-E156 Greene E157-E16 Grundy E161-E164 Harrison E165-E168 Henry E169-E17 Hickory E173-E176 Holt E177-E180 Howard E181-E18 Howall E185-E188 Iron E189-E192 Jackson E193-E15 Jasper E197-E200 Jefferson E201-E204 Johnson E205-E14 Knox E209-E211 Laclede E213-E216 Lafayette E217-E22	Caldwell	E53-E56	Callaway	E57-E60	Camden	E61-E64
Christian E89-E92 Clark E93-E96 Clay E97-E10 Clinton E101-E104 Cole E105-E108 Cooper E109-E11 Crawford E113-E116 Dade E117-E120 Dallas E121-E12 Daviess E125-E128 DeKalb E129-E132 Dent E133-E13 Douglas E137-E140 Dunklin E141-E144 Franklin E145-E146 Gasconade E149-E152 Gentry E153-E156 Greene E157-E16 Grundy E161-E164 Harrison E165-E168 Henry E169-E17 Hickory E173-E176 Holt E177-E180 Howard E181-E18 Howell E185-E188 Iron E189-E192 Jackson E193-E16 Jasper E197-E200 Jefferson E201-E204 Johnson E205-E26 Knox E209-E211 Laclede E213-E216 Lafayette E217-E22 Lawrence E221-E224 Lewis E225-E228 Lincoln E223-E28	Cape Girardeau	E65-E68	Carroll	E69-E72	Carter	E73-E76
Clinton E101-E104 Cole E105-E108 Cooper E109-E11 Crawford E113-E116 Dade E117-E120 Dallas E121-E12 Daviess E125-E128 DeKalb E129-E132 Dent E133-E13 Douglas E137-E140 Dunklin E141-E144 Franklin E145-E14 Gasconade E149-E152 Gentry E153-E156 Greene E157-E16 Grundy E161-E164 Harrison E165-E168 Henry E189-E17 Hickory E173-E176 Holt E177-E180 Howard E189-E19 Jasper E197-E200 Jefferson E201-E204 Johnson E205-E20 Knox E209-E211 Laclede E213-E216 Lafayette E217-E22 Lawrence E221-E224 Lewis E225-E228 Lincoln E229-E22 Macon E245-E248 Madison E249-E252 Maries E253-E26 Marion E265-E260 Mercer E201-E264 Miller E26	Cass	E77-E80	Cedar	E81-E84	Chariton	E85-E88
Crawford E113-E116 Dade E117-E120 Dallas E121-E12 Daviess E125-E128 DeKalb E129-E132 Dent E133-E13 Douglas E137-E140 Dunklin E141-E144 Franklin E145-E16 Gasconade E149-E152 Gentry E153-E156 Greene E157-E16 Grundy E161-E164 Harrison E165-E168 Henny E169-E17 Hickory E173-E176 Holt E177-E180 Howard E181-E18 Howell E185-E188 Iron E189-E192 Jackson E193-E15 Jasper E197-E200 Jefferson E201-E204 Johnson E205-E22 Knox E209-E211 Laclede E213-E216 Lafayette E217-E22 Lawrence E221-E224 Lewis E225-E228 Lincoln E229-E23 Linn E233-E236 Livingston E237-E220 McDonald E241-E24 Macion E245-E248 Madison E249-E252 Maries <t< td=""><td>Christian</td><td>E89-E92</td><td>Clark</td><td>E93-E96</td><td>Clay</td><td>E97-E100</td></t<>	Christian	E89-E92	Clark	E93-E96	Clay	E97-E100
Daviess E125-E128 DeKalb E129-E132 Dent E133-E13 Douglas E137-E140 Dunklin E141-E144 Franklin E145-E14 Gasconade E149-E152 Gentry E153-E156 Greene E157-E16 Hickory E161-E164 Harrison E165-E168 Henry E169-E17 Hickory E173-E176 Holt E177-E180 Howard E181-E18 Howell E185-E188 Iron E189-E192 Jackson E181-E18 Jasper E197-E200 Jefferson E201-E204 Johnson E205-E20 Knox E209-E211 Laclede E213-E216 Lafayette E217-E22 Lawrence E221-E224 Lewis E225-E228 Lincoln E229-E23 Macon E245-E248 Madison E249-E252 Maries E253-E25 Marion E245-E248 Mercer E261-E264 Miller E265-E26 Montgomery E281-E284 Morgan E285-E288 New Madrid	Clinton	E101-E104	Cole	E105-E108	Cooper	E109-E112
Douglas E137-E140 Dunklin E141-E144 Franklin E145-E14 Gasconade E149-E152 Gentry E153-E156 Greene E157-E16 Grundy E161-E164 Harrison E165-E168 Henry E169-E17 Hickory E173-E176 Holt E177-E180 Howard E181-E18 Howell E185-E188 Iron E189-E192 Jackson E193-E152 Jasper E197-E200 Jefferson E201-E204 Johnson E205-E20 Knox E209-E211 Laclede E213-E216 Lafayette E217-E22 Lawrence E221-E224 Lewis E225-E228 Lincoln E229-E23 Linn E233-E236 Livingston E237-E240 McDonald E241-E24 Macon E245-E248 Madison E249-E252 Maries E255-E26 Mississippi E269-E272 Moniteau E273-E264 Miller E265-E26 Montgomery E281-E284 Morgan E285-E288 New Madrid	Crawford	E113-E116	Dade	E117-E120	Dallas	E121-E124
Gasconade E149-E152 Gentry E153-E156 Greene E157-E16 Grundy E161-E164 Harrison E165-E168 Henry E169-E17 Hickory E173-E176 Holt E177-E180 Howard E181-E18 Howell E185-E188 Iron E189-E192 Jackson E193-E12 Jasper E197-E200 Jefferson E201-E204 Johnson E205-E20 Knox E209-E211 Laclede E213-E216 Lafayette E217-E22 Lawrence E221-E224 Lewis E225-E228 Lincoln E229-E23 Linn E233-E236 Livingston E237-E240 McDonald E241-E24 Macon E245-E248 Madison E249-E252 Maries E253-E26 Marion E257-E260 Mercer E261-E264 Miller E265-E26 Montgomery E281-E284 Morgan E285-E286 New Madrid E289-E28 Newton E293-E296 Nodaway E297-E300 Oregon	Daviess	E125-E128	DeKalb	E129-E132	Dent	E133-E136
Grundy E161-E164 Harrison E165-E168 Henry E169-E17 Hickory E173-E176 Holt E177-E180 Howard E181-E18 Howell E185-E188 Iron E189-E192 Jackson E193-E15 Jasper E197-E200 Jefferson E201-E204 Johnson E205-E25 Knox E209-E211 Laclede E213-E216 Lafayette E217-E22 Lawrence E221-E224 Lewis E225-E228 Lincoln E229-E23 Linn E233-E236 Livingston E237-E240 McDonald E241-E24 Macon E245-E248 Madison E249-E252 Maries E253-E25 Marion E257-E260 Mercer E261-E264 Miller E265-E26 Mississippi E269-E272 Moriteau E273-E276 Morroe E276-E26 Mexton E293-E296 Modaway E297-E300 Oregon E301-E36 Osage E305-E308 Ozark E309-E312 Pemiscot <	Douglas	E137-E140	Dunklin	E141-E144	Franklin	E145-E148
Hickory E173-E176 Holt E177-E180 Howard E181-E18 Howell E185-E188 Iron E189-E192 Jackson E193-E19 Jasper E197-E200 Jefferson E201-E204 Johnson E205-E26 Knox E209-E211 Laclede E213-E216 Lafayette E217-E22 Lawrence E221-E224 Lewis E225-E228 Lincoln E229-E23 Linn E233-E236 Livingston E237-E240 McDonald E241-E24 Macon E245-E248 Madison E249-E252 Maries E253-E26 Marion E257-E260 Mercer E261-E264 Miller E265-E26 Mississisppi E269-E272 Moniteau E273-E276 Monroe E276-E28 Montgomery E281-E284 Morgan E285-E288 New Madrid E289-E29 Newton E293-E296 Nodaway E297-E300 Oregon E301-E30 Perry E317-E320 Pettis E321-E324 Phelps	Gasconade	E149-E152	Gentry	E153-E156	Greene	E157-E160
Howell E185-E188 Iron E189-E192 Jackson E193-E192 Jasper E197-E200 Jefferson E201-E204 Johnson E205-E20 Knox E209-E211 Laclede E213-E216 Lafayette E217-E22 Lawrence E221-E224 Lewis E225-E228 Lincoln E229-E23 Linn E233-E236 Livingston E237-E240 McDonald E241-E24 Macon E245-E248 Madison E249-E252 Maries E253-E25 Marion E257-E260 Mercer E261-E264 Miller E265-E26 Mississippi E269-E272 Moniteau E273-E276 Monroe E276-E26 Montgomery E281-E284 Morgan E285-E288 New Madrid E289-E25 Newton E293-E296 Nodaway E297-E300 Oregon E301-E30 Osage E305-E308 Ozark E309-E312 Pemiscot E313-E31 Perry E317-E320 Pettis E331-E324 Phelps	Grundy	E161-E164	Harrison	E165-E168	Henry	E169-E172
Jasper E197-E200 Jefferson E201-E204 Johnson E205-E20 Knox E209-E211 Laclede E213-E216 Lafayette E217-E22 Lawrence E221-E224 Lewis E225-E228 Lincoln E229-E23 Linn E233-E236 Livingston E237-E240 McDonald E241-E24 Macon E245-E248 Madison E249-E252 Maries E253-E25 Marion E257-E260 Mercer E261-E264 Miller E265-E26 Mississippi E269-E272 Moniteau E273-E276 Monroe E276-E28 Montgomery E281-E284 Morgan E285-E288 New Madrid E289-E29 Newton E293-E296 Nodaway E297-E300 Oregon E301-E30 Osage E305-E308 Ozark E309-E312 Pemiscot E313-E31 Perry E317-E320 Pettis E321-E324 Phelps E325-E32 Pike E329-E332 Platte E333-E336 Polk	Hickory	E173-E176	Holt	E177-E180	Howard	E181-E184
Knox E209-E211 Laclede E213-E216 Lafayette E217-E22 Lawrence E221-E224 Lewis E225-E228 Lincoln E229-E23 Linn E233-E236 Livingston E237-E240 McDonald E241-E24 Macon E245-E248 Madison E249-E252 Maries E253-E25 Marion E257-E260 Mercer E261-E264 Miller E265-E26 Mississippi E269-E272 Moniteau E273-E276 Monroe E276-E26 Montgomery E281-E284 Morgan E285-E288 New Madrid E289-E29 Mowton E293-E296 Nodaway E297-E300 Oregon E301-E30 Osage E305-E308 Ozark E309-E312 Pemiscot E313-E31 Perry E317-E320 Pettis E321-E324 Phelps E325-E32 Pike E329-E332 Platte E333-E336 Polk E337-E34 Pulaski E341-E344 Putnam E345-E348 Ralls <	Howell	E185-E188	Iron	E189-E192	Jackson	E193-E196
Lawrence E221-E224 Lewis E225-E228 Lincoln E229-E23 Linn E233-E236 Livingston E237-E240 McDonald E241-E24 Macon E245-E248 Madison E249-E252 Maries E253-E25 Marion E257-E260 Mercer E261-E264 Miller E265-E26 Mississippi E269-E272 Moniteau E273-E276 Monroe E276-E26 Mottgomery E281-E284 Morgan E285-E288 New Madrid E289-E29 Newton E293-E296 Nodaway E297-E300 Oregon E301-E30 Osage E305-E308 Ozark E309-E312 Pemiscot E313-E31 Perry E317-E320 Pettis E321-E324 Phelps E325-E32 Pike E329-E332 Platte E333-E336 Polk E337-E36 Pulaski E341-E344 Putnam E345-E348 Ralls E349-E35 Rapoloph E353-E356 Ray E357-E360 Reynolds <t< td=""><td>Jasper</td><td>E197-E200</td><td>Jefferson</td><td>E201-E204</td><td>Johnson</td><td>E205-E208</td></t<>	Jasper	E197-E200	Jefferson	E201-E204	Johnson	E205-E208
Linn E233-E236 Livingston E237-E240 McDonald E241-E24 Macon E245-E248 Madison E249-E252 Maries E253-E25 Marion E257-E260 Mercer E261-E264 Miller E265-E26 Mississippi E269-E272 Moniteau E273-E276 Monroe E276-E26 Montgomery E281-E284 Morgan E285-E288 New Madrid E289-E29 Newton E293-E296 Nodaway E297-E300 Oregon E301-E30 Osage E305-E308 Ozark E309-E312 Pemiscot E313-E31 Perry E317-E320 Pettis E321-E324 Phelps E325-E32 Pike E329-E332 Platte E333-E336 Polk E337-E34 Pulaski E341-E344 Putnam E345-E348 Ralls E349-E35 Randolph E353-E356 Ray E357-E360 Reynolds E361-E36 Ripley E365-E368 Saint Charles E369-E372 Saint Clair	Knox	E209-E211	Laclede	E213-E216	Lafayette	E217-E220
Macon E245-E248 Madison E249-E252 Maries E253-E25 Marion E257-E260 Mercer E261-E264 Miller E265-E26 Mississippi E269-E272 Moniteau E273-E276 Morroe E276-E28 Montgomery E281-E284 Morgan E285-E288 New Madrid E289-E28 Newton E293-E296 Nodaway E297-E300 Oregon E301-E30 Osage E305-E308 Ozark E309-E312 Pemiscot E313-E31 Perry E317-E320 Pettis E321-E324 Phelps E325-E32 Pike E329-E332 Platte E333-E336 Polk E337-E34 Pulaski E341-E344 Putnam E345-E348 Ralls E349-E35 Randolph E353-E356 Ray E357-E360 Reynolds E361-E36 Ripley E365-E368 Saint Charles E369-E372 Saint Clair E373-E37 Sainte Genevieve E377-E379 Saint Francois E381-E384 <t< td=""><td>Lawrence</td><td>E221-E224</td><td>Lewis</td><td>E225-E228</td><td>Lincoln</td><td>E229-E232</td></t<>	Lawrence	E221-E224	Lewis	E225-E228	Lincoln	E229-E232
Marion E257-E260 Mercer E261-E264 Miller E265-E26 Mississippi E269-E272 Moniteau E273-E276 Monroe E276-E28 Montgomery E281-E284 Morgan E285-E288 New Madrid E289-E28 Newton E293-E296 Nodaway E297-E300 Oregon E301-E30 Osage E305-E308 Ozark E309-E312 Pemiscot E313-E33 Perry E317-E320 Pettis E321-E324 Phelps E325-E32 Pike E329-E332 Platte E333-E336 Polk E337-E34 Pulaski E341-E344 Putnam E345-E348 Ralls E349-E35 Randolph E353-E356 Ray E357-E360 Reynolds E361-E36 Ripley E365-E368 Saint Charles E369-E372 Saint Clair E373-E37 Saline Genevieve E377-E379 Saint Francois E381-E384 Saint Louis County E385-E38 Scott E401-E404 Shannon E405-E408 <td>Linn</td> <td>E233-E236</td> <td>Livingston</td> <td>E237-E240</td> <td>McDonald</td> <td>E241-E243</td>	Linn	E233-E236	Livingston	E237-E240	McDonald	E241-E243
Mississippi E269-E272 Moniteau E273-E276 Monroe E276-E28 Montgomery E281-E284 Morgan E285-E288 New Madrid E289-E28 Newton E293-E296 Nodaway E297-E300 Oregon E301-E30 Osage E305-E308 Ozark E309-E312 Pemiscot E313-E31 Perry E317-E320 Pettis E321-E324 Phelps E325-E32 Pike E329-E332 Platte E333-E336 Polk E337-E34 Pulaski E341-E344 Putnam E345-E348 Ralls E349-E35 Randolph E353-E356 Ray E357-E360 Reynolds E361-E36 Ripley E365-E368 Saint Charles E369-E372 Saint Clair E373-E37 Sainte Genevieve E377-E379 Saint Francois E381-E384 Saint Louis County E385-E38 Saline E389-E392 Schuyler E393-E395 Scotland E397-E40 Scott E401-E404 Shannon E405-E408	Macon	E245-E248	Madison	E249-E252	Maries	E253-E255
Montgomery E281-E284 Morgan E285-E288 New Madrid E289-E28 Newton E293-E296 Nodaway E297-E300 Oregon E301-E30 Osage E305-E308 Ozark E309-E312 Pemiscot E313-E31 Perry E317-E320 Pettis E321-E324 Phelps E325-E32 Pike E329-E332 Platte E333-E336 Polk E337-E34 Pulaski E341-E344 Putnam E345-E348 Ralls E349-E35 Randolph E353-E356 Ray E357-E360 Reynolds E361-E36 Ripley E365-E368 Saint Charles E369-E372 Saint Clair E373-E37 Sainte Genevieve E377-E379 Saint Francois E381-E384 Saint Louis County E385-E38 Saline E389-E392 Schuyler E393-E395 Scotland E397-E40 Scott E401-E404 Shannon E405-E408 Shelby E409-E41 Stoddard E413-E416 Stone E417-E420	Marion	E257-E260	Mercer	E261-E264	Miller	E265-E268
Newton E293-E296 Nodaway E297-E300 Oregon E301-E30 Osage E305-E308 Ozark E309-E312 Pemiscot E313-E31 Perry E317-E320 Pettis E321-E324 Phelps E325-E32 Pike E329-E332 Platte E333-E336 Polk E337-E34 Pulaski E341-E344 Putnam E345-E348 Ralls E349-E35 Randolph E353-E356 Ray E357-E360 Reynolds E361-E36 Ripley E365-E368 Saint Charles E369-E372 Saint Clair E373-E37 Sainte Genevieve E377-E379 Saint Francois E381-E384 Saint Louis County E385-E38 Saline E389-E392 Schuyler E393-E395 Scotland E397-E40 Scott E401-E404 Shannon E405-E408 Shelby E409-E41 Stoddard E413-E416 Stone E417-E420 Sullivan E421-E42 Warren E437-E440 Washington E441-E444	Mississippi	E269-E272	Moniteau	E273-E276	Monroe	E276-E280
Osage E305-E308 Ozark E309-E312 Pemiscot E313-E31 Perry E317-E320 Pettis E321-E324 Phelps E325-E32 Pike E329-E332 Platte E333-E336 Polk E337-E34 Pulaski E341-E344 Putnam E345-E348 Ralls E349-E35 Randolph E353-E356 Ray E357-E360 Reynolds E361-E36 Ripley E365-E368 Saint Charles E369-E372 Saint Clair E373-E37 Sainte Genevieve E377-E379 Saint Francois E381-E384 Saint Louis County E385-E38 Saline E389-E392 Schuyler E393-E395 Scotland E397-E40 Scott E401-E404 Shannon E405-E408 Shelby E409-E41 Stoddard E413-E416 Stone E417-E420 Sullivan E421-E42 Warren E425-E428 Texas E429-E432 Vernon E433-E43 Webster E449-E452 Worth E453-E455	Montgomery	E281-E284	Morgan	E285-E288	New Madrid	E289-E292
Perry E317-E320 Pettis E321-E324 Phelps E325-E32 Pike E329-E332 Platte E333-E336 Polk E337-E34 Pulaski E341-E344 Putnam E345-E348 Ralls E349-E35 Randolph E353-E356 Ray E357-E360 Reynolds E361-E36 Ripley E365-E368 Saint Charles E369-E372 Saint Clair E373-E37 Sainte Genevieve E377-E379 Saint Francois E381-E384 Saint Louis County E385-E38 Saline E389-E392 Schuyler E393-E395 Scotland E397-E40 Scott E401-E404 Shannon E405-E408 Shelby E409-E41 Stoddard E413-E416 Stone E417-E420 Sullivan E421-E42 Taney E425-E428 Texas E429-E432 Vernon E433-E43 Warren E447-E440 Washington E441-E444 Wayne E445-E44 Webster E449-E452 Worth E453-E455	Newton	E293-E296	Nodaway	E297-E300	Oregon	E301-E304
Pike E329-E332 Platte E333-E336 Polk E337-E34 Pulaski E341-E344 Putnam E345-E348 Ralls E349-E35 Randolph E353-E356 Ray E357-E360 Reynolds E361-E36 Ripley E365-E368 Saint Charles E369-E372 Saint Clair E373-E37 Sainte Genevieve E377-E379 Saint Francois E381-E384 Saint Louis County E385-E38 Saline E389-E392 Schuyler E393-E395 Scotland E397-E40 Scott E401-E404 Shannon E405-E408 Shelby E409-E41 Stoddard E413-E416 Stone E417-E420 Sullivan E421-E42 Taney E425-E428 Texas E429-E432 Vernon E433-E43 Warren E437-E440 Washington E441-E444 Wayne E445-E44 Webster E449-E452 Worth E453-E455 Wright E457-E46	Osage	E305-E308	Ozark	E309-E312	Pemiscot	E313-E316
Pulaski E341-E344 Putnam E345-E348 Ralls E349-E35 Randolph E353-E356 Ray E357-E360 Reynolds E361-E36 Ripley E365-E368 Saint Charles E369-E372 Saint Clair E373-E37 Sainte Genevieve E377-E379 Saint Francois E381-E384 Saint Louis County E385-E38 Saline E389-E392 Schuyler E393-E395 Scotland E397-E40 Scott E401-E404 Shannon E405-E408 Shelby E409-E41 Stoddard E413-E416 Stone E417-E420 Sullivan E421-E42 Taney E425-E428 Texas E429-E432 Vernon E433-E43 Warren E437-E440 Washington E441-E444 Wayne E445-E44 Webster E449-E452 Worth E453-E455 Wright E457-E46	Perry	E317-E320	Pettis	E321-E324	Phelps	E325-E328
Randolph E353-E356 Ray E357-E360 Reynolds E361-E36 Ripley E365-E368 Saint Charles E369-E372 Saint Clair E373-E37 Sainte Genevieve E377-E379 Saint Francois E381-E384 Saint Louis County E385-E38 Saline E389-E392 Schuyler E393-E395 Scotland E397-E40 Scott E401-E404 Shannon E405-E408 Shelby E409-E41 Stoddard E413-E416 Stone E417-E420 Sullivan E421-E42 Taney E425-E428 Texas E429-E432 Vernon E433-E43 Warren E437-E440 Washington E441-E444 Wayne E445-E44 Webster E449-E452 Worth E453-E455 Wright E457-E46	Pike	E329-E332	Platte	E333-E336	Polk	E337-E340
Ripley E365-E368 Saint Charles E369-E372 Saint Clair E373-E37 Sainte Genevieve E377-E379 Saint Francois E381-E384 Saint Louis County E385-E38 Saline E389-E392 Schuyler E393-E395 Scotland E397-E40 Scott E401-E404 Shannon E405-E408 Shelby E409-E41 Stoddard E413-E416 Stone E417-E420 Sullivan E421-E42 Taney E425-E428 Texas E429-E432 Vernon E433-E43 Warren E437-E440 Washington E441-E444 Wayne E445-E44 Webster E449-E452 Worth E453-E455 Wright E457-E46	Pulaski	E341-E344	Putnam	E345-E348	Ralls	E349-E351
Sainte Genevieve E377-E379 Saint Francois E381-E384 Saint Louis County E385-E38 Saline E389-E392 Schuyler E393-E395 Scotland E397-E40 Scott E401-E404 Shannon E405-E408 Shelby E409-E41 Stoddard E413-E416 Stone E417-E420 Sullivan E421-E42 Taney E425-E428 Texas E429-E432 Vernon E433-E43 Warren E437-E440 Washington E441-E444 Wayne E445-E44 Webster E449-E452 Worth E453-E455 Wright E457-E46	Randolph	E353-E356	Ray	E357-E360	Reynolds	E361-E364
Saline E389-E392 Schuyler E393-E395 Scotland E397-E40 Scott E401-E404 Shannon E405-E408 Shelby E409-E41 Stoddard E413-E416 Stone E417-E420 Sullivan E421-E42 Taney E425-E428 Texas E429-E432 Vernon E433-E43 Warren E437-E440 Washington E441-E444 Wayne E445-E44 Webster E449-E452 Worth E453-E455 Wright E457-E46	Ripley	E365-E368	Saint Charles	E369-E372	Saint Clair	E373-E376
Scott E401-E404 Shannon E405-E408 Shelby E409-E41 Stoddard E413-E416 Stone E417-E420 Sullivan E421-E42 Taney E425-E428 Texas E429-E432 Vernon E433-E43 Warren E437-E440 Washington E441-E444 Wayne E445-E44 Webster E449-E452 Worth E453-E455 Wright E457-E46	Sainte Genevieve	E377-E379	Saint Francois	E381-E384	Saint Louis County	E385-E388
Stoddard E413-E416 Stone E417-E420 Sullivan E421-E42 Taney E425-E428 Texas E429-E432 Vernon E433-E43 Warren E437-E440 Washington E441-E444 Wayne E445-E44 Webster E449-E452 Worth E453-E455 Wright E457-E46	Saline	E389-E392	Schuyler	E393-E395	Scotland	E397-E400
Taney E425-E428 Texas E429-E432 Vernon E433-E43 Warren E437-E440 Washington E441-E444 Wayne E445-E44 Webster E449-E452 Worth E453-E455 Wright E457-E466	Scott	E401-E404	Shannon	E405-E408	Shelby	E409-E411
Warren E437-E440 Washington E441-E444 Wayne E445-E44 Webster E449-E452 Worth E453-E455 Wright E457-E466	Stoddard	E413-E416	Stone	E417-E420	Sullivan	E421-E424
Webster E449-E452 Worth E453-E455 Wright E457-E46	Taney	E425-E428	Texas	E429-E432	Vernon	E433-E436
	Warren	E437-E440	Washington	E441-E444	Wayne	E445-E448
Saint Louis City E461-E463	Webster	E449-E452	Worth	E453-E455	Wright	E457-E460
	Saint Louis City	E461-E463				

SECTION E: INDICATORS AND TREATMENT SERVICES BY GEOGRAPHIC AREA (continued)

ADA/CPS Planning	r Regions				
ADA Northwest Region	E465-E467	ADA Central Region	E468-E470	ADA Eastern Region	E471-E473
ADA Southwest Region	E474-E476	ADA Southeast Region	E477-E479		
ADA Service Areas	3				
ADA Service Area 1	E480-E481	ADA Service Area JC	E482-E483	ADA Service Area 6	E484-E485
ADA Service Area 7	E486-E487	ADA Service Area 8	E488-E489	ADA Service Area 9	E490-E491
ADA Service Area 10	E492-E493	ADA Service Area 11	E494-E495	ADA Service Area 12	E496-E497
ADA Service Area 13	E498-E499	ADA Service Area 14	E500-E501	ADA Service Area 15	E502-E503
ADA Service Area 16	E504-E505	ADA Service Area 17	E506-E507	ADA Service Area 18	E508-E509
ADA Service Area 19	E510-E511	ADA Service Area 20	E512-E513	ADA Service Area 21	E514-E515
ADA Service Area 22	E516-E517	ADA Service Area SL	E518-E519		
CPS Adult Service	Areas				
CPS Service Area 1	E520	CPS Service Areas 2-5	E521	CPS Service Area 6	E522
CPS Service Area 7	E523	CPS Service Area 8A	E524	CPS Service Area 8B	E525
CPS Service Area 9	E526	CPS Service Area 10	E527	CPS Service Area 11	E528
CPS Service Area 12	E529	CPS Service Area 13	E530	CPS Service Area 14	E531
CPS Service Area 15	E532	CPS Service Area 16	E533	CPS Service Area 17A	E534
CPS Service Area 17B	E535	CPS Service Area 18	E536	CPS Service Area 19	E537
CPS Service Area 20	E538	CPS Service Area 21	E539	CPS Service Area 22	E540
CPS Service Area 23	E541	CPS Service Area 24-25	E542		


SECTION F: APPENDIX

Missouri Population Estimates by Age, Gender, Race, and Hispanic Origin	F1
Map of ADA/CPS Regions Containing Substate Estimates from National Survey on Drug Use and Health	F2
Map of ADA/CPS Regions and ADA Service Areas Containing Status Report Data	F3
Map of ADA/CPS Regions and CPS Adult Service Areas Containing Status Report Data	F4
About the Surveys: An Overview	F5-F8
Data Sources	F9-F11

HIGHLIGHTS AND ANALYSIS


PREVALENCE OF SUBSTANCE USE

Approximately 15 percent of Missouri's adolescents recently drank alcohol, and nearly nine percent used an illicit drug. Estimates from the National Survey on Drug Use and Health during the past decade indicate that past-month alcohol use among Missouri's population 12-17 years of age declined from a peak of 20% to a current rate of 15%. Past-month binge drinking in this age group reached nearly 10% in the most recent survey, indicating that two-thirds of the adolescents who drank in the past month consumed five or more drinks on at least one drinking occasion. During the decade, illicit drug use among Missouri's adolescents decreased from 11% to less than 9%. Missouri's rates have generally paralleled U.S. rates but were a few percentage points higher than national for alcohol use until the mid-2000s. Missouri and U.S. adolescent alcohol and drug use are beginning to increase after several years of decline.



Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.

Sixty percent of Missouri's young adults recently consumed alcohol, and 20% used an illicit drug. Past-month alcohol use in the Missouri 18-25 age group has inched downward from 65% in the middle of the last decade, while illicit drug use has shown little fluctuation or change. Missouri alcohol use rates for young adults have generally been higher than U.S. rates and illicit drug use rates slightly lower than national rates. Like the adolescent age group, two-thirds of the past-month drinkers in the young adult age group engaged in binge drinking.




Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.

PREVALENCE OF SUBSTANCE USE DISORDER

An estimated 394,000 Missouri adolescents and adults ages 12 and older had a past-year substance use disorder. Identified as dependence on—or abuse of—alcohol or an illicit drug, the disorder includes:

- 33,000 adolescents 12-17 years of age (6.8% of age group)
- 361,000 adults 18 years of age and older
 - o 119,000 18-25 years of age (18.5% of age group)
 - o 243,000 26 years of age and older (6.4% of age group)

The prevalence for adolescents is the lowest since the National Survey on Drug Use and Health began providing state estimates for this measure in 2000 and the lowest for adults since 2001.




Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.

Derived from the NSDUH data for Missouri, among the 394,000 with a substance use disorder:

- 262,000 had alcohol dependence or abuse but not illicit drug dependence or abuse:
 - o 13,000 12-17 years of age (2.7% of age group)
 - o 68,000 18-25 years of age (10.6% of age group)
 - 181,000 26 years of age and older (4.7% of age group)
- 67,000 had illicit drug dependence or abuse but not alcohol dependence or abuse:
 - o 11,000 12-17 years of age (2.2% of age group)
 - o 24,000 18-25 years of age (3.7% of age group)
 - o 32,000 26 years of age and older (0.9% of age group)
- 65,000 had both alcohol and illicit drug dependence or abuse:
 - o 9,000 12-17 years of age (2.0% of age group)
 - o 27,000 18-25 years of age (4.2% of age group)
 - o 29,000 26 years of age and older (0.8% of age group)

The number of Missouri residents with past-year alcohol-only disorders decreased while the number with combined alcohol and drug disorders increased. Alcohol-only dependence/abuse declined from 316,000 in 2009 to 262,000 in 2010. Illicit drug-only dependence/abuse increased slightly. Individuals with both alcohol and drug disorders increased from 57,000 to 65,000.



Data Source: Missouri Dept of Mental Health, Division of Behavioral Health. Data derived from NSDUH Missouri estimates.


SUBSTANCE ABUSE INTERVENTION AND TREATMENT

In fiscal year 2011, nearly 68,000 Missouri residents began substance abuse treatment or accessed other substance abuse-related services supported by the Division of Behavioral Health.

- 37,200 were admitted to a substance abuse clinical treatment program.
- 24,500 received a Substance Abuse Traffic Offender Program (SATOP) assessment and referral
- 6,200 were admitted for co-dependency, early intervention, compulsive gambling, or recovery support services

More than two-thirds (68%) of the 37,000 individuals admitted to treatment programs were male, 74% were white or Caucasian, 21% were black or African American, and 2% were Hispanic. Nearly 7% were under the age of 18, 62% were 18-39, and 31% were age 40 or older.

Among the individuals admitted for clinical treatment, 22% indicated they abused alcohol but not illicit drugs. Over 38% abused both alcohol and illicit drugs, and 40% abused drugs but not alcohol. The ratios differed by age group.



Data Source: Missouri Department of Mental Health, CIMOR system.

Alcohol and marijuana constituted the majority of primary substance disorders. The portions were:

- 39% alcohol
- 25% marijuana
- 11% methamphetamine
- 8% heroin
- 7% cocaine
- 9% all other drugs

Consumers admitted to treatment faced serious personal limitations or challenges. These included:

- 56% who had criminal justice obligations
- 42% who were unemployed and an additional 32% who were not seeking employment
- 37% who had no high school diploma or equivalent degree
- 32% who had co-occurring psychological problems
- 11% who were injecting drugs
- 8% who needed special education services
- 6% who were homeless
- 5% who were military veterans
- 3% who had developmental problems
- 2% who were pregnant and abusing substances


UNMET NEED FOR SUBSTANCE ABUSE TREATMENT

Among the estimated 394,000 Missouri residents with past-year substance use disorders, only 14% were admitted to state-funded programs for treatment or intervention/education in fiscal year 2011.

- 2,900 (9%) of the 33,000 adolescents 12-17 years of age
 - o 2,500 treatment
 - 400 intervention/education
- 14,500 (12%) of the 119,000 young adults 18-25 years of age
 - o 8,200 treatment
 - o 6,300 intervention/education
- 37,100 (15%) of the 243,000 adults older than age 25
 - o 26,500 treatment
 - 10,600 intervention/education

An estimated 370,000 Missouri residents have an unmet need for treatment of a substance use disorder. The estimate is based on 2009-2010 data from the National Survey on Drug Use and Health and includes individuals who needed—but did not receive—specialized treatment services for a past-year substance use disorder and individuals who received an inadequate amount of treatment. Those with unmet or under-served treatment need include approximately:

- 31,000 adolescents 12-17 years of age
 - 13,000 with alcohol-only dependence or abuse
 - 9,000 with illicit drug-only dependence or abuse
 - 9,000 with both alcohol and drug dependence or abuse
- 110,000 young adults 18-25 years of age
 - 64,000 with alcohol-only dependence or abuse
 - 21,000 with illicit drug-only dependence or abuse
 - 25,000 with both alcohol and drug dependence or abuse
- 229,000 adults 26 years of age and older
 - 172,000 with alcohol-only dependence or abuse
 - o 30,000 with illicit drug-only dependence or abuse
 - o 27,000 with both alcohol and drug dependence or abuse



Data Source: Missouri Dept of Mental Health, Division of Behavioral Health. Estimates derived from SAMHSA, National Survey on Drug Use and Health (NSDUH) using 2009-2010 NSDUH Missouri state estimates and 2008-2010 NSDUH Missouri sub-state estimates.

PREVALENCE OF MENTAL ILLNESS

One in five Missouri adults had some degree of mental illness in the past year. Recent estimates from the National Survey on Drug Use and Health (NSDUH) indicate that 931,000 Missouri residents 18 years of age and older—nearly 21% of that age group—had any mental illness in the past year. The same percentage was reported for both the 2008-2009 and 2009-2010 survey time spans and was about the same for adults nationwide. Nearly one in three Missouri young adults 18-25 years of age had any mental illness in the past year and almost 8% had serious mental illness. An estimated 7% of Missouri adults 18 and older had a past-year major depressive episode and 4% of adults had serious thoughts of suicide.

Among the Missouri adults with any mental illness:

- 204,000 were 18-25 years of age (31.7% of age group)
- 727,000 were 26 years of age and older (19.0% of age group)
- 255,000 (27%) had serious mental illness:
 - o 50,000 18-25 years of age (7.8% of age group)
 - 205,000 26 years of age and older (5.4% of age group)
- 327,000 (35%) had at least one major depressive episode:
 - 52,000 18-25 years of age (8.1% of age group)
 - o 276,000 26 years of age and older (7.2% of age group)
- 192,000 (21%) had serious thoughts of suicide
 - 42,000 18-25 years of age (6.5% of age group)
 - o 150,000 26 years of age and older (3.9% of age group)

CO-OCCURRENCE OF MENTAL ILLNESS AND SUBSTANCE ABUSE

Nearly 19% of Missouri adults with any mental illness in the past year also had a substance use disorder. Integrating U.S. and Missouri NSDUH data, the estimate encompasses individuals dependent on or abusing alcohol, illicit drugs, or both. Among adults with <u>serious mental illness</u>, nearly 23% had a substance use disorder.

Among the 931,000 Missouri adults with any mental illness in the past year, an estimated:

- 240,000 (26%) used illicit drugs in the past year
- 270,000 (29%) were past-month binge drinkers
- 342,000 (37%) were past-month cigarette smokers
- 175,000 (19%) had a past-year substance use disorder

Among the 255,000 Missouri adults with serious mental illness in the past year, an estimated:


- 80,000 (31%) used illicit drugs in the past year
- 72,000 (28%) were past-month binge drinkers
- 113,000 (44%) were past-month cigarette smokers
- 48,000 (19%) had past-year alcohol dependence or abuse
- 29,000 (11%) had past-year illicit drug dependence or abuse
- 58,000 (23%) had a past-year substance use disorder

Among the 361,000 Missouri adults with past-year substance use disorder, an estimated:

- 175,000 (48%) had any mental illness
- 58,000 (16%) had serious mental illness

2010 Missouri Prevalence Estimates

Missouri Population 18 and Older: 4,500,000



58,000: Substance Use Disorder and Serious Mental Illness

117,000: Substance Use Disorder and Any Mental Illness except Serious Mental Illness

194,000: Substance Use Disorder, No Mental Illness

197,000: Serious Mental Illness, No Substance Use Disorder


559,000: Any Mental Illness except Serious Mental Illness, No Substance Use Disorder

3,375,000: No Mental Illness or Substance Use Disorder

Data Source: Substance Abuse and Mental Health Services Administration. National Survey on Drug Use and Health, 2009 and 2010. Estimation Methodology: Estimates for Any Mental Illness, Serious Mental Illness, and Substance Use Disorder are published figures based on estimated rates for Missouri adults ages 18 and older for 2009-2010 two-year span applied to population estimates. Mental illness and substance use disorder co-occurrence estimates are based on national co-occurrence rates applied to Missouri estimates for individual disorders. Derived values of reciprocal pairs are averaged to adjust for variance between U.S. and Missouri rates of co-occurrence for Substance Use Disorder with Any Mental Illness and Substance Use Disorder with Serious Mental Illness.

MENTAL ILLNESS TREATMENT

More than 70,000 individual consumers accessed mental health treatment through the Division of Behavioral Health in fiscal year 2011. Some individuals sought treatment for more than one type of disorder. Among 70,218 consumers, 38,273 were treated for mood disorders, 17,381 for anxiety disorders, 13,602 for psychotic disorders, 9,976 for impulse control disorders, 6,758 for personality disorders, 2,826 for adjustment disorders, 4,500 for a variety of other impairments including co-occurring substance abuse and developmental disorders, and 8,161 unspecified.




Data Source: Missouri Department of Mental Health, CIMOR system.

Slightly more than one-half (52%) of the consumers were female, 73% were white or Caucasian, 21% were black or African American, 2% were Hispanic, and 4% were other races and ethnicities. Over 21% were under the age of 18, 34% were 18-39, and 45% were age 40 or older.

UNMET NEED FOR MENTAL ILLNESS TREATMENT

A vast majority of Missouri residents do not receive the help they need for mental illness. In fiscal year 2011, 55,306 Missouri adults over age 18 received Department of Mental Health funded mental illness treatment—only 6% of those with any past-year mental illness or nearly 22% of those with serious mental illness. Additional unknown numbers of individuals received non-DMH services.



Data Sources: SAMHSA, 2008-2010 NSDUHs; Missouri Department of Mental Health, CIMOR system.

SUBSTANCE ABUSE AND MENTAL ILLNESS RELATED DEATHS

Alcohol and drug related deaths increased in Missouri in 2010. Out of 55,047 deaths among Missouri residents:

- 1,019 were drug-induced (compared to 901 in 2009)
- 396 were alcohol-induced (compared to 372 in 2009)
- 9,686 were smoking-related (compared to 9,655 in 2009)
- 850 were suicides (compared to 857 in 2009)
- 438 were homicides (compared to 440 in 2009)

SUBSTANCE ABUSE RELATED HOSPITAL EPISODES

Alcohol and drug related hospital episodes continued to increase. In 2010 there were:

- 67,902 hospital and emergency department episodes for alcohol-related illnesses and injuries (compared to 62,639 in 2009)
- 63,734 hospital and emergency department episodes for drug-related illnesses and injuries (compared to 51,521 in 2009)
- 18,852 hospitalizations resulting from alcohol-related emergency department services (compared to 22,426 in 2009)
- 16,256 hospitalizations resulting from drug-related emergency department services (compared to 17,999 in 2009)

SUBSTANCE ABUSE RELATED TRAFFIC CRASHES

Alcohol and drug related traffic crashes decreased. In 2010 there were:

- 6,176 alcohol-involved crashes (compared to 6,832 in 2009)
- 1,173 drug-involved crashes (compared to 1,207 in 2009)
- 207 alcohol-related traffic deaths (compared to 226 in 2009)
- 55 drug-related traffic deaths (compared to 48 in 2009)
- 3,725 non-fatal alcohol-related traffic injuries (compared to 3,426 in 2009)
- 773 non-fatal drug-related traffic injuries (compared to 612 in 2009)

ALCOHOL AND DRUG ARRESTS

Arrests for alcohol and drug offenses generally decreased. In 2010 there were:

- 35,059 arrests for DWI/DUI in Missouri DWI Tracking System (compared to 35,543 in 2009)
- 30,143 arrests for DWI/DUI in Uniform Crime Reporting (compared to 33,093 in 2009)
- 11,498 for liquor law arrests (compared to 13,726 in 2009)
- 1,960 methamphetamine lab confiscations (compared to 1,774 in 2009)
- 30,870 drug possession arrests (compared to 31,133 in 2009)
 - o 20,233 marijuana
 - o 2,313 opium or cocaine
 - 2,172 synthetic narcotics
 - o 6,152 other non-narcotics
- 5,215 drug sales/manufacturing arrests (compared to 5,965 in 2009)
 - o 1,882 marijuana
 - o 607 opium or cocaine
 - o 852 synthetic narcotics
 - 1,874 other non-narcotics

IUVENILE COURT SERVICES

Juvenile court referrals generally decreased. In 2010 there were:

- 29,028 referrals for criminal violations (compared to 32,223 in 2009).
 - 2,273 for illicit drugs (compared to 2,523 in 2009)
 - o 1,248 for alcohol (compared to 1,361 in 2009)
 - o 8,572 for violent crimes (compared to 9,356 in 2009)
 - 16,935 for all other law violations (compared to 18,952 in 2009)
- 14,946 referrals for status offenses (compared to 14,479 in 2009)
- 15,038 abuse, neglect, and custody cases (compared to 14,486 in 2009)

Out-of-home placements of children due to their parents' substance abuse increased. In 2010 there were:

- 6,236 total out-of-home placements (compared to 5,620 in 2009)
 - o 1,853 parental drug use (compared to 1,418 in 2009)
 - o 242 parental alcohol use (compared to 219 in 2009)
 - 236 parental alcohol and drug use (compared to 186 in 2009)
 - o 3,905 placements for other removal conditions (compared to 3,797 in 2009)

CORRECTIONS SUPERVISION

Incarcerations for drug and DWI convictions increased, while overall incarcerations decreased. Among Missouri residents in fiscal year (FY) 2011 there were:

- 17,639 total prison admissions (compared to 17,679 in FY 2010)
- 5,508 prison admissions for drug convictions (compared to 5,389 in FY 2010)
- 1,176 prison admissions for DWI convictions (compared to 1,190 in FY 2010)

Alcohol and drug related probation openings (new cases) decreased. Among Missouri residents in FY 2011 there were:

- 22,364 total probation openings (compared to 22,943 in FY 2010)
- 7,265 probation openings for illicit drugs (compared to 7,682 in FY 2010)
- 1,800 probation openings for DWI (compared to 1,526 in FY 2010)

The use of drug courts increased. In FY 2011 there were:

- 5,495 participants (compared to 5,216 in FY 2010) in Missouri's 133 drug courts
- 277 participants (compared to 294 in FY 2010) in Missouri's three mental health courts

SCHOOL DROPOUTS AND SUSPENSIONS

High school drop-out rates continued to decrease. The drop-out rate for grades 9-12, which is based on each school year's enrollment, decreased to 3.2% in the 2010-2011 school year—the lowest drop-out rate recorded in the last two decades. Enrollment declined to 273,777 compared to 279,628 in the 2009-2010 school year.

Major school suspensions of 10 days or more involving substance abuse increased. In the 2010-2011 school year there were:

- 2,950 drug incidents (compared to 2,554 in 2009-2010)
- 478 alcohol incidents (compared to 428 in 2009-2010)
- 101 tobacco incidents (compared to 116 in 2009-2010)

LOOKING AHEAD

As noted earlier, only a small percentage of Missouri residents with substance use disorders are accessing specialized treatment services. National surveys indicate that alcohol and drug dependence go untreated for a variety of reasons. Treatment barriers include lack of available, accessible, or affordable services; lack of awareness or denial of the seriousness of the problem; and reluctance to cease or reduce substance use. Many who suffer from mood, anxiety, or impulse control disorders self-medicate with alcohol or other drugs to ease their discomfort rather than seeking professional help. In doing so, they often aggravate underlying personal problems that contribute to these disorders, thereby making rehabilitation and recovery more difficult.

Organizations such as the Missouri Mental Health Foundation and ACT Missouri have important roles in promoting awareness and public understanding of mental health and substance abuse, reducing stigma, encouraging early treatment, and supporting prevention programs and initiatives. The federal Affordable Care Act might make substance abuse and mental health services available to thousands of Missouri residents who currently cannot afford or otherwise do not access them. As currently proposed, more adults would be eligible for preventive services such as alcohol misuse screening and counseling, tobacco use screening and cessation interventions, and depression screening. Children would have access to autism screening and behavioral assessments and adolescents would have access to behavioral assessments, alcohol and drug use assessments, and depression screening.

The devastating production and use of methamphetamine continues to be an intractable problem in Missouri. Another concern is the abuse of an ever-expanding assortment of pharmaceutical and synthetic drugs and substances. Marijuana laws are changing in a number of states, and it is unclear how these changes could impact Missouri. Eighteen states and the District of Columbia have enacted laws to legalize medical marijuana use, and two of those states have legalized recreational use of marijuana among adults. This changing landscape could affect public opinion, individual attitudes, availability, and ultimately use of marijuana nationwide.

Alcohol and drug abuse, mental illness, and other behavioral disorders are perhaps easier to identify than to alter. Nevertheless, using data to document and study them is an essential step toward finding and implementing solutions. The Missouri Behavioral Health Epidemiology Workgroup (MO-BHEW) continues to examine behavioral issues affecting Missouri and to identify pertinent data that are available or needed. The MO-BHEW website is located at http://dmh.mo.gov/ada/mobhew/index.htm.

As the use of behavioral health data increases and the data volume grows, central access to the data becomes increasingly important. The MO-BHEW has guided the development of a web-based Data Tool that provides access to archived and contemporary data. The tool allows users to specify parameters such as category, measure, time frame, geography, and population demographics and display output in table and chart formats. Ongoing enhancements are planned. The Data Tool is available at: http://dmh.mo.gov/seow/default.aspx.

LOOKING AHEAD

As noted earlier, only a small percentage of Missouri residents with substance use disorders are accessing specialized treatment services. National surveys indicate that alcohol and drug dependence go untreated for a variety of reasons. Treatment barriers include lack of available, accessible, or affordable services; lack of awareness or denial of the seriousness of the problem; and reluctance to cease or reduce substance use. Many who suffer from mood, anxiety, or impulse control disorders self-medicate with alcohol or other drugs to ease their discomfort rather than seeking professional help. In doing so, they often aggravate underlying personal problems that contribute to these disorders, thereby making rehabilitation and recovery more difficult.

Organizations such as the Missouri Mental Health Foundation and ACT Missouri have important roles in promoting awareness and public understanding of mental health and substance abuse, reducing stigma, encouraging early treatment, and supporting prevention programs and initiatives. The federal Affordable Care Act might make substance abuse and mental health services available to thousands of Missouri residents who currently cannot afford or otherwise do not access them. As currently proposed, more adults would be eligible for preventive services such as alcohol misuse screening and counseling, tobacco use screening and cessation interventions, and depression screening. Children would have access to autism screening and behavioral assessments and adolescents would have access to behavioral assessments, alcohol and drug use assessments, and depression screening.

The devastating production and use of methamphetamine continues to be an intractable problem in Missouri. Another concern is the abuse of an ever-expanding assortment of pharmaceutical and synthetic drugs and substances. Marijuana laws are changing in a number of states, and it is unclear how these changes could impact Missouri. Eighteen states and the District of Columbia have enacted laws to legalize medical marijuana use, and two of those states have legalized recreational use of marijuana among adults. This changing landscape could affect public opinion, individual attitudes, availability, and ultimately use of marijuana nationwide.

Alcohol and drug abuse, mental illness, and other behavioral disorders are perhaps easier to identify than to alter. Nevertheless, using data to document and study them is an essential step toward finding and implementing solutions. The Missouri Behavioral Health Epidemiology Workgroup (MO-BHEW) continues to examine behavioral issues affecting Missouri and to identify pertinent data that are available or needed. The MO-BHEW website is located at http://dmh.mo.gov/ada/mobhew/index.htm.

As the use of behavioral health data increases and the data volume grows, central access to the data becomes increasingly important. The MO-BHEW has guided the development of a web-based Data Tool that provides access to archived and contemporary data. The tool allows users to specify parameters such as category, measure, time frame, geography, and population demographics and display output in table and chart formats. Ongoing enhancements are planned. The Data Tool is available at: http://dmh.mo.gov/seow/default.aspx.

NATIONAL SURVEY ON DRUG USE AND HEALTH U.S. AGES 12 AND OLDER, 2000-2010

Estimated Past-Month Substance Use (%)											
. ,	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	51.8	51.9	51.6	51.1	50.9	51.8	50.3	50.1	51.0	48.3	46.6
Binge Alcohol Use *	23.1	23.7	23.3	23.3	23.0	22.7	22.8	22.6	22.9	20.5	20.6
Heavy Alcohol Use **	6.7	6.8	6.9	6.9	6.9	6.6	6.9	6.8	6.7	5.7	5.6
Any Tobacco	27.4	27.7	28.4	28.6	29.6	29.4	29.2	29.8	30.4	29.5	29.3
Cigarettes	23.0	23.3	23.9	24.2	25.0	24.9	24.9	25.4	26.0	24.9	24.9
Smokeless Tobacco	3.5	3.4	3.5	3.2	3.3	3.2	3.0	3.3	3.3	3.2	3.4
Any Illicit Drug	8.9	8.7	8.0	8.0	8.3	8.1	7.9	8.2	8.3	7.1	6.3
Marijuana/Hashish	6.9	6.6	6.1	5.8	6.0	6.0	6.1	6.2	6.2	5.4	4.8
Inhalant	0.3	0.2	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.2	0.3
Hallucinogen	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.6	0.4
LSD	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.2
PCP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	NA
Cocaine (any form)	0.6	0.7	0.7	8.0	1.0	1.0	0.8	1.0	0.9	0.7	0.5
Crack Cocaine	0.1	0.2	0.1	0.2	0.3	0.3	0.2	0.3	0.2	0.2	0.1
Heroin	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Psychotherapeutic Drugs (non-medical use)	2.7	2.8	2.5	2.8	2.9	2.7	2.5	2.7	2.7		
Pain Reliever (non-medical use)	2.0	2.1	1.9	2.1	2.1	1.9	1.8	2.0	1.9	1.6	1.2
OxyContin	0.2	0.2	0.2	0.1	0.1	0.1	0.1	NA	NA	NA	NA
Stimulant (non-medical use)	0.4	0.5	0.4	0.4	0.5	0.4	0.5	0.5	0.5	0.5	0.4
Methamphetamine	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.2
Sedative (non-medical use)	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1
Tranquilizer (non-medical use)	0.9	0.8	0.7	0.7	0.7	0.7	0.7	0.8	8.0	0.6	0.4
Estimated Lifetime Substance Use (%)											
Estimated Lifetime Substance Use (%)	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Estimated Lifetime Substance Use (%)	2010 82.5	2009 82.8	2008 82.2	2007 82.3	2006 82.7	2005 82.9	2004 82.4	2003 83.1		2001 81.7	2000 81.0
Alcohol									2002 83.1 73.1		
, ,	82.5	82.8	82.2	82.3	82.7	82.9	82.4	83.1	83.1	81.7	81.0
Alcohol Any Tobacco	82.5 68.7	82.8 69.1	82.2 69.6	82.3 69.5	82.7 70.7	82.9 70.8	82.4 71.4	83.1 72.7	83.1 73.1	81.7 71.4	81.0 70.5
Alcohol Any Tobacco Cigarettes	82.5 68.7 64.2	82.8 69.1 64.6	82.2 69.6 65.1	82.3 69.5 65.3	82.7 70.7 66.3	82.9 70.8 66.6	82.4 71.4 67.3	83.1 72.7 68.7	83.1 73.1 69.1	81.7 71.4 67.2	81.0 70.5 66.5
Alcohol Any Tobacco Cigarettes Smokeless Tobacco	82.5 68.7 64.2 17.7	82.8 69.1 64.6 17.8	82.2 69.6 65.1 18.4	82.3 69.5 65.3 18.2	82.7 70.7 66.3 18.6	82.9 70.8 66.6 18.4	82.4 71.4 67.3 18.6	83.1 72.7 68.7 19.4	83.1 73.1 69.1 19.9	81.7 71.4 67.2 19.1	81.0 70.5 66.5 18.5
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug	82.5 68.7 64.2 17.7 47.1	82.8 69.1 64.6 17.8 47.1	82.2 69.6 65.1 18.4 47.0	82.3 69.5 65.3 18.2 46.1	82.7 70.7 66.3 18.6 45.4	82.9 70.8 66.6 18.4 46.1	82.4 71.4 67.3 18.6 45.8	83.1 72.7 68.7 19.4 46.4	83.1 73.1 69.1 19.9 46.0	81.7 71.4 67.2 19.1 41.7	81.0 70.5 66.5 18.5 38.9
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish	82.5 68.7 64.2 17.7 47.1 42.0	82.8 69.1 64.6 17.8 47.1 41.7	82.2 69.6 65.1 18.4 47.0 41.0	82.3 69.5 65.3 18.2 46.1 40.6	82.7 70.7 66.3 18.6 45.4 39.8	82.9 70.8 66.6 18.4 46.1 40.1	82.4 71.4 67.3 18.6 45.8 40.2	83.1 72.7 68.7 19.4 46.4 40.6	83.1 73.1 69.1 19.9 46.0 40.4	81.7 71.4 67.2 19.1 41.7 36.9	81.0 70.5 66.5 18.5 38.9 34.2
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant	82.5 68.7 64.2 17.7 47.1 42.0 8.6	82.8 69.1 64.6 17.8 47.1 41.7 9.0	82.2 69.6 65.1 18.4 47.0 41.0 8.9	82.3 69.5 65.3 18.2 46.1 40.6 9.1	82.7 70.7 66.3 18.6 45.4 39.8 9.3	82.9 70.8 66.6 18.4 46.1 40.1 9.4	82.4 71.4 67.3 18.6 45.8 40.2 9.5	83.1 72.7 68.7 19.4 46.4 40.6 9.7	83.1 73.1 69.1 19.9 46.0 40.4 9.7	81.7 71.4 67.2 19.1 41.7 36.9 8.1	81.0 70.5 66.5 18.5 38.9 34.2 7.5
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen	82.5 68.7 64.2 17.7 47.1 42.0 8.6 14.8	82.8 69.1 64.6 17.8 47.1 41.7 9.0 14.8	82.2 69.6 65.1 18.4 47.0 41.0 8.9 14.4	82.3 69.5 65.3 18.2 46.1 40.6 9.1 13.8	82.7 70.7 66.3 18.6 45.4 39.8 9.3 14.3	82.9 70.8 66.6 18.4 46.1 40.1 9.4 13.9	82.4 71.4 67.3 18.6 45.8 40.2 9.5 14.3	83.1 72.7 68.7 19.4 46.4 40.6 9.7 14.5	83.1 73.1 69.1 19.9 46.0 40.4 9.7 14.6	81.7 71.4 67.2 19.1 41.7 36.9 8.1 12.5	81.0 70.5 66.5 18.5 38.9 34.2 7.5 11.7
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD	82.5 68.7 64.2 17.7 47.1 42.0 8.6 14.8 9.2	82.8 69.1 64.6 17.8 47.1 41.7 9.0 14.8 9.4	82.2 69.6 65.1 18.4 47.0 41.0 8.9 14.4 9.4	82.3 69.5 65.3 18.2 46.1 40.6 9.1 13.8 9.1	82.7 70.7 66.3 18.6 45.4 39.8 9.3 14.3 9.5	82.9 70.8 66.6 18.4 46.1 40.1 9.4 13.9 9.2	82.4 71.4 67.3 18.6 45.8 40.2 9.5 14.3 9.7	83.1 72.7 68.7 19.4 46.4 40.6 9.7 14.5 10.3	83.1 73.1 69.1 19.9 46.0 40.4 9.7 14.6 10.4	81.7 71.4 67.2 19.1 41.7 36.9 8.1 12.5 9.0	81.0 70.5 66.5 18.5 38.9 34.2 7.5 11.7 8.8
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP	82.5 68.7 64.2 17.7 47.1 42.0 8.6 14.8 9.2 2.5	82.8 69.1 64.6 17.8 47.1 41.7 9.0 14.8 9.4 2.5	82.2 69.6 65.1 18.4 47.0 41.0 8.9 14.4 9.4 2.7	82.3 69.5 65.3 18.2 46.1 40.6 9.1 13.8 9.1 2.5	82.7 70.7 66.3 18.6 45.4 39.8 9.3 14.3 9.5 2.7	82.9 70.8 66.6 18.4 46.1 40.1 9.4 13.9 9.2 2.7	82.4 71.4 67.3 18.6 45.8 40.2 9.5 14.3 9.7 2.8	83.1 72.7 68.7 19.4 46.4 40.6 9.7 14.5 10.3 3.0	83.1 73.1 69.1 19.9 46.0 40.4 9.7 14.6 10.4 3.2	81.7 71.4 67.2 19.1 41.7 36.9 8.1 12.5 9.0 2.7	81.0 70.5 66.5 18.5 38.9 34.2 7.5 11.7 8.8 2.6
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy	82.5 68.7 64.2 17.7 47.1 42.0 8.6 14.8 9.2 2.5 6.3	82.8 69.1 64.6 17.8 47.1 41.7 9.0 14.8 9.4 2.5 5.7	82.2 69.6 65.1 18.4 47.0 41.0 8.9 14.4 9.4 2.7 5.2	82.3 69.5 65.3 18.2 46.1 40.6 9.1 13.8 9.1 2.5 5.0	82.7 70.7 66.3 18.6 45.4 39.8 9.3 14.3 9.5 2.7 5.0	82.9 70.8 66.6 18.4 46.1 40.1 9.4 13.9 9.2 2.7 4.7	82.4 71.4 67.3 18.6 45.8 40.2 9.5 14.3 9.7 2.8 4.6	83.1 72.7 68.7 19.4 46.4 40.6 9.7 14.5 10.3 3.0 4.6	83.1 73.1 69.1 19.9 46.0 40.4 9.7 14.6 10.4 3.2 4.3	81.7 71.4 67.2 19.1 41.7 36.9 8.1 12.5 9.0 2.7 3.6	81.0 70.5 66.5 18.5 38.9 34.2 7.5 11.7 8.8 2.6 2.9
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form)	82.5 68.7 64.2 17.7 47.1 42.0 8.6 14.8 9.2 2.5 6.3 14.7	82.8 69.1 64.6 17.8 47.1 41.7 9.0 14.8 9.4 2.5 5.7	82.2 69.6 65.1 18.4 47.0 41.0 8.9 14.4 9.4 2.7 5.2	82.3 69.5 65.3 18.2 46.1 40.6 9.1 13.8 9.1 2.5 5.0 14.5	82.7 70.7 66.3 18.6 45.4 39.8 9.3 14.3 9.5 2.7 5.0	82.9 70.8 66.6 18.4 46.1 40.1 9.4 13.9 9.2 2.7 4.7 13.8	82.4 71.4 67.3 18.6 45.8 40.2 9.5 14.3 9.7 2.8 4.6	83.1 72.7 68.7 19.4 46.4 40.6 9.7 14.5 10.3 3.0 4.6 14.7	83.1 73.1 69.1 19.9 46.0 40.4 9.7 14.6 10.4 3.2 4.3	81.7 71.4 67.2 19.1 41.7 36.9 8.1 12.5 9.0 2.7 3.6 12.3	81.0 70.5 66.5 18.5 38.9 34.2 7.5 11.7 8.8 2.6 2.9
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine	82.5 68.7 64.2 17.7 47.1 42.0 8.6 14.8 9.2 2.5 6.3 14.7 3.6	82.8 69.1 64.6 17.8 47.1 41.7 9.0 14.8 9.4 2.5 5.7 14.5 3.3	82.2 69.6 65.1 18.4 47.0 41.0 8.9 14.4 9.4 2.7 5.2 14.7 3.4	82.3 69.5 65.3 18.2 46.1 40.6 9.1 13.8 9.1 2.5 5.0 14.5 3.5	82.7 70.7 66.3 18.6 45.4 39.8 9.3 14.3 9.5 2.7 5.0 14.3 3.5	82.9 70.8 66.6 18.4 46.1 40.1 9.4 13.9 9.2 2.7 4.7 13.8 3.3	82.4 71.4 67.3 18.6 45.8 40.2 9.5 14.3 9.7 2.8 4.6 14.2 3.3	83.1 72.7 68.7 19.4 46.4 40.6 9.7 14.5 10.3 3.0 4.6 14.7 3.3	83.1 73.1 69.1 19.9 46.0 40.4 9.7 14.6 10.4 3.2 4.3 14.4 3.6	81.7 71.4 67.2 19.1 41.7 36.9 8.1 12.5 9.0 2.7 3.6 12.3 2.8	81.0 70.5 66.5 18.5 38.9 34.2 7.5 11.7 8.8 2.6 2.9 11.2 2.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin	82.5 68.7 64.2 17.7 47.1 42.0 8.6 14.8 9.2 2.5 6.3 14.7 3.6 1.6	82.8 69.1 64.6 17.8 47.1 41.7 9.0 14.8 9.4 2.5 5.7 14.5 3.3 1.5	82.2 69.6 65.1 18.4 47.0 41.0 8.9 14.4 9.4 2.7 5.2 14.7 3.4 1.5	82.3 69.5 65.3 18.2 46.1 40.6 9.1 13.8 9.1 2.5 5.0 14.5 3.5 1.5	82.7 70.7 66.3 18.6 45.4 39.8 9.3 14.3 9.5 2.7 5.0 14.3 3.5 1.5	82.9 70.8 66.6 18.4 46.1 40.1 9.4 13.9 9.2 2.7 4.7 13.8 3.3 1.5	82.4 71.4 67.3 18.6 45.8 40.2 9.5 14.3 9.7 2.8 4.6 14.2 3.3 1.3	83.1 72.7 68.7 19.4 46.4 40.6 9.7 14.5 10.3 3.0 4.6 14.7 3.3	83.1 73.1 69.1 19.9 46.0 40.4 9.7 14.6 10.4 3.2 4.3 14.4 3.6 1.6	81.7 71.4 67.2 19.1 41.7 36.9 8.1 12.5 9.0 2.7 3.6 12.3 2.8	81.0 70.5 66.5 18.5 38.9 34.2 7.5 11.7 8.8 2.6 2.9 11.2 2.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use)	82.5 68.7 64.2 17.7 47.1 42.0 8.6 14.8 9.2 2.5 6.3 14.7 3.6 1.6 20.4	82.8 69.1 64.6 17.8 47.1 41.7 9.0 14.8 9.4 2.5 5.7 14.5 3.3 1.5 20.6	82.2 69.6 65.1 18.4 47.0 41.0 8.9 14.4 9.4 2.7 5.2 14.7 3.4 1.5 20.8	82.3 69.5 65.3 18.2 46.1 40.6 9.1 13.8 9.1 2.5 5.0 14.5 3.5 1.5 20.3	82.7 70.7 66.3 18.6 45.4 39.8 9.3 14.3 9.5 2.7 5.0 14.3 3.5 1.5 20.7	82.9 70.8 66.6 18.4 46.1 40.1 9.4 13.9 9.2 2.7 4.7 13.8 3.3 1.5 20.4	82.4 71.4 67.3 18.6 45.8 40.2 9.5 14.3 9.7 2.8 4.6 14.2 3.3 1.3 20.4	83.1 72.7 68.7 19.4 46.4 40.6 9.7 14.5 10.3 3.0 4.6 14.7 3.3 1.6 20.6	83.1 73.1 69.1 19.9 46.0 40.4 9.7 14.6 10.4 3.2 4.3 14.4 3.6 1.6 20.4	81.7 71.4 67.2 19.1 41.7 36.9 8.1 12.5 9.0 2.7 3.6 12.3 2.8 1.4	81.0 70.5 66.5 18.5 38.9 34.2 7.5 11.7 8.8 2.6 2.9 11.2 2.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use)	82.5 68.7 64.2 17.7 47.1 42.0 8.6 14.8 9.2 2.5 6.3 14.7 3.6 1.6 20.4 13.7	82.8 69.1 64.6 17.8 47.1 41.7 9.0 14.8 9.4 2.5 5.7 14.5 3.3 1.5 20.6 13.9	82.2 69.6 65.1 18.4 47.0 41.0 8.9 14.4 9.4 2.7 5.2 14.7 3.4 1.5 20.8 14.0	82.3 69.5 65.3 18.2 46.1 40.6 9.1 13.8 9.1 2.5 5.0 14.5 3.5 1.5 20.3 13.3	82.7 70.7 66.3 18.6 45.4 39.8 9.3 14.3 9.5 2.7 5.0 14.3 3.5 1.5 20.7 13.6	82.9 70.8 66.6 18.4 46.1 40.1 9.4 13.9 9.2 2.7 4.7 13.8 3.3 1.5 20.4 13.4	82.4 71.4 67.3 18.6 45.8 40.2 9.5 14.3 9.7 2.8 4.6 14.2 3.3 1.3 20.4 13.2	83.1 72.7 68.7 19.4 46.4 40.6 9.7 14.5 10.3 3.0 4.6 14.7 3.3 1.6 20.6 13.1	83.1 73.1 69.1 19.9 46.0 40.4 9.7 14.6 10.4 3.2 4.3 14.4 3.6 1.6 20.4 12.6	81.7 71.4 67.2 19.1 41.7 36.9 8.1 12.5 9.0 2.7 3.6 12.3 2.8 1.4	81.0 70.5 66.5 18.5 38.9 34.2 7.5 11.7 8.8 2.6 2.9 11.2 2.4 1.2
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin	82.5 68.7 64.2 17.7 47.1 42.0 8.6 14.8 9.2 2.5 6.3 14.7 3.6 1.6 20.4 13.7 2.4	82.8 69.1 64.6 17.8 47.1 41.7 9.0 14.8 9.4 2.5 5.7 14.5 3.3 1.5 20.6 13.9 2.3	82.2 69.6 65.1 18.4 47.0 41.0 8.9 14.4 9.4 2.7 5.2 14.7 3.4 1.5 20.8 14.0 1.9	82.3 69.5 65.3 18.2 46.1 40.6 9.1 13.8 9.1 2.5 5.0 14.5 3.5 1.5 20.3 13.3 1.8	82.7 70.7 66.3 18.6 45.4 39.8 9.3 14.3 9.5 2.7 5.0 14.3 3.5 1.5 20.7 13.6 1.7	82.9 70.8 66.6 18.4 46.1 40.1 9.4 13.9 9.2 2.7 4.7 13.8 3.3 1.5 20.4 13.4 1.4	82.4 71.4 67.3 18.6 45.8 40.2 9.5 14.3 9.7 2.8 4.6 14.2 3.3 1.3 20.4 13.2 1.3	83.1 72.7 68.7 19.4 46.4 40.6 9.7 14.5 10.3 3.0 4.6 14.7 3.3 1.6 20.6 13.1 1.2 8.8 5.2	83.1 73.1 69.1 19.9 46.0 40.4 9.7 14.6 10.4 3.2 4.3 14.4 3.6 1.6 20.4 12.6 0.8	81.7 71.4 67.2 19.1 41.7 36.9 8.1 12.5 9.0 2.7 3.6 12.3 2.8 1.4	81.0 70.5 66.5 18.5 38.9 34.2 7.5 11.7 8.8 2.6 2.9 11.2 2.4 1.2
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin Stimulant (non-medical use)	82.5 68.7 64.2 17.7 47.1 42.0 8.6 14.8 9.2 2.5 6.3 14.7 3.6 1.6 20.4 13.7 2.4 8.5	82.8 69.1 64.6 17.8 47.1 41.7 9.0 14.8 9.4 2.5 5.7 14.5 3.3 1.5 20.6 13.9 2.3 8.7	82.2 69.6 65.1 18.4 47.0 41.0 8.9 14.4 9.4 2.7 5.2 14.7 3.4 1.5 20.8 14.0 1.9 8.5	82.3 69.5 65.3 18.2 46.1 40.6 9.1 13.8 9.1 2.5 5.0 14.5 3.5 1.5 20.3 13.3 1.8 8.7	82.7 70.7 66.3 18.6 45.4 39.8 9.3 14.3 9.5 2.7 5.0 14.3 3.5 1.5 20.7 13.6 1.7 8.2	82.9 70.8 66.6 18.4 46.1 9.4 13.9 9.2 2.7 4.7 13.8 3.3 1.5 20.4 13.4 1.4 7.8	82.4 71.4 67.3 18.6 45.8 40.2 9.5 14.3 9.7 2.8 4.6 14.2 3.3 1.3 20.4 13.2 1.3 8.3	83.1 72.7 68.7 19.4 46.4 40.6 9.7 14.5 10.3 3.0 4.6 14.7 3.3 1.6 20.6 13.1 1.2 8.8	83.1 73.1 69.1 19.9 46.0 40.4 9.7 14.6 10.4 3.2 4.3 14.4 3.6 1.6 20.4 12.6 0.8 9.0	81.7 71.4 67.2 19.1 41.7 36.9 8.1 12.5 9.0 2.7 3.6 12.3 2.8 1.4	81.0 70.5 66.5 18.5 38.9 34.2 7.5 11.7 8.8 2.6 2.9 11.2 2.4 1.2

$\ensuremath{\textbf{NA}}$ Not included in survey for indicated year

Needle/Injection Drug Use

Tranquilizer (non-medical use)

8.6

1.6

8.2

1.6

8.7

1.6

8.7

1.5

8.3

1.5

8.5

1.5

8.2

1.7

6.2

1.5

5.8

8.6

1.5

8.7

1.4

Data Source:

^{* &}quot;Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

^{** &}quot;Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

NATIONAL SURVEY ON DRUG USE AND HEALTH U.S. AGES 12-17, 2000-2010

2008

2007

2006

2009

2005

2004

2003

2002

2001

2000

2010

Estimated Past-Month	Substance	Use (%)
----------------------	-----------	---------

Alcohol	13.6	14.7	14.6	15.9	16.6	16.5	17.6	17.7	17.6	17.3	16.4
Binge Alcohol Use *	7.8	8.8	8.8	9.7	10.3	9.9	11.1	10.6	10.7	10.6	10.4
Heavy Alcohol Use **	1.7	2.1	2.0	2.3	2.4	2.4	2.7	2.6	2.5	2.5	2.6
Any Tobacco	10.7	11.6	11.4	12.4	12.9	13.1	14.4	14.4	15.2	15.1	15.6
Cigarettes	8.3	8.9	9.1	9.8	10.4	10.8	11.9	12.2	13.0	13.0	13.4
Smokeless Tobacco	2.3	2.3	2.2	2.4	2.4	2.1	2.3	2.0	2.0	2.1	2.1
Any Illicit Drug	10.1	10.1	9.3	9.5	9.8	9.9	10.6	11.2	11.6	10.8	9.7
Marijuana/Hashish	7.4	7.3	6.7	6.7	6.7	6.8	7.6	7.9	8.2	8.0	7.2
Inhalant	1.1	1.0	1.1	1.2	1.3	1.2	1.2	1.3	1.2	1.0	1.0
Hallucinogen	0.9	0.9	1.0	0.7	0.7	0.8	0.8	1.0	1.0	1.2	1.2
LSD	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.4	0.5
PCP	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.1
Ecstasy	0.5	0.5	0.4	0.3	0.3	0.3	0.3	0.4	0.5	0.6	NA
Cocaine (any form)	0.2	0.3	0.4	0.4	0.4	0.6	0.5	0.6	0.6	0.4	0.6
Crack Cocaine	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Heroin	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.1
Psychotherapeutic Drugs (non-medical use)	3.0	3.1	2.9	3.3	3.3	3.3	3.6	4.0	4.0		
Pain Reliever (non-medical use)	2.5	2.7	2.3	2.7	2.7	2.7	3.0	3.2	3.2	2.6	2.3
OxyContin	0.2	0.3	0.2	0.2	0.1	0.1	0.3	NA	NA	NA	NA
Stimulant (non-medical use)	0.4	0.5	0.5	0.5	0.7	0.7	0.7	0.9	0.8	0.7	8.0
Methamphetamine	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.3	0.3	0.2	0.3
Sedative (non-medical use)	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.1	0.2
Tranquilizer (non-medical use)	0.5	0.6	0.6	0.7	0.5	0.6	0.6	0.9	0.8	0.5	0.5
Estimated Lifetime Substance Use (%)											
. ,	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	35.2	38.1	38.3	39.4	40.4	40.6	42.0	42.9	43.4	42.9	41.7
Alcohol Any Tobacco	35.2 24.9	38.1 26.9	38.3 27.2	39.4 27.8	40.4 29.7	40.6 30.7	42.0 32.7	42.9 34.5	43.4 36.8	42.9 37.0	41.7 38.0
Alcohol Any Tobacco Cigarettes	35.2 24.9 20.3	38.1 26.9 22.2	38.3 27.2 22.9	39.4 27.8 23.7	40.4 29.7 25.8	40.6 30.7 26.7	42.0 32.7 29.2	42.9 34.5 31.0	43.4 36.8 33.3	42.9 37.0 33.6	41.7 38.0 34.6
Alcohol Any Tobacco Cigarettes Smokeless Tobacco	35.2 24.9 20.3 7.2	38.1 26.9 22.2 7.6	38.3 27.2 22.9 7.2	39.4 27.8 23.7 7.7	40.4 29.7 25.8 7.1	40.6 30.7 26.7 7.1	42.0 32.7 29.2 7.1	42.9 34.5 31.0 7.6	43.4 36.8 33.3 8.0	42.9 37.0 33.6 8.3	41.7 38.0 34.6 8.6
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug	35.2 24.9 20.3 7.2 25.7	38.1 26.9 22.2 7.6 26.8	38.3 27.2 22.9 7.2 26.2	39.4 27.8 23.7 7.7 26.2	40.4 29.7 25.8 7.1 27.6	40.6 30.7 26.7 7.1 27.7	42.0 32.7 29.2 7.1 30.0	42.9 34.5 31.0 7.6 30.5	43.4 36.8 33.3 8.0 30.9	42.9 37.0 33.6 8.3 28.4	41.7 38.0 34.6 8.6 26.9
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish	35.2 24.9 20.3 7.2 25.7 17.0	38.1 26.9 22.2 7.6 26.8 17.0	38.3 27.2 22.9 7.2 26.2 16.5	39.4 27.8 23.7 7.7 26.2 16.2	40.4 29.7 25.8 7.1 27.6 17.3	40.6 30.7 26.7 7.1 27.7 17.4	42.0 32.7 29.2 7.1 30.0 19.0	42.9 34.5 31.0 7.6 30.5 19.6	43.4 36.8 33.3 8.0 30.9 20.6	42.9 37.0 33.6 8.3 28.4 19.7	41.7 38.0 34.6 8.6 26.9 18.3
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant	35.2 24.9 20.3 7.2 25.7 17.0 8.2	38.1 26.9 22.2 7.6 26.8 17.0 9.2	38.3 27.2 22.9 7.2 26.2 16.5 9.3	39.4 27.8 23.7 7.7 26.2 16.2 9.6	40.4 29.7 25.8 7.1 27.6 17.3 10.1	40.6 30.7 26.7 7.1 27.7 17.4 10.5	42.0 32.7 29.2 7.1 30.0 19.0 11.0	42.9 34.5 31.0 7.6 30.5 19.6 10.7	43.4 36.8 33.3 8.0 30.9 20.6 10.5	42.9 37.0 33.6 8.3 28.4 19.7 8.6	41.7 38.0 34.6 8.6 26.9 18.3 8.9
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9 0.3	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1 1.0	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1 0.4	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6 1.1
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9 0.3 2.5	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1 1.0 0.4 2.3	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1 0.4 2.1	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8 0.4 1.8	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7 0.9 3.3	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1 1.0	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6 1.1
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form)	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9 0.3 2.5 1.5	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1 1.0 0.4 2.3 1.6	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1 0.4 2.1 1.9	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8 0.4 1.8 2.1	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7 0.9 3.3 2.7	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1 1.0 3.2 2.3	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6 1.1 2.6 2.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9 0.3 2.5 1.5	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1 1.0 0.4 2.3 1.6 0.2	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1 0.4 2.1 1.9	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8 0.4 1.8 2.1 0.4	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7 0.9 3.3 2.7 0.7	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1 1.0 3.2 2.3 0.6	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6 1.1 2.6 2.4 0.6
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9 0.3 2.5 1.5 0.2	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1 1.0 0.4 2.3 1.6 0.2 0.2	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1 0.4 2.1 1.9 0.3	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8 0.4 1.8 2.1 0.4 0.2	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7 0.9 3.3 2.7 0.7	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1 1.0 3.2 2.3	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6 1.1 2.6 2.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use)	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9 0.3 2.5 1.5 0.2 0.2	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1 1.0 0.4 2.3 1.6 0.2 0.2	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1 0.4 2.1 1.9 0.3 0.3 11.1	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8 0.4 1.8 2.1 0.4 0.2	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2 11.9	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3 13.5	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3 13.5	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7 0.9 3.3 2.7 0.7 0.4 13.7	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1 1.0 3.2 2.3 0.6 0.3	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6 1.1 2.6 2.4 0.6 0.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use)	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9 0.3 2.5 1.5 0.2 0.2 10.6 9.2	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1 1.0 0.4 2.3 1.6 0.2 0.2 11.4 9.7	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1 0.4 2.1 1.9 0.3 0.3 11.1 9.4	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8 0.4 1.8 2.1 0.4 0.2	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2 12.5 10.4	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2 11.9 9.9	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3 13.5 11.4	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3 13.5 11.2	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7 0.9 3.3 2.7 0.7 0.4 13.7 11.2	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1 1.0 3.2 2.3 0.6 0.3	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6 1.1 2.6 2.4 0.6 0.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9 0.3 2.5 1.5 0.2 0.2 10.6 9.2 1.5	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1 1.0 0.4 2.3 1.6 0.2 0.2 11.4 9.7 1.5	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1 0.4 2.1 1.9 0.3 0.3 11.1 9.4 1.4	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8 0.4 1.8 2.1 0.4 0.2 11.7 9.7 1.4	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2 12.5 10.4 1.3	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2 11.9 9.9 1.1	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3 13.5 11.4 1.2	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3 13.5 11.2 1.0	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7 0.9 3.3 2.7 0.7 0.4 13.7 11.2 0.9	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1 1.0 3.2 2.3 0.6 0.3	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6 1.1 2.6 2.4 0.6 0.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin Stimulant (non-medical use)	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9 0.3 2.5 1.5 0.2 0.2 10.6 9.2 1.5 2.2	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1 1.0 0.4 2.3 1.6 0.2 0.2 11.4 9.7 1.5 2.4	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1 0.4 2.1 1.9 0.3 0.3 11.1 9.4 1.4 2.7	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8 0.4 1.8 2.1 0.4 0.2 11.7 9.7 1.4 2.9	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2 12.5 10.4 1.3 3.7	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2 11.9 9.9 1.1 3.4	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3 13.5 11.4 1.2 3.6	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3 13.5 11.2 1.0 4.2	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7 0.9 3.3 2.7 0.7 0.4 13.7 11.2 0.9 4.5	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1 1.0 3.2 2.3 0.6 0.3 9.4 NA 3.7	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6 1.1 2.6 2.4 0.6 0.4 8.4 NA 4.0
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin Stimulant (non-medical use) Methamphetamine	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9 0.3 2.5 1.5 0.2 0.2 10.6 9.2 1.5 2.2 0.6	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1 1.0 0.4 2.3 1.6 0.2 0.2 11.4 9.7 1.5 2.4 0.8	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1 0.4 2.1 1.9 0.3 0.3 11.1 9.4 1.4 2.7 0.8	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8 0.4 1.8 2.1 0.4 0.2 11.7 9.7 1.4 2.9 0.9	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2 12.5 10.4 1.3 3.7 1.3	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2 11.9 9.9 1.1 3.4 1.3	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3 13.5 11.4 1.2 3.6 1.4	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3 13.5 11.2 1.0 4.2 1.5	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7 0.9 3.3 2.7 0.7 0.4 13.7 11.2 0.9 4.5 1.7	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1 1.0 3.2 2.3 0.6 0.3 9.4 NA 3.7 1.4	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6 1.1 2.6 2.4 0.6 0.4 NA 4.0 1.3
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin Stimulant (non-medical use) Methamphetamine Sedative (non-medical use)	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9 0.3 2.5 1.5 0.2 0.2 10.6 9.2 1.5 2.2 0.6 0.7	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1 1.0 0.4 2.3 1.6 0.2 0.2 11.4 9.7 1.5 2.4 0.8 0.9	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1 0.4 2.1 1.9 0.3 0.3 11.1 9.4 1.4 2.7 0.8	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8 0.4 1.8 2.1 0.4 0.2 11.7 9.7 1.4 2.9 0.9 0.8	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2 12.5 10.4 1.3 3.7 1.3	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2 11.9 9.9 1.1 3.4 1.3	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3 13.5 11.4 1.2 3.6 1.4	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3 13.5 11.2 1.0 4.2 1.5 1.0	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7 0.9 3.3 2.7 0.7 0.4 13.7 11.2 0.9 4.5 1.7	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1 1.0 3.2 2.3 0.6 0.3 9.4 NA 3.7 1.4 0.7	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6 1.1 2.6 2.4 0.6 0.4 8.4 NA 4.0 1.3 0.8
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin Stimulant (non-medical use) Methamphetamine	35.2 24.9 20.3 7.2 25.7 17.0 8.2 4.1 0.9 0.3 2.5 1.5 0.2 0.2 10.6 9.2 1.5 2.2 0.6	38.1 26.9 22.2 7.6 26.8 17.0 9.2 4.1 1.0 0.4 2.3 1.6 0.2 0.2 11.4 9.7 1.5 2.4 0.8	38.3 27.2 22.9 7.2 26.2 16.5 9.3 3.9 1.1 0.4 2.1 1.9 0.3 0.3 11.1 9.4 1.4 2.7 0.8	39.4 27.8 23.7 7.7 26.2 16.2 9.6 3.5 0.8 0.4 1.8 2.1 0.4 0.2 11.7 9.7 1.4 2.9 0.9	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2 12.5 10.4 1.3 3.7 1.3	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2 11.9 9.9 1.1 3.4 1.3	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3 13.5 11.4 1.2 3.6 1.4	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3 13.5 11.2 1.0 4.2 1.5	43.4 36.8 33.3 8.0 30.9 20.6 10.5 5.7 2.7 0.9 3.3 2.7 0.7 0.4 13.7 11.2 0.9 4.5 1.7	42.9 37.0 33.6 8.3 28.4 19.7 8.6 5.7 3.1 1.0 3.2 2.3 0.6 0.3 9.4 NA 3.7 1.4	41.7 38.0 34.6 8.6 26.9 18.3 8.9 5.8 3.6 1.1 2.6 2.4 0.6 0.4 NA 4.0 1.3

NA Not included in survey for indicated year

Data Source:

^{* &}quot;Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

^{** &}quot;Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

NATIONAL SURVEY ON DRUG USE AND HEALTH U.S. AGES 18-25, 2000-2010

Estimated Past-Month Substance Use (%)

	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	61.5	61.8	61.2	61.2	61.9	60.9	60.5	61.4	60.5	58.8	56.8
Binge Alcohol Use *	40.6	41.7	41.0	41.8	42.2	41.9	41.2	41.6	40.9	38.7	37.8
Heavy Alcohol Use **	13.6	13.7	14.5	14.7	15.6	15.3	15.1	15.1	14.9	13.6	12.8
Any Tobacco	40.8	41.6	41.4	41.8	43.9	44.3	44.6	44.8	45.3	43.9	42.9
Cigarettes	34.2	35.8	35.7	36.2	38.4	39.0	39.5	40.2	40.8	39.1	38.3
Smokeless Tobacco	6.4	6.1	5.4	5.3	5.2	5.1	4.9	4.7	4.8	5.4	5.0
Any Illicit Drug	21.5	21.2	19.6	19.7	19.8	20.1	19.4	20.3	20.2	18.8	15.9
Marijuana/Hashish	18.5	18.1	16.5	16.4	16.3	16.6	16.1	17.0	17.3	16.0	13.6
Inhalant	0.4	0.4	0.3	0.4	0.4	0.5	0.4	0.4	0.5	0.6	0.6
Hallucinogen	2.0	1.8	1.7	1.5	1.7	1.5	1.5	1.7	1.9	2.7	1.8
LSD	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.2	0.1	0.6	0.8
PCP	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1
Ecstasy	1.2	1.1	0.9	0.7	1.0	0.8	0.7	0.7	1.1	1.7	NA
Cocaine (any form)	1.5	1.4	1.5	1.7	2.2	2.6	2.1	2.2	2.0	1.9	1.4
Crack Cocaine	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.3	0.1
Heroin	0.3	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.1
Psychotherapeutic Drugs (non-medical use)	5.9	6.3	5.9	6.0	6.5	6.3	6.1	6.1	5.5		
Pain Reliever (non-medical use)	4.5	4.8	4.6	4.6	4.9	4.7	4.7	4.7	4.1	3.6	2.7
OxyContin	0.7	0.5	0.4	0.5	0.4	0.4	0.4	NA	NA	NA	NA
Stimulant (non-medical use)	1.2	1.3	1.1	1.1	1.4	1.4	1.5	1.3	1.3	1.3	0.8
Methamphetamine	0.2	0.2	0.2	0.4	0.6	0.7	0.7	0.6	0.6	0.7	0.3
Sedative (non-medical use)	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1
Tranquilizer (non-medical use)	1.7	1.8	1.7	1.7	2.0	1.9	1.8	1.7	1.6	1.3	1.0
Estimated Lifetime Substance Use (%)											
Estimated Lifetime Substance Use (%)	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Estimated Lifetime Substance Use (%) Alcohol	2010 85.7	2009 85.8	2008 85.6	2007 85.2	2006 86.5	2005 85.7	2004 86.2	2003 87.1	2002 86.7	2001 85.0	2000 84.0
Alcohol	85.7	85.8	85.6	85.2	86.5	85.7	86.2	87.1	86.7	85.0	84.0
Alcohol Any Tobacco	85.7 68.6	85.8 69.6	85.6 70.2	85.2 70.3	86.5 71.8	85.7 72.3	86.2 73.5	87.1 74.8	86.7 75.5	85.0 73.6	84.0 72.1
Alcohol Any Tobacco Cigarettes	85.7 68.6 62.1	85.8 69.6 63.7	85.6 70.2 64.2	85.2 70.3 64.7	86.5 71.8 66.6	85.7 72.3 67.3	86.2 73.5 68.7	87.1 74.8 70.2	86.7 75.5 71.2	85.0 73.6 69.0	84.0 72.1 67.3
Alcohol Any Tobacco Cigarettes Smokeless Tobacco	85.7 68.6 62.1 20.9	85.8 69.6 63.7 21.0	85.6 70.2 64.2 20.3	85.2 70.3 64.7 20.1	86.5 71.8 66.6 20.2	85.7 72.3 67.3 20.8	86.2 73.5 68.7 21.4	87.1 74.8 70.2 22.0	86.7 75.5 71.2 23.7	85.0 73.6 69.0 23.7	84.0 72.1 67.3 23.6
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug	85.7 68.6 62.1 20.9 57.0	85.8 69.6 63.7 21.0 58.1	85.6 70.2 64.2 20.3 56.6	85.2 70.3 64.7 20.1 57.4	86.5 71.8 66.6 20.2 59.0	85.7 72.3 67.3 20.8 59.2	86.2 73.5 68.7 21.4 59.2	87.1 74.8 70.2 22.0 60.5	86.7 75.5 71.2 23.7 59.8	85.0 73.6 69.0 23.7 55.6	84.0 72.1 67.3 23.6 51.2
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish	85.7 68.6 62.1 20.9 57.0 51.1	85.8 69.6 63.7 21.0 58.1 52.2	85.6 70.2 64.2 20.3 56.6 50.4	85.2 70.3 64.7 20.1 57.4 50.8	86.5 71.8 66.6 20.2 59.0 52.4	85.7 72.3 67.3 20.8 59.2 52.4	86.2 73.5 68.7 21.4 59.2 52.8	87.1 74.8 70.2 22.0 60.5 53.9	86.7 75.5 71.2 23.7 59.8 53.8	85.0 73.6 69.0 23.7 55.6 50.0	84.0 72.1 67.3 23.6 51.2 45.7
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD	85.7 68.6 62.1 20.9 57.0 51.1 9.9 18.4 6.4	85.8 69.6 63.7 21.0 58.1 52.2 10.7	85.6 70.2 64.2 20.3 56.6 50.4 10.4 17.7 6.5	85.2 70.3 64.7 20.1 57.4 50.8 11.3 19.2 7.3	86.5 71.8 66.6 20.2 59.0 52.4 12.5 20.2 8.9	85.7 72.3 67.3 20.8 59.2 52.4 13.3 21.0 10.5	86.2 73.5 68.7 21.4 59.2 52.8 14.0 21.3 12.1	87.1 74.8 70.2 22.0 60.5 53.9 14.9 23.3 14.0	86.7 75.5 71.2 23.7 59.8 53.8 15.7 24.2 15.9	85.0 73.6 69.0 23.7 55.6 50.0 13.4	84.0 72.1 67.3 23.6 51.2 45.7 12.8 19.3 14.0
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen	85.7 68.6 62.1 20.9 57.0 51.1 9.9 18.4 6.4	85.8 69.6 63.7 21.0 58.1 52.2 10.7 19.0	85.6 70.2 64.2 20.3 56.6 50.4 10.4	85.2 70.3 64.7 20.1 57.4 50.8 11.3 19.2	86.5 71.8 66.6 20.2 59.0 52.4 12.5 20.2 8.9 1.9	85.7 72.3 67.3 20.8 59.2 52.4 13.3 21.0	86.2 73.5 68.7 21.4 59.2 52.8 14.0 21.3 12.1 2.3	87.1 74.8 70.2 22.0 60.5 53.9 14.9 23.3 14.0 3.0	86.7 75.5 71.2 23.7 59.8 53.8 15.7 24.2 15.9 2.7	85.0 73.6 69.0 23.7 55.6 50.0 13.4 22.1	84.0 72.1 67.3 23.6 51.2 45.7 12.8 19.3
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy	85.7 68.6 62.1 20.9 57.0 51.1 9.9 18.4 6.4 1.3	85.8 69.6 63.7 21.0 58.1 52.2 10.7 19.0 6.8 1.4 12.4	85.6 70.2 64.2 20.3 56.6 50.4 10.4 17.7 6.5 1.6	85.2 70.3 64.7 20.1 57.4 50.8 11.3 19.2 7.3 1.6 12.8	86.5 71.8 66.6 20.2 59.0 52.4 12.5 20.2 8.9 1.9	85.7 72.3 67.3 20.8 59.2 52.4 13.3 21.0 10.5 2.2	86.2 73.5 68.7 21.4 59.2 52.8 14.0 21.3 12.1 2.3 13.8	87.1 74.8 70.2 22.0 60.5 53.9 14.9 23.3 14.0 3.0	86.7 75.5 71.2 23.7 59.8 53.8 15.7 24.2 15.9 2.7	85.0 73.6 69.0 23.7 55.6 50.0 13.4 22.1 15.3 2.6 13.1	84.0 72.1 67.3 23.6 51.2 45.7 12.8 19.3 14.0 2.3 9.7
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form)	85.7 68.6 62.1 20.9 57.0 51.1 9.9 18.4 6.4 1.3 12.4	85.8 69.6 63.7 21.0 58.1 52.2 10.7 19.0 6.8 1.4 12.4 14.9	85.6 70.2 64.2 20.3 56.6 50.4 10.4 17.7 6.5	85.2 70.3 64.7 20.1 57.4 50.8 11.3 19.2 7.3 1.6 12.8 15.0	86.5 71.8 66.6 20.2 59.0 52.4 12.5 20.2 8.9 1.9	85.7 72.3 67.3 20.8 59.2 52.4 13.3 21.0 10.5 2.2 13.7 15.1	86.2 73.5 68.7 21.4 59.2 52.8 14.0 21.3 12.1 2.3 13.8 15.2	87.1 74.8 70.2 22.0 60.5 53.9 14.9 23.3 14.0 3.0 14.8 15.0	86.7 75.5 71.2 23.7 59.8 53.8 15.7 24.2 15.9 2.7 15.1	85.0 73.6 69.0 23.7 55.6 50.0 13.4 22.1 15.3 2.6	84.0 72.1 67.3 23.6 51.2 45.7 12.8 19.3 14.0 2.3 9.7
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine	85.7 68.6 62.1 20.9 57.0 51.1 9.9 18.4 6.4 1.3 12.4 13.3 2.6	85.8 69.6 63.7 21.0 58.1 52.2 10.7 19.0 6.8 1.4 12.4 14.9 2.9	85.6 70.2 64.2 20.3 56.6 50.4 10.4 17.7 6.5 1.6 12.1 14.4 2.7	85.2 70.3 64.7 20.1 57.4 50.8 11.3 19.2 7.3 1.6 12.8 15.0 3.0	86.5 71.8 66.6 20.2 59.0 52.4 12.5 20.2 8.9 1.9 13.4 15.7 3.6	85.7 72.3 67.3 20.8 59.2 52.4 13.3 21.0 10.5 2.2 13.7 15.1 3.5	86.2 73.5 68.7 21.4 59.2 52.8 14.0 21.3 12.1 2.3 13.8 15.2 3.5	87.1 74.8 70.2 22.0 60.5 53.9 14.9 23.3 14.0 3.0 14.8 15.0 3.8	86.7 75.5 71.2 23.7 59.8 53.8 15.7 24.2 15.9 2.7 15.1 15.4 3.8	85.0 73.6 69.0 23.7 55.6 50.0 13.4 22.1 15.3 2.6 13.1 13.0 3.4	84.0 72.1 67.3 23.6 51.2 45.7 12.8 19.3 14.0 2.3 9.7 10.9 2.8
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin	85.7 68.6 62.1 20.9 57.0 51.1 9.9 18.4 6.4 1.3 12.4 13.3 2.6 1.8	85.8 69.6 63.7 21.0 58.1 52.2 10.7 19.0 6.8 1.4 12.4 14.9 2.9 1.7	85.6 70.2 64.2 20.3 56.6 50.4 10.4 17.7 6.5 1.6 12.1	85.2 70.3 64.7 20.1 57.4 50.8 11.3 19.2 7.3 1.6 12.8 15.0 3.0	86.5 71.8 66.6 20.2 59.0 52.4 12.5 20.2 8.9 1.9 13.4 15.7 3.6 1.6	85.7 72.3 67.3 20.8 59.2 52.4 13.3 21.0 10.5 2.2 13.7 15.1 3.5 1.5	86.2 73.5 68.7 21.4 59.2 52.8 14.0 21.3 12.1 2.3 13.8 15.2 3.5 1.6	87.1 74.8 70.2 22.0 60.5 53.9 14.9 23.3 14.0 3.0 14.8 15.0 3.8 1.6	86.7 75.5 71.2 23.7 59.8 53.8 15.7 24.2 15.9 2.7 15.1 15.4 3.8 1.6	85.0 73.6 69.0 23.7 55.6 50.0 13.4 22.1 15.3 2.6 13.1 13.0	84.0 72.1 67.3 23.6 51.2 45.7 12.8 19.3 14.0 2.3 9.7
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use)	85.7 68.6 62.1 20.9 57.0 51.1 9.9 18.4 6.4 1.3 12.4 13.3 2.6 1.8 28.7	85.8 69.6 63.7 21.0 58.1 52.2 10.7 19.0 6.8 1.4 12.4 14.9 2.9 1.7 29.2	85.6 70.2 64.2 20.3 56.6 50.4 10.4 17.7 6.5 1.6 12.1 14.4 2.7 1.4	85.2 70.3 64.7 20.1 57.4 50.8 11.3 19.2 7.3 1.6 12.8 15.0 3.0 1.5 29.9	86.5 71.8 66.6 20.2 59.0 52.4 12.5 20.2 8.9 1.9 13.4 15.7 3.6 1.6 30.7	85.7 72.3 67.3 20.8 59.2 52.4 13.3 21.0 10.5 2.2 13.7 15.1 3.5 1.5 30.8	86.2 73.5 68.7 21.4 59.2 52.8 14.0 21.3 12.1 2.3 13.8 15.2 3.5 1.6 29.7	87.1 74.8 70.2 22.0 60.5 53.9 14.9 23.3 14.0 3.0 14.8 15.0 3.8 1.6 29.5	86.7 75.5 71.2 23.7 59.8 53.8 15.7 24.2 15.9 2.7 15.1 15.4 3.8 1.6 28.3	85.0 73.6 69.0 23.7 55.6 50.0 13.4 22.1 15.3 2.6 13.1 13.0 3.4 1.6	84.0 72.1 67.3 23.6 51.2 45.7 12.8 19.3 14.0 2.3 9.7 10.9 2.8 1.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use)	85.7 68.6 62.1 20.9 57.0 51.1 9.9 18.4 6.4 1.3 12.4 13.3 2.6 1.8 28.7 23.9	85.8 69.6 63.7 21.0 58.1 52.2 10.7 19.0 6.8 1.4 12.4 14.9 2.9 1.7 29.2 24.5	85.6 70.2 64.2 20.3 56.6 50.4 10.4 17.7 6.5 1.6 12.1 14.4 2.7 1.4 29.2 24.4	85.2 70.3 64.7 20.1 57.4 50.8 11.3 19.2 7.3 1.6 12.8 15.0 3.0 1.5 29.9 24.8	86.5 71.8 66.6 20.2 59.0 52.4 12.5 20.2 8.9 1.9 13.4 15.7 3.6 1.6 30.7 25.5	85.7 72.3 67.3 20.8 59.2 52.4 13.3 21.0 10.5 2.2 13.7 15.1 3.5 1.5 30.8 25.5	86.2 73.5 68.7 21.4 59.2 52.8 14.0 21.3 12.1 2.3 13.8 15.2 3.5 1.6 29.7 24.3	87.1 74.8 70.2 22.0 60.5 53.9 14.9 23.3 14.0 3.0 14.8 15.0 3.8 1.6 29.5 23.7	86.7 75.5 71.2 23.7 59.8 53.8 15.7 24.2 15.9 2.7 15.1 15.4 3.8 1.6 28.3 22.1	85.0 73.6 69.0 23.7 55.6 50.0 13.4 22.1 15.3 2.6 13.1 13.0 3.4 1.6	84.0 72.1 67.3 23.6 51.2 45.7 12.8 19.3 14.0 2.3 9.7 10.9 2.8 1.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin	85.7 68.6 62.1 20.9 57.0 51.1 9.9 18.4 6.4 1.3 12.4 13.3 2.6 1.8 28.7 23.9 6.2	85.8 69.6 63.7 21.0 58.1 52.2 10.7 19.0 6.8 1.4 12.4 14.9 2.9 1.7 29.2 24.5 6.2	85.6 70.2 64.2 20.3 56.6 50.4 10.4 17.7 6.5 1.6 12.1 14.4 2.7 1.4 29.2 24.4 5.3	85.2 70.3 64.7 20.1 57.4 50.8 11.3 19.2 7.3 1.6 12.8 15.0 3.0 1.5 29.9 24.8 5.2	86.5 71.8 66.6 20.2 59.0 52.4 12.5 20.2 8.9 1.9 13.4 15.7 3.6 1.6 30.7 25.5 5.1	85.7 72.3 67.3 20.8 59.2 52.4 13.3 21.0 10.5 2.2 13.7 15.1 3.5 1.5 30.8 25.5 5.0	86.2 73.5 68.7 21.4 59.2 52.8 14.0 21.3 12.1 2.3 13.8 15.2 3.5 1.6 29.7 24.3 4.3	87.1 74.8 70.2 22.0 60.5 53.9 14.9 23.3 14.0 3.0 14.8 15.0 3.8 1.6 29.5 23.7 3.6	86.7 75.5 71.2 23.7 59.8 53.8 15.7 24.2 15.9 2.7 15.1 15.4 3.8 1.6 28.3 22.1 2.6	85.0 73.6 69.0 23.7 55.6 50.0 13.4 22.1 15.3 2.6 13.1 13.0 3.4 1.6	84.0 72.1 67.3 23.6 51.2 45.7 12.8 19.3 14.0 2.3 9.7 10.9 2.8 1.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin Stimulant (non-medical use)	85.7 68.6 62.1 20.9 57.0 51.1 9.9 18.4 6.4 1.3 12.4 13.3 2.6 1.8 28.7 23.9 6.2	85.8 69.6 63.7 21.0 58.1 52.2 10.7 19.0 6.8 1.4 12.4 14.9 2.9 1.7 29.2 24.5 6.2 10.6	85.6 70.2 64.2 20.3 56.6 50.4 10.4 17.7 6.5 1.6 12.1 14.4 2.7 1.4 29.2 24.4 5.3 10.5	85.2 70.3 64.7 20.1 57.4 50.8 11.3 19.2 7.3 1.6 12.8 15.0 3.0 1.5 29.9 24.8 5.2	86.5 71.8 66.6 20.2 59.0 52.4 12.5 20.2 8.9 1.9 13.4 15.7 3.6 1.6 30.7 25.5 5.1	85.7 72.3 67.3 20.8 59.2 52.4 13.3 21.0 10.5 2.2 13.7 15.1 3.5 1.5 30.8 25.5 5.0 12.3	86.2 73.5 68.7 21.4 59.2 52.8 14.0 21.3 12.1 2.3 13.8 15.2 3.5 1.6 29.7 24.3 4.3 12.1	87.1 74.8 70.2 22.0 60.5 53.9 14.9 23.3 14.0 3.0 14.8 15.0 3.8 1.6 29.5 23.7 3.6 12.2	86.7 75.5 71.2 23.7 59.8 53.8 15.7 24.2 15.9 2.7 15.1 15.4 3.8 1.6 28.3 22.1 2.6 12.2	85.0 73.6 69.0 23.7 55.6 50.0 13.4 22.1 15.3 2.6 13.1 13.0 3.4 1.6	84.0 72.1 67.3 23.6 51.2 45.7 12.8 19.3 14.0 2.3 9.7 10.9 2.8 1.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin Stimulant (non-medical use) Methamphetamine	85.7 68.6 62.1 20.9 57.0 51.1 9.9 18.4 6.4 1.3 12.4 13.3 2.6 1.8 28.7 23.9 6.2 10.3 4.0	85.8 69.6 63.7 21.0 58.1 52.2 10.7 19.0 6.8 1.4 12.4 14.9 2.9 1.7 29.2 24.5 6.2 10.6 4.5	85.6 70.2 64.2 20.3 56.6 50.4 10.4 17.7 6.5 1.6 12.1 14.4 2.7 1.4 29.2 24.4 5.3 10.5 4.7	85.2 70.3 64.7 20.1 57.4 50.8 11.3 19.2 7.3 1.6 12.8 15.0 3.0 1.5 29.9 24.8 5.2 10.9 5.6	86.5 71.8 66.6 20.2 59.0 52.4 12.5 20.2 8.9 1.9 13.4 15.7 3.6 1.6 30.7 25.5 5.1 12.0 6.4	85.7 72.3 67.3 20.8 59.2 52.4 13.3 21.0 10.5 2.2 13.7 15.1 3.5 1.5 30.8 25.5 5.0 12.3 6.7	86.2 73.5 68.7 21.4 59.2 52.8 14.0 21.3 12.1 2.3 15.2 3.5 1.6 29.7 24.3 4.3 12.1 7.0	87.1 74.8 70.2 22.0 60.5 53.9 14.9 23.3 14.0 3.0 14.8 15.0 3.8 1.6 29.5 23.7 3.6 12.2 6.9	86.7 75.5 71.2 23.7 59.8 53.8 15.7 24.2 15.9 2.7 15.1 15.4 3.8 1.6 28.3 22.1 2.6 12.2 7.4	85.0 73.6 69.0 23.7 55.6 50.0 13.4 22.1 15.3 2.6 13.1 13.0 3.4 1.6	84.0 72.1 67.3 23.6 51.2 45.7 12.8 19.3 14.0 2.3 9.7 10.9 2.8 1.4 14.6 NA 7.6 4.1
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin Stimulant (non-medical use)	85.7 68.6 62.1 20.9 57.0 51.1 9.9 18.4 6.4 1.3 12.4 13.3 2.6 1.8 28.7 23.9 6.2	85.8 69.6 63.7 21.0 58.1 52.2 10.7 19.0 6.8 1.4 12.4 14.9 2.9 1.7 29.2 24.5 6.2 10.6	85.6 70.2 64.2 20.3 56.6 50.4 10.4 17.7 6.5 1.6 12.1 14.4 2.7 1.4 29.2 24.4 5.3 10.5	85.2 70.3 64.7 20.1 57.4 50.8 11.3 19.2 7.3 1.6 12.8 15.0 3.0 1.5 29.9 24.8 5.2	86.5 71.8 66.6 20.2 59.0 52.4 12.5 20.2 8.9 1.9 13.4 15.7 3.6 1.6 30.7 25.5 5.1	85.7 72.3 67.3 20.8 59.2 52.4 13.3 21.0 10.5 2.2 13.7 15.1 3.5 1.5 30.8 25.5 5.0 12.3	86.2 73.5 68.7 21.4 59.2 52.8 14.0 21.3 12.1 2.3 13.8 15.2 3.5 1.6 29.7 24.3 4.3 12.1	87.1 74.8 70.2 22.0 60.5 53.9 14.9 23.3 14.0 3.0 14.8 15.0 3.8 1.6 29.5 23.7 3.6 12.2	86.7 75.5 71.2 23.7 59.8 53.8 15.7 24.2 15.9 2.7 15.1 15.4 3.8 1.6 28.3 22.1 2.6 12.2	85.0 73.6 69.0 23.7 55.6 50.0 13.4 22.1 15.3 2.6 13.1 13.0 3.4 1.6	84.0 72.1 67.3 23.6 51.2 45.7 12.8 19.3 14.0 2.3 9.7 10.9 2.8 1.4

NA Not included in survey for indicated year

Needle/Injection Drug Use

0.9

1.3

1.3

1.2

1.4

1.3

1.3

1.2

1.1

Data Source:

^{* &}quot;Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

^{** &}quot;Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

NATIONAL SURVEY ON DRUG USE AND HEALTH U.S. AGES 26 AND OLDER, 2000-2010

Estimated Past-Month Substance Use (%)

	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	54.9	54.9	54.8	54.1	53.7	55.1	53.0	52.5	53.9	50.8	49.0
Binge Alcohol Use *	21.9	22.4	22.1	21.9	21.4	21.0	21.1	21.0	21.4	18.8	19.1
Heavy Alcohol Use **	6.1	6.2	6.3	6.1	6.0	5.6	6.1	5.9	5.9	4.8	4.8
Any Tobacco	27.2	27.3	28.3	28.5	29.4	29.0	28.5	29.3	29.9	29.0	28.9
Cigarettes	22.8	23.0	23.8	24.1	24.7	24.3	24.1	24.7	25.2	24.2	24.2
Smokeless Tobacco	3.1	3.1	3.3	3.0	3.2	3.0	2.7	3.2	3.2	3.0	3.3
Any Illicit Drug	6.6	6.3	5.9	5.8	6.1	5.8	5.5	5.6	5.8	4.5	4.2
Marijuana/Hashish	4.8	4.6	4.2	3.9	4.2	4.1	4.1	4.0	4.0	3.2	3.0
Inhalant	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1
Hallucinogen	0.2	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.1
LSD	NE	0.0	NE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PCP	0.0	0.0	NE	0.0	0.0	0.0	0.0	NE	0.0	NE	0.0
Ecstasy	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	NA
Cocaine (any form)	0.5	0.6	0.7	0.7	8.0	0.8	0.7	8.0	0.7	0.6	0.4
Crack Cocaine	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.3	0.3	0.2	0.1
Heroin	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1
Psychotherapeutic Drugs (non-medical use)	2.2	2.1	1.9	2.2	2.2	1.9	1.8	2.0	2.0		
Pain Reliever (non-medical use)	1.5	1.6	1.4	1.6	1.5	1.3	1.2	1.3	1.3	1.1	0.9
OxyContin	0.1	0.1	0.1	0.1	0.1	0.1	0.1	NA	NA	NA	NA
Stimulant (non-medical use)	0.3	0.4	0.2	0.3	0.4	0.3	0.4	0.4	0.4	0.3	0.2
Methamphetamine	0.1	0.2	0.1	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.1
Sedative (non-medical use) Tranquilizer (non-medical use)	0.1 0.7	0.1 0.6	0.1 0.6	0.1 0.6	0.2 0.5	0.1 0.6	0.1 0.5	0.1 0.6	0.2 0.6	0.1 0.5	0.1 0.4
timated Lifetime Substance Use (%)											
timated Lifetime Substance Use (%)	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	87.9	2009 88.0	2008 87.3	87.5	2006 87.7	2005 88.2	2004 87.3	88.0	88.0	86.5	2000 85.8
Alcohol Any Tobacco	87.9 74.2	88.0 74.4	87.3 75.0	87.5 75.0	87.7 76.0	88.2 76.0	87.3 76.4	88.0 77.6	88.0 77.7	86.5 75.7	85.8 74.7
Alcohol Any Tobacco Cigarettes	87.9 74.2 70.0	88.0 74.4 70.1	87.3 75.0 70.7	87.5 75.0 70.9	87.7 76.0 71.7	88.2 76.0 71.9	87.3 76.4 72.3	88.0 77.6 73.6	88.0 77.7 73.7	86.5	85.8 74.7 70.7
Alcohol Any Tobacco Cigarettes Smokeless Tobacco	87.9 74.2 70.0 18.5	88.0 74.4 70.1 18.5	87.3 75.0 70.7 19.5	87.5 75.0 70.9 19.3	87.7 76.0 71.7 19.9	88.2 76.0 71.9 19.5	87.3 76.4 72.3 19.6	88.0 77.6 73.6 20.6	88.0 77.7 73.7 20.9	86.5 75.7 71.5 19.8	85.8 74.7 70.7 19.1
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug	87.9 74.2 70.0 18.5 48.1	88.0 74.4 70.1 18.5 47.8	87.3 75.0 70.7 19.5 48.0	87.5 75.0 70.9 19.3 46.8	87.7 76.0 71.7 19.9 45.5	88.2 76.0 71.9 19.5 46.3	87.3 76.4 72.3 19.6 45.6	88.0 77.6 73.6 20.6 46.1	88.0 77.7 73.7 20.9 45.7	86.5 75.7 71.5 19.8 41.2	85.8 74.7 70.7 19.1 38.5
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish	87.9 74.2 70.0 18.5 48.1 43.4	88.0 74.4 70.1 18.5 47.8 42.7	87.3 75.0 70.7 19.5 48.0 42.6	87.5 75.0 70.9 19.3 46.8 42.0	87.7 76.0 71.7 19.9 45.5 40.6	88.2 76.0 71.9 19.5 46.3 41.1	87.3 76.4 72.3 19.6 45.6 41.0	88.0 77.6 73.6 20.6 46.1 41.2	88.0 77.7 73.7 20.9 45.7 40.8	86.5 75.7 71.5 19.8 41.2 37.0	85.8 74.7 70.7 19.1 38.5 34.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant	87.9 74.2 70.0 18.5 48.1 43.4 8.3	88.0 74.4 70.1 18.5 47.8 42.7 8.6	87.3 75.0 70.7 19.5 48.0 42.6 8.6	87.5 75.0 70.9 19.3 46.8 42.0 8.6	87.7 76.0 71.7 19.9 45.5 40.6 8.6	88.2 76.0 71.9 19.5 46.3 41.1 8.5	87.3 76.4 72.3 19.6 45.6 41.0 8.5	88.0 77.6 73.6 20.6 46.1 41.2 8.6	88.0 77.7 73.7 20.9 45.7 40.8 8.6	86.5 75.7 71.5 19.8 41.2 37.0 7.1	85.8 74.7 70.7 19.1 38.5 34.4 6.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5 10.7	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4 10.9	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2 11.0	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2 10.6	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7 10.8	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4 10.5	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2 10.8	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1 10.5	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9 8.7	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2 8.6
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5 10.7 2.9	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4 10.9 2.9	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2 11.0 3.1	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2 10.6 2.9	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7 10.8 3.1	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0 10.1 3.1	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4 10.5 3.2	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2 10.8 3.3	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1 10.5 3.5	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9 8.7 2.9	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2 8.6 2.9
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5 10.7 2.9 5.7	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4 10.9 2.9 4.9	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2 11.0 3.1 4.4	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2 10.6 2.9 4.1	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7 10.8 3.1 3.9	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0 10.1 3.1 3.6	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4 10.5 3.2 3.4	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2 10.8 3.3 3.1	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1 10.5 3.5 2.6	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9 8.7 2.9 2.0	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2 8.6 2.9 1.8
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form)	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5 10.7 2.9 5.7 16.6	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4 10.9 2.9 4.9 16.1	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2 11.0 3.1 4.4	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2 10.6 2.9 4.1 16.0	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7 10.8 3.1 3.9 15.8	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0 10.1 3.1 3.6 15.2	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4 10.5 3.2 3.4 15.6	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2 10.8 3.3 3.1	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1 10.5 3.5 2.6 15.9	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9 8.7 2.9 2.0 13.6	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2 8.6 2.9 1.8 12.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5 10.7 2.9 5.7 16.6 4.2	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4 10.9 2.9 4.9 16.1 3.8	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2 11.0 3.1 4.4 16.4 3.9	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2 10.6 2.9 4.1 16.0 3.9	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7 10.8 3.1 3.9 15.8 3.9	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0 10.1 3.1 3.6 15.2 3.6	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4 10.5 3.2 3.4 15.6 3.6	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2 10.8 3.3 3.1 16.3 3.6	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1 10.5 3.5 2.6 15.9 3.9	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9 8.7 2.9 2.0 13.6 2.9	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2 8.6 2.9 1.8 12.4 2.5
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5 10.7 2.9 5.7 16.6 4.2 1.8	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4 10.9 2.9 4.9 16.1 3.8 1.6	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2 11.0 3.1 4.4 16.4 3.9 1.7	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2 10.6 2.9 4.1 16.0 3.9 1.7	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7 10.8 3.1 3.9 15.8 3.9 1.7	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0 10.1 3.6 15.2 3.6 1.6	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4 10.5 3.2 3.4 15.6 3.6 1.4	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2 10.8 3.3 3.1 16.3 3.6 1.7	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1 10.5 3.5 2.6 15.9 3.9 1.7	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9 8.7 2.9 2.0 13.6	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2 8.6 2.9 1.8 12.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use)	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5 10.7 2.9 5.7 16.6 4.2 1.8 20.1	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4 10.9 2.9 4.9 16.1 3.8 1.6 20.2	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2 11.0 3.1 4.4 16.4 3.9 1.7 20.6	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2 10.6 2.9 4.1 16.0 3.9 1.7 19.8	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7 10.8 3.1 3.9 15.8 3.9 1.7 20.1	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0 10.1 3.1 3.6 15.2 3.6 1.6 19.7	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4 10.5 3.2 3.4 15.6 3.6 1.4	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2 10.8 3.3 3.1 16.3 3.6 1.7 20.0	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1 10.5 3.5 2.6 15.9 3.9 1.7	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9 8.7 2.9 2.0 13.6 2.9 1.5	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2 8.6 2.9 1.8 12.4 2.5 1.3
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use)	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5 10.7 2.9 5.7 16.6 4.2 1.8 20.1 12.6	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4 10.9 2.9 4.9 16.1 3.8 1.6 20.2 12.7	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2 11.0 3.1 4.4 16.4 3.9 1.7 20.6 12.7	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2 10.6 2.9 4.1 16.0 3.9 1.7 19.8 11.8	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7 10.8 3.1 3.9 15.8 3.9 1.7 20.1 12.0	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0 10.1 3.6 15.2 3.6 1.6 19.7 11.8	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4 10.5 3.2 3.4 15.6 3.6 1.4 19.8 11.5	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2 10.8 3.3 3.1 16.3 3.6 1.7 20.0 11.5	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1 10.5 3.5 2.6 15.9 3.9 1.7 19.9	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9 8.7 2.9 2.0 13.6 2.9 1.5	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2 8.6 2.9 1.8 12.4 2.5 1.3
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5 10.7 2.9 5.7 16.6 4.2 1.8 20.1 12.6 1.9	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4 10.9 2.9 4.9 16.1 3.8 1.6 20.2 12.7 1.7	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2 11.0 3.1 4.4 16.4 3.9 1.7 20.6 12.7 1.4	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2 10.6 2.9 4.1 16.0 3.9 1.7 19.8 11.8 1.2	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7 10.8 3.1 3.9 15.8 3.9 1.7 20.1 12.0 1.1	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0 10.1 3.1 3.6 15.2 3.6 1.6 19.7 11.8 0.9	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4 10.5 3.2 3.4 15.6 1.4 19.8 11.5 0.8	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2 10.8 3.3 3.1 16.3 3.6 1.7 20.0 11.5 0.8	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1 10.5 3.5 2.6 15.9 3.9 1.7 19.9 11.1 0.5	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9 8.7 2.9 2.0 13.6 2.9 1.5	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2 8.6 2.9 1.8 12.4 2.5 1.3
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin Stimulant (non-medical use)	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5 10.7 2.9 5.7 16.6 4.2 1.8 20.1 12.6 1.9 9.0	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4 10.9 2.9 4.9 16.1 3.8 1.6 20.2 12.7 1.7 9.2	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2 11.0 3.1 4.4 16.4 3.9 1.7 20.6 12.7 1.4 8.9	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2 10.6 2.9 4.1 16.0 3.9 1.7 19.8 11.8 1.2 9.1	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7 10.8 3.1 3.9 15.8 3.9 1.7 20.1 12.0 1.1 9.4	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0 10.1 3.1 3.6 15.2 3.6 1.6 19.7 11.8 0.9 8.7	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4 10.5 3.2 3.4 15.6 3.6 1.4 19.8 11.5 0.8 9.6	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2 10.8 3.3 3.1 16.3 3.6 1.7 20.0 11.5 0.8	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1 10.5 2.6 15.9 3.9 1.7 19.9 11.1 0.5 10.4	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9 8.7 2.9 2.0 13.6 2.9 1.5	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2 8.6 2.9 1.8 12.4 2.5 1.3
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin Stimulant (non-medical use) Methamphetamine	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5 10.7 2.9 5.7 16.6 4.2 1.8 20.1 12.6 1.9 9.0 5.9	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4 10.9 2.9 4.9 16.1 3.8 1.6 20.2 12.7 1.7 9.2 5.8	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2 11.0 3.1 4.4 16.4 3.9 1.7 20.6 12.7 1.4 8.9 5.7	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2 10.6 2.9 4.1 16.0 3.9 1.7 19.8 11.8 1.2 9.1 5.8	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7 10.8 3.1 3.9 15.8 3.9 1.7 20.1 12.0 1.1 9.4 6.3	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0 10.1 3.1 3.6 15.2 3.6 1.6 19.7 11.8 0.9 8.7 5.5	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4 10.5 3.2 3.4 15.6 3.6 1.4 19.8 9.6 6.5	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2 10.8 3.3 3.1 16.3 3.6 1.7 20.0 11.5 0.8 10.0 6.9	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1 10.5 3.5 2.6 15.9 3.9 1.7 19.9 11.1 0.5 10.4 7.1	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9 8.7 2.9 2.0 13.6 2.9 1.5 8.4 NA 7.1 4.5	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2 8.6 2.9 1.8 12.4 2.5 1.3 7.6 NA 6.7 4.3
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana/Hashish Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutic Drugs (non-medical use) Pain Reliever (non-medical use) OxyContin Stimulant (non-medical use)	87.9 74.2 70.0 18.5 48.1 43.4 8.3 15.5 10.7 2.9 5.7 16.6 4.2 1.8 20.1 12.6 1.9 9.0	88.0 74.4 70.1 18.5 47.8 42.7 8.6 15.4 10.9 2.9 4.9 16.1 3.8 1.6 20.2 12.7 1.7 9.2	87.3 75.0 70.7 19.5 48.0 42.6 8.6 15.2 11.0 3.1 4.4 16.4 3.9 1.7 20.6 12.7 1.4 8.9	87.5 75.0 70.9 19.3 46.8 42.0 8.6 14.2 10.6 2.9 4.1 16.0 3.9 1.7 19.8 11.8 1.2 9.1	87.7 76.0 71.7 19.9 45.5 40.6 8.6 14.7 10.8 3.1 3.9 15.8 3.9 1.7 20.1 12.0 1.1 9.4	88.2 76.0 71.9 19.5 46.3 41.1 8.5 14.0 10.1 3.1 3.6 15.2 3.6 1.6 19.7 11.8 0.9 8.7	87.3 76.4 72.3 19.6 45.6 41.0 8.5 14.4 10.5 3.2 3.4 15.6 3.6 1.4 19.8 11.5 0.8 9.6	88.0 77.6 73.6 20.6 46.1 41.2 8.6 14.2 10.8 3.3 3.1 16.3 3.6 1.7 20.0 11.5 0.8	88.0 77.7 73.7 20.9 45.7 40.8 8.6 14.1 10.5 2.6 15.9 3.9 1.7 19.9 11.1 0.5 10.4	86.5 75.7 71.5 19.8 41.2 37.0 7.1 11.9 8.7 2.9 2.0 13.6 2.9 1.5	85.8 74.7 70.7 19.1 38.5 34.4 6.4 11.2 8.6 2.9 1.8 12.4 2.5 1.3

NA Not included in survey for indicated year

Needle/Injection Drug Use

2.0

1.9

1.7

1.8

1.7

1.6

1.8

2.0

1.6

Data Source:


 $[\]ensuremath{\textbf{NE}}$ No estimate reported due to low precision

^{* &}quot;Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

^{** &}quot;Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.


ALCOHOL — PAST-MONTH USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 12 and Older, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 12-17, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 18-25, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 26 & Older, 2001-2010




ALCOHOL — PAST-MONTH BINGE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 12 & Older, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 12-17, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 18-25, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 26 & Older, 2001-2010




ALCOHOL — PERCEIVED RISK OF BINGE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 12 & Older, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 12-17, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 18-25, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 26 & Older, 2001-2010




ALCOHOL USE, BINGE USE, AND PERCEIVED RISK: MISSOURI AGE GROUP COMPARISONS

Estimated Past-Month Alcohol Use (%): Missouri Age Group Comparisons, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.






Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perception of Great Risk of Binge Drinking (%): Missouri Age Group Comparisons, 2001-2010




ALCOHOL - PAST-MONTH, BINGE, AND PERCEIVED RISK OF USE: MISSOURI AND ADA/CPS REGIONS

Past-Month Alcohol Use (%): Missouri and ADA/CPS Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.






Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Perceptions of Great Risk of Binge Drinking (%): Missouri and ADA/CPS Regions




TOBACCO — PAST-MONTH CIGARETTE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 12 & Older, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 12-17, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 18-25, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 26 & Older, 2001-2010




TOBACCO — PERCEIVED RISK OF CIGARETTE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 12 & Older, 2003-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 12-17, 2003-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 18-25, 2003-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk Smoking One or More Packs of Cigarettes Daily (%): U.S. and Missouri Ages 26 & Older, 2003-2010




TOBACCO USE AND PERCEIVED RISK: MISSOURI AGE GROUP COMPARISONS

Estimated Past-Month Tobacco Use (%): Missouri Age Group Comparisons, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Cigarette Use (%): Missouri Age Group Comparisons, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk Smoking One or More Packs of Cigarettes Daily (%): Missouri Age Group Comparisons, 2001-2010





TOBACCO AND CIGARETTES — PAST-MONTH AND PERCEIVED RISK OF USE: MISSOURI AND ADA/CPS REGIONS

Estimated Past-Month Tobacco Use (%): Missouri and ADA/CPS Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.






Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Perceive Great Risk in Smoking One or More Packs of Cigarettes Per Day (%): Missouri and ADA/CPS Regions




PAST-MONTH ILLICIT DRUG USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 12 & Older, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 12-17, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 18-25, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 26 & Older, 2001-2010




PAST-MONTH ILLICIT DRUG USE EXCEPT MARIJUANA: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 12 & Older, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 12-17, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 18-25, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 26 & Older, 2001-2010









Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Past-Month Use of Illicit Drugs Other Than Marijuana (%): Missouri and ADA/CPS Regions




MARIJUANA — PAST-MONTH USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 12 & Older, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 12-17, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 18-25, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 26 & Older, 2001-2010




MARIJUANA — PAST-YEAR USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 12 & Older, 2003-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 12-17, 2003-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 18-25, 2003-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 26 & Older, 2003-2010




MARIJUANA — PERCEIVED RISK OF USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 12 & Older, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 12-17, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 18-25, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 26 & Older, 2001-2010




PAST MONTH, FIRST USE, AND PERCEIVED RISK OF MARIJUANA USE: MISSOURI AGE GROUPS

Estimated Past-Month Marijuana Use (%): Missouri Age Groups, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated First Use of Marijuana in Past Year (%): Missouri Age Groups, 2003-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.




MARIJUANA - PAST-MONTH, FIRST YEAR, AND PERCEIVED RISK OF USE: MISSOURI AND ADA/CPS REGIONS

Estimated Past-Month Marijuana Use (%): Missouri and ADA/CPS Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Average Annual Rate of First Use of Marijuana (%): Missouri and ADA/CPS Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Perception of Great Risk of Smoking Marijuana Monthly (%): Missouri and ADA/CPS Regions




MARIJUANA, COCAINE, AND PAIN RELIEVERS — PAST-YEAR USE: MISSOURI AND ADA/CPS REGIONS

Estimated Past-Year Marijuana Use (%): Missouri and ADA/CPS Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Past-Year Cocaine Use (%): Missouri and ADA/CPS Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Past-Year Nonmedical Use of Pain Relievers (%): Missouri and ADA/CPS Regions




COCAINE — PAST-YEAR USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 12 & Older, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 12-17, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 18-25, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 26 & Older, 2001-2010




PAIN RELIEVERS: PAST-YEAR NON-MEDICAL USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 12 & Older, 2003-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 12-17, 2003-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 18-25, 2003-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 26 & Older, 2003-2010




ALCOHOL AND ILLICIT DRUGS — PAST-YEAR DEPENDENCE OR ABUSE: U.S. AND MISSOURI AGE GROUPS

Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%), U.S. and Missouri Ages 12 & Older, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%): U.S. and Missouri Ages 12-17, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%): U.S. and Missouri Ages 18-25, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%): U.S. and Missouri Ages 26 & Older, 2001-2010




PAST-YEAR ALCOHOL OR ILLICIT DRUG DEPENDENCE OR ABUSE: MISSOURI AGE GROUPS

Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Abuse: Missouri Ages 12 & Older, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Abuse: Missouri Ages 12-17, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Abuse: Missouri Ages 18-25, 2001-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Abuse: Missouri Ages 26 & Older, 2001-2010






Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.



PAST-YEAR SUBSTANCE DEPENDENCE OR ABUSE: MISSOURI REGIONS BY AGE GROUP

Estimated Past-Year Substance Dependence or Abuse (%): Missouri and ADA/CPS Regions Ages 12-17, 2008-2010




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Displayed percentages are derived from SAMHSA estimates for combined alcohol and illicit drug dependence/abuse.

Estimates are average annual rates based on combined years 2008-2010.

Estimated Past-Year Substance Dependence or Abuse (%): Missouri and ADA/CPS Regions Ages 18-25, 2008-2010




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Displayed percentages are derived from SAMHSA estimates for combined alcohol and illicit drug dependence/abuse.

Estimates are average annual rates based on combined years 2008-2010.

Estimated Past-Year Substance Dependence or Abuse (%): Missouri and ADA/CPS Regions Ages 26 and Older, 2008-2010




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Displayed percentages are derived from SAMHSA estimates for combined alcohol and illicit drug dependence/abuse.

Estimates are average annual rates based on combined years 2008-2010.


PAST-YEAR UNMET NEED FOR SUBSTANCE ABUSE TREATMENT: MISSOURI AGE GROUPS

Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 12 & Older, 2002-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 12-17, 2002-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 18-25, 2002-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 26 & Older, 2002-2010




UNMET NEED FOR SUBSTANCE ABUSE TREATMENT IN PAST YEAR: MISSOURI AND ADA/CPS REGIONS





Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Past-Year Percentage Needing but Not Receiving Treatment for Illicit Drug Use: Missouri & ADA/CPS Regions, 3-Year Spans



PAST-YEAR UNMET NEED FOR SUBSTANCE ABUSE TREATMENT: MISSOURI AND REGIONS BY AGE GROUP






Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.


Estimates are average annual rates based on combined years 2008-2010.

Past-Year Unmet Need for Substance Abuse Treatment (%): Missouri and ADA/CPS Regions Ages 18-25, 2008-2010



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are average annual rates based on combined years 2008-2010.


Past-Year Unmet Need for Substance Abuse Treatment (%): Missouri and ADA/CPS Regions Ages 26 & Older, 2008-2010



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are average annual rates based on combined years 2008-2010.

ANY MENTAL ILLNESS IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP






Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Due to adult mental health questionnaire changes in 2008, comparisons to prior years are not provided.


Estimated Past-Year Any Mental Illness: U.S. and Missouri Ages 18-25, 2009-2010



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Due to adult mental health questionnaire changes in 2008, comparisons to prior years are not provided.


Estimated Past-Year Any Mental Illness: U.S. and Missouri Ages 26 and Older, 2009-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Due to adult mental health questionnaire changes in 2008, comparisons to prior years are not provided.

SERIOUS MENTAL ILLNESS IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP






Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Due to adult mental health questionnaire changes in 2008, comparisons to prior years are not provided.


Estimated Past-Year Serious Mental Illness: U.S. and Missouri Ages 18-25, 2009-2010



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Due to adult mental health questionnaire changes in 2008, comparisons to prior years are not provided.

Estimated Past-Year Serious Mental Illness: U.S. and Missouri Ages 26 and Older, 2009-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Due to adult mental health questionnaire changes in 2008, comparisons to prior years are not provided.


DEPRESSION — MAJOR PAST-YEAR EPISODE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 12-17, 2005-2010



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.


Estimated Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 18 and Older, 2005-2010



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.


Estimated Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 18-25, 2005-2010



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.

Estimated Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 26 and Older, 2005-2010




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.


MAJOR DEPRESSIVE EPISODE IN PAST YEAR: MISSOURI AND ADA/CPS REGIONS






Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Past-Year Major Depressive Episode (MDE): Ages 18 and Older, Missouri and ADA/CPS Regions




SERIOUS THOUGHTS OF SUICIDE IN PAST YEAR: U.S./MISSOURI COMPARISON BY AGE GROUP AND MISSOURI REGIONS FOR ADULTS

Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 18 and Older, 2009-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 18-25, 2009-2010




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 26 and Older, 2009-2010



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Serious Thoughts of Suicide (%): Ages 18 and Older, Missouri and ADA/CPS Regions



MISSOURI STUDENT SURVEY: PAST 30-DAY ALCOHOL, TOBACCO, AND OTHER DRUG USE

Reported Past 30-Day Substance Use (%): Missouri Students in Grades 6-12

		Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	2012	3.64	6.38	12.18	18.56	25.63	29.51	35.54
	2010	4.43	8.3	14.44	22.13	28.29	33.35	36.72
	2008	7.57	14.24	22.93	30.94	37.38	40.85	45.62
	2006	7.35	14.82	23.90	32.56	39.50	43.23	49.61
	2004	8.57	18.05	27.06	36.52	45.73	51.14	50.97
Alcohol: binge use in past 30 days	2012	1.04	2.61	6.05	10.20	16.13	19.69	24.18
	2010	1.60	3.50	7.10	12.37	17.34	22.45	24.59
Cigarettes	2012	2.57	4.36	8.23	11.38	15.13	20.06	21.84
	2010	4.00	5.92	10.94	14.80	18.68	22.95	24.99
	2008	3.02	6.65	9.68	14.03	18.97	22.56	24.34
	2006	3.77	7.28	11.82	14.85	19.87	21.63	28.04
	2004	5.27	10.45	15.22	18.30	22.72	30.80	28.30
Chewing Tobacco	2012	1.63	2.18	4.45	6.48	7.63	9.75	10.01
	2010	2.01	2.54	5.03	7.30	7.79	9.28	8.89
	2008	1.68	3.29	4.35	6.59	8.39	9.60	10.17
	2006	2.03	3.09	4.52	6.10	7.64	7.95	9.68
	2004	1.67	3.38	4.07	6.12	8.97	11.32	12.50
Marijuana	2012	1.00	2.32	5.97	9.55	13.05	15.51	21.35
	2010	0.99	2.29	5.50	10.25	15.64	18.31	19.52
	2008	0.83	3.11	5.54	8.97	12.90	14.86	16.56
	2006	0.83	2.72	5.05	9.32	13.57	15.53	17.50
	2004	0.95	3.34	7.23	10.53	13.06	13.03	14.60
Inhalant	2012	2.49	2.57	2.90	2.38	1.64	1.43	1.28
	2010	3.71	3.87	3.51	3.06	2.54	1.80	1.55
	2008	4.14	5.69	5.28	4.04	3.14	2.00	1.72
	2006	4.94	6.25	6.44	4.26	2.94	2.23	1.92
	2004	4.16	5.62	5.13	3.38	2.91	2.34	1.80
Pharmaceutical Drug: non-prescribed	2012	1.63	2.57	3.77	5.27	6.59	7.04	7.61
	2010	3.33	3.97	5.55	7.50	8.38	9.82	8.28
Over-the-Counter Drug: non-medical use	2012	1.31	2.18	3.50	4.08	5.08	4.68	3.81
3	2010	2.14	3.07	4.39	5.97	6.19	6.05	5.27
Synthetic Drug	2012	1.49	1.67	2.41	3.31	3.95	4.26	3.52
-,		1.10	1.07		0.01	0.00	0	0.02

Data Source: Missouri Institute of Mental Health. Missouri Student Survey.

Respondents participate voluntarily and do not comprise a scientifically selected sample.

2010 and 2012 data are weighted in accordance with population characteristics. 2004-2008 data are unweighted.

MISSOURI STUDENT SURVEY: LIFETIME ALCOHOL, TOBACCO, AND OTHER DRUG USE

Reported Lifetime Substance Use (%): Missouri Students in Grades 6-12

		Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	2012	13.25	19.96	31.97	42.76	52.80	59.30	64.53
	2010	15.09	24.39	36.49	47.99	55.42	63.20	65.33
	2008	30.07	44.52	56.04	65.36	70.76	73.60	74.71
	2006	35.24	48.41	61.47	69.79	75.37	77.12	82.39
Cigarettes	2012	7.23	10.78	19.02	25.02	31.07	37.94	41.20
	2010	8.35	12.54	22.11	28.62	36.42	43.43	45.46
	2008	9.53	17.57	24.06	30.80	38.02	43.34	45.48
	2006	20.40	27.38	34.60	39.39	46.70	49.71	55.50
Chewing Tobacco	2012	3.72	4.12	9.03	11.79	14.24	17.78	18.04
_	2010	3.79	4.89	9.98	12.73	15.11	17.70	17.60
	2008	5.43	9.29	11.86	15.08	18.72	20.39	22.88
	2006	7.15	9.71	13.69	15.40	17.80	19.45	22.24
Marijuana	2012	1.73	4.49	10.56	18.17	25.64	31.74	40.66
•	2010	1.85	4.42	10.44	18.76	28.73	35.35	38.86
	2008	2.02	6.49	11.83	19.01	27.28	32.69	35.72
	2006	2.41	6.35	11.69	19.83	30.17	34.78	40.69
Inhalants	2012	5.02	4.69	5.78	5.69	5.11	5.13	4.28
	2010	5.67	6.57	6.92	6.79	6.50	6.23	6.09
	2008	8.09	10.55	10.95	9.71	9.21	7.04	6.28
	2006	9.76	12.18	13.55	11.00	9.55	7.36	7.36
Heroin	2012	0.56	0.56	1.04	0.84	1.09	1.25	1.83
	2010	0.26	0.50	0.50	0.64	0.85	0.90	1.08
Cocaine *	2012	0.62	0.80	1.65	1.49	2.60	3.33	3.76
	2010	0.47	0.80	0.99	1.45	2.27	3.65	4.16
	2008	0.70	1.41	1.64	1.95	2.67	3.33	4.41
	2006	0.93	1.73	1.99	2.58	3.59	4.16	5.84
Methamphetamine **	2012	0.93	0.73	1.23	1.18	1.39	1.95	2.00
	2010	0.42	0.78	0.71	0.84	1.11	1.35	1.22
	2008	0.49	1.28	1.79	2.95	4.23	4.42	4.64
	2006	0.70	1.45	2.04	3.33	4.82	5.36	7.02
Hallucinogen	2012	0.62	1.14	2.18	2.66	4.10	5.29	7.52
3	2010	0.46	0.97	1.85	3.19	4.43	6.36	5.90
	2008	0.39	0.85	1.40	2.22	3.59	4.53	5.23
	2006	0.40	0.94	1.34	2.11	3.27	3.89	5.31
Club Drug	2012	0.76	0.70	1.68	2.03	3.22	3.99	5.23
3.00 2.00	2010	0.42	0.66	1.37	2.28	3.05	4.79	5.25
	2008	0.43	0.81	1.48	2.38	3.78	4.46	5.45
	2006	0.56	0.99	1.92	2.49	3.59	4.45	5.25
Steroid: non-prescribed	2012	1.07	1.08	1.83	1.39	1.34	1.62	1.71
Clored III II Processing Co	2010	0.92	0.86	0.99	1.24	1.28	1.14	0.85
	2008	1.62	2.29	2.55	2.60	2.68	2.59	2.64
	2006	1.44	2.05	2.52	2.55	2.60	2.74	2.92
Pharmaceutical Drug: non-prescribed	2012	3.06	4.20	6.77	9.28	11.93	14.16	16.12
Thatmaccatical Drug. Horr-prescribed	2012	5.23	6.56	9.08	12.13	13.96	16.93	15.96
Over-the-Counter Drug: non-medical use	2010	2.23	3.30	5.53	6.51	8.39	8.73	9.35
Over-the-Counter Drug. Hon-medical use	2012	3.36	3.30 4.63					
Synthetic Drug				6.65	8.91	9.88	10.89	9.32
Synthetic Drug	2012	2.37	2.68	4.55	6.77	9.17	11.31	12.97

Data Source: Missouri Institute of Mental Health. Missouri Student Survey.

Respondents participate voluntarily and do not comprise a scientifically selected sample.


2010 and 2012 data are weighted in accordance with population characteristics. 2006-2008 data are unweighted.

^{*} Item specified "crack or freebase form of cocaine" in 2006-2008 surveys and "any form of cocaine" in 2010-2012 surveys.

^{**} Item specified "speed, amphetamine, or methamphetamine" in 2002-2008 surveys and "methamphetamine" in 2010-2012 surveys.


ALCOHOL USE IN LIFETIME AND PAST 30-DAYS: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Alcohol (%): Missouri Students in Grades 6-12, 2004-2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.

Past 30-Day Use of Alcohol (%): Missouri Students in Grades 6-12, 2004-2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.

Past 2-Week (2004-2008) and Past 30-Day (2010-2012) Binge Alcohol Use (%): Missouri Students in Grades 6-12




TOBACCO USE IN LIFETIME AND PAST 30-DAYS: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Cigarettes (%): Missouri Students in Grades 6-12, 2004-2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.

Past 30-Day Use of Cigarettes (%): Missouri Students in Grades 6-12, 2004-2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.

Lifetime Use of Chewing Tobacco (%): Missouri Students in Grades 6-12, 2004-2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.

Past 30-Day Use of Chewing Tobacco (%): Missouri Students in Grades 6-12, 2004-2012




MARIJUANA USE IN LIFETIME AND PAST 30-DAYS: MISSOURI STUDENTS IN GRADES 6-12






Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.

Past 30-Day Use of Marijuana (%): Missouri Students in Grades 6-12, 2004-2012




COCAINE AND HEROIN USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Cocaine (%): Missouri Students in Grades 6-12, 2004-2012



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.

Past 30-Day Use of Cocaine (%): Missouri Students in Grades 6-12, 2004-2008




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are unweighted.

Lifetime Use of Heroin (%): Missouri Students in Grades 6-12, 2010-2012 2.0 1.5 Percent of Students 1.0 in Each **Grade Level** 0.5 0.0 Grade 7 Grade 6 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 2010 0.26 0.50 0.50 0.64 0.85 0.90 1.08 2012 0.56 1.04 1.25 0.56 0.84 1.09 1.83

Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


METHAMPHETAMINE USE IN LIFETIME AND PAST 30 DAYS: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Speed, Amphetamine or Methamphetamine (%): Missouri Students in Grades 6-12, 2004-2008




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are unweighted.

Lifetime Use of Methamphetamine (%): Missouri Students in Grades 6-12, 2010-2012



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Speed, Amphetamine or Methamphetamine (%): Missouri Students in Grades 6-12, 2004-2008




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are unweighted.

INHALANT USE IN LIFETIME AND PAST 30 DAYS: MISSOURI STUDENTS IN GRADES 6-12


Lifetime Use of Inhalants (%): Missouri Students in Grades 6-12, 2004-2012 15 12 Percent of 9 Students in Each 6 **Grade Level** 3 0 Grade 6 Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 2004 9.40 11.63 11.35 9.28 9.34 8.42 7.34 2006 9.76 12.18 13.55 11.00 9.55 7.36 7.36 2008 9.71 8.09 10.55 10.95 9.21 7.04 6.28 2010 5.67 6.57 6.92 6.79 6.50 6.23 6.09 2012 5.02 4.69 5.78 5.69 5.11 5.13 4.28

Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.




HALLUCINOGEN USE IN LIFETIME AND PAST 30 DAYS: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Hallucinogens such as LSD, PCP, Mescaline, Peyote (%): Missouri Students in Grades 6-12, 2004-2012



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


Past 30-Day Use of LSD or other Psychedelics (%): Missouri Students in Grades 6-12, 2004-2008



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are unweighted.


CLUB DRUG USE IN LIFETIME AND PAST 30-DAYS: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Club Drugs such as Ecstasy, GHB, Rohypnol, Ketamine (%): Missouri Students in Grades 6-12, 2004-2012



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


Past 30-Day Use of Club Drugs such as Ecstasy, GHB, Rohypnol, Ketamine (%): Missouri Students in Grades 6-12, 2004-2008



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are unweighted.


PHARMACEUTICAL DRUG USE IN LIFETIME AND PAST 30 DAYS: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Non-Prescribed Pharmaceutical Drugs (%): Missouri Students in Grades 6-12, 2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Non-Prescribed Pharmaceutical Drugs (%): Missouri Students in Grades 6-12, 2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Non-Prescribed Steroids (%): Missouri Students in Grades 6-12, 2004-2012




OVER-THE-COUNTER AND SYNTHETIC DRUG USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Over-the-Counter Medicines for Non-medical Reason (%): Missouri Students in Grades 6-12, 2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Over-the-Counter Meds for Non-medical Reason (%): Missouri Students in Grades 6-12, 2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Synthetic Drugs such as K2, Bath Salts, Spice (%): Missouri Students in Grades 6-12, 2012



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Past 30-Day Use of Synthetic Drugs such as K2, Bath Salts, Spice (%): Missouri Students in Grades 6-12, 2012



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

LIFETIME INJECTION DRUG USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Injection Drug Use (%): Missouri Students in Grades 6-12, 2004-2008



Data Source: Missouri Institute of Mental Health. 2004-2008 Missouri Student Survey respondents. Data are unweighted.

YOUTH RISK BEHAVIOR SURVEILLANCE SYSTEM (YRBSS) TABLES FOR ALCOHOL, TOBACCO, AND PRESCRIPTION DRUG USE


	2011		2009		2007		2005		2003		2001		1999		1997	
	МО	U.S.	MO	U.S.	МО	U.S.										
Alachal Has in Lifetima (0/)																
Alcohol Use in Lifetime (%)	NIA	70.0	70.5	70.5	70.5	75.0	70.4	740	77.0	74.0	00.4	70.0	70.4	04.0	70.0	70.4
Overall Grades 9-12	NA	70.8	70.5	72.5	73.5	75.0	72.1	74.3	77.8	74.9	80.1	78.2	79.4	81.0	78.3	79.1
Grade 9	NA	61.7	62.0	63.4	67.8	65.5	64.5	66.5	73.6	65.0	76.4	73.1	73.6	73.4	69.3	72.0
Grade 10	NA	69.2	68.3	71.1	74.1	74.7	70.6	74.4	75.9	75.7	78.8	76.3	79.2	83.2	82.1	77.4
Grade 11	NA	75.3	76.8	77.8	77.7	79.4	75.7	76.3	81.0	78.6	78.6	80.4	84.6	80.8	77.0	81.9
Grade 12	NA	79.0	77.5	79.7	75.9	82.8	79.2	81.7	81.9	83.0	87.7	85.1	80.8	88.3	86.1	84.0
Alcohol Use in Past 30 Days (%)																
Overall Grades 9-12	NA	38.7	39.3	41.8	44.4	44.7	40.8	43.3	49.2	44.9	47.6	47.1	49.9	50.0	51.4	50.8
Grade 9	NA	29.8	28.6	31.5	38.5	35.7	30.4	36.2	44.4	36.2	43.2	41.1	45.4	40.6	42.6	44.2
Grade 10	NA	35.7	37.7	40.6	44.7	41.8	41.5	42.0	46.1	43.5	47.7	45.2	43.3	49.7	50.9	47.2
Grade 11	NA	42.7	48.4	45.7	46.7	49.0	44.3	46.0	50.9	47.0	48.4	49.3	55.5	50.9	52.3	53.2
Grade 12	NA	48.4	45.8	51.7	48.6	54.9	48.8	50.8	57.3	55.9	52.2	55.2	57.2	61.7	62.2	57.3
Binge Drinking in Past 30 Days (%)																
Overall Grades 9-12	NA	21.9	25.3	24.2	29.1	26.0	24.9	25.5	30.5	28.3	34.1	29.9	32.0	31.5	37.9	33.4
Grade 9	NA	14.0	15.2	15.3	22.3	17.0	13.6	19.0	25.3	19.8	28.0	24.5	23.5	21.1	28.4	25.7
Grade 10	NA	18.4	24.0	22.3	26.8	23.7	26.3	24.6	27.6	27.4	33.0	28.2	28.2	32.2	35.5	29.9
Grade 11	NA	25.2	32.1	28.3	33.0	29.9	29.0	27.6	32.0	31.8	36.5	32.2	40.8	34.0	39.1	37.5
Grade 12	NA	31.5	32.7	33.5	35.3	36.5	32.4	32.8	38.9	37.2	40.0	36.7	38.7	41.6	51.3	39.3
Alcohol Use Before Age 13 (%)																
Overall Grades 9-12	NA	20.5	20.4	21.1	20.9	23.8	24.2	25.6	25.4	27.8	30.0	29.1	33.5	32.2	33.6	31.1
Grade 9	NA	26.6	23.9	28.1	30.5	30.9	34.1	33.9	38.2	36.4	38.7	39.7	40.2	40.4	42.4	41.9
Grade 10	NA	21.1	22.9	22.2	20.5	24.4	22.5	26.2	26.4	28.5	31.2	28.8	38.0	35.6	32.6	32.0
Grade 11	NA	17.6	18.2	17.9	17.8	19.6	23.8	20.5	20.3	23.0	26.5	23.4	30.6	26.2	29.1	29.9
Grade 12	NA	15.1	15.3	14.2	11.8	18.0	14.4	19.3	14.0	20.3	21.3	21.2	21.4	24.3	27.3	22.8
Cigarette Use in Lifetime (%)																
Overall Grades 9-12	NA	44.7	46.5	46.3	50.9	50.3	49.6	54.3	63.3	58.4	68.5	63.9	69.8	70.4	74.0	70.2
Grade 9	NA	37.6	34.0	37.7	47.2	42.7	40.7	48.7	60.8	52.0	62.5	58.4	67.7	61.8	72.3	67.7
Grade 10	NA	41.0	44.1	44.0	45.9	48.8	51.2	52.5	59.7	58.3	68.9	62.6	70.8	73.9	73.7	70.0
Grade 11	NA	47.1	52.9	50.0	57.4	53.4	53.4	57.5	66.6	60.0	68.4	65.9	69.5	69.9	73.0	68.8
Grade 12	NA	54.5	57.9	55.5	53.7	59.3	54.3	60.3	66.9	65.4	75.9	71.1	72.1	78.0	77.4	73.7
Cigarette Use in Past 30 Days (%)																
Overall Grades 9-12, U.S.	NA	18.1	18.9	19.5	23.8	20.0	21.3	23.0	24.8	21.9	30.3	28.5	32.8	34.8	40.3	36.4
•	NA		9.4	13.5	22.2	14.3	14.1	19.7	25.6	17.4	27.0	23.9	32.6 27.1	27.6	34.9	33.4
Grade 9, U.S.		13.0														
Grade 10, U.S.	NA NA	15.6	19.0 22.8	18.3 22.3	17.8 30.6	19.6 21.6	21.4 24.3	21.4 24.3	23.5 28.2	21.8 23.6	29.8 29.6	26.9	33.9 38.1	34.7 36.0	39.1 40.1	35.3 36.6
Grade 11, U.S. Grade 12, U.S.	NA	19.3 25.1	26.7	25.2	25.4	26.5	26.5	24.3 27.6	21.4	26.2	35.4	29.8 35.2	33.5	42.8	48.2	39.6
Cigarette Use Before Age 13 (%)		400	0.0	40 =	40.4	440	440	16.0	20.0	400	05.7	00.4	05.0	047	07 4	04.6
Overall Grades 9-12, U.S.	NA	10.3	9.9	10.7	13.4	14.2	14.8	16.0	20.2	18.3	25.7	22.1	25.2	24.7	27.4	24.8
Grade 9, U.S.	NA	12.1	8.2	12.1	15.7	16.3	15.9	18.6	28.1	19.3	31.1	26.2	30.4	27.0	34.2	32.0
Grade 10, U.S.	NA	10.1	13.3	11.2	12.6	14.3	14.2	16.0	21.9	20.1	26.5	22.9	27.2	28.5	24.3	27.5
Grade 11, U.S.	NA	9.8	8.3	10.3	14.3	12.0	16.6	14.4	17.4	16.0	22.2	18.5	23.2	21.1	25.4	22.2
Grade 12, U.S.	NA	8.2	9.7	8.6	10.1	13.3	12.3	13.9	11.3	16.5	21.1	19.0	17.8	20.7	23.3	18.6
Prescription Drug Use without Rx in Lifetime (%)																
	NIA	20.7														
Overall Grades 9-12, U.S.	NA															
Grade 9, U.S.	NA	16.5														
Grade 10, U.S.	NA	18.2														
Grade 11, U.S.	NA	23.3														
Grade 12, U.S.	NA	25.6														

Values shown are estimates based on sampling. Apparent differences in values between years--and between U.S. and Missouri--may not be statistically significant. NA indicates data not available.

Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.


PAST 30-DAY ALCOHOL USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12, 1995-2009

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 9, 1995-2009




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 10, 1995-2009




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 11, 1995-2009



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey


Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 12, 1995-2009



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey 2011 YRBS data not available for Missouri.


PAST 30-DAY BINGE ALCOHOL USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12, 1995-2009

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 9, 1995-2009




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 10, 1995-2009




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 11, 1995-2009




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 12, 1995-2009




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey 2011 YRBS data not available for Missouri.





Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): Missouri Students in Grades 9-12, 1995-2009



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey






Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey


PAST 30-DAY CIGARETTE USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12, 1995-2009

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 9, 1995-2009




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 10, 1995-2009




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 11, 1995-2009



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 12, 1995-2009



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey 2011 YRBS data not available for Missouri.

YOUTH RISK BEHAVIOR SURVEILLANCE SYSTEM (YRBSS) TABLES FOR ILLICIT DRUG USE


	20	11	2009		2007		2005		2003		2001		1999		1997	
	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	МО	U.S.	МО	U.S.
Marijuana Use in Past 30 Days (%)								00.0	04.0							
Overall Grades 9-12	NA	23.1	20.6	20.8	19.0	19.7	18.1	20.2	21.8	22.4	24.4	23.9	25.6	26.7	28.2	26.2
Grade 9	NA	18.0	13.7	15.5	12.5	14.7	11.7	17.4	20.7	18.5	25.8	19.4	22.3	21.7	23.4	23.6
Grade 10	NA	21.6	17.6	21.1	16.7	19.3	22.2	20.2	18.0	22.0	21.9	24.8	24.5	27.8	26.2	25.0
Grade 11	NA	25.5	27.6	23.2	26.6	21.4	23.2	21.0	23.0	24.1	24.8	25.8	31.8	26.7	29.9	29.3
Grade 12	NA	28.0	25.0	24.6	21.2	25.1	15.5	22.8	25.4	25.8	24.6	26.9	24.5	31.5	34.9	26.6
Marijuana Use Before Age 13 (%)																
Overall Grades 9-12	NA	8.1	6.7	7.5	7.8	8.3	8.8	8.7	10.0	9.9	12.4	10.2	13.6	11.3	9.8	9.7
Grade 9	NA	9.7	6.3	9.1	8.9	9.8	11.4	11.2	13.1	11.7	15.2	11.6	17.0	12.7	14.3	14.9
Grade 10	NA	7.5	6.7	8.3	7.1	8.7	8.5	9.1	11.7	10.8	10.9	12.1	13.1	12.6	7.9	10.4
Grade 11	NA	7.6	7.1	6.5	8.9	7.2	9.5	7.1	7.1	8.1	12.9	8.5	14.8	9.5	7.8	8.3
Grade 12	NA	7.0	6.7	5.2	5.5	6.6	5.2	6.2	6.4	7.8	9.5	7.8	8.2	9.5	7.6	5.8
Ecstasy Use in Lifetime (%)																
Overall Grades 9-12	NA	8.2	5.7	6.7	6.9	5.8	6.1	6.3	6.7	11.1	NA	11.1				
Grade 9	NA	5.2	1.3	4.9	5.5	4.6	3.8	5.8	5.9	10.9	NA	7.5				
Grade 10	NA	7.7	6.2	5.2	5.1	5.3	5.2	6.0	4.5	9.0	NA	10.5				
Grade 11	NA	9.2	7.5	8.7	8.2	5.6	7.3	6.5	7.2	11.4	NA	13.7				
Grade 12	NA	11.3	8.4	8.0	8.2	7.6	8.5	6.7	9.7	12.8	NA	14.1				
Inhalant Use in Lifetime (%)																
Overall Grades 9-12	NA	11.4	10.2	11.7	12.7	13.3	12.2	12.4	10.5	12.1	12.7	14.7	12.8	14.6	17.4	16.0
Grade 9	NA	12.7	10.7	13.0	17.3	15.0	12.5	14.1	13.5	13.6	13.9	17.4	13.8	16.5	18.4	19.0
Grade 10	NA	11.8	11.1	12.5	11.0	14.6	13.1	13.2	11.2	11.1	14.2	14.0	13.8	16.0	19.9	16.5
Grade 11	NA	11.1	9.3	11.5	10.4	12.5	10.8	11.4	10.5	11.0	12.1	13.8	12.3	13.4	13.2	15.4
Grade 12	NA	9.3	9.1	9.1	10.1	10.2	11.3	10.1	6.2	11.8	9.6	12.5	9.8	11.3	16.6	13.4
Cocaine Use in Lifetime (%)																
Overall Grades 9-12	NA	6.8	5.0	6.4	6.6	7.2	7.4	7.6	6.6	8.7	8.6	9.4	7.7	9.5	9.3	8.2
Grade 9	NA	5.0	2.2	4.5	4.5	4.8	3.1	6.0	5.4	6.8	8.1	7.2	6.7	5.8	6.0	6.7
Grade 10	NA	6.5	4.7	5.6	4.6	7.2	7.2	7.2	7.1	8.5	5.0	8.6	6.0	9.9	7.3	7.5
Grade 11	NA	7.5	6.8	7.7	8.2	7.7	8.8	8.7	7.1	9.0	10.2	10.4	8.6	9.9	9.6	9.1
Grade 12	NA	8.5	6.8	7.9	9.4	9.5	11.1	8.9	7.0	10.5	11.4	12.1	9.3	13.7	14.5	9.2
Methamphetamine Use in Lifetime (%)																
Overall Grades 9-12	NA	3.8	3.7	4.1	3.7	4.4	6.4	6.2	6.2	7.6	10.4	9.8	8.2	9.1		
Grade 9	NA	3.2	1.9	3.3	2.9	3.6	2.9	5.7	5.1	6.7	9.7	8.1	5.7	6.3		
Grade 10	NA	3.7	3.3	3.7	2.3	4.1	4.9	5.9	8.0	7.5	7.5	9.7	8.2	9.3		
Grade 11	NA	4.1	4.9	5.2	4.6	5.4	8.4	6.7	6.6	8.0	9.7	9.2	8.4	10.1		
Grade 12	NA	4.1	4.3	4.1	4.7	4.5	9.7	6.4	5.0	8.0	14.8	12.8	10.8	11.5		
Heroin Use in Lifetime (%)																
Overall Grades 9-12	NA	2.9	2.8	2.5	2.3	2.3	2.7	2.4	1.7	3.3	2.7	3.1	2.1	2.4		
Grade 9	NA	2.9	0.9	2.1	2.0	2.6	2.1	2.8	3.4	3.5	2.5	3.2	1.8	2.0		
Grade 10	NA	2.8	2.5	2.2	1.8	1.8	2.0	2.5	1.2	2.9	1.5	3.3	2.4	1.8		
Grade 11	NA	2.8	3.6	3.2	2.5	1.8	3.0	1.8	0.9	3.0	2.5	2.8	1.5	2.6		
Grade 12	NA	2.7	4.2	2.5	2.1	2.6	3.2	2.0	1.0	2.9	3.7	3.0	1.9	3.3		
Injection Drug Use in Lifetime (%)																
Overall Grades 9-12	NA	2.3	2.4	2.1	2.5	2.0	2.3	2.1	1.3	3.2	1.6	2.3	2.0	1.8	2.8	2.1
Grade 9	NA	2.1	1.3	2.0	3.6	2.0	1.7	2.4	3.2	3.2	1.5	2.5	2.4	1.6	3.5	3.0
Grade 10	NA	2.3	2.6	2.0	1.8	1.4	1.4	2.3	0.2	3.2	1.2	2.6	1.6	1.2	1.5	2.5
Grade 11	NA	2.4	2.0	2.5	2.3	1.9	2.9	1.7	0.9	2.8	1.4	1.9	1.6	2.0	2.5	1.6
Grade 12	NA	2.2	3.6	1.8	1.7	2.4	2.7	1.7	0.5	3.0	1.8	2.1	1.7	2.3	3.0	1.5
										.						

Values shown are estimates based on sampling. Apparent differences in values between years--and between U.S. and Missouri--may not be statistically significant. NA indicates data not available.

Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.


PAST 30-DAY MARIJUANA USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12, 1995-2009

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 9, 1995-2009




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 10, 1995-2009




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 11, 1995-2009



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey


Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 12, 1995-2009



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey 2011 YRBS data not available for Missouri.


FIRST USE OF MARIJUANA BEFORE AGE 13: U.S. AND MISSOURI STUDENTS IN GRADES 9-12, 1995-2009

Estimated First Use of Marijuana Before Age 13 (%): U.S. and Missouri Students in Grade 9, 1995-2009




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated First Use of Marijuana Before Age 13 (%): U.S. and Missouri Students in Grade 10, 1995-2009




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated First Use of Marijuana Before Age 13 (%): U.S. and Missouri Students in Grade 11, 1995-2009



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey


Estimated First Use of Marijuana Before Age 13 (%): U.S. and Missouri Students in Grade 12, 1995-2009



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey 2011 YRBS data not available for Missouri.

PAST YEAR, PAST 30-DAY, AND BINGE ALCOHOL USE: MISSOURI COLLEGE STUDENTS, 2007-2012


Past-Year Alcohol Use (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2012 respondents.


Past 30-Day Alcohol Use (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2012 respondents.


Past 2-Week Binge Alcohol Use in One Sitting (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2012 respondents.

Past 2-Week Binge Alcohol Use in 2-Hour Period (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2012 respondents.

PAST-YEAR ILLICIT DRUG USE: MISSOURI COLLEGE STUDENTS, 2007-2012


Past-Year Marijuana Use (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2012 respondents.


Past-Year Cocaine Use (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2012 respondents. Item not included on 2012 survey.


Past-Year Amphetamine Use (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2012 respondents. Item not included on 2012 survey.


Past-Year Inhalant Use (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2012 respondents. Item not included on 2012 survey.

Past-Year Club Drug Use (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2012 respondents. Item not included on 2012 survey.

MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

Reported Past-Year Substance Involvement among Missouri College Students

	2012	2011	2010
ALCOHOL AND DRUG USE (%)			
Past-Year Alcohol Use	79.3	77.8	79.9
Alcohol Use in Past 30-Days	62.6	66.2	67.2
Past 2-Week Binge Alcohol Use in One Sitting	27.9	32.8	33.8
Past 2-Week Binge Alcohol Use in 2-Hour Period	26.3	31.2	31.7
Past Year Marijuana Use	21.0	23.4	21.6
Past Year Cocaine Use	Not Surveyed	2.4	2.3
Past Year Amphetamine Use	Not Surveyed	3.3	2.4
Past Year Methamphetamine Use	Not Surveyed	0.8	0.5
Past Year Inhalant Use	Not Surveyed	1.2	0.9
Past Year Club Drug Use	Not Surveyed	2.8	2.5
K2	3.2	Not Surveyed	Not Surveyed
Bath Salts	1.0	Not Surveyed	Not Surveyed
Prescription Stimulant without Rx	5.4	5.5	4.6
Prescription Pain Medicaton without Rx	4.5	6.6	6.5
Prescription Sedative without Rx	2.1	2.8	2.6
Prescription Sleep Medication without Rx	1.0	1.8	2.0
AMONO ALL CTUDENTS DRINKING DELATED DISKS AND CO	NOTOLIENOTO EVDE	DIENCED (0/)	
AMONG ALL STUDENTS, DRINKING RELATED RISKS AND CO	NSEQUENCES EXPE	RIENCED (%)	
Hangover	48.6	51.4	52.4
Rode with Someone who Drove After Drinking	29.8	33.6	36.3
Blackout or Memory Loss	26.2	26.1	25.1
Driven After Consumption	25.5	27.3	30.0
Missed Class	16.5	18.3	20.4
Engaged in Risky Sexual Behavior	16.5	16.9	17.2
Forced or Coerced to Drink More than Desired	16.1	13.5	12.6
Hurt or Injured	11.4	11.6	11.6
Performed Poorly on Test or Assignment	10.0	11.0	12.2
Taken Advantage of Sexually	6.3	6.3	5.7
Trouble with Campus Administration	3.0	3.5	2.0
Took Advantage of Someone Sexually	2.4	2.2	2.0
Received Medical Attention	2.2	2.1	2.2
Arrested by Campus Police	1.9	1.8	2.3
Arrested for DUI or DWI	0.8	1.1	1.4
AMONG PAST-YEAR DRINKERS, THOSE RESPONDING "ALWA	YS" OR "USUALLY"	TO USE OF	
THE FOLLOWING PROTECTIVE BEHAVIORS (%)			
Know Where One's Drink Has Been At All Times	81.2	82.1	83.4
Eat Before and/or During Alcohol Consumption	77.5	75.5	76.4
Go Home with a Friend	65.0	65.1	65.5
Use a Designated Driver	64.8	66.3	69.9
Purposefully Limit the Amount of Money Spent on Alcohol	61.2	60.3	63.8
Avoid Trying to "Keep-up or "Out-drink" Others	58.4	59.7	59.1
Drink Slowly, Rather than Gulp or Chug	48.4	49.1	49.2
Determine Not to Exceed a Set Number of Drinks	40.9	43.0	45.0
Avoid Mixing Different Types of Alcohol	38.3	38.4	39.4
Drink Water While Drinking Alcohol	35.9	34.4	33.2
Avoid Drinking Games	33.5	32.5	37.2
Alternate Alcoholic and Non-alcoholic Drinks	30.4	30.4	30.1
Have a Friend Tell You When You Have Had Enough	29.1	29.0	32.6
Leave the Bar or Party at Predetermined Time	29.1	28.2	30.0
Stop Drinking at a Predetermined Time	26.4	26.1	26.1
Put Extra Ice in Drink	20.4	20.0	20.3
	20.4	20.0	20.0

Data Source:

Partners in Prevention Statewide Coalition.

http://pip.missouri.edu/

Based on responses of 9,151 students at 21 Missouri colleges in 2012, 8,905 students at 20 colleges in 2011, and 6,543 students at 13 colleges in 2010.

MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

Reported Past-Year Mental Health Problems among Missouri College Students

	2012	2011	2010
LEVEL OF STRESS EXPERIENCED IN PAST TWO WEEKS (%)			
None	1.9	1.7	2.0
Minimal	11.1	10.5	13.9
A Little	19.0	18.8	20.4
Manageable	47.7	47.2	44.6
Overwhelming	18.1	19.5	16.7
Unbearable	2.0	2.3	2.1
AMONG ALL STUDENTS, MAIN SOURCES OF STRESS (%)			
School / Academics	77.2	78.7	75.2
Financial Concerns	47.4	50.6	49.2
Future Plans	43.9	44.3	42.9
Time Management	43.1	47.1	43.6
Job	31.1	32.1	32.9
Dating / Relationshp with Partner	26.2	28.8	31.8
Family	25.0	27.7	28.4
Physical Health	20.1	22.3	23.3
Outside Organizations / Responsibilities	17.7	17.7	15.5
Friends	16.1	17.6	18.5
Roommates	14.6	15.8	15.3
Mental Health Issues	7.2	7.4	8.1
Other Source of Stress	2.6	3.2	3.7
AMONG ALL STUDENTS, MENTAL HEALTH PROBLEMS EXPERIENCED	O IN PAST YEAR (%)	
Anxiety	34.4	34.9	32.7
Chronic Sleep Disorder	15.0	16.8	15.6
Suicidal Thoughts	13.6	13.4	13.1
Major Depression	12.5	12.5	12.1
Panic Attack	11.7	12.5	11.6
Eating Disorder	5.3	5.0	4.7
Self-injury	3.5	4.0	3.7
Abusive Relationship	3.0	3.2	2.8
Alcohol Abuse/dependency	2.8	2.8	3.1
Bipolar Disorder	2.1	2.3	2.3
Sexual Assault	1.1	1.2	0.9
Suicide Attempt	1.0	8.0	0.9
Other Problem	1.5	1.5	1.8
None of the Listed Problems	42.2	42.3	43.7
AMONG STUDENTS EXPERIENCING PROBLEMS, THOSE WHO SOUGH	IT ASSISTANCE FO	R THE FOLLOW	/ING (%)
Major Depression	53.3	50.0	48.5
Panic Attack	43.1	41.1	38.3
Bipolar Disorder	42.0	51.5	48.7
Abusive Relationship	38.5	35.8	34.8
Anxiety	36.8	34.2	32.2
Chronic Sleep Disorder	32.6	31.1	29.7
Self-injury	30.9	32.8	28.5
Sexual Assault	28.2	26.6	32.2
Eating Disorder	27.2	23.1	30.2
Alcohol Abuse/dependency	22.6	16.6	21.2
Other Problem	48.6	45.4	46.2

Data Source:

Partners in Prevention Statewide Coalition.

http://pip.missouri.edu/

Based on responses of 9,151 students at 21 Missouri colleges in 2012, 8,905 students at 20 colleges in 2011, and 6,543 students at 13 colleges in 2010.

MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

Reported Gambling among Missouri College Students

	2012	2011	2010
INVOLVEMENT IN GAMBLING (%)			
Yes	28.7	29.9	31.1
No	71.3	70.1	68.9
AMONG STUDENTS WHO GAMBLE, THOSE RESPONDING "SOME TO THE FOLLOWING AS A RESULT OF GAMBLING (%)	TIMES", "OFTEN", O	R "ALWAYS"	
()	44.0	NIIO	40.5
Lost Track of Time While Gambling	11.8	Not Surveyed	12.5
Spent Time Thinking About Past Gambling Experiences	10.2	Not Surveyed	10.2
Spent Time Planning Future Gambling Activities	8.9	Not Surveyed	8.5
Lost a Lot of Time	7.1	Not Surveyed	6.9
Attempted to Recoup Gambling Losses	6.9	Not Surveyed	7.6
Felt Need to Gamble Increased Amounts for Excitement	6.9	Not Surveyed	6.5
Sought Ways to Find Money to Gamble	5.7	Not Surveyed	2.5
Lied to Family or Friends to Hide Gambling Activity	5.2	Not Surveyed	5.0
Withdrew from Social Situations or Enjoyable Activities	5.1	Not Surveyed	4.8
Strained Relationships	5.0	Not Surveyed	4.6
Borrowed Money for Gambling Debts	4.9	Not Surveyed	4.5
AMONG STUDENTS WHO GAMBLE, THOSE RESPONDING "SOME TO THE FOLLOWING DUE TO GAMBLING (%)	WHAT", "QUITE A BI	T", OR "TO A GREA	AT EXTENT"
Lost a Considerable Amount of Money	6.6	Not Surveyed	6.6
Gambled Money Intended for Something Else	4.8	Not Surveyed	5.2
Experienced Financial Hardship	4.6	Not Surveyed	5.4
Academic Problems	2.7	Not Surveyed	3.0
Legal Trouble	2.0	Not Surveyed	1.7
Legai Houbie	2.0	ivot Surveyeu	1.7

Data Source:

University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

http://pip.missouri.edu/

Based on responses of 9,151 students at 21 Missouri colleges in 2012, 8,905 students at 20 colleges in 2011, and 6,543 students at 13 colleges in 2010.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM (BRFSS) TABLES FOR ALCOHOL AND TOBACCO USE, AGES 18 AND OLDER

	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	
Estimated Alcohol Use in Past 30 Days (%)												
Missouri	52.5	47.7	50.1	51.9	51.9	50.7	51.8	51.8	53.5	53.6	49.6	
U.S. (Median of the States)	57.1	54.6	54.3	54.4	54.8	55.4	56.2	57.1	59.4	58.1	55.8	
Estimated Binge Drinking * in Past 30 Days (%)												
Missouri	19.2	15.6	17.2	15.3	16.2	16.5						
U.S. (Median of the States)	18.3	15.1	15.7	15.6	15.8	15.4						
* 5 or more drinks on one occasion for males												
* 4 or more drinks on one occasion for females												
Heavy Drinking ** in Past 30 Days (%)												
Missouri	7.3	5.5	4.1	5.3	4.6	6.2	5.0	6.0	5.5	6.1	4.8	
U.S. (Median of the States)	6.6	5.0	5.1	5.1	5.2	4.9	4.9	4.9	5.8	5.9	5.1	
** More than 2 drinks per day for males												
** More than 1 drink per day for females												
Estimated Tobacco Smoking in Past 30 Days (%)												
Missouri	25.0	21.1	23.1	24.9	24.5	23.2	23.4	24.1	27.2	26.5	25.9	
U.S. (Median of the States)	21.2	17.3	17.9	18.3	19.8	20.1	20.6	20.9	22.0	23.2	23.2	
Estimated Former Smokers (%)												
Missouri	25.0	26.1	24.7	25.0	23.4	26.8	24.2	24.2	24.3	25.5	24.5	
U.S. (Median of the States)	25.1	25.1	25.5	25.2	24.6	24.7	24.8	24.1	25.2	24.7	24.7	

Values shown are estimates based on survey samples. Apparent differences in values between years, and between U.S. and Missouri, may not be statistically significant.

Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention: Behavioral Risk Factor Surveillance System.

MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 8

	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	0.4	0.5	0.5	0.7	0.6	0.5	0.5	0.6	8.0	0.7	0.9	0.8
Been Drunk Daily	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3

.3 4.5 7.4 2.4 2.9 2.7 3.1 3.0 4.0 4.0 4.4 5.1 5.5 Cigarettes 8.0 0.9 8.0 8.0 8.0 0.7 0.7 1.0 8.0 8.0 1.2 0.9 **Smokeless Tobacco** 1.3 0.9 1.0 Marijuana/Hashish 1.2 1.0 8.0 1.0 1.0 8.0 1.2 1.3 1.3

Estimated Past-30 Day Substance Use (%): U.S. Students in Grade 8

Estimated Daily Substance Use in Past 30 Days (%): U.S. Students in Grade 8

	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	12.7	13.8	14.9	15.9	15.9	17.2	17.1	18.6	19.7	19.6	21.5	22.4
Been Drunk (past 30 days)	4.4	5.0	5.4	5.4	5.5	6.2	6.0	6.2	6.7	6.7	7.7	8.3
Binge Alcohol Use (past 2 weeks)*	6.4	7.2	7.8	8.1	8.3	8.7	8.4	9.4	9.8	10.3	11.0	11.7
Cigarettes	6.1	7.1	6.5	6.8	7.1	8.7	9.3	9.2	10.2	10.7	12.2	14.6
Smokeless Tobacco	3.5	4.1	3.7	3.5	3.2	3.7	3.3	4.1	4.1	3.3	4.0	4.2
Any Illicit Drug	8.5	9.5	8.1	7.6	7.4	8.1	8.5	8.4	9.7	10.4	11.7	11.9
Marijuana/Hashish	7.2	8.0	6.5	5.8	5.7	6.5	6.6	6.4	7.5	8.3	9.2	9.1
Inhalants	3.2	3.6	3.8	4.1	3.9	4.1	4.2	4.5	4.1	3.8	4.0	4.5
Hallucinogens	1.0	1.0	0.9	0.9	1.0	0.9	1.1	1.0	1.2	1.2	1.6	1.2
LSD	0.5	0.6	0.5	0.5	0.5	0.4	0.5	0.5	0.6	0.7	1.0	1.0
MDMA "Ecstasy"	0.6	1.1	0.6	0.8	0.6	0.7	0.6	8.0	0.7	1.4	1.8	1.4
Cocaine (all forms)	0.8	0.6	8.0	8.0	0.9	1.0	1.0	0.9	0.9	1.1	1.2	1.2
Crack Cocaine	0.5	0.4	0.5	0.5	0.6	0.6	0.6	0.6	0.7	0.8	0.8	0.8
Amphetamines	1.8	1.8	1.9	2.2	2.0	2.1	2.3	2.3	2.7	2.8	3.2	3.4
Methamphetamine	0.4	0.7	0.5	0.7	0.6	0.6	0.7	0.6	1.2	1.1	1.3	0.8
Heroin	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.5	0.4	0.5	0.6	0.5
Tranquilizers	1.0	1.2	1.2	1.2	1.1	1.3	1.3	1.2	1.4	1.2	1.2	1.4
Rohypnol	0.6	0.2	0.2	0.1	0.3	0.4	0.2	0.2	0.1	0.2	0.4	0.3
Steroids	0.4	0.3	0.4	0.5	0.4	0.5	0.5	0.5	0.7	0.8	0.7	8.0

Estimated Lifetime Substance Use (%): U.S. Students in Grade 8

	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	33.1	35.8	36.6	38.9	38.9	40.5	41.0	43.9	45.6	47.0	50.5	51.7
Ever Been Drunk	14.8	16.3	17.4	18.0	17.9	19.5	19.5	19.9	20.3	21.3	23.4	25.1
Cigarettes	18.4	20.0	20.1	20.5	22.1	24.6	25.9	27.9	28.4	31.4	36.6	40.5
Smokeless Tobacco	9.7	9.9	9.6	9.8	9.1	10.2	10.1	11.0	11.3	11.2	11.7	12.8
Any Illicit Drug	20.1	21.4	19.9	19.6	19.0	20.9	21.4	21.5	22.8	24.5	26.8	26.8
Marijuana/Hashish	16.4	17.3	15.7	14.6	14.2	15.7	16.5	16.3	17.5	19.2	20.4	20.3
Inhalants	13.1	14.5	14.9	15.7	15.6	16.1	17.1	17.3	15.8	15.2	17.1	17.9
Hallucinogens	3.3	3.4	3.0	3.3	3.1	3.4	3.8	3.5	4.0	4.1	5.2	4.6
LSD	1.7	1.8	1.7	1.9	1.6	1.6	1.9	1.8	2.1	2.5	3.4	3.9
MDMA "Ecstasy"	2.6	3.3	2.2	2.4	2.3	2.5	2.8	2.8	3.2	4.3	5.2	4.3
Cocaine (all forms)	2.2	2.6	2.6	3.0	3.1	3.4	3.7	3.4	3.6	3.6	4.3	4.5
Crack Cocaine	1.5	1.5	1.7	2.0	2.1	2.3	2.4	2.4	2.5	2.5	3.0	3.1
Amphetamines	5.2	5.7	6.0	6.8	6.5	7.3	7.4	7.5	8.4	8.7	10.2	9.9
Methamphetamine	1.3	1.8	1.6	2.3	1.8	2.7	3.1	2.5	3.9	3.5	4.4	4.2
Heroin	1.2	1.3	1.3	1.4	1.3	1.4	1.5	1.6	1.6	1.6	1.7	1.9
Tranquilizers	3.4	4.4	3.9	3.9	3.9	4.3	4.1	4.0	4.4	4.3	5.0	4.4
Rohypnol	2.0	0.9	0.7	0.7	1.0	1.0	1.1	1.0	1.0	0.8	1.1	1.0
Steroids	1.2	1.1	1.3	1.4	1.5	1.6	1.7	1.9	2.5	2.5	2.8	3.0

^{*} Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Data Source:

Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2012).

Monitoring the Future national survey results on drug use, 1975-2011: Volume I, Secondary school students.

Ann Arbor: Institute for Social Research, The University of Michigan.

http://monitoringthefuture.org/pubs/monographs/mtf-vol1_2011.pdf

MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 10

Zeimatea Zan, Gazetanee Gee in Fas	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	0.8	1.1	1.1	1.0	1.4	1.4	1.3	1.3	1.5	1.8	1.9	1.8
Been Drunk Daily	0.0	0.3	0.4	0.3	0.5	0.5	0.4	0.4	0.5	0.5	0.6	0.5
Cigarettes	5.5	6.6	6.3	5.9	7.2	7.6	7.5	8.3	8.9	10.1	12.2	14.0
Smokeless Tobacco	1.7	2.5	1.9	1.4	1.6	1.7	1.9	1.6	1.8	1.7	2.2	1.9
Marijuana/Hashish	3.6	3.3	2.8	2.7	2.8	2.8	3.1	3.2	3.6	3.9	4.5	3.8
Marijuanarriasnisn	5.0	0.0	2.0	2.1	2.0	2.0	5.1	0.2	3.0	0.0	4.0	3.0
Estimated Past-30 Day Substance Use	e (%): U.S.	Students	s in Grad	e 10								
	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	27.2	28.9	30.4	28.8	33.4	33.8	33.2	35.2	35.4	35.4	39.0	41.0
Been Drunk (past 30 days)	13.7	14.7	15.5	14.4	18.1	18.8	17.6	18.5	18.2	18.3	21.9	23.5
Binge Alcohol Use (past 2 weeks)*	14.7	16.3	17.5	16.0	19.6	19.9	19.0	19.9	20.0	20.3	22.8	24.1
Cigarettes	11.8	13.6	13.1	12.3	14.0	14.5	14.9	16.0	16.7	17.7	21.3	23.9
Smokeless Tobacco	6.6	7.5	6.5	5.0	6.1	5.7	5.6	4.9	5.3	6.1	6.9	6.1
Any Illicit Drug	19.2	18.5	17.8	15.8	16.9	16.8	17.3	18.3	19.5	20.8	22.7	22.5
Marijuana/Hashish	17.6	16.7	15.9	13.8	14.2	14.2	15.2	15.9	17.0	17.8	19.8	19.7
Inhalants	1.7	2.0	2.2	2.1	2.5	2.3	2.2	2.4	2.2	2.4	2.4	2.6
Hallucinogens	1.4	1.6	1.4	1.3	1.7	1.5	1.5	1.6	1.5	1.6	2.1	2.3
LSD	0.7	0.7	0.5	0.7	0.7	0.7	0.6	0.6	0.6	0.7	1.5	1.6
MDMA "Ecstasy"	1.6	1.9	1.3	1.1	1.2	1.2	1.0	8.0	1.1	1.8	2.6	2.6
Cocaine (all forms)	0.7	0.9	0.9	1.2	1.3	1.5	1.5	1.7	1.3	1.6	1.3	1.8
Crack Cocaine	0.4	0.5	0.4	0.5	0.5	0.7	0.7	8.0	0.7	1.0	0.7	0.9
Heroin	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.3	0.5	0.3	0.5
Amphetamines	3.1	3.3	3.3	2.8	4.0	3.5	3.7	4.0	4.3	5.2	5.6	5.4
Methamphetamine	0.5	0.7	0.6	0.7	0.4	0.7	1.1	1.3	1.4	1.8	1.5	2.0
Tranquilizers	1.9	2.2	2.0	1.9	2.6	2.4	2.3	2.3	2.4	2.9	2.9	2.5
Rohypnol	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.4	0.2	0.4
Steroids	0.5	0.5	0.5	0.5	0.5	0.6	0.6	8.0	8.0	1.0	0.9	1.0
Estimated Lifetime Substance Use (%): U.S. Stu	dents in	Grade 10)								
	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	56.0	58.2	59.1	58.3	61.7	61.5	63.2	64.2	66.0	66.9	70.1	71.4
Ever Been Drunk	35.9	36.9	38.6	37.2	41.2	41.4	42.1	42.3	42.4	44.0	48.2	49.3
Cigarettes	30.4	33.0	32.7	31.7	34.6	36.1	38.9	40.7	43.0	47.4	52.8	55.1
Smokeless Tobacco	15.6	16.8	15.2	12.2	15.1	15.0	14.5	13.8	14.6	16.9	19.5	19.1
Any Illicit Drug	37.7	37.0	36.0	34.1	35.6	36.1	38.2	39.8	41.4	44.6	45.6	45.6
Marijuana/Hashish	34.5	33.4	32.3	29.9	31.0	31.8	34.1	35.1	36.4	38.7	40.1	40.3
Inhalants	10.1	12.0	12.3	12.8	13.6	13.3	13.1	12.4	12.7	13.5	15.2	16.6
Hallucinogens	6.0	6.1	6.1	5.5	6.4	6.1	5.8	6.4	6.9	7.8	8.9	8.9
LSD	2.8	3.0	3.0	2.6	3.0	2.7	2.5	2.8	3.5	5.0	6.3	7.6
MDMA "Ecstasy"	6.6	6.4	5.5	4.3	5.2	4.5	4.0	4.3	5.4	6.6	8.0	7.3
Cocaine (all forms)	3.3	3.7	4.6	4.5	5.3	4.8	5.2	5.4	5.1	6.1	5.7	6.9
Crack Cocaine	1.6	1.8	2.1	2.0	2.3	2.2	2.5	2.6	2.7	3.6	3.1	3.7
Amphetamines	9.0	10.6	10.3	9.0	11.1	11.2	11.1	11.9	13.1	14.9	16.0	15.7
Methamphetamine	2.1	2.5	2.8	2.4	2.8	3.2	4.1	5.3	5.2	6.1	6.4	6.9
Heroin	1.2	1.3	1.5	1.2	1.5	1.4	1.5	1.5	1.5	1.8	1.7	2.2
Tranquilizers	6.8	7.3	7.0	6.8	7.4	7.2	7.1	7.3	7.8	8.8	9.2	8.0
Rohypnol	1.2	1.4	0.7	0.9	1.3	0.8	1.0	1.2	1.0	1.3	1.5	1.3
Steroids	1.4	1.6	1.3	1.4	1.8	1.8	2.0	2.4	3.0	3.5	3.5	3.5

^{*} Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Data Source:

Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2012).

Monitoring the Future national survey results on drug use, 1975-2011: Volume I, Secondary school students.

Ann Arbor: Institute for Social Research, The University of Michigan.

http://monitoringthefuture.org/pubs/monographs/mtf-vol1_2011.pdf

MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 12

	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	2.1	2.7	2.5	2.8	3.1	3.0	3.1	2.8	3.2	3.5	3.6	2.9
Been Drunk Daily	1.3	1.6	1.1	1.4	1.3	1.6	1.5	1.8	1.6	1.2	1.4	1.7
Cigarettes	10.3	10.7	11.2	11.4	12.3	12.2	13.6	15.6	15.8	16.9	19.0	20.6
Smokeless Tobacco	3.1	3.1	2.9	2.7	2.8	2.2	2.5	2.8	2.2	2.0	2.8	3.2
Marijuana/Hashish	6.6	6.1	5.2	5.4	5.1	5.0	5.0	5.6	6.0	6.0	5.8	6.0
Estimated Past-30 Day Substance U	se (%): U.S.	Students	s in Grad	e 12								
	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	40.0	41.2	43.5	43.1	44.4	45.3	47.0	48.0	47.5	48.6	49.8	50.0
Been Drunk (past 30 days)	25.0	26.8	27.4	27.6	28.7	30.0	30.2	32.5	30.9	30.3	32.7	32.3
Binge Alcohol Use (past 2 weeks)	21.6	23.2	25.2	24.6	25.9	25.4	27.1	29.2	27.9	28.6	29.7	30.0
Cigarettes	18.7	19.2	20.1	20.4	21.6	21.6	23.2	25.0	24.4	26.7	29.5	31.4
Smokeless Tobacco	8.3	8.5	8.4	6.5	6.6	6.1	7.6	6.7	6.7	6.5	7.8	7.6
Any Illicit Drug	25.2	23.8	23.3	22.3	21.9	21.5	23.1	23.4	24.1	25.4	25.7	24.9
Marijuana/Hashish	22.6	21.4	20.6	19.4	18.8	18.3	19.8	19.9	21.2	21.5	22.4	21.6
Inhalants	1.0	1.4	1.2	1.4	1.2	1.5	2.0	1.5	1.5	1.5	1.7	2.2
Hallucinogens	1.6	1.9	1.6	2.2	1.7	1.5	1.9	1.9	1.8	2.3	3.3	2.6
LSD	0.8	0.8	0.5	1.1	0.6	0.6	0.7	0.7	0.6	0.7	2.3	1.6
PCP	0.8	0.8	0.5	0.6	0.5	0.4	0.7	0.4	0.6	0.4	0.5	0.9
MDMA "Ecstasy"	2.3	1.4	1.8	1.8	1.6	1.3	1.0	1.2	1.3	2.4	2.8	3.6
Cocaine (all forms)	1.1	1.3	1.3	1.9	2.0	2.5	2.3	2.3	2.1	2.3	2.1	2.1
Crack Cocaine	0.5	0.7 3.3	0.6	0.8 2.9	0.9	0.9	1.0 3.9	1.0	0.9 5.0	1.2 5.5	1.1	1.0 5.0
Amphetamines	3.7 0.6	0.5	3.0 0.5	0.6	3.7 0.6	3.7 0.9	0.9	4.6 1.4	1.7	1.7	5.6 1.5	1.9
Methamphetamine	0.6	0.5	0.5	0.6	0.6	0.9	0.9	0.8	0.8	1.7	1.1	1.9
Crystal Methamphetamine "Ice" Heroin	0.6	0.6	0.3	0.6	0.6	0.7	0.5	0.5	0.8	0.5	0.4	0.7
Other Narcotics	3.6	3.6	4.1	3.8	3.8	3.8	3.9	4.3	4.1	4.0	3.0	2.9
Barbiturates	1.8	2.2	2.5	2.8	2.7	3.0	3.3	2.9	2.9	3.2	2.8	3.0
Methaqualone	0.2	0.2	0.3	0.2	0.4	0.4	0.5	0.5	0.4	0.3	0.5	0.2
Tranquilizers	2.3	2.5	2.7	2.6	2.6	2.7	2.9	3.1	2.8	3.3	2.9	2.6
Steroids	0.7	1.1	1.0	1.0	1.0	1.1	0.9	1.6	1.3	1.4	1.3	0.8
Estimated Lifetime Substance Use (%): U.S. Stu	dents in	Grade 12	2								
	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	70.0	71.0	72.3	71.9	72.2	72.7	75.1	76.8	76.6	78.4	79.7	80.3
Ever Been Drunk	51.0	54.1	56.5	54.7	55.1	56.4	57.5	60.3	58.1	61.6	63.9	62.3
Cigarettes	40.0	42.2	43.6	44.7	46.2	47.1	50.0	52.8	53.7	57.2	61.0	62.5
Smokeless Tobacco	16.9	17.6	16.3	15.6	15.1	15.2	17.5	16.7	17.0	18.3	19.7	23.1
Any Illicit Drug	49.9	48.2	46.7	47.4	46.8	48.2	50.4	51.1	51.1	53.0	53.9	54.0
Marijuana/Hashish	45.5	43.8	42.0	42.6	41.8	42.3	44.8	45.7	46.1	47.8	49.0	48.8
Inhalants	8.1	9.0	9.5	9.9	10.5	11.1	11.4	10.9	11.2	11.7	13.0	14.2
Hallucinogens	8.3	8.6	7.4	8.7	8.4	8.3	8.8	9.7	10.6	12.0	14.7	13.0
LSD	4.0	4.0	3.1	4.0	3.4	3.3	3.5	4.6	5.9	8.4	10.9	11.1
PCP	2.3	1.8	1.7	1.8	2.1	2.2	2.4	1.6	2.5	3.1	3.5	3.4
MDMA "Ecstasy"	8.0	7.3	6.5	6.2	6.5	6.5	5.4	7.5	8.3	10.5	11.7	11.0
Cocaine (all forms)	5.2	5.5	6.0	7.2	7.8	8.5	8.0	8.1	7.7	7.8	8.2	8.6
Crack Cocaine	1.9	2.4	2.4	2.8	3.2	3.5	3.5	3.9	3.6	3.8	3.7	3.9
Amphetamines	12.2	11.1	9.9	10.5	11.4	12.4	13.1	15.0	14.4	16.8	16.2	15.6
Methamphetamine	2.1	2.3	2.4	2.8	3.0	4.4	4.5	6.2	6.2	6.7	6.9	7.9
Crystal Methamphetamine "Ice"	2.1	1.8	2.1	2.8	3.4	3.4	4.0	4.0	3.9	4.7	4.1	4.0
Heroin	1.4	1.6	1.2	1.3	1.5	1.4	1.5	1.5	1.5	1.7	1.8	2.4
Other Narcotics	13.0	13.0	13.2	13.2	13.1	13.4	12.8	13.5	13.2	13.5	9.9	10.6
Barbiturates Methagualene	7.0 0.6	7.5 0.4	8.2 0.7	8.5 0.8	9.3 1.0	10.2 1.2	10.5 1.3	9.9 1.3	8.8 1.0	9.5 1.5	8.7 1.1	9.2 0.8
Methaqualone Tranquilizors	0.6 8.7	0.4 8.5	9.3			10.3	9.9	10.6	10.2	11.4	1.1	
Tranquilizers Steroids	8. <i>7</i> 1.8	8.5 2.0	9.3 2.2	8.9 2.2	9.5 2.2	2.7	9.9 2.6	3.4	3.5	4.0	10.3 3.7	8.9 2.5
Gieroius	1.0	۷.0	۷.۷	۷.۷	۷.۷	۷.1	2.0	3.4	ა.ა	4.0	J.1	۷.5

Data Source:

Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2012).

Monitoring the Future national survey results on drug use, 1975-2011: Volume I, Secondary school students.

Ann Arbor: Institute for Social Research, The University of Michigan.

http://monitoringthefuture.org/pubs/monographs/mtf-vol1_2011.pdf

MONITORING THE FUTURE SURVEY: TABLES FOR COLLEGE STUDENTS

	-		_									
	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	3.8	3.6	4.3	4.0	4.3	4.8	4.6	3.7	4.3	5.0	4.7	3.6
Been Drunk Daily	1.3	0.3	0.7	0.5	0.7	0.6	0.5	8.0	1.1	8.0	0.5	0.7
Cigarettes	7.3	7.6	8.0	9.2	9.3	9.2	12.4	13.8	13.8	15.9	15.0	17.8
Marijuana/Hashish	4.7	4.4	4.9	3.9	3.5	4.3	4.0	4.5	4.7	4.1	4.5	4.6
Estimated Past-30 Day Substance Use	(%): U.S.	College	Students	•								
	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	63.5	65.0	65.8	69.0	66.6	65.4	67.9	67.7	66.2	68.9	67.0	67.4
Been Drunk (past 30 days)	39.9	43.6	42.4	45.3	46.8	47.6	43.1	47.4	40.4	44.4	44.7	43.9
Binge Alcohol Use (past 2 weeks)*	36.1	37.0	36.9	40.0	41.1	40.2	40.1	41.7	38.5	40.1	40.9	39.3
Cigarettes	15.2	16.4	17.9	17.9	19.9	19.2	23.8	24.3	22.5	26.7	25.7	28.2
Any Illicit Drug	21.4	19.2	20.7	18.9	19.3	19.2	19.5	21.2	21.4	21.5	21.9	21.5
Marijuana/Hashish	19.4	17.5	18.5	17.0	16.8	16.7	17.1	18.9	19.3	19.7	20.2	20.0
Inhalants	0.3	0.5	0.1	0.4	0.1	0.4	0.3	0.4	0.4	0.7	0.4	0.9
Hallucinogens	1.2	1.4	1.0	1.7	1.3	0.9	1.2	1.3	1.8	1.2	1.8	1.4
LSD	0.5	0.7	0.3	8.0	0.3	0.3	0.1	0.2	0.2	0.2	1.0	0.9
MDMA "Ecstasy"	0.7	1.0	0.5	0.6	0.4	0.6	8.0	0.7	1.0	0.7	1.5	2.5
Cocaine (all forms)	1.2	1.0	1.3	1.2	1.7	1.8	1.8	2.4	1.9	1.6	1.9	1.4
Crack Cocaine	0.1	0.1	0.1	0.1	0.1	**	0.1	0.4	0.4	0.3	0.1	0.3
Amphetamines	4.5	4.1	3.4	2.8	3.1	2.5	2.9	3.2	3.1	3.0	3.3	2.9
Methamphetamine	0.0	0.0	0.1	0.0	0.1	0.2	0.1	0.2	0.6	0.2	0.5	0.2
Crystal Methamphetamine "Ice"	0.0	0.2	0.0	0.0	0.1	**	0.2	0.1	0.3	0.0	0.1	0.0
Heroin	0.0	0.0	0.1	**	0.1	0.2	0.1	0.1	0.0	0.0	0.1	0.2
Other Narcotics	2.1	2.3	2.7	2.3	2.2	3.1	3.1	3.0	2.3	1.6	1.7	1.7
Barbiturates	8.0	0.6	1.2	1.4	1.4	1.3	1.3	1.5	1.7	1.7	1.5	1.1
Tranquilizers	1.6	1.3	2.2	1.6	1.8	2.1	2.2	2.7	2.8	3.0	1.5	2.0
Steroids	0.2	0.0	0.2	**	0.1	**	**	**	0.1	**	0.3	**
Estimated Lifetime Substance Use (%)	: U.S. Col	lege Stud	dents									
	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	80.5	82.3	82.6	85.3	83.1	84.7	86.6	84.6	86.2	86.0	86.1	86.6
Ever Been Drunk	67.9	70.5	69.1	72.5	71.6	73.1	72.9	73.4	74.9	75.1	76.1	74.7
Any Illicit Drug	49.2	49.1	51.4	49.5	50.5	50.6	52.3	52.2	53.9	51.8	53.6	53.7
Marijuana/Hashish	46.6	46.8	47.5	46.8	47.5	46.9	49.1	49.1	50.7	49.5	51.0	51.2
Inhalants	3.7	5.5	6.9	4.9	6.3	7.4	7.1	8.5	9.7	7.7	9.6	12.9
Hallucinogens	7.4	7.8	8.0	8.5	9.1	10.6	11.0	12.0	14.5	13.6	14.8	14.4
LSD	3.7	4.0	3.3	4.3	3.3	3.5	3.7	5.6	8.7	8.6	12.2	11.8
MDMA "Ecstasy"	6.8	6.2	6.5	6.2	5.4	6.9	8.3	10.2	12.9	12.7	14.7	13.1
Cocaine (all forms)	5.5	6.6	8.1	7.2	8.5	7.7	8.8	9.5	9.2	8.2	8.6	9.1
Crack Cocaine	8.0	1.2	1.0	1.4	1.3	2.3	1.7	2.0	3.1	1.9	2.0	2.5
Amphetamines	13.4	12.1	11.8	9.1	11.2	10.7	12.3	12.7	12.3	11.9	12.4	12.3
Methamphetamine	0.6	1.1	1.0	1.9	1.9	2.9	4.1	5.2	5.8	5.0	5.3	5.1
Crystal Methamphetamine "Ice"	0.2	0.8	0.7	1.1	1.3	1.7	2.4	2.2	2.9	2.0	2.3	1.3
Heroin	0.6	0.7	8.0	0.7	0.5	0.7	0.5	0.9	1.0	1.0	1.2	1.7
Other Narcotics	12.4	12.2	14.0	12.4	14.1	14.6	14.4	13.8	14.2	12.2	11.0	8.9
Barbiturates	3.6	5.3	6.0	6.4	5.9	6.3	8.5	7.2	5.7	5.9	6.0	6.9
Tranquilizers	7.1	8.1	9.2	8.6	9.1	10.0	11.9	10.6	11.0	10.7	9.7	8.8
Steroids	1.1	0.7	1.3	1.6	0.6	1.9	1.0	1.6	1.2	1.2	1.5	0.6

^{*} Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Data Source:

Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2012).

Monitoring the Future national survey results on drug use, 1975-2011: Volume II, College students and adults ages 19-50.

Ann Arbor: Institute for Social Research, The University of Michigan.

http://monitoringthefuture.org/pubs/monographs/mtf-vol2_2011.pdf

^{**} Indicates value is less than 0.05 percent but greater than 0.0 percent.

MONITORING THE FUTURE SURVEY: TABLES FOR YOUNG ADULTS AGES 19-28

Estimated Daily Substance Use in Past 30 Days (%): U.S. Young Adults Ages 19-2
--

	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	5.2	4.6	5.3	5.3	5.6	5.4	5.2	4.5	5.1	4.7	4.4	4.1
Been Drunk Daily	0.7	0.7	1.0	0.5	0.6	0.6	0.5	0.7	8.0	0.6	0.4	0.5
Cigarettes	13.8	14.8	15.0	16.7	17.3	18.6	19.6	20.8	20.3	21.2	21.2	21.8
Marijuana/Hashish	6.1	5.3	5.4	5.1	5.0	5.0	4.9	5.0	5.3	4.5	5.0	4.2
Estimated Past-30 Day Substance Us	e (%): U.S	. Young	Adults A	ges 19-2	8:							
	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	68.8	68.4	69.4	68.9	69.5	68.7	68.6	68.4	67.0	68.3	67.0	66.8
Been Drunk (past 30 days)	39.5	39.4	40.5	40.7	41.4	42.1	39.0	39.0	37.8	37.1	36.8	35.7
Binge Alcohol Use (past 2 weeks)*	36.5	35.9	36.7	37.9	37.8	37.6	37.0	37.1	35.8	35.9	35.9	24.7
Cigarettes	21.3	22.4	23.3	24.6	26.2	27.0	28.6	29.2	28.4	29.2	30.2	30.1
Any Illicit Drug	20.6	18.9	19.8	19.3	18.9	18.5	18.6	19.1	19.9	18.9	18.8	18.1
Marijuana/Hashish	18.3	16.1	17.0	16.0	16.0	15.7	15.8	16.5	17.3	16.9	16.7	16.1
Inhalants	0.1	0.1	0.2	0.4	0.2	0.3	0.2	0.3	0.3	0.5	0.4	0.5
Hallucinogens	0.9	1.0	8.0	0.9	0.9	0.7	8.0	0.9	1.2	0.9	1.2	1.2
LSD	0.3	0.4	0.2	0.4	0.2	0.2	0.1	0.1	0.2	0.3	0.7	8.0
PCP	0.1	0.0	**	0.1	**	**	0.0	0.1	0.1	0.1	0.0	0.0
MDMA "Ecstasy"	0.7	8.0	0.6	0.6	0.5	0.7	0.6	0.6	8.0	1.3	1.8	1.9
Cocaine (all forms)	1.5	1.4	1.8	1.9	2.1	2.3	2.2	2.2	2.4	2.2	2.2	1.7
Crack Cocaine	0.2	0.1	0.2	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4
Amphetamines	3.0	2.9	2.5	2.2	2.3	2.2	2.1	2.4	2.5	2.5	2.4	2.3
Methamphetamine	0.3	0.2	0.3	0.3	0.6	0.5	0.7	0.6	0.7	1.0	1.0	0.7
Crystal Methamphetamine "Ice"	0.2	0.2	0.2	0.3	0.3	0.3	0.6	0.4	0.4	0.5	0.4	0.4
Heroin	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	**	0.3	0.1
Other Narcotics	2.9	3.4	3.2	3.6	3.4	3.2	3.5	3.0	2.9	2.9	1.7	1.4
Barbiturates	1.1	1.1	1.2	1.9	1.6	1.5	1.7	1.8	1.5	1.5	1.7	1.3
Tranquilizers	2.3	2.2	2.8	2.7	2.8	2.3	2.6	2.7	2.4	2.8	2.1	1.8
Steroids	0.2	0.5	0.3	0.2	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Estimated Lifetime Substance Use (%	6): U.S. Yo	ung Adu	lts Ages	19-28								
	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	87.4	87.5	87.9	88.4	87.9	88.9	89.1	89.4	89.3	90.2	89.9	90.7
Ever Been Drunk	78.9	79.0	78.2	80.1	80.1	80.9	79.9	80.1	80.9	81.2	81.1	80.4
Any Illicit Drug	59.1	58.4	59.3	59.3	59.8	59.7	60.4	60.5	60.2	59.0	58.1	58.2
Marijuana/Hashish	56.3	55.9	56.0	55.9	56.7	56.7	57.0	57.4	57.2	56.8	55.7	55.1
Inhalants	7.2	7.9	8.9	9.5	9.1	10.9	10.3	11.6	12.2	12.4	12.8	14.3
Hallucinogens	13.0	13.9	14.2	14.8	16.0	17.2	17.6	19.3	19.7	19.6	18.3	18.4
LSD	6.1	7.2	7.3	8.1	9.6	10.1	11.2	13.4	14.6	15.1	16.0	16.4
PCP	1.7	1.6	1.6	2.2	2.1	2.4	2.0	2.7	3.0	2.5	3.1	2.3
MDMA "Ecstasy"	11.3	12.3	11.5	13.1	13.1	14.4	14.9	16.0	15.3	14.6	13.0	11.6
Cocaine (all forms)	12.5	13.6	13.9	14.8	14.7	15.2	14.3	15.2	14.7	13.5	13.1	12.7
Crack Cocaine	2.9	3.6	3.3	4.3	3.9	4.4	4.1	4.2	4.7	4.3	4.7	4.6
Amphetamines	16.5	16.1	14.9	14.6	15.3	15.6	14.6	15.9	15.2	14.8	15.0	15.0
Methamphetamine	3.2	4.3	4.7 2.4	6.3	6.7	7.3	8.3	9.0	8.9	9.1	9.0	9.3
Crystal Methamphetamine "Ice"	3.1	2.8	3.4	3.6	3.7	4.7	4.4	4.7	4.7	4.1	4.0	3.9
Heroin Other Nareaties	1.7 0.0	1.8 0.0	1.6	1.9 19.5	1.6	1.9	1.7	1.9 17.6	1.9 16.8	1.8	2.0	1.8 10.0
Other Narcotics	7.9	8.6	18.5 9.5	10.6	18.8 9.8	18.7 9.5	17.8 10.0	17.6 9.7	8.7	13.9 8.0	11.5 7.8	8.1
Barbiturates Tranquilizers	13.8	0.0 14.3	9.5 13.8	15.8	9.6 14.5	9.5 15.0	14.5	9.7 14.9	13.8	13.4	7.8 11.9	10.5
Steroids	1.3	14.3	1.8	1.8	1.7	1.8	1.8	1.9	1.8	1.6	1.4	1.4

^{*} Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Data Source:

Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2012).

Monitoring the Future national survey results on drug use, 1975-2011: Volume II, College students and adults ages 19-50.


Ann Arbor: Institute for Social Research, The University of Michigan.

http://monitoringthefuture.org/pubs/monographs/mtf-vol2_2011.pdf

 $^{^{\}star\star}$ Indicates value is less than 0.05 percent but greater than 0.0 percent.


ALCOHOL — PAST-MONTH USE: MISSOURI AGE GROUP & GRADE LEVEL 3-SURVEY COMPARISON






Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimated Past 30-Day Alcohol Use (%): Missouri Students in Grades 9-12, 1995-2009




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Reported Past 30-Day Alcohol Use (%): Missouri Students in Grades 6-12, 2004-2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.






Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimated Past 30-Day Cigarette Use (%): Missouri Students in Grades 9-12, 1995-2009




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey


Reported Past 30-Day Cigarette Use (%): Missouri Students in Grades 6-12, 2004-2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


MISSOURI BIRTHS AND FETAL EXPOSURE TO SUBSTANCE ABUSE

Missouri Resident Births, 2000-2010




Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. Missouri Vital Statistics. Annual.

Missouri Resident Births for which Mother Reported Drinking Alcohol During Pregnancy, 2000-2009




Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. Missouri Vital Statistics. Annual.

Missouri Resident Newborns Reported as Affected by Mother's Illicit Drug Use, 2000-2010



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. Patient Abstract System


Missouri Resident Births for which Mother Reported Smoking During Pregnancy, 2000-2010



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. Missouri Vital Statistics. Annual.


MISSOURI HOSPITAL AND EMERGENCY DEPARTMENT EPISODES

Hospitalizations and Emergency Department Episodes for All Causes: Missouri Residents, 2000-2010




Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics.

Alcohol Cirrhosis Hospitalizations and Emergency Department Episodes: Missouri Residents, 2000-2010




Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics.

Alcohol Non-Cirrhosis Hospitalizations and Emergency Department Episodes: Missouri Residents, 2000-2010



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics.


Drug Related Hospitalizations and Emergency Department Episodes: Missouri Residents, 2000-2010



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics.


MISSOURI DISEASES ASSOCIATED WITH SUBSTANCE ABUSE

Newly Diagnosed HIV Disease Cases Related to All Types of Exposure: Missouri Residents, 2000-2010




Data Source: Missouri Department of Health and Senior Services, Bureau of HIV, STD, and Hepatitis.

Newly Diagnosed HIV Disease Cases Involving Injection Drug Use Risk Factor: Missouri Residents, 2000-2010




Data Source: Missouri Department of Health and Senior Services, Bureau of HIV, STD, and Hepatitis.

Newly Diagnosed Hepatitis B Cases: Missouri Residents, 2000-2010




Data Source: Missouri Department of Health and Senior Services, Bureau of HIV, STD, and Hepatitis.

Newly Diagnosed Hepatitis C Cases: Missouri Residents, 2000-2010



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics.

Newly Diagnosed Tuberculosis Cases: Missouri Residents, 2000-2010




Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics.

^{*} MSM denotes HIV risk factor for men who have sex with men.


MISSOURI ALCOHOL, DRUG, AND SMOKING INDUCED DEATHS

Alcohol Induced Deaths, 2000-2010




Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. All years updated using revised methodology.

Drug Induced Deaths, 2000-2010



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. All years updated using revised methodology.


Smoking Induced Deaths, 2000-2010



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. All years updated using revised methodology.

ALCOHOL INVOLVED TRAFFIC CRASHES


Traffic Crashes in Missouri, All Causes, 2000-2010



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


http://www.mshp.dps.missouri.gov/MSHPWeb/SAC/data_and_statistics_crashes_severity.html and Annual Tabulation.

Alcohol Involved Traffic Crashes, 2003-2010




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

Traffic Crashes Caused by Alcohol Impaired Driver or Pedestrian, by Crash Severity, 2000-2010



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.


Traffic Crash Fatalities and Injuries Caused by Alcohol Impaired Driver or Pedestrian, 2000-2010



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.


DRUG INVOLVED TRAFFIC CRASHES

Traffic Crashes in Missouri, All Causes, 2000-2010




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. http://www.mshp.dps.missouri.gov/MSHPWeb/SAC/data_and_statistics_crashes_severity.html

Drug Involved Traffic Crashes, 2004-2010




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.

Traffic Crashes Caused by Drug Impaired Driver or Pedestrian, by Crash Severity, 2000-2010



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


Traffic Crash Fatalities and Injuries Caused by Drug Impaired Driver or Pedestrian, 2000-2010



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


MISSOURI ALCOHOL AND DRUG ARRESTS

Arrests for Impaired Driving, 2000-2010




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. DWI Tracking System.

Arrests for Impaired Boating, 2001-2010




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

Arrests for Liquor Law Offenses, 2001-2010




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

Arrests for Drug Offenses, 2001-2010



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.


Methamphetamine Lab and Equipment Confiscations, 2001-2010



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Division of Drug and Crime Control, EPIC System.


MISSOURI JUVENILE COURT ENCOUNTERS

Out-of-Home Placements of Children—Total, 2000-2010




Data Source: Missouri Department of Social Services. Annual special data tabulations.

Out-of-Home Placements of Children Due to Parental Substance Abuse, 2000-2010




Data Source: Missouri Department of Social Services. Annual special data tabulations. Based on child's most recent removal reason within year.

Juvenile Court Referrals for Law Violations and Status Offenses, 2000-2010



Data Source: Missouri Department of Social Services. Annual special data tabulations.


Juvenile Court Referrals for Alcohol and Drug Violations, 2000-2010



Data Source: Missouri Department of Social Services. Annual special data tabulations.


MISSOURI CRIMINAL JUSTICE SERVICES FOR ALCOHOL AND DRUG OFFENSES

Missouri Drug Court and Mental Health Court Growth by Type, Fiscal Years 2000-2011




Data Source: Missouri Office of State Courts Administrator.

Missouri Drug Court Participants, Fiscal Years 2006-2011




Data Source: Missouri Office of State Courts Administrator.

Probation and Parole Admissions for Driving while Intoxicated and Drug Offenses, Fiscal Years 2001-2011



Data Source: Missouri Department of Corrections. Annual special data tabulations.


State Prison Admissions for Driving while Intoxicated and Drug Offenses, Fiscal Years 2001-2011



Data Source: Missouri Department of Corrections. Annual special data tabulations.


MISSOURI ALCOHOL CONSUMPTION

Per Capita Consumption of Ethanol in All Beverage Alcohol in the United States and Missouri, Ages 14 and Older, 1970-2009




Data Source: U.S. Department of HHS, NIAAA. Surveillance Report #92: Apparent Per Capita Alcohol Consumption, 1977-2009.

Per Capita Consumption of Ethanol in Beer in the United States and Missouri, Ages 14 and Older, 1970-2009




Data Source: U.S. Department of HHS, NIAAA. Surveillance Report #92: Apparent Per Capita Alcohol Consumption, 1977-2009.

Per Capita Consumption of Ethanol in Wine in the United States and Missouri, Ages 14 and Older, 1970-2009



Data Source: U.S. Department of HHS, NIAAA. Surveillance Report #92: Apparent Per Capita Alcohol Consumption, 1977-2009.


Per Capita Consumption of Ethanol in Distilled Spirits in the United States and Missouri, Ages 14 and Older, 1970-2009




Data Source: U.S. Department of HHS, NIAAA. Surveillance Report #92: Apparent Per Capita Alcohol Consumption, 1977-2009.


MISSOURI LIQUOR LICENSES

Retail Liquor Licenses for On-Premises By-the-Drink Sales, 2000-2011




Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control






MISSOURI TOBACCO CONSUMPTION

Trend in Tobacco Tax Revenue (in Millions), Fiscal Years 2001-2011



Data Source: Missouri Department of Revenue. Annual revenue reports.

Apparent Packs of Cigarettes (in Millions) Sold in Missouri Based on Cigarette Tax Revenues: Fiscal Years 2001-2011




Data Source: Missouri Department of Revenue. Annual revenue reports.

Total cigarette sales estimates are based on the cigarette tax portion of tobacco tax receipts.

Breakouts for Jackson County and St. Louis County are based on supplemental county cigarette tax receipts.

MISSOURI UNEMPLOYMENT

Unemployment in the United States and Missouri: Annual Averages, 1990-2011




Data Sources: Missouri Dept of Economic Development, Missouri Economic Research and Information Center.

Local Area Unemployment Statistics: http://www.missourieconomy.org/indicators/laus/default.aspx.

U.S. Dept of Labor, Bureau of Labor Statistics. Labor Force Statistics from the Current Population Survey. Table: Employment status of the civilian noninstitutional population, 1941 to date.


ECONOMIC COSTS OF SUBSTANCE ABUSE IN THE UNITED STATES AND MISSOURI

Estimated Annual Economic Cost of Alcohol Abuse in the United States and Missouri, in Billions of Dollars



Data Source: U.S. Department of Health and Human Services, National Institute on Alcohol Abuse and Alcoholism. 10th Special Report to the U.S. Congress on Alcohol and Health. June 2000. Missouri cost estimates are derived from the national estimates based on national and state alcohol dependence and abuse data from the 2008-2009 National Survey on Drug Use and Health.


Estimated Annual Economic Cost of Drug Abuse in the United States and Missouri, in Billions of Dollars



Data Source: U.S. Dept. of Justice, National Drug Intelligence Center. <u>The Economic Impact of Illicit Drug Use on American Society</u>.

April 2011. Missouri cost estimates are derived from the national estimates based on national and state illicit drug dependence and abuse data from the 2008-2009 National Survey on Drug Use and Health.

Estimated Annual Economic Costs of Smoking in the United States and Missouri, in Billions of Dollars



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Mortality and Morbidity Weekly Report 57 (45): 1226-1228. November 14, 2008. Missouri cost estimates are derived from the national estimates based on national and state cigarette smoking data from the 2008-2009 National Survey on Drug Use and Health.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	2,421	2,491	2,592
CSTAR Women and Children	4,015	4,280	4,222
CSTAR General Adult	11,521	6,398	4,318
CSTAR Opioid	709	495	558
Primary Recovery Detoxification	6,420	6,466	6,098
Primary Recovery Treatment	12,545	21,178	22,619
Clinical SATOP (CIP, YCIP, SROP)	4,422	4,767	4,004
Other Substance Abuse Treatment	1,240	1,296	2,470

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	24,511	30,109	30,749
- Adolescent Diversion Education Program	760	1,362	1,528
- Offender Education Program	9,840	11,851	12,596
- Weekend Intervention Program	5,589	7,261	8,392
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	1,412	1,436	1,305
- Compulsive Gambling	178	218	209
- Recovery Supports	3,502	8,298	7,476
- Early Intervention	1,080	561	

The demographic and clinical profile data below summarize individuals who were admitted to ADA substance abuse treatment programs, based on their first treatment episode in the fiscal year. Individuals who were admitted only to non-clinical SATOP and non-substance abuse treatment programs are not included below. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	25,397	28,064	28,178	Never Married	21,380	23,012	22,896
Female	11,793	11,809	11,605	Married / Cohabitating	8,099	8,443	8,408
	,	,	,	Previously Married	7,712	8,407	8,447
AGE			0.007		·	•	•
Under 18	2,509	2,569	2,687	PRIMARY DRUG PROBLEM	4.4.0.40	40.400	40.404
18 to 24	6,939	7,796	7,798	Alcohol	14,640	16,436	16,404
25 to 29	6,545	7,141	6,981	Marijuana / Hashish	9,465	10,688	10,901
30 to 34	5,509	5,421	5,027	Cocaine (total)	2,570	3,036	3,623
35 to 39	4,074	4,478	4,590	- Crack	1,934	2,292	2,734
40 to 44	3,692	4,101	4,482	Stimulant (total)	4,150	3,875	3,722
45 to 54	6,211	6,660	6,738	- Methamphetamine	3,963	3,729	3,577
55 and Over	1,712	1,708	1,482	Heroin	3,098	2,846	2,329
RACE / ETHNICITY				Analgesic except Heroin	2,331	2,185	1,922
Caucasian	27,876	29,727	29,406	- Non-Prescription Methadone	35	43	44
African American	7,855	8,613	8,848	PCP, LSD, other Hallucinogen	335	296	319
Native American / Alaskan	103	113	108	Tranquilizer	394	361	364
Asian / Pacific Islander	69	86	77	Inhalant	45	49	44
Hispanic	760	730	758	Sedative	52	49	59
Other Race / Two or More Races	788	868	873	Other Medication or Illicit Drug	111	53	98
				Average Age at First Use of Drug	17.7	17.4	17.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	13,648	14,556	14,902	Any Injection Use at Admission	4,255	4,008	3,388
High School Graduate or G.E.D.	16,185	17,854	17,768	- Daily Injection Use	1,409	1,258	1,043
Associate Degree or Some College	6,657	6,654	6,397	- Weekly Injection Use	1,089	1,009	756
Bachelor or Advanced Degree	701	810	718	- Less than Weekly Injection Use	1,757	1,739	1,589
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	9,627	10,587	11,369	Self / Family / Friend	10,931	10,875	11,093
Unemployed	15,758	16,780	15,987	School	115	97	130
Not in Labor Force	11,806	12,506	12,426	Mental Health Provider	601	688	711
				Health Care Provider	1,319	1,290	1,080
LIVING ARRANGEMENT				Court / Criminal Justice	20,980	23,694	23,649
Independent Living	29,026	31,405	31,020	Other Referral Source	3,238	3,211	3,110
Dependent Living	5,020	5,511	5,633	CRECIAL RODUL ATIONS			
Homeless	2,248	2,051	2,140	SPECIAL POPULATIONS Prograph when Admitted to any Enjands	640	615	583
LIEETIME DUI / DWI ADDESTS				Pregnant when Admitted to any Episode	613		
LIFETIME DUI / DWI ARRESTS 0	24.062	22 022	22.062	Military Veteran	1,678	1,781	1,594
0 1 or 2	21,963	22,923	23,263	Special Education Services Needed	2,865	2,898	2,959
3 or More	9,823	10,720	10,230	Co-Occurring Psychological Problem	11,670	12,478	11,775
3 OF INIOTE	5,405	6,231	6,292	Co-Occurring Developmental Problem	1,255	1,435	1,280

MALE ADMISSIONS -- MISSOURI DIVISION OF ALCOHOL AND DRUG ABUSE -- FISCAL YEAR 2011

ALL RACES	All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS	27,642	754	1,451	4,960	4,465	3,821	2,936	2,769	4,943	1,543
Substance Abuse Treatment			,	,	,	,	,	,	,	,
Alcohol	11,222	21	132	1,384	1,589	1,461	1,347	1,405	2,894	989
Cocaine/Crack	1,560	0	8	64	113	136	190	312	577	160
Heroin	1,861	*	17	410	404	390	227	125	183	103
Marijuana	6,954	278	1,184	2,045	1,288	823	485	358	422	71
Methamphetamine	2,205	*	17	339	422	450	336	275	319	44
All Other Drugs	1,789	10	77	474	396	328	161	118	180	45
Non-Substance Abuse Treatment										
Recovery Supports	1,455	0	0	236	242	222	172	155	327	101
Co-dependent Services	538	440	16	*	*	8	12	16	25	18
Compulsive Gambling	58	0	0	6	10	*	6	5	16	12
CAUCASIAN	All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS	19,516	437	1,037	3,798	3,287	2,679	2,055	1,901	3,332	990
Substance Abuse Treatment	13,310	401	1,007	3,730	5,207	2,013	2,000	1,501	0,002	330
Alcohol	9,021	17	120	1,198	1,342	1,191	1,069	1,104	2,236	744
Cocaine/Crack	457	0	5	41	57	61	76	75	119	23
Heroin	1,071	*	16	358	276	189	94	54	63	20
Marijuana	4,393	189	803	1,363	755	444	279	222	283	55
Methamphetamine	2,113	*	16	326	402	428	323	265	306	44
All Other Drugs	1,506	8	70	415	334	261	128	96	154	40
Non-Substance Abuse Treatment	1,500	U	70	410	334	201	120	30	104	40
Recovery Supports	615	0	0	91	112	95	72	70	137	38
Co-dependent Services	294	219	7	*	*	8	9	11	22	16
Compulsive Gambling	46	0	0	5	8	*	5	*	12	10
compaisive damoning	40	•	0	•	<u> </u>		0		12	10
AFRICAN AMERICAN	All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
				_						
TOTAL ADMISSIONS		247	301	950	984	989	743	771	1.448	517
	6,950	247	301	950	984	989	743	771	1,448	517
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol	6,950	247		950	984	989	743	771	1,448	517 217
Substance Abuse Treatment Alcohol			301						, ,	
Substance Abuse Treatment	6,950 1,701	0	6	120 18	177	193	202	236	550	217 135
Substance Abuse Treatment Alcohol Cocaine/Crack	6,950 1,701 1,051	0	6	120	177 50	193 71	202	236 231	550 442	217 135 83
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana	1,701 1,051 739	0 0	6	120 18 39	177 50 111	193 71 194	202 102 126	236 231 68	550 442 116	217 135
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin	1,701 1,051 739 2,200	0 0 *	6 * * 280	120 18 39 586	177 50 111 466	193 71 194 343	202 102 126 192	236 231 68 125	550 442 116	217 135 83 14
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine	1,701 1,051 739 2,200	0 0 * 63	6 * * 280 0	120 18 39 586 6	177 50 111 466 5	193 71 194 343 8	202 102 126 192 5	236 231 68 125 7	550 442 116 131	217 135 83 14
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment	1,701 1,051 739 2,200 35 234	0 0 * 63	6 * * 280 0	120 18 39 586 6 45	177 50 111 466 5	193 71 194 343 8 60	202 102 126 192 5	236 231 68 125 7	550 442 116 131 *	217 135 83 14 0
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs	1,701 1,051 739 2,200	0 0 * 63 0	6 * * 280 0	120 18 39 586 6	177 50 111 466 5	193 71 194 343 8	202 102 126 192 5	236 231 68 125 7	550 442 116 131	217 135 83 14
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports	6,950 1,701 1,051 739 2,200 35 234	0 0 * 63 0 0	6 * * 280 0 *	120 18 39 586 6 45	177 50 111 466 5 52	193 71 194 343 8 60	202 102 126 192 5	236 231 68 125 7	550 442 116 131 * 20	217 135 83 14 0 5
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling	6,950 1,701 1,051 739 2,200 35 234 781 204 5	0 0 * 63 0 0 0	6 * 280 0 * 0 9	120 18 39 586 6 45	177 50 111 466 5 52 122 0	193 71 194 343 8 60 120 0	202 102 126 192 5 30 84 *	236 231 68 125 7 19	550 442 116 131 * 20	217 135 83 14 0 5 61 *
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES	6,950 1,701 1,051 739 2,200 35 234 781 204 5	0 0 * 63 0 0 0 183	6 * 280 0 * 0 9 0	120 18 39 586 6 45	177 50 111 466 5 52 122 0 *	193 71 194 343 8 60 120 0	202 102 126 192 5 30 84 *	236 231 68 125 7 19 81 * 0	550 442 116 131 * 20 179 * *	217 135 83 14 0 5 61 * 0
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS	6,950 1,701 1,051 739 2,200 35 234 781 204 5	0 0 * 63 0 0 0	6 * 280 0 * 0 9	120 18 39 586 6 45	177 50 111 466 5 52 122 0	193 71 194 343 8 60 120 0	202 102 126 192 5 30 84 *	236 231 68 125 7 19	550 442 116 131 * 20	217 135 83 14 0 5 61 *
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment	781 204 5 All Ages	0 0 * 63 0 0 0 183	6 * 280 0 * 0 9 0 15-17 113	120 18 39 586 6 45 134 * *	177 50 111 466 5 52 122 0 *	193 71 194 343 8 60 120 0 0 30-34 153	202 102 126 192 5 30 84 * 0	236 231 68 125 7 19 81 * 0	550 442 116 131 * 20 179 * *	217 135 83 14 0 5 61 * 0 Over 54
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol	6,950 1,701 1,051 739 2,200 35 234 781 204 5 All Ages 1,176	0 0 0 * 63 0 0 0 183 0 Under 15	6 * 280 0 * 0 9 0	120 18 39 586 6 45 134 * * *	177 50 111 466 5 52 122 0 * 25-29 194	193 71 194 343 8 60 120 0	202 102 126 192 5 30 84 * 0	236 231 68 125 7 19 81 * 0	550 442 116 131 * 20 179 * * 45-54 163	217 135 83 14 0 5 61 * 0
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack	6,950 1,701 1,051 739 2,200 35 234 781 204 5 All Ages 1,176	0 0 0 * 63 0 0 183 0 Under 15 70	6 * 280 0 * 0 9 0 15-17 113	120 18 39 586 6 45 134 * * 18-24 212	177 50 111 466 5 52 122 0 * 25-29 194	193 71 194 343 8 60 120 0 0 30-34 153	202 102 126 192 5 30 84 * 0 35-39 138	236 231 68 125 7 19 81 * 0	550 442 116 131 * 20 179 * *	217 135 83 14 0 5 61 * 0 Over 54 36
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin	6,950 1,701 1,051 739 2,200 35 234 781 204 5 All Ages 1,176 500 52 51	0 0 0 * 63 0 0 183 0 Under 15 70	6 * 280 0 * 0 9 0 15-17 113	120 18 39 586 6 45 134 * * 18-24 212	177 50 111 466 5 52 122 0 * 25-29 194	193 71 194 343 8 60 120 0 0 30-34 153	202 102 126 192 5 30 84 * 0 35-39 138	236 231 68 125 7 19 81 * 0 40-44 97	550 442 116 131 * 20 179 * * 45-54 163	217 135 83 14 0 5 61 * 0 Over 54
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana	6,950 1,701 1,051 739 2,200 35 234 781 204 5 All Ages 1,176 500 52 51 361	0 0 0 * 63 0 0 183 0 Under 15 70	6 * 280 0 * 0 9 0 15-17 113	120 18 39 586 6 45 134 * * 18-24 212 66 5 13 96	177 50 111 466 5 5 52 122 0 * 25-29 194	193 71 194 343 8 60 120 0 0 30-34 153 77 * 7	202 102 126 192 5 30 84 * 0 35-39 138	236 231 68 125 7 19 81 * 0	550 442 116 131 * 20 179 * * 45-54 163	217 135 83 14 0 5 61 * 0 Over 54 36 28 * 0 *
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine	6,950 1,701 1,051 739 2,200 35 234 781 204 5 All Ages 1,176 500 52 51 361 57	0 0 0 * 63 0 0 183 0 Under 15 70	6 * 280 0 * 0 9 0 15-17 113	120 18 39 586 6 45 134 * * * 18-24 212 66 5 13 96 7	177 50 111 466 5 52 122 0 * 25-29 194	193 71 194 343 8 60 120 0 0 30-34 153 77 * 7 36 14	202 102 126 192 5 30 84 * 0 35-39 138	236 231 68 125 7 19 81 * 0 40-44 97	550 442 116 131 * 20 179 * * 45-54 163 108 16 * 8	217 135 83 14 0 5 61 * 0 Over 54 36 28 * 0 * 0
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs	6,950 1,701 1,051 739 2,200 35 234 781 204 5 All Ages 1,176 500 52 51 361	0 0 0 * 63 0 0 183 0 Under 15 70	6 * 280 0 * 0 9 0 15-17 113 6 * 0 101 *	120 18 39 586 6 45 134 * * 18-24 212 66 5 13 96	177 50 111 466 5 52 122 0 * 25-29 194 70 6 17 67 15	193 71 194 343 8 60 120 0 0 30-34 153 77 * 7	202 102 126 192 5 30 84 * 0 35-39 138	236 231 68 125 7 19 81 * 0 40-44 97	550 442 116 131 * 20 179 * * 45-54 163	217 135 83 14 0 5 61 * 0 Over 54 36 28 * 0 *
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment	6,950 1,701 1,051 739 2,200 35 234 781 204 5 All Ages 1,176 500 52 51 361 57 49	0 0 0 * 63 0 0 183 0 Under 15 70	6 * 280 0 * 0 9 0 15-17 113	120 18 39 586 6 45 134 * * * 18-24 212 66 5 13 96 7 14	177 50 111 466 5 52 122 0 * 25-29 194 70 6 17 67 15 10	193 71 194 343 8 60 120 0 0 30-34 153 77 * 7 36 14 7	202 102 126 192 5 30 84 * 0 35-39 138 76 12 7 14 8 *	236 231 68 125 7 19 81 * 0 40-44 97	550 442 116 131 * 20 179 * * * 45-54 163	217 135 83 14 0 5 61 * 0 Over 54 36 28 * 0 * 0
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports	6,950 1,701 1,051 739 2,200 35 234 781 204 5 All Ages 1,176 500 52 51 361 57	0 0 0 * 63 0 0 183 0 Under 15 70	6 * 280 0 * 0 9 0 15-17 113 6 * 0 101 *	120 18 39 586 6 45 134 * * * 18-24 212 66 5 13 96 7	177 50 111 466 5 52 122 0 * 25-29 194 70 6 17 67 15	193 71 194 343 8 60 120 0 0 30-34 153 77 * 7 36 14	202 102 126 192 5 30 84 * 0 35-39 138	236 231 68 125 7 19 81 * 0 40-44 97	550 442 116 131 * 20 179 * * 45-54 163 108 16 * 8	217 135 83 14 0 5 61 * 0 Over 54 36 28 * 0 0 * 0 0
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment	6,950 1,701 1,051 739 2,200 35 234 781 204 5 All Ages 1,176 500 52 51 361 57 49	0 0 0 * 63 0 0 183 0 Under 15 70	6 * 280 0 * 0 9 0 15-17 113 6 * 0 101 *	120 18 39 586 6 45 134 * * * 18-24 212 66 5 13 96 7 14	177 50 111 466 5 52 122 0 * 25-29 194 70 6 17 67 15 10	193 71 194 343 8 60 120 0 0 30-34 153 77 * 7	202 102 126 192 5 30 84 * 0 35-39 138 76 12 7 14 8 *	236 231 68 125 7 19 81 * 0 40-44 97	550 442 116 131 * 20 179 * * 45-54 163 108 16 * 8 9 6	217 135 83 14 0 5 61 * 0 Over 54 36 28 * 0 * 0

<u>Notes</u>

Each client is counted only once -- in either a Substance Abuse Treatment or Non-Substance Abuse Treatment category.

The "Other Races" category includes Hispanic, Native American, Alaskan, Asian, Pacific Islander, all other, and multi-racial.

An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

FEMALE ADMISSIONS -- MISSOURI DIVISION OF ALCOHOL AND DRUG ABUSE -- FISCAL YEAR 2011


ALL RACES	All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS	12,889	605	629	2,320	2,435	2,049	1,432	1,229	1,816	374
Substance Abuse Treatment					,	,	,		,	
Alcohol	3,540	16	95	454	553	508	448	474	810	182
Cocaine/Crack	1,025	*	10	68	115	143	142	201	305	40
Heroin	1,253	*	16	344	343	259	126	57	88	19
Marijuana	2,545	97	402	676	516	347	203	141	141	22
Methamphetamine	1,785	*	25	378	442	368	237	158	168	7
All Other Drugs	1,693	30	70	326	400	330	198	110	183	46
Non-Substance Abuse Treatment										
Recovery Supports	350	0	0	62	61	69	42	45	62	9
Co-dependent Services	630	458	11	12	*	24	31	34	36	21
Compulsive Gambling	68	0	0	0	*	*	5	9	23	28
CAUCASIAN	All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS	10,053	349	518	1,933	1,946	1,647	1,136	918	1,335	271
Substance Abuse Treatment	10,000	040	310	1,000	1,540	1,047	1,100	310	1,000	211
Alcohol	2,997	14	81	396	468	434	388	404	667	145
Cocaine/Crack	429	0	7	43	53	74	59	71	106	16
Heroin	870	*	14	292	247	172	72	28	38	6
Marijuana	1,897	82	323	502	356	247	154	108	109	16
Methamphetamine	1,710	*	25	358	423	351	230	153	163	5
All Other Drugs	1,530	28	66	301	355	304	174	100	163	39
Non-Substance Abuse Treatment	1,000	20	00	301	333	304	174	100	100	00
Recovery Supports	211	0	0	37	40	45	29	22	35	*
Co-dependent Services	357	222	*	*	*	19	25	29	35	19
Compulsive Gambling	52	0	0	0	*	*	5	*	19	22
Compulsive dambing	32	U	U	U			3		13	ZZ
AFRICAN AMERICAN	All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS	2,277	197	71	280	371	328	244	271	432	83
Substance Abuse Treatment	_,				• • •	020			.02	
	417	*	6	38	61	48	44	61	127	30
Alcohol	417 538	* 0	6	38 17	61 50	48 62	44 78	61 120	127 187	30 23
Alcohol Cocaine/Crack	538	* 0 0	*	38 17 37	61 50 80	62	78	120	127 187 48	23
Alcohol Cocaine/Crack Heroin		* 0 0	* 0	17 37	50 80	62 82	78 49	_	187	23 13
Alcohol Cocaine/Crack Heroin Marijuana	538 336	0	*	17	50	62	78	120 27	187 48	23 13 5
Alcohol Cocaine/Crack Heroin	538 336 513 13	0	* 0 53	17 37	50 80 123	62 82 85 *	78 49	120 27 31	187 48	23 13 5 0
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine	538 336 513	0 9 0	* 0 53 0	17 37 138 *	50 80 123 5	62 82	78 49 43 *	120 27 31	187 48 26	23 13 5
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment	538 336 513 13 117	0 9 0 0	* 0 53 0	17 37 138 *	50 80 123 5 34	62 82 85 * 23	78 49 43 *	120 27 31 0	187 48 26 * 14	23 13 5 0
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs	538 336 513 13	0 9 0	* 0 53 0	17 37 138 *	50 80 123 5	62 82 85 *	78 49 43 *	120 27 31	187 48 26	23 13 5 0
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports	538 336 513 13 117	0 9 0 0	* 0 53 0 *	17 37 138 * 19	50 80 123 5 34	62 82 85 * 23	78 49 43 * 16	120 27 31 0	187 48 26 * 14	23 13 5 0 5
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling	538 336 513 13 117 119 216 8	0 9 0 0 186	* 0 53 0 * 0 9 0	17 37 138 * 19 19 8	50 80 123 5 34	82 85 * 23 23 * 0	78 49 43 * 16	120 27 31 0 *	187 48 26 * 14	23 13 5 0 5 5 *
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES	538 336 513 13 117 119 216 8	0 9 0 0 186 0	0 53 0 * 0 9 0	17 37 138 * 19 19 8 0	50 80 123 5 34 17 * 0	82 85 * 23 23 * 0	78 49 43 * 16 10 * 0	120 27 31 0 *	187 48 26 * 14 25 * *	23 13 5 0 5 * *
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS	538 336 513 13 117 119 216 8	0 9 0 0 186	* 0 53 0 * 0 9 0	17 37 138 * 19 19 8	50 80 123 5 34	82 85 * 23 23 * 0	78 49 43 * 16	120 27 31 0 *	187 48 26 * 14	23 13 5 0 5 5 *
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment	538 336 513 13 117 119 216 8 All Ages 559	0 9 0 0 186 0 Under 15	0 53 0 * 0 9 0 15-17 40	17 37 138 * 19 19 8 0	50 80 123 5 34 17 * 0	82 85 * 23 23 * 0 30-34	78 49 43 * 16 10 * 0	120 27 31 0 * 20 * 40-44 40	187 48 26 * 14 25 * * 45-54	23 13 5 0 5 * * * Over 54 20
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol	538 336 513 13 117 119 216 8 All Ages 559	0 9 0 0 186 0	0 53 0 * 0 9 0	17 37 138 * 19 19 8 0 18-24 107	50 80 123 5 34 17 * 0	62 82 85 * 23 * 0 30-34 74	78 49 43 * 16 10 * 0 35-39 52	120 27 31 0 * 20 * 40-44 40	187 48 26 * 14 25 * * 45-54 49	23 13 5 0 5 * *
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack	538 336 513 13 117 119 216 8 All Ages 559	0 9 0 0 186 0 Under 15 59	0 53 0 * * 0 9 0 0 15-17 40 8	17 37 138 * 19 19 8 0 18-24 107	50 80 123 5 34 17 * 0 25-29 118	62 82 85 * 23 * 0 30-34 74	78 49 43 * 16 10 * 0 35-39 52	120 27 31 0 * 20 * 40-44 40	187 48 26 * 14 25 * * 45-54	23 13 5 0 5 * * Over 54 20
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin	538 336 513 13 117 119 216 8 All Ages 559	0 9 0 0 186 0 Under 15 59	0 53 0 * 0 9 0 15-17 40	17 37 138 * 19 19 8 0 18-24 107	50 80 123 5 34 17 * 0 25-29 118	62 82 85 * 23 * 0 30-34 74	78 49 43 * 16 10 * 0 35-39 52	120 27 31 0 * 20 * 40-44 40	187 48 26 * 14 25 * * 45-54 49	23 13 5 0 5 * * * Over 54 20
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana	538 336 513 13 117 119 216 8 All Ages 559 126 58 47 135	0 9 0 0 186 0 Under 15 59	* 0 53 0 * 0 9 0 15-17 40 8 * * 26	17 37 138 * 19 19 8 0 18-24 107 20 8 15 36	50 80 123 5 34 17 * 0 25-29 118 24 12 16 37	62 82 85 * 23 * 0 30-34 74 26 7 5	78 49 43 * 16 10 * 0 35-39 52 16 5 5	120 27 31 0 * 20 * * * 40-44 40	187 48 26 * 14 25 * * 45-54 49	23 13 5 0 5 * * Over 54 20
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine	538 336 513 13 117 119 216 8 All Ages 559 126 58 47 135 62	0 9 0 0 186 0 Under 15 59	0 53 0 * 0 9 0 15-17 40	17 37 138 * 19 19 8 0 18-24 107 20 8 15 36 16	50 80 123 5 34 17 * 0 25-29 118 24 12 16 37 14	62 82 85 * 23 * 0 30-34 74 26 7	78 49 43 * 16 10 * 0 35-39 52 16 5 6 6	120 27 31 0 * 20 * * 40-44 40 9 10 * 5	187 48 26 * 14 25 * * * 45-54 49 16 12 * 6	23 13 5 0 5 * * * * * * * * * * * * * * * * *
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs	538 336 513 13 117 119 216 8 All Ages 559 126 58 47 135	0 9 0 0 186 0 Under 15 59	* 0 53 0 * 0 9 0 15-17 40 8 * * 26	17 37 138 * 19 19 8 0 18-24 107 20 8 15 36	50 80 123 5 34 17 * 0 25-29 118 24 12 16 37	62 82 85 * 23 * 0 30-34 74 26 7 5	78 49 43 * 16 10 * 0 35-39 52 16 5 5	120 27 31 0 * 20 * * * 40-44 40	187 48 26 * 14 25 * * 45-54 49	23 13 5 0 5 5 * * * Over 54 20 7 * 0 * * *
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment	538 336 513 13 117 119 216 8 All Ages 559 126 58 47 135 62 46	0 9 0 0 186 0 Under 15 59	* 0 53 0 * * 0 9 0 0 15-17 40 8 * * 26 0 0 * *	17 37 138 * 19 19 8 0 18-24 107 20 8 15 36 16 6	50 80 123 5 34 17 * 0 25-29 118 24 12 16 37 14	62 82 85 * 23 * 0 30-34 74 26 7 5	78 49 43 * 16 10 * 0 35-39 52 16 5 6 6	120 27 31 0 * 20 * * 40-44 40 9 10 * 5	187 48 26 * 14 25 * * * 45-54 49 16 12 * 6	23 13 5 0 5 5 * * * Over 54 20 7 * 0 * * *
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports	538 336 513 13 117 119 216 8 All Ages 559 126 58 47 135 62 46	0 9 0 186 0 Under 15 59	* 0 53 0 * * 0 9 0 0 15-17 40 8 * * 26 0 * * 0 0	17 37 138 * 19 19 8 0 18-24 107 20 8 15 36 16 6	50 80 123 5 34 17 * 0 25-29 118 24 12 16 37 14 11	62 82 85 * 23 * 0 30-34 74 26 7 5	78 49 43 * 16 10 * 0 35-39 52 16 5 6 6 8	120 27 31 0 * 20 * * 40-44 40 9 10 * 5	187 48 26 * 14 25 * * 45-54 49 16 12 * 6	23 13 5 0 5 5 * * * Over 54 20 7 * 0 * * *
Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine All Other Drugs Non-Substance Abuse Treatment	538 336 513 13 117 119 216 8 All Ages 559 126 58 47 135 62 46	0 9 0 0 186 0 Under 15 59	* 0 53 0 * * 0 9 0 0 15-17 40 8 * * 26 0 0 * *	17 37 138 * 19 19 8 0 18-24 107 20 8 15 36 16 6	50 80 123 5 34 17 * 0 25-29 118 24 12 16 37 14	62 82 85 * 23 23 * 0 0 30-34 74 26 7 5 15 15	78 49 43 * 16 10 * 0 35-39 52 16 5 6 6 8	120 27 31 0 * 20 * * 40-44 40 9 10 * 5	187 48 26 * 14 25 * * 45-54 49 16 12 * 6 *	23 13 5 0 5 * * * Over 54 20 7 * * * * *

<u>Notes</u>

Each client is counted only once -- in either a Substance Abuse Treatment or Non-Substance Abuse Treatment category.

The "Other Races" category includes Hispanic, Native American, Alaskan, Asian, Pacific Islander, all other, and multi-racial.

An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.




¹ Individuals are counted only once based on their primary drug of abuse at first admission.

An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

² Individuals with more than one admission may have more than one referral source.


³ Individuals are counted once in each category of program they were admitted to during the fiscal year.



¹ Individuals are counted only once based on their primary drug of abuse at first admission.

 $^{^{2} \, \}text{Individuals}$ with more than one admission may have more than one referral source.

³ Individuals are counted once in each category of program they were admitted to during the fiscal year.




¹ Individuals are counted only once based on their primary drug of abuse at first admission.

² Individuals with more than one admission may have more than one referral source.

³ Individuals are counted once in each category of program they were admitted to during the fiscal year.

An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.




¹ Individuals are counted only once based on their primary drug of abuse at first admission.

² Individuals with more than one admission may have more than one referral source.

³ Individuals are counted once in each category of program they were admitted to during the fiscal year.


An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.



¹ Individuals are counted only once based on their primary drug of abuse at first admission.

² Individuals with more than one admission may have more than one referral source.

³ Individuals are counted once in each category of program they were admitted to during the fiscal year.



¹ Individuals are counted only once based on their primary drug of abuse at first admission.


² Individuals with more than one admission may have more than one referral source.

³ Individuals are counted once in each category of program they were admitted to during the fiscal year.

An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.


AGE PROFILES OF ADA INTERVENTION AND TREATMENT PROGRAM ADMISSIONS

Age Profile of Individuals Assigned to Substance Abuse Traffic Offender Program (SATOP), Fiscal Year 2011




Data Source: Missouri Department of Mental Health, Divisions of ADA and CPS, Research & Statistics Unit, CIMOR system.

Age Profile of Admissions to Educational and Clinical SATOP, Fiscal Year 2011



Data Source: Missouri Department of Mental Health, Divisions of ADA and CPS, Research & Statistics Unit, CIMOR system.

Age Profile of ADA Clinical Treatment Program Admissions, Fiscal Year 2011




Data Source: Missouri Department of Mental Health, Divisions of ADA and CPS, Research & Statistics Unit, CIMOR system.

MISSOURI



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE All Regions All Service Areas Not Applicable 5,988,927 6,010,688



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	76,718	78,848	80,943
Mother Reported Drinking while Pregnant		378	416
Mother Reported Smoking while Pregnant		13,232	14,211
	,	•	,
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	566	510	564
IDU and MSM ²	12	12	21
IDU without MSM ²	19	9	14
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	55,047	54,064	56,278
Suicides	850	857	775
Self-inflicted Injuries	8,186	7,608	7,915
Homicides	438	440	486
Assault Injuries	23,740	24,103	24,700
Alcohol Induced Deaths	396	372	387
Drug Induced Deaths	1,019	901	804
Smoking Induced Deaths	9,686	9,655	10,073
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	67,902	62,639	62,784
Direct Hospitalizations	19,329	13,894	13,419
Emergency Room Hospitalizations	18,852	22,426	22,054
Emergency Room Outpatient	29,721	26,319	27,311
Drug RelatedTotal	63,734	51,521	48,616
Direct Hospitalizations	21,502	14,916	14,174
Emergency Room Hospitalizations	16,256	17,999	17,059
Emergency Room Outpatient	25,976	18,606	17,383
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	6,176	6,832	6,955
Fatal Crashes	197	221	228
Injury Crashes	2,550	2,916	2,984
Property Damage Crashes	3,429	3,695	3,743
Crash Fatalities	207	226	230
Crash Injuries	3,725	3,426	3,513
Drug Involved CrashesTotal	1,173	1,207	1,002
Fatal Crashes	53	48	34
Injury Crashes	516	537	426
Property Damage Crashes	604	622	542
Crash Fatalities	55	48	33
Crash Injuries	773	612	497
EMPLOYMENT	2011	2010	2009
Labor Force	3,046,303	3,014,318	3,036,633
Employed		2,725,531	
Unemployed	260,507	288,787	282,861
Unemployment Rate	8.6%	9.6%	9.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	7,372	7,293	8,053
Alcohol Package Carry-out Licenses	5,036	4,880	5,084

ా చెళ్ళి తీ త ■ Female	[™] Wale	' &' ^	€
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	273,777	279,628	281,576
Drop-outs	8,821	9,174	11,813
Drop-out Rate	3.2%	3.3%	4.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	478	428	480
Drug Incidents	2,950	2,554	2,344
Tobacco Incidents	101	116	132
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	35,059	35,543	38,937
Liquor Law Arrests	11,498	13,726	14,669
Drug Arrests	36,008	36,923	36,908
Methamphetamine Lab Incidents	1,960	1,774	1,487
Violent Offenses	27,359	29,456	29,569
Property Offenses	207,463	204,011	224,368
Domestic Violence Reports	41,655	36,943	33,877
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	29,028	32,192	36,804
Violent Offenses	8,572	9,356	9,183
Alcohol Offenses	1,248	1,361	1,603
Drug Offenses	2,273	2,523	2,689
Status OffensesTotal	14,946	14,479	15,420
Truancy	4,284	3,708	3,897
Beyond Parental Control	2,652	2,769	2,908
Habitually Absent from Home	2,962	3,047	3,787
Injurious Behavior	4,522	4,356	4,134
Abuse/Neglect/CustodyTotal	15,038	14,486	12,957
Abuse	3,322	3,226	3,036
Neglect	9,718	9,572	8,496
Custody Disputes	1,998	1,688	1,425
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	6,236	5,620	5,257
Parental Alcohol Use Related	242	219	205
Parental Drug Use Related	1,853	1,418	1,358
Parental Alcohol and Drug Use	236	186	131
Child Removed for Other Reason	3,905	3,797	3,563
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	5,495	5,216	5,438
Probation/Parole AdmissionsTotal	35,571	36,332	38,525
Probation/Parole AdmissionsDrug	11,144	11,624	12,806
Probation/Parole AdmissionsDWI	2,316	2,069	2,004
Prison AdmissionsTotal	17,639	17,679	18,453
Prison AdmissionsDrug	5,508	5,389	5,753
Prison AdmissionsDWI	1,176	1,190	1,187

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.
- IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	2,421	2,491	2,592
CSTAR Women and Children	4,015	4,280	4,222
CSTAR General Adult	11,521	6,398	4,318
CSTAR Opioid	709	495	558
Primary Recovery Detoxification	6,420	6,466	6,098
Primary Recovery Treatment	12,545	21,178	22,619
Clinical SATOP (CIP, YCIP, SROP)	4,422	4,767	4,004
Other Substance Abuse Treatment	1,240	1,296	2,470

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	24,511	30,109	30,749
- Adolescent Diversion Education Program	760	1,362	1,528
- Offender Education Program	9,840	11,851	12,596
- Weekend Intervention Program	5,589	7,261	8,392
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	1,412	1,436	1,305
- Compulsive Gambling	178	218	209
- Recovery Supports	3,502	8,298	7,476
- Early Intervention	1,080	561	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	25,397	28,064	28,178	Never Married	21,380	23,012	22,896
Female	11,793	11,809	11,605	Married / Cohabitating	8,099	8,443	8,408
	,	,	,	Previously Married	7,712	8,407	8,447
AGE					·	•	•
Under 18	2,509	2,569	2,687	PRIMARY DRUG PROBLEM	4.4.0.40	40.400	10.101
18 to 24	6,939	7,796	7,798	Alcohol	14,640	16,436	16,404
25 to 29	6,545	7,141	6,981	Marijuana / Hashish	9,465	10,688	10,901
30 to 34	5,509	5,421	5,027	Cocaine (total)	2,570	3,036	3,623
35 to 39	4,074	4,478	4,590	- Crack	1,934	2,292	2,734
40 to 44	3,692	4,101	4,482	Stimulant (total)	4,150	3,875	3,722
45 to 54	6,211	6,660	6,738	- Methamphetamine	3,963	3,729	3,577
55 and Over	1,712	1,708	1,482	Heroin	3,098	2,846	2,329
RACE / ETHNICITY				Analgesic except Heroin	2,331	2,185	1,922
Caucasian	27,876	29,727	29,406	- Non-Prescription Methadone	35	43	44
African American	7,855	8,613	8,848	PCP, LSD, other Hallucinogen	335	296	319
Native American / Alaskan	103	113	108	Tranquilizer	394	361	364
Asian / Pacific Islander	69	86	77	Inhalant	45	49	44
Hispanic	760	730	758	Sedative	52	49	59
Other Race / Two or More Races	788	868	873	Other Medication or Illicit Drug	111	53	98
				Average Age at First Use of Drug	17.7	17.4	17.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	13,648	14,556	14,902	Any Injection Use at Admission	4,255	4,008	3,388
High School Graduate or G.E.D.	16,185	17,854	17,768	- Daily Injection Use	1,409	1,258	1,043
Associate Degree or Some College	6,657	6,654	6,397	- Weekly Injection Use	1,089	1,009	756
Bachelor or Advanced Degree	701	810	718	- Less than Weekly Injection Use	1,757	1,739	1,589
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	9,627	10,587	11,369	Self / Family / Friend	10,931	10,875	11,093
Unemployed	15,758	16,780	15,987	School	115	97	130
Not in Labor Force	11,806	12,506	12,426	Mental Health Provider	601	688	711
				Health Care Provider	1,319	1,290	1,080
LIVING ARRANGEMENT				Court / Criminal Justice	20,980	23,694	23,649
Independent Living	29,026	31,405	31,020	Other Referral Source	3,238	3,211	3,110
Dependent Living	5,020	5,511	5,633	CRECIAL RODUL ATIONS			
Homeless	2,248	2,051	2,140	SPECIAL POPULATIONS Prograph when Admitted to any Enjands	640	645	E00
LIEETIME DUL/DWI ADDESTS				Pregnant when Admitted to any Episode	613	615	583
LIFETIME DUI / DWI ARRESTS 0	04.060	22.022	22.062	Military Veteran	1,678	1,781	1,594
0 1 or 2	21,963	22,923	23,263	Special Education Services Needed	2,865	2,898	2,959
3 or More	9,823	10,720	10,230	Co-Occurring Psychological Problem	11,670	12,478	11,775
3 OF INIOTE	5,405	6,231	6,292	Co-Occurring Developmental Problem	1,255	1,435	1,280

MISSOURI



ADA/CPS REGION All Regions
CPS SERVICE AREA All Service Areas
CENSUS 2010 5,988,927
2011 POP. ESTIMATE 6,010,688

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
Adjustment Disorder	2,826	2,674	3,007
Anxiety Disorder	17,381	15,459	13,325
Dementia	199	284	249
Developmental Disorder	884	827	767
Impulse Control Disorder	9,976	8,889	7,964
Mood Disorder	38,273	35,387	33,012
Personality Disorder	6,758	7,079	7,341
Psychotic Disorder	13,602	13,021	12,439
Sexual Disorder	160	176	175
Other Diagnosis	4,500	4,599	4,538
Diagnosis Unknown	8,161	16,016	21,232

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	70,218	73,738	75,122	Hearing Impaired	1,680	1,670	1,691
Male	33,637	35,753	36,661	Past or Current Military Service	1,713	1,926	2,170
Female	36,571	37,959	38,453		, -	,	, -
	•	•	,	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	17,413	10,585	7,589
Under 6	759	931	641	Dependent Living	2,842	5,028	2,478
6 to 9	3,592	3,549	3,269	Homeless	577	479	401
10 to 13	4,897	4,944	4,784	Other	520	645	377
14 to 17	5,654	5,780	6,339	Housing Unknown	48,866	57,001	64,277
18 to 24	6,333	7,294	7,391	EMPLOYMENT			
25 to 29	5,782	6,511	6,727	Employed	2,305	1,657	1,370
30 to 34	6,141	6,239	6,305	Unemployed	18,040	11,087	7,983
35 to 39	5,824	6,421	6,644	Not in Labor Force	989	703	498
40 to 44	6,351	6,818	7,242	Employment Status Unknown	48,884	60,291	65,271
45 to 49	7,902	8,513	8,817	ARRESTS			
50 to 54	7,350	7,304	7,514	ARRESTS Arrested in Past 12 Months	2.040	2.604	1 670
55 to 59	5,004	4,771	4,743	Not Arrested in Past 12 Months	2,948 18,360	2,691 14,027	1,679
60 and Over	4,619	4,638	4,698	Arrest Status Unknown	48,910	57,020	9,153 64,290
				Alfest Otatus Officiowii	40,910	37,020	04,290
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	51,406	53,079	53,510	Self / Family / Friend	33,820	36,670	36,688
African American	14,675	16,489	17,543	School	1,028	1,142	1,174
Native American / Alaskan	195	206	193	Mental Health Provider	7,671	8,283	8,627
Asian / Pacific Islander	179	196	194	Health Care Provider	7,071	6,389	6,552
Hispanic	1,269	1,300	1,181	Court / Criminal Justice	4,220	5,426	6,317
Other Race	2,476	2,423	2,417	Other	16,008	15,386	14,934
Race/Ethnicity Unknown	18	45	84	Referral Source Unknown	294	442	830
					201		000
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	7,043	4,702	3,531	Voluntary	68,005	70,578	70,557
High School Grad or G.E.D.	9,477	5,781	4,148	Civil	772	1,551	2,539
A.A. Degree or Some College	3,648	2,325	1,642	Criminal	995	1,044	1,074
Bachelor or Advanced Degree	1,023	562	473	Sexual Predatory	187	172	172
Education Level Unknown	49,027	60,368	65,328	Commitment Type Unknown	259	393	780

MISSOURI

2012 MISSOURI STUDENT SURVEY

EPRESSION Percent of students who, in the past 30 days:		(%	6)	SUICIDE Percent	of studen	ts who. in	the past	12 months	<i>:</i>	(%
Were very sad		18.	5							11.
Were grouchy, irritable, or in a bad mood		24.		Seriously considered attempting suicide Made a plan about how they would attempt suicide					uicide	8.
Felt hopeless about the future		10.	9		ted suicio		•	•		5.
Felt like not eating or eating more than usual		17.	0	Had a	suicide at	tempt that	t resulted	in injury o	r overdose that had to	1.
Slept a lot more or a lot less than usual		20.								
Had difficulty concentrating on school work		23.								
			,	REBELLIC			roo that			
IGHTING						ts who ag				22.
Percent of students who, in the past 12 months:		20.	6			s that get			nake people mad	22. 15.
Were in a physical fight Were in a fight and had to be treated by a doctor or nurse		3.	-				_	permissio		6.
Were threatened or injured with a weapon on school propert	v	6.			-	okay to ch	-	-	"	22.
were uneatened or injured with a weapon on school propert	y	0.	7			•		start a fight	• •	48.
ULLYING VICTIM				It is ok	ay to bea	up peopi	c ii iiicy .	start a right	•	-1 0.
Percent of students who, in the past 3 months:			3	SCHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		24.				_		he followin	-	
Were victims of mean rumors or lies spread at school		47.						tudent's go		69.
Had embarrassing or hurtful pictures/text of them posted on		13.			-			-	ive student performance	39.
Had embarrassing or hurtful pictures/text of them sent by cel	II phone	15.			•	student fo	or hard w	ork		56.
Were made fun of by others		60.	4		are enforc	-				63.
ULLYING PERPRETRATOR				Studen	its of all ra	aces and	ethnicities	s are treate	ed equally	75.
Percent of students who, in the past 3 months:			,	PARENT	RELATIC	ONS				
Shoved, slapped, hit, or kicked a student in a serious manner	er	19.					ree with t	he followin	ıg:	
Spread mean rumors or lies about other kids at school		27.								
Posted on internet embarrassing or hurtful pictures/text of so	omeone	9.	9.0 Parents involve student in making family decisions							69.
Sent by cell phone embarrassing or hurtful pictures/text of someone 10.4 It is important to be honest with parents regardles				dless of consequences	85.					
Made fun of other people		61.	9	Studen	it could as	sk parent i	for help v	vith a perso	onal problem	76.
UBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	<	<	= <	<	= <	= <	<	s <	⇒ ∈ >	
	₽	ਰ	Te p	₹	em ₹	ey Fo	₹	<u>§</u> ₹	mor sed rst u	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disappro they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wh first used	
	eve	Sus	oses 2 m	≓ K	es #	pare	∓	Cau	ude	
	E .	<u>e</u>		ᇤ	they	ints	ᇤ	g <u>t</u> sin	nts v	
	ĕ	i i	ns end:	be e	risk I / use	WOL	be	by p	who	
	subs	þa	s ha	eas)	e har	큡	MOI	olic ne	hav	
	stan	St 3	Ve	6	럂	Sa	je Di	e de de	age	
	8	0 da	Ised	get	9	pro	SI C	<u>rs.</u> 24	er er	
		y _S	₹.			ove if	Ф	ing loo	len	
Cigarettes	22.7	10.6	41.9	51.7	81.5	91.5	81.4	26.2	12.48	
Chewing Tobacco	10.5	5.6	6							
Alcohol	38.2	16.9	51.5	56.2	70.5	79.8	61.9	29.8	12.72	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		9.7	7							
Marijuana	16.5	8.6	36.5	37.3	72.1	93.4	80.8	42.1	13.62	
Inhalants	5.3	2.3	3						11.81	
Illicit drugs such as cocaine, LSD, meth, club drugs			14.6	17.0	93.1	97.9	95.2	54.3		
Over-the-counter medications for non-medical use	6.0	3.5	5	53.8	81.2	95.6	88.5			
Prescription drugs not prescribed for student	8.6	4.6	3	30.7	86.2	95.0	90.2			
Heroin	0.9									
Cocaine	1.7									
Methamphetamine	1.2									
Hallucinogens	2.8									
Club drugs such as ecstasy, GHB, roofle, or Special K	2.1							1.0		
Synthetic drugs such as K2, bath salts, Spice	6.4		Data are w and 15-19,					liation estir	mates for age groups 10-	14
Steroids not prescribed for student	1 4									

Data source:

Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Percentages on some items are based on combined answer choices. Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

ADAIR COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 14 FIPS COUNTY CODE 001 CENSUS 2010 25,607 2011 POP. ESTIMATE 25,552 2011 POPULATION PROFILE BY AGE GROUP 3,000 2,000 1,000

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	261	297	330
Mother Reported Drinking while Pregnant 1		0	0
Mother Reported Smoking while Pregnant	55	58	66
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	1	0
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	200	190	190
Suicides	2	2	2
Self-inflicted Injuries	31	44	47
Homicides	1	0	0
Assault Injuries	36	36	59
Alcohol Induced Deaths	0	1	3
Drug Induced Deaths	2	3	0
Smoking Induced Deaths	36	32	33
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	222	200	172
Direct Hospitalizations	78	42	26
Emergency Room Hospitalizations	41	61	61
Emergency Room Outpatient	103	97	85
Drug RelatedTotal	110	98	82
Direct Hospitalizations	43	33	26
Emergency Room Hospitalizations	24	23	15
Emergency Room Outpatient	43	42	41
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	29	24	17
Fatal Crashes	1	1	1
Injury Crashes	10	7	9
Property Damage Crashes	18	16	7
Crash Fatalities	1	1	1
Crash Injuries	18	9	12
Drug Involved CrashesTotal	1	0	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	1	0	1
Crash Injuries	0	0	0
Crash Injuries	0	0	1
EMPLOYMENT	2011	2010	2009
Labor Force	12,610	12,914	13,579
Employed	11,665	11,969	12,684
Unemployed	945	945	895
Unemployment Rate	7.5%	7.3%	6.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	33	31	36
Alcohol Package Carry-out Licenses	22	23	20

■ Lemale	ఈ తక్షి ■Male	કું જ જ	જું _ક
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	958	978	970
Drop-outs	15	23	35
Drop-out Rate	1.6%	2.4%	3.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	1	0	1
Tobacco Incidents	3	0	1
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	147	137	137
Liquor Law Arrests	148	160	69
Drug Arrests	112	131	16
Methamphetamine Lab Incidents	13	24	8
Violent Offenses	115	65	1
Property Offenses	738	724	97
Domestic Violence Reports	332	275	1
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	65	109	168
Violent Offenses	21	39	54
Alcohol Offenses	10	6	18
Drug Offenses	4	13	11
Status OffensesTotal	257	317	245
Truancy	48	57	25
Beyond Parental Control	61	53	49
Habitually Absent from Home	7	6	13
Injurious Behavior	137	198	158
Abuse/Neglect/CustodyTotal	84	93	75
Abuse	13	4	42
Neglect	70	88	32
Custody Disputes	1	1	1
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	28	23	32
Parental Alcohol Use Related	0	0	6
Parental Drug Use Related	5	9	4
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	23	14	21
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	45	49	44
Probation/Parole AdmissionsTotal	136	148	131
Probation/Parole AdmissionsDrug	51	46	35
Probation/Parole AdmissionsDWI	4	11	12
Prison AdmissionsTotal	68	47	48
Prison AdmissionsDrug	23	16	16
Prison AdmissionsDWI	0	3	3
An activistic and data call indicates the co			

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

ADAIR COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	25	20	30
CSTAR Women and Children	6	9	6
CSTAR General Adult	177	170	171
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	5	14	15
Primary Recovery Treatment	16	46	52
Clinical SATOP (CIP, YCIP, SROP)	16	20	19
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	155	154	151
- Adolescent Diversion Education Program	60	64	52
- Offender Education Program	26	30	47
- Weekend Intervention Program	30	15	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	0	17	12
- Early Intervention	27	20	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	141	158	172	Never Married	119	126	134
Female	66	71	67	Married / Cohabitating	42	41	52
			-	Previously Married	46	60	53
AGE							
Under 18	25	20	30	PRIMARY DRUG PROBLEM			
18 to 24	60	69	61	Alcohol	76	116	124
25 to 29	35	30	33	Marijuana / Hashish	74	66	67
30 to 34	30	22	28	Cocaine (total)	*	5	6
35 to 39	16	29	25	- Crack	*	*	*
40 to 44	11	24	22	Stimulant (total)	28	23	25
45 to 54	18	22	34	- Methamphetamine	26	22	24
55 and Over	12	13	6	Heroin	*	0	0
RACE / ETHNICITY				Analgesic except Heroin	17	13	8
Caucasian	188	215	223	- Non-Prescription Methadone	0	0	0
African American	8	8	7	PCP, LSD, other Hallucinogen	0	*	*
Native American / Alaskan	0	*	0	Tranquilizer	*	*	*
Asian / Pacific Islander	0	0	0	Inhalant	*	*	*
Hispanic	7	6	5	Sedative	0	0	0
Other Race / Two or More Races	6	*	6	Other Medication or Illicit Drug	*	*	*
Carlot Mass / Two of More Masse	O		O	Average Age at First Use of Drug	16.9	16.6	16.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	90	68	81	Any Injection Use at Admission	10	15	15
High School Graduate or G.E.D.	87	100	118	- Daily Injection Use	*	*	*
Associate Degree or Some College	29	58	40	- Weekly Injection Use	*	7	5
Bachelor or Advanced Degree	*	*	0	- Less than Weekly Injection Use	*	7	8
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	60	79	93	Self / Family / Friend	48	45	36
Unemployed	46	69	48	School	0	0	0
Not in Labor Force	101	81	98	Mental Health Provider	0	*	*
				Health Care Provider	*	*	6
LIVING ARRANGEMENT				Court / Criminal Justice	123	152	161
Independent Living	170	195	199	Other Referral Source	32	26	32
Dependent Living	32	28	31	005044 00044 474040			
Homeless	*	*	6	SPECIAL POPULATIONS	*	*	
LIEFTIME DIN / DIN A DOCUME				Pregnant when Admitted to any Episode	*		*
LIFETIME DUI / DWI ARRESTS	464	407	400	Military Veteran		11	9
0	131	127	136	Special Education Services Needed	24	24	23
1 or 2	58	61	87	Co-Occurring Psychological Problem	60	106	106
3 or More	18	41	16	Co-Occurring Developmental Problem	7	6	9

ADAIR COUNTY



disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 13 26 14 **Anxiety Disorder** 78 92 76 Dementia 0 0 0 **Developmental Disorder** 0 Impulse Control Disorder 60 46 59 **Mood Disorder** 176 218 189 Personality Disorder 22 6 10 **Psychotic Disorder** 71 79 72 Sexual Disorder 0 0 Other Diagnosis 24 18 28 Diagnosis Unknown 50 96 98

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	449	425	469	Hearing Impaired	6	7	6
Male	227	225	249	Past or Current Military Service	16	14	18
Female	222	200	220	·			
				HOUSING / LIVING ARRANGEMENT	044	470	00
AGE				Independent Living	211	172	63
Under 6	*	0	*	Dependent Living	45	58 *	24
6 to 9	18	10	19	Homeless	5		•
10 to 13	40	21	26	Other		5	
14 to 17	42	39	56	Housing Unknown	187	188	379
18 to 24	46	50	63	EMPLOYMENT			
25 to 29	38	34	45	Employed	29	28	14
30 to 34	31	37	31	Unemployed	212	172	70
35 to 39	42	47	49	Not in Labor Force	21	12	*
40 to 44	47	41	38	Employment Status Unknown	187	213	384
45 to 49	48	53	53	4005070			
50 to 54	45	48	37	ARRESTS	00	0.4	40
55 to 59	23	21	22	Arrested in Past 12 Months	36	34	12
60 and Over	27	24	28	Not Arrested in Past 12 Months	226	203	78
				Arrest Status Unknown	187	188	379
RACE / ETHNICITY				TOTATMENT DECEDDAL COURCE			
Caucasian	420	401	442	TREATMENT REFERRAL SOURCE Self / Family / Friend	400	4.47	405
African American	11	12	13	School	133	147	135
Native American / Alaskan	0	0	0	Mental Health Provider	0	0	40
Asian / Pacific Islander	0	*	*	Health Care Provider	39	38	48
Hispanic	8	7	7	Court / Criminal Justice	23	23	34
Other Race	10	*	6		14	15	34
Race/Ethnicity Unknown	0	0	0	Other Referral Source Unknown	238	200	215
				Referral Source Offknown			
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	86	56	23	Voluntary	440	414	434
High School Grad or G.E.D.	136	122	50	Civil	*	6	26
A.A. Degree or Some College	32	28	9	Criminal	*	*	8
Bachelor or Advanced Degree	7	6	*	Sexual Predatory	*	*	0
Education Level Unknown	188	213	384	Commitment Type Unknown	*	*	*

ADAIR COUNTY

2012 MISSOURI STUDENT SURVEY

Percent of students who, in the past 30 days:		(%)		CUICIDE Percent o	of studen	ts who, in	the past	12 months	<u>;</u>	(
Were very sad				Percent of students who, in the past 12 months: Seriously considered attempting suicide						17
Were grouchy, irritable, or in a bad mood		30.0			-			attempt su	uicide	11
Felt hopeless about the future		7.9			ted suicio		•	•		11
Felt like not eating or eating more than usual			19.0 Had a suicide attempt that resulted in injury or overdose that had						r overdose that had to	
Slept a lot more or a lot less than usual		14.0				doctor or		• • •		
Had difficulty concentrating on school work		19.3								
, ,				EBELLIC						
IGHTING						ts who ag				
Percent of students who, in the past 12 months:						s that get				21
Were in a physical fight		21.9		-			_		ake people mad	30
Were in a fight and had to be treated by a doctor or nurse		6.0			-		-	permissio	n	2
Were threatened or injured with a weapon on school propert	ty	11.8				okay to ch				14
ULLYING VICTIM				It is oka	ay to beat	t up peopl	e if they s	start a fight		45
Percent of students who, in the past 3 months:			s	CHOOL	REI ATIO	วพร				
Were shoved, slapped, hit, or kicked in a serious manner		32.8					ree with t	he followin	na:	
Were victims of mean rumors or lies spread at school		49.3				_		tudent's go	-	70
Had embarrassing or hurtful pictures/text of them posted on	internet	13.5						•	ve student performan	
Had embarrassing or hurtful pictures/text of them sent by ce		24.9			-	student fo	-	-	F	55
Were made fun of by others		72.4			re enforc					49
•		•				-	ethnicities	s are treate	ed equally	82
ULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:				ARENT						
Shoved, slapped, hit, or kicked a student in a serious manne	er	21.1				_		he followin	-	80
Spread mean rumors or lies about other kids at school		31.9	•							
Posted on internet embarrassing or hurtful pictures/text of so		2.4						-		64
Sent by cell phone embarrassing or hurtful pictures/text of so	omeone	12.5						_	dless of consequence	
Made fun of other people		49.3		Studen	t could as	sk parent i	for help w	ith a perso	onal problem	70
CUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:										
, a a, a caacta notou botott/ poroont or oludonto.	<	<	= <	<	= <	= <	<	s <	fi u A	
and and and and and and an and an an an and an an and an an and an	Who	Who	Whos the p	Who	Who	Who they	Who	Who	Amor used first u	
g care and a solution of state of the state of t	Who hav	Who hav	Whose c	Who say	Who beli themselv	Who say they use	Who feel	Who thin would be	Among s used sub first used	
g 222222330 Notes 2000, polocini di diddollo.	Who have ev	Who have us	Whose close the past 12 n	Who say it w	Who believe themselves it	Who say par they use	Who feel it w	Who think kit would be cau	Among stude used substar first used	
g 222222330 ISSO 250517, POISON OF GRAUDING	Who have ever u	Who have used	Whose closest fr the past 12 mont	Who say it would	Who believe they themselves if the	Who say parents they use	Who feel it would	Who think kids ir would be caught	Among students used substance, first used	
g or all of the second second persons of all defined.	Who have ever used	Who have used in th	Whose closest friend the past 12 months	Who say it would be	Who believe they ris themselves if they us	Who say parents wo they use	Who feel it would be	Who think kids in the would be caught by I	Among students who used substance, ave first used	
and the second second persons of stations.	Who have ever used sul	Who have used in the pa	Whose closest friends h the past 12 months	Who say it would be eas	Who believe they risk hat themselves if they use	Who say parents would they use	Who feel it would be wro	Who think kids in their n would be caught by polic	Among students who ha used substance, averag first used	
The second of th	Who have ever used substa	Who have used in the past	Whose closest friends have the past 12 months	Who say it would be easy to	Who believe they risk harmi themselves if they use	Who say parents would disa they use	Who feel it would be wrong	Who think kids in their neigh would be caught by police for	Among students who have oused substance, average ag	
g cand c_	Who have ever used substance	Who have used in the past 30 d	Whose closest friends have use the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprothey use	Who feel it would be wrong to us	Who think kids in their neighbor would be caught by police for us	Among students who have ever used substance, average age w first used	
The second second second persons of stations.	Who have ever used substance	Who have used in the past 30 days	ıds have used	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	udents who have ever stance, average age wh	
	Who have ever used substance 44.0	Who have used in the past 30 days 21.1	Whose closest friends have used in the past 12 months	Who say it would be easy to get 48.8	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 61.2	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cigarettes			nds have used in		isk harming use	Ve if	Ф	ng 00	udents who have ever stance, average age when	
Cigarettes Chewing Tobacco	44.0 12.7	21.1 7.1	nds have used in 57.2	48.8	isk harming 73.6	92.9	61.2	18.7	udents who have ever 42 stance, average age when 12	
Cigarettes Chewing Tobacco Alcohol	44.0	21.1 7.1 22.8	nds have used in		isk harming use	Ve if	Ф	ng 00	udents who have ever stance, average age when	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	44.0 12.7 48.1	21.1 7.1 22.8 10.4	1ds have used in 57.2	48.8	rsk harming 73.6	92.9	61.2 52.9	18.7	stance, average age when 12.42	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	44.0 12.7 48.1 21.8	21.1 7.1 22.8	nds have used in 57.2	48.8	isk harming 73.6	92.9	61.2	18.7	stance, average age when 12.42 13.93	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	44.0 12.7 48.1	21.1 7.1 22.8 10.4 9.5	1ds have used in 57.2	48.8 55.8 34.5	73.6 75.4 65.4	92.9 77.8 93.8	61.2 52.9 68.0	18.7	stance, average age when 12.42	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	44.0 12.7 48.1 21.8 6.3	21.1 7.1 22.8 10.4 9.5 6.1	57.2 57.8 47.6	48.8 55.8 34.5 18.1	73.6 75.4 65.4 97.8	92.9 77.8 93.8 93.7	61.2 52.9 68.0 88.8	18.7 24.6 33.6	stance, average age when 12.42 13.93	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	44.0 12.7 48.1 21.8 6.3	21.1 7.1 22.8 10.4 9.5 6.1	57.2 57.8 47.6	48.8 55.8 34.5 18.1 36.1	73.6 75.4 65.4 97.8 79.0	92.9 77.8 93.8 93.7 93.5	61.2 52.9 68.0 88.8 89.0	18.7 24.6 33.6	stance, average age when 12.42 13.93	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	44.0 12.7 48.1 21.8 6.3 1.1 6.1	21.1 7.1 22.8 10.4 9.5 6.1	57.2 57.8 47.6	48.8 55.8 34.5 18.1	73.6 75.4 65.4 97.8	92.9 77.8 93.8 93.7	61.2 52.9 68.0 88.8	18.7 24.6 33.6	stance, average age when 12.42 13.93	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	44.0 12.7 48.1 21.8 6.3 1.1 6.1 5.2	21.1 7.1 22.8 10.4 9.5 6.1	57.2 57.8 47.6	48.8 55.8 34.5 18.1 36.1	73.6 75.4 65.4 97.8 79.0	92.9 77.8 93.8 93.7 93.5	61.2 52.9 68.0 88.8 89.0	18.7 24.6 33.6	stance, average age when 12.42 13.93	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	44.0 12.7 48.1 21.8 6.3 1.1 6.1 5.2 5.4	21.1 7.1 22.8 10.4 9.5 6.1	57.2 57.8 47.6	48.8 55.8 34.5 18.1 36.1	73.6 75.4 65.4 97.8 79.0	92.9 77.8 93.8 93.7 93.5	61.2 52.9 68.0 88.8 89.0	18.7 24.6 33.6	stance, average age when 12.42 13.93	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	44.0 12.7 48.1 21.8 6.3 1.1 6.1 5.2 5.4 5.6	21.1 7.1 22.8 10.4 9.5 6.1	57.2 57.8 47.6	48.8 55.8 34.5 18.1 36.1	73.6 75.4 65.4 97.8 79.0	92.9 77.8 93.8 93.7 93.5	61.2 52.9 68.0 88.8 89.0	18.7 24.6 33.6	stance, average age when 12.42 13.93	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	44.0 12.7 48.1 21.8 6.3 1.1 6.1 5.2 5.4 5.6	21.1 7.1 22.8 10.4 9.5 6.1	57.2 57.8 47.6	48.8 55.8 34.5 18.1 36.1	73.6 75.4 65.4 97.8 79.0	92.9 77.8 93.8 93.7 93.5	61.2 52.9 68.0 88.8 89.0	18.7 24.6 33.6	stance, average age when 12.42 13.93	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	44.0 12.7 48.1 21.8 6.3 1.1 6.1 5.2 5.4 5.6	21.1 7.1 22.8 10.4 9.5 6.1 0.9 0.6	57.2 57.8 47.6 15.9	48.8 55.8 34.5 18.1 36.1 17.4	73.6 75.4 65.4 97.8 79.0 90.7	92.9 77.8 93.8 93.7 93.5 87.0	61.2 52.9 68.0 88.8 89.0 93.6	24.6 33.6 43.9	stance, average age when 12.42 13.93	10-14

Data source:

Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Percentages on some items are based on combined answer choices.

ANDREW COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 003 17,291 17,196



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	189	188	172
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	32	25	26
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	141	164	158
Suicides	2	6	0
Self-inflicted Injuries	9	12	5
Homicides	0	0	0
Assault Injuries	23	30	32
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	1	1
Smoking Induced Deaths	28	32	31
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	70	60	82
Direct Hospitalizations	70 24	11	17
Emergency Room Hospitalizations	20	28	36
Emergency Room Outpatient	26	20	29
Drug RelatedTotal	58	67	67
Direct Hospitalizations	18	23	20
Emergency Room Hospitalizations	21	23	16
Emergency Room Outpatient	19	20	31
		-	
TRAFFIC IMPAIRED DRIVER Alcohol Involved CrashesTotal	2010	2009	2008
Fatal Crashes	14 2	23 0	13 1
Injury Crashes	6	15	6
Property Damage Crashes	6	8	6
Crash Fatalities	2	0	1
Crash Injuries	8	22	7
Drug Involved CrashesTotal	5	1	2
Fatal Crashes	0	0	0
Injury Crashes	3	1	0
Property Damage Crashes	2	0	2
Crash Fatalities	0	0	0
Crash Injuries	3	2	0
EMPLOYMENT	2011	2010	2000
EMPLOYMENT Labor Force	2011	2010	2009
Employed	10,633	9,931 9,149	10,110 9,326
Unemployed	9,968		•
Unemployment Rate	665	782 7.0%	784 7.89/
Chemployment Nate	6.3%	7.9%	7.8%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	12	11	14
Alcohol Package Carry-out Licenses	17	19	19

■ Female ■ Male							
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009				
Enrollment Grades 9-12	839	845	871				
Drop-outs	22	25	25				
Drop-out Rate	2.6%	3.0%	2.9%				
School Suspensions, 10 or More Days							
Alcohol Incidents	0	0	1				
Drug Incidents	1	0	1				
Tobacco Incidents	0	0	0				
POLICE REPORTS	2010	2009	2008				
DUI Arrests, DWI Tracking System	89	81	90				
Liquor Law Arrests	26	34	23				
Drug Arrests	72	77	81				
Methamphetamine Lab Incidents	1	2	1				
Violent Offenses	10	15	23				
Property Offenses	170	215	214				
Domestic Violence Reports	88	69	53				
JUVENILE COURT REFERRALS	2010	2009	2008				
Law Violation OffensesTotal	75	71	56				
Violent Offenses	15	18	18				
Alcohol Offenses	0	4	0				
Drug Offenses	5	4	2				
Status OffensesTotal	57	36	33				
Truancy	40	23	16				
Beyond Parental Control	9	9	12				
Habitually Absent from Home	5	3	4				
Injurious Behavior	2	1	0				
Abuse/Neglect/CustodyTotal	3	0	4				
Abuse	3	0	4				
Neglect	0	0	0				
Custody Disputes	0	0	0				
JUVENILE COURT PLACEMENTS	2010	2009	2008				
Out-of-Home PlacementsTotal	0	0	1				
Parental Alcohol Use Related	0	0	0				
Parental Drug Use Related	0	0	0				
Parental Alcohol and Drug Use	0	0	0				
Child Removed for Other Reason	0	0	1				
CRIMINAL JUSTICE	FY2011	FY2010	FY2009				
Drug Court Participants	0	0	0				
Probation/Parole AdmissionsTotal	56	66	40				
Probation/Parole AdmissionsDrug	22	9	17				
Probation/Parole AdmissionsDWI	4	2	0				
Prison AdmissionsTotal	39	20	25				
Prison AdmissionsDrug	10	7	14				
Prison AdmissionsDWI	6	1	0				
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	ppressed				

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

ANDREW COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	7	6	5
CSTAR Women and Children	0	*	*
CSTAR General Adult	8	*	*
CSTAR Opioid	0	*	0
Primary Recovery Detoxification	7	11	10
Primary Recovery Treatment	22	27	28
Clinical SATOP (CIP, YCIP, SROP)	6	*	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	57	61	52
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	41	30	27
- Weekend Intervention Program	9	18	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	6	*
- Early Intervention	13	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	39	37	32	Never Married	29	34	32
Female	6	15	17	Married / Cohabitating	7	9	8
	· ·	10	.,,	Previously Married	9	9	9
AGE				·	Ü	ŭ	Ü
Under 18	10	9	*	PRIMARY DRUG PROBLEM			
18 to 24	9	7	12	Alcohol	21	14	19
25 to 29	6	12	10	Marijuana / Hashish	11	18	14
30 to 34	7	*	*	Cocaine (total)	*	*	0
35 to 39	*	5	*	- Crack	0	*	0
40 to 44	6	6	*	Stimulant (total)	5	7	*
45 to 54	*	8	8	- Methamphetamine	5	6	*
55 and Over	*	*	*	Heroin	*	*	0
RACE / ETHNICITY				Analgesic except Heroin	6	8	12
Caucasian	43	48	49	- Non-Prescription Methadone	0	0	0
African American	*	0		PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan		0	0 0	Tranquilizer	0	0	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	*	*	0	Sedative	0	0	0
Hispanic	0	*	-	Other Medication or Illicit Drug	0	0	*
Other Race / Two or More Races	0		0	Average Age at First Use of Drug	17.0	18.1	19.1
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	20	18	19	Any Injection Use at Admission	6	5	7
High School Graduate or G.E.D.	18	22	23	- Daily Injection Use	*	*	*
Associate Degree or Some College	7	12	7	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	0	0	0	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	12	14	16	Self / Family / Friend	11	12	11
Unemployed	17	17	23	School	0	0	0
Not in Labor Force	16	21	10	Mental Health Provider	0	*	0
				Health Care Provider	*	6	*
LIVING ARRANGEMENT				Court / Criminal Justice	30	31	32
Independent Living	31	40	40	Other Referral Source	*	*	5
Dependent Living	12	9	6	ODEOLAL DODUKATIONO			
Homeless	0	*	*	SPECIAL POPULATIONS	0	0	
LIFETIME DUI / DIA/LA DEFETS				Pregnant when Admitted to any Episode	0	0	· .
LIFETIME DUI / DWI ARRESTS	00	07	00	Military Veteran	0	5	· .
0	26	37	33	Special Education Services Needed	0		^
1 or 2	12	11	8	Co-Occurring Psychological Problem	11	9	8
3 or More	7	*	8	Co-Occurring Developmental Problem	0	*	*

ANDREW COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 1
CENSUS 2010 17,291
2011 POP. ESTIMATE 17,196

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 5 11 **Anxiety Disorder** 17 24 15 Dementia 0 0 0 **Developmental Disorder** 0 0 Impulse Control Disorder 30 20 20 **Mood Disorder** 51 50 43 Personality Disorder 0 0 **Psychotic Disorder** 9 7 9 Sexual Disorder 0 0 0 Other Diagnosis 13 7 17

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
111	95	85	Hearing Impaired	*	*	0
61	56	47	Past or Current Military Service	*	*	*
50	39	38	LIQUEING / LIVING ARRANGEMENT			
				44	0	0
			•		-	0
6	*	*	•	_		0
22	16	13		-	-	0
23	22	18		_	-	0
15	9	13	Housing Unknown	100	92	85
5	*	*	EMPLOYMENT			
*	*	*	Employed	0	0	0
6	*	*	Unemployed	11	0	0
*	5	7	Not in Labor Force	0	0	0
6	6	*	Employment Status Unknown	100	95	85
9	9	12				
*	5	6		_		_
5	5	*				0
*	*	*				0
			Arrest Status Unknown	100	92	85
			TREATMENT REFERRAL COURSE			
105	91	78		44	04	20
*	0	*	•		_	29
0	0	0		_		
0	0	0		_		18
*	*	*		_		20
*	*	*				
0	0	0				15
			Referral Source Unknown	0	0	0
			TYPE OF COMMITMENT			
*	0	0	Voluntary	111	95	85
*	0	0	Civil	0	0	0
*	0	0	Criminal	0	0	0
0	0	0	Sexual Predatory	0	0	0
100	95	85	Commitment Type Unknown	0	0	0
	111 61 50 6 22 23 15 5 * 6 * 6 9 * 5 * 105 * 0 0 0 105 105 105 105 105 105 105 105 1	111 95 61 56 50 39 6 * 22 16 23 22 15 9 5 * * 6 6 9 9 * 5 5 5 * * 105 91 * 0 0 0 0 0 0 * * 0 0 0 0 * 0 0 0 0 0	111 95 85 61 56 47 50 39 38 6 * * 22 16 13 23 22 18 15 9 13 5 * * * * 6 * * * 5 7 6 6 * 9 9 12 * 5 6 5 5 * * * * * 105 91 78 * 0 * 0 0 0 0 0 0 * * * * * * * * * 0 0 0 0 * * * *	SPECIAL POPULATION	111	SPECIAL POPULATION

8

8

ANDREW COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)	S	CUICIDE				10		(%)
Percent of students who, in the past 30 days:								12 months	•	
Were very sad		14.7			-	ered atten	-			11.4
Were grouchy, irritable, or in a bad mood		22.7			•		ey would	attempt su	licide	7.0
Felt hopeless about the future		11.0			ted suicid			la lalumi a		5.7
Felt like not eating or eating more than usual		15.1				tempt that doctor or		in injury o	r overdose that had to	0.7
Slept a lot more or a lot less than usual		17.8		De t	realed by	doctor or	iiui 30			
Had difficulty concentrating on school work		20.3	A	PERFILIO	OUSNES.	s				
FIGHTING			•			s who agi	ee that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		20.3
Were in a physical fight		16.7				-		-	ake people mad	13.8
Were in a fight and had to be treated by a doctor or nurse		3.0		It is oka	ay to take	somethin	g without	permissio	n	5.0
Were threatened or injured with a weapon on school proper	ty	4.3		Someti	mes it is o	kay to ch	eat at scl	nool		20.3
				It is oka	ay to beat	up people	e if they s	tart a fight		47.5
BULLYING VICTIM										
Percent of students who, in the past 3 months:		04.0			RELATIC			h a Gallanda		
Were shoved, slapped, hit, or kicked in a serious manner		24.2				-		he followin	-	00.0
Were victims of mean rumors or lies spread at school		49.5						tudent's go		68.2
Had embarrassing or hurtful pictures/text of them posted on		17.1			•		•	•	ve student performance	36.8
Had embarrassing or hurtful pictures/text of them sent by ce	ıı pnone	19.9			•	student fo	r nard w	ork		57.2
Were made fun of by others		63.0			are enforc	-				64.7
BULLYING PERPRETRATOR				Studen	its of all ra	ices and e	ethnicities	are treate	ed equally	81.1
Percent of students who, in the past 3 months:			F	ARENT	RELATIC	NS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	18.7	•				ee with ti	he followin	g:	
Spread mean rumors or lies about other kids at school		33.3				_		dent's god	-	83.9
Posted on Internet embarrassing or hurtful pictures/text of so	omeone	12.0						amily decis		68.6
Sent by cell phone embarrassing or hurtful pictures/text of s		17.1						-	dless of consequences	86.6
Made fun of other people		65.3		-				_	onal problem	75.2
						•		-	•	
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≨	≨	# ₩	≨	the	the Mh	≨	¥ S	Am first	
	<u>چ</u>	န္တ	ose pas	SS 0	o be	o sa y us	o fe	id th	Among st used sub first used	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age what first used	
	ever	use	mo sest	₩OL	ë #	aren	V O	kids aug	dent	
	SS.	E	e fie	큡	କୁ	ts v	둽	흜	e, aj	
	s be	ŧ	S Dds	о О	use isk	<u>e</u>	e ¥	heir y po	ho r	
	übs	pas	層	asy	Than I	d <u>d.</u>	on l	nei ice	nave	
	tanc	1 30	ê =	tog	ning	sap	g to	학물	ev age	
	8	da	sed	豆		prov	use	퇇	whe	
		25	₹			e ₩		ing od	nen l	
Cigarettes	21.7	11.7	42.6	46.0	84.0	94.3	80.9	29.7	12.43	
Chewing Tobacco	12.7	6.7								
Alcohol	36.2	16.7	51.0	53.0	69.7	87.3	66.2	29.5	12.81	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		13.6								
Marijuana	13.7	7.7	33.6	29.7	73.2	95.5	83.4	44.6	13.71	
Inhalants	5.3	2.7							11.71	
Illicit drugs such as cocaine, LSD, meth, club drugs			15.2	13.2	93.9	97.3	95.3	55.7		
Over-the-counter medications for non-medical use	6.7	4.3		51.9	82.2	95.6	89.6			
Prescription drugs not prescribed for student	5.3	3.0		26.5	88.9	96.2	92.7			
Heroin	1.7									
Cocaine	2.3									
Methamphetamine	1.7									
	1.7									
Hallucinogens	2.7									
•										

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.


Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

5.3

ATCHISON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Northwest 005 5,685 5,569



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	63	64	56
Mother Reported Drinking while Pregnant 1	4-	0	0
Mother Reported Smoking while Pregnant	17	20	11
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	93	85	87
Suicides	3	0	0
Self-inflicted Injuries	6	3	7
Homicides	1	0	0
Assault Injuries	15	9	7
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	0	0	0
Smoking Induced Deaths	18	14	20
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	23	16	24
Direct Hospitalizations	7	8	15
Emergency Room Hospitalizations	3	3	6
Emergency Room Outpatient	13	5	3
Drug RelatedTotal	16	16	18
Direct Hospitalizations	12	8	10
Emergency Room Autrotions	0	2	2
Emergency Room Outpatient	4	6	6
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	7	9	8
Fatal Crashes	0	0	0
Injury Crashes	2	5	5
Property Damage Crashes	5	4	3
Crash Fatalities	0	0	0
Crash Injuries	2	6	6
Drug Involved CrashesTotal	1	1	2
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	0	1	1
Crash Fatalities	0	0	0
Crash Injuries	1	0	1
<i>EMPLOYMENT</i>	2011	2010	2009
Labor Force	3,161	3,123	3,229
Employed	2,930	2,865	2,989
Unemployed	231	258	240
Unemployment Rate	7.3%	8.3%	7.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	8	7	9
Alcohol Package Carry-out Licenses	9	8	11
	Ŭ	Ŭ	

Female □	Male		Ÿ
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	297	308	320
Drop-outs	4	4	4
Drop-out Rate	1.3%	1.3%	1.3%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	1
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	54	56	74
Liquor Law Arrests	15	23	14
Drug Arrests	61	69	33
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	11	1	3
Property Offenses	49	50	45
Domestic Violence Reports	33	25	9
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	15	16	30
Violent Offenses	3	4	10
Alcohol Offenses	1	6	5
Drug Offenses	0	1	0
Status OffensesTotal	36	38	27
Truancy	0	2	2
Beyond Parental Control	18	29	23
Habitually Absent from Home	0	0	0
Injurious Behavior	18	7	2
Abuse/Neglect/CustodyTotal	21	14	5
Abuse	12	7	1
Neglect	9	7	4
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	9	2	2
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	2	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	7	2	1
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	4	3	2
Probation/Parole AdmissionsTotal	31	34	48
Probation/Parole AdmissionsDrug	13	10	25
Probation/Parole AdmissionsDWI	2	3	5
Prison AdmissionsTotal	22	20	16
Prison AdmissionsDrug	8	7	9
Prison AdmissionsDWI	1	1	2
An actorials in a data call indicates the co	•	han E and a	-

^{*} An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

ATCHISON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	*	*	0
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	0	6	6
Primary Recovery Treatment	12	16	21
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	30	46	47
- Adolescent Diversion Education Program	6	14	10
- Offender Education Program	12	17	25
- Weekend Intervention Program	*	5	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	*	*
- Early Intervention	6	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	11	16	19	Never Married	10	15	15
Female	7	7	10	Married / Cohabitating	*	5	6
	•	•	10	Previously Married	*	*	8
AGE				•			Ü
Under 18	*	*	*	PRIMARY DRUG PROBLEM			
18 to 24	*	*	7	Alcohol	*	8	12
25 to 29	*	6	5	Marijuana / Hashish	*	11	*
30 to 34	*	*	*	Cocaine (total)	0	0	0
35 to 39	*	*	*	- Crack	0	0	0
40 to 44	*	*	*	Stimulant (total)	9	*	11
45 to 54	*	*	5	- Methamphetamine	9	*	11
55 and Over	0	0	0	Heroin	*	0	0
RACE / ETHNICITY				Analgesic except Heroin	0	*	*
Caucasian	16	23	29	- Non-Prescription Methadone	0	0	0
African American	*	0	0	PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan	0	0	0	Tranquilizer	0	*	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	0	0	Sedative	0	0	0
Other Race / Two or More Races	*	0	0	Other Medication or Illicit Drug	0	0	0
Other Race / Two of More Races		U	U	Average Age at First Use of Drug	17.2	15.0	18.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	6	9	10	Any Injection Use at Admission	*	0	*
High School Graduate or G.E.D.	6	13	16	- Daily Injection Use	0	0	0
Associate Degree or Some College	5	*	*	- Weekly Injection Use	0	0	0
Bachelor or Advanced Degree	*	0	0	- Less than Weekly Injection Use	*	0	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	10	9	12	Self / Family / Friend	*	*	*
Unemployed	6	7	12	School	0	0	0
Not in Labor Force	*	7	5	Mental Health Provider	*	0	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	15	14	23
Independent Living	16	17	25	Other Referral Source	0	*	*
Dependent Living	*	6	*	005044 00044 474040			
Homeless	0	0	*	SPECIAL POPULATIONS	•	_	
LIFETIME DI II / DIA" A DOCUM				Pregnant when Admitted to any Episode	0	0	*
LIFETIME DUI / DWI ARRESTS	4.5		4.0	Military Veteran		*	0
0	12	16	10	Special Education Services Needed	*		*
1 or 2	*	*	14	Co-Occurring Psychological Problem	7	6	5
3 or More	*	*	5	Co-Occurring Developmental Problem	0	*	0

ATCHISON COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 1
CENSUS 2010 5,685
2011 POP. ESTIMATE 5,569

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009					
Adjustment Disorder	0	0	*					
Anxiety Disorder	*	*	*					
Dementia	0	0	0					
Developmental Disorder	0	0	0					
Impulse Control Disorder	9	*	*					
Mood Disorder	12	8	10					
Personality Disorder	0	0	0					
Psychotic Disorder	*	*	*					
Sexual Disorder	0	0	0					
Other Diagnosis	5	*	*					
Diagnosis Unknown	*	5	*					

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	24	18	22	Hearing Impaired	*	*	*
Male	11	8	9	Past or Current Military Service	0	0	*
Female	13	10	13				
				HOUSING / LIVING ARRANGEMENT	_	*	*
AGE				Independent Living	7		
Under 6	0	0	0	Dependent Living	0	0	0
6 to 9	*	*	*	Homeless	0	0	0
10 to 13	5	*	5	Other	0	0	0
14 to 17	*	0	*	Housing Unknown	17	17	21
18 to 24	*	*	*	EMPLOYMENT			
25 to 29	*	*	0	Employed	*	0	*
30 to 34	0	0	0	Unemployed	*	*	0
35 to 39	*	*	*	Not in Labor Force	0	0	0
40 to 44	*	*	*	Employment Status Unknown	17	17	21
45 to 49	*	0	*	4005050			
50 to 54	*	0	0	ARRESTS	*	*	•
55 to 59	*	*	*	Arrested in Past 12 Months			0
60 and Over	*	*	*	Not Arrested in Past 12 Months	5	0	0.4
				Arrest Status Unknown	17	17	21
RACE / ETHNICITY				TOTATMENT DESERBAL COURSE			
Caucasian	20	16	20	TREATMENT REFERRAL SOURCE	-		0
African American	*	*	*	Self / Family / Friend	5	*	6
Native American / Alaskan	0	0	0	School Mental Health Provider	5	*	*
Asian / Pacific Islander	0	0	0				
Hispanic	*	*	*	Health Care Provider Court / Criminal Justice	7	7	7
Other Race	*	0	0		*	*	0
Race/Ethnicity Unknown	0	0	0	Other Referral Source Unknown			6
				Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	*	0	0	Voluntary	24	17	22
High School Grad or G.E.D.	*	*	*	Civil	0	0	0
A.A. Degree or Some College	0	0	0	Criminal	0	*	0
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	0	0	0
Education Level Unknown	17	17	21	Commitment Type Unknown	0	0	0

ATCHISON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%	د د	UICIDE						(%)
Percent of students who, in the past 30 days:			•					12 months	:	
Were very sad		21.			-	lered atter				13.9
Were grouchy, irritable, or in a bad mood		35.			•		ey would	attempt su	uicide	11.4
Felt hopeless about the future		10.			ted suicio					6.3
Felt like not eating or eating more than usual		16.						in injury o	r overdose that had to	1.3
Slept a lot more or a lot less than usual		16.		be t	reated by	doctor or	nurse			
Had difficulty concentrating on school work		14.		REBELLIC	OUSNES	s				
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:				They ig	gnore rule	s that get	in their w	<i>ı</i> ay		20.3
Were in a physical fight		24.	1	They d	o the opp	osite of w	hat they'ı	e told to m	ake people mad	15.2
Were in a fight and had to be treated by a doctor or nurse		3.	8	It is ok	ay to take	somethin	g without	permissio	n	5.1
Were threatened or injured with a weapon on school proper	ty	3.	8	Someti	imes it is	okay to ch	eat at sc	hool		13.9
				It is ok	ay to beat	t up peopl	e if they s	start a fight		27.8
BULLYING VICTIM										
Percent of students who, in the past 3 months:		04			RELATIO			iha fallanda		
Were shoved, slapped, hit, or kicked in a serious manner		21.				_		he followin	-	75.0
Were victims of mean rumors or lies spread at school	Interest	58.						tudent's go		75.9
Had embarrassing or hurtful pictures/text of them posted on		17.			-			-	ve student performance	
Had embarrassing or hurtful pictures/text of them sent by ce	ell pnone	16.			•	student fo	or nard w	Ork		65.8
Were made fun of by others		64.	O		are enforc	-	- 141 - 141 -		برا مسیمالی	57.0
BULLYING PERPRETRATOR				Studen	its or all ra	aces and (ethnicities	s are treate	ed equally	83.8
Percent of students who, in the past 3 months:			,	PARENT	RELATIC	ONS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	11.					ree with t	he followin	g:	
Spread mean rumors or lies about other kids at school		27.	8			_		udent's god	-	85.9
Posted on internet embarrassing or hurtful pictures/text of s	omeone	2.	5	Parent	s involve	student in	making f	amily decis	sions	69.2
Sent by cell phone embarrassing or hurtful pictures/text of s		8.	9					-	dless of consequences	92.4
Made fun of other people		63.	3	-				_	onal problem	81.0
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:										
Regarding the Substances listed below, percent of students.	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age where the state of the sta	
	<u>ਡ</u>	ਜ਼)Se past	Sa	nse	us (e	<u>a</u> ±	ns p Buc	
	∀ e e	٧e	clos 112	y #	lev	y pa	=	유	stuc	
	Wer	JSec	mo	Ş.	Ξ e	reg	δ	aug (ids	dent	
	SSI	=	ng fi	큡	କୁ କୁ	ts w	큡	e in the	S W	
	S De	ŧ	s ds	ē	use	<u>2</u>	ĕ	등 학	ho h	
	sdu	pas	hav	asy	harr	요	700	ne <u>i</u>	nave ige a	
	lanc	t 30	e u	to g	ning	察	o fo	학물	eve	
	ю	da	· Se	<u>e</u>	_	Voro	use	퇇	whe	
		S	<u> </u>			e if	-	D 00	nen -	
Cigarettes	20.3	11.4		49.4	83.5	86.3	86.1	29.9	12.59	
Chewing Tobacco	10.1	7.6								
Alcohol	36.7	13.8		54.4	79.5	78.5	70.9	33.3	13.58	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		6.3								
Marijuana	8.9	2.5	5 16.7	23.1	78.5	92.3	87.3	56.4	13.03	
Inhalants	3.8	1.3	3							
Illicit drugs such as cocaine, LSD, meth, club drugs			3.9	8.9	97.4	96.1	97.5	55.7		
Over-the-counter medications for non-medical use	2.5	2.5		51.9	84.6	94.9	89.9			
Prescription drugs not prescribed for student	5.1	5.1		21.5	91.1	96.1	98.7			
Heroin	0.0									
Cocaine	0.0									
Methamphetamine	1.3									
Hallucinogens	0.0									
Club drugs such as ecstasy, GHB, roofle, or Special K	2.6									
	2.0									
Synthetic drugs such as K2, bath salts, Spice	3.8		Data are w and 15-19,					lation estir	mates for age groups 10)-14

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

AUDRAIN COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE

Central 15 007 25,529 25,566



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	371	368	419
Mother Reported Drinking while Pregnant ¹		7	14
Mother Reported Smoking while Pregnant	121	114	158
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	301	300	309
Suicides	3	3	4
Self-inflicted Injuries	26	26	30
Homicides	0	1	0
Assault Injuries	84	93	103
Alcohol Induced Deaths	1	2	2
Drug Induced Deaths	5	3	3
Smoking Induced Deaths	61	59	60
		0000	0000
HOSPITAL / EMERGENCY ROOM Alcohol RelatedTotal	2010	2009	2008
Direct Hospitalizations	181	180	188
•	45	46	61
Emergency Room Hospitalizations	46	47	40
Emergency Room Outpatient	90	87	87
Drug RelatedTotal	143	103	184
Direct Hospitalizations	45	36	69
Emergency Room Hospitalizations	48	31	49
Emergency Room Outpatient	50	36	66
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	16	23	28
Fatal Crashes	2	1	1
Injury Crashes	6	10	10
Property Damage Crashes	8	12	17
Crash Fatalities	2	1	1
Crash Injuries	11	15	9
Drug Involved CrashesTotal	5	6	3
Fatal Crashes	1	1	0
Injury Crashes	2	2	2
Property Damage Crashes	2	3	1
Crash Fatalities	1	1	0
Crash Injuries	12	2	2
EMPLOYMENT	2011	2010	2009
Labor Force	11,958	11,797	12,218
Employed	11,006	10,732	11,063
Unemployed	952	1,065	1,155
Unemployment Rate	8.0%	9.0%	9.5%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	26	25	29
Alcohol Package Carry-out Licenses	28	24	28
and the state of t	20	47	20

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,091	1,107	1,160
Drop-outs	42	25	38
Drop-out Rate	3.8%	2.3%	3.3%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	7	1
Drug Incidents	4	10	7
Tobacco Incidents	1	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	135	148	164
Liquor Law Arrests	41	29	45
Drug Arrests	147	131	146
Methamphetamine Lab Incidents	7	12	12
Violent Offenses	59	32	41
Property Offenses	420	458	467
Domestic Violence Reports	303	364	328
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	128	138	204
Violent Offenses	30	34	43
Alcohol Offenses	13	4	22
Drug Offenses	6	8	16
Status OffensesTotal	142	117	151
Truancy	34	20	36
Beyond Parental Control	15	13	10
Habitually Absent from Home	19	11	25
Injurious Behavior	52	38	33
Abuse/Neglect/CustodyTotal	40	54	37
Abuse	28	30	22
Neglect	11	21	15
Custody Disputes	1	3	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	27	25	14
Parental Alcohol Use Related	9	2	0
Parental Drug Use Related	4	5	5
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	14	18	9
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	17	19	22
Probation/Parole AdmissionsTotal	199	214	259
Probation/Parole AdmissionsDrug	46	54	56
Probation/Parole AdmissionsDWI	20	17	26
Prison AdmissionsTotal	97	101	113
Prison AdmissionsDrug	31	28	34
Prison AdmissionsDWI	12	7	15
* An asterisk in a data cell indicates the co		han 5 and su	

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

AUDRAIN COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	27	21	18
CSTAR Women and Children	17	24	26
CSTAR General Adult	27	13	14
CSTAR Opioid	*	*	0
Primary Recovery Detoxification	40	34	28
Primary Recovery Treatment	153	158	185
Clinical SATOP (CIP, YCIP, SROP)	21	24	21
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	99	154	137
- Adolescent Diversion Education Program	8	18	12
- Offender Education Program	32	54	51
- Weekend Intervention Program	21	37	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	14	7	17
- Compulsive Gambling	0	0	*
- Recovery Supports	0	5	7
- Early Intervention	19	10	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	169	181	200	Never Married	141	130	150
Female	70	59	76	Married / Cohabitating	50	58	65
	7.0	00		Previously Married	48	52	61
AGE				•	10	02	0.
Under 18	30	24	20	PRIMARY DRUG PROBLEM			
18 to 24	40	37	58	Alcohol	103	106	115
25 to 29	37	33	41	Marijuana / Hashish	78	83	105
30 to 34	36	32	30	Cocaine (total)	24	22	26
35 to 39	28	29	28	- Crack	11	13	16
40 to 44	20	21	34	Stimulant (total)	15	9	*
45 to 54	36	54	56	- Methamphetamine	15	9	*
55 and Over	12	10	9	Heroin	*	7	8
RACE / ETHNICITY				Analgesic except Heroin	7	7	10
Caucasian	194	186	206	- Non-Prescription Methadone	0	0	0
African American	41	43		PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan	41	43	57 *	Tranquilizer	*	*	*
Asian / Pacific Islander	0	0	0	Inhalant	0	*	*
	0	*	*	Sedative	0	0	*
Hispanic Other Race / Two or More Races	*	0	10	Other Medication or Illicit Drug	*	*	*
Other Race / Two or More Races		9	12	Average Age at First Use of Drug	17.0	17.3	16.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	90	104	108	Any Injection Use at Admission	12	11	12
High School Graduate or G.E.D.	114	103	125	- Daily Injection Use	*	*	6
Associate Degree or Some College	31	29	38	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	*	5	- Less than Weekly Injection Use	8	6	5
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	71	72	82	Self / Family / Friend	46	42	35
Unemployed	106	96	105	School	0	0	0
Not in Labor Force	62	72	89	Mental Health Provider	6	0	5
				Health Care Provider	10	9	11
LIVING ARRANGEMENT				Court / Criminal Justice	166	181	210
Independent Living	184	196	230	Other Referral Source	11	8	15
Dependent Living	44	37	36	ODEOLAL DODLU ATIONS			
Homeless	5	*	*	SPECIAL POPULATIONS	*	*	
LIFETIME DI II / DIA!! ARRESTO				Pregnant when Admitted to any Episode			40
LIFETIME DUI / DWI ARRESTS	400	400	4.40	Military Veteran	5	9	12
0	122	123	146	Special Education Services Needed	20	34	34
1 or 2	79	77	73	Co-Occurring Psychological Problem	63	82	90
3 or More	38	40	57	Co-Occurring Developmental Problem	5	8	8

AUDRAIN COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 15 25,529 2011 POP. ESTIMATE 25,566

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 29 28 44 **Anxiety Disorder** 59 56 86 Dementia **Developmental Disorder** 0 0 Impulse Control Disorder 150 159 186 **Mood Disorder** 379 456 518 Personality Disorder 12 14 11 **Psychotic Disorder** 72 74 75 Sexual Disorder Other Diagnosis 10 12 16 Diagnosis Unknown 88 62

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	676	774	915	Hearing Impaired	18	18	24
Male	286	325	405	Past or Current Military Service	11	13	13
Female	390	449	510	·			
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	145	79	67
Under 6	12	13	7	Dependent Living	22	82	31
6 to 9	58	57	59	Homeless	*	*	*
10 to 13	63	69	76	Other	*	*	*
14 to 17	77	71	85	Housing Unknown	507	609	815
18 to 24	82	89	113	EMPLOYMENT			
25 to 29	45	70	87	Employed	23	12	12
30 to 34	56	58	71	Unemployed	133	84	62
35 to 39	46	64	76	Not in Labor Force	14	16	17
40 to 44	48	69	88	Employment Status Unknown	506	662	824
45 to 49	59	81	81				
50 to 54	54	61	77	ARRESTS			
55 to 59	35	33	38	Arrested in Past 12 Months	30	42	14
60 and Over	41	39	57	Not Arrested in Past 12 Months	140	123	86
				Arrest Status Unknown	506	609	815
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	591	691	817	TREATMENT REFERRAL SOURCE	5 40	0.40	700
African American	57	55	66	Self / Family / Friend	510	643	736
Native American / Alaskan	*	*	*	School	10	9	5
Asian / Pacific Islander	*	*	0	Mental Health Provider	30	21	31
Hispanic	6	5	7	Health Care Provider	29	17	37
Other Race	20	20	23	Court / Criminal Justice	13	11	17
Race/Ethnicity Unknown	0	0	0	Other	83	73	88
				Referral Source Unknown		0	
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	57	40	30	Voluntary	672	768	897
High School Grad or G.E.D.	75	50	41	Civil	*	*	13
A.A. Degree or Some College	33	16	16	Criminal	*	*	*
Bachelor or Advanced Degree	5	6	*	Sexual Predatory	*	0	0
Education Level Unknown	506	662	824	Commitment Type Unknown	*	0	*

AUDRAIN COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)) 5	SUICIDE Percent o	of studen	ts who, in	the past	12 months	<i>:</i>		(%)
Were very sad			1	Percent of students who, in the past 12 months: Seriously considered attempting suicide						1	11.2
Were grouchy, irritable, or in a bad mood	25.7		Made a plan about how they would attempt suicide							9.1	
Felt hopeless about the future	9.7	7	Attempted suicide							5.7	
Felt like not eating or eating more than usual		20.5	5	Had a suicide attempt that resulted in injury or overdose that had					l to	1.7	
Slept a lot more or a lot less than usual		18.5	5	be treated by doctor or nurse							
Had difficulty concentrating on school work		25.4	1								
, ,			F	REBELLIC							
FIGHTING						ts who agi				_	
Percent of students who, in the past 12 months:			_			s that get		-			24.6
Were in a physical fight		17.0 They do the opposite of what they're told to make people mad							12.9		
Were in a fight and had to be treated by a doctor or nurse		3.3						permissio	n		7.2
Were threatened or injured with a weapon on school propert	ty	6.7	7			okay to ch					20.7
BULLYING VICTIM				It is oka	ay to beat	up peopl	e if they s	start a fight		4	18.1
Percent of students who, in the past 3 months:				CHOOL	REI ATIO	ONS.					
Were shoved, slapped, hit, or kicked in a serious manner		28.2					ree with t	he followin	na:		
Were victims of mean rumors or lies spread at school		48.9				_		tudent's go	-	6	35.9
Had embarrassing or hurtful pictures/text of them posted on	internet	13.9						•	ive student perform	ance 3	36.5
Had embarrassing or hurtful pictures/text of them sent by ce		18.2			-	student fo	-	-			54.1
Were made fun of by others		63.2			are enforc						56.6
						_	ethnicities	s are treate	ed equally		73.7
BULLYING PERPRETRATOR											
Percent of students who, in the past 3 months:				PARENT							
Shoved, slapped, hit, or kicked a student in a serious manne	er	21.5				-		he followin	-	_	
Spread mean rumors or lies about other kids at school		30.6	· · · · · · · · · · · · · · · · · · ·								30.5
Posted on internet embarrassing or hurtful pictures/text of so		11.9	ů ,								55.8
Sent by cell phone embarrassing or hurtful pictures/text of so	omeone	14.3		-			-		· · · · · · · · · · · · · · · · · · ·		32.7
Made run or other people		Made fun of other people 62.2 Student could ask parent for help with a personal problem						/	73.5		
									•		
SUBSTANCE USE AND BELIEFS									•		
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	8	8	# ∀	8	‡ €	∌ €	8	w V			
	Who h	Whoh	Whose the pa	Who s	Who t	Who s they u	Who f	Who t			
	Who have	Who have	Whose clothe past 1	Who say i	Who belie themselve	Who say in they use	Who feel i	Who think would be			
	Who have eve	Who have use	Whose closes the past 12 m	Who say it wo	Who believe themselves if	Who say pare they use	Who feel it wo	Who think kid: would be caug			
	Who have ever us	Who have used in	Whose closest frie the past 12 month	Who say it would	Who believe they themselves if they	Who say parents they use	Who feel it would	Who think kids in would be caught t			
	Who have ever used	Who have used in the	Whose closest friends the past 12 months	Who say it would be e	Who believe they risk themselves if they us	Who say parents wou they use	Who feel it would be v	Who think kids in thei would be caught by p			
	Who have ever used sub	Who have used in the par	Whose closest friends ha the past 12 months	Who say it would be easy	Who believe they risk har themselves if they use	Who say parents would d they use	Who feel it would be wron	Who think kids in their ne would be caught by police			
	Who have ever used substan	Who have used in the past 30	Whose closest friends have uthe past 12 months	Who say it would be easy to	Who believe they risk harmin themselves if they use	Who say parents would disap	Who feel it would be wrong to	Who think kids in their neight would be caught by police for			
	Who have ever used substance	Who have used in the past 30 da	ds have usec	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprothey use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usi	Among students who have ever used substance, average age what first used		
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	é	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using			
Regarding the substances listed below, percent of students:		Who have used in the past 30 days 2.60	ds have used in	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 79.5	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used		
Regarding the substances listed below, percent of students: Cigarettes	Who have ever used substance 25.1 8.3		ds have used in 40.3		harming	Ve ∺		ng	Among students who have ever used substance, average age what first used		
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	25.1 8.3	12.6 6.2	ds have used in 40.3	50.0	harming 74.8	91.1	79.5	27.3	Among students who have ever used substance, average age when first used		
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	25.1	12.6 6.2 18.9	ds have used in 40.3		harming	Ve ∺		ng	Among students who have ever used substance, average age when first used		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	25.1 8.3 40.2	12.6 6.2 18.9 11.7	ds have used in 40.3	50.0	74.8 64.9	91.1	79.5 62.5	27.3	Among students who have ever used substance, average age when 13.00		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	25.1 8.3 40.2	12.6 6.2 18.9 11.7 6.0	ds have used in 40.3 51.3	50.0	harming 74.8	91.1	79.5	27.3	Among students who have ever used substance, average age when 12.68		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	25.1 8.3 40.2	12.6 6.2 18.9 11.7	40.3 51.3 28.5	50.0 53.5 33.5	74.8 64.9 70.6	91.1 76.8 95.2	79.5 62.5 84.1	27.3 29.7 41.9	Among students who have ever used substance, average age when 13.00		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	25.1 8.3 40.2 12.9 5.5	12.6 6.2 18.9 11.7 6.0 1.9	40.3 51.3 28.5	50.0 53.5 33.5 16.6	74.8 64.9 70.6 90.2	91.1 76.8 95.2 97.4	79.5 62.5 84.1 94.7	27.3	Among students who have ever used substance, average age when 12.68		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	25.1 8.3 40.2 12.9 5.5	12.6 6.2 18.9 11.7 6.0 1.9	ds have used in 40.3 51.3 28.5	50.0 53.5 33.5 16.6 51.2	74.8 64.9 70.6 90.2 74.6	91.1 76.8 95.2 97.4 94.5	79.5 62.5 84.1 94.7 88.8	27.3 29.7 41.9	Among students who have ever used substance, average age when 12.68		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	25.1 8.3 40.2 12.9 5.5 4.5 7.6	12.6 6.2 18.9 11.7 6.0 1.9	ds have used in 40.3 51.3 28.5	50.0 53.5 33.5 16.6	74.8 64.9 70.6 90.2	91.1 76.8 95.2 97.4	79.5 62.5 84.1 94.7	27.3 29.7 41.9	Among students who have ever used substance, average age when 12.68		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	25.1 8.3 40.2 12.9 5.5 4.5 7.6 0.5	12.6 6.2 18.9 11.7 6.0 1.9	ds have used in 40.3 51.3 28.5	50.0 53.5 33.5 16.6 51.2	74.8 64.9 70.6 90.2 74.6	91.1 76.8 95.2 97.4 94.5	79.5 62.5 84.1 94.7 88.8	27.3 29.7 41.9	Among students who have ever used substance, average age when 12.68		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	25.1 8.3 40.2 12.9 5.5 4.5 7.6 0.5 2.4	12.6 6.2 18.9 11.7 6.0 1.9	ds have used in 40.3 51.3 28.5	50.0 53.5 33.5 16.6 51.2	74.8 64.9 70.6 90.2 74.6	91.1 76.8 95.2 97.4 94.5	79.5 62.5 84.1 94.7 88.8	27.3 29.7 41.9	Among students who have ever used substance, average age when 12.68		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	25.1 8.3 40.2 12.9 5.5 4.5 7.6 0.5 2.4 1.0	12.6 6.2 18.9 11.7 6.0 1.9	ds have used in 40.3 51.3 28.5	50.0 53.5 33.5 16.6 51.2	74.8 64.9 70.6 90.2 74.6	91.1 76.8 95.2 97.4 94.5	79.5 62.5 84.1 94.7 88.8	27.3 29.7 41.9	Among students who have ever used substance, average age when 12.68		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	25.1 8.3 40.2 12.9 5.5 4.5 7.6 0.5 2.4 1.0 2.9	12.6 6.2 18.9 11.7 6.0 1.9	ds have used in 40.3 51.3 28.5	50.0 53.5 33.5 16.6 51.2	74.8 64.9 70.6 90.2 74.6	91.1 76.8 95.2 97.4 94.5	79.5 62.5 84.1 94.7 88.8	27.3 29.7 41.9	Among students who have ever used substance, average age when 12.68		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	25.1 8.3 40.2 12.9 5.5 4.5 7.6 0.5 2.4 1.0	12.6 6.2 18.9 11.7 6.0 1.9 2.4 1.7	40.3 51.3 28.5 12.4	50.0 53.5 33.5 16.6 51.2 29.6	74.8 64.9 70.6 90.2 74.6 81.5	91.1 76.8 95.2 97.4 94.5 95.4	79.5 62.5 84.1 94.7 88.8 89.4	27.3 29.7 41.9 51.3	Among students who have ever used substance, average age when 12.68	os 10-14	

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:


Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

BARRY COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 009 35,597 35,282



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	423	493	475
Mother Reported Drinking while Pregnant ¹		1	2
Mother Reported Smoking while Pregnant	129	123	120
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	1	1
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	395	348	419
Suicides	10	5	7
Self-inflicted Injuries	45	72	52
Homicides	0	1	5
Assault Injuries	88	91	111
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	7	3	3
Smoking Induced Deaths	78	59	83
Chloring madoca beams	70		05
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	330	286	340
Direct Hospitalizations	105	69	92
Emergency Room Hospitalizations	65	82	87
Emergency Room Outpatient	160	135	161
Drug RelatedTotal	410	416	245
Direct Hospitalizations	124	111	71
Emergency Room Hospitalizations	66	88	59
Emergency Room Outpatient	220	217	115
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	71	76	74
Fatal Crashes	3	4	7
Injury Crashes	27	36	35
Property Damage Crashes	41	36	32
Crash Fatalities	3	4	8
Crash Injuries	45	45	51
Drug Involved CrashesTotal	16	21	6
Fatal Crashes	0	0	0
Injury Crashes	8	7	4
Property Damage Crashes	8	14	2
Crash Fatalities	0	0	0
Crash Injuries	9	8	4
EMPLOYMENT	2011	2010	2009
Labor Force	16,833	16,752	17,395
Employed	15,477	15,302	15,953
Unemployed	1,356	1,450	1,442
Unemployment Rate	8.1%	8.7%	8.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	31	29	32
Alcohol Package Carry-out Licenses	51	50	48

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,989	2,031	1,936
Drop-outs	41	44	51
Drop-out Rate	2.1%	2.2%	2.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	6	2
Drug Incidents	25	18	28
Tobacco Incidents	0	0	1
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	212	232	192
Liquor Law Arrests	56	57	51
Drug Arrests	172	193	167
Methamphetamine Lab Incidents	45	33	20
Violent Offenses	111	141	104
Property Offenses	1,059	946	893
Domestic Violence Reports	356	340	195
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	146	134	153
Violent Offenses	36	26	28
Alcohol Offenses	5	9	9
Drug Offenses	15	18	14
Status OffensesTotal	59	52	69
Truancy	5	6	5
Beyond Parental Control	15	13	27
Habitually Absent from Home	25	17	20
Injurious Behavior	14	15	13
Abuse/Neglect/CustodyTotal	116	98	128
Abuse	16	13	16
Neglect	38	46	70
Custody Disputes	62	39	42
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	66	52	52
Parental Alcohol Use Related	7	0	0
Parental Drug Use Related	15	14	9
Parental Alcohol and Drug Use	4	1	4
Child Removed for Other Reason	40	37	39
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	28	20	13
Probation/Parole AdmissionsTotal	233	244	283
Probation/Parole AdmissionsDrug	72	70	94
Probation/Parole AdmissionsDWI	13	15	15
Prison AdmissionsTotal	118	121	138
Prison AdmissionsDrug	39	43	43
Prison AdmissionsDWI	4	3	43
	•		
 An asterisk in a data cell indicates the co 	ount was fewer t	han 5 and su	uppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

BARRY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	11	5	11
CSTAR Women and Children	12	13	6
CSTAR General Adult	89	41	7
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	32	33	29
Primary Recovery Treatment	34	132	165
Clinical SATOP (CIP, YCIP, SROP)	8	16	6
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	97	112	116
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	44	58	52
- Weekend Intervention Program	15	13	37
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	6	*	7
- Compulsive Gambling	0	0	0
- Recovery Supports	0	13	9
- Early Intervention	0	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	108	146	151	Never Married	75	100	101
Female	63	76	62	Married / Cohabitating	51	65	62
				Previously Married	45	57	50
AGE							
Under 18	12	5	11	PRIMARY DRUG PROBLEM			
18 to 24	30	61	51	Alcohol	63	98	81
25 to 29	34	52	49	Marijuana / Hashish	36	51	49
30 to 34	24	19	28	Cocaine (total)	*	*	*
35 to 39	25	24	19	- Crack	0	*	*
40 to 44	15	22	26	Stimulant (total)	41	45	64
45 to 54	23	28	24	- Methamphetamine	41	43	59
55 and Over	8	11	5	Heroin	*	0	*
RACE / ETHNICITY				Analgesic except Heroin	18	21	11
Caucasian	165	210	203	- Non-Prescription Methadone	0	*	0
African American	*	0	*	PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan	0	*	0	Tranquilizer	5	5	*
Asian / Pacific Islander	0	*	*	Inhalant	0	0	0
Hispanic	7	10	8	Sedative	0	0	0
Other Race / Two or More Races	0	*	*	Other Medication or Illicit Drug	*	*	0
Cition Nacco / Two of More Nacco	O			Average Age at First Use of Drug	17.3	16.6	16.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	71	85	83	Any Injection Use at Admission	24	33	36
High School Graduate or G.E.D.	73	103	109	- Daily Injection Use	7	9	6
Associate Degree or Some College	25	32	20	- Weekly Injection Use	7	8	14
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	10	16	16
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	30	77	84	Self / Family / Friend	65	80	73
Unemployed	88	103	67	School	0	0	0
Not in Labor Force	53	42	62	Mental Health Provider	*	*	*
				Health Care Provider	8	7	5
LIVING ARRANGEMENT				Court / Criminal Justice	87	119	125
Independent Living	147	203	189	Other Referral Source	10	12	8
Dependent Living	16	16	17	005044 00044 474040			
Homeless	*	*	6	SPECIAL POPULATIONS	*	*	+
LIEFTIME DILL / DIA/LA DDECTO				Pregnant when Admitted to any Episode	*		· -
LIFETIME DUI / DWI ARRESTS 0	00	404	400	Military Veteran		14	7
	90	121	123	Special Education Services Needed	15	14	14
1 or 2	49	58	50	Co-Occurring Psychological Problem	48	42	28
3 or More	32	43	40	Co-Occurring Developmental Problem	*	*	7

BARRY COUNTY



ADA/CPS REGION Southwest CPS SERVICE AREA 8A CENSUS 2010 35,597 2011 POP. ESTIMATE 35,282

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 48 41 35 **Anxiety Disorder** 185 129 128 Dementia 0 **Developmental Disorder** 9 9 12 Impulse Control Disorder 94 79 81 **Mood Disorder** 291 247 224 Personality Disorder 67 46 38 **Psychotic Disorder** 60 57 54 Sexual Disorder Other Diagnosis

39

96

26

252

34

145

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	564	631	565	Hearing Impaired	44	46	31
Male	246	268	245	Past or Current Military Service	7	7	9
Female	318	363	320	HOUSING / LIVING ARRANGEMENT			-
				Independent Living	78	37	*
AGE			_	Dependent Living	11	30	16
Under 6	10	11	7	Homeless	0	*	0
6 to 9	37	35	42	Other	0	0	*
10 to 13	53	52	59	Housing Unknown	475	563	545
14 to 17	43	44	46	Todonig Citizoni	470	000	040
18 to 24	47	61	60	EMPLOYMENT			
25 to 29	48	62	51	Employed	5	*	0
30 to 34	52	59	48	Unemployed	84	39	*
35 to 39	54	60	47	Not in Labor Force	0	*	0
40 to 44	58	53	49	Employment Status Unknown	475	587	563
45 to 49	52	73	64	10000			
50 to 54	56	58	45	ARRESTS	_	_	
55 to 59	27	32	25	Arrested in Past 12 Months	6	5	*
60 and Over	27	31	22	Not Arrested in Past 12 Months	83	63	17
				Arrest Status Unknown	475	563	545
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	540	605	544	Self / Family / Friend	301	392	303
African American	*	*	*	School			
Native American / Alaskan	*	*	*		10	6	11
Asian / Pacific Islander	*	*	*	Mental Health Provider	61	53	49
Hispanic	11	14	8	Health Care Provider	96	96	101
Other Race	8	5	8	Court / Criminal Justice	27	29	27
Race/Ethnicity Unknown	0	0	0	Other	68	54	71
•		_		Referral Source Unknown	*	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	33	18	0	Voluntary	551	623	558
High School Grad or G.E.D.	38	19	*	Civil	7	7	*
A.A. Degree or Some College	15	7	0	Criminal	*	0	*
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	*	0	0
Education Level Unknown	475	587	563	Commitment Type Unknown	*	*	*

BARRY COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION				SUICIDE						
Percent of students who, in the past 30 days:		(%)			of studen	ts who, in	the past	12 months		(%)
Were very sad		16.4				ered atter	-			11.2
Were grouchy, irritable, or in a bad mood		21.6						7.0		
Felt hopeless about the future		10.2		Attempted suicide						4.5
Felt like not eating or eating more than usual		15.2		Had a	suicide at	tempt that	resulted	in injury o	r overdose that had to	1.9
Slept a lot more or a lot less than usual		18.7				doctor or				
Had difficulty concentrating on school work		20.1								
			F	REBELLIC		_	464			
FIGHTING						ts who agi				40.0
Percent of students who, in the past 12 months:		17.0				s that get		-	also noonlo mad	16.8
Were in a fight and had to be treated by a dector or purpo		17.2 2.5							ake people mad	12.4 4.0
Were in a flight and had to be treated by a doctor or nurse	4	2.5 5.8			-		-	permissio	П	23.0
Were threatened or injured with a weapon on school proper	ıy	5.6				okay to ch				49.7
BULLYING VICTIM				IL IS UK	ay io beai	up beobi	e ii uiey s	start a fight	•	45.7
Percent of students who, in the past 3 months:			٤	CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		24.4		Percent :	of studen	ts who agi	ree with t	he followin	g:	
Were victims of mean rumors or lies spread at school		48.3		Teache	ers notice	and comr	nent on s	tudent's go	ood work	66.7
Had embarrassing or hurtful pictures/text of them posted on	internet	11.3		School	provides	feedback	to paren	ts on positi	ve student performance	37.3
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	14.5			•	student fo	or hard w	ork		50.1
Were made fun of by others		60.3			are enforc					64.7
PULLVING DEPRETRATOR				Studen	ts of all ra	aces and o	ethnicities	are treate	ed equally	77.6
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:				PARENT	DEI ATIC	DA/C				
Shoved, slapped, hit, or kicked a student in a serious manne	er	18.8					ree with t	he followin	a:	
Spread mean rumors or lies about other kids at school		23.2						ident's god		85.7
Posted on internet embarrassing or hurtful pictures/text of so	omeone	5.7						amily decis		72.5
Sent by cell phone embarrassing or hurtful pictures/text of s		7.8						-	dless of consequences	89.2
Made fun of other people		55.9						_	onal problem	79.0
						•	•	•	•	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:										
Regarding the substances listed below, percent of students.	. ¥	M	# He He	₩ h	ther M	they	¥.	Who	Amo	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have use the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborh would be caught by police for us	Among students who have ever used substance, average age wifirst used	
	Ve e	Ve L	clos 112	¥	leve Ves	y pa	₩	e R	stuc	
	Ver	sed	mg est	NO No	# #	reg	ě		lent	
	use	⋽	ntt fier	ם	ولا يا	S W	ם	in th	s wh	
	d St	ᇎ	<u>S</u>	e ea	sk h	잂	e M	po er	no h	
	ıbst	bast	have	ısyt	larm	ds	Gno	ice i	ave ge a	
	anc	జ	SI	.o ge	ajing	흏	9	for c	eve	
	Ф	day	ed in	莳		Q	use	rhood	when	
		0,	_			Ĭ,		<u>a</u> 8		
Cigarettes	26.8	10.7	41.9	52.6	82.5	91.3	83.0	20.7	12.36	
Chewing Tobacco	18.6	10.0								
Alcohol	36.0	13.3	49.3	51.1	74.5	82.9	69.2	26.4	12.49	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		8.3								
Marijuana	14.4	5.9	29.6	30.0	78.5	95.5	85.9	39.8	13.17	
Inhalants	7.3	2.5							12.08	
Illicit drugs such as cocaine, LSD, meth, club drugs			11.6	15.3	94.7	98.6	96.3	45.5		
Over-the-counter medications for non-medical use	4.8	2.5		49.6	85.9	97.1	91.7			
Prescription drugs not prescribed for student	7.6	4.0		30.2	88.3	95.8	92.2			
Heroin	1.0									
Cocaine	1.3									
Methamphetamine	1.5									
Hallucinogens	3.2									
IOI. In day, and a second of CIID and the Control IV										

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofie, or Special K

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


1.9

7.3

BARTON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 011 12,402 12,327



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	137	141	150
Mother Reported Drinking while Pregnant ¹		0	1
Mother Reported Smoking while Pregnant	27	24	28
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	132	136	131
Suicides	0	1	1
Self-inflicted Injuries	16	17	9
Homicides	0	1	0
Assault Injuries	26	30	42
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	2	2
Smoking Induced Deaths	20	19	15
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	119	127	142
Direct Hospitalizations	40	22	43
Emergency Room Hospitalizations	18	38	41
Emergency Room Outpatient	61	67	58
Drug RelatedTotal	113	112	104
Direct Hospitalizations	53	25	43
Emergency Room Hospitalizations	10	45	26
Emergency Room Outpatient	50	42	35
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	9	11	19
Fatal Crashes	0	0	0
Injury Crashes	3	7	8
Property Damage Crashes	6	4	11
Crash Fatalities	0	0	0
Crash Injuries	5	7	9
Drug Involved CrashesTotal	1	3	5
Fatal Crashes	0	0	0
Injury Crashes	0	2	2
Property Damage Crashes	1	1	3
Crash Fatalities	0	0	0
Crash Injuries	0	5	2
EMPLOYMENT	2011	2010	2009
Labor Force	5,034	5,116	5,230
Employed	4,535	4,536	4,666
Unemployed	499	580	564
Unemployment Rate	9.9%	11.3%	10.8%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	5	5	8
Alcohol Package Carry-out Licenses	16	15	15

Female □		6 7 7	~
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	601	612	650
Drop-outs	11	17	31
Drop-out Rate	1.8%	2.8%	4.8%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	3	0	2
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	58	73	104
Liquor Law Arrests	40	35	105
Drug Arrests	25	24	19
Methamphetamine Lab Incidents	0	2	10
Violent Offenses	20	24	41
Property Offenses	202	197	222
Domestic Violence Reports	123	105	90
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	86	116	144
Violent Offenses	40	47	48
Alcohol Offenses	2	3	26
Drug Offenses	6	2	3
Status OffensesTotal	32	42	38
Truancy	19	13	18
Beyond Parental Control	6	15	7
Habitually Absent from Home	5	5	10
Injurious Behavior	2	9	3
Abuse/Neglect/CustodyTotal	101	124	169
Abuse	17	20	37
Neglect	81	104	132
Custody Disputes	3	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	12	15	14
Parental Alcohol Use Related	2	0	1
Parental Drug Use Related	2	3	4
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	8	12	8
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	21	19	20
Probation/Parole AdmissionsTotal	97	93	110
Probation/Parole AdmissionsDrug	30	25	26
Probation/Parole AdmissionsDWI	4	1	3
Prison AdmissionsTotal	41	48	55
Prison AdmissionsDrug	14	10	17
Prison AdmissionsDWI	2	1	1

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

BARTON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	35	14	8
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	5	12	14
Primary Recovery Treatment	26	77	73
Clinical SATOP (CIP, YCIP, SROP)	6	10	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	37	40	46
- Adolescent Diversion Education Program	0	6	*
- Offender Education Program	17	17	10
- Weekend Intervention Program	5	*	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	16	*	*
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	61	80	61	Never Married	34	41	48
Female	23	23	28	Married / Cohabitating	22	32	25
				Previously Married	28	30	16
AGE							
Under 18	*	*	*	PRIMARY DRUG PROBLEM			
18 to 24	17	23	21	Alcohol	37	53	38
25 to 29	10	19	13	Marijuana / Hashish	18	24	24
30 to 34	14	15	18	Cocaine (total)	*	0	0
35 to 39	13	7	15	- Crack		0	0
40 to 44	10	17	7	Stimulant (total)	14	16	17
45 to 54	14	17	8	- Methamphetamine	14	16	15
55 and Over	5	*	*	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	11	10	9
Caucasian	80	98	87	- Non-Prescription Methadone	0	0	0
African American	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	0	0	Tranquilizer	*	0	0
Asian / Pacific Islander	0	0	*	Inhalant	0	0	0
Hispanic	0	*	*	Sedative	0	0	*
Other Race / Two or More Races	0	*	0	Other Medication or Illicit Drug	0	0	0
				Average Age at First Use of Drug	17.5	17.2	17.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	25	28	29	Any Injection Use at Admission	10	15	10
High School Graduate or G.E.D.	48	63	51	- Daily Injection Use	*	*	*
Associate Degree or Some College	11	12	9	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	0	0	0	- Less than Weekly Injection Use	5	10	8
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	27	36	41	Self / Family / Friend	13	24	7
Unemployed	30	43	25	School	0	0	*
Not in Labor Force	27	24	23	Mental Health Provider	0	0	*
				Health Care Provider	*	*	5
LIVING ARRANGEMENT				Court / Criminal Justice	62	64	63
Independent Living	80	94	81	Other Referral Source	5	12	11
Dependent Living	*	5	6				
Homeless	*	*	*	SPECIAL POPULATIONS	*	*	
LIEFTIME DIN / DIN A DDEOTS				Pregnant when Admitted to any Episode			*
LIFETIME DUI / DWI ARRESTS		5 0	40	Military Veteran	5	6	*
0	41	59	43	Special Education Services Needed	9	8	~
1 or 2	21	26	24	Co-Occurring Psychological Problem	36	26	25
3 or More	22	18	22	Co-Occurring Developmental Problem	*	*	*

BARTON COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 9
CENSUS 2010 12,402
2011 POP. ESTIMATE 12,327

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009				
Adjustment Disorder	6	7	6				
Anxiety Disorder	31	22	18				
Dementia	*	*	0				
Developmental Disorder	0	*	*				
Impulse Control Disorder	19	15	12				
Mood Disorder	42	38	37				
Personality Disorder	24	20	14				
Psychotic Disorder	9	8	6				
Sexual Disorder	0	0	0				
Other Diagnosis	8	5	5				
Diagnosis Unknown	5	19	21				

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	77	81	76	Hearing Impaired	0	*	0
Male	34	34	32	Past or Current Military Service	*	*	*
Female	43	47	44	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	15	5	5
Under 6	*	0	*	Dependent Living	*	0	*
6 to 9	8	*	*	Homeless	0	*	*
10 to 13	5	9	8	Other	0	0	0
14 to 17	*	*	5	Housing Unknown	59	75	69
18 to 24	11	6	*	EMPLOYMENT			
25 to 29	7	8	9	Employed	*	*	*
30 to 34	6	8	8	Unemployed	16	*	6
35 to 39	7	9	6	Not in Labor Force	0	*	0
40 to 44	*	7	12	Employment Status Unknown	59	75	69
45 to 49	10	8	*		00	70	00
50 to 54	5	5	6	ARRESTS			
55 to 59	5	6	8	Arrested in Past 12 Months	*	*	*
60 and Over	*	9	*	Not Arrested in Past 12 Months	16	5	5
oo and over		9		Arrest Status Unknown	59	75	69
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	75	77	70	Self / Family / Friend	49	52	50
African American	0	0	0	School	0	0	0
Native American / Alaskan	0	*	*	Mental Health Provider	*	5	*
Asian / Pacific Islander	*	*	*	Health Care Provider	11	8	0
Hispanic	0	*	*	Court / Criminal Justice	7	9	8 9
Other Race	*	*	*	Other	-	_	*
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	6 0	7 0	*
				Nototial Course Children	U	U	
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	10	*	*	Voluntary	68	72	66
High School Grad or G.E.D.	*	*	*	Civil	8	7	7
A.A. Degree or Some College	*	*	*	Criminal	*	*	*
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	0	0	0
Education Level Unknown	59	75	69	Commitment Type Unknown	0	0	*

BARTON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION			٤	SUICIDE						
Percent of students who, in the past 30 days:		(%	6)		of studen	ts who, in	the past	12 months	:	(%)
Were very sad			2	Seriously considered attempting suicide						9.6
Were grouchy, irritable, or in a bad mood			9	Made a plan about how they would attempt suicide					uicide	8.3
Felt hopeless about the future			7	Attemp	ted suicio	le				4.6
Felt like not eating or eating more than usual Slept a lot more or a lot less than usual			5	Had a suicide attempt that resulted in injury or overdose that had					r overdose that had to	1.4
			0	be t	treated by	doctor or	nurse			
Had difficulty concentrating on school work		18.	8							
·			/	REBELLI						
FIGHTING						ts who ag				
Percent of students who, in the past 12 months:				-		s that get		-		20.2
Were in a physical fight			9	They do the opposite of what they're told to make people mad						11.0
Were in a fight and had to be treated by a doctor or nurse		3.		2 It is okay to take something without permission					4.1	
Were threatened or injured with a weapon on school proper	ty	6.9	9			okay to ch				15.2
DULL VINO VIOTIM				It is ok	ay to beat	up peopl	e if they :	start a fight		43.6
BULLYING VICTIM Percent of students who, in the past 3 months:					55, 47,	24.0				
Were shoved, slapped, hit, or kicked in a serious manner		29.		SCHOOL Parcant			roo with s	he followin	na:	
Were victims of mean rumors or lies spread at school		55.				_		itudent's g	-	73.9
•	Internet	13.						_		34.1
Had embarrassing or hurtful pictures/text of them posted on		19.			-		-	-	ive student performance	58.7
Had embarrassing or hurtful pictures/text of them sent by ce	ii priorie					student fo	oi naiu w	UIK		
Were made fun of by others		64.	2		are enforc	-	- 41 1 141	44	ad a mualli.	69.1
BULLYING PERPRETRATOR				Studer	its or all ra	aces and (ethnicitie	s are treate	ed equally	81.1
Percent of students who, in the past 3 months:			,	PARENT	RELATIC	ons				
Shoved, slapped, hit, or kicked a student in a serious manne	er	22.		Percent of students who agree with the following:						
Spread mean rumors or lies about other kids at school		35.	3	Parents notice and comment on student's good work						84.3
Posted on internet embarrassing or hurtful pictures/text of so	omeone	7.	4	Parents involve student in making family decisions						71.1
Sent by cell phone embarrassing or hurtful pictures/text of someone			5 It is important to be honest with parents regardless of consequences						89.8	
Made fun of other people		64.								77.1
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:										
regarding the substances listed below, percent or students.	Ş	≨	₽	Ş	ther	th _e y	≨	ار ک	Am	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usi	Among students who have ever used substance, average age what first used	
	Ve e	ور ا	clos 12	y it	Ves liev	ypa	₩	유	stuc	
	Ver	Sec	<u> </u>	NO.	₹ ¥	<u> </u>	ě	$\frac{1}{2}$	lent	
	use l	₹	nths	d b	ey n	ts w	ם	e di E	s w	
	Sp	le	Sp	e e	use Isk	<u>e</u>	e ¥	등록	no h	
	lsdu	pas	hav	asy	nam	읈	700	E Je	lave ge a	
	anc	30	e E	to g	njing	ğ	o f	학불	age eve	
	Ö	day	ĕ	욘		V	use	뺤	whe	
		Š	5			e ≕		ing	en	
Cigarettes	18.9	10.1	36.7	44.5	79.2	91.7	85.3	30.7	11.95	
Chewing Tobacco	11.5	6.0)							
Alcohol	27.5	11.0	41.3	48.4	75.9	83.6	72.9	32.4	11.80	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		4.1								
Marijuana	7.3	2.8	3 17.1	17.7	86.0	95.8	90.2	42.6	12.30	
Inhalants	4.1	2.8							11.75	
Illicit drugs such as cocaine, LSD, meth, club drugs			8.3	13.0	94.4	97.2	94.4	47.2		
Over-the-counter medications for non-medical use	5.5	3.2		47.4	83.7	94.9	90.2			
Prescription drugs not prescribed for student	10.1	5.5		29.0	86.5	93.0	89.4			
Heroin	1.9	0.0		_0.0	50.5	55.5	JU. 1			
Cocaine	0.9									
Methamphetamine	1.8									
Hallucinogens	1.4									
Club drugs such as ecstasy, GHB, roofle, or Special K	0.9									
	3.7	[Data are w	eighted ir	compari	son to cou	unty popu	lation estir	mates for age groups 10-	14
Synthetic drugs such as K2, bath salts, Spice	1	á	and 15-19,	gender, ı	race, and	Hispanic	origin.			
Steroids not prescribed for student	3.3		Percentage	es on son	ne items a	re based	on comb	ined answ	er choices.	

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

BATES COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 013 17,049 17,008



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	199	195	211
Mother Reported Drinking while Pregnant ¹		1	1
Mother Reported Smoking while Pregnant	57	45	58
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	1	0
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	196	187	199
Suicides	0	4	2
Self-inflicted Injuries	25	24	26
Homicides	2	0	0
Assault Injuries	46	56	54
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	4	4	2
Smoking Induced Deaths	42	28	39
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	173	152	142
Direct Hospitalizations	50	46	43
Emergency Room Hospitalizations	38	40	42
Emergency Room Outpatient	85	66	57
Drug RelatedTotal	157	130	99
Direct Hospitalizations	56	48	43
Emergency Room Hospitalizations	26	27	22
Emergency Room Outpatient	75	55	34
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	30	17	26
Fatal Crashes	2	1	1
Injury Crashes	12	8	13
Property Damage Crashes	16	8	12
Crash Fatalities	2	2	2
Crash Injuries	19	10	19
Drug Involved CrashesTotal	7	3	2
Fatal Crashes	0	1	0
Injury Crashes	4	0	0
Property Damage Crashes	3	2	2
Crash Fatalities	0	2	0
Crash Injuries	5	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	7,974	7,504	7,908
Employed	7,142	6,626	7,091
Unemployed	832	878	817
Unemployment Rate	10.4%	11.7%	10.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	15	16	14
Alcohol Package Carry-out Licenses	18	18	19

■ Female ■ Male					
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009		
Enrollment Grades 9-12	834	860	826		
Drop-outs	18	16	37		
Drop-out Rate	2.2%	1.9%	4.5%		
School Suspensions, 10 or More Days					
Alcohol Incidents	3	2	5		
Drug Incidents	1	4	4		
Tobacco Incidents	0	0	0		
POLICE REPORTS	2010	2009	2008		
DUI Arrests, DWI Tracking System	131	109	112		
Liquor Law Arrests	53	50	46		
Drug Arrests	141	82	41		
Methamphetamine Lab Incidents	2	3	4		
Violent Offenses	38	58	53		
Property Offenses	413	376	389		
Domestic Violence Reports	94	36	71		
JUVENILE COURT REFERRALS	2010	2009	2008		
Law Violation OffensesTotal	90	77	115		
Violent Offenses	27	20	17		
Alcohol Offenses	11	7	18		
Drug Offenses	8	2	2		
Status OffensesTotal	93	90	95		
Truancy	17	16	11		
Beyond Parental Control	16	15	17		
Habitually Absent from Home	6	6	9		
Injurious Behavior	42	48	43		
Abuse/Neglect/CustodyTotal	105	111	78		
Abuse	39	17	24		
Neglect	65	87	51		
Custody Disputes	1	7	3		
JUVENILE COURT PLACEMENTS	2010	2009	2008		
Out-of-Home PlacementsTotal	18	27	12		
Parental Alcohol Use Related	0	4	0		
Parental Drug Use Related	3	8	0		
Parental Alcohol and Drug Use	0	0	0		
Child Removed for Other Reason	15	15	12		
CRIMINAL JUSTICE	FY2011	FY2010	FY2009		
Drug Court Participants	8	4	0		
Probation/Parole AdmissionsTotal	128	110	123		
Probation/Parole AdmissionsDrug	47	19	31		
Probation/Parole AdmissionsDWI	7	15	9		
Prison AdmissionsTotal	53	35	44		
Prison AdmissionsDrug	14	7	11		
Prison AdmissionsDWI	4	1	2		
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	ppressed		

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

BATES COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	6	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	100	65	12
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	11	18	16
Primary Recovery Treatment	36	82	112
Clinical SATOP (CIP, YCIP, SROP)	10	11	9
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	41	84	75
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	10	37	30
- Weekend Intervention Program	*	19	31
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	7	8	5
- Compulsive Gambling	0	*	0
- Recovery Supports	6	20	26
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	91	101	108	Never Married	56	70	66
Female	48	33	37	Married / Cohabitating	49	44	46
Tomas	40	00	37	Previously Married	34	20	33
AGE				. Torrough married	04	20	00
Under 18	*	7	*	PRIMARY DRUG PROBLEM			
18 to 24	29	35	44	Alcohol	63	51	62
25 to 29	24	30	29	Marijuana / Hashish	28	46	35
30 to 34	16	16	17	Cocaine (total)	0	0	0
35 to 39	18	12	9	- Crack	0	0	0
40 to 44	5	18	18	Stimulant (total)	34	24	36
45 to 54	35	13	22	- Methamphetamine	33	24	36
55 and Over	8	*	*	Heroin	*	*	0
RACE / ETHNICITY				Analgesic except Heroin	9	7	10
Caucasian	137	130	136	- Non-Prescription Methadone	0	0	*
African American	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	*	*	Tranquilizer	0	5	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	*	*	Sedative	*	0	0
Other Race / Two or More Races	*	*	5	Other Medication or Illicit Drug	*	0	0
Other Race / Two of More Races			5	Average Age at First Use of Drug	16.2	16.1	16.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	56	61	39	Any Injection Use at Admission	17	12	7
High School Graduate or G.E.D.	63	61	85	- Daily Injection Use	*	*	*
Associate Degree or Some College	19	12	21	- Weekly Injection Use	5	*	*
Bachelor or Advanced Degree	*	0	0	- Less than Weekly Injection Use	10	7	5
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	40	43	65	Self / Family / Friend	50	43	47
Unemployed	55	54	51	School	0	0	0
Not in Labor Force	44	37	29	Mental Health Provider	7	*	*
				Health Care Provider	*	0	*
LIVING ARRANGEMENT				Court / Criminal Justice	65	76	71
Independent Living	127	119	129	Other Referral Source	13	14	24
Dependent Living	8	12	15	CDECIAL DODULATIONS			
Homeless	*	*	0	SPECIAL POPULATIONS	*	*	*
LIFETIME DUI / DW/ A DRECTS				Pregnant when Admitted to any Episode			
LIFETIME DUI / DWI ARRESTS 0	60	60	76	Military Veteran	8	8	8
	60	68	76	Special Education Services Needed	11	19	11
1 or 2	41	37	45	Co-Occurring Psychological Problem	41	43	48
3 or More	38	29	24	Co-Occurring Developmental Problem	13	12	^

BATES COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 8B
CENSUS 2010 17,049
2011 POP. ESTIMATE 17,008

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009			
Adjustment Disorder	*	5	*			
Anxiety Disorder	70	74	59			
Dementia	*	*	*			
Developmental Disorder	*	*	*			
Impulse Control Disorder	52	54	37			
Mood Disorder	134	148	111			
Personality Disorder	8	11	14			
Psychotic Disorder	18	23	22			
Sexual Disorder	0	0	0			
Other Diagnosis	19	17	16			
Diagnosis Unknown	10	23	51			

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	186	214	203	Hearing Impaired	*	*	*
Male	90	102	101	Past or Current Military Service	*	6	6
Female	96	112	102	HOUSING / LIVING ARRANGEMENT			
				Independent Living	44	*	*
AGE				Dependent Living	*	23	7
Under 6	*	*	0	Homeless	*	*	0
6 to 9	7	12	17	Other	0	0	0
10 to 13	29	31	25	Housing Unknown	140	188	194
14 to 17	27	29	36	riodoling criticioni	170	100	104
18 to 24	14	19	17	EMPLOYMENT			
25 to 29	12	14	7	Employed	6	*	*
30 to 34	17	19	22	Unemployed	40	*	*
35 to 39	14	12	9	Not in Labor Force	0	0	0
40 to 44	12	17	13	Employment Status Unknown	140	211	201
45 to 49	20	23	20	4005070			
50 to 54	17	17	17	ARRESTS	4.0	_	
55 to 59	8	10	7	Arrested in Past 12 Months	10	5	
60 and Over	8	10	13	Not Arrested in Past 12 Months	36	21	6
				Arrest Status Unknown	140	188	194
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	179	205	196	Self / Family / Friend	138	164	134
African American	*	*	*	School	130	*	134
Native American / Alaskan	*	*	5				4.5
Asian / Pacific Islander	0	0	0	Mental Health Provider	10	13	15
Hispanic	*	*	*	Health Care Provider	15	13	20
Other Race	*	*	0	Court / Criminal Justice			8
Race/Ethnicity Unknown	0	0	0	Other	17	18	25
•				Referral Source Unknown	0	*	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	20	*	0	Voluntary	184	208	197
High School Grad or G.E.D.	24	*	0	Civil	*	*	*
A.A. Degree or Some College	*	*	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	140	211	201	Commitment Type Unknown	0	*	0

BATES COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who in the past 20 days:		(%)	S	CUICIDE Persont	of ctudon	to who In	the nest	12 months		(%)
Percent of students who, in the past 30 days:		24.6					-	12 months icido	•	14.4
Were very sad Were grouchy, irritable, or in a bad mood		24.0			-	ered atter		attempt su	ulcido	10.5
Felt hopeless about the future		12.1			ted suicio		ey would	attempt st	licide	4.7
Felt like not eating or eating more than usual		21.6					resulted	in injury o	r overdose that had to	3.9
Slept a lot more or a lot less than usual		21.6				doctor or		iii iiijui y oi	overdose mai nad to	3.3
Had difficulty concentrating on school work		25.1								
riad difficulty concentrating on school work		20.1		EBELLIC	DUSNES	s				
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get				13.6
Were in a physical fight		15.1		_			-		ake people mad	13.5
Were in a fight and had to be treated by a doctor or nurse		3.5			-		-	permissio	n	7.7
Were threatened or injured with a weapon on school proper	y	5.0		Someti	mes it is	okay to ch	eat at scl	hool		26.2
BULLYING MOTIN				It is oka	ay to beat	up people	e if they s	itart a fight		48.1
BULLYING VICTIM Percent of students who, in the past 3 months:			_	011001	DEL 4711	24/0				
Were shoved, slapped, hit, or kicked in a serious manner		23.9		CHOOL Percent			ee with t	he followin	na·	
Were victims of mean rumors or lies spread at school		47.9				_			-	77.7
Had embarrassing or hurtful pictures/text of them posted on	internet	13.6		Teachers notice and comment on student's good work School provides feedback to parents on positive student performance					35.1	
Had embarrassing or hurtful pictures/text of them sent by cell phone		15.4		Teachers praise student for hard work					ve student performance	52.1
Were made fun of by others	ii priorie	63.6			re enforc		n naru w	UIK		52.5
Here made full of by outers		05.0					thnicities	are treate	ed equally	86.4
BULLYING PERPRETRATOR				Studen	to or all re	ices and t	ou ii ii ciucs	are ireate	su equally	00.4
Percent of students who, in the past 3 months:			F	ARENT						
Shoved, slapped, hit, or kicked a student in a serious manne	er	13.2				-		he followin	₹	
Spread mean rumors or lies about other kids at school								ident's god		79.1
Posted on internet embarrassing or hurtful pictures/text of someon		8.1						amily decis		61.9
Sent by cell phone embarrassing or hurtful pictures/text of som		8.5						_	dless of consequences	88.8
Made fun of other people		62.3		Studen	t could as	sk parent f	or help w	ith a perso	onal problem	74.8
CURCTANCE LIGE AND RELIEFO										
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:		_		_			_			
regularing the case and control selection, personner or enducines	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have use the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age wifirst used	
	ha	क्ष	ose o	Sa) be	use use	ē	d ±	ng:	
	/e e	/e	dos 12	7	Ves leve	pa / pa	₹	S	stud bsta d	
	¥er	Sed	mor	<u>S</u>	# #	<u>re</u>	<u> </u>		ent	
	use	⋽	nt fier	ᅙ	ey ri	S W	ם	t in	s wh	
	d Si	<u></u>	쭚	99	use Tisk t	잂	e ≤	<u>8</u> ≅	no h	
	ıbst	oast	hav	ısy	a	햾	ong	ic e	ave ge a	
	anc	ဆ	e Ls	9	jing	흏	to g	현	eve	
	Ф	day	ed in	œ		VO.	use	뺡	when	
		S	_			e ≕		9 8	5	
Cigarettes	27.3	13.1	42.5	59.0	78.0	81.4	80.1	31.3	12.06	
Chewing Tobacco	12.7									
ig robuses	12.7	5.8								
Alcohol	41.2	18.1	46.2	56.7	69.8	63.3	57.8	32.4	13.36	
			46.2	56.7	69.8	63.3	57.8	32.4	13.36	
Alcohol		18.1	46.2 21.4	56.7 29.8	69.8 76.1	63.3 97.6	57.8 88.3	32.4 54.7	13.36 13.41	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	41.2	18.1 11.6								
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	41.2 11.2	18.1 11.6 4.6							13.41	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	41.2 11.2	18.1 11.6 4.6	21.4	29.8	76.1	97.6	88.3	54.7	13.41	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	41.2 11.2 3.9	18.1 11.6 4.6 0.8	21.4	29.8 19.4	76.1 89.1	97.6 99.2	88.3 97.3	54.7	13.41	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	41.2 11.2 3.9 2.3	18.1 11.6 4.6 0.8	21.4	29.8 19.4 46.8	76.1 89.1 82.7	97.6 99.2 99.2	88.3 97.3 95.3	54.7	13.41	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	41.2 11.2 3.9 2.3 9.3	18.1 11.6 4.6 0.8	21.4	29.8 19.4 46.8	76.1 89.1 82.7	97.6 99.2 99.2	88.3 97.3 95.3	54.7	13.41	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	41.2 11.2 3.9 2.3 9.3 0.4	18.1 11.6 4.6 0.8	21.4	29.8 19.4 46.8	76.1 89.1 82.7	97.6 99.2 99.2	88.3 97.3 95.3	54.7	13.41	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	41.2 11.2 3.9 2.3 9.3 0.4 1.2 0.4	18.1 11.6 4.6 0.8	21.4	29.8 19.4 46.8	76.1 89.1 82.7	97.6 99.2 99.2	88.3 97.3 95.3	54.7	13.41	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	41.2 11.2 3.9 2.3 9.3 0.4 1.2 0.4 2.4	18.1 11.6 4.6 0.8	21.4	29.8 19.4 46.8	76.1 89.1 82.7	97.6 99.2 99.2	88.3 97.3 95.3	54.7	13.41	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	41.2 11.2 3.9 2.3 9.3 0.4 1.2 0.4 2.4 1.6	18.1 11.6 4.6 0.8 1.2 3.5	21.4 8.9	29.8 19.4 46.8 29.5	76.1 89.1 82.7 88.7	97.6 99.2 99.2 96.9	88.3 97.3 95.3 91.4	54.7 51.2	13.41	14
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	41.2 11.2 3.9 2.3 9.3 0.4 1.2 0.4 2.4	18.1 11.6 4.6 0.8 1.2 3.5	21.4 8.9 ata are wend 15-19,	29.8 19.4 46.8 29.5	76.1 89.1 82.7 88.7	97.6 99.2 99.2 96.9	88.3 97.3 95.3 91.4	54.7 51.2	13.41 10.85	14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

BENTON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 015 19,056 19,115



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	191	154	184
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	57	40	54
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	0
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	272	260	293
Suicides	7	3	3
Self-inflicted Injuries	26	33	16
Homicides	0	3	0
Assault Injuries	58	44	35
Alcohol Induced Deaths	1	1	2
Drug Induced Deaths	3	1	5
Smoking Induced Deaths	51	57	72
	0.	O.	
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	277	212	250
Direct Hospitalizations	79	69	78
Emergency Room Hospitalizations	87	77	110
Emergency Room Outpatient	111	66	62
Drug RelatedTotal	256	149	127
Direct Hospitalizations	87	50	69
Emergency Room Hospitalizations	49	47	33
Emergency Room Outpatient	120	52	25
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	25	26	31
Fatal Crashes	1	0	0
Injury Crashes	12	11	18
Property Damage Crashes	12	15	13
Crash Fatalities	1	0	0
Crash Injuries	13	16	24
Drug Involved CrashesTotal	1	4	1
Fatal Crashes	0	0	0
Injury Crashes	1	3	0
Property Damage Crashes	0	1	1
Crash Fatalities	0	0	0
Crash Injuries	3	6	0
EMPLOYMENT	2011	2010	2009
Labor Force	7,953	8,075	8,233
Employed	7,154	7,221	7,409
Unemployed	799	854	824
Unemployment Rate	10.0%	10.6%	10.0%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	38	42	47
Alcohol Package Carry-out Licenses			
Alcohol Fackage Carry-Out Licenses	31	30	35

1 2009-2010 809 7 21 % 2.6% 1 3 3 3 0 1 1 2009 4 170 1 15 0 104 5 2 4 90 0 335 6 109	824 34 4.1% 3 3 6 0 2008 185 3 25 6 325 87 2008
7 21 2.6% 1 3.3 3 3 1 10 2009 1 170 1 104 5 2 1 90 3 335	34 4.1% 3 3 6 0 2008 185 3 2 6 3 7 6 3 7 7 325 8 7 9 2008
% 2.6% 1 3 3 3 0 1 0 2009 4 170 0 15 0 104 5 2 4 90 0 335	4.1% 4.1% 3 3 6 0 9 2008 185 3 32 6 32 6 63 7 325 87 2008
3 3 3 3 3 3 1 1 2 2 2 2 2 2 2 2 2 2 2 2	3 3 6 0 2008 3 6 3 3 6 6 3 6 6 7 3 2 5 8 7 2008
3 3 0 1 0 2009 4 170 0 15 0 104 5 2 4 90 0 335	6 6 0 2008 185 32 63 0 67 325 87 2008
3 3 0 1 0 2009 4 170 0 15 0 104 5 2 4 90 0 335	6 6 0 2008 185 32 63 0 67 325 87 2008
2009 14 170 10 15 10 104 5 2 14 90 1335	0 2008 185 32 4 63 2 0 6 67 3 325 8 87 2 2008
2009 1 170 1 150 1 104 5 2 1 90 0 335	2008 185 32 63 63 67 67 63 325 87 2008
1 170 0 15 0 104 5 2 1 90 0 335	185 32 63 6 0 67 325 87 2008
) 15) 104 5 2 4 90) 335	32 63 6 0 67 6 325 87 2008
104 5 2 4 90 0 335	63 0 67 325 87 2008
5 2 4 90 0 335	0 67 3 325 87 2008
90 335	67 6 325 87 2008
335	325 87 2008
	87 2008
5 109	2008
2009	76
l 116	, , ,
50	12
1 5	7
4 8	15
7 65	50
7 13	18
2 26	15
) 15	6
3 11	11
9 62	38
3 8	3 11
5 52	27
) 2	2 0
2009	2008
2 7	9
) 3	1
1 0	3
0	1
1 4	4
	FY2009
1 FY2010	10
	94
9 12	3 21
) 12 7 99	8
9 12 7 99 7 28	64
9 12 7 99 7 28 7 11	. 07
9 12 7 99 7 28 7 11	
1	2 7 0 3 1 0 0 0 1 4 1 FY2010 9 12 7 99 7 28 7 11

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

BENTON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	10	15	8
CSTAR Women and Children	*	*	*
CSTAR General Adult	94	134	141
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	13	19	16
Primary Recovery Treatment	37	40	45
Clinical SATOP (CIP, YCIP, SROP)	14	10	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	57	82	101
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	19	34	33
- Weekend Intervention Program	9	27	57
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	7	*
- Compulsive Gambling	0	*	0
- Recovery Supports	9	14	18
- Early Intervention	0	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	113	137	130	Never Married	71	90	98
Female	42	56	59	Married / Cohabitating	46	53	54
				Previously Married	38	50	37
AGE							
Under 18	10	15	8	PRIMARY DRUG PROBLEM			
18 to 24	29	31	32	Alcohol	75	89	101
25 to 29	27	24	31	Marijuana / Hashish	38	53	41
30 to 34	17	32	24	Cocaine (total)	*	5	6
35 to 39	20	20	24	- Crack	0	0	5
40 to 44	16	27	28	Stimulant (total)	26	31	23
45 to 54	29	35	35	- Methamphetamine	24	31	22
55 and Over	7	9	7	Heroin	0	*	*
RACE / ETHNICITY				Analgesic except Heroin	12	13	10
Caucasian	150	191	189	- Non-Prescription Methadone	0	0	0
African American	*	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	*	*	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	*	*	*	Sedative	0	0	*
Other Race / Two or More Races	*	*	0	Other Medication or Illicit Drug	*	0	*
Cities Nace / Two of More Naces			U	Average Age at First Use of Drug	17.0	17.2	17.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	48	75	62	Any Injection Use at Admission	21	19	12
High School Graduate or G.E.D.	71	86	96	- Daily Injection Use	*	*	*
Associate Degree or Some College	35	29	31	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	*	0	- Less than Weekly Injection Use	16	13	9
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	47	31	45	Self / Family / Friend	39	69	45
Unemployed	63	108	89	School	0	0	0
Not in Labor Force	45	54	55	Mental Health Provider	0	*	5
				Health Care Provider	6	7	5
LIVING ARRANGEMENT				Court / Criminal Justice	103	112	114
Independent Living	138	172	165	Other Referral Source	6	*	20
Dependent Living	15	17	19				
Homeless	0	*	*	SPECIAL POPULATIONS	*	*	_
				Pregnant when Admitted to any Episode		*	0
LIFETIME DUI / DWI ARRESTS		40:	0.5	Military Veteran	9		9
0	76	101	90	Special Education Services Needed	13	9	16
1 or 2	50	55	64	Co-Occurring Psychological Problem	60	86	71
3 or More	29	37	35	Co-Occurring Developmental Problem	*	*	6

BENTON COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 8B
CENSUS 2010 19,056
2011 POP. ESTIMATE 19,115

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 7 6 14 **Anxiety Disorder** 158 157 86 Dementia 0 0 0 **Developmental Disorder** Impulse Control Disorder 40 39 23 **Mood Disorder** 141 225 212 Personality Disorder 21 18 13 **Psychotic Disorder** 38 37 33 Sexual Disorder 0 0 0 Other Diagnosis 21 21 14 Diagnosis Unknown 33 104

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	349	331	309	Hearing Impaired	*	*	*
Male	163	150	135	Past or Current Military Service	10	8	10
Female	186	181	174	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	116	80	71
Under 6	*	*	0	Dependent Living	10	37	18
6 to 9	16	16	10	Homeless	*	0	*
10 to 13		29		Other	*	0	0
	30		31	Housing Unknown	221	214	218
14 to 17	32	29	35	EMBI OVAKENT			
18 to 24 25 to 29	42	32	24	EMPLOYMENT	0	4.4	-
	19	17	17	Employed	8	11	7
30 to 34	20	30	26	Unemployed	116	85 *	70
35 to 39	27	28	25	Not in Labor Force			7
40 to 44	25	31	30	Employment Status Unknown	221	233	225
45 to 49	43	38	36	ARRESTS			
50 to 54	42	39	34	Arrested in Past 12 Months	22	14	12
55 to 59	26	20	22	Not Arrested in Past 12 Months	106	102	79
60 and Over	24	21	19	Arrest Status Unknown	221	215	218
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	335	321	301	Self / Family / Friend	257	237	215
African American	*	*	0	School	231 *	23 <i>1</i> *	Z13 *
Native American / Alaskan	0	0	*	Mental Health Provider	22	22	25
Asian / Pacific Islander	0	0	0	Health Care Provider	26	15	-
Hispanic	8	5	*	Court / Criminal Justice	∠0 *	7	20 8
Other Race	5	*	*			=	_
Race/Ethnicity Unknown	0	0	0	Other Referral Source Unknown	39 0	47 0	37 *
EDUCATION				TYPE OF COMMITMENT	v	· ·	
Less than High School Diploma	53	44	37	Voluntary	344	322	295
	55 55	41		Civil	344	-	
High School Grad or G.E.D.		38	34		*	7	11
A.A. Degree or Some College	19	14	8	Criminal			^
Bachelor or Advanced Degree			5	Sexual Predatory	0	0	0
Education Level Unknown	221	234	225	Commitment Type Unknown	0	0	*

BENTON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)		SUICIDE	af akıdanı	ta what la	4h a maad	12		(%)
Percent of students who, in the past 30 days:		20.5		Percent of students who, in the past 12 months:					13.2	
Were very sad Were grouchy, irritable, or in a bad mood		24.9		Seriously considered attempting suicide						7.0
Felt hopeless about the future		8.7		Made a plan about how they would attempt suicide Attempted suicide						2.0
Felt like not eating or eating more than usual		18.9					reculted	in injury o	r overdose that had to	1.3
Slept a lot more or a lot less than usual		26.2				doctor or		iii iiijui y oi	i overdose mai nad to	1.3
Had difficulty concentrating on school work		25.9		201	.ou.ou by	400.0.				
riad difficulty concentrating off school work		25.5		REBELLIC	OUSNES.	s				
FIGHTING				Percent of	of student	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	jnore rule	s that get	in their w	ay		20.9
Were in a physical fight		19.6							nake people mad	10.2
Were in a fight and had to be treated by a doctor or nurse		1.2			•		•	permissio	n	1.6
Were threatened or injured with a weapon on school proper	ty	6.5		Someti	mes it is	okay to ch	eat at scl	nool		20.5
DULL LYBO LUCTUA				It is oka	ay to beat	up people	e if they s	tart a fight	l .	53.7
BULLYING VICTIM Percent of students who, in the past 3 months:			,	2011001	DEL 4711	24/0				
Were shoved, slapped, hit, or kicked in a serious manner		28.3			RELATIC of student		ee with t	he followin	na·	
Were victims of mean rumors or lies spread at school		52.5				_		tudent's go	-	74.9
Had embarrassing or hurtful pictures/text of them posted on	internet	18.4						•	ive student performance	45.3
Had embarrassing or hurtful pictures/text of them sent by ce		17.2			-	student fo	-	-	ive state on performance	53.3
Were made fun of by others	pilolio	62.3			are enforc		i nara w	on.		72.7
Trois industrial of by striots		02.0				-	ethnicities	are treate	ed equally	81.9
BULLYING PERPRETRATOR				Olddon	01 411 10	iooo ana c		out out	ou oquany	00
Percent of students who, in the past 3 months:					RELATIC					
Shoved, slapped, hit, or kicked a student in a serious manne	er	16.0				-		he followin		
Spread mean rumors or lies about other kids at school		30.9	· · · · · · · · · · · · · · · · · · ·							79.3
Posted on internet embarrassing or hurtful pictures/text of so		10.7						-		66.9
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	13.5		-			-	_	dless of consequences	86.0
Made fun of other people		68.8		Studen	it could as	sk parent f	or help w	ith a perso	onal problem	74.9
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	<	<	= <	<	= <	≠ <	<	s <	⇒ c >	
	₽	₹	hos hos	8	E 75	ey /b	8	<u>S</u> 7	mor sed mor	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disappro they use	Who feel it would be wrong to use	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wh	
	e ev	SI 9	ose 12 n	≓	es e	par	₹	e k	tude	
	er u	<u>e</u>	ont st	릷	the	ents	읊	g is	ints	
	Ised	n #	its legi	be	/ ris	W	æ	뽯	who	
	SL	e D	- S	eas	8 2	듄	WTC		ha rag	
	osta	ast	ave	y to	₫.	disa	ğ	eg eg	ve e	
	nce	30 d	use	ger	8	- P	6	or us	yer ye w	
		ays	⊒. ⊡			ove if	æ	sing hood	hen	
Olympia	04.4	40.0	50.0	50.4	77.0		00.0		40.05	
Cigarettes Chausing Tabases	31.1 16.4	16.3 9.0	52.0	52.1	77.9	88.7	82.2	14.1	12.35	
Chewing Tobacco Alcohol	44.3	19.4	59.4	61.3	70.8	74.0	61.3	21.0	12.71	
Binge Alcohol (5+ drinks on one occasion in past 30 days)	44.3	12.2	39.4	01.3	70.0	74.0	01.3	21.0	12.71	
Marijuana	17.1	8.6	32.2	36.4	73.8	95.3	84.0	40.0	13.43	
Inhalants	7.0	2.0	02.2	00.1	7 0.0	00.0	0 1.0	10.0	12.65	
Illicit drugs such as cocaine, LSD, meth, club drugs			17.3	15.5	97.1	98.7	95.1	46.3	.=.00	
Over-the-counter medications for non-medical use	3.3	1.2		57.0	83.2	97.5	88.5			
Prescription drugs not prescribed for student	10.2	5.3		34.9	86.8	94.1	89.8			
Heroin	1.2	0.0								
Cocaine										
Methamphetamine	1.3									
INICII I I I I I I I I I I I I I I I I I	1.3									
·	1.2									
Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K										

Synthetic drugs such as K2, bath salts, Spice

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Steroids not prescribed for student

Data source:

5.7

Data are weighted in comparison to county population estimates for age groups 10-14

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Percentages on some items are based on combined answer choices.

and 15-19, gender, race, and Hispanic origin.

BOLLINGER COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Southeast 21 017 12,363 12,356



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	141	136	162
Mother Reported Drinking while Pregnant ¹		1	0
Mother Reported Smoking while Pregnant	45	32	39
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	154	131	137
Suicides	2	1	1
Self-inflicted Injuries	11	10	20
Homicides	0	0	1
Assault Injuries	14	17	23
Alcohol Induced Deaths	2	0	2
Drug Induced Deaths	0	0	0
Smoking Induced Deaths	32	28	24
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	90	66	72
Direct Hospitalizations	30	12	15
Emergency Room Hospitalizations	26	33	30
Emergency Room Outpatient	34	21	27
Drug RelatedTotal	66	44	78
Direct Hospitalizations	20	13	19
Emergency Room Hospitalizations	9	13	20
Emergency Room Outpatient	37	18	39
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	16	15	22
Fatal Crashes	0	0	2
Injury Crashes	5	6	13
Property Damage Crashes	11	9	7
Crash Fatalities	0	0	2
Crash Injuries	6	7	22
Drug Involved CrashesTotal	4	2	6
Fatal Crashes	0	0	1
Injury Crashes	2	0	2
Property Damage Crashes	2	2	3
Crash Fatalities	0	0	1
Crash Injuries	2	0	4
EMPLOYMENT	2011	2010	2009
Labor Force	5,651	5,495	5,680
Employed	5,151	4,953	5,099
Unemployed	500	542	581
Unemployment Rate	8.8%	9.9%	10.2%
DETAIL ALCOULOU CUTLETO	0044	0040	0000
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	9	8	9
Alcohol Package Carry-out Licenses	12	9	10

■ Female ■	■ Male		•
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	589	598	592
Drop-outs	7	16	11
Drop-out Rate	1.2%	2.7%	1.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	9	6	8
Tobacco Incidents	0	0	2
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	46	52	36
Liquor Law Arrests	16	26	9
Drug Arrests	41	36	12
Methamphetamine Lab Incidents	4	5	0
Violent Offenses	15	12	12
Property Offenses	111	73	126
Domestic Violence Reports	15	15	28
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	79	149	86
Violent Offenses	10	11	22
Alcohol Offenses	5	4	5
Drug Offenses	5	7	6
Status OffensesTotal	32	37	45
Truancy	4	4	15
Beyond Parental Control	5	7	9
Habitually Absent from Home	9	7	10
Injurious Behavior	14	19	8
Abuse/Neglect/CustodyTotal	50	54	55
Abuse	8	11	7
Neglect	0	1	8
Custody Disputes	42	42	40
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	21	21	37
Parental Alcohol Use Related	2	1	2
Parental Drug Use Related	8	8	7
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	11	12	28
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	53	52	40
Probation/Parole AdmissionsDrug	16	19	8
Probation/Parole AdmissionsDWI	10	7	2
Prison AdmissionsTotal	25	23	21
Prison AdmissionsDrug	6	5	4

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

BOLLINGER COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	10	5	9
CSTAR Women and Children	10	11	8
CSTAR General Adult	27	12	*
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	9	11
Primary Recovery Treatment	60	74	84
Clinical SATOP (CIP, YCIP, SROP)	*	*	7
Other Substance Abuse Treatment	0	0	11

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	51	46	40
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	27	23	17
- Weekend Intervention Program	14	18	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	0	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	0	*
- Early Intervention	0	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	67	60	81	Never Married	49	48	47
Female	36	32	26	Married / Cohabitating	35	25	32
	00	02	20	Previously Married	19	19	28
AGE				•	10		20
Under 18	12	5	10	PRIMARY DRUG PROBLEM			
18 to 24	22	22	18	Alcohol	39	26	50
25 to 29	17	19	12	Marijuana / Hashish	36	39	40
30 to 34	16	21	17	Cocaine (total)	*	*	*
35 to 39	9	14	17	- Crack	*	*	*
40 to 44	10	8	10	Stimulant (total)	15	13	10
45 to 54	13	*	15	- Methamphetamine	15	13	10
55 and Over	*	0	8	Heroin	*	*	*
RACE / ETHNICITY				Analgesic except Heroin	6	6	*
Caucasian	100	87	100	- Non-Prescription Methadone	0	0	0
African American	*	*	*	PCP, LSD, other Hallucinogen	*	*	0
Native American / Alaskan		0	0	Tranquilizer	*	*	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	*	-	*	Sedative	0	0	0
Hispanic		0	*	Other Medication or Illicit Drug	*	0	0
Other Race / Two or More Races	0			Average Age at First Use of Drug	16.4	16.3	16.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	56	44	50	Any Injection Use at Admission	*	6	6
High School Graduate or G.E.D.	32	43	41	- Daily Injection Use	0	*	0
Associate Degree or Some College	14	*	15	- Weekly Injection Use	0	*	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	28	19	23	Self / Family / Friend	16	14	26
Unemployed	37	45	36	School	0	*	0
Not in Labor Force	38	28	48	Mental Health Provider	0	0	0
				Health Care Provider	*	0	*
LIVING ARRANGEMENT				Court / Criminal Justice	70	63	72
Independent Living	81	81	83	Other Referral Source	15	14	6
Dependent Living	22	10	22	005044 00044 474040			
Homeless	0	*	0	SPECIAL POPULATIONS	•	_	
LIEFTIME DI II / DIA" 4 DD 5070				Pregnant when Admitted to any Episode	0	0	*
LIFETIME DUI / DWI ARRESTS				Military Veteran	6		9
0	57	51	54	Special Education Services Needed	10	7	8
1 or 2	26	26	27	Co-Occurring Psychological Problem	26	26	33
3 or More	20	15	26	Co-Occurring Developmental Problem	9	5	5

BOLLINGER COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 21 CENSUS 2010 12,363 2011 POP. ESTIMATE 12,356

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 12 7 6 **Anxiety Disorder** 30 14 12 Dementia 0 0 **Developmental Disorder** 0 0 Impulse Control Disorder 21 29 14 **Mood Disorder** 79 75 147 Personality Disorder 9 12 9 **Psychotic Disorder** 56 59 53 Sexual Disorder 0 0 Other Diagnosis 10 11 11

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	259	216	247	Hearing Impaired	13	9	7
Male	112	107	119	Past or Current Military Service	9	12	14
Female	147	109	128	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	48	23	36
Under 6	*	*	*	Dependent Living	63	62	65
6 to 9	10	10	0	Homeless	*	0	0
10 to 13	9	19	8	Other	0	0	*
14 to 17	15	19	13 17	Housing Unknown	147	131	145
18 to 24		-		EMBL OVMENT			
25 to 29	24	32	26	EMPLOYMENT Employed	*	0	_
	19	15	16	Employed		0	5
30 to 34	27	23	24	Unemployed	88	62	76
35 to 39	31	14	17	Not in Labor Force	20	16	19
40 to 44	25	22	30	Employment Status Unknown	147	138	147
45 to 49	38	25	34	ARRESTS			
50 to 54	32	26	34	Arrested in Past 12 Months	*	*	*
55 to 59	16	11	14	Not Arrested in Past 12 Months	109	84	98
60 and Over	11	8	12	Arrest Status Unknown	147	131	145
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	220	190	215	Self / Family / Friend	143	116	145
African American	6	8	15	School	*	*	*
Native American / Alaskan	*	*	*	Mental Health Provider	25	25	24
Asian / Pacific Islander	0	0	*	Health Care Provider	35	28	29
Hispanic	24	10	7	Court / Criminal Justice	14	18	9
Other Race	8	7	8	Other	40	27	37
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	*	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	62	38	53	Voluntary	254	207	240
High School Grad or G.E.D.	33	34	32	Civil	*	7	5
A.A. Degree or Some College	14	5	11	Criminal	*	*	*
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	0	0	0
Education Level Unknown	148	138	147	Commitment Type Unknown	0	0	0

109

BOLLINGER COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)		UICIDE	of atudan	to who in	the neet	12 mantha		(%)
Percent of students who, in the past 30 days:							-	12 months	·	
Were grouphy imitable or in a had mood		17.7 22.2		Seriously considered attempting suicide						10.4 7.2
Were grouchy, irritable, or in a bad mood				Made a plan about how they would attempt suicide Attempted suicide					4.4	
Felt hopeless about the future Felt like not eating or eating more than usual		6.7 17.8					rocultod	in injuny o	r overdose that had to	0.6
Slept a lot more or a lot less than usual		18.3				doctor or		iii iiijui y o	i overdose that had to	0.6
•		23.2		20 1	outou by	400.0.				
Had difficulty concentrating on school work		23.2		EBELLIC	OUSNES.	s				
FIGHTING				Percent of	of student	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		18.8
Were in a physical fight		16.1		They do	o the opp	osite of w	hat they'r	e told to m	nake people mad	13.3
Were in a fight and had to be treated by a doctor or nurse		1.6		It is oka	y to take	somethin	g without	permissio	n	6.7
Were threatened or injured with a weapon on school propert	ty	3.9		Someti	mes it is o	okay to ch	eat at scl	nool		21.0
DULLIANO LACTIM				It is oka	y to beat	up people	e if they s	tart a fight	t	47.5
BULLYING VICTIM Percent of students who, in the past 3 months:			_	20000	DEL 4711	24/0				
Were shoved, slapped, hit, or kicked in a serious manner		26.1		CHOOL . Percent i			ee with t	he followin	nα·	
Were victims of mean rumors or lies spread at school		48.9				_		tudent's g	-	72.4
Had embarrassing or hurtful pictures/text of them posted on	internet	12.8						_	ive student performance	43.0
Had embarrassing or hurtful pictures/text of them sent by ce		13.9			-	student fo	-	-	ive stadent performance	62.4
Were made fun of by others	ii piiolic	59.8			re enforc		i iiaia w	JIK .		67.4
Word made fair of by salidis		00.0				-	ethnicities	are treate	ed equally	79.4
BULLYING PERPRETRATOR				Oludon	15 01 011 10	ioos ana c	ou i i i i i i i i i i i i i i i i i i i	dio troute	ou oquany	
Percent of students who, in the past 3 months:				ARENT						
Shoved, slapped, hit, or kicked a student in a serious manner	er	17.1						he followin		
Spread mean rumors or lies about other kids at school	24.9	· · · · · · · · · · · · · · · · · · ·						84.0		
Posted on internet embarrassing or hurtful pictures/text of so		5.5						-		68.5
Sent by cell phone embarrassing or hurtful pictures/text of so	omeone	6.1					-		dless of consequences	84.9
Made fun of other people		ผกว								
• •		60.2		Studen	t could as	sk parent f	or help w	ith a perso	onal problem	77.2
		00.2		Studen	t could as	sk parent f	or help w	ith a perso	onal problem	77.2
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	<									77.2
SUBSTANCE USE AND BELIEFS	Who									77.2
SUBSTANCE USE AND BELIEFS	Who hav									77.2
SUBSTANCE USE AND BELIEFS	Who have ev									77.2
SUBSTANCE USE AND BELIEFS	Who have ever u									11.2
SUBSTANCE USE AND BELIEFS	Who have ever used									11.2
SUBSTANCE USE AND BELIEFS	Who have ever used su									11.2
SUBSTANCE USE AND BELIEFS	Who have ever used substa									11.2
SUBSTANCE USE AND BELIEFS	Who have ever used substance									11.2
SUBSTANCE USE AND BELIEFS	Who have ever used substance	Who have used in the past 30 days		Who say it would be easy to get		Who say parents would disapprove they use	or help Who feel it would be wrong to use	Who think kids in their neighbor would be caught by police for us	Among students who have ever used substance, average age wifirst used	11.2
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:		Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	11.2
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes	31.5	Who have used in the past 30 days	Whose closest friends have used the past 12 months			Who say parents would disapprove they use		Who think kids in their neighbor would be caught by police for us	Among students who have ever used substance, average age wifirst used	11.2
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	31.5 18.2	Who have used in the past 30 days 14.3	Whose closest friends have used in the past 12 months	Who say it would be easy to get 48.1	Who believe they risk harming themselves if they use	Who say parents would disapprove if 9.	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when 12.	11.2
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	31.5	Who have used in the past 30 days 14.3 12.2 14.4	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	11.2
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	31.5 18.2 37.6	Who have used in the past 30 days 14.3 12.2 14.4 8.8	Whose closest friends have used in the past 12 months 39.45.3	Who say it would be easy to get 48.1	Who believe they risk harming themselves if they use 76.9	Who say parents would disapprove if 89.9	Who feel it would be wrong to use 77.7	Who think kids in their neighborhood would be caught by police for using 22.1	Among students who have ever used substance, average age when 12.11	11.2
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	31.5 18.2 37.6	Who have used in the past 30 days 14.3 12.2 14.4 8.8 3.9	Whose closest friends have used in the past 12 months	Who say it would be easy to get 48.1	Who believe they risk harming themselves if they use	Who say parents would disapprove if 9.	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when 12.28	11.2
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	31.5 18.2 37.6	Who have used in the past 30 days 14.3 12.2 14.4 8.8	Whose closest friends have used in the past 12 months 39.2 20.6	Who say it would be easy to get 48.1 22.8	Who believe they risk harming themselves if they use 76.9	Who say parents would disapprove if 89.9 83.2	Who feel it would be wrong to use 77.7 66.5	would be caught by police for using 22.1 42.0	Among students who have ever used substance, average age when 12.11	11.2
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	31.5 18.2 37.6 10.5 5.0	Who have used in the past 30 days 14.3 12.2 14.4 8.8 3.9 2.2	Whose closest friends have used in the past 12 months 39.45.3	Who say it would be easy to get 48.1 47.2 22.8 9.6	themselves if they use 76.9 79.6 95.6	they use 89.9 83.2 93.8	Who feel it would be wrong to use 77.7 66.5 86.7 97.8	Who think kids in their neighborhood would be caught by police for using 22.1	Among students who have ever used substance, average age when 12.28	11.2
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	31.5 18.2 37.6 10.5 5.0	Who have used in the past 30 days 14.3 12.2 14.4 8.8 3.9 2.2	Whose closest friends have used in the past 12 months 39.2 20.6	Who say it would be easy to get 48.1 47.2 22.8 9.6 41.1	Who believe they risk harming themselves if they use 76.9 79.6 95.6 86.1	they use they use 89.9 83.2 93.8 98.3 97.2	Who feel it would be wrong to use 77.7 66.5 86.7 97.8 93.3	would be caught by police for using 22.1 42.0	Among students who have ever used substance, average age when 12.28	11.2
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	31.5 18.2 37.6 10.5 5.0 4.4 9.4	Who have used in the past 30 days 14.3 12.2 14.4 8.8 3.9 2.2	Whose closest friends have used in the past 12 months 39.2 20.6	Who say it would be easy to get 48.1 47.2 22.8 9.6	themselves if they use 76.9 79.6 95.6	they use 89.9 83.2 93.8	Who feel it would be wrong to use 77.7 66.5 86.7 97.8	would be caught by police for using 22.1 42.0	Among students who have ever used substance, average age when 12.28	11.2
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	31.5 18.2 37.6 10.5 5.0 4.4 9.4 0.6	Who have used in the past 30 days 14.3 12.2 14.4 8.8 3.9 2.2	Whose closest friends have used in the past 12 months 39.2 20.6	Who say it would be easy to get 48.1 47.2 22.8 9.6 41.1	Who believe they risk harming themselves if they use 76.9 79.6 95.6 86.1	they use they use 89.9 83.2 93.8 98.3 97.2	Who feel it would be wrong to use 77.7 66.5 86.7 97.8 93.3	would be caught by police for using 22.1 42.0	Among students who have ever used substance, average age when 12.28	11.2
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	31.5 18.2 37.6 10.5 5.0 4.4 9.4 0.6 1.1	Who have used in the past 30 days 14.3 12.2 14.4 8.8 3.9 2.2	Whose closest friends have used in the past 12 months 39.2 20.6	Who say it would be easy to get 48.1 47.2 22.8 9.6 41.1	Who believe they risk harming themselves if they use 76.9 79.6 95.6 86.1	they use they use 89.9 83.2 93.8 98.3 97.2	Who feel it would be wrong to use 77.7 66.5 86.7 97.8 93.3	would be caught by police for using 22.1 42.0	Among students who have ever used substance, average age when 12.28	11.2
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	31.5 18.2 37.6 10.5 5.0 4.4 9.4 0.6 1.1	Who have used in the past 30 days 14.3 12.2 14.4 8.8 3.9 2.2	Whose closest friends have used in the past 12 months 39.2 20.6	Who say it would be easy to get 48.1 47.2 22.8 9.6 41.1	Who believe they risk harming themselves if they use 76.9 79.6 95.6 86.1	they use they use 89.9 83.2 93.8 98.3 97.2	Who feel it would be wrong to use 77.7 66.5 86.7 97.8 93.3	would be caught by police for using 22.1 42.0	Among students who have ever used substance, average age when 12.28	11.2
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	31.5 18.2 37.6 10.5 5.0 4.4 9.4 0.6 1.1	Who have used in the past 30 days 14.3 12.2 14.4 8.8 3.9 2.2	Whose closest friends have used in the past 12 months 39.2 20.6	Who say it would be easy to get 48.1 47.2 22.8 9.6 41.1	Who believe they risk harming themselves if they use 76.9 79.6 95.6 86.1	they use they use 89.9 83.2 93.8 98.3 97.2	Who feel it would be wrong to use 77.7 66.5 86.7 97.8 93.3	would be caught by police for using 22.1 42.0	Among students who have ever used substance, average age when 12.28	

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14

Percentages on some items are based on combined answer choices.

and 15-19, gender, race, and Hispanic origin.

4.4

BOONE COUNTY



Crash Fatalities

Crash Injuries

EMPLOYMENT

Labor Force

Employed

Unemployed

Unemployment Rate

RETAIL ALCOHOL OUTLETS

Alcohol On-Premise Drink Licenses

Alcohol Package Carry-out Licenses

ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE

Central 12 019 162,642 165,627

43			
BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	2,003	2,143	2,064
Mother Reported Drinking while Pregnant 1		21	40
Mother Reported Smoking while Pregnant	303	300	340
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	12	11	10
IDU and MSM ²	*	*	1
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	962	949	926
Suicides	14	14	6
Self-inflicted Injuries	126	159	182
Homicides	3	8	7
Assault Injuries	499	486	501
Alcohol Induced Deaths	8	7	14
Drug Induced Deaths	24	23	23
Smoking Induced Deaths	163	168	156
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	1,534	1,218	1,130
Direct Hospitalizations	361	298	292
Emergency Room Hospitalizations	532	394	296
Emergency Room Outpatient	641	526	542
Drug RelatedTotal	1,188	791	687
Direct Hospitalizations	278	245	257
Emergency Room Hospitalizations	445	287	156
Emergency Room Outpatient	465	259	274
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	190	192	200
Fatal Crashes	6	4	7
Injury Crashes	70	74	76
Property Damage Crashes	114	114	117
Crash Fatalities	6	4	7
Crash Injuries	104	77	90
Drug Involved CrashesTotal	32	28	26
Fatal Crashes	0	1	2
Injury Crashes	17	11	14
Property Damage Crashes	15	16	10

2	011 POPUL	LATION PROFILE BY AGE GROUP
	15,000	•
	10,000 -	
	5,000 -	malliman.
	0 -	
		2 3 2 3 3 3 4 4 4 4 4 4 8 4 8 8 6 8 7 7 8 8
		■ Female ■ Male

SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	6,781	6,822	6,837
Drop-outs	188	214	267
Drop-out Rate	2.8%	3.1%	3.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	2	9	7
Drug Incidents	57	37	62
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	1,639	1,207	1,132
Liquor Law Arrests	898	1,035	708
Drug Arrests	1,135	1,115	1,083
Methamphetamine Lab Incidents	15	29	1
Violent Offenses	673	658	529
Property Offenses	5,084	5,163	5,459
Domestic Violence Reports	1,539	1,310	1,098
IUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	1,200	1,163	1,257
Violent Offenses	368	311	337
Alcohol Offenses	27	26	38
Drug Offenses	86	69	66
Status OffensesTotal	950	1,091	1,158
Truancy	106	90	94
Beyond Parental Control	274	338	450
Habitually Absent from Home	148	145	130
Injurious Behavior	410	448	475
Abuse/Neglect/CustodyTotal	206	204	248
Abuse	44	24	34
Neglect	142	142	170
Custody Disputes	20	38	44
UVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	33	64	71
Parental Alcohol Use Related	0	8	5
Parental Drug Use Related	9	13	17
Parental Alcohol and Drug Use	1	8	3
Child Removed for Other Reason	23	35	46
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	361	295	302
Probation/Parole AdmissionsTotal	1,157	1,150	1,188
Probation/Parole AdmissionsDrug	267	274	300
Probation/Parole AdmissionsDWI	91	66	64
Prison AdmissionsTotal	580	580	629
Prison AdmissionsDrug	168	155	205
Prison AdmissionsDWI	42	59	38

^{*} An asterisk in a data cell indicates the count was fewer than 5 and suppressed

0

27

2011

91,745

86,411

5,334

5.8%

2011

235

110

1

13 2010

89,078

83,396

5,682

6.4%

2010

231

112

1

2009

87,568

82,050

5,518

6.3%

2009

242

112

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

BOONE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	54	51	69
CSTAR Women and Children	213	235	200
CSTAR General Adult	215	80	60
CSTAR Opioid	0	*	*
Primary Recovery Detoxification	161	193	191
Primary Recovery Treatment	653	930	1,057
Clinical SATOP (CIP, YCIP, SROP)	177	185	113
Other Substance Abuse Treatment	*	0	10

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	1,102	1,180	1,023
- Adolescent Diversion Education Program	52	53	73
- Offender Education Program	489	491	454
- Weekend Intervention Program	230	288	272
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	74	84	87
- Compulsive Gambling	*	0	*
- Recovery Supports	8	30	27
- Early Intervention	12	9	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	841	1,013	1,059	Never Married	748	856	912
Female	399	426	424	Married / Cohabitating	262	274	259
	000	120		Previously Married	230	309	312
AGE				•	200	000	0.2
Under 18	47	50	70	PRIMARY DRUG PROBLEM			
18 to 24	260	301	316	Alcohol	588	704	692
25 to 29	238	268	275	Marijuana / Hashish	368	416	470
30 to 34	190	195	189	Cocaine (total)	145	163	179
35 to 39	116	173	175	- Crack	90	96	99
40 to 44	123	152	167	Stimulant (total)	35	42	45
45 to 54	212	248	246	- Methamphetamine	30	37	39
55 and Over	54	52	45	Heroin	27	25	23
RACE / ETHNICITY				Analgesic except Heroin	57	64	49
Caucasian	802	971	978	- Non-Prescription Methadone	0	0	*
African American	362	403	434	PCP, LSD, other Hallucinogen	8	15	8
Native American / Alaskan	6	5	*	Tranquilizer	5	5	7
Asian / Pacific Islander	5	*	9	Inhalant	*	*	*
Hispanic	27	28	37	Sedative	0	0	*
Other Race / Two or More Races	48	41	35	Other Medication or Illicit Drug	*	*	7
Cities Nace / Two of More Naces	40	41	33	Average Age at First Use of Drug	17.0	16.8	16.8
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	367	405	435	Any Injection Use at Admission	60	68	61
High School Graduate or G.E.D.	505	628	639	- Daily Injection Use	14	11	17
Associate Degree or Some College	315	331	357	- Weekly Injection Use	14	19	10
Bachelor or Advanced Degree	53	75	52	- Less than Weekly Injection Use	32	38	34
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	459	570	544	Self / Family / Friend	483	452	457
Unemployed	393	467	507	School	*	*	*
Not in Labor Force	388	402	431	Mental Health Provider	9	23	37
				Health Care Provider	33	41	36
LIVING ARRANGEMENT				Court / Criminal Justice	636	847	852
Independent Living	1,038	1,223	1,206	Other Referral Source	76	74	99
Dependent Living	108	137	178	ODEOLAL DORUMATIONS			
Homeless	71	64	81	SPECIAL POPULATIONS Prognest when Admitted to any Enjage	4.5	04	20
LIFETIME DUL / DWL A DRECTS				Pregnant when Admitted to any Episode	15	21	28
LIFETIME DUI / DWI ARRESTS 0	705	750	040	Military Veteran	37	70 453	64
1 or 2	705	753	812	Special Education Services Needed	99	152	149
· · · ·	372	454	424	Co-Occurring Psychological Problem	389	522	515
3 or More	163	232	247	Co-Occurring Developmental Problem	92	115	108

BOONE COUNTY



ADA/CPS REGION Central
CPS SERVICE AREA 12
CENSUS 2010 162,642
2011 POP. ESTIMATE 165,627

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 24 130 45 **Anxiety Disorder** 454 329 338 Dementia 6 6 11 **Developmental Disorder** 10 14 17 Impulse Control Disorder 164 119 155 **Mood Disorder** 571 814 742 Personality Disorder 108 107 205 **Psychotic Disorder** 253 239 286 Sexual Disorder Other Diagnosis 68 41 112

119

197

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,435	1,189	1,838	Hearing Impaired	36	37	49
Male	662	558	951	Past or Current Military Service	31	31	61
Female	773	631	887	•	01	01	0.
	7.10	001	001	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	556	304	237
Under 6	10	6	15	Dependent Living	52	204	60
6 to 9	66	64	119	Homeless	20	8	9
10 to 13	126	111	182	Other	28	16	7
14 to 17	123	110	226	Housing Unknown	779	657	1,525
18 to 24	166	116	222	EMPLOYMENT			
25 to 29	130	88	147	Employed	101	45	47
30 to 34	110	88	131	Unemployed	524	298	224
35 to 39	117	107	145	Not in Labor Force	29	22	11
40 to 44	149	106	148	Employment Status Unknown	781	824	1,556
45 to 49	131	134	176		701	021	1,000
50 to 54	137	106	150	ARRESTS			
55 to 59	98	87	96	Arrested in Past 12 Months	161	96	38
60 and Over	72	66	81	Not Arrested in Past 12 Months	494	433	274
	12	00	01	Arrest Status Unknown	780	660	1,526
RACE / ETHNICITY							
Caucasian	993	834	1,345	TREATMENT REFERRAL SOURCE			
African American	337	271	358	Self / Family / Friend	623	652	984
Native American / Alaskan	5	5	5	School	*	5	*
Asian / Pacific Islander	12	9	16	Mental Health Provider	129	147	234
Hispanic	20	18	30	Health Care Provider	336	98	219
Other Race	68	52	83	Court / Criminal Justice	130	97	221
Race/Ethnicity Unknown	0	0	*	Other	213	188	173
•	· ·	· ·		Referral Source Unknown	0	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	166	86	73	Voluntary	1,412	1,153	1,614
High School Grad or G.E.D.	264	148	122	Civil	10	19	199
A.A. Degree or Some College	147	87	64	Criminal	11	13	19
Bachelor or Advanced Degree	61	26	23	Sexual Predatory	*	*	0
Education Level Unknown	797	842	1,556	Commitment Type Unknown	*	*	6

476

BOONE COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)		UICIDE				40		(%)
Percent of students who, in the past 30 days:								12 months	<i>:</i>	
Were very sad		15.1			-	ered atter	-		dalala	9.1
Were grouchy, irritable, or in a bad mood Felt hopeless about the future		21.1 12.0			ted suicio		ey would	attempt su	licide	7.6 4.6
Felt like not eating or eating more than usual		15.9					reculted	in injury o	r overdose that had to	1.3
Slept a lot more or a lot less than usual		19.8				doctor or		iii iiijui y oi	overdose mai nad to	1.5
Had difficulty concentrating on school work		22.2								
riad difficulty concentrating on school work		22.2		EBELLIC	OUSNES	s				
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get		-		22.3
Were in a physical fight		17.7					-		ake people mad	15.2
Were in a fight and had to be treated by a doctor or nurse		3.1			-		-	permissio	n	5.9
Were threatened or injured with a weapon on school proper	ty	6.2				okay to ch				18.7
BULLYING VICTIM				It is oka	ay to beat	up peopl	e if they s	start a fight		51.0
Percent of students who, in the past 3 months:			s	СНООІ	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		21.7					ree with t	he followin	g:	
Were victims of mean rumors or lies spread at school		42.4				_		tudent's go	-	70.1
Had embarrassing or hurtful pictures/text of them posted on	internet	11.7		School	provides	feedback	to paren	ts on positi	ve student performance	43.5
Had embarrassing or hurtful pictures/text of them sent by ce		14.6		Teache	rs praise	student fo	or hard w	ork .		58.7
Were made fun of by others	•	62.9		Rules a	re enforc	ed fairly				67.4
•				Studen	ts of all ra	aces and o	ethnicities	s are treate	ed equally	78.7
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		40.0			RELATIC			h a fallanda		
Shoved, slapped, hit, or kicked a student in a serious manne	er	18.0 20.9				-		he followin	-	82.9
Spread mean rumors or lies about other kids at school	omoono	9.4	· · · · · · · · · · · · · · · · · · ·							70.1
Posted on internet embarrassing or hurtful pictures/text of someone Sent by cell phone embarrassing or hurtful pictures/text of someone		9.4						-	dless of consequences	86.7
Made fun of other people	omeone	64.9		-					onal problem	78.5
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	€	8	₹≤	€	₹ ≤	₽≤	€	≶ ≷	fi us Ar	
	ᅙ	ᅙ	hos e pa	ਲੁੱ	ems Tot	то s ey u	ਤੁੱ	buld to	Among st used sub first used	
	lave	lave	e clo	نق	운을	se ay	<u>&</u>	BE I	g str subs	
	<u>e</u>			≤.	. n. n. i		-	<u>چ</u> چ	de stan	
	<u> </u>	S	Ses m	y it wo	eve t	are	≥	.5 9		
	er us	used in	sest frie 2 month	y it would	eve they es if they	arents	would	ds in	nts v	
	er used :	used in the	Whose closest friends the past 12 months	y it would be e	eve they risk es if they us	arents wou	would be v	ds in thei ight by p	nts who	
	er used sub	used in the pa	sest friends ha 2 months	y it would be easy	Who believe they risk har themselves if they use	arents would d	would be wror	ds in their ne ught by police	nts who hav ce, average	
	er used substan	used in the past 30	sest friends have u 2 months	y it would be easy to	eve they risk harmin es if they use	arents would disap	would be wrong to	ds in their neight	nts who have ev	
	Who have ever used substance	Who have used in the past 30 day	ids have used	Who say it would be easy to get	Who believe they risk harming themselves if they use	arents would disapprov	Who feel it would be wrong to use	Who think kids in their neighborh would be caught by police for using the caught by the caught by the caught by police for using the caught by	Among students who have ever used substance, average age wh first used	
	er used substance	used in the past 30 days	sest friends have used in 2 months	y it would be easy to get	eve they risk harming es if they use	Who say parents would disapprove if they use	would be wrong to use	ds in their neighborhood ight by police for using	nts who have ever ce, average age when	
Cigarettes	er used substance 6.5	used in the past 30 days	5	y it would be easy to get 56.9	eve they risk harming es if they use 79.9		would be wrong to use 78.6	ng boo	ien	
Cigarettes Chewing Tobacco		ys			harming	arents would disapprove if 89.4	Ф	ds in their neighborhood 19.1	nts who have ever ce, average age when 2.67	
Cigarettes Chewing Tobacco Alcohol	26.5	10.6 9.0	49.8	56.9	harming 79.9	89.4	78.6	19.1	ien	
Chewing Tobacco Alcohol	26.5 16.5	10.6 9.0 21.3	5		harming		Ф	ng boo	12.67	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	26.5 16.5	10.6 9.0	49.8	56.9 60.5	79.9 68.2	89.4 76.5	78.6 56.3	19.1	12.67 12.86	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	26.5 16.5 46.9	10.6 9.0 21.3 11.6 7.0	49.8	56.9	harming 79.9	89.4	78.6	19.1	12.67 12.86 13.91	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	26.5 16.5 46.9	10.6 9.0 21.3 11.6	49.8	56.9 60.5	79.9 68.2	89.4 76.5	78.6 56.3	19.1	12.67 12.86	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	26.5 16.5 46.9	10.6 9.0 21.3 11.6 7.0	49.8 61.2 40.5	56.9 60.5 36.4	79.9 68.2 74.4	89.4 76.5 94.8 98.5	78.6 56.3 83.9 96.1	19.1 20.0 32.6	12.67 12.86 13.91	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	26.5 16.5 46.9 19.2 5.0	10.6 9.0 21.3 11.6 7.0 1.3	49.8 61.2 40.5	56.9 60.5 36.4 14.4	79.9 68.2 74.4 93.0 79.1	89.4 76.5 94.8	78.6 56.3 83.9	19.1 20.0 32.6	12.67 12.86 13.91	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	26.5 16.5 46.9 19.2 5.0	10.6 9.0 21.3 11.6 7.0 1.3	49.8 61.2 40.5	56.9 60.5 36.4 14.4 56.8	79.9 68.2 74.4 93.0	89.4 76.5 94.8 98.5 95.8	78.6 56.3 83.9 96.1 87.6	19.1 20.0 32.6	12.67 12.86 13.91	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	26.5 16.5 46.9 19.2 5.0 5.9 10.2 0.4	10.6 9.0 21.3 11.6 7.0 1.3	49.8 61.2 40.5	56.9 60.5 36.4 14.4 56.8	79.9 68.2 74.4 93.0 79.1	89.4 76.5 94.8 98.5 95.8	78.6 56.3 83.9 96.1 87.6	19.1 20.0 32.6	12.67 12.86 13.91	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	26.5 16.5 46.9 19.2 5.0 5.9 10.2 0.4 2.1	10.6 9.0 21.3 11.6 7.0 1.3	49.8 61.2 40.5	56.9 60.5 36.4 14.4 56.8	79.9 68.2 74.4 93.0 79.1	89.4 76.5 94.8 98.5 95.8	78.6 56.3 83.9 96.1 87.6	19.1 20.0 32.6	12.67 12.86 13.91	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	26.5 16.5 46.9 19.2 5.0 5.9 10.2 0.4 2.1 0.7	10.6 9.0 21.3 11.6 7.0 1.3	49.8 61.2 40.5	56.9 60.5 36.4 14.4 56.8	79.9 68.2 74.4 93.0 79.1	89.4 76.5 94.8 98.5 95.8	78.6 56.3 83.9 96.1 87.6	19.1 20.0 32.6	12.67 12.86 13.91	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	26.5 16.5 46.9 19.2 5.0 5.9 10.2 0.4 2.1 0.7 1.6	10.6 9.0 21.3 11.6 7.0 1.3	49.8 61.2 40.5	56.9 60.5 36.4 14.4 56.8	79.9 68.2 74.4 93.0 79.1	89.4 76.5 94.8 98.5 95.8	78.6 56.3 83.9 96.1 87.6	19.1 20.0 32.6	12.67 12.86 13.91	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	26.5 16.5 46.9 19.2 5.0 5.9 10.2 0.4 2.1 0.7	10.6 9.0 21.3 11.6 7.0 1.3 2.8 3.7	49.8 61.2 40.5 14.8	56.9 60.5 36.4 14.4 56.8 28.3	79.9 68.2 74.4 93.0 79.1 84.7	89.4 76.5 94.8 98.5 95.8 94.9	78.6 56.3 83.9 96.1 87.6 91.7	19.1 20.0 32.6 41.1	12.67 12.86 13.91	ı-14

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

BUCHANAN COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 021 89,201 89,666



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	1,244	1,355	1,290
Mother Reported Drinking while Pregnant 1		2	2
Mother Reported Smoking while Pregnant	294	306	331
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	5	8	6
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	932	897	995
Suicides	17	9	18
Self-inflicted Injuries	158	122	147
Homicides	8	4	4
Assault Injuries	525	490	524
Alcohol Induced Deaths	9	490	6
Drug Induced Deaths	6	12	12
Smoking Induced Deaths	174	173	193
Chicking induced Deaths	174	173	195
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	1,515	1,173	1,074
Direct Hospitalizations	426	192	155
Emergency Room Hospitalizations	424	475	401
Emergency Room Outpatient	665	506	518
Drug RelatedTotal	1,145	805	906
Direct Hospitalizations	415	201	226
Emergency Room Hospitalizations	313	347	385
Emergency Room Outpatient	417	257	295
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	120	140	151
Fatal Crashes	1	3	3
Injury Crashes	51	52	57
Property Damage Crashes	68	85	91
Crash Fatalities	1	3	2
Crash Injuries	74	53	59
Drug Involved CrashesTotal	17	20	15
Fatal Crashes	0	0	0
Injury Crashes	10	10	7
Property Damage Crashes	7	10	8
Crash Fatalities	0	0	0
Crash Injuries	13	11	7
EMPLOYMENT	2011	2010	2009
Labor Force	51,007	48,490	49,467
Employed	47,208	44,261	45,235
Unemployed	3,799	4,229	4,232
Unemployment Rate	7.4%	8.7%	8.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	120	121	133
Alcohol Package Carry-out Licenses	79	78	81

ママネマデザッ ■ Female ■	¥ ທີ່ທີ່ຈີ ■Male	\$ ~ ~	9 5
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	3,988	4,022	4,064
Drop-outs	71	61	115
Drop-out Rate	1.8%	1.5%	2.8%
School Suspensions, 10 or More Days			
Alcohol Incidents	6	4	8
Drug Incidents	17	19	13
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	506	588	539
Liquor Law Arrests	264	224	237
Drug Arrests	735	802	830
Methamphetamine Lab Incidents	5	6	12
Violent Offenses	339	458	378
Property Offenses	3,998	4,165	4,056
Domestic Violence Reports	830	878	854
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	636	551	626
Violent Offenses	153	122	121
Alcohol Offenses	5	20	18
Drug Offenses	38	46	39
Status OffensesTotal	322	272	276
Truancy	107	67	57
Beyond Parental Control	59	83	72
Habitually Absent from Home	134	107	141
Injurious Behavior	8	9	2
Abuse/Neglect/CustodyTotal	60	67	59
Abuse	11	6	5
Neglect	47	59	53
Custody Disputes	2	2	1
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	35	39	39
Parental Alcohol Use Related	1	2	3
Parental Drug Use Related	10	7	3
Parental Alcohol and Drug Use	1	1	2
Child Removed for Other Reason	23	29	31
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	206	191	178
Probation/Parole AdmissionsTotal	984	997	949
Probation/Parole AdmissionsDrug	369	344	354
Probation/Parole AdmissionsDWI	74	85	65
Prison AdmissionsTotal	609	647	567
Prison AdmissionsDrug	249	266	227
Prison AdmissionsDWI	52	44	54

^{*} An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

BUCHANAN COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	92	119	123
CSTAR Women and Children	*	7	18
CSTAR General Adult	103	59	23
CSTAR Opioid	0	*	6
Primary Recovery Detoxification	204	220	241
Primary Recovery Treatment	334	467	497
Clinical SATOP (CIP, YCIP, SROP)	34	21	25
Other Substance Abuse Treatment	*	0	55

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	319	407	475
- Adolescent Diversion Education Program	6	11	6
- Offender Education Program	153	202	252
- Weekend Intervention Program	64	115	134
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	5	*	11
- Compulsive Gambling	*	*	*
- Recovery Supports	*	74	76
- Early Intervention	99	15	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	469	548	625	Never Married	421	465	492
Female	200	222	212	Married / Cohabitating	96	124	143
				Previously Married	152	180	202
AGE							
Under 18	93	117	117	PRIMARY DRUG PROBLEM			
18 to 24	130	139	135	Alcohol	268	281	327
25 to 29	105	120	140	Marijuana / Hashish	196	272	256
30 to 34	63	84	100	Cocaine (total)	47	45	65
35 to 39	77	89	92	- Crack	31	30	51
40 to 44	62	66	70	Stimulant (total)	73	79	106
45 to 54	112	125	151	- Methamphetamine	71	78	104
55 and Over	27	30	32	Heroin	5	*	*
RACE / ETHNICITY				Analgesic except Heroin	70	71	65
Caucasian	547	642	690	- Non-Prescription Methadone	0	*	*
African American	87	89	107	PCP, LSD, other Hallucinogen	*	*	8
Native American / Alaskan	*	*	*	Tranquilizer	6	10	*
Asian / Pacific Islander	*	*	*	Inhalant	0	*	0
Hispanic	21	23	25	Sedative	0	*	*
Other Race / Two or More Races	16	18	17	Other Medication or Illicit Drug	*	*	*
Carlot Mass / Two of More Masses	10	10	.,	Average Age at First Use of Drug	17.2	17.3	17.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	242	286	328	Any Injection Use at Admission	77	58	73
High School Graduate or G.E.D.	310	365	364	- Daily Injection Use	34	20	23
Associate Degree or Some College	99	105	133	- Weekly Injection Use	13	9	13
Bachelor or Advanced Degree	18	14	12	- Less than Weekly Injection Use	30	29	37
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	194	186	251	Self / Family / Friend	200	202	246
Unemployed	302	312	366	School	*	*	7
Not in Labor Force	173	271	220	Mental Health Provider	*	*	10
				Health Care Provider	36	44	31
LIVING ARRANGEMENT				Court / Criminal Justice	396	475	496
Independent Living	446	515	554	Other Referral Source	30	37	47
Dependent Living	152	192	188	CDECIAL DODULATIONS			
Homeless	61	60	87	SPECIAL POPULATIONS Prognant when Admitted to any Enjands	*	^	^
LIFETIME DUI / DWI ARRESTS				Pregnant when Admitted to any Episode Military Veteran	34	6 47	9 57
0	441	508	E10	Special Education Services Needed	34 15	47 22	57 40
1 or 2			518	•	_	151	_
	143	158	202	Co-Occurring Psychological Problem	139	_	153
3 or More	85	104	117	Co-Occurring Developmental Problem	12	7	8

BUCHANAN COUNTY



ADA/CPS REGION Northwest CPS SERVICE AREA 1
CENSUS 2010 89,201
2011 POP. ESTIMATE 89,666

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 117 71 70 **Anxiety Disorder** 279 230 271 Dementia 8 10 11 **Developmental Disorder** 11 7 9 Impulse Control Disorder 384 360 364 **Mood Disorder** 771 808 829 Personality Disorder 85 97 100 **Psychotic Disorder** 378 384 343 Sexual Disorder Other Diagnosis 227 198 218 Diagnosis Unknown 205 207 289

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,948	1,864	1,765	Hearing Impaired	103	94	74
Male	1,087	1,041	941	Past or Current Military Service	69	66	57
Female	861	823	824	•	-		
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	260	11	6
Under 6	64	88	41	Dependent Living	73	105	6
6 to 9	205	204	171	Homeless	*	0	*
10 to 13	219	181	178	Other	*	*	0
14 to 17	215	176	168	Housing Unknown	1,609	1,744	1,751
18 to 24	133	121	136	EMPLOYMENT			
25 to 29	110	120	123	Employed	36	*	*
30 to 34	109	104	102	Unemployed	289	18	7
35 to 39	132	143	140	Not in Labor Force	14	*	*
40 to 44	144	143	147	Employment Status Unknown	1,609	1,844	1,754
45 to 49	178	178	192	4005070			
50 to 54	198	178	146	ARRESTS Arrested in Past 12 Months	00	40	*
55 to 59	110	111	105		28	19	4.4
60 and Over	131	117	116	Not Arrested in Past 12 Months Arrest Status Unknown	311	101	11
				Arrest Status Unknown	1,609	1,744	1,751
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	1,610	1,552	1,471	TREATMENT REFERRAL SOURCE Self / Family / Friend	FOF	522	407
African American	200	176	165	School	595 119	532 113	497
Native American / Alaskan	16	9	9	Mental Health Provider	492	473	105 450
Asian / Pacific Islander	*	*	*	Health Care Provider	307	268	281
Hispanic	43	40	35	Court / Criminal Justice	133	133	111
Other Race	77	84	83	Other	299	339	314
Race/Ethnicity Unknown	0	*	0	Referral Source Unknown	299 *	559	7
				Referral Gource Challown		O	,
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	109	8	*	Voluntary	1,821	1,739	1,648
High School Grad or G.E.D.	150	7	5	Civil	16	10	17
A.A. Degree or Some College	68	5	*	Criminal	106	108	93
Bachelor or Advanced Degree	12	0	*	Sexual Predatory	*	*	*
Education Level Unknown	1,609	1,844	1,754	Commitment Type Unknown	*	5	6

BUCHANAN COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%	<u>,</u>	SUICIDE	-6 -4: -d	to who lo	46 a a a a 4	12 mantha		(%)
Percent of students who, in the past 30 days:			-					12 months	;	
Were very sad		18.			-	lered atter			atatata.	10.5
Were grouchy, irritable, or in a bad mood		24.4			•		ey would	attempt su	licide	7.5
Felt hopeless about the future		10.6			ited suicio		t rooultod	la laluare	r avardosa that had to	5.0
Felt like not eating or eating more than usual		15.8 19.8				doctor or		in injury o	r overdose that had to	1.3
Slept a lot more or a lot less than usual		21.7		DC 1	realed by	doctor or	Huise			
Had difficulty concentrating on school work		21.		REBELLIC	OUSNES	s				
FIGHTING				Percent	of studen	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	gnore rule	s that get	in their w	<i>ı</i> ay		19.4
Were in a physical fight		20.8	В	They d	o the opp	osite of w	hat they'ı	e told to m	ake people mad	14.3
Were in a fight and had to be treated by a doctor or nurse		2.2	2	It is ok	ay to take	somethin	g without	permissio	n	5.6
Were threatened or injured with a weapon on school proper	ty	6.7	7	Someti	imes it is (okay to ch	eat at sc	hool		17.6
7.11.1.11.10.1.10.711.1				It is ok	ay to beat	t up peopl	e if they s	start a fight	•	42.8
BULLYING VICTIM Percent of students who, in the past 3 months:										
Were shoved, slapped, hit, or kicked in a serious manner		26.		SCHOOL Parcant			roo with t	he followin	na·	
Were victims of mean rumors or lies spread at school		46.2				_		itudent's g	-	74.9
Had embarrassing or hurtful pictures/text of them posted on	internet	13.						_	ve student performance	39.2
Had embarrassing or hurtful pictures/text of them sent by ce		13.			-	student fo	-	-	ive student periorniance	60.4
Were made fun of by others	ii piione	56.3			are enforc		Ji Halu W	UIK		70.6
were made full of by others		50.	3			-	othnicitio	s are treate	nd oqually	83.3
BULLYING PERPRETRATOR				Studen	its or all re	aces and t	en in ilcinie.	s are ireate	cu equally	05.5
Percent of students who, in the past 3 months:			/	PARENT	RELATIC	ONS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	18.7	7	Percent	of studen	ts who agi	ree with t	he followin	g:	
Spread mean rumors or lies about other kids at school		26.1	1	Parent	s notice a	ind comme	ent on stu	udent's god	od work	82.9
Posted on internet embarrassing or hurtful pictures/text of someon Sent by cell phone embarrassing or hurtful pictures/text of someon										70.6
		omeone 9.7 It is important to be honest with parents regardless of consequences							dless of consequences	84.8
Made fun of other people		55.6 Student could ask parent for help with a personal problem							onal problem	80.0
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	<		= <	<	= <	= <	<	s <	⇒ ∈ ъ	
,	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age what first used	
	hav	hav	se c	say	beli	say use	<u>e</u>	be thin	s fur	
	e e	e Lis	lose 12 n	≓ ≶	es ese	par	≓	SE 중	tude	
	/er c	ĕ	st fr	잍	f the	ents		ge de la	ents nce,	
	sec	÷	E e	be	y ris	W	be	호호	who	
	S S	ē D	ds h	eas	8 8	튭	WIC	polit n	o ha erag	
	bsta	ast	ave	sy to	₫.	disa	g	eigt ce fo	we e	
	nce	80	use	ge	3	퉏	<u> </u>	, po	e w	
		ays	a ii			ove	8	aing hood	hen	
Cigarettes	21.5	10.6	40.2	44.5	81.6	94.0	84.3	33.8	12.27	
Chewing Tobacco	10.1	5.2								
Alcohol	31.9	12.4		45.6	74.6	86.5	70.9	37.1	12.58	
Binge Alcohol (5+ drinks on one occasion in past 30 days)	0	7.9		.0.0		00.0	. 0.0	0	12.00	
Marijuana	14.2	7.2		31.4	73.8	94.3	83.9	50.6	13.45	
Inhalants	5.8	1.9		-					11.89	
Illicit drugs such as cocaine, LSD, meth, club drugs			16.1	13.0	92.7	98.2	96.3	62.6		
Over-the-counter medications for non-medical use	4.7	2.8		48.5	81.6	97.0	91.0			
Prescription drugs not prescribed for student	7.0	3.8		25.4	87.1	95.9	92.2			
Heroin	0.2									
Cocaine	1.2									
Methamphetamine	0.3									
Hallucinogens	1.7									
Club drugs such as ecstasy, GHB, roofie, or Special K	1.2									
			Data are w	eighted in	compari	son to cou	inty noni	lation estin	nates for age groups 10-	14
Synthetic drugs such as K2, bath salts, Spice	6.6		and 15-19,	eiginea ii	· compan		inty popu		nated for ago groupe to	17

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:


Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

BUTLER COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 19 023 42,794 43,082



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	531	564	637
Mother Reported Drinking while Pregnant ¹		4	2
Mother Reported Smoking while Pregnant	185	172	209
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	1	2
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	546	535	512
Suicides	12	5	7
Self-inflicted Injuries	137	118	98
Homicides	0	0	1
Assault Injuries	301	278	242
Alcohol Induced Deaths	4	5	2 2
Drug Induced Deaths	9	13	6
Smoking Induced Deaths	102	97	106
Chloring muddod Deaths	102	31	100
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	510	476	490
Direct Hospitalizations	149	90	97
Emergency Room Hospitalizations	147	234	219
Emergency Room Outpatient	214	152	174
Drug RelatedTotal	496	518	383
Direct Hospitalizations	179	113	74
Emergency Room Hospitalizations	156	264	163
Emergency Room Outpatient	161	141	146
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	66	67	98
Fatal Crashes	1	3	2
Injury Crashes	32	34	44
Property Damage Crashes	33	30	52
Crash Fatalities	1	3	2
Crash Injuries	39	39	53
Drug Involved CrashesTotal	24	23	35
Fatal Crashes	1	0	1
Injury Crashes	9	16	13
Property Damage Crashes	14	7	21
Crash Fatalities	1	0	1
Crash Injuries	12	17	14
EMPLOYMENT	2011	2010	2009
Labor Force	20,719	20,762	21,235
Employed	19,018	19,039	19,495
Unemployed	1,701	1,723	1,740
Unemployment Rate	8.2%	8.3%	8.2%
BETAIL ALCOHOL OUTLETS	2011	2010	2000
Alcohol On Promise Drink Licenses			2009
Alcohol On-Premise Drink Licenses	61	63	77
Alcohol Package Carry-out Licenses	48	47	44

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,818	1,747	1,785
Drop-outs	117	74	128
Drop-out Rate	6.4%	4.2%	7.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	13	2	5
Drug Incidents	27	41	48
Tobacco Incidents	2	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	305	274	323
Liquor Law Arrests	44	57	98
Drug Arrests	263	358	248
Methamphetamine Lab Incidents	24	39	30
Violent Offenses	210	187	163
Property Offenses	1,893	1,723	1,866
Domestic Violence Reports	366	388	354
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	400	299	358
Violent Offenses	151	120	121
Alcohol Offenses	16	5	4
Drug Offenses	27	40	22
Status OffensesTotal	134	119	126
Truancy	37	13	10
Beyond Parental Control	47	43	51
Habitually Absent from Home	49	58	61
Injurious Behavior	1	2	4
Abuse/Neglect/CustodyTotal	95	93	121
Abuse	31	47	44
Neglect	64	44	77
Custody Disputes	0	2	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	39	56	51
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	13	14	17
Parental Alcohol and Drug Use	5	3	2
Child Removed for Other Reason	21	39	30
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	51	36	34
Probation/Parole AdmissionsTotal	401	374	387
Probation/Parole AdmissionsDrug	139	374 145	367 142
Probation/Parole AdmissionsDWI		145	142
	20		
Prison AdmissionsTotal	219	184	225
Prison AdmissionsDrug	86	70	70
Prison AdmissionsDWI	6	2	10
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

BUTLER COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	20	22	16
CSTAR Women and Children	20	30	31
CSTAR General Adult	151	149	150
CSTAR Opioid	*	*	*
Primary Recovery Detoxification	92	90	85
Primary Recovery Treatment	286	324	414
Clinical SATOP (CIP, YCIP, SROP)	56	36	28
Other Substance Abuse Treatment	*	*	28

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	155	179	192
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	31	58	66
- Weekend Intervention Program	32	52	70
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	5	*	*
- Compulsive Gambling	*	*	*
- Recovery Supports	74	15	18
- Early Intervention	6	5	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	376	340	441	Never Married	245	219	278
Female	191	167	179	Married / Cohabitating	160	136	178
	101	107	170	Previously Married	162	152	164
AGE				•	102	.02	101
Under 18	20	22	18	PRIMARY DRUG PROBLEM			
18 to 24	117	99	128	Alcohol	198	189	236
25 to 29	115	94	121	Marijuana / Hashish	165	142	189
30 to 34	78	64	80	Cocaine (total)	20	34	43
35 to 39	67	64	77	- Crack	18	31	38
40 to 44	53	57	65	Stimulant (total)	88	75	69
45 to 54	87	79	104	- Methamphetamine	88	75	69
55 and Over	30	28	27	Heroin	16	8	11
RACE / ETHNICITY				Analgesic except Heroin	68	53	62
Caucasian	480	427	523	- Non-Prescription Methadone	*	0	*
African American	77	68		PCP, LSD, other Hallucinogen	0	0	*
Native American / Alaskan	0	0	77 *	Tranquilizer	12	*	7
Asian / Pacific Islander	0	0	0	Inhalant	0	0	*
	-	-	-	Sedative	0	*	0
Hispanic	7	5	10	Other Medication or Illicit Drug	0	*	*
Other Race / Two or More Races	6	9	15	Average Age at First Use of Drug	17.8	17.1	17.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	237	223	237	Any Injection Use at Admission	61	53	42
High School Graduate or G.E.D.	262	235	280	- Daily Injection Use	14	17	6
Associate Degree or Some College	66	46	99	- Weekly Injection Use	14	10	10
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	33	26	26
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	144	105	175	Self / Family / Friend	146	115	126
Unemployed	271	169	265	School	*	0	0
Not in Labor Force	152	233	180	Mental Health Provider	8	18	16
				Health Care Provider	24	7	11
LIVING ARRANGEMENT				Court / Criminal Justice	344	304	420
Independent Living	473	414	524	Other Referral Source	44	63	47
Dependent Living	65	70	59	ODEOLAL DODUKATIONS			
Homeless	24	22	8	SPECIAL POPULATIONS	_	40	
LIFETIME DUI / DIAM A DDFCTO				Pregnant when Admitted to any Episode	5	10	6
LIFETIME DUI / DWI ARRESTS	051	001	005	Military Veteran	27	40	51
0	351	284	385	Special Education Services Needed	82	86	78
1 or 2	155	160	163	Co-Occurring Psychological Problem	267	192	187
3 or More	61	63	72	Co-Occurring Developmental Problem	56	63	53

BUTLER COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 19
CENSUS 2010 42,794
2011 POP. ESTIMATE 43,082

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 78 13 37 **Anxiety Disorder** 291 142 236 Dementia 0 0 **Developmental Disorder** 6 6 Impulse Control Disorder 68 94 100 **Mood Disorder** 530 330 652 Personality Disorder 57 72 90 **Psychotic Disorder** 104 112 124

0

47

112

60

229

27

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	515	857	1,160	Hearing Impaired	25	32	38
Male	235	380	471	Past or Current Military Service	14	25	26
Female	280	477	689	Tuot of Guiton Miniary Golffico	17	20	20
	200	7//	000	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	119	103	54
Under 6	*	*	*	Dependent Living	37	73	36
6 to 9	12	28	40	Homeless	*	0	*
10 to 13	37	66	86	Other	*	*	0
14 to 17	35	46	72	Housing Unknown	353	679	1,069
18 to 24	35	74	110	EMPLOYMENT			
25 to 29	45	92	111	Employed	8	*	0
30 to 34	46	71	102	Unemployed	137	130	76
35 to 39	39	77	113	Not in Labor Force	17	130	12
40 to 44	42	88	113	Employment Status Unknown	353	711	1,072
45 to 49	78	115	154	Employment otates officiown	333	, , , ,	1,072
50 to 54	59	82	111	ARRESTS			
55 to 59	39	61	75	Arrested in Past 12 Months	12	10	0
60 and Over	46	56	73 72	Not Arrested in Past 12 Months	150	168	91
oo and over	40	30	12	Arrest Status Unknown	353	679	1,069
RACE / ETHNICITY							
Caucasian	465	787	1,071	TREATMENT REFERRAL SOURCE			
African American	42	56	67	Self / Family / Friend	183	449	700
Native American / Alaskan	0	0	*	School	11	17	21
Asian / Pacific Islander	0	0	0	Mental Health Provider	93	111	126
Hispanic	5	6	9	Health Care Provider	80	78	96
Other Race	*	8	11	Court / Criminal Justice	61	70	46
Race/Ethnicity Unknown	0	0	0	Other	86	127	164
•	_			Referral Source Unknown	*	5	7
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	68	69	44	Voluntary	503	834	1,129
High School Grad or G.E.D.	77	65	35	Civil	*	11	12
A.A. Degree or Some College	16	11	9	Criminal	9	8	13
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	*	0	0
Education Level Unknown	353	711	1,072	Commitment Type Unknown	0	*	6

BUTLER COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%	6)	SUICIDE				40		(%)
Percent of students who, in the past 30 days:		-	-				-	12 months	:	
Were very sad		19.			-	ered atter			and a	15.9
Were grouchy, irritable, or in a bad mood		27.			•		ey would	attempt su	uicide	10.7
Felt like not cetting or cetting more than usual		11.9 18.4	-		ted suicio		rocultod	in injuny o	r overdose that had to	6.7 2.4
Felt like not eating or eating more than usual		22.				doctor or		iii iiijui y o	i overdose mai nad to	2.4
Slept a lot more or a lot less than usual		26.			routou by	400101 01	nuiso			
Had difficulty concentrating on school work		20.		REBELLIC	OUSNES	s				
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:				They iq	jnore rule	s that get	in their w	<i>ı</i> ay		20.9
Were in a physical fight		21.	5	-					nake people mad	12.4
Were in a fight and had to be treated by a doctor or nurse		2.9			-		-	permissio	n	5.6
Were threatened or injured with a weapon on school proper	ty	8.9	9			okay to ch				25.5
BULLYING VICTIM				It is ok	ay to beat	up peopl	e if they s	start a fight	İ	51.7
Percent of students who, in the past 3 months:				SCHOOL	DEI ATIO	24/5				
Were shoved, slapped, hit, or kicked in a serious manner		24.					ree with t	he followin	na:	
Were victims of mean rumors or lies spread at school		49.				_		student's go	-	65.0
Had embarrassing or hurtful pictures/text of them posted on	internet	12.	9					•	ive student performance	31.7
Had embarrassing or hurtful pictures/text of them sent by ce		15.			-	student fo	-	-		50.7
Were made fun of by others	•	55.	9		are enforc					58.1
•						_	ethnicities	s are treate	ed equally	67.3
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:	or.	19.		PARENT			roo with t	ha fallawin		
Shoved, slapped, hit, or kicked a student in a serious manne	31	19. 24.				-		<i>the followin</i> udent's god		82.7
Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of someone			0					amily deci		67.3
Sent by cell phone embarrassing or hurtful pictures/text of some		9.4					_	-	dless of consequences	88.7
Made fun of other people	omeone	55.					-	_	onal problem	78.5
made tall of care, people									, , , , , , , , , , , , , , , , , , ,	
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≨	≨	≢≰	≨	∄ ≸	≢ ≨	≨	§ ≨	Am	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age what first used	
	IVe e	₩.	t 12	y≓	lves	e y	<u>e</u>	ω <u>Σ</u>	abst:	
	ever) Jes	mo sest	WOU	e e	aren	₩ _O L	augl	dent	
	use	=	nths	ם	ey r	ts w	큡	e in	s w	
	S De	₹	ੂ ਨੂੰ	e e		<u>e</u>	ē	<u>8</u> €	no h	
	ubst	past	hav	asy i	am	dis	J.	neig lice	ave ge a	
	anc	3	e us	jo g	aling	ä	Q.	of b	eve ige i	
	Œ	day	ed in	뽀		Q	use	향하	when	
		- 0,				Ť		ji jo		
Cigarettes	28.7	14.6	47.1	53.7	81.8	89.2	78.2	28.6	12.58	
Chewing Tobacco	14.0	7.9)							
Alcohol	39.6	18.3	54.0	53.8	74.1	79.1	61.6	31.2	13.04	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		13.0)							
Marijuana	18.7	9.6	38.6	40.8	73.9	93.9	80.7	44.3	14.00	
Inhalants	5.1	1.3	3						12.36	
Illicit drugs such as cocaine, LSD, meth, club drugs			19.5	24.0	93.8	98.4	95.1	50.1		
Over-the-counter medications for non-medical use	6.1	3.7		52.7	81.6	96.3	88.8			
Prescription drugs not prescribed for student	13.3	7.2	2	36.9	86.5	93.6	89.1			
Heroin	2.1									
Cocaine	2.5									
Methamphetamine	1.9									
Hallucinogens	3.0									
Club drugs such as ecstasy, GHB, roofle, or Special K	3.4		Data are	voighted :-	comport	con to oc:	inty non	lation coti	mates for age groups 40	14
Synthetic drugs such as K2, bath salts, Spice	6.6			veigntea ir , gender, i				nauon estif	mates for age groups 10-	14
Steroids not prescribed for student	1.8		Percentac					inad anau	ar abaiasa	

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

CALDWELL COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Northwest 13 025 9,424 9,315



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	93	116	106
Mother Reported Drinking while Pregnant 1		2	2
Mother Reported Smoking while Pregnant	26	33	29
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	0
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	108	94	121
Suicides	3	3	0
Self-inflicted Injuries	11	22	11
Homicides	1	0	0
Assault Injuries	27	33	20
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	4	3	0
Smoking Induced Deaths	15	22	20
•			
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	78	66	61
Direct Hospitalizations	35	26	23
Emergency Room Hospitalizations	17	18	16
Emergency Room Outpatient	26	22	22
Drug RelatedTotal	54	80	63
Direct Hospitalizations	27	36	29
Emergency Room Hospitalizations	7	17	13
Emergency Room Outpatient	20	27	21
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	7	9	10
Fatal Crashes	0	0	3
Injury Crashes	3	8	3
Property Damage Crashes	4	1	4
Crash Fatalities	0	0	3
Crash Injuries	5	11	5
Drug Involved CrashesTotal	0	2	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	2	0
EMPLOYMENT	2011	2010	2009
Labor Force	4,420	4,101	4,331
Employed	4,026	3,692	3,917
Unemployed	394	409	414
Unemployment Rate	8.9%	10.0%	9.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	2011 4	2010	200 9 7
Alcohol Package Carry-out Licenses	11	9	10
Autorior i donago carry-out Electroco	11	ð	10

■ Female ■ Male								
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009					
Enrollment Grades 9-12	488	506	542					
Drop-outs	8	2	11					
Drop-out Rate	1.6%	0.4%	2.0%					
School Suspensions, 10 or More Days								
Alcohol Incidents	0	0	0					
Drug Incidents	2	2	1					
Tobacco Incidents	0	0	0					
POLICE REPORTS	2010	2009	2008					
DUI Arrests, DWI Tracking System	56	40	59					
Liquor Law Arrests	10	6	9					
Drug Arrests	23	40	32					
Methamphetamine Lab Incidents	0	0	0					
Violent Offenses	35	20	16					
Property Offenses	144	142	120					
Domestic Violence Reports	56	49	44					
JUVENILE COURT REFERRALS	2010	2009	2008					
Law Violation OffensesTotal	27	43	34					
Violent Offenses	7	14	12					
Alcohol Offenses	3	2	2					
Drug Offenses	2	1	0					
Status OffensesTotal	39	31	17					
Truancy	17	9	7					
Beyond Parental Control	7	10	0					
Habitually Absent from Home	7	2	6					
Injurious Behavior	8	8	3					
Abuse/Neglect/CustodyTotal	11	6	8					
Abuse	8	0	2					
Neglect	3	6	6					
Custody Disputes	0	0	0					
JUVENILE COURT PLACEMENTS	2010	2009	2008					
Out-of-Home PlacementsTotal	3	4	2					
Parental Alcohol Use Related	0	0	0					
Parental Drug Use Related	0	2	0					
Parental Alcohol and Drug Use	0	0	0					
Child Removed for Other Reason	3	2	2					
CRIMINAL JUSTICE	FY2011	FY2010	FY2009					
Drug Court Participants	0	0	0					
Probation/Parole AdmissionsTotal	60	60	73					
Probation/Parole AdmissionsDrug	24	20	27					
Probation/Parole AdmissionsDWI	5	9	8					
Prison AdmissionsTotal	62	41	50					
Prison AdmissionsDrug	22	13	17					
Prison AdmissionsDWI	8	5	6					
* An asterisk in a data cell indicates the co	ount was fewer t	than 5 and su	uppressed					

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

CALDWELL COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	0	0
CSTAR General Adult	32	14	*
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	5	10	6
Primary Recovery Treatment	7	32	57
Clinical SATOP (CIP, YCIP, SROP)	*	6	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	35	35	47
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	16	10	18
- Weekend Intervention Program	7	*	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	*
- Compulsive Gambling	*	*	0
- Recovery Supports	*	11	7
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	35	39	47	Never Married	24	23	24
Female	9	10	13	Married / Cohabitating	9	14	16
	Ŭ	10	.0	Previously Married	11	12	20
AGE				•	• • •		20
Under 18	*	*	*	PRIMARY DRUG PROBLEM			
18 to 24	6	9	9	Alcohol	24	30	31
25 to 29	11	9	12	Marijuana / Hashish	11	10	15
30 to 34	10	9	10	Cocaine (total)	*	0	*
35 to 39	6	7	8	- Crack	*	0	0
40 to 44	6	6	9	Stimulant (total)	6	6	8
45 to 54	*	6	10	- Methamphetamine	6	6	8
55 and Over	*	*	0	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	43	48	58	- Non-Prescription Methadone	0	0	0
African American	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan		0		Tranquilizer	*	*	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	-	-	*	Sedative	0	0	*
Hispanic	0	0	*	Other Medication or Illicit Drug	0	0	*
Other Race / Two or More Races	0			Average Age at First Use of Drug	16.4	17.0	17.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	12	13	16	Any Injection Use at Admission	0	*	*
High School Graduate or G.E.D.	26	28	38	- Daily Injection Use	0	0	*
Associate Degree or Some College	6	7	5	- Weekly Injection Use	0	*	0
Bachelor or Advanced Degree	0	*	*	- Less than Weekly Injection Use	0	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	13	17	29	Self / Family / Friend	11	13	9
Unemployed	24	26	23	School	0	0	0
Not in Labor Force	7	6	8	Mental Health Provider	0	0	0
				Health Care Provider	*	0	*
LIVING ARRANGEMENT				Court / Criminal Justice	27	24	40
Independent Living	41	46	53	Other Referral Source	*	12	9
Dependent Living	*	*	*	ODEOLAL DODUKATIONS			
Homeless	*	*	*	SPECIAL POPULATIONS	^	^	•
LIFETIME DUI / DIAW A DRECTO				Pregnant when Admitted to any Episode	0	0	0
LIFETIME DUI / DWI ARRESTS	60	0.4	0.4	Military Veteran	5	*	
0	28	21	21	Special Education Services Needed	*		4.4
1 or 2	10	11	24	Co-Occurring Psychological Problem	8	8	11
3 or More	6	17	15	Co-Occurring Developmental Problem	*	*	*

CALDWELL COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 13
CENSUS 2010 9,424
2011 POP. ESTIMATE 9,315

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 5 8 7 **Anxiety Disorder** 52 54 50 Dementia 0 0 **Developmental Disorder** 0 0 Impulse Control Disorder 18 21 21 **Mood Disorder** 80 81 78 Personality Disorder 14 11 14 **Psychotic Disorder** 14 15 13 Sexual Disorder 0 0 0 Other Diagnosis 8 7 10 Diagnosis Unknown 17 9

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	108	133	122	Hearing Impaired	*	*	*
Male	43	53	54	Past or Current Military Service	*	*	*
Female	65	80	68	·			
				HOUSING / LIVING ARRANGEMENT		40	0.4
AGE				Independent Living	32	18	21
Under 6	0	0	0	Dependent Living		9	*
6 to 9	5	8	9	Homeless	0	*	0
10 to 13	13	16	10	Other	0		~
14 to 17	*	14	20	Housing Unknown	74	103	97
18 to 24	6	11	6	EMPLOYMENT			
25 to 29	12	7	10	Employed	6	5	*
30 to 34	16	19	12	Unemployed	27	18	18
35 to 39	8	9	8	Not in Labor Force	*	0	*
40 to 44	13	19	17	Employment Status Unknown	74	110	100
45 to 49	11	12	12				
50 to 54	8	5	5	ARRESTS	4.0		
55 to 59	5	5	7	Arrested in Past 12 Months	10	8	8
60 and Over	7	8	6	Not Arrested in Past 12 Months	24	22	17
				Arrest Status Unknown	74	103	97
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	106	130	118	Self / Family / Friend	20		47
African American	0	0	0	School	39	55 *	47
Native American / Alaskan	*	0	*	Mental Health Provider	0 20		34
Asian / Pacific Islander	0	0	0	Health Care Provider	_	25	-
Hispanic	0	0	*	Court / Criminal Justice	25	28	21 7
Other Race	*	*	*		14	10	=
Race/Ethnicity Unknown	0	0	0	Other	10	14	10
				Referral Source Unknown	0	0	
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	15	9	7	Voluntary	108	133	119
High School Grad or G.E.D.	13	14	11	Civil	0	0	*
A.A. Degree or Some College	*	0	*	Criminal	0	0	*
Bachelor or Advanced Degree	*	0	*	Sexual Predatory	0	0	0
Education Level Unknown	74	110	100	Commitment Type Unknown	0	0	*

CALDWELL COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Percent i	of studen	tewho in	tha nast	12 months		(%)
Were very sad	Percent of students who, in the past 12 months: 17.6 Seriously considered attempting suicide					•	13.8			
Were grouchy, irritable, or in a bad mood	23.8 Made a plan about how they would attempt suicide						ılcide	7.0		
Felt hopeless about the future		10.1		Attempted suicide						5.0
Felt like not eating or eating more than usual		15.0	•					r overdose that had to	0.6	
Slept a lot more or a lot less than usual		20.8						Overdose mai nad to	0.0	
•		22.6			· outou by	400.0.	u.oo			
Had difficulty concentrating on school work		22.0	R	EBELLIC	OUSNES.	s				
FIGHTING				Percent of	of studen	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		15.2
Were in a physical fight		21.4							ake people mad	16.3
Were in a fight and had to be treated by a doctor or nurse		3.1					•	permissio		6.9
Were threatened or injured with a weapon on school proper	tv	6.9			-	okay to ch	-	-		21.9
,	,					-		tart a fight		48.7
BULLYING VICTIM					- ,	op poop.	·			
Percent of students who, in the past 3 months:					RELATIC					
Were shoved, slapped, hit, or kicked in a serious manner		29.1				_		he followin	-	
Were victims of mean rumors or lies spread at school		61.6		Teache	ers notice	and comr	nent on s	tudent's go	ood work	73.1
Had embarrassing or hurtful pictures/text of them posted on	internet	16.3		School	provides	feedback	to paren	s on positi	ve student performance	48.8
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	20.8		Teache	ers praise	student fo	or hard w	ork		60.6
Were made fun of by others		68.4		Rules a	are enforc	ed fairly				65.0
				Studen	ts of all ra	aces and o	ethnicities	are treate	ed equally	82.3
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		04.4			RELATIC					
Shoved, slapped, hit, or kicked a student in a serious manne	er	24.4				-		he followin	-	
Spread mean rumors or lies about other kids at school		28.1	Parents notice and comment on student's good work							80.0
Posted on internet embarrassing or hurtful pictures/text of so	9.4	3 · · · · · · · · · · · · · · · · · · ·							70.0 88.1	
Sent by cell phone embarrassing or hurtful pictures/text of someone 11.3					It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem					
Made fun of other people		67.9		Studen	t could as	sk parent i	for help w	ith a perso	onal problem	75.8
SUBSTANCE USE AND BELIEFS Pagarding the substances listed below percent of students:										
Regarding the substances listed below, percent of students:	Ş	₹	Whose closest frier the past 12 months	≨	Who believe they themselves if they	the)	≨	₩ L	Among st used sub: first used	
	o ha	<u>a</u>	ose pas	Sa	nse	o sa / us	o fe	를 를 를	ns p Buc	
	Ve e	Ve C	clos t 12	¥	lev	y pa	=	e 문	stuc	
	ever	sec	mo šėst	ΨQ.	e #	iren	ΨOL	dids	dent	
	SI.	₹ 5	₽₹	큡	କ୍ୟ	ts v	큡	声	e, a	
	8	-				S	8	≤ ਡ	< ->	
		ᇎ	sbn	be e	동동	2	~	≥ ≝	eg 5	
	subs	he pas	nds hav s	be easy	risk har 'use	ould di	Wron	sir nei	io havi	
	substan	he past 30	nds have u s	be easy to o	isk harmin use	ould disap	wrong to	ir neight	o have ev	
	Who have ever used substance	Who have used in the past 30 da	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	ould disappro	wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wh	
	substance	he past 30 days	ends have used in	be easy to get	isk harming use	Who say parents would disapprove if they use	Who feel it would be wrong to use	ir neighborhood oolice for using	o have ever erage age when	
Cigarettes	substance 25.6	he past 30 days	<u> </u>	be easy to get 53.1	isk harming use 78.6	ould disapprove if 91.2	wrong to use 84.3	sir neighborhood olice for using 21.9	erage age when 13.07	
Cigarettes Chewing Tobacco		ays	j.			===		hood	hen	
Chewing Tobacco	25.6 16.9	8.8 10.6	37.5	53.1	78.6	91.2	84.3	21.9	13.07	
Chewing Tobacco Alcohol	25.6	8.8 10.6 16.3	j.			===		hood	hen	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	25.6 16.9 38.8	8.8 10.6 16.3 11.9	37.5	53.1 57.2	78.6 68.8	91.2	84.3 63.8	21.9 25.9	13.07 12.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	25.6 16.9 38.8	8.8 10.6 16.3 11.9 3.1	37.5	53.1	78.6	91.2	84.3	21.9	13.07 12.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	25.6 16.9 38.8	8.8 10.6 16.3 11.9	37.5 50.0 21.9	53.1 57.2 32.7	78.6 68.8 77.5	91.2 79.1 95.6	84.3 63.8 89.3	21.9 25.9 39.9	13.07 12.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	25.6 16.9 38.8 8.8 3.1	8.8 10.6 16.3 11.9 3.1 0.6	37.5	53.1 57.2 32.7 15.2	78.6 68.8 77.5 93.0	91.2 79.1 95.6 98.1	84.3 63.8 89.3 98.1	21.9 25.9	13.07 12.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	25.6 16.9 38.8 8.8 3.1	8.8 10.6 16.3 11.9 3.1 0.6	37.5 50.0 21.9	53.1 57.2 32.7 15.2 56.3	78.6 68.8 77.5 93.0 85.6	91.2 79.1 95.6 98.1 96.8	84.3 63.8 89.3 98.1 94.3	21.9 25.9 39.9	13.07 12.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	25.6 16.9 38.8 8.8 3.1 3.8 6.9	8.8 10.6 16.3 11.9 3.1 0.6	37.5 50.0 21.9	53.1 57.2 32.7 15.2	78.6 68.8 77.5 93.0	91.2 79.1 95.6 98.1	84.3 63.8 89.3 98.1	21.9 25.9 39.9	13.07 12.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	25.6 16.9 38.8 8.8 3.1 3.8 6.9	8.8 10.6 16.3 11.9 3.1 0.6	37.5 50.0 21.9	53.1 57.2 32.7 15.2 56.3	78.6 68.8 77.5 93.0 85.6	91.2 79.1 95.6 98.1 96.8	84.3 63.8 89.3 98.1 94.3	21.9 25.9 39.9	13.07 12.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	25.6 16.9 38.8 8.8 3.1 3.8 6.9 1.9	8.8 10.6 16.3 11.9 3.1 0.6	37.5 50.0 21.9	53.1 57.2 32.7 15.2 56.3	78.6 68.8 77.5 93.0 85.6	91.2 79.1 95.6 98.1 96.8	84.3 63.8 89.3 98.1 94.3	21.9 25.9 39.9	13.07 12.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	25.6 16.9 38.8 8.8 3.1 3.8 6.9 1.9 1.3 0.7	8.8 10.6 16.3 11.9 3.1 0.6	37.5 50.0 21.9	53.1 57.2 32.7 15.2 56.3	78.6 68.8 77.5 93.0 85.6	91.2 79.1 95.6 98.1 96.8	84.3 63.8 89.3 98.1 94.3	21.9 25.9 39.9	13.07 12.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	25.6 16.9 38.8 8.8 3.1 3.8 6.9 1.9 1.3 0.7	8.8 10.6 16.3 11.9 3.1 0.6	37.5 50.0 21.9	53.1 57.2 32.7 15.2 56.3	78.6 68.8 77.5 93.0 85.6	91.2 79.1 95.6 98.1 96.8	84.3 63.8 89.3 98.1 94.3	21.9 25.9 39.9	13.07 12.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	25.6 16.9 38.8 8.8 3.1 3.8 6.9 1.9 1.3 0.7 1.3 0.6	8.8 10.6 16.3 11.9 3.1 0.6 2.5 3.8	37.5 50.0 21.9 9.4	53.1 57.2 32.7 15.2 56.3 25.6	78.6 68.8 77.5 93.0 85.6 89.2	91.2 79.1 95.6 98.1 96.8 93.7	84.3 63.8 89.3 98.1 94.3 91.9	21.9 25.9 39.9 48.4	13.07 12.93 13.48 10.74	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	25.6 16.9 38.8 8.8 3.1 3.8 6.9 1.9 1.3 0.7	8.8 10.6 16.3 11.9 3.1 0.6 2.5 3.8	37.5 50.0 21.9 9.4	53.1 57.2 32.7 15.2 56.3 25.6	78.6 68.8 77.5 93.0 85.6 89.2	91.2 79.1 95.6 98.1 96.8 93.7	84.3 63.8 89.3 98.1 94.3 91.9	21.9 25.9 39.9 48.4	13.07 12.93	14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

CALLAWAY COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 15 FIPS COUNTY CODE 027 CENSUS 2010 44,332 2011 POP. ESTIMATE 44,420

2	2011 POPULATION PROFILE BY AGE GROUP
	2,000
	1,500
	1,000
	500
	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
	■ Female ■ Male

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	507	486	526
Mother Reported Drinking while Pregnant ¹		2	8
Mother Reported Smoking while Pregnant	140	111	140
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	3	1	3
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
	0040	2009	0000
DEATHS and INJURIES Resident DeathsTotal	2010 365	200 9 351	2008 359
Suicides			
	8	3	5
Self-inflicted Injuries	104	100	117
Homicides	3	1	2
Assault Injuries	276	342	401
Alcohol Induced Deaths	3	5	0
Drug Induced Deaths	9	6	9
Smoking Induced Deaths	66	70	64
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	319	366	369
Direct Hospitalizations	86	95	97
Emergency Room Hospitalizations	94	121	121
Emergency Room Outpatient	139	150	151
Drug RelatedTotal	316	232	226
Direct Hospitalizations	82	75	73
Emergency Room Hospitalizations	108	71	67
Emergency Room Outpatient	126	86	86
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	40	56	62
Fatal Crashes	3	5	2
Injury Crashes	23	21	25
Property Damage Crashes	14	30	35
Crash Fatalities	3	6	2
Crash Injuries	34	27	29
Drug Involved CrashesTotal	10	6	5
Fatal Crashes	0	1	1
Injury Crashes	5	2	4
Property Damage Crashes	5	3	0
Crash Fatalities	0	2	1
Crash Injuries	6	1	4
<i>EMPLOYMENT</i>	2011	2010	2009
Labor Force	22,875	22,742	22,888
Employed	21,155	20,910	21,040
Unemployed	1,720	1,832	1,848
Unemployment Rate	7.5%	8.1%	8.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	40	41	47
Alcohol Package Carry-out Licenses	45	42	43

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,620	1,738	1,800
Drop-outs	51	68	117
Drop-out Rate	3.1%	3.9%	6.5%
School Suspensions, 10 or More Days			
Alcohol Incidents	2	2	0
Drug Incidents	3	12	12
Tobacco Incidents	6	2	4
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	318	345	382
Liquor Law Arrests	69	89	137
Drug Arrests	263	123	173
Methamphetamine Lab Incidents	4	12	3
Violent Offenses	131	115	86
Property Offenses	1,365	1,240	1,556
Domestic Violence Reports	413	427	463
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	211	205	321
Violent Offenses	51	44	62
Alcohol Offenses	9	18	34
Drug Offenses	23	25	33
Status OffensesTotal	171	175	210
Truancy	40	30	41
Beyond Parental Control	53	44	79
Habitually Absent from Home	10	11	13
Injurious Behavior	68	89	77
Abuse/Neglect/CustodyTotal	67	86	78
Abuse	11	18	22
Neglect	44	60	45
Custody Disputes	12	8	11
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	29	28	33
Parental Alcohol Use Related	2	1	0
Parental Drug Use Related	11	9	4
Parental Alcohol and Drug Use	0	1	4
Child Removed for Other Reason	16	17	25
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	29	28	31
Probation/Parole AdmissionsTotal	232	227	226
Probation/Parole AdmissionsDrug	58	64	58
Probation/Parole AdmissionsDWI	33	39	33
Prison AdmissionsTotal	131	125	148
Prison AdmissionsDrug	37	40	43
Prison AdmissionsDWI	13	20	21
* An asterisk in a data cell indicates the co	ount was fewer t		

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

CALLAWAY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	19	22	26
CSTAR Women and Children	33	28	33
CSTAR General Adult	80	18	8
CSTAR Opioid	*	0	0
Primary Recovery Detoxification	44	44	31
Primary Recovery Treatment	195	252	196
Clinical SATOP (CIP, YCIP, SROP)	39	44	33
Other Substance Abuse Treatment	*	0	7

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	212	262	281
- Adolescent Diversion Education Program	18	24	36
- Offender Education Program	67	96	115
- Weekend Intervention Program	44	57	66
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	14	7	12
- Compulsive Gambling	0	*	*
- Recovery Supports	*	*	8
- Early Intervention	11	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	268	270	210	Never Married	202	199	174
Female	90	89	82	Married / Cohabitating	79	62	56
				Previously Married	77	98	62
AGE							
Under 18	19	21	30	PRIMARY DRUG PROBLEM			
18 to 24	82	79	65	Alcohol	167	169	141
25 to 29	73	60	52	Marijuana / Hashish	98	108	79
30 to 34	45	42	30	Cocaine (total)	28	33	35
35 to 39	35	39	32	- Crack	15	20	20
40 to 44	27	33	30	Stimulant (total)	17	22	9
45 to 54	62	65	43	- Methamphetamine	16	20	9
55 and Over	15	20	10	Heroin	19	8	*
RACE / ETHNICITY				Analgesic except Heroin	17	16	17
Caucasian	289	292	234	- Non-Prescription Methadone	0	0	0
African American	51	54	44	PCP, LSD, other Hallucinogen	6	*	*
Native American / Alaskan	0	*	0	Tranquilizer	*	0	0
Asian / Pacific Islander	0	0	*	Inhalant	*	*	*
Hispanic	8	*	*	Sedative	0	0	0
Other Race / Two or More Races	12	10	9	Other Medication or Illicit Drug	*	*	7
Cities Nade / Two of More Nades	12	10	9	Average Age at First Use of Drug	16.7	16.7	16.1
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	118	123	110	Any Injection Use at Admission	17	24	10
High School Graduate or G.E.D.	185	175	133	- Daily Injection Use	5	7	*
Associate Degree or Some College	51	54	43	- Weekly Injection Use	6	*	*
Bachelor or Advanced Degree	*	7	6	- Less than Weekly Injection Use	6	13	8
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	140	145	101	Self / Family / Friend	77	70	75
Unemployed	139	129	93	School	0	0	0
Not in Labor Force	79	85	98	Mental Health Provider	*	10	10
				Health Care Provider	6	14	7
LIVING ARRANGEMENT				Court / Criminal Justice	242	247	179
Independent Living	300	292	245	Other Referral Source	30	18	21
Dependent Living	41	49	38				
Homeless	8	7	*	SPECIAL POPULATIONS	_	*	
				Pregnant when Admitted to any Episode	7		*
LIFETIME DUI / DWI ARRESTS	46-	400	4.46	Military Veteran	15	17	13
0	187	180	146	Special Education Services Needed	37	44	29
1 or 2	119	110	83	Co-Occurring Psychological Problem	94	136	113
3 or More	52	69	63	Co-Occurring Developmental Problem	*	8	16

CALLAWAY COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 15
CENSUS 2010 44,332
2011 POP. ESTIMATE 44,420

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 13 27 19 **Anxiety Disorder** 97 89 87 Dementia 9 **Developmental Disorder** 10 Impulse Control Disorder 107 109 113 **Mood Disorder** 500 392 408 Personality Disorder 33 30 58 **Psychotic Disorder** 99 98 128 Sexual Disorder Other Diagnosis 23 41 12 Diagnosis Unknown 50 111

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	681	735	872	Hearing Impaired	25	21	21
Male	329	369	450	Past or Current Military Service	24	21	38
Female	352	366	422	·			
				HOUSING / LIVING ARRANGEMENT	400		40
AGE				Independent Living	138	55	40
Under 6	7	10	*	Dependent Living	64	72	36
6 to 9	34	33	25	Homeless	*	0	^
10 to 13	43	39	52	Other			0
14 to 17	43	49	58	Housing Unknown	474	604	795
18 to 24	71	83	115	EMPLOYMENT			
25 to 29	69	74	85	Employed	26	14	9
30 to 34	72	75	86	Unemployed	148	69	49
35 to 39	64	66	84	Not in Labor Force	32	27	14
40 to 44	59	65	74	Employment Status Unknown	475	625	800
45 to 49	61	77	89	4005070			
50 to 54	68	72	84	ARRESTS	40	•	0
55 to 59	39	41	51	Arrested in Past 12 Months	19	9	8
60 and Over	51	51	65	Not Arrested in Past 12 Months	188	122	69
				Arrest Status Unknown	474	604	795
RACE / ETHNICITY				TOTATMENT DECEDDAL COURSE			
Caucasian	616	665	779	TREATMENT REFERRAL SOURCE	400		000
African American	44	51	72	Self / Family / Friend	468	555 *	602
Native American / Alaskan	*	*	0	School Montal Haalth Provider			
Asian / Pacific Islander	*	*	*	Mental Health Provider	72	61	64
Hispanic	*	*	7	Health Care Provider	41	20	44
Other Race	13	12	12	Court / Criminal Justice	20	16	76
Race/Ethnicity Unknown	0	0	0	Other	79	80	84
				Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	86	47	34	Voluntary	654	709	769
High School Grad or G.E.D.	93	54	31	Civil	*	0	42
A.A. Degree or Some College	20	9	6	Criminal	21	23	58
Bachelor or Advanced Degree	6	0	*	Sexual Predatory	*	*	*
Education Level Unknown	476	625	800	Commitment Type Unknown	0	0	0

CALLAWAY COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Percent d	of studen	ts who, in	the past	12 months.	:	(%)
Were very sad		17.8		Serious	ly consid	ered atter	npting su	icide		14.8
Were grouchy, irritable, or in a bad mood		23.6		Made a	plan abo	out how th	ey would	attempt su	uicide	10.9
Felt hopeless about the future		9.9		Attemp	ted suicio	le	•			6.2
Felt like not eating or eating more than usual		19.2		Had a s	suicide at	tempt that	resulted	in injury o	r overdose that had to	1.8
Slept a lot more or a lot less than usual		18.6		be ti	reated by	doctor or	nurse			
Had difficulty concentrating on school work		19.4								
				Persont		_	roo that			
FIGHTING Percent of students who, in the past 12 months:						<i>ts who agi</i> s that get		1014		22.3
Were in a physical fight		20.0				•		•	nake people mad	13.4
Were in a physical right Were in a fight and had to be treated by a doctor or nurse		3.5		-				permission		6.0
Were threatened or injured with a weapon on school propert	hv	5.7			•	okay to ch	-	•	"	18.4
were uneatened or injured with a weapon on school propert	.y	5.7				-		tart a fight)	46.4
BULLYING VICTIM				it is one	ly to bout	up people	o ii uloy s	narr a ngm	•	70.7
Percent of students who, in the past 3 months:				CHOOL						
Were shoved, slapped, hit, or kicked in a serious manner		25.4						he followin		
Were victims of mean rumors or lies spread at school		44.9						tudent's go		71.0
Had embarrassing or hurtful pictures/text of them posted on		10.6			-		-	-	ive student performance	
Had embarrassing or hurtful pictures/text of them sent by cel	II phone	13.8			-	student fo	or hard w	ork		55.7
Were made fun of by others		57.2			re enforc	-				63.5
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:				Sidden ARENT I			eu ii ii Giule:	are treate	eu equally	73.1
Shoved, slapped, hit, or kicked a student in a serious manner	er	20.5					ree with t	he followin	na:	
Spread mean rumors or lies about other kids at school		23.3				-		dent's god	~	82.0
Posted on Internet embarrassing or hurtful pictures/text of so	omeone	6.4						amily decis		66.7
Sent by cell phone embarrassing or hurtful pictures/text of so		8.6						-	dless of consequences	84.1
Made fun of other people		60.6			t could as	sk parent f		_	onal problem	73.4
• •		60.6			t could as	sk parent f		_	•	73.4
SUBSTANCE USE AND BELIEFS				Studen	1		or help w	rith a perso	onal problem	73.4
• •	Who		Who the p	Studen	1		or help w	rith a perso	onal problem	73.4
SUBSTANCE USE AND BELIEFS	Who hav		Whose of the past	Studen	1		or help w	rith a perso	onal problem	73.4
SUBSTANCE USE AND BELIEFS	Who have e		Whose close the past 12 i	Studen	1		or help w	rith a perso	onal problem	73.4
SUBSTANCE USE AND BELIEFS	Who have ever		Whose closest f the past 12 mon	Studen	1		or help w	rith a perso	onal problem	73.4
SUBSTANCE USE AND BELIEFS	Who have ever used		Whose closest friend the past 12 months	Studen	1		or help w	rith a perso	onal problem	73.4
SUBSTANCE USE AND BELIEFS	Who have ever used sul		Whose closest friends h the past 12 months	Studen	1		or help w	rith a perso	onal problem	73.4
SUBSTANCE USE AND BELIEFS	Who have ever used substa		Whose closest friends have the past 12 months	Studen	1		or help w	rith a perso	onal problem	73.4
SUBSTANCE USE AND BELIEFS	Who have ever used substance		Whose closest friends have use the past 12 months	Studen			or help w	rith a perso	onal problem	73.4
SUBSTANCE USE AND BELIEFS	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months		1			would be caught by police for us	onal problem	73.4
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:		Who have used in the past 30 days	ij	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood a would be caught by police for using	Among students who have ever used substance, average age when first used	73.4
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes	27.2	Who have used in the past 30 days 14.1		Studen	1		or help w	would be caught by police for us	Among students who have ever used substance, average age w first used	73.4
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	27.2 16.0	Who have used in the past 30 days 14.1 9.1	44.5	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	would be caught by police for using 7.5	Among students who have ever used substance, average age when 12.77	73.4
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	27.2	Who have used in the past 30 days 14.1 9.1 20.4	ij	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood a would be caught by police for using	Among students who have ever used substance, average age when first used	73.4
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	27.2 16.0 43.6	Who have used in the past 30 days 14.1 9.1 20.4 11.9	44.5	Who say it would be easy to get 54.1	Who believe they risk harming themselves if they use 79.8	Who say parents would disapprove if 87.6	Who feel it would be wrong to use	would be caught by police for using 17.5	Among students who have ever used substance, average age when 12.77	73.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	27.2 16.0 43.6	Who have used in the past 30 days 14.1 9.1 20.4 11.9 10.2	44.5	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	would be caught by police for using 7.5	Among students who have ever 12.77	73.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	27.2 16.0 43.6	Who have used in the past 30 days 14.1 9.1 20.4 11.9	44.5 56.5 38.2	Who say it would be easy to get 54.1 58.5	Who believe they risk harming themselves if they use 79.8 64.7	they use 87.6 92.0	Who feel it would be wrong to use	would be caught by police for using 17.5 21.9 31.9	Among students who have ever used substance, average age when 12.77	73.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	27.2 16.0 43.6 19.2 5.1	Who have used in the past 30 days 14.1 9.1 20.4 11.9 10.2 3.2	44.5	Who say it would be easy to get 54.1 58.5 37.8	themselves if they use 79.8 64.7 66.9 93.0	they use 87.6 92.0 97.7	Who feel it would be wrong to use 77.0 53.2 77.0 94.6	would be caught by police for using 17.5	Among students who have ever 12.77	73.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	27.2 16.0 43.6 19.2 5.1	Who have used in the past 30 days 14.1 9.1 20.4 11.9 10.2 3.2	44.5 56.5 38.2	Who say it would be easy to get 54.1 58.5 37.8 15.8 54.0	Who believe they risk harming 79.8 64.7 66.9 93.0 77.2	they use they use 87.6 73.0 92.0 97.7 95.1	77.0 53.2 77.0 94.6 87.2	would be caught by police for using 17.5 21.9 31.9	Among students who have ever 12.77	73.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	27.2 16.0 43.6 19.2 5.1 6.2 10.3	Who have used in the past 30 days 14.1 9.1 20.4 11.9 10.2 3.2	44.5 56.5 38.2	Who say it would be easy to get 54.1 58.5 37.8	themselves if they use 79.8 64.7 66.9 93.0	they use 87.6 92.0 97.7	Who feel it would be wrong to use 77.0 53.2 77.0 94.6	would be caught by police for using 17.5 21.9 31.9	Among students who have ever 12.77	73.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	27.2 16.0 43.6 19.2 5.1	Who have used in the past 30 days 14.1 9.1 20.4 11.9 10.2 3.2	44.5 56.5 38.2	Who say it would be easy to get 54.1 58.5 37.8 15.8 54.0	Who believe they risk harming 79.8 64.7 66.9 93.0 77.2	they use they use 87.6 73.0 92.0 97.7 95.1	77.0 53.2 77.0 94.6 87.2	would be caught by police for using 17.5 21.9 31.9	Among students who have ever 12.77	73.4

Data source:

Methamphetamine

Hallucinogens

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofle, or Special K

Synthetic drugs such as K2, bath salts, Spice Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

1.6

3.5

2.4

6.4

CAMDEN COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 11 FIPS COUNTY CODE 029 CENSUS 2010 44,002 2011 POP. ESTIMATE 43,679

2011 POPULATION PROFILE BY AGE GROUP 2,500 2,000 1,500 1,000 500

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	441	397	440
Mother Reported Drinking while Pregnant ¹		0	3
Mother Reported Smoking while Pregnant	106	93	114
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	2
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	434	435	436
Suicides	9	8	9
Self-inflicted Injuries	27	27	22
Homicides	3	1	0
Assault Injuries	101	109	88
Alcohol Induced Deaths	4	2	2
Drug Induced Deaths	8	10	9
Smoking Induced Deaths	77	88	78
•			
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	369	390	442
Direct Hospitalizations	97	82	62
Emergency Room Hospitalizations	163	188	241
Emergency Room Outpatient	109	120	139
Drug RelatedTotal	318	259	252
Direct Hospitalizations	86	43	52
Emergency Room Hospitalizations	81	103	101
Emergency Room Outpatient	151	113	99
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	43	53	70
Fatal Crashes	3	2	6
Injury Crashes	20	22	34
Property Damage Crashes	20	29	30
Crash Fatalities	3	2	6
Crash Injuries	26	27	43
Drug Involved CrashesTotal	4	5	7
Fatal Crashes	0	0	0
Injury Crashes	2	2	3
Property Damage Crashes	2	3	4
Crash Fatalities	0	0	0
Crash Injuries	4	3	3
EMPLOYMENT	2011	2010	2009
Labor Force	19,976	20,212	22,274
Employed	17,831	18,004	20,128
Unemployed	2,145	2,208	2,146
Unemployment Rate	10.7%	10.9%	9.6%
• •			
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	154	156	167
Alcohol Package Carry-out Licenses	90	86	95

■ Lemale	ఈ స్త్రీ ■Male	કું જ જ	Å,
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,632	1,684	1,678
Drop-outs	58	47	75
Drop-out Rate	3.6%	2.8%	4.5%
School Suspensions, 10 or More Days			
Alcohol Incidents	13	8	1
Drug Incidents	43	40	37
Tobacco Incidents	1	7	24
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	411	560	553
Liquor Law Arrests	110	126	192
Drug Arrests	213	215	255
Methamphetamine Lab Incidents	2	0	1
Violent Offenses	82	61	86
Property Offenses	982	774	1,105
Domestic Violence Reports	182	186	271
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	113	161	240
Violent Offenses	37	49	53
Alcohol Offenses	8	12	2
Drug Offenses	5	20	29
Status OffensesTotal	81	69	123
Truancy	20	7	21
Beyond Parental Control	16	14	19
Habitually Absent from Home	11	17	20
Injurious Behavior	29	23	49
Abuse/Neglect/CustodyTotal	122	99	131
Abuse	23	29	55
Neglect	99	68	76
Custody Disputes	0	2	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	39	28	33
Parental Alcohol Use Related	1	0	2
Parental Drug Use Related	2	6	4
Parental Alcohol and Drug Use	2	0	1
Child Removed for Other Reason	34	22	26
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	338	339	388
Probation/Parole AdmissionsDrug	84	79	88
Probation/Parole AdmissionsDWI	36	39	36
Prison AdmissionsTotal	175	191	175
Prison AdmissionsDrug	47	47	36
i iladii AdiillaaldilaDiug	• •	• • •	

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

CAMDEN COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	21	25	23
CSTAR Women and Children	25	18	21
CSTAR General Adult	143	72	11
CSTAR Opioid	0	*	*
Primary Recovery Detoxification	15	23	24
Primary Recovery Treatment	72	208	221
Clinical SATOP (CIP, YCIP, SROP)	35	18	13
Other Substance Abuse Treatment	0	*	16

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	235	319	268
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	119	128	118
- Weekend Intervention Program	57	94	113
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	8	20	8
- Compulsive Gambling	0	0	*
- Recovery Supports	6	25	20
- Early Intervention	0	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	182	222	213	Never Married	125	149	159
Female	66	74	93	Married / Cohabitating	71	79	71
				Previously Married	52	68	76
AGE							
Under 18	19	22	25	PRIMARY DRUG PROBLEM			
18 to 24	53	62	69	Alcohol	116	132	156
25 to 29	42	55	42	Marijuana / Hashish	58	79	77
30 to 34	36	36	37	Cocaine (total)	*	6	*
35 to 39	33	30	34	- Crack	*	*	*
40 to 44	23	32	36	Stimulant (total)	42	48	40
45 to 54	36	47	54	- Methamphetamine	40	45	39
55 and Over	6	12	9	Heroin	6	7	*
RACE / ETHNICITY				Analgesic except Heroin	17	22	19
Caucasian	244	285	299	- Non-Prescription Methadone	0	0	0
African American	0	*	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	*	Tranquilizer	7	*	*
Asian / Pacific Islander	0	*	0	Inhalant	0	0	0
Hispanic	*	*	5	Sedative	0	0	*
Other Race / Two or More Races	*	*	*	Other Medication or Illicit Drug	0	*	*
Cities Rade / Two of More Rades				Average Age at First Use of Drug	16.1	16.7	16.8
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	90	110	91	Any Injection Use at Admission	28	31	23
High School Graduate or G.E.D.	100	128	153	- Daily Injection Use	6	7	*
Associate Degree or Some College	55	53	57	- Weekly Injection Use	9	5	8
Bachelor or Advanced Degree	*	5	5	- Less than Weekly Injection Use	13	19	12
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	80	89	105	Self / Family / Friend	55	56	62
Unemployed	103	123	110	School	*	*	5
Not in Labor Force	65	84	91	Mental Health Provider	*	5	6
				Health Care Provider	7	9	8
LIVING ARRANGEMENT				Court / Criminal Justice	163	207	204
Independent Living	207	242	245	Other Referral Source	18	17	21
Dependent Living	32	40	48				
Homeless	5	8	10	SPECIAL POPULATIONS	*	*	٠.
LIFETIME DIVI / DIVI ADDECTO				Pregnant when Admitted to any Episode			40
LIFETIME DUI / DWI ARRESTS	447	450	4.40	Military Veteran	10	10	12
0	117	150	140	Special Education Services Needed	15	13	19
1 or 2	89	103	104	Co-Occurring Psychological Problem	87	107	95
3 or More	42	43	62	Co-Occurring Developmental Problem	9	14	9

CAMDEN COUNTY



ADA/CPS REGION Central
CPS SERVICE AREA 11
CENSUS 2010 44,002
2011 POP. ESTIMATE 43,679

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 7 7 24 **Anxiety Disorder** 147 130 86 Dementia **Developmental Disorder** 5 5 Impulse Control Disorder 25 39 48 **Mood Disorder** 188 172 191 Personality Disorder 21 23 32 **Psychotic Disorder** 28 27 34 Sexual Disorder 0 Other Diagnosis 14 20 35 Diagnosis Unknown 65 27

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	277	272	322	Hearing Impaired	8	9	12
Male	129	125	177	Past or Current Military Service	11	12	22
Female	148	147	145	•			
			_	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	120	79	10
Under 6	*	*	*	Dependent Living	7	35	14
6 to 9	18	12	16	Homeless	*	*	0
10 to 13	23	28	36	Other	*	0	0
14 to 17	33	38	46	Housing Unknown	146	156	298
18 to 24	24	27	29	EMPLOYMENT			
25 to 29	25	29	26	Employed	21	13	0
30 to 34	19	17	27	Unemployed	105	67	10
35 to 39	26	24	30	Not in Labor Force	5	*	0
40 to 44	31	29	33	Employment Status Unknown	146	188	312
45 to 49	26	25	27				
50 to 54	20	14	19	ARRESTS			_
55 to 59	11	10	12	Arrested in Past 12 Months	32	27	5
60 and Over	19	17	18	Not Arrested in Past 12 Months	99	89	19
				Arrest Status Unknown	146	156	298
RACE / ETHNICITY				TD5 4 T4/5 4/T D5 55 DD 44 004/D05			
Caucasian	264	260	306	TREATMENT REFERRAL SOURCE	400	4.00	470
African American	*	*	*	Self / Family / Friend	168	163	170
Native American / Alaskan	*	*	*	School Magdal Haalth Branddan			5
Asian / Pacific Islander	0	0	0	Mental Health Provider	18	22	19
Hispanic	*	*	*	Health Care Provider	21	16	25
Other Race	*	6	6	Court / Criminal Justice	27	30	61
Race/Ethnicity Unknown	0	0	0	Other	42	40	40
				Referral Source Unknown	0	0	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	45	32	5	Voluntary	275	270	265
High School Grad or G.E.D.	59	36	*	Civil	*	*	51
A.A. Degree or Some College	26	16	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	146	188	312	Commitment Type Unknown	0	0	*

CAMDEN COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	s	SUICIDE Percent i	of studen	ts who in	the nast	12 months		(%)
Were very sad			Percent of students who, in the past 12 months: Seriously considered attempting suicide					11.3		
Were grouchy, irritable, or in a bad mood			4 Seriously considered attempting suicide 9 Made a plan about how they would attempt suicide					uicide	8.6	
Felt hopeless about the future	11.1	•					5.4			
Felt like not eating or eating more than usual		18.7 Had a suicide attempt that resulted in injury or overdose that h					r overdose that had to	2.2		
Slept a lot more or a lot less than usual		20.2				doctor or		,,		
Had difficulty concentrating on school work		22.3	3							
,			A	REBELLIC						
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get				21.5
Were in a physical fight	19.4 They do the opposite of what they're told to make people mad 3.1 It is okay to take something without permission							14.3		
Were in a fight and had to be treated by a doctor or nurse		3.1			-		-	-	n	5.6
Were threatened or injured with a weapon on school propert	ty	7.6				okay to ch				20.6
BULLYING VICTIM				It is oka	ay to beat	up peopl	e if they :	start a fight		44.4
Percent of students who, in the past 3 months:				CHOOL	REI ATIO	ONS.				
Were shoved, slapped, hit, or kicked in a serious manner		26.1					ree with t	he followin	na:	
Were victims of mean rumors or lies spread at school		50.9				_		student's go	-	69.1
Had embarrassing or hurtful pictures/text of them posted on	internet	14.0						_	ive student performanc	37.2
Had embarrassing or hurtful pictures/text of them sent by ce		15.3			-	student fo	-	-	•	53.5
Were made fun of by others		60.1			re enforc					61.6
•							ethnicitie	s are treate	ed equally	73.7
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:				ARENT						
Shoved, slapped, hit, or kicked a student in a serious manne	er	19.7	Percent of students who agree with the following:							
Spread mean rumors or lies about other kids at school		neone 9.3 It is important to be honest with parents regardless of consequences								83.2
Posted on internet embarrassing or hurtful pictures/text of so									69.5	
Sent by cell phone embarrassing or hurtful pictures/text of so	omeone								88.3	
Made fun of other people		57.7		Studen	t could as	sk parent i	for help v	vith a perso	onal problem	78.0
SUBSTANCE USE AND BELIEFS										
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	\$	5	≓ ≶	8		≓ ≶	\$	\$ \$	fi u. A	
	Who I	Who I	Whos the pa	Who	Who I thems	Who s	Who f	Who t	Amon used	
	Who have	Who have	Whose cl the past 1	Who say	Who belice themselve	Who say they use	Who feel	Who think would be	Among st used sub- first used	
	Who have ev	Who have us	Whose closes the past 12 m	Who say it wo	Who believe themselves if	Who say pare they use	Who feel it w	Who think kid would be cau	Among stude used substan first used	
	Who have ever u	Who have used in	Whose closest fri the past 12 month	Who say it would	Who believe they themselves if the	Who say parents they use	Who feel it would	Who think kids in would be caught	Among students used substance, first used	
	Who have ever used	Who have used in the	Whose closest friend the past 12 months	Who say it would be	Who believe they risk themselves if they us	Who say parents wou they use	Who feel it would be	Who think kids in the would be caught by p	Among students who used substance, aver first used	
	Who have ever used sub	Who have used in the pa	Whose closest friends hat the past 12 months	Who say it would be eas:	Who believe they risk ha themselves if they use	Who say parents would on they use	Who feel it would be wro	Who think kids in their no would be caught by polic	Among students who havused substance, average first used	
	Who have ever used substar	Who have used in the past 3	Whose closest friends have the past 12 months	Who say it would be easy to	Who believe they risk harming themselves if they use	Who say parents would disathey use	Who feel it would be wrong t	Who think kids in their neigh would be caught by police fo	Among students who have e used substance, average ag	
	Who have ever used substance	Who have used in the past 30 da	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disappro they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for us	udents who have ever stance, average age w	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove it they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Regarding the substances listed below, percent of students:			<u>=</u>	,,		Who say parents would disapprove if they use		Who think kids in their neighborhood would be caught by police for using	udents who have ever stance, average age when	
Regarding the substances listed below, percent of students: Cigarettes	26.6	Who have used in the past 30 days 12.6 6.7	Whose closest friends have used in the past 12 months	Who say it would be easy to get 51.9	Who believe they risk harming themselves if they use	Who say parents would disapprove if withey use	Who feel it would be wrong to use 80.1	Who think kids in their neighborhood would be caught by police for using 25.9	udents who have ever stance, average age w	
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	26.6 12.9	12.6 6.7	43.6	51.9	81.3	88.5	80.1	25.9	udents who have ever constance, average age when constance.	
Cigarettes Chewing Tobacco Alcohol	26.6	12.6 6.7 17.7	<u>=</u>	,,					udents who have ever stance, average age when	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	26.6 12.9 40.0	12.6 6.7 17.7 11.4	43.6	51.9	81.3 70.0	88.5 80.4	80.1	25.9 30.2	stance, average age when 12.09	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	26.6 12.9 40.0	12.6 6.7 17.7 11.4 8.6	43.6	51.9	81.3	88.5	80.1	25.9	stance, average age when 12.09 12.43	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	26.6 12.9 40.0	12.6 6.7 17.7 11.4	43.6 50.3 36.3	51.9 53.0 34.8	81.3 70.0 70.7	88.5 80.4 91.8	80.1 63.1 79.5	25.9 30.2 42.5	stance, average age when 12.09	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	26.6 12.9 40.0 17.5 5.4	12.6 6.7 17.7 11.4 8.6 2.5	43.6	51.9 53.0 34.8 17.9	81.3 70.0 70.7 92.6	88.5 80.4 91.8 97.3	80.1 63.1 79.5 94.4	25.9 30.2	stance, average age when 12.09 12.43	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	26.6 12.9 40.0 17.5 5.4	12.6 6.7 17.7 11.4 8.6 2.5	43.6 50.3 36.3	51.9 53.0 34.8 17.9 46.6	81.3 70.0 70.7 92.6 83.0	88.5 80.4 91.8 97.3 95.4	80.1 63.1 79.5 94.4 89.9	25.9 30.2 42.5	stance, average age when 12.09 12.43	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	26.6 12.9 40.0 17.5 5.4 6.4 9.1	12.6 6.7 17.7 11.4 8.6 2.5	43.6 50.3 36.3	51.9 53.0 34.8 17.9	81.3 70.0 70.7 92.6	88.5 80.4 91.8 97.3	80.1 63.1 79.5 94.4	25.9 30.2 42.5	stance, average age when 12.09 12.43	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	26.6 12.9 40.0 17.5 5.4 6.4 9.1 0.5	12.6 6.7 17.7 11.4 8.6 2.5	43.6 50.3 36.3	51.9 53.0 34.8 17.9 46.6	81.3 70.0 70.7 92.6 83.0	88.5 80.4 91.8 97.3 95.4	80.1 63.1 79.5 94.4 89.9	25.9 30.2 42.5	stance, average age when 12.09 12.43	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	26.6 12.9 40.0 17.5 5.4 6.4 9.1 0.5 1.5	12.6 6.7 17.7 11.4 8.6 2.5	43.6 50.3 36.3	51.9 53.0 34.8 17.9 46.6	81.3 70.0 70.7 92.6 83.0	88.5 80.4 91.8 97.3 95.4	80.1 63.1 79.5 94.4 89.9	25.9 30.2 42.5	stance, average age when 12.09 12.43	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	26.6 12.9 40.0 17.5 5.4 6.4 9.1 0.5 1.5	12.6 6.7 17.7 11.4 8.6 2.5	43.6 50.3 36.3	51.9 53.0 34.8 17.9 46.6	81.3 70.0 70.7 92.6 83.0	88.5 80.4 91.8 97.3 95.4	80.1 63.1 79.5 94.4 89.9	25.9 30.2 42.5	stance, average age when 12.09 12.43	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	26.6 12.9 40.0 17.5 5.4 6.4 9.1 0.5 1.5 1.2	12.6 6.7 17.7 11.4 8.6 2.5	43.6 50.3 36.3	51.9 53.0 34.8 17.9 46.6	81.3 70.0 70.7 92.6 83.0	88.5 80.4 91.8 97.3 95.4	80.1 63.1 79.5 94.4 89.9	25.9 30.2 42.5	stance, average age when 12.09 12.43	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	26.6 12.9 40.0 17.5 5.4 6.4 9.1 0.5 1.5	12.6 6.7 17.7 11.4 8.6 2.5 3.5 4.4	43.6 50.3 36.3 16.4	51.9 53.0 34.8 17.9 46.6 33.4	81.3 70.0 70.7 92.6 83.0 86.9	88.5 80.4 91.8 97.3 95.4 95.1	80.1 63.1 79.5 94.4 89.9 90.9	25.9 30.2 42.5 45.5	stance, average age when 12.09 12.43	0-14

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:

Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

CAPE GIRARDEAU COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 21 031 75,674 76,632

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	922	942	986
Mother Reported Drinking while Pregnant ¹		3	6
Mother Reported Smoking while Pregnant	219	187	188
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	0	1
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	731	654	721
Suicides	11	9	9
Self-inflicted Injuries	90	82	92
Homicides	3	1	3
Assault Injuries	263	220	257
Alcohol Induced Deaths	2	2	2
Drug Induced Deaths	13	7	6
Smoking Induced Deaths	122	115	116
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	666	540	687
Direct Hospitalizations	229	83	95
Emergency Room Hospitalizations	112	236	253
Emergency Room Outpatient	325	221	339
Drug RelatedTotal	637	462	485
Direct Hospitalizations	269	104	111
Emergency Room Hospitalizations	107	172	185
Emergency Room Outpatient	261	186	189
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	56	72	53
Fatal Crashes	2	2	1
Injury Crashes	27	29	27
Property Damage Crashes	27	41	25
Crash Fatalities	2	2	1
Crash Injuries	37	29	38
Drug Involved CrashesTotal	21	21	14
Fatal Crashes	1	0	0
Injury Crashes	14	8	5
Property Damage Crashes	6	13	9
Crash Fatalities	1	0	0
Crash Injuries	18	8	5
EMPLOYMENT	2011	2010	2009
Labor Force	38,877	38,367	38,481
Employed	36,118	35,432	35,677
Unemployed	2,759	2,935	2,804
Unemployment Rate	7.1%	7.6%	7.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	115	111	121
Alcohol Package Carry-out Licenses	60	56	57

2	011 POPULATION PROFILE BY AGE GROUP
	5,000
	4,000
	3,000
	2,000
	1,000
	0
	2
	■ Female ■ Male

■ Female ■ Male						
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009			
Enrollment Grades 9-12	2,944	3,007	3,060			
Drop-outs	88	104	148			
Drop-out Rate	3.0%	3.5%	4.89			
School Suspensions, 10 or More Days						
Alcohol Incidents	1	2				
Drug Incidents	23	15	19			
Tobacco Incidents	0	1	(
POLICE REPORTS	2010	2009	200			
DUI Arrests, DWI Tracking System	560	617	640			
Liquor Law Arrests	169	200	202			
Drug Arrests	365	383	330			
Methamphetamine Lab Incidents	66	52	19			
Violent Offenses	392	340	319			
Property Offenses	3,168	2,832	3,09			
Domestic Violence Reports	478	423	389			
IUVENILE COURT REFERRALS	2010	2009	200			
Law Violation OffensesTotal	624	849	94			
Violent Offenses	73	114	11			
Alcohol Offenses	17	23	3			
Drug Offenses	22	24	4			
Status OffensesTotal	161	217	38			
Truancy	55	108	15			
Beyond Parental Control	38	27	2			
Habitually Absent from Home	44	66	10			
Injurious Behavior	24	16	2			
Abuse/Neglect/CustodyTotal	127	143	10			
Abuse	45	52	3			
Neglect	8	49	4			
Custody Disputes	74	42	2			
JUVENILE COURT PLACEMENTS	2010	2009	200			
Out-of-Home PlacementsTotal	77	75	8			
Parental Alcohol Use Related	4	2				
Parental Drug Use Related	33	28	2			
Parental Alcohol and Drug Use	10	1				
Child Removed for Other Reason	30	44	4			
CRIMINAL JUSTICE	FY2011	FY2010	FY200			
Drug Court Participants	89	115	11			
Probation/Parole AdmissionsTotal	448	456	50			
Probation/Parole AdmissionsDrug	200	183	17			
Probation/Parole AdmissionsDWI	48	42	4			
Prison AdmissionsTotal	232	230	28			
Prison AdmissionsDrug	85	86	10			
Prison AdmissionsDWI	20	18	3(

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

CAPE GIRARDEAU COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	57	60	60
CSTAR Women and Children	114	109	97
CSTAR General Adult	53	37	20
CSTAR Opioid	0	*	0
Primary Recovery Detoxification	80	68	68
Primary Recovery Treatment	296	357	418
Clinical SATOP (CIP, YCIP, SROP)	28	42	42
Other Substance Abuse Treatment	0	*	45

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	369	503	494
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	215	272	253
- Weekend Intervention Program	104	127	143
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	7	13	5
- Compulsive Gambling	0	0	*
- Recovery Supports	101	38	52
- Early Intervention	0	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	392	368	413	Never Married	330	337	346
Female	197	188	180	Married / Cohabitating	147	115	128
	107	100	100	Previously Married	112	104	119
AGE							1.0
Under 18	58	61	63	PRIMARY DRUG PROBLEM			
18 to 24	118	118	131	Alcohol	203	227	251
25 to 29	122	108	109	Marijuana / Hashish	209	204	202
30 to 34	102	70	70	Cocaine (total)	53	34	46
35 to 39	56	58	64	- Crack	34	27	32
40 to 44	51	62	73	Stimulant (total)	51	35	38
45 to 54	66	65	65	- Methamphetamine	50	34	38
55 and Over	16	14	18	Heroin	12	9	6
RACE / ETHNICITY				Analgesic except Heroin	42	35	28
Caucasian	428	417	451	- Non-Prescription Methadone	0	*	*
African American	128	107	118	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	120	*	0	Tranquilizer	15	9	15
Asian / Pacific Islander	0	0	0	Inhalant	0	0	*
Hispanic	17	13	13	Sedative	0	*	*
Other Race / Two or More Races	17	18	16	Other Medication or Illicit Drug	*	*	*
Other Race / Two of More Races	17	10	10	Average Age at First Use of Drug	17.7	17.1	16.8
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	216	206	217	Any Injection Use at Admission	55	28	29
High School Graduate or G.E.D.	263	245	268	- Daily Injection Use	9	7	*
Associate Degree or Some College	98	94	92	- Weekly Injection Use	12	5	5
Bachelor or Advanced Degree	12	11	16	- Less than Weekly Injection Use	34	16	20
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	178	183	203	Self / Family / Friend	131	128	136
Unemployed	213	194	193	School	0	*	*
Not in Labor Force	198	179	197	Mental Health Provider	*	*	10
				Health Care Provider	22	12	23
LIVING ARRANGEMENT				Court / Criminal Justice	376	366	385
Independent Living	402	400	458	Other Referral Source	56	45	38
Dependent Living	165	143	121	005044 00044 474040			
Homeless	16	9	12	SPECIAL POPULATIONS	*	40	40
LIFETIME DUI / DIA" A DOCOTO				Pregnant when Admitted to any Episode		12	10
LIFETIME DUI / DWI ARRESTS	05.1	000	000	Military Veteran	20	23	26
0	354	300	339	Special Education Services Needed	62	36	42
1 or 2	171	167	162	Co-Occurring Psychological Problem	186	144	165
3 or More	64	89	92	Co-Occurring Developmental Problem	25	*	11

CAPE GIRARDEAU COUNTY



ADA/CPS REGION Southeast
CPS SERVICE AREA 21
CENSUS 2010 75,674
2011 POP. ESTIMATE 76,632

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** 23 Adjustment Disorder 171 36 **Anxiety Disorder** 65 189 100 Dementia **Developmental Disorder** Impulse Control Disorder 92 126 34 **Mood Disorder** 457 309 754 Personality Disorder 39 42 52 **Psychotic Disorder** 203 165 147 Sexual Disorder 0 0 0

26

253

34

29

477

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
1,311	1,047	987	Hearing Impaired	58	51	55
600	510	462	Past or Current Military Service	35	26	34
711	536	525	HOUSING / LIVING APPANGEMENT			
				220	201	166
			•	-		64
*	11	8	· · · · · · · · · · · · · · · · · · ·	*	*	*
38	60	24		0	*	*
29	71	38		_		755
42	73	34	Hodsing Onknown	970	742	755
157	112	110	EMPLOYMENT			
156	119	121	Employed	27	30	28
167	103	107	Unemployed	300	237	198
138	85	94	Not in Labor Force	12	15	6
142	100	100	Employment Status Unknown	972	765	755
128	104	119	4.005070			
123	87	90		00	07	00
98	68	81				22
90	54	61				209
			Arrest Status Unknown	971	741	756
			TREATMENT REFERRAL SOURCE			
1,055	787	816		020	675	CEC
132	141	117	•			656
0	0	*		_		5
*	*	*			_	69 77
80	72	25		_		77
41	45	26			_	78
0	0	0				95
			Referral Source Unknown	*	7	7
			TYPE OF COMMITMENT			
101	104	74	Voluntary	1,279	1,006	934
167	119	101	Civil	15	20	33
41	35	41	Criminal	14	16	15
28	23	15	Sexual Predatory	0	0	0
974	766	756	Commitment Type Unknown	*	5	5
	1,311 600 711 * 38 29 42 157 156 167 138 142 123 98 90 1,055 132 0 * 80 41 0	1,311 1,047 600 510 711 536 * 11 38 60 29 71 42 73 157 112 156 119 167 103 138 85 142 100 128 104 123 87 98 68 90 54 1,055 787 132 141 0 0 * * 80 72 41 45 0 0 101 104 167 119 41 35 28 23	1,311 1,047 987 600 510 462 711 536 525 * 11 8 38 60 24 29 71 38 42 73 34 157 112 110 156 119 121 167 103 107 138 85 94 142 100 100 128 104 119 123 87 90 98 68 81 90 54 61 1,055 787 816 132 141 117 0 0 * * * * 80 72 25 41 45 26 0 0 0 101 104 74 167 119 101 41 35 41 28 23 15	1,311	1,311	1,311

CAPE GIRARDEAU COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION			6	UICIDE							
Percent of students who, in the past 30 days:		(%)			of student	ts who. in	the past	12 months	i:		(%)
Were very sad		17.5				ered atter	•				9.9
Were grouchy, irritable, or in a bad mood		22.6			-			attempt s	uicide		7.7
Felt hopeless about the future		11.9			ted suicid			•			4.8
Felt like not eating or eating more than usual		16.3		Had a s	uicide at	tempt that	resulted	in injury o	r overdose that h	had to	1.1
Slept a lot more or a lot less than usual		20.0				doctor or					
Had difficulty concentrating on school work		22.4									
				EBELLIC Paraant			as that				
FIGHTING Descent of students who in the next 12 months:						ts who agi					20.6
Percent of students who, in the past 12 months:		19.5				s that get			nake people mad		20.6 15.6
Were in a fight and had to be treated by a dector or pure		2.9		•			•			1	4.0
Were threatened or injured with a weapon on school proper	4.,	4.9			•	someum okay to ch	•	permissio	011		20.0
Were threatened or injured with a weapon on school proper	ıy	4.9						iooi itart a figh	•		47.5
BULLYING VICTIM				IL IS UKA	iy io beai	up people	e ii uiey s	itari a rigir			47.5
Percent of students who, in the past 3 months:			S	CHOOL I	RELATIO	ONS					
Were shoved, slapped, hit, or kicked in a serious manner		26.2						he followir			
Were victims of mean rumors or lies spread at school		49.2		Teache	rs notice	and comr	nent on s	tudent's g	ood work		73.0
Had embarrassing or hurtful pictures/text of them posted on	internet	11.4		School	provides	feedback	to parent	s on posit	ive student perfo	ormance	39.2
Had embarrassing or hurtful pictures/text of them sent by ce	ell phone	16.9		Teache	rs praise	student fo	or hard w	ork			58.4
Were made fun of by others		62.2		Rules a	re enforc	ed fairly					70.2
BULLYING PERPRETRATOR				Student	ts of all ra	aces and e	ethnicities	are treate	ed equally		75.2
Percent of students who, in the past 3 months:			D	ARENT I	DEI ATIC	DA/S					
Shoved, slapped, hit, or kicked a student in a serious mann	er	19.9					ree with t	he followir	na:		
Spread mean rumors or lies about other kids at school		32.2				_		dent's go	-		83.1
Posted on internet embarrassing or hurtful pictures/text of s	omeone	7.3						amily deci			70.0
		_									
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	9.8		It is imp	ortant to	be hones	t with par	ents regai	dless of consequ	uences	85.2
Sent by cell phone embarrassing or hurtful pictures/text of s Made fun of other people	omeone	9.8 61.3					-	_	dless of consequence on all problem	uences	85.2 76.2
Made fun of other people	omeone						-	_	rdless of consequ onal problem	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS	omeone						-	_		uences	
Made fun of other people		61.3	Wh	Student	t could as	sk parent f	or help w	ith a perso	onal problem	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS		61.3	Whose the pas	Student	t could as	sk parent f	or help w	ith a perso	onal problem	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS		61.3	Whose close the past 12	Student	t could as	sk parent f	or help w	ith a perso	onal problem	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS		61.3	Whose closest the past 12 mc	Student	t could as	sk parent f	or help w	ith a perso	onal problem	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS		61.3	Whose closest frie the past 12 month	Student	t could as	sk parent f	or help w	ith a perso	onal problem	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS		61.3	Whose closest friends the past 12 months	Student	t could as	sk parent f	or help w	ith a perso	onal problem	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS		61.3	Whose closest friends have the past 12 months	Student	t could as	sk parent f	or help w	ith a perso	onal problem	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS		61.3	Whose closest friends have u the past 12 months	Student	t could as	sk parent f	or help w	ith a perso	onal problem	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS	Who have ever used substance	Who have used in the past 30 da	nds have used		t could as	Who say parents would disappro	or help w	Who think kids in their neighborh a would be caught by police for usi	Among students who have ever used substance, average age who first used	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS		61.3	Whose closest friends have used in the past 12 months	Student	t could as	sk parent f	-	ith a perso	onal problem	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:		Who have used in the past 30 da		Student	t could as	Who say parents would disappro	or help w	Who think kids in their neighborh a would be caught by police for usi	Among students who have ever used substance, average age who first used	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS	Who have ever used substance	Who have used in the past 30 days	₹.	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood a would be caught by police for using	Among students who have ever used substance, average age when first used	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes	Who have ever used substance 24.2	Who have used in the past 30 days	₹.	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood a would be caught by police for using	Among students who have ever used substance, average age when first used	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	Who have ever used substance 24.2	Who have used in the past 30 days 12.2 5.6	42.7	Who say it would be easy to get 53.8	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood 4 would be caught by police for using	Among students who have ever used substance, average age when 12.95	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	Who have ever used substance 24.2	61.3 Who have used in the past 30 days 12.2 5.6 15.0	42.7	Who say it would be easy to get 53.8	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood 4 would be caught by police for using	Among students who have ever used substance, average age when 12.95	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	Who have ever used substance 24.2 11.3 39.2	61.3 Who have used in the past 30 days 12.2 5.6 15.0 8.0	42.7 52.1	Who say it would be easy to get 53.8	Who believe they risk harming themselves if they use 81.8	who say parents would disapprove if 92.1	Who feel it would be wrong to use 82.0	would be caught by police for using 25.4	Among students who have ever used substance, average age when 12.95	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	Who have ever used substance 24.2 11.3 39.2	61.3 Who have used in the past 30 days 12.2 5.6 15.0 8.0 4.8	42.7 52.1	Who say it would be easy to get 53.8	Who believe they risk harming themselves if they use 81.8	who say parents would disapprove if 92.1	Who feel it would be wrong to use 82.0	would be caught by police for using 25.4	Among students who have ever used substance, average age when 12.95	uences	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	Who have ever used substance 24.2 11.3 39.2	61.3 Who have used in the past 30 days 12.2 5.6 15.0 8.0 4.8	42.7 52.1 32.8	Who say it would be easy to get 53.8 57.6	themselves if they use 81.8 72.4 77.5	they use Who say parents would disapprove if 92.1	Who feel it would be wrong to use 82.0 62.1	would be caught by police for using 25.4 30.1	Among students who have ever used substance, average age when 12.95	uences	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	Who have ever used substance 24.2 11.3 39.2 12.2 3.8	61.3 Who have used in the past 30 days 12.2 5.6 15.0 8.0 4.8 1.3	42.7 52.1 32.8	Who say it would be easy to get 53.8 57.6 35.7	themselves if they use 81.8 72.4 77.5 93.2	sk parent of they use Who say parents would disapprove if 92.1 78.8 94.6 97.9	Who feel it would be wrong to use 82.0 62.1 86.6 95.8	would be caught by police for using 25.4 30.1	Among students who have ever used substance, average age when 12.95	uences	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	Who have ever used substance 24.2 11.3 39.2 12.2 3.8	61.3 Who have used in the past 30 days 12.2 5.6 15.0 8.0 4.8 1.3	42.7 52.1 32.8	Who say it would be easy to get 53.8 57.6 35.7 19.5 49.9	who believe they risk harming themselves if they use 81.8 72.4 77.5 93.2 84.8	they use 92.1 78.8 94.6 97.9 97.1	Who feel it would be wrong to use 82.0 62.1 86.6 95.8 91.1	would be caught by police for using 25.4 30.1	Among students who have ever used substance, average age when 12.95	uences	

Data source:

Methamphetamine

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofle, or Special K

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

1.4 3.0

1.6

6.4

CARROLL COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 12 FIPS COUNTY CODE 033 **CENSUS 2010** 9,295 2011 POP. ESTIMATE 9,260

2011 POPULATION PROFILE BY AGE GROUP 400 300 200 100

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	109	109	102
Mother Reported Drinking while Pregnant 1		0	0
Mother Reported Smoking while Pregnant	29	20	19
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	114	135	124
Suicides	0	0	1
Self-inflicted Injuries	4	9	3
Homicides	1	0	0
Assault Injuries	18	18	25
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	3	0	0
Smoking Induced Deaths	22	22	25
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	59	36	43
Direct Hospitalizations	21	15	12
Emergency Room Hospitalizations	15	8	10
Emergency Room Outpatient	23	13	21
Drug RelatedTotal	63	42	42
Direct Hospitalizations	29	17	19
Emergency Room Hospitalizations	15	12	12
Emergency Room Outpatient	19	13	11
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	16	11	16
Fatal Crashes	0	0	2
Injury Crashes	5	3	6
Property Damage Crashes	11	8	8
Crash Fatalities	0	0	2
Crash Injuries	5	8	12
Drug Involved CrashesTotal	2	1	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	2	1	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	1
EMPLOYMENT	2011	2010	2009
Labor Force	4,879	4,852	5,117
Employed	4,386	4,315	4,581
Unemployed	493	537	536
Unemployment Rate	10.1%	11.1%	10.5%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	11	10	14
Alcohol Package Carry-out Licenses	12	14	16

■ Female	୍କୁ ନିନ୍ଦି ■ Male	828	8
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	512	540	506
Drop-outs	4	3	11
Drop-out Rate	0.8%	0.6%	2.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	5	2	1
Tobacco Incidents	0	2	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	41	24	53
Liquor Law Arrests	0	3	2
Drug Arrests	19	17	15
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	11	6	11
Property Offenses	95	117	73
Domestic Violence Reports	32	29	35
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	50	53	61
Violent Offenses	12	9	8
Alcohol Offenses	0	3	1
Drug Offenses	5	2	2
Status OffensesTotal	49	43	51
Truancy	23	7	16
Beyond Parental Control	3	10	5
Habitually Absent from Home	6	7	7
Injurious Behavior	17	19	23
Abuse/Neglect/CustodyTotal	10	17	4
Abuse	9	10	3
Neglect	1	7	1
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	0	5	1
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	1	0
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	0	4	0
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	48	66	68
Probation/Parole AdmissionsDrug	11	14	14
Probation/Parole AdmissionsDWI	1	4	6
Prison AdmissionsTotal	29	31	52
Prison AdmissionsDrug	5	10	16
Prison AdmissionsDWI	3	0	4

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

CARROLL COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	0	*
CSTAR Women and Children	0	*	0
CSTAR General Adult	20	10	7
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	9	*	6
Primary Recovery Treatment	31	26	40
Clinical SATOP (CIP, YCIP, SROP)	5	*	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	29	44	37
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	13	17	20
- Weekend Intervention Program	8	12	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	*	6	7
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	40	24	35	Never Married	31	20	26
Female	15	11	12	Married / Cohabitating	11	10	11
	10		12	Previously Married	13	5	10
AGE				•	10	ŭ	
Under 18	*	*	*	PRIMARY DRUG PROBLEM			
18 to 24	12	10	18	Alcohol	20	13	25
25 to 29	8	7	6	Marijuana / Hashish	15	10	14
30 to 34	8	6	5	Cocaine (total)	*	*	0
35 to 39	9	5	5	- Crack	0	*	0
40 to 44	*	*	5	Stimulant (total)	12	7	*
45 to 54	10	*	5	- Methamphetamine	11	7	*
55 and Over	0	*	*	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	*	5
Caucasian	51	32	42	- Non-Prescription Methadone	0	0	*
African American	*	3Z *	4 ∠ *	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan		0	0	Tranquilizer	*	*	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	-	0	*	Sedative	*	0	0
Hispanic	0	-		Other Medication or Illicit Drug	*	0	0
Other Race / Two or More Races		0	0	Average Age at First Use of Drug	17.2	17.6	16.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	15	14	20	Any Injection Use at Admission	*	*	*
High School Graduate or G.E.D.	32	15	24	- Daily Injection Use	0	0	*
Associate Degree or Some College	6	5	*	- Weekly Injection Use	*	0	*
Bachelor or Advanced Degree	*	*	0	- Less than Weekly Injection Use	*	*	0
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	13	14	15	Self / Family / Friend	20	*	12
Unemployed	28	16	23	School	*	0	0
Not in Labor Force	14	5	9	Mental Health Provider	0	*	*
				Health Care Provider	*	*	0
LIVING ARRANGEMENT				Court / Criminal Justice	30	28	30
Independent Living	46	31	42	Other Referral Source	*	*	*
Dependent Living	6	*	*	ODEOLAL DODUKATIONS			
Homeless	*	0	0	SPECIAL POPULATIONS	^	^	
LIFETIME DUI / DIA!! A DOCOTO				Pregnant when Admitted to any Episode	0	0	
LIFETIME DUI / DWI ARRESTS	65	00	00	Military Veteran	*		
0	35	23	30	Special Education Services Needed		0	40
1 or 2	13	8	9	Co-Occurring Psychological Problem	16	12	12
3 or More	7	*	8	Co-Occurring Developmental Problem	*	0	*

CARROLL COUNTY



disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 **Anxiety Disorder** 43 36 33 Dementia 0 **Developmental Disorder** 0 Impulse Control Disorder 12 5 **Mood Disorder** 78 99 84 Personality Disorder 19 18 10 **Psychotic Disorder** 9 12 12 Sexual Disorder 0 0 0 Other Diagnosis Diagnosis Unknown 13 12

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	138	110	116	Hearing Impaired	*	*	5
Male	59	42	45	Past or Current Military Service	*	*	*
Female	79	68	71	HOUSING / LIVING ARRANGEMENT			
				Independent Living	65	41	12
AGE				Dependent Living	0	12	*
Under 6	0	0	*	Homeless	0	0	0
6 to 9	*	*	*	Other	*	0	0
10 to 13	14	10	7	Housing Unknown	71	57	102
14 to 17	19	12	10	riodoling criticioni	7 1	31	102
18 to 24	11	7	11	EMPLOYMENT			
25 to 29	8	10	8	Employed	11	5	0
30 to 34	10	7	10	Unemployed	54	34	11
35 to 39	12	11	11	Not in Labor Force	*	*	*
40 to 44	10	12	14	Employment Status Unknown	71	69	104
45 to 49	16	10	6	4005070			
50 to 54	13	13	14	ARRESTS	0		
55 to 59	11	9	9	Arrested in Past 12 Months	9	6	
60 and Over	10	8	10	Not Arrested in Past 12 Months	57	44	12
				Arrest Status Unknown	72	60	102
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	121	100	106	Self / Family / Friend	00	70	0.0
African American	10	*	*	•	98	79 *	86
Native American / Alaskan	0	0	0	School Martin Haalth Bravidas			
Asian / Pacific Islander	0	0	0	Mental Health Provider	9	9	6
Hispanic	6	5	6	Health Care Provider	15	9	5
Other Race	*	*	0	Court / Criminal Justice	7	7	12
Race/Ethnicity Unknown	0	0	0	Other	6	5	*
•				Referral Source Unknown	0	0	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	16	9	5	Voluntary	134	105	101
High School Grad or G.E.D.	41	16	5	Civil	0	*	12
A.A. Degree or Some College	8	15	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	0	0	0
Education Level Unknown	71	69	104	Commitment Type Unknown	*	*	*

CARROLL COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Percent i	of studen	ts who in	the nast	12 months	•	(%)
Were very sad		17.5				ered atter	-		•	11.7
Were grouchy, irritable, or in a bad mood		24.7			-			attempt su	ılcide	7.8
Felt hopeless about the future		9.7			ted suicio		oj 110 u lu	allompt of		7.1
Felt like not eating or eating more than usual		15.6					resulted	in injury o	r overdose that had to	0.7
Slept a lot more or a lot less than usual		20.1				doctor or		• • •		
Had difficulty concentrating on school work		22.7								
, , ,				EBELLIC						
FIGHTING						ts who agi				0.4.7
Percent of students who, in the past 12 months:		00.0				s that get		-		24.7
Were in a physical fight		26.0		-					ake people mad	14.9
Were in a fight and had to be treated by a doctor or nurse		3.2			-		-	permissio	n	7.8
Were threatened or injured with a weapon on school proper	ty	7.1				okay to ch				29.2
BULLYING VICTIM				IL IS OK	iy to beat	up peopi	e ii iney s	start a fight		60.4
Percent of students who, in the past 3 months:			s	CHOOL .	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		27.1					ree with t	he followin	g:	
Were victims of mean rumors or lies spread at school		56.6		Teache	rs notice	and comr	nent on s	tudent's go	ood work	70.6
Had embarrassing or hurtful pictures/text of them posted on	internet	14.2		School	provides	feedback	to paren	ts on positi	ve student performance	36.4
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	20.0		Teache	rs praise	student fo	or hard w	ork		48.7
Were made fun of by others		68.8		Rules a	re enforc	ed fairly				57.1
D. W. J. W. V. D. D. D. D. D. T. D. T. D. D. T.				Studen	ts of all ra	aces and e	ethnicities	s are treate	ed equally	81.2
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:			_	405MT	DEL 4716					
Shoved, slapped, hit, or kicked a student in a serious manner	er	27.7		ARENT I			ao with t	he followin	a.	
Spread mean rumors or lies about other kids at school	A1	31.2				-		ident's god	-	78.6
Posted on internet embarrassing or hurtful pictures/text of so	omeone	10.4						amily decis		66.9
Sent by cell phone embarrassing or hurtful pictures/text of se		9.7						-	dless of consequences	86.4
Made fun of other people	Silicolic	71.4							onal problem	76.0
Regarding the substances listed below, percent of students:	Vho have ever	Vho have used	Whose closest frier the past 12 months	Vho say it w	Who believe they risk I themselves if they use	Vho say paren hey use	Vho feel it woul	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age where the state of the sta	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	their neighborhood by police for using	who have ever average age when	
Cigarettes	used substance	in the past 30 days 14.9		ould be easy to get 48.1	hey risk harming they use	ts would disapprove if 89.5	d be wrong to use 76.6	their neighborhood by police for using	who have ever average age when 11.89	
Cigarettes Chewing Tobacco			5		harming		Ф	ng bood	ien	
-	31.2	14.9	5		harming		Ф	ng bood	ien	
Chewing Tobacco	31.2 16.9	14.9 10.4	46.8	48.1	harming 72.1	89.5	76.6	22.7	11.89 12.15	
Chewing Tobacco Alcohol	31.2 16.9 49.0	14.9 10.4 24.0 16.2 5.2	46.8	48.1	harming 72.1	89.5	76.6	22.7	11.89 12.15 13.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	31.2 16.9 49.0	14.9 10.4 24.0 16.2	46.8	48.1	72.1 56.2	89.5 69.9	76.6 47.1	22.7	11.89 12.15	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	31.2 16.9 49.0	14.9 10.4 24.0 16.2 5.2	46.8	48.1 61.7 28.8 13.0	72.1 56.2	89.5 69.9 96.7 99.3	76.6 47.1 89.0 96.7	22.7	11.89 12.15 13.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	31.2 16.9 49.0 7.7 3.2	14.9 10.4 24.0 16.2 5.2 0.6	46.8 61.7 26.6	48.1 61.7 28.8 13.0 47.4	72.1 56.2 74.5 89.5 74.0	89.5 69.9 96.7 99.3 98.0	76.6 47.1 89.0 96.7 89.7	22.7 24.2 41.2	11.89 12.15 13.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	31.2 16.9 49.0 7.7 3.2 2.6 5.2	14.9 10.4 24.0 16.2 5.2 0.6	46.8 61.7 26.6	48.1 61.7 28.8 13.0	72.1 56.2 74.5 89.5	89.5 69.9 96.7 99.3	76.6 47.1 89.0 96.7	22.7 24.2 41.2	11.89 12.15 13.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	31.2 16.9 49.0 7.7 3.2 2.6 5.2 0.6	14.9 10.4 24.0 16.2 5.2 0.6	46.8 61.7 26.6	48.1 61.7 28.8 13.0 47.4	72.1 56.2 74.5 89.5 74.0	89.5 69.9 96.7 99.3 98.0	76.6 47.1 89.0 96.7 89.7	22.7 24.2 41.2	11.89 12.15 13.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	31.2 16.9 49.0 7.7 3.2 2.6 5.2 0.6 0.0	14.9 10.4 24.0 16.2 5.2 0.6	46.8 61.7 26.6	48.1 61.7 28.8 13.0 47.4	72.1 56.2 74.5 89.5 74.0	89.5 69.9 96.7 99.3 98.0	76.6 47.1 89.0 96.7 89.7	22.7 24.2 41.2	11.89 12.15 13.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	31.2 16.9 49.0 7.7 3.2 2.6 5.2 0.6 0.0	14.9 10.4 24.0 16.2 5.2 0.6	46.8 61.7 26.6	48.1 61.7 28.8 13.0 47.4	72.1 56.2 74.5 89.5 74.0	89.5 69.9 96.7 99.3 98.0	76.6 47.1 89.0 96.7 89.7	22.7 24.2 41.2	11.89 12.15 13.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	31.2 16.9 49.0 7.7 3.2 2.6 5.2 0.6 0.0 0.7	14.9 10.4 24.0 16.2 5.2 0.6	46.8 61.7 26.6	48.1 61.7 28.8 13.0 47.4	72.1 56.2 74.5 89.5 74.0	89.5 69.9 96.7 99.3 98.0	76.6 47.1 89.0 96.7 89.7	22.7 24.2 41.2	11.89 12.15 13.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	31.2 16.9 49.0 7.7 3.2 2.6 5.2 0.6 0.0 0.7 1.9	14.9 10.4 24.0 16.2 5.2 0.6 1.3 1.9	46.8 61.7 26.6 8.4	48.1 61.7 28.8 13.0 47.4 21.3	72.1 56.2 74.5 89.5 74.0 79.2	89.5 69.9 96.7 99.3 98.0 96.7	76.6 47.1 89.0 96.7 89.7 92.3	22.7 24.2 41.2 48.4	11.89 12.15 13.58 11.42	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	31.2 16.9 49.0 7.7 3.2 2.6 5.2 0.6 0.0 0.7	14.9 10.4 24.0 16.2 5.2 0.6 1.3 1.9	46.8 61.7 26.6 8.4	48.1 61.7 28.8 13.0 47.4 21.3	72.1 56.2 74.5 89.5 74.0 79.2	89.5 69.9 96.7 99.3 98.0 96.7	76.6 47.1 89.0 96.7 89.7 92.3	22.7 24.2 41.2 48.4	11.89 12.15 13.58	-14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

CARTER COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Southeast 19 035 6,265 6,365



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	70	84	80
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	21	20	18
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATUS 1818/0/50	0040	0000	0000
DEATHS and INJURIES Resident DeathsTotal	2010	2009	2008
	72	101	79
Suicides	2	0	2
Self-inflicted Injuries	14	14	7
Homicides	0	2	0
Assault Injuries	18	26	16
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	1	1
Smoking Induced Deaths	18	29	15
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	60	55	47
Direct Hospitalizations	27	10	19
Emergency Room Hospitalizations	16	28	15
Emergency Room Outpatient	17	17	13
Drug RelatedTotal	39	37	35
Direct Hospitalizations	19	5	8
Emergency Room Hospitalizations	7	24	21
Emergency Room Outpatient	13	8	6
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	10	9	17
Fatal Crashes	0	1	17
Injury Crashes	4	4	7
Property Damage Crashes	6	4	9
Crash Fatalities	0	1	1
Crash Injuries	4	7	13
Drug Involved CrashesTotal	0	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
•			
EMPLOYMENT	2011	2010	2009
Labor Force	3,172	3,100	3,066
Employed	2,876	2,811	2,759
Unemployed	296	289	307
Unemployment Rate	9.3%	9.3%	10.0%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	7	10	10
Alcohol Package Carry-out Licenses	12	8	8
· · · · · ·			_

マジャン・ディット Female ■	¥ંત લંહે ∣Male	6 7 N	%
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	368	368	392
Drop-outs	3	14	19
Drop-out Rate	0.8%	3.8%	4.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	2	4	1
Tobacco Incidents	1	5	5
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	34	35	48
Liquor Law Arrests	52	53	65
Drug Arrests	80	66	76
Methamphetamine Lab Incidents	3	2	0
Violent Offenses	9	5	2
Property Offenses	50	48	41
Domestic Violence Reports	20	47	12
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	24	6	20
Violent Offenses	6	2	4
Alcohol Offenses	6	1	2
Drug Offenses	0	0	0
Status OffensesTotal	19	18	37
Truancy	4	1	4
Beyond Parental Control	5	4	11
Habitually Absent from Home	3	0	3
Injurious Behavior	4	12	14
Abuse/Neglect/CustodyTotal	5	0	4
Abuse	3	0	0
Neglect	1	0	0
Custody Disputes	1	0	4
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	3	0	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	0	0	0
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	19	32	31
Probation/Parole AdmissionsDrug	6	12	8
Probation/Parole AdmissionsDWI	1	0	3
Prison AdmissionsTotal	12	22	18
Prison AdmissionsDrug	2	6	7
Prison AdmissionsDWI	0	1	0

^{*} An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

CARTER COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	8	*	7
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	*	8
Primary Recovery Treatment	40	42	40
Clinical SATOP (CIP, YCIP, SROP)	5	*	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	16	23	22
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	6	12	8
- Weekend Intervention Program	*	*	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	*	*	0
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	39	41	42	Never Married	18	21	29
Female	15	18	15	Married / Cohabitating	19	21	17
				Previously Married	17	17	11
AGE	*	*					
Under 18			0	PRIMARY DRUG PROBLEM			
18 to 24	8	12	16	Alcohol	20	26	29
25 to 29	11	11	*	Marijuana / Hashish	16	20	15
30 to 34	12	9	10	Cocaine (total)	0		*
35 to 39	7	6	8	- Crack	0	*	0
40 to 44	7	9	8	Stimulant (total)	12	6	7
45 to 54	*	8	12	- Methamphetamine	12	6	7
55 and Over	*	*	0	Heroin	*	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	53	58	57	- Non-Prescription Methadone	0	0	0
African American	0	0	0	PCP, LSD, other Hallucinogen	0	*	0
Native American / Alaskan	*	*	0	Tranquilizer	*	0	0
Asian / Pacific Islander	0	0	0	Inhalant	*	0	0
Hispanic	0	*	0	Sedative	0	0	0
Other Race / Two or More Races	0	0	0	Other Medication or Illicit Drug	0	0	*
Other Nace / Two or More Naces	U	U	U	Average Age at First Use of Drug	15.9	17.1	16.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	26	33	28	Any Injection Use at Admission	*	*	*
High School Graduate or G.E.D.	22	20	28	- Daily Injection Use	0	0	0
Associate Degree or Some College	5	6	*	- Weekly Injection Use	*	0	0
Bachelor or Advanced Degree	*	0	0	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	22	24	17	Self / Family / Friend	11	8	6
Unemployed	18	14	24	School	0	0	0
Not in Labor Force	14	21	16	Mental Health Provider	*	0	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	37	45	45
Independent Living	52	55	52	Other Referral Source	*	5	*
Dependent Living	*	*	*				
Homeless	0	*	*	SPECIAL POPULATIONS		_	
				Pregnant when Admitted to any Episode	*	0	*
LIFETIME DUI / DWI ARRESTS				Military Veteran	7		*
0	28	33	31	Special Education Services Needed	5	*	8
1 or 2	17	16	16	Co-Occurring Psychological Problem	24	26	14
3 or More	9	10	10	Co-Occurring Developmental Problem	*	*	*

CARTER COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 19
CENSUS 2010 6,265
2011 POP. ESTIMATE 6,365

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009				
Adjustment Disorder	*	*	*				
Anxiety Disorder	20	21	27				
Dementia	0	0	0				
Developmental Disorder	0	0	0				
Impulse Control Disorder	*	7	6				
Mood Disorder	35	43	52				
Personality Disorder	*	6	7				
Psychotic Disorder	11	10	12				
Sexual Disorder	0	0	0				
Other Diagnosis	*	6	5				
Diagnosis Unknown	*	10	18				

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	51	69	94	Hearing Impaired	*	0	*
Male	21	29	42	Past or Current Military Service	*	*	*
Female	30	40	52	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	14	13	6
Under 6	0	0	0	Dependent Living	0	*	*
6 to 9	0	0	*	Homeless	*	0	0
10 to 13	*	*	5	Other	0	0	0
14 to 17	6	6	6	Housing Unknown	36	54	86
18 to 24	5	6	10	EMPLOYMENT			
25 to 29	0	*	6	Employed	*	*	0
30 to 34	*	*	5	Unemployed	14	11	7
35 to 39	5	7	7	Not in Labor Force	0	*	0
40 to 44	8	7	7	Employment Status Unknown	36	56	87
45 to 49	· *	11	14	Employment Status Offichown	30	56	01
50 to 54	0			ARRESTS			
	8	11	14	Arrested in Past 12 Months	0	*	*
55 to 59			6	Not Arrested in Past 12 Months	15	11	7
60 and Over	7	8	12	Arrest Status Unknown	36	54	86
RACE / ETHNICITY				TREATMENT REFERRAL COURSE			
Caucasian	49	66	90	TREATMENT REFERRAL SOURCE	05	00	5 4
African American	*	*	*	Self / Family / Friend	25	36	54
Native American / Alaskan	0	0	0	School Markel Health Breakles			
Asian / Pacific Islander	0	0	*	Mental Health Provider	11	12	14
Hispanic	*	*	*	Health Care Provider	9	9	10
Other Race	0	*	*	Court / Criminal Justice			*
Race/Ethnicity Unknown	0	0	0	Other	*	9	14
•				Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	7	5	5	Voluntary	50	68	92
High School Grad or G.E.D.	5	7	*	Civil	0	0	0
A.A. Degree or Some College	*	*	0	Criminal	*	*	*
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	0	0	0
Education Level Unknown	36	56	87	Commitment Type Unknown	0	0	0

CARTER COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		40.4	,	SUICIDE						
Percent of students who, in the past 30 days:		(%	6)					12 months	:	(%)
Were very sad		20.	4	Seriou	sly consid	lered atter	mpting su	iicide		18.8
Were grouchy, irritable, or in a bad mood		23.	5	Made a	a plan abo	out how th	ey would	attempt si	uicide	18.6
Felt hopeless about the future		7.8 Attempted suicide				11.5				
Felt like not eating or eating more than usual		11.	8					in injury o	r overdose that had to	6.9
Slept a lot more or a lot less than usual		16.	be treated by doctor or nurse							
Had difficulty concentrating on school work		31.								
			4	REBELLIC			roo that			
FIGHTING Person to fetudents when in the next 12 menths.						ts who ag				27.2
Percent of students who, in the past 12 months:		40	4	-		s that get		-	adia maanla maad	27.2
Were in a physical fight		19.		-			-		nake people mad	20.6
Were in a fight and had to be treated by a doctor or nurse		4.			-		-	t permissio	n	9.7
Were threatened or injured with a weapon on school proper	ty	3.	9	Sometimes it is okay to cheat at school					29.1	
BULLYING VICTIM				It IS OK	ay to bear	t up peopl	e if they	start a fight	Ţ	62.1
Percent of students who, in the past 3 months:				SCHOOL	REI ATIO	ONS.				
Were shoved, slapped, hit, or kicked in a serious manner		30.					ree with i	he followin	na:	
Were victims of mean rumors or lies spread at school		38.				_		student's g	-	58.3
Had embarrassing or hurtful pictures/text of them posted on	internet	12.						_	ive student performance	36.9
Had embarrassing or hurtful pictures/text of them sent by ce		13.			-	student fo	-	-	, , , , , , , , , , , , , , , , , , ,	45.6
Were made fun of by others	p	58.			•					54.4
Word made fair or by dations		00.		Rules are enforced fairly Students of all races and ethnicities are treated equally					68.0	
BULLYING PERPRETRATOR				Studen	its or all re	accs and	Cu ii ii CitiC	s are ireate	ou equally	00.0
Percent of students who, in the past 3 months:				PARENT	RELATIC	DNS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	27.	5	Percent	of studen	ts who ag	ree with t	the followin	ng:	
Spread mean rumors or lies about other kids at school		17.	5	Parent	s notice a	nd comm	ent on stu	udent's god	od work	77.5
Posted on internet embarrassing or hurtful pictures/text of s	omeone	10.	7	Parent	s involve	student in	making 1	family deci	sions	61.6
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	one 9.7 It is important to be honest with parents regardless of consequences				77.7				
Made fun of other people		56.	3	Studer	nt could as	sk parent i	for help v	vith a perso	onal problem	70.4
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:										
regulating the substances listed below, percent of students.	. ¥	Ş	₽	Who	ther M	they Ma	M _M	§ ≶	Amo	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usi	Among students who have ever used substance, average age what first used	
	/e e	e e	12 05	/itv	ves lieve	p _a	≛	a X	stud bsta	
	Ver	sed	B est	NON	₹ #	<u>e</u>	8	륯혒	lent	
	use	=	n# frier	d b	ey d	ls W	ם	, in the second	s s	
	Spi	<u> </u>	S S	e es	se sk	잍	e ¥	등학	era h	
	<u>sd</u>	pas	hav	asy	am	읈	<u></u>	lice nei	ave ge a	
	anc	30	e us	to g	jig	ä	o f	학	age eve	
	Ö	da		et		QQ (use	퇇	whe	
		Š	₹.			e≕		ing	en l	
Cigarettes	32.0	23.1	52.4	54.9	69.9	87.9	71.8	13.6	11.58	
Chewing Tobacco	17.5	12.6	6							
Alcohol	44.7	18.8	3 55.3	53.9	62.1	76.2	55.3	20.6	11.97	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		14.6								
Marijuana	18.4	8.7		37.6	65.7	94.0	76.7	28.7	12.88	
Inhalants	2.9	1.9		0.10	00	00			12.00	
Illicit drugs such as cocaine, LSD, meth, club drugs			7.8	14.9	84.5	97.0	95.1	39.6		
Over-the-counter medications for non-medical use	6.8	5.8		49.5	76.7	96.0	86.4	50.0		
Prescription drugs not prescribed for student	12.6	7.8		27.7	73.8	95.0	88.3			
Heroin	1.0	, .0		_,	. 5.5	55.0	55.0			
Cocaine	2.0									
Methamphetamine	2.9									
•	5.8									
Hallucinogens Club drugs such as acctacy. CHP rection or Special K										
Club drugs such as ecstasy, GHB, roofle, or Special K	2.9		Data are w	eighted ir	compari	son to cou	unty popu	lation estir	mates for age groups 10	-14
Synthetic drugs such as K2, bath salts, Spice	4.9	a	and 15-19	, gender, ı	ace, and	Hispanic	origin.			
Steroids not prescribed for student	2.9		Percentag	es on son	ne items a	are based	on comb	ined answ	er choices.	

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

CASS COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 037 99,478 100,052



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	1,265	1,290	1,284
Mother Reported Drinking while Pregnant 1		1	5
Mother Reported Smoking while Pregnant	248	191	221
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	5	5	6
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	875	810	864
Suicides	18	12	15
Self-inflicted Injuries	129	136	149
Homicides	4	130	3
Assault Injuries	296	272	283
Alcohol Induced Deaths	7	5	5
Drug Induced Deaths	13	11	17
Smoking Induced Deaths	145	154	155
Cinciang induced Double	140	104	100
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	851	708	696
Direct Hospitalizations	327	164	177
Emergency Room Hospitalizations	181	194	197
Emergency Room Outpatient	343	350	322
Drug RelatedTotal	668	580	496
Direct Hospitalizations	264	197	183
Emergency Room Hospitalizations	110	158	117
Emergency Room Outpatient	294	225	196
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	64	83	111
Fatal Crashes	1	1	7
Injury Crashes	31	36	44
Property Damage Crashes	32	46	60
Crash Fatalities	2	1	6
Crash Injuries	46	45	51
Drug Involved CrashesTotal	22	19	23
Fatal Crashes	1	0	0
Injury Crashes	13	6	13
Property Damage Crashes	8	13	10
Crash Fatalities	2	0	0
Crash Injuries	18	4	14
EMPLOYMENT	2011	2010	2009
Labor Force	51,242	49,507	50,732
Employed	46,833	44,512	45,946
Unemployed	4,409	4,995	4,786
Unemployment Rate	8.6%	10.1%	9.4%
BETAIL ALCOHOL OUTLETS	2011	2010	2000
RETAIL ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses			2009
	77	73	78
Alcohol Package Carry-out Licenses	83	82	80

Enrollment Grades 9-12 5,527 5,560 5,46 Drop-outs 95 119 13 Drop-out Rate 1.7% 2.1% 2.5 School Suspensions, 10 or More Days 3 12 1 Alcohol Incidents 9 12 1 Drug Incidents 84 75 3 Tobacco Incidents 0 0 0 POLICE REPORTS 2010 2009 200 DUI Arrests, DWI Tracking System 601 671 81 Liquor Law Arrests 117 195 28 Drug Arrests 360 403 52 Methamphetamine Lab Incidents 0 0 0 Violent Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Off	5,527 5,560 95 119 1.7% 2.1% 9 12 84 75 0 0 2010 2009 601 671 117 195 360 403 0 0 154 141 1,981 2,059	5,527 5,560 5,462 95 119 136 1.7% 2.1% 2.5% More Days 9 12 12 84 75 30 0 0 0 0 2010 2009 2008 System 601 671 813 117 195 283 360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075
Drop-outs 95 119 13 Drop-out Rate 1.7% 2.1% 2.5 School Suspensions, 10 or More Days 3 1.2 1 Alcohol Incidents 9 12 1 Drug Incidents 84 75 3 Tobacco Incidents 0 0 POLICE REPORTS 2010 2009 200 DUI Arrests, DWI Tracking System 601 671 81 Liquor Law Arrests 117 195 28 Drug Arrests 360 403 52 Methamphetamine Lab Incidents 0 0 0 Violent Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation Offenses 138 131 16 Alcohol Offenses 138 131 16 Alcohol Offenses 53 48 8 Status Offenses 53 </th <th>95 119 1.7% 2.1% 9 12 84 75 0 0 2010 2009 601 671 117 195 360 403 0 0 154 141 1,981 2,059</th> <th>95 119 136 1.7% 2.1% 2.5% More Days 9 12 12 84 75 30 0 0 0 2010 2009 2008 System 601 671 813 117 195 283 360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075</th>	95 119 1.7% 2.1% 9 12 84 75 0 0 2010 2009 601 671 117 195 360 403 0 0 154 141 1,981 2,059	95 119 136 1.7% 2.1% 2.5% More Days 9 12 12 84 75 30 0 0 0 2010 2009 2008 System 601 671 813 117 195 283 360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075
Drop-out Rate 1.7% 2.1% 2.5 School Suspensions, 10 or More Days Alcohol Incidents 9 12 1 Drug Incidents 84 75 3 3 Tobacco Incidents 0 0 0 POLICE REPORTS 2010 2009 200 DUI Arrests, DWI Tracking System 601 671 81 Liquor Law Arrests 117 195 28 Drug Arrests 360 403 52 Methamphetamine Lab Incidents 0 0 0 Violent Offenses 154 141 15 Property Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation Offenses—Total 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 53 48 8 Status Offenses—Total 299 29	1.7% 2.1% 9 12 84 75 0 0 2010 2009 601 671 117 195 360 403 0 0 154 141 1,981 2,059	1.7% 2.1% 2.5% More Days 9 12 12 84 75 30 0 0 0 0 2010 2009 2008 System 601 671 813 117 195 283 360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075
School Suspensions, 10 or More Days Alcohol Incidents 9 12 1 Drug Incidents 84 75 3 Tobacco Incidents 0 0 POLICE REPORTS 2010 2009 200 DUI Arrests, DWI Tracking System 601 671 81 Liquor Law Arrests 117 195 28 Drug Arrests 360 403 52 Methamphetamine Lab Incidents 0 0 0 Violent Offenses 154 141 15 Property Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation Offenses—Total 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status Offenses—Total 299 298 37	9 12 84 75 0 0 2010 2009 601 671 117 195 360 403 0 0 154 141 1,981 2,059	More Days 9 12 12 84 75 30 0 0 0 0 2010 2009 2008 System 601 671 813 117 195 283 360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075
Alcohol Incidents 9 12 1 Drug Incidents 84 75 3 Tobacco Incidents 0 0 POLICE REPORTS 2010 2009 200 DUI Arrests, DWI Tracking System 601 671 81 Liquor Law Arrests 117 195 28 Drug Arrests 360 403 52 Methamphetamine Lab Incidents 0 0 0 Violent Offenses 154 141 15 Property Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation Offenses 138 131 16 Violent Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76	84 75 0 0 2010 2009 601 671 117 195 360 403 0 0 154 141 1,981 2,059	9 12 12 84 75 30 0 0 0 0 2010 2009 2008 System 601 671 813 117 195 283 360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075
Drug Incidents 84 75 3 Tobacco Incidents 0 0 POLICE REPORTS 2010 2009 200 DUI Arrests, DWI Tracking System 601 671 81 Liquor Law Arrests 117 195 28 Drug Arrests 360 403 52 Methamphetamine Lab Incidents 0 0 Violent Offenses 154 141 15 Property Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Juw Violent OffensesTotal 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 22 Beyond Parental Control 76 65 </th <th>84 75 0 0 2010 2009 601 671 117 195 360 403 0 0 154 141 1,981 2,059</th> <th>84 75 30 0 0 0 0 2010 2009 2008 System 601 671 813 117 195 283 360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075</th>	84 75 0 0 2010 2009 601 671 117 195 360 403 0 0 154 141 1,981 2,059	84 75 30 0 0 0 0 2010 2009 2008 System 601 671 813 117 195 283 360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075
Tobacco Incidents 0 0 POLICE REPORTS 2010 2009 200 DUI Arrests, DWI Tracking System 601 671 81 Liquor Law Arrests 117 195 28 Drug Arrests 360 403 52 Methamphetamine Lab Incidents 0 0 0 Violent Offenses 154 141 15 Property Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation OffensesTotal 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home	0 0 2010 2009 601 671 117 195 360 403 0 0 154 141 1,981 2,059	0 0 0 2010 2009 2008 System 601 671 813 117 195 283 360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075
POLICE REPORTS 2010 2009 200 DUI Arrests, DWI Tracking System 601 671 81 Liquor Law Arrests 117 195 28 Drug Arrests 360 403 52 Methamphetamine Lab Incidents 0 0 Violent Offenses 154 141 15 Property Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation OffensesTotal 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	2010 2009 601 671 117 195 360 403 0 0 154 141 1,981 2,059	2010 2009 2008 System 601 671 813 117 195 283 360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075
DUI Arrests, DWI Tracking System 601 671 81 Liquor Law Arrests 117 195 28 Drug Arrests 360 403 52 Methamphetamine Lab Incidents 0 0 Violent Offenses 154 141 15 Property Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation Offenses—Total 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status Offenses—Total 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	601 671 117 195 360 403 0 0 154 141 1,981 2,059	System 601 671 813 117 195 283 360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075
Liquor Law Arrests 117 195 28 Drug Arrests 360 403 52 Methamphetamine Lab Incidents 0 0 Violent Offenses 154 141 15 Property Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation Offenses.—Total 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status Offenses.—Total 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	117 195 360 403 0 0 154 141 1,981 2,059	117 195 283 360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075
Drug Arrests 360 403 52 Methamphetamine Lab Incidents 0 0 Violent Offenses 154 141 15 Property Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation OffensesTotal 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	360 403 0 0 154 141 1,981 2,059	360 403 524 dents 0 0 1 154 141 151 1,981 2,059 2,075
Methamphetamine Lab Incidents 0 0 Violent Offenses 154 141 15 Property Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation OffensesTotal 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	0 0 154 141 1,981 2,059	dents 0 0 1 154 141 151 1,981 2,059 2,075
Violent Offenses 154 141 15 Property Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation OffensesTotal 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	154 141 1,981 2,059	154 141 151 1,981 2,059 2,075
Property Offenses 1,981 2,059 2,07 Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation OffensesTotal 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	1,981 2,059	1,981 2,059 2,075
Domestic Violence Reports 1,001 858 66 JUVENILE COURT REFERRALS 2010 2009 200 Law Violation OffensesTotal 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9		
JUVENILE COURT REFERRALS 2010 2009 200 Law Violation OffensesTotal 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	1,001 858	
Law Violation OffensesTotal 561 516 72 Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9		1,001 858 662
Violent Offenses 138 131 16 Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	2010 2009	FRRALS 2010 2009 2008
Alcohol Offenses 23 8 2 Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	561 516	tal 561 516 720
Drug Offenses 53 48 8 Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	138 131	138 131 167
Status OffensesTotal 299 298 37 Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	23 8	23 8 21
Truancy 44 45 2 Beyond Parental Control 76 65 7 Habitually Absent from Home 74 74 9	53 48	53 48 80
Beyond Parental Control76657Habitually Absent from Home74749	299 298	299 298 375
Habitually Absent from Home 74 74 9	44 45	44 45 28
•	76 65	76 65 75
Injurious Pohovier	74 74	ome 74 74 95
Injurious Behavior 105 114 17	105 114	105 114 177
Abuse/Neglect/CustodyTotal 190 158 13	190 158	tal 190 158 130
Abuse 15 17	15 17	15 17 5
Neglect 65 86 9	65 86	65 86 91
Custody Disputes 110 55 3	110 55	110 55 34
JUVENILE COURT PLACEMENTS 2010 2009 200	2010 2009	EMENTS 2010 2009 2008
Out-of-Home PlacementsTotal 125 62 4	125 62	Fotal 125 62 44
Parental Alcohol Use Related 9 4	9 4	ated 9 4 0
Parental Drug Use Related 30 8	30 8	d 30 8 7
Parental Alcohol and Drug Use 15 0	15 0	Use 15 0 0
Child Removed for Other Reason 71 50 3	71 50	Reason 71 50 37
	FY2011 FY2010	FY2011 FY2010 FY2009
•	40 35	
Probation/Parole AdmissionsTotal 377 380 39	377 380	isTotal 377 380 390
Probation/Parole AdmissionsDrug 85 112 12	85 112	onsDrug 85 112 120
Probation/Parole AdmissionsDWI 44 30 2	44 30	onsDWI 44 30 23
Prison AdmissionsTotal 212 207 21		212 207 211
Prison AdmissionsDrug 61 45 5	212 207	61 45 53
Prison AdmissionsDWI 22 21 1		22 21 18

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	41	22	24
CSTAR Women and Children	7	23	16
CSTAR General Adult	308	179	41
CSTAR Opioid	0	*	*
Primary Recovery Detoxification	46	55	70
Primary Recovery Treatment	45	248	262
Clinical SATOP (CIP, YCIP, SROP)	85	85	113
Other Substance Abuse Treatment	0	*	8

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	393	480	570
- Adolescent Diversion Education Program	6	5	*
- Offender Education Program	142	175	252
- Weekend Intervention Program	73	136	164
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	17	31	16
- Compulsive Gambling	*	0	*
- Recovery Supports	57	77	83
- Early Intervention	12	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	339	354	315	Never Married	281	251	248
Female	183	135	150	Married / Cohabitating	136	120	104
	100	100	100	Previously Married	105	118	113
AGE				•	100	110	110
Under 18	42	24	29	PRIMARY DRUG PROBLEM			
18 to 24	110	99	94	Alcohol	239	245	238
25 to 29	91	86	83	Marijuana / Hashish	138	121	105
30 to 34	69	67	53	Cocaine (total)	13	9	21
35 to 39	58	57	62	- Crack	7	5	14
40 to 44	50	49	54	Stimulant (total)	85	87	78
45 to 54	79	85	71	- Methamphetamine	82	83	76
55 and Over	23	22	19	Heroin	*	*	*
RACE / ETHNICITY				Analgesic except Heroin	29	16	11
Caucasian	492	447	431	- Non-Prescription Methadone	0	0	0
African American	14	14	_	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	14	14	16	Tranquilizer	5	8	7
Asian / Pacific Islander	*	*	*	Inhalant	*	0	0
Hispanic	12		14	Sedative	*	0	*
Other Race / Two or More Races		14		Other Medication or Illicit Drug	6	*	0
Other Race / Two of More Races	6	16	11	Average Age at First Use of Drug	16.6	16.8	17.1
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	175	162	146	Any Injection Use at Admission	34	37	28
High School Graduate or G.E.D.	226	232	221	- Daily Injection Use	0	*	6
Associate Degree or Some College	117	85	82	- Weekly Injection Use	15	6	6
Bachelor or Advanced Degree	*	10	16	- Less than Weekly Injection Use	19	28	16
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	181	167	161	Self / Family / Friend	205	172	152
Unemployed	165	187	176	School	*	*	0
Not in Labor Force	176	135	128	Mental Health Provider	13	10	8
				Health Care Provider	17	16	10
LIVING ARRANGEMENT				Court / Criminal Justice	233	252	258
Independent Living	434	383	378	Other Referral Source	52	37	37
Dependent Living	56	72	61	ODEOLAL DODUKATIONS			
Homeless	15	12	12	SPECIAL POPULATIONS	^	^	_
LIFETIME DUI / DIAW A DRECTO				Pregnant when Admitted to any Episode	8	6	5
LIFETIME DUI / DWI ARRESTS	070	400	000	Military Veteran	31	24	19
0	276	198	202	Special Education Services Needed	29	23	32
1 or 2	136	152	139	Co-Occurring Psychological Problem	172	179	163
3 or More	110	139	124	Co-Occurring Developmental Problem	20	19	25

CASS COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 7
CENSUS 2010 99,478
2011 POP. ESTIMATE 100,052

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 62 56 39 **Anxiety Disorder** 187 152 89 Dementia **Developmental Disorder** 7 6 Impulse Control Disorder 140 130 81 **Mood Disorder** 206 377 310 Personality Disorder 14 12 11 **Psychotic Disorder** 87 82 65 Sexual Disorder 0 0 Other Diagnosis 60 51 40

175

FY2011 FY2010 FY2009

211

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

FY2011 FY2010 FY2009

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	704	744	592	Hearing Impaired	16	15	16
Male	330	370	285	Past or Current Military Service	22	21	22
Female	374	374	307	HOUSING / LIVING ARRANGEMENT	400	00	10
AGE				Independent Living	128	38	12
Under 6	9	15	7	Dependent Living	9	71 *	16
6 to 9	70	67	44	Homeless		*	_
10 to 13	88	95	73	Other	0		5
14 to 17	107	108	95	Housing Unknown	564	632	558
18 to 24	64	78	61	EMPLOYMENT			
25 to 29	52	73	50	Employed	14	7	*
30 to 34	54	55	51	Unemployed	124	32	16
35 to 39	62	65	48	Not in Labor Force	*	*	0
40 to 44	39	47	36	Employment Status Unknown	564	704	574
45 to 49	53	48	45	4005676			
50 to 54	59	52	43	ARRESTS Arrested in Past 12 Months	40	20	0
55 to 59	28	27	25	Not Arrested in Past 12 Months	16 124	20 92	8 26
60 and Over	19	14	14	Arrest Status Unknown	564	632	558
				Ariest Status Officiowii	304	032	336
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	629	667	534	Self / Family / Friend	503	580	453
African American	33	30	26	School	*	*	0
Native American / Alaskan	*	*	0	Mental Health Provider	13	18	12
Asian / Pacific Islander	*	*	*	Health Care Provider	50	34	19
Hispanic	11	16	11	Court / Criminal Justice	19	24	23
Other Race	28	27	20	Other	116	86	83
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	0	*	*
FRUGATION				TVDE OF COMMUTATENT			
EDUCATION	24	4.5	0	TYPE OF COMMITMENT	700	740	F70
Less than High School Diploma High School Grad or G.E.D.	34 85	15 19	9 7	Voluntary Civil	700	740	579
A.A. Degree or Some College		-	/ *	Criminal	*	0	7
Bachelor or Advanced Degree	16	5 *		Sexual Predatory	*		^
Education Level Unknown	5		0 574	Commitment Type Unknown		0	0
Eudcadon Level Onknown	564	704	574	Сопинитель туре опкложи	0		

CASS COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION			S	UICIDE						
Percent of students who, in the past 30 days:		(%)		Percent of	of student	ts who, in	the past	12 months	:	(%)
Were very sad				Serious	ly consid	ered atter	npting su	icide		10.7
Were grouchy, irritable, or in a bad mood				Made a	plan abo	out how th	ey would	attempt s	uicide	8.7
Felt hopeless about the future		7.6		Attempted suicide						4.7
Felt like not eating or eating more than usual		16.0		Had a suicide attempt that resulted in injury or overdose that had to be treated by doctor or nurse					1.1	
Slept a lot more or a lot less than usual		19.4		be t	reated by	doctor or	nurse			
Had difficulty concentrating on school work		22.2	_		NUCLIEO	•				
FIGHTING				EBELLIC Percent i		s ts who agi	ee that			
Percent of students who, in the past 12 months:						s that get		av		17.1
Were in a physical fight		22.2						-	nake people mad	11.0
Were in a fight and had to be treated by a doctor or nurse		1.9		-			_	permissio		7.7
Were threatened or injured with a weapon on school proper	tv	7.2			•		•	•		19.3
,	9	7.2 Sometimes it is okay to cheat at school It is okay to beat up people if they start a fight						t	47.1	
BULLYING VICTIM					,			3		
Percent of students who, in the past 3 months:				CHOOL .						
Were shoved, slapped, hit, or kicked in a serious manner		24.6				_		he followin	-	07.4
Were victims of mean rumors or lies spread at school		50.8						tudent's g		67.1
Had embarrassing or hurtful pictures/text of them posted on		12.2			-		-	-	ive student performance	35.8
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	17.3			•	student fo	or hard w	ork		52.3
Were made fun of by others						59.8				
BULLYING PERPRETRATOR	Students of all races and ethnicities are treated equally					ed equally	83.8			
Percent of students who, in the past 3 months:			P	ARENT	RELATIC	DNS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	15.5		Percent of	of student	ts who agi	ree with t	he followin	ng:	
Spread mean rumors or lies about other kids at school		22.4		Parents	s notice a	nd comme	ent on stu	ident's god	od work	81.9
Posted on internet embarrassing or hurtful pictures/text of someone			Parents involve student in making family decisions						69.6	
Sent by cell phone embarrassing or hurtful pictures/text of se	Sent by cell phone embarrassing or hurtful pictures/text of someone 10.9 It is important to be honest with parents region.				ents regar	dless of consequences	85.9			
Made fun of other people	58.9 Student could ask parent for help with a personal problem									
· · ·		30.3		Studen	t could as	sk parent f	or help w	ith a perso	onal problem	75.9
		30.9		Studen	t could as	sk parent f	or help w	ith a perso	onal problem	75.9
SUBSTANCE USE AND BELIEFS										75.9
	Who		Who the p							75.9
SUBSTANCE USE AND BELIEFS	Who hav		Whose of the past							75.9
SUBSTANCE USE AND BELIEFS	Who have e		Whose close the past 12							75.9
SUBSTANCE USE AND BELIEFS	Who have ever		Whose closest f the past 12 mon							75.9
SUBSTANCE USE AND BELIEFS	Who have ever use		Whose closest frien the past 12 months							75.9
SUBSTANCE USE AND BELIEFS	Who have ever used su		Whose closest friends the past 12 months							75.9
SUBSTANCE USE AND BELIEFS	Who have ever used subst		Whose closest friends have the past 12 months							75.9
SUBSTANCE USE AND BELIEFS	Who have ever used substance		Whose closest friends have us the past 12 months							75.9
SUBSTANCE USE AND BELIEFS	Who have ever used substance		nds have use	Who say it would be easy to get			who feel it would be wrong to use	Who think kids in their neighbor would be caught by police for us	Among students who have ever used substance, average age wifirst used	75.9
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days	<u>p</u>	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using		75.9
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes	19.3	Who have used in the past 30 days 6.	Whose closest friends have used in the past 12 months			Who say parents would disapprove they use		Who think kids in their neighbor would be caught by police for us	Among students who have ever used substance, average age wifirst used	75.9
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	19.3 11.3	Who have used in the past 30 days 6.5.5	32.1	Who say it would be easy to get 44.7	Who believe they risk harming themselves if they use 79.	Who say parents would disapprove if 2.0	Who feel it would be wrong to use 83.3	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	75.9
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	19.3	Who have used in the past 30 days 6.9 5.5 11.6	<u>p</u>	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	75.9
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	19.3 11.3 34.9	Who have used in the past 30 days 6.9 5.5 11.6 6.9	32.1	Who say it would be easy to get 44.7	Who believe they risk harming themselves if they use 79.7	Who say parents would disapprove if 92.0	Who feel it would be wrong to use 83.3	Who think kids in their neighborhood would be caught by police for using 23.0	Among students who have ever used substance, average age when 12.50	75.9
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	19.3 11.3 34.9	Who have used in the past 30 days 6.9 5.5 11.6 6.9 3.2	32.1	Who say it would be easy to get 44.7	Who believe they risk harming themselves if they use 79.	Who say parents would disapprove if 2.0	Who feel it would be wrong to use 83.3	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when 12.50 13.40	75.9
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	19.3 11.3 34.9	Who have used in the past 30 days 6.9 5.5 11.6 6.9	32.1 41.7 20.1	Who say it would be easy to get 44.7 51.0	Who believe they risk harming themselves if they use 79.7	Who say parents would disapprove if 92.0 95.5	Who feel it would be wrong to use 83.3 61.8	would be caught by police for using 23.0 42.1	Among students who have ever used substance, average age when 12.50	75.9
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	19.3 11.3 34.9 8.2 5.3	Who have used in the past 30 days 6.9 5.5 11.6 6.9 3.2 2.3	32.1	Who say it would be easy to get 44.7 51.0 25.3	themselves if they use 79.7 66.5 78.4 94.1	they use 92.0 95.5 98.5	Who feel it would be wrong to use 83.3 61.8 88.5	Who think kids in their neighborhood would be caught by police for using 23.0	Among students who have ever used substance, average age when 12.50 13.40	75.9
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	19.3 11.3 34.9 8.2 5.3	Who have used in the past 30 days 6.9 5.5 11.6 6.9 3.2 2.3 3.6	32.1 41.7 20.1	Who say it would be easy to get 44.7 51.0 25.3 12.2 51.3	Who believe they risk harming 79.7 66.5 78.4 94.1 80.4	they use they use 92.0 95.5 98.5 95.7	Who feel it would be wrong to use 83.3 61.8 88.5 95.7 87.8	would be caught by police for using 23.0 42.1	Among students who have ever used substance, average age when 12.50 13.40	75.9
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	19.3 11.3 34.9 8.2 5.3 6.8 7.6	Who have used in the past 30 days 6.9 5.5 11.6 6.9 3.2 2.3	32.1 41.7 20.1	Who say it would be easy to get 44.7 51.0 25.3	themselves if they use 79.7 66.5 78.4 94.1	they use 92.0 95.5 98.5	Who feel it would be wrong to use 83.3 61.8 88.5	would be caught by police for using 23.0 42.1	Among students who have ever used substance, average age when 12.50 13.40	75.9
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	19.3 11.3 34.9 8.2 5.3 6.8 7.6 1.0	Who have used in the past 30 days 6.9 5.5 11.6 6.9 3.2 2.3 3.6	32.1 41.7 20.1	Who say it would be easy to get 44.7 51.0 25.3 12.2 51.3	Who believe they risk harming 79.7 66.5 78.4 94.1 80.4	they use they use 92.0 95.5 98.5 95.7	Who feel it would be wrong to use 83.3 61.8 88.5 95.7 87.8	would be caught by police for using 23.0 42.1	Among students who have ever used substance, average age when 12.50 13.40	75.9
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	19.3 11.3 34.9 8.2 5.3 6.8 7.6 1.0 2.1	Who have used in the past 30 days 6.9 5.5 11.6 6.9 3.2 2.3 3.6	32.1 41.7 20.1	Who say it would be easy to get 44.7 51.0 25.3 12.2 51.3	Who believe they risk harming 79.7 66.5 78.4 94.1 80.4	they use they use 92.0 95.5 98.5 95.7	Who feel it would be wrong to use 83.3 61.8 88.5 95.7 87.8	would be caught by police for using 23.0 42.1	Among students who have ever used substance, average age when 12.50 13.40	75.9
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	19.3 11.3 34.9 8.2 5.3 6.8 7.6 1.0 2.1 1.8	Who have used in the past 30 days 6.9 5.5 11.6 6.9 3.2 2.3 3.6	32.1 41.7 20.1	Who say it would be easy to get 44.7 51.0 25.3 12.2 51.3	Who believe they risk harming 79.7 66.5 78.4 94.1 80.4	they use they use 92.0 95.5 98.5 95.7	Who feel it would be wrong to use 83.3 61.8 88.5 95.7 87.8	would be caught by police for using 23.0 42.1	Among students who have ever used substance, average age when 12.50 13.40	75.9
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	19.3 11.3 34.9 8.2 5.3 6.8 7.6 1.0 2.1	Who have used in the past 30 days 6.9 5.5 11.6 6.9 3.2 2.3 3.6	32.1 41.7 20.1	Who say it would be easy to get 44.7 51.0 25.3 12.2 51.3	Who believe they risk harming 79.7 66.5 78.4 94.1 80.4	they use they use 92.0 95.5 98.5 95.7	Who feel it would be wrong to use 83.3 61.8 88.5 95.7 87.8	would be caught by police for using 23.0 42.1	Among students who have ever used substance, average age when 12.50 13.40	75.9

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Percentages on some items are based on combined answer choices.

and 15-19, gender, race, and Hispanic origin.


Data are weighted in comparison to county population estimates for age groups 10-14

5.5

CEDAR COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 039 13,982 13,948



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	163	153	157
Mother Reported Drinking while Pregnant ¹		0	1
Mother Reported Smoking while Pregnant	48	40	47
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	0
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	210	188	207
Suicides	3	5	4
Self-inflicted Injuries	31	21	23
Homicides	1	0	0
Assault Injuries	42	36	37
Alcohol Induced Deaths	1	0	4
Drug Induced Deaths	1	1	3
Smoking Induced Deaths	44	35	41
Smoking mudded Deaths	44	33	41
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	152	133	103
Direct Hospitalizations	53	50	34
Emergency Room Hospitalizations	24	28	19
Emergency Room Outpatient	75	55	50
Drug RelatedTotal	143	131	114
Direct Hospitalizations	54	37	39
Emergency Room Hospitalizations	31	23	20
Emergency Room Outpatient	58	71	55
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	10	17	6
Fatal Crashes	2	0	0
Injury Crashes	4	11	3
Property Damage Crashes	4	6	3
Crash Fatalities	2	0	0
Crash Injuries	8	12	4
Drug Involved CrashesTotal	4	2	0
Fatal Crashes	1	1	0
Injury Crashes	2	0	0
Property Damage Crashes	1	1	0
Crash Fatalities	1	1	0
Crash Injuries	2	2	0
EMPLOYMENT	2011	2010	2009
Labor Force	6,476	6,585	6,277
Employed	5,952	6,016	5,697
Unemployed	524	569	580
Unemployment Rate	8.1%	8.6%	9.2%
C. on proymont rate	0.170	0.070	J.Z /0
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	15	14	16
Alcohol Package Carry-out Licenses	15	16	15

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	700	676	740
Drop-outs	11	12	27
Drop-out Rate	1.6%	1.8%	3.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	1	1
Drug Incidents	2	2	5
Tobacco Incidents	1	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	47	29	61
Liquor Law Arrests	19	18	29
Drug Arrests	17	12	21
Methamphetamine Lab Incidents	61	29	29
Violent Offenses	35	32	21
Property Offenses	333	261	225
Domestic Violence Reports	70	45	34
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	97	76	79
Violent Offenses	23	22	21
Alcohol Offenses	8	4	5
Drug Offenses	0	1	1
Status OffensesTotal	62	58	59
Truancy	33	19	18
Beyond Parental Control	17	16	24
Habitually Absent from Home	6	3	11
Injurious Behavior	6	20	6
Abuse/Neglect/CustodyTotal	85	78	78
Abuse	9	8	8
Neglect	75	69	69
Custody Disputes	1	1	1
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	15	1	2
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	4	0	0
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	9	1	2
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	12	16	19
Probation/Parole AdmissionsTotal	94	94	113
Probation/Parole AdmissionsDrug	22	20	30
Probation/Parole AdmissionsDWI	3	5	6
Prison AdmissionsTotal	54	46	48
Prison AdmissionsDrug	10	14	8
Prison AdmissionsDWI	2	2	4
* An asterisk in a data cell indicates the co			

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

CEDAR COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	5	*	6
CSTAR Women and Children	5	5	*
CSTAR General Adult	82	52	16
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	15	17	12
Primary Recovery Treatment	25	59	67
Clinical SATOP (CIP, YCIP, SROP)	5	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	45	32	45
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	20	15	19
- Weekend Intervention Program	9	*	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	18	20
- Early Intervention	0	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	74	62	64	Never Married	58	35	46
Female	37	31	28	Married / Cohabitating	33	35	21
· omaio	01	01	20	Previously Married	20	23	25
AGE				•	20	20	20
Under 18	5	*	6	PRIMARY DRUG PROBLEM			
18 to 24	24	25	25	Alcohol	45	38	49
25 to 29	19	21	25	Marijuana / Hashish	27	25	28
30 to 34	26	18	9	Cocaine (total)	*	*	*
35 to 39	12	5	6	- Crack	*	*	0
40 to 44	7	9	8	Stimulant (total)	27	21	9
45 to 54	14	7	10	- Methamphetamine	26	20	8
55 and Over	*	5	*	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	10	5	*
Caucasian	110	90	88	- Non-Prescription Methadone	0	0	0
African American	-		*	PCP, LSD, other Hallucinogen	0	0	0
	0	0	*	Tranquilizer	0	*	*
Native American / Alaskan	0	0		Inhalant	0	0	0
Asian / Pacific Islander	0	0	0	Sedative	0	0	0
Hispanic	0	*	0	Other Medication or Illicit Drug	*	0	0
Other Race / Two or More Races				Average Age at First Use of Drug	16.6	16.9	14.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	38	35	40	Any Injection Use at Admission	19	15	10
High School Graduate or G.E.D.	54	41	44	- Daily Injection Use	*	*	*
Associate Degree or Some College	18	17	8	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	0	0	- Less than Weekly Injection Use	13	8	6
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	28	29	25	Self / Family / Friend	33	25	26
Unemployed	44	35	38	School	*	*	0
Not in Labor Force	39	29	29	Mental Health Provider	*	5	*
				Health Care Provider	7	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	53	47	54
Independent Living	95	81	76	Other Referral Source	15	11	10
Dependent Living	7	8	15	ODEOLAL DODUKATIONS			
Homeless	*	*	*	SPECIAL POPULATIONS		*	
LIFETIME DUI / DIMI A DDEOTO				Pregnant when Admitted to any Episode	*	*	
LIFETIME DUI / DWI ARRESTS	65	47	F.4	Military Veteran	-		46
0	65	47	51	Special Education Services Needed	7	11	13
1 or 2	31	30	24	Co-Occurring Psychological Problem	29	30	36
3 or More	15	16	17	Co-Occurring Developmental Problem	*	7	*

CEDAR COUNTY



ADA/CPS REGION Southwest CPS SERVICE AREA 8B
CENSUS 2010 13,982
2011 POP. ESTIMATE 13,948

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 7 7 6 **Anxiety Disorder** 87 81 70 Dementia 0 0 0 **Developmental Disorder** 5 Impulse Control Disorder 32 32 21 **Mood Disorder** 165 151 128 Personality Disorder 25 23 30 **Psychotic Disorder** 39 35 35 Sexual Disorder 0 0 0

13

16

32

FY2011 FY2010 FY2009

9

60

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

FY2011 FY2010 FY2009

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	242	250	235	Hearing Impaired	*	*	9
Male	106	116	105	Past or Current Military Service	*	7	5
Female	136	134	130	HOUSING / LIVING ARRANGEMENT	00	0.5	0.5
AGE				Independent Living	98	85	65
Under 6	*	*	*	Dependent Living	11	11	6
6 to 9	11	11	10	Homeless	*	0	0
10 to 13	12	11	11	Other			0
14 to 17	17	22	18	Housing Unknown	131	153	164
18 to 24	18	24	19	EMPLOYMENT			
25 to 29	16	24	25	Employed	14	12	11
30 to 34	20	16	18	Unemployed	93	74	57
35 to 39	19	26	20	Not in Labor Force	*	5	*
40 to 44	32	25	30	Employment Status Unknown	131	159	165
45 to 49	26	29	29	ADDECTO			
50 to 54	38	35	31	ARRESTS Arrested in Past 12 Months	44	11	14
55 to 59	16	11	11	Not Arrested in Past 12 Months	11 100	86	57
60 and Over	14	13	11	Arrest Status Unknown	131	153	57 164
				Arrost Gladas Gridrown	131	100	104
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	232	238	224	Self / Family / Friend	150	158	139
African American	*	*	*	School	0	*	0
Native American / Alaskan	*	5	*	Mental Health Provider	29	28	31
Asian / Pacific Islander	0	0	*	Health Care Provider	17	10	10
Hispanic	*	*	*	Court / Criminal Justice	7	10	6
Other Race	*	*	*	Other	39	43	49
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	40	27	20	Voluntary	232	238	224
High School Grad or G.E.D.	56	49	41	Civil	9	11	9
A.A. Degree or Some College	14	15	9	Criminal	*	*	*
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	131	159	165	Commitment Type Unknown	0	0	0

CEDAR COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION				SUICIDE						
Percent of students who, in the past 30 days:		(%)	•		of student	s who, in	the past	12 months	:	(%)
Were very sad				Seriously considered attempting suicide						21.9
Were grouchy, irritable, or in a bad mood				Made a plan about how they would attempt suicide						15.0
Felt hopeless about the future				Attempted suicide						11.3
Felt like not eating or eating more than usual		21.9		Had a suicide attempt that resulted in injury or overdose that had to						6.4
Slept a lot more or a lot less than usual		19.3		be t	reated by	doctor or	nurse			
Had difficulty concentrating on school work		31.8								
			,	REBELLIC			oo that			
FIGHTING Percent of students who in the past 12 menths:						's who agi		1014		26.0
Percent of students who, in the past 12 months:		30.9				s that get		-	nake people mad	26.8 20.0
Were in a physical fight Were in a fight and had to be treated by a doctor or nurse		6.9						permissio		15.5
Were threatened or injured with a weapon on school properly	hv	10.0			•	kay to ch	•	•	"	23.6
were uneatened or injured with a weapon on school proper	ıy	10.0				-		itart a fight	•	58.4
BULLYING VICTIM				It is oke	iy io beai	up people	o ii uicy s	nari a ngin		30.4
Percent of students who, in the past 3 months:				SCHOOL	RELATIC	DNS				
Were shoved, slapped, hit, or kicked in a serious manner		34.2				_		he followin	-	
Were victims of mean rumors or lies spread at school		51.4						tudent's go		71.4
Had embarrassing or hurtful pictures/text of them posted on		14.2			•		•	•	ive student performance	35.6
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	12.7 57.8			•	student fo	or hard w	ork		58.6
Were made fun of by others	Were made fun of by others				re enforc	-				64.5
BULLYING PERPRETRATOR				Studen	ts of all ra	ices and e	ethnicities	are treate	ed equally	71.5
Percent of students who, in the past 3 months:				PARENT	REI ATIC	NS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	33.5					ee with t	he followin	ng:	
Spread mean rumors or lies about other kids at school		25.0				_		dent's god		79.4
Posted on internet embarrassing or hurtful pictures/text of someone								amily decis		57.8
Sent by cell phone embarrassing or hurtful pictures/text of so	omeone	13.6		It is imp	ortant to	be hones	t with par	ents regar	dless of consequences	79.1
Made fun of other people				Studen	t could as	k parent f	or help w	ith a perso	onal problem	68.8
OUROTANOS UOS AND REUSSO										
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:										
regarding the substances listed below, persons or state her	V ho	₽	/he	Nhc	Mho	hey N	₽	N ho	Among st used sub first used	
	ha	ha	se c	Sa	bel	sa)	ē	d th	ng s I sult	
	Who have ever used substance	Who have used in the past 30 da	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapproviney use	Who feel it would be wrong to use	Who think kids in their neighborh would be caught by police for usi	Among students who have ever used substance, average age wh	
	Ver	sed	est f mon	<u>ē</u>	###	rent l	<u> </u>	ugh ds	ents	
	use	5	rien ths	d be	y nis	S W	효	t by n	ave	
	us b	ਰ	ds h	ea	Se X	ᇤ	¥.	poli:	o ha	
	bsta	ast	lave	sy to	am l	없	g	e jej	le ag	
	ince	30 c	Sus	ge	g	휳	to L	or u	ever ge w	
		lays	id in	-		Э	æ	thood sing	hen	
O'complete.	05.0			50.0	74.4	==	74.5			
Charles Tabassa	35.9	15.5	52.7	56.8	74.1	89.9	74.5	16.8	11.35	
Chewing Tobacco Alcohol	21.8	12.7	60.7	F0.0	60.0	76.0	EQ 4	171	11.00	
	43.9	28.6	62.7	58.9	60.9	76.8	52.1	17.1	11.26	
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	23.2	19.5 11.5	40.5	29.0	67.0	91.2	74.3	29.6	11.85	
Inhalants	11.8	6.8	40.5	23.0	07.0	31.2	14.5	29.0	10.46	
Illicit drugs such as cocaine, LSD, meth, club drugs	11.0	0.0	21.0	18.3	87.3	95.9	88.6	38.6	10.40	
Over-the-counter medications for non-medical use	10.5	8.6	21.0	54.8	74.8	92.2	79.7	00.0		
Prescription drugs not prescribed for student	13.6	9.5		32.9	83.2	93.6	84.9			
Heroin	7.3	3.0		02.0	00.2	00.0	0 1.0			
Cocaine	9.6									
Methamphetamine	8.5									
Hallucinogens	8.7									
Club drugs such as ecstasy, GHB, roofle, or Special K	8.2									
Synthetic drugs such as K2, both salts. Spice	12.6	Da	ata are w	eighted in	comparis	son to cou	inty popu	lation estir	nates for age groups 10-	14

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data are weighted in comparison to county population estimates for age groups 10-14

and 15-19, gender, race, and Hispanic origin.

13.6

8.2

ADA/CPS CENTRAL REGION



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Central 11, 12, 14, 15 Not Applicable 807,835 811,606

2	011 POPULATION PROFILE BY AGE GROUP
	40,000
	30,000
	20,000
	10,000
	9 3 4 4 4 4 4 4 4 4 8 4 8 8 4 4 4 4 8 4
	■ Female ■ Male

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	10,055	10,227	10,538
Mother Reported Drinking while Pregnant 1	10,055	,	10,336
Mother Reported Smoking while Pregnant	0.040	55	-
Mother Reported Smoking while Pregnant	2,210	2,213	2,340
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	27	21	25
IDU and MSM ²	*	*	2
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	7,133	6,966	7.372
Suicides	7,133	103	83
Self-inflicted Injuries	947	916	972
Homicides	947 27	26	28
Assault Injuries		_	2,697
Alcohol Induced Deaths	2,507	2,502 47	,
	45 110		41 87
Drug Induced Deaths Smoking Induced Deaths		93	-
Smoking induced Deaths	1,287	1,230	1,336
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	6,996	6,357	6,178
Direct Hospitalizations	1,924	1,638	1,558
Emergency Room Hospitalizations	2,177	2,259	2,218
Emergency Room Outpatient	2,895	2,460	2,402
Drug RelatedTotal	5,613	4,478	4,095
Direct Hospitalizations	1,716	1,387	1,385
Emergency Room Hospitalizations	1,631	1,408	1,209
Emergency Room Outpatient	2,266	1,683	1,501
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	919	1,017	1,061
Fatal Crashes	36	38	41
Injury Crashes	382	430	448
Property Damage Crashes	501	549	572
Crash Fatalities	38	39	41
Crash Injuries	537	516	565
Drug Involved CrashesTotal	132	133	128
Fatal Crashes	5	5	5
Injury Crashes	53	60	64
Property Damage Crashes	74	68	59
Crash Fatalities	5	6	4
Crash Injuries	87	69	69
•			
EMPLOYMENT	2011	2010	2009
Labor Force	405,661	403,047	410,692
Employed	373,975	369,007	376,210
Unemployed	31,686	34,040	34,482
Unemployment Rate	7.8%	8.4%	8.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	1,160	1,151	1,251
Alcohol Package Carry-out Licenses	883	846	911

■ Female ■ Male							
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009				
Enrollment Grades 9-12	35,708	36,370	36,633				
Drop-outs	857	928	1,259				
Drop-out Rate	2.4%	2.6%	3.4%				
School Suspensions, 10 or More Days							
Alcohol Incidents	32	42	58				
Drug Incidents	272	273	255				
Tobacco Incidents	19	18	43				
POLICE REPORTS	2010	2009	2008				
DUI Arrests, DWI Tracking System	5,784	5,534	5,781				
Liquor Law Arrests	2,314	2,732	2,470				
Drug Arrests	4,299	3,980	3,967				
Methamphetamine Lab Incidents	280	335	184				
Violent Offenses	2,474	2,408	2,205				
Property Offenses	20,369	19,774	20,720				
Domestic Violence Reports	5,952	5,694	5,238				
JUVENILE COURT REFERRALS	2010	2009	2008				
Law Violation OffensesTotal	4,321	4,942	5,523				
Violent Offenses	1,268	1,458	1,467				
Alcohol Offenses	208	234	274				
Drug Offenses	282	367	326				
Status OffensesTotal	4,374	4,374	4,343				
Truancy	1,037	841	832				
Beyond Parental Control	752	800	936				
Habitually Absent from Home	421	459	511				
Injurious Behavior	2,009	2,025	1,852				
Abuse/Neglect/CustodyTotal	2,425	2,440	2,363				
Abuse	815	870	866				
Neglect	1,539	1,454	1,369				
Custody Disputes	71	116	128				
JUVENILE COURT PLACEMENTS	2010	2009	2008				
Out-of-Home PlacementsTotal	734	730	708				
Parental Alcohol Use Related	31	28	28				
Parental Drug Use Related	164	140	134				
Parental Alcohol and Drug Use	15	27	22				
Child Removed for Other Reason	524	535	524				
CRIMINAL JUSTICE	FY2011	FY2010	FY2009				
Drug Court Participants	743	649	640				
Probation/Parole AdmissionsTotal	5,404	5,563	5,784				
Probation/Parole AdmissionsDrug	1,650	1,639	1,716				
Probation/Parole AdmissionsDWI	474	441	440				
Prison AdmissionsTotal	2,989	2,890	3,131				
Prison AdmissionsDrug	973	927	1,010				
Prison AdmissionsDWI	224	280	258				
* An asterisk in a data cell indicates the co							

^{*} An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

ADA CENTRAL REGION

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	363	345	396
CSTAR Women and Children	577	627	537
CSTAR General Adult	1,796	1,117	930
CSTAR Opioid	7	*	*
Primary Recovery Detoxification	670	694	664
Primary Recovery Treatment	2,330	3,626	4,027
Clinical SATOP (CIP, YCIP, SROP)	674	647	495
Other Substance Abuse Treatment	9	16	174

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	3,859	4,638	4,543
- Adolescent Diversion Education Program	240	330	358
- Offender Education Program	1,479	1,730	1,770
- Weekend Intervention Program	887	1,160	1,270
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	226	219	192
- Compulsive Gambling	12	8	7
- Recovery Supports	255	510	283
- Early Intervention	174	88	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	3,795	4,352	4,547	Never Married	3,049	3,324	3,545
Female	1,632	1,697	1,748	Married / Cohabitating	1,238	1,348	1,364
	,	,	, -	Previously Married	1,140	1,373	1,386
AGE					•	•	·
Under 18	371	357	421	PRIMARY DRUG PROBLEM	0.444	0.000	0.075
18 to 24	1,158	1,301	1,427	Alcohol	2,441	2,808	2,975
25 to 29	980	1,128	1,140	Marijuana / Hashish	1,541	1,799	1,951
30 to 34	825	850	793	Cocaine (total)	338	403	459
35 to 39	550	668	685	- Crack	176	221	255
40 to 44	466	583	656	Stimulant (total)	540	533	448
45 to 54	854	945	976	- Methamphetamine	517	508	434
55 and Over	223	217	197	Heroin	169	131	98
RACE / ETHNICITY				Analgesic except Heroin	283	281	237
Caucasian	4,434	4,907	5,088	- Non-Prescription Methadone			*
African American	744	898	956	PCP, LSD, other Hallucinogen	31	24	23
Native American / Alaskan	13	15	17	Tranquilizer	51	43	46
Asian / Pacific Islander	12	14	17	Inhalant	7	11	7
Hispanic	105	105	116	Sedative	8	*	8
Other Race / Two or More Races	156	160	151	Other Medication or Illicit Drug	18	15	43
				Average Age at First Use of Drug	16.9	16.8	16.5
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	1,862	2,018	2,140	Any Injection Use at Admission	420	431	329
High School Graduate or G.E.D.	2,479	2,837	2,945	- Daily Injection Use	112	95	73
Associate Degree or Some College	971	1,052	1,090	- Weekly Injection Use	110	114	71
Bachelor or Advanced Degree	115	142	120	- Less than Weekly Injection Use	198	222	185
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	1,757	2,035	2,256	Self / Family / Friend	1,461	1,351	1,363
Unemployed	2,047	2,415	2,256	School	10	9	15
Not in Labor Force	1,623	1,599	1,781	Mental Health Provider	55	91	125
				Health Care Provider	140	151	147
LIVING ARRANGEMENT				Court / Criminal Justice	3,343	4,095	4,182
Independent Living	4,501	5,098	5,250	Other Referral Source	416	349	460
Dependent Living	636	682	757	005044 00044 474040			
Homeless	166	141	162	SPECIAL POPULATIONS	00	74	00
LIFETIME DUI / DIA/LA DEFECTO				Pregnant when Admitted to any Episode	69	71	82
LIFETIME DUI / DWI ARRESTS 0	0.044	2 405	2 205	Military Veteran	222	282	262
	2,844	3,165	3,305	Special Education Services Needed	519	640	622
1 or 2	1,708	1,848	1,892	Co-Occurring Psychological Problem	1,749	2,237	2,086
3 or More	875	1,036	1,098	Co-Occurring Developmental Problem	238	289	294

ADA/CPS CENTRAL REGION



ADA/CPS REGION Central CPS SERVICE AREA 11, 12, 14, 15 CENSUS 2010 807,835 **2011 POP. ESTIMATE** 811,606

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

Individuals who received CPS services had the following types of

DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
Adjustment Disorder	241	187	484
Anxiety Disorder	2,320	1,981	1,784
Dementia	32	36	59
Developmental Disorder	57	65	76
Impulse Control Disorder	1,188	1,006	1,088
Mood Disorder	5,000	4,641	4,976
Personality Disorder	501	520	739
Psychotic Disorder	1,438	1,375	1,475
Sexual Disorder	13	14	16
Other Diagnosis	493	430	575
Diagnosis Unknown	694	1,017	1,874

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
8,627	8,208	9,799	Hearing Impaired	201	193	216
3,969	3,785	4,806	Past or Current Military Service	246	246	350
4,658	4,423	4,993	HOUSING / LIVING ARRANGEMENT			
			Independent Living	3,161	1,960	1,229
66	55	68	•	650	1,093	527
						19
						24
			Housing Unknown	4,676	5,078	8,000
870	824		EMPLOYMENT			
763	752	-	Employed	515	335	247
768	734	800	Unemployed	3,194	1,986	1,281
739	724	851	Not in Labor Force	240	184	117
765	752	857	Employment Status Unknown	4,678	5,703	8,154
946	951	1,029				
802	756	860		044	400	0.4.0
552	495	559		_		213
535	530	641		•	•	1,585
			Arrest Status Ofiknown	4,682	5,090	8,001
			TREATMENT REFERRAL COURCE			
7,446	7,176	8,558		4 224	4 567	E 107
786	700	840	•	-		5,137
19	14	18		_	_	55 977
20	21	25				977 797
114	92	110				1,019
242	204	245		• • • •	_	1,761
0	*	*		-	-	53
			Referral Source Offictiown	17	32	33
			TYPE OF COMMITMENT			
1,255	829	549	Voluntary	8,432	7,911	8,745
1,860	1,162	766	Civil	46	142	839
640	405	263	Criminal	117	113	155
153	87	66	Sexual Predatory	12	8	5
4,719	5,725	8,155	Commitment Type Unknown	20	34	55
	8,627 3,969 4,658 66 400 678 743 870 763 768 739 765 946 802 552 535 7,446 786 19 20 114 242 0	8,627 8,208 3,969 3,785 4,658 4,423 66 55 400 347 678 584 743 704 870 824 763 752 768 734 739 724 765 752 946 951 802 756 552 495 535 530 7,446 7,176 786 700 19 14 20 21 114 92 242 204 0 * 1,255 829 1,860 1,162 640 405 153 87	8,627 8,208 9,799 3,969 3,785 4,806 4,658 4,423 4,993 66 55 68 400 347 444 678 584 747 743 704 978 870 824 1,110 763 752 855 768 734 800 739 724 851 765 752 857 946 951 1,029 802 756 860 552 495 559 535 530 641 7,446 7,176 8,558 786 700 840 19 14 18 20 21 25 114 92 110 242 204 245 0 * * 1,255 829 549 1,860 1,162 766 640 405 263 153 87	SPECIAL POPULATION Hearing Impaired Past or Current Military Service HOUSING / LIVING ARRANGEMENT Independent Living Dependent Living Homeless Other Housing Unknown ARRESTS Arrested in Past 12 Months Arrest Status Unknown Arrest Status Unknown Arrest Status Unknown TREATMENT REFERRAL SOURCE Self / Family / Friend School Mental Health Provider Health Care Provider Health Care Provider Health Care Provider Court / Criminal Justice Other Referral Source Unknown TYPE OF COMMITMENT 1,255 829 549 Voluntary Voluntary 1,860 1,162 766 Civil G40 405 263 Criminal 153 87 66 Sexual Predatory Friend Sexual Predatory Friend Court / Criminal Civil Civil Court / Criminal Civil Civ	SPECIAL POPULATION 8,627 8,208 9,799 Hearing Impaired 201 3,969 3,785 4,806 Past or Current Military Service 246 4,658 4,423 4,993 HOUSING / LIVING ARRANGEMENT 3,161 66 55 68 HOUBING / LIVING ARRANGEMENT 650 400 347 444 Other 80 678 584 747 Housing Unknown 4,676 743 704 978 Housing Unknown 4,676 870 824 1,110 EMPLOYMENT 873 752 855 Employed 515 768 734 800 Unemployed 3,194 739 724 851 Not in Labor Force 240 946 951 1,029 ARRESTS 802 756 860 Arrested in Past 12 Months 611 552 495 559 Arrested in Past 12 Months 3,334 7,446 7,176 <th> SPECIAL POPULATION 3,968 8,208 9,799 Hearing Impaired 201 193 3,969 3,785 4,806 Past or Current Military Service 246 246 246 4,658 4,423 4,993 HOUSING / LIVING ARRANGEMENT Independent Living 3,161 1,960 Dependent Living 650 1,093 400 347 444 Other 80 53 60 24 Other 80 53 60 Employed 3,194 1,986 768 734 800 Unemployed 3,194 1,986 739 724 851 Not in Labor Force 240 184 765 752 857 Employment Status Unknown 4,678 5,703 480 2756 860 Arrested in Past 12 Months 611 466 466 405 50 50 49 46 46 405 405 263 Criminal 117 113 153 87 66 Sexual Predatory 12 8</th>	SPECIAL POPULATION 3,968 8,208 9,799 Hearing Impaired 201 193 3,969 3,785 4,806 Past or Current Military Service 246 246 246 4,658 4,423 4,993 HOUSING / LIVING ARRANGEMENT Independent Living 3,161 1,960 Dependent Living 650 1,093 400 347 444 Other 80 53 60 24 Other 80 53 60 Employed 3,194 1,986 768 734 800 Unemployed 3,194 1,986 739 724 851 Not in Labor Force 240 184 765 752 857 Employment Status Unknown 4,678 5,703 480 2756 860 Arrested in Past 12 Months 611 466 466 405 50 50 49 46 46 405 405 263 Criminal 117 113 153 87 66 Sexual Predatory 12 8

CHARITON COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 12 FIPS COUNTY CODE 041 **CENSUS 2010** 7,831 2011 POP. ESTIMATE 7,734

2011 POPULATION PROFILE BY AGE GROUP 400 300 200 100 33353535555

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	91	81	87
Mother Reported Drinking while Pregnant 1		1	0
Mother Reported Smoking while Pregnant	15	17	22
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	0
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	102	100	98
Suicides	0	1	0
Self-inflicted Injuries	7	10	8
Homicides	0	0	0
Assault Injuries	17	8	13
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	1	0
Smoking Induced Deaths	19	14	19
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	63	59	49
Direct Hospitalizations	27	34	22
Emergency Room Hospitalizations	12	13	15
Emergency Room Outpatient	24	12	12
Drug RelatedTotal	37	25	36
Direct Hospitalizations	16	12	10
Emergency Room Hospitalizations	9	3	12
Emergency Room Outpatient	12	10	14
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	14	6	3
Fatal Crashes	0	0	0
Injury Crashes	8	4	3
Property Damage Crashes	6	2	0
Crash Fatalities	0	0	0
Crash Injuries	8	7	5
Drug Involved CrashesTotal	0	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	0
EMPLOYMENT	2011	2010	2009
Labor Force	4,267	4,265	4,043
Employed	3,897	3,885	3,641
Unemployed	370	380	402
Unemployment Rate	8.7%	8.9%	9.9%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	9	8	10
Alcohol Package Carry-out Licenses	15	14	15

વ ત્વું છે. જે,								
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009					
Enrollment Grades 9-12	357	370	368					
Drop-outs	7	8	8					
Drop-out Rate	2.0%	2.2%	2.2%					
School Suspensions, 10 or More Days								
Alcohol Incidents	0	0	0					
Drug Incidents	0	1	0					
Tobacco Incidents	0	0	0					
POLICE REPORTS	2010	2009	2008					
DUI Arrests, DWI Tracking System	36	30	25					
Liquor Law Arrests	2	2	2					
Drug Arrests	1	3	2					
Methamphetamine Lab Incidents	0	1	1					
Violent Offenses	26	5	2					
Property Offenses	114	54	32					
Domestic Violence Reports	13	6	3					
JUVENILE COURT REFERRALS	2010	2009	2008					
Law Violation OffensesTotal	7	10	14					
Violent Offenses	0	1	1					
Alcohol Offenses	3	4	1					
Drug Offenses	0	1	2					
Status OffensesTotal	25	28	36					
Truancy	3	6	22					
Beyond Parental Control	2	3	2					
Habitually Absent from Home	0	0	0					
Injurious Behavior	20	19	12					
Abuse/Neglect/CustodyTotal	20	23	20					
Abuse	0	3	1					
Neglect	20	19	17					
Custody Disputes	0	1	2					
JUVENILE COURT PLACEMENTS	2010	2009	2008					
Out-of-Home PlacementsTotal	5	15	10					
Parental Alcohol Use Related	0	0	0					
Parental Drug Use Related	0	0	0					
Parental Alcohol and Drug Use	0	0	0					
Child Removed for Other Reason	5	15	10					
CRIMINAL JUSTICE	FY2011	FY2010	FY2009					
Drug Court Participants	0	0	0					
Probation/Parole AdmissionsTotal	40	44	58					
Probation/Parole AdmissionsDrug	8	4	13					
Probation/Parole AdmissionsDWI	1	2	2					
Prison AdmissionsTotal	25	20	24					
Prison AdmissionsDrug	5	3	7					
Prison AdmissionsDWI	1	1	1					

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

CHARITON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	17	6	9
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	5	6	*
Primary Recovery Treatment	12	26	21
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	32	22	37
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	11	10	15
- Weekend Intervention Program	6	6	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	*	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	*	*
- Early Intervention	0	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	23	25	20	Never Married	14	16	13
Female	10	13	14	Married / Cohabitating	10	9	9
· omaio	10	10		Previously Married	9	13	12
AGE					Ŭ	10	
Under 18	0	*	*	PRIMARY DRUG PROBLEM			
18 to 24	7	*	7	Alcohol	14	12	17
25 to 29	8	8	6	Marijuana / Hashish	8	14	11
30 to 34	*	*	5	Cocaine (total)	*	*	0
35 to 39	*	6	*	- Crack	*	*	0
40 to 44	*	*	5	Stimulant (total)	*	*	*
45 to 54	*	8	5	- Methamphetamine	*	*	*
55 and Over	5	*	0	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	6	5	*
Caucasian	31	34	33	- Non-Prescription Methadone	0	0	0
African American	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	0	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	0	0	Sedative	0	0	0
Other Race / Two or More Races	0	0	*	Other Medication or Illicit Drug	0	0	0
Other Race / Two of More Races	U	U		Average Age at First Use of Drug	15.8	19.4	17.1
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	12	17	14	Any Injection Use at Admission	*	*	*
High School Graduate or G.E.D.	14	18	14	- Daily Injection Use	*	0	0
Associate Degree or Some College	7	*	5	- Weekly Injection Use	0	0	*
Bachelor or Advanced Degree	0	0	*	- Less than Weekly Injection Use	*	*	0
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	11	8	14	Self / Family / Friend	12	*	7
Unemployed	14	19	9	School	0	0	0
Not in Labor Force	8	11	11	Mental Health Provider	0	0	*
				Health Care Provider	*	0	*
LIVING ARRANGEMENT				Court / Criminal Justice	17	33	24
Independent Living	25	30	29	Other Referral Source	*	*	*
Dependent Living	*	5	*	ODEOLAL DODUKATIONS			
Homeless	*	*	*	SPECIAL POPULATIONS	^	^	0
LIFETIME DUI / DIA/LABBECTO				Pregnant when Admitted to any Episode	0	0	0
LIFETIME DUI / DWI ARRESTS	4-	00	40	Military Veteran		5	· .
0	15	20	18	Special Education Services Needed			40
1 or 2	11	10	10	Co-Occurring Psychological Problem	14	12	13
3 or More	7	8	6	Co-Occurring Developmental Problem	*	*	0

CHARITON COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 12 CENSUS 2010 7,831 2011 POP. ESTIMATE 7,734

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 **Anxiety Disorder** 10 15 11 Dementia 0 **Developmental Disorder** Impulse Control Disorder 5 **Mood Disorder** 34 25 26 Personality Disorder 7 7 **Psychotic Disorder** 6 8 Sexual Disorder 0 0 0 Other Diagnosis 6 Diagnosis Unknown 11 10

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	49	42	57	Hearing Impaired	0	0	*
Male	20	17	30	Past or Current Military Service	*	*	6
Female	29	25	27	HOUSING / LIVING ARRANGEMENT			
				Independent Living	23	10	7
AGE				Dependent Living	*	6	*
Under 6	0	0	*	Homeless	0	0	0
6 to 9	*	*	*	Other	*	0	0
10 to 13	*	*	*	Housing Unknown	21	26	47
14 to 17	*	*	5	riodaling officiowin	21	20	47
18 to 24	5	6	6	EMPLOYMENT			
25 to 29	*	*	*	Employed	*	*	0
30 to 34	5	*	5	Unemployed	25	11	7
35 to 39	*	*	5	Not in Labor Force	*	0	*
40 to 44	5	*	*	Employment Status Unknown	20	30	49
45 to 49	*	*	6	4005050			
50 to 54	6	5	7	ARRESTS	*	*	
55 to 59	6	7	*	Arrested in Past 12 Months			0
60 and Over	6	*	7	Not Arrested in Past 12 Months	27	14	11
				Arrest Status Unknown	20	26	46
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	48	40	55	Self / Family / Friend	26	23	20
African American	*	*	*	School	∠o *	23	
Native American / Alaskan	0	0	0	Mental Health Provider		-	0
Asian / Pacific Islander	0	0	0		6	6	7
Hispanic	0	0	0	Health Care Provider	8	*	7
Other Race	0	0	*	Court / Criminal Justice			17
Race/Ethnicity Unknown	0	0	0	Other	6	6	6
				Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	10	7	*	Voluntary	48	40	37
High School Grad or G.E.D.	13	5	5	Civil	*	*	20
A.A. Degree or Some College	5	0	0	Criminal	0	*	0
Bachelor or Advanced Degree	0	0	*	Sexual Predatory	0	0	0
Education Level Unknown	21	30	49	Commitment Type Unknown	0	0	0

CHARITON COUNTY

2012 MISSOURI STUDENT SURVEY

Percent of students who, in the past 30 days:		(%)		UICIDE Percent	of studen	tswho in	the nact	12 months			(%)
Were very sad		21.0							•		11.9
Were grouchy, irritable, or in a bad mood		26.1		Seriously considered attempting suicide Made a plan about how they would attempt suicide						6.7	
Felt hopeless about the future		11.0								2.5	
Felt like not eating or eating more than usual		15.3		Attempted suicide Had a suicide attempt that resulted in injury or overdose that had to					had to	1.7	
Slept a lot more or a lot less than usual		21.8				doctor or		iii iiijui y O	i overdose iliai	i ilau io	1.7
		17.6			. oatou by	400.0.	u.oo				
Had difficulty concentrating on school work		17.0	R	EBELLIC	OUSNES	s					
FIGHTING				Percent of	of studen	ts who agi	ree that:				
Percent of students who, in the past 12 months:				They ig	jnore rule	s that get	in their w	ay			22.9
Were in a physical fight		21.2		They d	o the opp	osite of w	hat they'r	e told to m	iake people ma	nd	17.8
Were in a fight and had to be treated by a doctor or nurse		2.5		It is oka	ay to take	somethin	g without	permissio	n		4.2
Were threatened or injured with a weapon on school propert	ty	5.1		Someti	mes it is	okay to ch	eat at sc	hool			23.5
						-		start a fight	t		51.7
BULLYING VICTIM					•		•	·			
Percent of students who, in the past 3 months:					RELATIO						
Were shoved, slapped, hit, or kicked in a serious manner		27.4				_		he followin	-		
Were victims of mean rumors or lies spread at school		49.2						tudent's g			69.2
Had embarrassing or hurtful pictures/text of them posted on		16.1			-		-	-	ive student perf	formance	47.5
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	19.7				student fo	or hard w	ork			56.8
Were made fun of by others		67.5			are enforc	•					66.9
BULLYING PERPRETRATOR				Studen	ts of all ra	aces and o	ethnicities	s are treate	ed equally		85.6
Percent of students who, in the past 3 months:				APENT	RELATIC	DA/C					
Shoved, slapped, hit, or kicked a student in a serious manner	er.	22.0					ree with t	he followin	na·		
Spread mean rumors or lies about other kids at school		32.2				-		ident's god	-		86.4
Posted on internet embarrassing or hurtful pictures/text of so	meone	8.5						amily decis			68.4
Sent by cell phone embarrassing or hurtful pictures/text of se		11.9						-	dless of consec	nuences	88.0
Made fun of other people	omconc	66.1						_	onal problem	quenees	78.8
made rail of outer people		00		Olddon	it ooulu u.	on parone	or noip i	nur a porse	onal problem		7 0.0
SUBSTANCE USE AND BELIEFS											
Regarding the substances listed below, percent of students:	8	8	# €	8	# <	# ₹	8	% %	fit us Ar		
Regarding the substances listed below, percent of students:	Who h	Who h	Whose the pa	Who s	Who b	Who s they u	Who f	Who t	Amony used s first us		
Regarding the substances listed below, percent of students:	Who have	Who have	Whose clothe past 1	Who say i	Who belie themselve	Who say I they use	Who feel	Who think would be	Among str used subs first used		
Regarding the substances listed below, percent of students:	Who have ev	Who have us	Whose closes the past 12 m	Who say it wo	Who believe themselves if	Who say pare they use	Who feel it wo	Who think kid would be cau	Among stude used substan first used		
Regarding the substances listed below, percent of students:	Who have ever u	Who have used in	Whose closest fri the past 12 month	Who say it would	Who believe they themselves if the	Who say parents they use	Who feel it would	Who think kids in would be caught	Among students used substance, first used		
Regarding the substances listed below, percent of students:	Who have ever used	Who have used in the	Whose closest friend the past 12 months	Who say it would be	Who believe they rish themselves if they us	Who say parents wou they use	Who feel it would be	Who think kids in the would be caught by p	Among students who used substance, aver first used		
Regarding the substances listed below, percent of students:	Who have ever used sub	Who have used in the pa	Whose closest friends hat the past 12 months	Who say it would be eas:	Who believe they risk ha themselves if they use	Who say parents would on they use	Who feel it would be wro	Who think kids in their no would be caught by polic	Among students who havused substance, average first used		
Regarding the substances listed below, percent of students:	Who have ever used substan	Who have used in the past 3	Whose closest friends have the past 12 months	Who say it would be easy to	Who believe they risk harming themselves if they use	Who say parents would disa they use	Who feel it would be wrong t	Who think kids in their neigh would be caught by police for	Among students who have e used substance, average ag first used		
Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 d	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprothey use	Who feel it would be wrong to us	Who think kids in their neighbork would be caught by police for us	udents who have ever stance, average age w		
Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used		
		ays	<u>p</u> .		isk harming use	=======================================		hood ting	udents who have ever stance, average age when		
Cigarettes	23.7	11.8	•	Who say it would be easy to get 50.0	Who believe they risk harming themselves if they use 81.2	Who say parents would disapprove if they use	Who feel it would be wrong to use 76.9	Who think kids in their neighborhood would be caught by police for using 26.1	udents who have ever stance, average age w		
Cigarettes Chewing Tobacco	23.7 19.5	11.8 11.9	44.1	50.0	isk harming 81.2	90.7	76.9	26.1	udents who have ever stance, average age when 12.		
Cigarettes Chewing Tobacco Alcohol	23.7	11.8 11.9 19.5	<u>p</u> .		isk harming use	=======================================		hood ting	udents who have ever stance, average age when		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	23.7 19.5 46.6	11.8 11.9 19.5 14.4	44.1	50.0	tsk harming 81.2	90.7	76.9 56.8	26.1 32.2	stance, average age when 12.81		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	23.7 19.5 46.6	11.8 11.9 19.5 14.4 4.2	44.1	50.0	isk harming 81.2	90.7	76.9	26.1	stance, average age when 12.81 12.70		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	23.7 19.5 46.6	11.8 11.9 19.5 14.4	44.1	50.0	81.2 68.6 81.5	90.7 74.4 96.6	76.9 56.8 88.1	26.1 32.2	stance, average age when 12.81		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	23.7 19.5 46.6	11.8 11.9 19.5 14.4 4.2	44.1	50.0	tsk harming 81.2	90.7	76.9 56.8	26.1 32.2	stance, average age when 12.81 12.70		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	23.7 19.5 46.6	11.8 11.9 19.5 14.4 4.2 1.7	44.1 51.7 24.6	50.0 49.6 21.4 11.1 48.3	81.2 68.6 81.5 93.2 82.2	90.7 74.4 96.6 98.3 95.8	76.9 56.8 88.1 96.6 93.2	26.1 32.2 50.0	stance, average age when 12.81 12.70		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	23.7 19.5 46.6 10.2 5.1	11.8 11.9 19.5 14.4 4.2 1.7	44.1 51.7 24.6	50.0 49.6 21.4 11.1	81.2 68.6 81.5 93.2	90.7 74.4 96.6 98.3	76.9 56.8 88.1 96.6	26.1 32.2 50.0	stance, average age when 12.81 12.70		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	23.7 19.5 46.6 10.2 5.1	11.8 11.9 19.5 14.4 4.2 1.7	44.1 51.7 24.6	50.0 49.6 21.4 11.1 48.3	81.2 68.6 81.5 93.2 82.2	90.7 74.4 96.6 98.3 95.8	76.9 56.8 88.1 96.6 93.2	26.1 32.2 50.0	stance, average age when 12.81 12.70		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	23.7 19.5 46.6 10.2 5.1 4.2 7.6	11.8 11.9 19.5 14.4 4.2 1.7	44.1 51.7 24.6	50.0 49.6 21.4 11.1 48.3	81.2 68.6 81.5 93.2 82.2	90.7 74.4 96.6 98.3 95.8	76.9 56.8 88.1 96.6 93.2	26.1 32.2 50.0	stance, average age when 12.81 12.70		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	23.7 19.5 46.6 10.2 5.1 4.2 7.6 0.0	11.8 11.9 19.5 14.4 4.2 1.7	44.1 51.7 24.6	50.0 49.6 21.4 11.1 48.3	81.2 68.6 81.5 93.2 82.2	90.7 74.4 96.6 98.3 95.8	76.9 56.8 88.1 96.6 93.2	26.1 32.2 50.0	stance, average age when 12.81 12.70		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	23.7 19.5 46.6 10.2 5.1 4.2 7.6 0.0 0.9	11.8 11.9 19.5 14.4 4.2 1.7	44.1 51.7 24.6	50.0 49.6 21.4 11.1 48.3	81.2 68.6 81.5 93.2 82.2	90.7 74.4 96.6 98.3 95.8	76.9 56.8 88.1 96.6 93.2	26.1 32.2 50.0	stance, average age when 12.81 12.70		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	23.7 19.5 46.6 10.2 5.1 4.2 7.6 0.0 0.9	11.8 11.9 19.5 14.4 4.2 1.7 2.5 4.2	44.1 51.7 24.6 6.8	50.0 49.6 21.4 11.1 48.3 22.2	81.2 68.6 81.5 93.2 82.2 88.1	90.7 74.4 96.6 98.3 95.8 91.5	76.9 56.8 88.1 96.6 93.2 94.1	26.1 32.2 50.0 49.6	stance, average age when 12.81 12.70 13.52 11.82		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	23.7 19.5 46.6 10.2 5.1 4.2 7.6 0.0 0.9 0.0	11.8 11.9 19.5 14.4 4.2 1.7 2.5 4.2	44.1 51.7 24.6 6.8	50.0 49.6 21.4 11.1 48.3 22.2	81.2 68.6 81.5 93.2 82.2 88.1	90.7 74.4 96.6 98.3 95.8 91.5	76.9 56.8 88.1 96.6 93.2 94.1	26.1 32.2 50.0 49.6	stance, average age when 12.81 12.70	groups 10-1	4

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

CHRISTIAN COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 10 043 77,422 78,570



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	1,106	1,048	1,051
Mother Reported Drinking while Pregnant ¹		6	4
Mother Reported Smoking while Pregnant	157	149	133
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	5	0	2
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	558	497	549
Suicides	13	9	3
Self-inflicted Injuries	73	79	68
Homicides	1	2	1
Assault Injuries	108	126	94
Alcohol Induced Deaths	3	2	5
Drug Induced Deaths	17	7	9
Smoking Induced Deaths	88	85	89
Chicking madoca Boarno			
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	450	411	461
Direct Hospitalizations	90	89	83
Emergency Room Hospitalizations	170	163	203
Emergency Room Outpatient	190	159	175
Drug RelatedTotal	462	424	411
Direct Hospitalizations	138	108	87
Emergency Room Hospitalizations	151	147	165
Emergency Room Outpatient	173	169	159
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	35	60	60
Fatal Crashes	1	2	1
Injury Crashes	13	31	31
Property Damage Crashes	21	27	28
Crash Fatalities	1	2	1
Crash Injuries	22	41	35
Drug Involved CrashesTotal	11	8	13
Fatal Crashes	0	1	0
Injury Crashes	5	3	6
Property Damage Crashes	6	4	7
Crash Fatalities	0	1	0
Crash Injuries	6	3	7
EMPLOYMENT	2011	2010	2009
Labor Force	41,092	40,605	
Employed	38,009	40,605 37,188	39,984 36,661
Unemployed		3,417	3,323
Unemployment Rate	3,083	•	•
опетироутнети каке	7.5%	8.4%	8.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	40	32	44
Alcohol Package Carry-out Licenses	47	47	46

■ Female	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	4,106	3,962	3,888
Drop-outs	38	64	110
Drop-out Rate	0.9%	1.6%	2.8%
School Suspensions, 10 or More Days			
Alcohol Incidents	7	7	7
Drug Incidents	40	42	45
Tobacco Incidents	1	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	253	277	478
Liquor Law Arrests	93	119	95
Drug Arrests	325	298	317
Methamphetamine Lab Incidents	9	8	13
Violent Offenses	215	204	168
Property Offenses	1,244	1,126	1,160
Domestic Violence Reports	446	475	435
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	350	383	402
Violent Offenses	97	65	61
Alcohol Offenses	26	27	30
Drug Offenses	45	51	51
Status OffensesTotal	243	197	192
Truancy	19	10	10
Beyond Parental Control	52	62	58
Habitually Absent from Home	25	25	39
Injurious Behavior	147	100	85
Abuse/Neglect/CustodyTotal	115	145	110
Abuse	15	41	24
Neglect	96	104	80
Custody Disputes	4	0	6
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	62	49	72
Parental Alcohol Use Related	1	1	7
Parental Drug Use Related	16	10	15
Parental Alcohol and Drug Use	0	3	1
Child Removed for Other Reason	45	35	49
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	48	45	37
Probation/Parole AdmissionsTotal	356	358	364
Probation/Parole AdmissionsDrug	105	100	121
Probation/Parole AdmissionsDWI	24	38	26
Prison AdmissionsTotal	166	173	177
Prison AdmissionsDrug	51	38	45
Prison AdmissionsDWI	11	16	19
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

CHRISTIAN COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	35	27	38
CSTAR Women and Children	29	18	37
CSTAR General Adult	75	76	13
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	90	58	48
Primary Recovery Treatment	139	140	179
Clinical SATOP (CIP, YCIP, SROP)	32	37	18
Other Substance Abuse Treatment	0	0	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	221	289	330
- Adolescent Diversion Education Program	*	8	15
- Offender Education Program	85	129	119
- Weekend Intervention Program	60	82	109
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	9	5	8
- Compulsive Gambling	0	*	0
- Recovery Supports	23	45	57
- Early Intervention	14	8	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	238	204	193	Never Married	201	135	175
Female	111	72	95	Married / Cohabitating	83	66	55
				Previously Married	65	75	57
AGE							
Under 18	38	27	38	PRIMARY DRUG PROBLEM			
18 to 24	75	59	71	Alcohol	110	122	103
25 to 29	71	38	54	Marijuana / Hashish	80	64	79
30 to 34	62	47	36	Cocaine (total)	*		5
35 to 39	33	30	24	- Crack		0	*
40 to 44	24	23	20	Stimulant (total)	86	46	55
45 to 54	37	40	39	- Methamphetamine	83	46	55
55 and Over	9	12	6	Heroin	8	*	*
RACE / ETHNICITY				Analgesic except Heroin	50	30	30
Caucasian	326	267	268	- Non-Prescription Methadone	*	0	*
African American	7	*	*	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	*	*	*	Tranquilizer	5	5	8
Asian / Pacific Islander	0	0	0	Inhalant	*	0	0
Hispanic	7	*	5	Sedative	0	*	*
Other Race / Two or More Races	10	*	12	Other Medication or Illicit Drug	*	0	0
				Average Age at First Use of Drug	16.7	16.8	16.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	120	106	119	Any Injection Use at Admission	74	37	33
High School Graduate or G.E.D.	157	110	119	- Daily Injection Use	16	10	5
Associate Degree or Some College	67	53	48	- Weekly Injection Use	26	11	10
Bachelor or Advanced Degree	5	7	*	- Less than Weekly Injection Use	32	16	18
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	96	72	76	Self / Family / Friend	108	71	80
Unemployed	148	127	118	School	*	0	*
Not in Labor Force	105	77	94	Mental Health Provider	12	*	7
				Health Care Provider	9	7	6
LIVING ARRANGEMENT				Court / Criminal Justice	199	178	177
Independent Living	272	228	230	Other Referral Source	20	16	17
Dependent Living	66	39	53	CDECIAL DODULATIONS			
Homeless	6	5	*	SPECIAL POPULATIONS Program when Admitted to any Enjands	7	*	*
LIFETIME DUL / DWL ADDESTS				Pregnant when Admitted to any Episode Military Veteran	7 21		14
LIFETIME DUI / DWI ARRESTS 0	185	134	171	Special Education Services Needed	21	10 8	11 22
1 or 2		-		· · · · · ·			78
	108	80	73	Co-Occurring Psychological Problem	108	75 -	
3 or More	56	62	44	Co-Occurring Developmental Problem	5	5	7

CHRISTIAN COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 10
CENSUS 2010 77,422
2011 POP. ESTIMATE 78,570

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 20 11 **Anxiety Disorder** 93 69 49 Dementia 0 **Developmental Disorder** 12 11 8 Impulse Control Disorder 60 42 26 **Mood Disorder** 157 179 110 Personality Disorder 45 43 44 **Psychotic Disorder** 101 88 89 Sexual Disorder

28

51

23

114

14

165

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	402	411	382	Hearing Impaired	6	9	7
Male	199	196	184	Past or Current Military Service	5	6	6
Female	203	215	198	HOUSING / LIVING ARRANGEMENT		-	-
AGE				Independent Living	62	18	16
Under 6	12	16	7	Dependent Living	57	37	21
6 to 9	43	49	34	Homeless	*	*	0
10 to 13				Other	*	0	*
	36	52	31	Housing Unknown	278	355	343
14 to 17	33	36	39	SMDI OVMENT			
18 to 24	25	25	30	EMPLOYMENT	_	*	
25 to 29	30	28	25	Employed	8		
30 to 34	34	28	17	Unemployed	106	20	17
35 to 39	23	22	32	Not in Labor Force	10	*	*
40 to 44	29	31	31	Employment Status Unknown	278	385	358
45 to 49	37	43	36	ARRESTS			
50 to 54	40	29	38	Arrested in Past 12 Months	18	8	5
55 to 59	30	23	27	Not Arrested in Past 12 Months	106	49	35
60 and Over	30	29	35	Arrest Status Unknown	278	354	342
RACE / ETHNICITY							
Caucasian	366	373	358	TREATMENT REFERRAL SOURCE			
African American	6	6	5	Self / Family / Friend	275	301	229
Native American / Alaskan	0	0	*	School	*	0	0
Asian / Pacific Islander	*	*	*	Mental Health Provider	25	21	21
	*	_	*	Health Care Provider	18	7	15
Hispanic		5		Court / Criminal Justice	12	8	11
Other Race	24	25	15	Other	66	72	99
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	5	*	7
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	33	9	7	Voluntary	387	402	364
High School Grad or G.E.D.	57	7	9	Civil	6	*	*
A.A. Degree or Some College	30	9	7	Criminal	*	*	7
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	0	0	0
Education Level Unknown	278	385	358	Commitment Type Unknown	5	*	8
				• •			

CHRISTIAN COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, In the past 30 days:		(%)	`	UICIDE Percent o	of student	's who, in	the past	12 months	:	(%)
Were very sad		17.4				ered atter				11.1
Were grouchy, irritable, or in a bad mood		19.3	3		_				ılcide	8.1
Felt hopeless about the future	8.8	3	Made a plan about how they would attempt suicide Attempted suicide						5.4	
Felt like not eating or eating more than usual		15.3	3	Had a s	suicide at	tempt that	resulted	in injury o	r overdose that had to	1.7
Slept a lot more or a lot less than usual		19.2	2			doctor or				
Had difficulty concentrating on school work		19.3								
					OUSNES.		46 .4			
FIGHTING						's who agi				40.0
Percent of students who, in the past 12 months:		40.0				s that get			alia maanla maad	18.8
Were in a physical fight		19.6		-					ake people mad	12.0
Were in a fight and had to be treated by a doctor or nurse		3.8			-		-	permissio	Π	4.5
Were threatened or injured with a weapon on school propert	y	6.7	•			kay to ch				18.6
BULLYING VICTIM				It IS OK	iy to beat	up peopi	e ir tney s	tart a fight		43.0
Percent of students who, in the past 3 months:			s	CHOOL	RELATIC	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		26.2					ree with t	he followin	<i>g</i> :	
Were victims of mean rumors or lies spread at school		47.7				_		tudent's go	-	66.6
Had embarrassing or hurtful pictures/text of them posted on	internet	13.8	3	School	provides	feedback	to parent	s on positi	ve student performance	36.3
Had embarrassing or hurtful pictures/text of them sent by cel		16.4	1		-	student fo	-	-	•	53.7
Were made fun of by others		59.0)	Rules a	re enforc	ed fairly				69.2
				Studen	ts of all ra	ices and e	ethnicities	are treate	ed equally	80.8
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		40.0			RELATIO		roo with t	ha fallawin		
Shoved, slapped, hit, or kicked a student in a serious manne Spread mean rumors or lies about other kids at school	#1	18.3				-		he followin	-	84.1
Posted on internet embarrassing or hurtful pictures/text of so	moono	24.1		Parents notice and comment on student's good work Parents involve student in making family decisions						
Sent by cell phone embarrassing or hurtful pictures/text of so										71.9 87.9
Made fun of other people	Jilleone	55.8						_	onal problem	77.2
wade full of other people		55.0	,	Studen	t could as	к рагент	or neib w	illi a perse	mai problem	11.2
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	€	€	‡ ≤	€	‡ ≤	₹ ≤	€	≶ ≶	fir us Ar	
	Who have ever used substance	절	Whose closest friends have use the past 12 months	no s	Who believe they risk harming themselves if they use	ho s	5		Among students who have ever used substance, average age wifirst used	
	ave	ave	e clo st 1:	ay⊭	elve	se ay	8	e j	g stu sed	
	eve	use.)ses 2 m	W 1	ve t	are	w t	ig Ki	der tanc	
	S S	ē.	onth fit	둡	E E	nts	듄	<u>= </u>	ë, a	
	<u>ĕ</u>	the	ends S	be e	risk I	<u>8</u>	be v	y pei	vho	
	subs	pas	s ha	asy	ੰ ਛੂ	ם	Yon	r nei	hav age	
	stan	st S	Ve	=	3.	Sa	of C	or igh	e ev age	
			_	ĕ	.=	-		- ō	≤ ₫	
	õ	0 da	used	Who say it would be easy to get	g	pprov	SI (<u>≅</u> . ⊋	} `	
	Ď	Who have used in the past 30 days	used in	get	g	pprove if	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	hen .	
Cigarettes	16.2	7.1	used in 32.9	39.4	ng 84.5	Who say parents would disapprove if they use	86.8	rhood 33.7	12.35	
Cigarettes Chewing Tobacco			32.9						nen .	
Cigarettes Chewing Tobacco Alcohol	16.2	7.1 4.3	32.9			95.1	86.8	33.7	12.35	
Chewing Tobacco Alcohol	16.2 9.0	7.1 4.3 9.2	32.9	39.4	84.5				nen .	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	16.2 9.0	7.1 4.3	32.9	39.4 45.9	84.5	95.1	86.8	33.7 35.0	12.35 12.51	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	16.2 9.0 25.3	7.1 4.3 9.2 5.5 4.9	32.9 40.0 28.9	39.4	84.5	95.1 87.4	86.8	33.7	12.35 12.51 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	16.2 9.0 25.3	7.1 4.3 9.2 5.5	32.9 40.0 28.9	39.4 45.9	84.5	95.1 87.4	86.8	33.7 35.0	12.35 12.51	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	16.2 9.0 25.3	7.1 4.3 9.2 5.5 4.9	32.9 40.0 28.9 14.6	39.4 45.9 28.1	84.5 74.9 77.6	95.1 87.4 95.1	86.8 73.6 86.0	33.7 35.0 48.7	12.35 12.51 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	16.2 9.0 25.3 10.4 6.2	7.1 4.3 9.2 5.5 4.9 2.2	32.9 40.0 28.9 14.6	39.4 45.9 28.1 12.9	84.5 74.9 77.6 94.0	95.1 87.4 95.1 98.5	86.8 73.6 86.0 96.7	33.7 35.0 48.7	12.35 12.51 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	16.2 9.0 25.3 10.4 6.2	7.1 4.3 9.2 5.5 4.9 2.2	32.9 40.0 28.9 14.6	39.4 45.9 28.1 12.9 48.5	84.5 74.9 77.6 94.0 85.7	95.1 87.4 95.1 98.5 96.7	86.8 73.6 86.0 96.7 91.6	33.7 35.0 48.7	12.35 12.51 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	16.2 9.0 25.3 10.4 6.2 6.4 7.1	7.1 4.3 9.2 5.5 4.9 2.2	32.9 40.0 28.9 14.6	39.4 45.9 28.1 12.9 48.5	84.5 74.9 77.6 94.0 85.7	95.1 87.4 95.1 98.5 96.7	86.8 73.6 86.0 96.7 91.6	33.7 35.0 48.7	12.35 12.51 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	16.2 9.0 25.3 10.4 6.2 6.4 7.1 0.6	7.1 4.3 9.2 5.5 4.9 2.2	32.9 40.0 28.9 14.6	39.4 45.9 28.1 12.9 48.5	84.5 74.9 77.6 94.0 85.7	95.1 87.4 95.1 98.5 96.7	86.8 73.6 86.0 96.7 91.6	33.7 35.0 48.7	12.35 12.51 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	16.2 9.0 25.3 10.4 6.2 6.4 7.1 0.6 1.3	7.1 4.3 9.2 5.5 4.9 2.2	32.9 40.0 28.9 14.6	39.4 45.9 28.1 12.9 48.5	84.5 74.9 77.6 94.0 85.7	95.1 87.4 95.1 98.5 96.7	86.8 73.6 86.0 96.7 91.6	33.7 35.0 48.7	12.35 12.51 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	16.2 9.0 25.3 10.4 6.2 6.4 7.1 0.6 1.3	7.1 4.3 9.2 5.5 4.9 2.2	32.9 40.0 28.9 14.6	39.4 45.9 28.1 12.9 48.5	84.5 74.9 77.6 94.0 85.7	95.1 87.4 95.1 98.5 96.7	86.8 73.6 86.0 96.7 91.6	33.7 35.0 48.7	12.35 12.51 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	16.2 9.0 25.3 10.4 6.2 6.4 7.1 0.6 1.3 1.0	7.1 4.3 9.2 5.5 4.9 2.2 3.5 3.2	32.9 40.0 28.9 14.6	39.4 45.9 28.1 12.9 48.5 25.9	84.5 74.9 77.6 94.0 85.7 89.2	95.1 87.4 95.1 98.5 96.7 96.3	86.8 73.6 86.0 96.7 91.6 92.7	33.7 35.0 48.7 58.6	12.35 12.51 13.09	14

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:


Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

CLARK COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 14 FIPS COUNTY CODE 045 **CENSUS 2010** 7,139 2011 POP. ESTIMATE 7,019



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	76	85	90
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	30	23	31
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	83	66	91
Suicides	0	2	1
Self-inflicted Injuries	1	1	1
Homicides	1	0	1
Assault Injuries	3	4	3
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	1	1
Smoking Induced Deaths	21	11	18
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	30	43	28
Direct Hospitalizations	20	12	5
Emergency Room Hospitalizations	5	25	20
Emergency Room Outpatient	5	6	3
Drug RelatedTotal	15	20	16
Direct Hospitalizations	11	10	6
Emergency Room Hospitalizations	1	4	9
Emergency Room Outpatient	3	6	1
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	2	9	5
Fatal Crashes	0	0	0
Injury Crashes	0	8	1
Property Damage Crashes	2	1	4
Crash Fatalities	0	0	0
Crash Injuries	0	10	1
Drug Involved CrashesTotal	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	3,540	3,497	3,595
Employed	3,223	3,119	3,162
Unemployed	317	378	433
Unemployment Rate	9.0%	10.8%	12.0%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	14	15	12
Alcohol Package Carry-out Licenses	12	11	13

■ Female	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	332	324	342
Drop-outs	8	11	11
Drop-out Rate	2.4%	3.4%	3.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	70	62	58
Liquor Law Arrests	28	20	33
Drug Arrests	65	57	48
Methamphetamine Lab Incidents	18	10	4
Violent Offenses	17	12	9
Property Offenses	66	62	59
Domestic Violence Reports	14	10	7
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	29	33	30
Violent Offenses	4	22	8
Alcohol Offenses	3	5	3
Drug Offenses	3	1	0
Status OffensesTotal	100	90	38
Truancy	18	22	2
Beyond Parental Control	6	9	5
Habitually Absent from Home	3	1	0
Injurious Behavior	73	58	31
Abuse/Neglect/CustodyTotal	49	40	29
Abuse	2	1	4
Neglect	47	39	25
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	14	17	12
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	5	1	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	9	16	8
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	32	24	22
Probation/Parole AdmissionsTotal	55	71	55
Probation/Parole AdmissionsDrug	22	19	23
Probation/Parole AdmissionsDWI	7	14	9
Prison AdmissionsTotal	41	31	30
Prison AdmissionsDrug	13	8	7
Prison AdmissionsDWI	4	6	4

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	14	10	13
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	*	5
Primary Recovery Treatment	34	41	27
Clinical SATOP (CIP, YCIP, SROP)	5	7	*
Other Substance Abuse Treatment	0	0	7

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	32	34	29
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	10	8	8
- Weekend Intervention Program	7	11	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	*	*	0
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	32	46	31	Never Married	26	26	18
Female	18	13	18	Married / Cohabitating	11	14	18
				Previously Married	13	19	13
AGE	_	*	*				
Under 18	0			PRIMARY DRUG PROBLEM			
18 to 24	10	12	6	Alcohol	22	35	18
25 to 29	7	12	6	Marijuana / Hashish	9	14	17
30 to 34	10	9	9	Cocaine (total)			*
35 to 39	6	8	5	- Crack	0	0	0
40 to 44		5	7	Stimulant (total)	15	9	6
45 to 54	10	9	12	- Methamphetamine	15	9	6
55 and Over	5	*	*	Heroin	0	0	*
RACE / ETHNICITY				Analgesic except Heroin	*	0	*
Caucasian	49	59	48	- Non-Prescription Methadone	0	0	0
African American	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	0	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	0	*	Sedative	0	0	0
Other Race / Two or More Races	*	0	*	Other Medication or Illicit Drug	0	0	*
				Average Age at First Use of Drug	17.8	15.1	17.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	15	21	13	Any Injection Use at Admission	*	*	*
High School Graduate or G.E.D.	27	33	30	- Daily Injection Use	0	0	0
Associate Degree or Some College	8	5	5	- Weekly Injection Use	0	0	0
Bachelor or Advanced Degree	0	0	*	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	27	29	15	Self / Family / Friend	7	6	10
Unemployed	16	18	18	School	0	0	0
Not in Labor Force	7	12	16	Mental Health Provider	0	0	*
				Health Care Provider	*	*	0
LIVING ARRANGEMENT				Court / Criminal Justice	37	48	31
Independent Living	50	55	40	Other Referral Source	5	*	7
Dependent Living	0	*	6				
Homeless	0	0	*	SPECIAL POPULATIONS	_	_	4
LIEFTIME DIN / DIN / ADDESTA				Pregnant when Admitted to any Episode	0	0	*
LIFETIME DUI / DWI ARRESTS	00	00	00	Military Veteran	0		* -
0	26	29	29	Special Education Services Needed	7	11	5
1 or 2	15	14	12	Co-Occurring Psychological Problem	11	15	18
3 or More	9	16	8	Co-Occurring Developmental Problem	*	*	*

CLARK COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 14 CENSUS 2010 7,139 2011 POP. ESTIMATE 7,019

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 5 6 5 **Anxiety Disorder** 15 14 18 Dementia 0 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 15 14 16 **Mood Disorder** 26 27 33 Personality Disorder **Psychotic Disorder** 5 8 10 Sexual Disorder 0 0 0 Other Diagnosis 7 10 Diagnosis Unknown 17

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Total 56 56 78 Hearing Impaired 0 0 0 Male 22 29 42 Past or Current Military Service * 0 Male 22 29 42 Past or Current Military Service * 0 Male 22 29 42 Past or Current Military Service * 0 Male 22 29 42 Past or Current Military Service * 0 Male 22 29 42 Past or Current Military Service * 0 Male 22 29 42 Past or Current Military Service * 0 Male 22 29 42 Past or Current Military Service * 0 Male 22 29 42 Past or Current Military Service * 0 Male 22 29 42 Past or Current Military Service * 0 Male 22 29 29 42 Past or Current Military Service * 0 Male 22 29 29 42 Past or Current Military Service * 0 Male 22 29 29 40 Past or Current Military Service * 0 Male 22 29 29 40 Past or Current Military Service * 0 Male 22 29 29 40 Past or Current Military Service * 0 Male 22 29 29 42 Past or Current Military Service * 0 Male 22 29 29 42 Past or Current Military Service * 0 Male 22 29 29 40 Past or Current Military Service * 0 Male 22 29 29 42 Past or Current Military Service * 0 Male 22 29 29 42 Past or Current Military Service * 0 Male 22 29 29 42 Past or Current Military Service * 0 Male 22 29 29 42 Past or Current Military Service * 0 Male 22 29 29 40 40 Past 12 Male 22 29 49 49 49 49 49 49 49 49 49 49 49 49 49	0
Male 22 29 42 Past or Current Military Service * 0 Female 34 27 36 HOUSING / LIVING ARRANGEMENT AGE Under 6 * 0 0 Dependent Living 19 8 6 to 9 * * * 7 Other 0 0 10 to 13 10 7 9 Housing Unknown 34 34 14 to 17 10 10 10 11 18 to 24 * 7 17 EMPLOYMENT 25 to 29 * 6 9 Employed * * * 30 0 0 40 to 44 * 7 * * Unemployed 19 11 35 to 39 5 * Not in Labor Force 0 0 0 40 to 44 * 7 * Employment Status Unknown 34 44 45 to 49 5 5 5 10 50 to 54 * * * * * * * * * * * * * * * * * *	
Female 34 27 36 HOUSING / LIVING ARRANGEMENT AGE Under 6 * 0 Dependent Living 19 8 0 to 10 to 13 10 7 9 Housing Unknown 34 34 14 to 17 10 10 10 11 18 to 24 * 7 17 EMPLOYMENT 25 to 29 * 6 6 9 Employed * * * * 30 to 34 7 * * Unemployed 19 11 35 to 39 5 * Not in Labor Force 0 0 0 40 to 44 * 7 * Employment Status Unknown 34 44 45 to 49 50 to 54 * * * * * * * * * * * * * * * * * *	
Independent Living	
AGE Dependent Living * 14 0 to 9 * * * * 7 0 ther 0 0 10 to 13 10 7 9 Housing Unknown 34 34 14 to 17 10 10 11 11 Housing Unknown 34 34 18 to 24 * 7 17 EMPLOYMENT *	_
Under 6	5
6 to 9 10 to 13 10 7 9 Housing Unknown 34 34 34 34 18 to 24 * 7 17 EMPLOYMENT 25 to 29 * 60 and Over * * * * * * * * * * * * *	6
10 to 13 14 to 17 10 10 11 Housing Unknown 34 34 34 34 18 to 24 * 7 17 EMPLOYMENT 25 to 29 * 6 9 Employed * * 30 to 34 7 * Unemployed 19 11 35 to 39 5 * Not in Labor Force 0 0 40 to 44 45 to 49 5 5 5 10 40 to 54 55 to 59 60 and Over	0
14 to 17 10 10 11 10 10 11 11 11 11 11 12 12 12 12 12 12 12 12 12 12 12 12 12 12 13 14	0
25 to 29	67
30 to 34 7 * * Unemployed 19 11 35 to 39 5 * * Not in Labor Force 0 0 0 40 to 44 * 7 * Employment Status Unknown 34 44 45 to 49 5 5 10 50 to 54 * * ARRESTS 55 to 59 * * * Not Arrested in Past 12 Months 5 * 60 and Over	
35 to 39	*
40 to 44	7
45 to 49	0
50 to 54	70
50 to 54	
55 to 59 * * * * Not Arrested in Past 12 Months 17 18 * * * * * * * * * * * * * * * * * *	
60 and Over	
	10
Allest datus dikitowii 34 34	67
RACE / ETHNICITY TREATMENT REFERRAL SOURCE	
Caucasian 55 54 75 Solf / Exists / Exis	4.4
African American 0 0 0 Seheel 12 9	11
Native American / Alaskan 0 0 0	*
Asian / Pacific Islander 0 0 0	
Hispanic 0 0 *	5
Other Race * * * *	9
Race/Ethnicity Unknown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	47
Referral Source Unknown 0 0	0
EDUCATION TYPE OF COMMITMENT	
Less than High School Diploma 8 * * Voluntary 56 51	71
High School Grad or G.E.D. 10 5 * Civil 0 5	7
A.A. Degree or Some College * * * Criminal 0 0	0
Bachelor or Advanced Degree * * 0 Sexual Predatory 0 0	0
Education Level Unknown 34 44 70 Commitment Type Unknown 0 0	0

CLARK COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%	s) S	UICIDE						(%)
Percent of students who, in the past 30 days:		20.	•					12 months.	•	
Were very sad				Seriously considered attempting suicide						11.5 11.5
Were grouchy, irritable, or in a bad mood			5	Made a plan about how they would attempt suicide						
Felt like and pating an acting many than your		20. 11.		Attempted suicide Had a suicide attempt that resulted in injury or overdose that had to						11.5 0.0
Felt like not eating or eating more than usual				Had a suicide attempt that resulted in injury or overdose that had to be treated by doctor or nurse						0.0
Slept a lot more or a lot less than usual		11. 11.		bet	realed by	doctor or	Huise			
Had difficulty concentrating on school work		11.3			OUSNES		464			
FIGHTING						ts who ag				00.0
Percent of students who, in the past 12 months:		40	0			s that get		-	-1	20.0
Were in a physical fight		48.0 They do the opposite of what they're told to m 8.0 It is okay to take something without permission								8.0
Were in a fight and had to be treated by a doctor or nurse					-		-	-	П	8.0 8.0
Were threatened or injured with a weapon on school propert	y	11.	5			okay to ch				40.0
BULLYING VICTIM				IL IS OK	iy io beai	up peopi	e ii iiiey s	tart a fight		40.0
Percent of students who, in the past 3 months:			S	CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		40.	0	Percent (of studen	ts who ag	ree with t	he followin	g:	
Were victims of mean rumors or lies spread at school		48.	0	Teache	ers notice	and com	ment on s	tudent's go	ood work	100.0
Had embarrassing or hurtful pictures/text of them posted on	internet	0.0	0	School	provides	feedback	to parent	s on positi	ve student performance	60.0
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	0.0	0	Teache	ers praise	student fo	or hard w	ork		80.0
Were made fun of by others		60.	0	Rules a	are enforc	ed fairly				88.5
				Studen	ts of all ra	aces and	ethnicities	are treate	ed equally	92.0
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:			_							
Shoved, slapped, hit, or kicked a student in a serious manner	ar.	28.			RELATIC of studen		roo with t	ha fallawin	a·	
Spread mean rumors or lies about other kids at school		28.		Percent of students who agree with the following: Parents notice and comment on student's good work						
Posted on internet embarrassing or hurtful pictures/text of someon		0.0		Parents involve student in making family decisions						
Sent by cell phone embarrassing or hurtful pictures/text of someon Made fun of other people					It is important to be honest with parents regardless of consequences					72.0 100.0
		28.		-			-	_	onal problem	100.0
made tall of care, propin										
SUBSTANCE USE AND BELIEFS				T	ı					
Regarding the substances listed below, percent of students:	≨	≨	the ¥h	≨	the ≸h	the ¥h	≨	¥ S	Am first	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age where	
	Ve e	₩.	clos t 12	y #	lves	e y	<u>e</u>	ω <u>Σ</u>	absta stud	
	Wer	sec	mo est	NO.	∓ e	Ten	Wou	aug (ids	dent	
	use	₹	aths	ᅙ	ey n	ts w	큡	in by	s wh	
	S D	<u></u>	Sp	e es	use Isk	힡	e ¥	<u> </u>	no h	
	ıbst	oast	have	ısyt	a	ds	ong	neig ice	ave ge a	
	anc	3	SI 9	90	jing	휧	9	of jb	eve ige 1	
	Ф	day		豆		Q	use	usin of	when	
		· ·	5			=		ing	_ =	
Cigarettes										
-	20.0	20.0		28.0	80.0	100.0	80.0	12.0		
Chewing Tobacco	28.0	20.0)						44.00	
Chewing Tobacco Alcohol		20.0 11.5	28.0	28.0		100.0	80.0 88.5	12.0 32.0	11.99	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	28.0 20.0	20.0 11.5 0.0	28.0	48.0	88.5	100.0	88.5	32.0	11.99	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	28.0 20.0	20.0 11.5 0.0 0.0	28.0						11.99	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	28.0 20.0	20.0 11.5 0.0	28.0	48.0 11.5	88.5 88.5	100.0 78.3	88.5 88.5	32.0 60.0	11.99	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	28.0 20.0 0.0 0.0	20.0 11.5 0.0 0.0 0.0	28.0	48.0 11.5 0.0	88.5 88.5 100.0	100.0 78.3 92.0	88.5 88.5	32.0	11.99	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	28.0 20.0 0.0 0.0 0.0	20.0 11.5 0.0 0.0 0.0	28.0	48.0 11.5 0.0 28.0	88.5 88.5 100.0 100.0	100.0 78.3 92.0 100.0	88.5 88.5 100.0 100.0	32.0 60.0	11.99	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	28.0 20.0 0.0 0.0 0.0	20.0 11.5 0.0 0.0 0.0	28.0	48.0 11.5 0.0 28.0	88.5 88.5 100.0	100.0 78.3 92.0 100.0	88.5 88.5	32.0 60.0	11.99	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	28.0 20.0 0.0 0.0 0.0 0.0 0.0	20.0 11.5 0.0 0.0 0.0	28.0	48.0 11.5 0.0 28.0	88.5 88.5 100.0 100.0	100.0 78.3 92.0 100.0	88.5 88.5 100.0 100.0	32.0 60.0	11.99	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	28.0 20.0 0.0 0.0 0.0 0.0 0.0 0.0	20.0 11.5 0.0 0.0 0.0	28.0	48.0 11.5 0.0 28.0	88.5 88.5 100.0 100.0	100.0 78.3 92.0 100.0	88.5 88.5 100.0 100.0	32.0 60.0	11.99	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	28.0 20.0 0.0 0.0 0.0 0.0 0.0 0.0	20.0 11.5 0.0 0.0 0.0	28.0	48.0 11.5 0.0 28.0	88.5 88.5 100.0 100.0	100.0 78.3 92.0 100.0	88.5 88.5 100.0 100.0	32.0 60.0	11.99	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	28.0 20.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	20.0 11.5 0.0 0.0 0.0	28.0	48.0 11.5 0.0 28.0	88.5 88.5 100.0 100.0	100.0 78.3 92.0 100.0	88.5 88.5 100.0 100.0	32.0 60.0	11.99	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	28.0 20.0 0.0 0.0 0.0 0.0 0.0 0.0	20.0 11.5 0.0 0.0 0.0 0.0	28.0	48.0 11.5 0.0 28.0 8.0	88.5 88.5 100.0 100.0 100.0	100.0 78.3 92.0 100.0 92.0	88.5 88.5 100.0 100.0 100.0	32.0 60.0 60.0	11.99	-14

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:


Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

CLAY COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 047 221,939 225,161



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	3,136	3,206	3,345
Mother Reported Drinking while Pregnant ¹	0,100	13	13
Mother Reported Smoking while Pregnant	450	396	425
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	21	11	15
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	1
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	1,542	1,486	1,596
Suicides	36	33	28
Self-inflicted Injuries	391	349	405
Homicides	5	8	4
Assault Injuries	758	835	812
Alcohol Induced Deaths	16	16	17
Drug Induced Deaths	25	26	27
Smoking Induced Deaths	302	280	307
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	2,781	2.464	2,568
Direct Hospitalizations	737	515	628
Emergency Room Hospitalizations	724	840	777
Emergency Room Outpatient	1,320	1,109	1,163
Drug RelatedTotal	2,131	1,735	1,785
Direct Hospitalizations	705	511	655
Emergency Room Hospitalizations	548	638	550
Emergency Room Outpatient	878	586	580
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	213	203	227
Fatal Crashes	7	7	6
Injury Crashes	87	77	92
Property Damage Crashes	119	119	129
Crash Fatalities	7	6	7
Crash Injuries	119	94	98
Drug Involved CrashesTotal	26	32	21
Fatal Crashes	0	2	0
Injury Crashes	11	13	10
Property Damage Crashes	15	17	11
Crash Fatalities	0	2	0
Crash Injuries	16	13	9
EMPLOYMENT	2011	2010	2009
Labor Force	121,175	119,048	117,697
Employed	111,790	108,551	107,728
Unemployed	9,385	10,497	9,969
Unemployment Rate	7.7%	8.8%	8.5%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	189	188	206
Alcohol Package Carry-out Licenses	150	149	152

■ Female ■ Male					
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009		
Enrollment Grades 9-12	11,325	12,194	12,584		
Drop-outs	293	326	336		
Drop-out Rate	2.6%	2.7%	2.7%		
School Suspensions, 10 or More Days					
Alcohol Incidents	9	11	10		
Drug Incidents	107	81	59		
Tobacco Incidents	0	2	0		
POLICE REPORTS	2010	2009	2008		
DUI Arrests, DWI Tracking System	1,029	1,001	1,178		
Liquor Law Arrests	258	436	471		
Drug Arrests	747	751	650		
Methamphetamine Lab Incidents	4	8	2		
Violent Offenses	210	229	255		
Property Offenses	2,373	2,109	2,557		
Domestic Violence Reports	765	853	489		
JUVENILE COURT REFERRALS	2010	2009	2008		
Law Violation OffensesTotal	736	982	1,155		
Violent Offenses	170	204	219		
Alcohol Offenses	27	48	67		
Drug Offenses	113	92	119		
Status OffensesTotal	63	57	57		
Truancy	17	12	21		
Beyond Parental Control	10	18	18		
Habitually Absent from Home	29	26	13		
Injurious Behavior	3	1	4		
Abuse/Neglect/CustodyTotal	189	215	241		
Abuse	5	18	12		
Neglect	176	186	201		
Custody Disputes	8	11	28		
JUVENILE COURT PLACEMENTS	2010	2009	2008		
Out-of-Home PlacementsTotal	47	53	40		
Parental Alcohol Use Related	5	5	3		
Parental Drug Use Related	13	16	10		
Parental Alcohol and Drug Use	0	1	0		
Child Removed for Other Reason	29	31	27		
CRIMINAL JUSTICE	FY2011	FY2010	FY2009		
Drug Court Participants	57	61	42		
Probation/Parole AdmissionsTotal	728	700	758		
Probation/Parole AdmissionsDrug	216	197	224		
Probation/Parole AdmissionsDWI	51	50	68		
Prison AdmissionsTotal	417	437	408		
Prison AdmissionsDrug	124	105	92		
Prison AdmissionsDWI	33	36	41		
* An asterisk in a data cell indicates the co			ppressed		

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	48	47	42
CSTAR Women and Children	33	36	41
CSTAR General Adult	547	356	256
CSTAR Opioid	11	8	8
Primary Recovery Detoxification	90	154	151
Primary Recovery Treatment	52	301	267
Clinical SATOP (CIP, YCIP, SROP)	156	174	147
Other Substance Abuse Treatment	*	6	15

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	908	1,064	1,154
- Adolescent Diversion Education Program	12	12	13
- Offender Education Program	338	415	488
- Weekend Intervention Program	278	320	381
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	17	24	30
- Compulsive Gambling	19	25	17
- Recovery Supports	20	81	61
- Early Intervention	8	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	601	646	555	Never Married	495	553	457
Female	258	302	268	Married / Cohabitating	187	185	167
	200	002	200	Previously Married	177	209	194
AGE				•		200	101
Under 18	49	46	41	PRIMARY DRUG PROBLEM			
18 to 24	171	192	155	Alcohol	436	494	423
25 to 29	123	169	153	Marijuana / Hashish	202	199	160
30 to 34	134	118	104	Cocaine (total)	32	51	70
35 to 39	93	119	102	- Crack	20	33	44
40 to 44	93	114	96	Stimulant (total)	110	124	97
45 to 54	156	146	151	- Methamphetamine	105	123	97
55 and Over	40	44	21	Heroin	13	10	10
RACE / ETHNICITY				Analgesic except Heroin	53	54	47
Caucasian	774	840	741	- Non-Prescription Methadone	0	*	0
African American	43	48	46	PCP, LSD, other Hallucinogen	5	*	8
Native American / Alaskan	43 *	5	*	Tranquilizer	6	9	7
Asian / Pacific Islander	*	*	*	Inhalant	0	*	0
Hispanic	33	40	30	Sedative	0	*	*
Other Race / Two or More Races	19	20	11	Other Medication or Illicit Drug	*	*	0
Other Nace / Two of More Naces	19	20	11	Average Age at First Use of Drug	17.3	17.1	17.9
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	223	260	212	Any Injection Use at Admission	54	55	45
High School Graduate or G.E.D.	382	464	414	- Daily Injection Use	22	9	8
Associate Degree or Some College	227	200	163	- Weekly Injection Use	15	20	13
Bachelor or Advanced Degree	27	24	34	- Less than Weekly Injection Use	17	26	24
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	272	309	278	Self / Family / Friend	196	229	226
Unemployed	403	400	324	School	0	0	0
Not in Labor Force	184	239	221	Mental Health Provider	77	70	43
				Health Care Provider	37	24	21
LIVING ARRANGEMENT				Court / Criminal Justice	480	543	467
Independent Living	741	796	690	Other Referral Source	69	81	66
Dependent Living	75	81	77	005044 00044 474040			
Homeless	34	43	35	SPECIAL POPULATIONS	*	_	46
LIFETIME DUI / DUI A DEFETO				Pregnant when Admitted to any Episode		9	13
LIFETIME DUI / DWI ARRESTS	000	400	000	Military Veteran	39	32	27
0	389	436	398	Special Education Services Needed	26	37	33
1 or 2	255	250	217	Co-Occurring Psychological Problem	300	332	284
3 or More	215	262	208	Co-Occurring Developmental Problem	21	19	26

CLAY COUNTY



ADA/CPS REGION Northwest CPS SERVICE AREA 6 221,939 2011 POP. ESTIMATE 225,161 disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 54 71 62 **Anxiety Disorder** 879 856 839 Dementia 10 13 15 **Developmental Disorder** 27 33 28 Impulse Control Disorder 317 341 341 **Mood Disorder** 1,568 1,627 1,571 Personality Disorder 260 253 277 **Psychotic Disorder** 318 328 337

0

158

669

164

703

0

141

397

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
2.375	2.797	2.628		38	45	41
-	,					41
	,		·			
,	,	,				
						88
12	18	5	•		_	18
69	77					*
102	135			_	_	*
132	189	197	Housing Unknown	2,102	2,565	2,518
210	303	234	EMPLOYMENT			
227	301	298	Employed	22	15	8
265	281	269	Unemployed	243	141	91
240	292	283	Not in Labor Force	8	5	*
250	277	272	Employment Status Unknown	2,102	2,636	2,528
289	330	302		•	•	•
259	260	272				
167	176	160		_		16
153	158	163			_	94
			Arrest Status Unknown	2,103	2,565	2,518
			TOTATMENT DESERVAL COURSE			
2,076	2,424	2,314		0.400	0.400	0.000
117	138	117	-	2,130		2,232
9	14	13				7 92
9	11	13			-	
54	65	59		_	_	112 73
106	141	108		_		
*	*	*				89 23
			Referral Source Offictiown	19	19	23
			TYPE OF COMMITMENT			
71	35	32	Voluntary	2,348	2,766	2,569
140	83	53	Civil	5	7	27
49	32	13	Criminal	*	5	10
12	10	*	Sexual Predatory	0	*	0
2,103	2,637	2,528	Commitment Type Unknown	19	18	22
	2,375 984 1,391 12 69 102 132 210 227 265 240 250 289 259 167 153 2,076 117 9 9 54 106 * * * * * * * * * * * * * * * * * * *	2,375 2,797 984 1,201 1,391 1,596 12 18 69 77 102 135 132 189 210 303 227 301 265 281 240 292 250 277 289 330 259 260 167 176 153 158 2,076 2,424 117 138 9 14 9 11 54 65 106 141 * * 71 35 140 83 49 32 12 10	2,375 2,797 2,628 984 1,201 1,085 1,391 1,596 1,543 12 18 5 69 77 50 102 135 123 132 189 197 210 303 234 227 301 298 265 281 269 240 292 283 250 277 272 289 330 302 259 260 272 167 176 160 153 158 163 2,076 2,424 2,314 117 138 117 9 14 13 9 11 13 54 65 59 106 141 108 * * 71 35 32 140 83 53 49 32 13 12 10 * </th <th> SPECIAL POPULATION Past or Current Military Service </th> <th> 2,375 2,797 2,628 Hearing Impaired 38 984 1,201 1,085 Past or Current Military Service 32 1,391 1,596 1,543 HOUSING / LIVING ARRANGEMENT Independent Living 222 Dependent Living 37 Homeless 66 69 77 50 Other 8 Housing Unknown 2,102 135 123 Housing Unknown 2,102 132 189 197 Housing Unknown 2,102 227 301 298 Employed 22 265 281 269 Unemployed 243 240 292 283 Not in Labor Force 8 250 277 272 Employment Status Unknown 2,102 289 330 302 ARRESTS Arrested in Past 12 Months 247 Arrested in Past 12 Months 247 Arrest Status Unknown 2,103 247 Arres</th> <th> SPECIAL POPULATION 38 45 </th>	SPECIAL POPULATION Past or Current Military Service	2,375 2,797 2,628 Hearing Impaired 38 984 1,201 1,085 Past or Current Military Service 32 1,391 1,596 1,543 HOUSING / LIVING ARRANGEMENT Independent Living 222 Dependent Living 37 Homeless 66 69 77 50 Other 8 Housing Unknown 2,102 135 123 Housing Unknown 2,102 132 189 197 Housing Unknown 2,102 227 301 298 Employed 22 265 281 269 Unemployed 243 240 292 283 Not in Labor Force 8 250 277 272 Employment Status Unknown 2,102 289 330 302 ARRESTS Arrested in Past 12 Months 247 Arrested in Past 12 Months 247 Arrest Status Unknown 2,103 247 Arres	SPECIAL POPULATION 38 45

CLAY COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who in the past 20 days:		(%)	_	UICIDE Percent	of ctudon	to who In	the nect	12 months		(%)
Percent of students who, in the past 30 days:		18.4	(76) Percent of students who, in the past 12 months: 8.4 Seriously considered attempting suicide					12.1		
Were very sad Were grouchy, irritable, or in a bad mood		23.1		Made a plan about how they would attempt suicide					8.5	
Felt hopeless about the future		11.3	·					licide	4.5	
Felt like not eating or eating more than usual		16.0					resulted	in injury o	overdose that had to	1.6
Slept a lot more or a lot less than usual		20.1				doctor or		iii iiijui y oi	Overdose that had to	1.0
Had difficulty concentrating on school work		22.5								
Trad dimedity concentrating on school work		22.0	R	EBELLIC	OUSNES.	S				
FIGHTING						's who agi				
Percent of students who, in the past 12 months:						s that get				22.5
Were in a physical fight	16.4 They do the opposite of what they're told to make pe						14.2			
Were in a fight and had to be treated by a doctor or nurse		2.8			-		-	permissio	n	7.3
Were threatened or injured with a weapon on school proper	ty	5.2				okay to ch				21.7
BULLYING VICTIM				It is oka	ay to beat	up people	e if they s	tart a fight		47.4
Percent of students who, in the past 3 months:			S	CHOOL	RELATIC	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		22.6					ree with t	he followin	a:	
Were victims of mean rumors or lies spread at school		47.1				_		tudent's go	-	67.2
Had embarrassing or hurtful pictures/text of them posted on	internet	14.1						•	ve student performance	34.0
Had embarrassing or hurtful pictures/text of them sent by ce		17.3			-	student fo	-	-	•	54.4
Were made fun of by others	•	61.3			re enforc					69.0
•				Studen	ts of all ra	ices and e	ethnicities	are treate	d equally	79.0
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		45.0			RELATIC		446 . 4	h a fallanda		
Shoved, slapped, hit, or kicked a student in a serious manner	er	15.3				-		he followin	-	00.7
Spread mean rumors or lies about other kids at school	omoono	29.0 9.7	Parents notice and comment on student's good work Parents involve student in making family decisions							82.7 69.0
Posted on internet embarrassing or hurtful pictures/text of s	11.6	It is important to be honest with parents regardless of consequences							83.0	
Sent by cell phone embarrassing or hurtful pictures/text of someone Made fun of other people					•	76.0				
Made fail of other people		00.0		Sidden	t could as	ik parent i	or neip w	illi a perse	mai probicin	70.0
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	<	€	‡ ≤	€	‡ ≤	₹ ≤	€	≶ ≶	fir us Ar	
	<u>7</u>	ᅙ	Whose closest frier the past 12 months	no s	Who believe they themselves if they	ho s	ᅙ	돌	Among st used sub: first used	
	ave	ave	e clo	ay⊭	elve	se ay	8	e j	subs sed	
	eve	use	ses 2 m	W I	ve t	are	w t	ig Ki	der tanc	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u>=</u>	e i	르	ੜ ਰ	쿲	ᇤ	ght t	nts v	
				<u>-</u>	٧ س			ચ્ ≠		
	8	≢	S B	d be	y risk y us	WO.	e	o œ.	vho Iver	
	ed sub	the pa	ends ha	d be easy	y risk hai y use	would d	be wroi	eir ne	vho hav	
	ed substar	the past 3	ends have u	d be easy to	y risk harmin yy use	would disap	be wrong to	eir neight police for	vho have ex	
	Who have ever used substance	Who have used in the past 30 da	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	would disappro	be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age when the first used	
	ed substance	the past 30 days	ends have used in	d be easy to get	y risk harming sy use	Who say parents would disapprove if they use	Who feel it would be wrong to use	eir neighborhood police for using	who have ever	
Cinarattos		ays	□		isk harming use	===		hood	hen	
Cigarettes Chewing Tobacco	18.6	8.3	<u> </u>	d be easy to get 51.0	y risk harming 83.8	would disapprove if 93.0	be wrong to use	eir neighborhood 1.1 police for using 31.1	who have ever verage age when 13.06	
Chewing Tobacco	18.6 9.6	8.3 5.2	39.8	51.0	isk harming 83.8	93.0	83.2	31.1	13.06	
Chewing Tobacco Alcohol	18.6	8.3 5.2 16.0	□		isk harming use	===		hood	hen	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	18.6 9.6 35.6	8.3 5.2 16.0 8.7	39.8	51.0	tsk harming 83.8	93.0	83.2	31.1 32.2	13.06 13.00	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	18.6 9.6 35.6	8.3 5.2 16.0 8.7 8.3	39.8	51.0	isk harming 83.8	93.0	83.2	31.1	13.06 13.00 13.83	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	18.6 9.6 35.6	8.3 5.2 16.0 8.7	39.8 51.1 38.8	51.0 59.2 37.9	83.8 71.1 73.1	93.0	83.2 64.9 81.4	31.1 32.2 45.3	13.06 13.00	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	18.6 9.6 35.6 16.2 5.5	8.3 5.2 16.0 8.7 8.3 2.0	39.8	51.0 59.2 37.9 17.7	83.8 71.1 73.1 94.1	93.0 80.9 93.9 98.1	83.2 64.9 81.4 95.3	31.1 32.2	13.06 13.00 13.83	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	18.6 9.6 35.6 16.2 5.5	8.3 5.2 16.0 8.7 8.3 2.0	39.8 51.1 38.8	51.0 59.2 37.9 17.7 60.7	83.8 71.1 73.1 94.1 80.8	93.0 80.9 93.9 98.1 95.9	83.2 64.9 81.4 95.3 87.7	31.1 32.2 45.3	13.06 13.00 13.83	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	18.6 9.6 35.6 16.2 5.5 6.6 8.7	8.3 5.2 16.0 8.7 8.3 2.0	39.8 51.1 38.8	51.0 59.2 37.9 17.7	83.8 71.1 73.1 94.1	93.0 80.9 93.9 98.1	83.2 64.9 81.4 95.3	31.1 32.2 45.3	13.06 13.00 13.83	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	18.6 9.6 35.6 16.2 5.5 6.6 8.7 0.8	8.3 5.2 16.0 8.7 8.3 2.0	39.8 51.1 38.8	51.0 59.2 37.9 17.7 60.7	83.8 71.1 73.1 94.1 80.8	93.0 80.9 93.9 98.1 95.9	83.2 64.9 81.4 95.3 87.7	31.1 32.2 45.3	13.06 13.00 13.83	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	18.6 9.6 35.6 16.2 5.5 6.6 8.7 0.8 1.7	8.3 5.2 16.0 8.7 8.3 2.0	39.8 51.1 38.8	51.0 59.2 37.9 17.7 60.7	83.8 71.1 73.1 94.1 80.8	93.0 80.9 93.9 98.1 95.9	83.2 64.9 81.4 95.3 87.7	31.1 32.2 45.3	13.06 13.00 13.83	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	18.6 9.6 35.6 16.2 5.5 6.6 8.7 0.8 1.7	8.3 5.2 16.0 8.7 8.3 2.0	39.8 51.1 38.8	51.0 59.2 37.9 17.7 60.7	83.8 71.1 73.1 94.1 80.8	93.0 80.9 93.9 98.1 95.9	83.2 64.9 81.4 95.3 87.7	31.1 32.2 45.3	13.06 13.00 13.83	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	18.6 9.6 35.6 16.2 5.5 6.6 8.7 0.8 1.7 1.1	8.3 5.2 16.0 8.7 8.3 2.0	39.8 51.1 38.8	51.0 59.2 37.9 17.7 60.7	83.8 71.1 73.1 94.1 80.8	93.0 80.9 93.9 98.1 95.9	83.2 64.9 81.4 95.3 87.7	31.1 32.2 45.3	13.06 13.00 13.83	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K	18.6 9.6 35.6 16.2 5.5 6.6 8.7 0.8 1.7 1.1 3.2 2.3	8.3 5.2 16.0 8.7 8.3 2.0 3.8 4.5	39.8 51.1 38.8 17.4	51.0 59.2 37.9 17.7 60.7 31.8	83.8 71.1 73.1 94.1 80.8 87.7	93.0 80.9 93.9 98.1 95.9 95.4	83.2 64.9 81.4 95.3 87.7 90.5	31.1 32.2 45.3 60.3	13.06 13.00 13.83	14
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	18.6 9.6 35.6 16.2 5.5 6.6 8.7 0.8 1.7 1.1	8.3 5.2 16.0 8.7 8.3 2.0 3.8 4.5	39.8 51.1 38.8 17.4	51.0 59.2 37.9 17.7 60.7 31.8	83.8 71.1 73.1 94.1 80.8 87.7	93.0 80.9 93.9 98.1 95.9 95.4	83.2 64.9 81.4 95.3 87.7 90.5	31.1 32.2 45.3 60.3	13.06 13.00 13.83 11.90	14

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

CLINTON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 049 20,743 20,789



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	224	265	246
Mother Reported Drinking while Pregnant ¹		0	1
Mother Reported Smoking while Pregnant	64	53	57
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	0
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	227	232	265
Suicides	0	4	8
Self-inflicted Injuries	31	26	37
Homicides	0	0	0
Assault Injuries	28	47	48
Alcohol Induced Deaths	1	2	2
Drug Induced Deaths	0	3	3
Smoking Induced Deaths	49	47	48
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	192	149	150
Direct Hospitalizations	74	50	53
Emergency Room Hospitalizations	65	61	59
Emergency Room Outpatient	53	38	38
Drug RelatedTotal	138	115	129
Direct Hospitalizations	57	35	51
Emergency Room Hospitalizations	31	47	43
Emergency Room Outpatient	50	33	35
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	16	13	22
Fatal Crashes	0	1	1
Injury Crashes	4	7	7
Property Damage Crashes	12	5	14
Crash Fatalities	0	1	1
Crash Injuries	5	7	8
Drug Involved CrashesTotal	5	1	2
Fatal Crashes	0	1	0
Injury Crashes	1	0	1
Property Damage Crashes	4	0	1
Crash Fatalities	0	1	0
Crash Injuries	1	1	1
EMPLOYMENT	2011	2010	2009
Labor Force	10,425	10,054	10,466
Employed	9,384	8,967	9,462
Unemployed	1,041	1,087	1,004
Unemployment Rate	10.0%	10.8%	9.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	19	22	20
Alcohol Package Carry-out Licenses	15	13	14

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,028	1,052	1,086
Drop-outs	30	34	35
Drop-out Rate	2.9%	3.2%	3.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	1	1
Drug Incidents	2	0	2
Tobacco Incidents	0	0	1
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	145	88	115
Liquor Law Arrests	28	25	48
Drug Arrests	176	158	111
Methamphetamine Lab Incidents	1	0	0
Violent Offenses	65	61	37
Property Offenses	453	439	372
Domestic Violence Reports	340	299	209
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	79	59	56
Violent Offenses	24	19	9
Alcohol Offenses	11	0	0
Drug Offenses	9	8	3
Status OffensesTotal	57	45	17
Truancy	26	8	8
Beyond Parental Control	7	5	1
Habitually Absent from Home	7	12	7
Injurious Behavior	14	20	1
Abuse/Neglect/CustodyTotal	27	3	6
Abuse	7	0	1
Neglect	20	3	5
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	20	4	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	7	0	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	13	4	1
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	136	119	103
Probation/Parole AdmissionsDrug	43	34	25
Probation/Parole AdmissionsDWI	9	11	4
Prison AdmissionsTotal	102	81	73
Prison AdmissionsDrug	36	26	24
Prison AdmissionsDWI	6	9	4
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

CLINTON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	5	*	*
CSTAR Women and Children	*	0	*
CSTAR General Adult	58	12	14
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	5	13	8
Primary Recovery Treatment	9	51	86
Clinical SATOP (CIP, YCIP, SROP)	11	14	19
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	92	94	106
- Adolescent Diversion Education Program	*	*	6
- Offender Education Program	30	44	40
- Weekend Intervention Program	32	19	24
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	0	0
- Compulsive Gambling	*	0	0
- Recovery Supports	0	15	7
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	57	57	92	Never Married	42	40	70
Female	29	22	36	Married / Cohabitating	23	22	32
	20		00	Previously Married	21	17	26
AGE				•		• •	20
Under 18	5	*	*	PRIMARY DRUG PROBLEM			
18 to 24	13	13	31	Alcohol	44	40	66
25 to 29	18	19	25	Marijuana / Hashish	21	23	32
30 to 34	8	10	16	Cocaine (total)	*	*	*
35 to 39	12	9	12	- Crack	*	*	*
40 to 44	13	10	16	Stimulant (total)	10	9	23
45 to 54	14	13	20	- Methamphetamine	10	9	23
55 and Over	*	*	*	Heroin	*	0	*
RACE / ETHNICITY				Analgesic except Heroin	5	*	0
Caucasian	82	70	124	- Non-Prescription Methadone	*	0	0
African American	· *	6	124	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan		0	0	Tranquilizer	0	*	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	-	-	-	Sedative	0	*	0
Hispanic	0	0	0	Other Medication or Illicit Drug	*	0	0
Other Race / Two or More Races				Average Age at First Use of Drug	18.0	16.5	16.9
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	22	19	32	Any Injection Use at Admission	*	*	9
High School Graduate or G.E.D.	46	42	77	- Daily Injection Use	0	0	0
Associate Degree or Some College	15	15	19	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	*	0	- Less than Weekly Injection Use	*	*	8
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	37	30	68	Self / Family / Friend	20	17	20
Unemployed	33	40	41	School	0	0	0
Not in Labor Force	16	9	19	Mental Health Provider	0	0	0
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	56	49	93
Independent Living	77	74	115	Other Referral Source	8	11	13
Dependent Living	7	*	10	005044 00044 474040			
Homeless	0	*	*	SPECIAL POPULATIONS		*	
LIFETIME DIII / DIA". ADDESTO				Pregnant when Admitted to any Episode		*	0
LIFETIME DUI / DWI ARRESTS	46	~ =	22	Military Veteran		*	6
0	48	37	60	Special Education Services Needed	*		6
1 or 2	24	22	32	Co-Occurring Psychological Problem	15	15	33
3 or More	14	20	36	Co-Occurring Developmental Problem	*	0	*

CLINTON COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 1
CENSUS 2010 20,743
2011 POP. ESTIMATE 20,789

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 9 6 11 **Anxiety Disorder** 41 29 26 Dementia 0 0 0 **Developmental Disorder** 0 Impulse Control Disorder 35 18 18 **Mood Disorder** 85 67 66 Personality Disorder **Psychotic Disorder** 15 13 15 Sexual Disorder 0 0 0 Other Diagnosis 18 5 14 Diagnosis Unknown 25 17 14

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	192	146	129	Hearing Impaired	*	*	*
Male	81	55	49	Past or Current Military Service	*	*	*
Female	111	91	80	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	45	0	*
Under 6	14	8	6	Dependent Living	*	12	0
6 to 9	21	16	8	Homeless	0	0	0
10 to 13	28	18	14	Other	*	0	0
14 to 17	26	21	21	Housing Unknown	144	134	127
18 to 24	_		∠ I *	EMPL OVMENT			
25 to 29	20	9		EMPLOYMENT	*	0	0
	8	11	11	Employed		0	0
30 to 34	21	12	9	Unemployed	45	0	
35 to 39	16	11	12	Not in Labor Force	0	0	0
40 to 44	12	7	11	Employment Status Unknown	144	146	127
45 to 49	7	8	7	ARRESTS			
50 to 54	8	13	15	Arrested in Past 12 Months	*	*	0
55 to 59	6	7	6	Not Arrested in Past 12 Months	44	10	*
60 and Over	5	5	6	Arrest Status Unknown	144	134	127
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	181	141	122	Self / Family / Friend	82	62	40
African American	*	*	*	School	5		40 *
Native American / Alaskan	*	0	0	Mental Health Provider	33	5	00
Asian / Pacific Islander	0	0	0			25	23
Hispanic	*	*	*	Health Care Provider	30	21	27
Other Race	*	*	*	Court / Criminal Justice	10	6	
Race/Ethnicity Unknown	0	0	0	Other	32	27	33
•				Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	19	0	0	Voluntary	192	145	128
High School Grad or G.E.D.	12	0	*	Civil	0	*	*
A.A. Degree or Some College	16	0	0	Criminal	0	0	0
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	144	146	127	Commitment Type Unknown	0	0	0

CLINTON COUNTY

2012 MISSOURI STUDENT SURVEY

20	IZ WIIS	3001	0.0.							
DEPRESSION Persont of students who in the past 20 days:		(%)	5	Doroont	of otudon	towho In	the neet	12 mantha		(%)
Percent of students who, in the past 30 days:								12 months	ï	• •
Were very sad		12.8		Seriously considered attempting suicide						10.5
Were grouchy, irritable, or in a bad mood		26.5							9.9	
Felt like not eating as eating more than usual		9.1					rooultod	lm lmlumi o	r avardosa that had to	3.3 2.5
Felt like not eating or eating more than usual		17.0				doctor or		iii iiijury o	r overdose that had to	2.5
Slept a lot more or a lot less than usual		22.4		DC t	realed by	doctor or	iiuise			
Had difficulty concentrating on school work		23.4		REBELLIC	JUSNES	s				
FIGHTING			•			ts who agi	ree that:			
Percent of students who, in the past 12 months:						s that get		ay		22.7
Were in a physical fight		20.0)			-		-	nake people mad	19.8
Were in a fight and had to be treated by a doctor or nurse		1.1		-			-	permissio		8.7
Were threatened or injured with a weapon on school proper	tv	7.2	2		-	okay to ch	-	-		23.7
	9					-		tart a fight	t	45.0
BULLYING VICTIM					.,	op poop.	. , .		•	
Percent of students who, in the past 3 months:				CHOOL						
Were shoved, slapped, hit, or kicked in a serious manner		32.4				-		he followin		
Were victims of mean rumors or lies spread at school		51.4						tudent's g		67.5
Had embarrassing or hurtful pictures/text of them posted on		9.5			•		•	•	ive student performance	38.4
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	14.2			•	student fo	or hard w	ork		53.2
Were made fun of by others		68.2	2	Rules a	ire enforc	ed fairly				69.1
				Studen	ts of all ra	aces and o	ethnicities	are treate	ed equally	84.6
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:			,	ADENT		24/6				
Shoved, slapped, hit, or kicked a student in a serious manner	or	19.6		PARENT I			roo with t	he followin	na:	
Spread mean rumors or lies about other kids at school	21	26.1				-			-	84.7
Posted on internet embarrassing or hurtful pictures/text of so	nmenne	7.8		Parents notice and comment on student's good work Parents involve student in making family decisions						
	7.2									
Sent by cell phone embarrassing or hurtful pictures/text of someone Made fun of other people			•						onal problem	86.2 81.1
,										
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	€	8	₽₹	8	₹ ≤	₽≤	€	§ §	∄ us ≥	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to ge	Who believe they risk harming themselves if they use	Who say parents would disappr they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
	lave	lave	e clo	ay i	elve	se ay	<u>&</u>	B i	g sti	
	eve	Su)ses 2 m	two	ve t	bare	t w	Cauc	der	
	등	8	on #	틆	they	쭚	ᇤ	ght sin	nts v	
	sed	₹	യ ല	늉	rist V us	WOL	윰	by p	who	
	Sub	8	S R	eas	e a	큡	WO		hav age	
	sta	St 3	We	to	3.	disa	g	e digit	/e e	
	псе	Ö	use	get	3	Ppr	9	r bor	e w	
		ays	声			ove	8	ing no	hen	
01 11	45.0	5.0	00.0	40.4	70.4	=======================================	00.0		11.01	
Cigarettes	15.3	5.6	38.0	42.1	76.4	97.6	83.3	25.2	11.84	
Chewing Tobacco	12.3	5.4								
Alcohol	34.8	14.7	50.2	54.8	64.7	84.7	61.7	28.8	11.86	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		8.4								
Marijuana	8.2	3.7	27.8	24.6	80.6	98.0	90.0	38.9	13.35	
Inhalants	4.2	1.5							10.24	
Illicit drugs such as cocaine, LSD, meth, club drugs			10.9	12.8	91.8	98.5	98.1	46.4		
Over-the-counter medications for non-medical use	2.2	0.5		53.2	79.4	97.9	92.0			
Prescription drugs not prescribed for student	5.1	3.2		31.8	88.4	97.9	94.8			
Heroin	0.4									
Cocaine	0.1									
Methamphetamine	2.6									
Hallucinogens	1.6									
Club drugs such as ecstasy, GHB, roofle, or Special K	0.4									
Synthetic drugs such as K2, bath salts, Spice	6.7							lation estir	mates for age groups 10-	14
Steroids not prescribed for student	0.3		nd 15-19, ercentage					ned answ	er choices.	
• • • • • • • • • • • • • • • • • • • •	_								e counties of Knox. McDo	

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

COLE COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 11 FIPS COUNTY CODE 051 CENSUS 2010 75,990 2011 POP. ESTIMATE 76,448

2011 POPULATION PROFILE BY AGE GROUP 3,000 2,000 1,000

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	946	924	1,010
Mother Reported Drinking while Pregnant ¹		4	8
Mother Reported Smoking while Pregnant	163	197	153
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	3	3	4
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	598	603	625
Suicides	6	12	9
Self-inflicted Injuries	123	72	88
Homicides	1	2	2
Assault Injuries	376	242	293
Alcohol Induced Deaths	6	7	2
Drug Induced Deaths	12	11	4
Smoking Induced Deaths	101	103	121
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	751	647	593
Direct Hospitalizations	133	126	110
Emergency Room Hospitalizations	266	276	265
Emergency Room Outpatient	352	245	218
Drug RelatedTotal	525	408	356
Direct Hospitalizations	147	119	106
Emergency Room Hospitalizations	171	153	141
Emergency Room Outpatient	207	136	109
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	66	83	69
Fatal Crashes	2	1	1
Injury Crashes	24	35	20
Property Damage Crashes	40	47	48
Crash Fatalities	3	1	1
Crash Injuries	33	43	29
Drug Involved CrashesTotal	5	13	15
Fatal Crashes	0	0	0
Injury Crashes	1	7	7
Property Damage Crashes	4	6	8
Crash Fatalities	0	0	0
Crash Injuries	2	7	7
EMPLOYMENT	2011	2010	2009
Labor Force	40,530	40,315	40,400
Employed	37,926	37,520	37,623
Unemployed	2,604	2,795	2,777
Unemployment Rate	6.4%	6.9%	6.9%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	102	100	111
Alcohol Package Carry-out Licenses	67	65	66
Contago outry out Electron	01	00	00

■ Female ■ Male						
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009			
Enrollment Grades 9-12	3,510	3,482	3,514			
Drop-outs	133	133	141			
Drop-out Rate	3.8%	3.8%	4.0%			
School Suspensions, 10 or More Days						
Alcohol Incidents	4	2	12			
Drug Incidents	39	36	46			
Tobacco Incidents	2	0	1			
POLICE REPORTS	2010	2009	2008			
DUI Arrests, DWI Tracking System	388	448	467			
Liquor Law Arrests	126	188	190			
Drug Arrests	268	315	417			
Methamphetamine Lab Incidents	3	2	0			
Violent Offenses	263	308	286			
Property Offenses	2,103	1,811	2,137			
Domestic Violence Reports	711	580	664			
JUVENILE COURT REFERRALS	2010	2009	2008			
Law Violation OffensesTotal	491	741	574			
Violent Offenses	146	235	176			
Alcohol Offenses	17	31	19			
Drug Offenses	40	68	42			
Status OffensesTotal	264	261	196			
Truancy	52	23	24			
Beyond Parental Control	25	15	13			
Habitually Absent from Home	53	77	68			
Injurious Behavior	134	146	91			
Abuse/Neglect/CustodyTotal	278	279	218			
Abuse	161	138	115			
Neglect	117	139	96			
Custody Disputes	0	2	7			
JUVENILE COURT PLACEMENTS	2010	2009	2008			
Out-of-Home PlacementsTotal	64	41	25			
Parental Alcohol Use Related	4	3	1			
Parental Drug Use Related	13	7	9			
Parental Alcohol and Drug Use	1	2	0			
Child Removed for Other Reason	46	29	15			
CRIMINAL JUSTICE	FY2011	FY2010	FY2009			
Drug Court Participants	67	66	70			
Probation/Parole AdmissionsTotal	376	405	375			
Probation/Parole AdmissionsDrug	128	147	146			
Probation/Parole AdmissionsDWI	43	29	21			
Prison AdmissionsTotal	186	162	211			
Prison AdmissionsDrug	65	61	85			
Prison AdmissionsDWI	9	21	23			
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed			

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	36	34	35
CSTAR Women and Children	44	60	48
CSTAR General Adult	288	46	20
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	67	63	75
Primary Recovery Treatment	84	409	464
Clinical SATOP (CIP, YCIP, SROP)	95	77	58
Other Substance Abuse Treatment	*	*	16

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	343	457	449
- Adolescent Diversion Education Program	25	57	66
- Offender Education Program	113	161	157
- Weekend Intervention Program	79	105	116
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	11	*	13
- Compulsive Gambling	*	5	*
- Recovery Supports	*	15	20
- Early Intervention	29	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	354	437	476	Never Married	303	329	385
Female	150	139	153	Married / Cohabitating	88	120	113
	100	100	100	Previously Married	113	127	131
AGE				•	110	,	101
Under 18	40	33	38	PRIMARY DRUG PROBLEM			
18 to 24	104	119	151	Alcohol	253	287	310
25 to 29	87	98	117	Marijuana / Hashish	124	162	191
30 to 34	71	99	73	Cocaine (total)	24	42	57
35 to 39	49	60	70	- Crack	10	19	30
40 to 44	51	67	67	Stimulant (total)	28	26	20
45 to 54	82	83	95	- Methamphetamine	25	25	20
55 and Over	20	17	18	Heroin	41	27	18
RACE / ETHNICITY				Analgesic except Heroin	23	23	19
Caucasian	381	409	445	- Non-Prescription Methadone	0	*	0
African American	103	140	161	PCP, LSD, other Hallucinogen	*	*	5
Native American / Alaskan	*	*	*	Tranquilizer	7	*	7
Asian / Pacific Islander	*	*	*	Inhalant	0	*	0
Hispanic	*	5	5	Sedative	*	*	*
Other Race / Two or More Races	14	20	14	Other Medication or Illicit Drug	*	*	*
Other Nace / Two or More Naces	14	20	14	Average Age at First Use of Drug	16.6	16.8	16.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	171	187	205	Any Injection Use at Admission	42	34	24
High School Graduate or G.E.D.	212	256	273	- Daily Injection Use	12	11	6
Associate Degree or Some College	109	116	127	- Weekly Injection Use	15	9	*
Bachelor or Advanced Degree	12	17	24	- Less than Weekly Injection Use	15	14	16
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	162	206	258	Self / Family / Friend	147	133	138
Unemployed	173	234	211	School	0	*	*
Not in Labor Force	169	136	160	Mental Health Provider	6	9	14
				Health Care Provider	15	11	23
LIVING ARRANGEMENT				Court / Criminal Justice	279	406	419
Independent Living	427	490	538	Other Referral Source	56	16	32
Dependent Living	50	59	65	0050141 000111 4710110			
Homeless	19	13	15	SPECIAL POPULATIONS	_	40	-
LIFETIME DI II / DIA" A DEFETO				Pregnant when Admitted to any Episode	7	10	5
LIFETIME DUI / DWI ARRESTS	0.40	000	000	Military Veteran	19	30	32
0	243	303	339	Special Education Services Needed	44	43	67
1 or 2	170	169	193	Co-Occurring Psychological Problem	173	227	237
3 or More	91	104	97	Co-Occurring Developmental Problem	12	15	10

COLE COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 11 75,990 2011 POP. ESTIMATE 76,448

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 37 15 10 **Anxiety Disorder** 209 141 179 Dementia 8 7 **Developmental Disorder** 6 6 Impulse Control Disorder 57 48 49 **Mood Disorder** 289 293 324 Personality Disorder 90 96 111 **Psychotic Disorder** 178 177 184 Sexual Disorder Other Diagnosis 40 48 62 Diagnosis Unknown 93 39 39

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	578	523	608	Hearing Impaired	24	27	33
Male	259	243	311	Past or Current Military Service	25	22	37
Female	319	280	297	•			
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	276	151	153
Under 6	*	*	*	Dependent Living	61	52	42
6 to 9	10	5	7	Homeless	11	*	*
10 to 13	32	30	36	Other		*	*
14 to 17	39	33	44	Housing Unknown	226	314	408
18 to 24	40	36	56	EMPLOYMENT			
25 to 29	45	37	43	Employed	41	21	27
30 to 34	43	38	47	Unemployed	280	133	138
35 to 39	57	50	49	Not in Labor Force	31	35	22
40 to 44	59	59	67	Employment Status Unknown	226	334	421
45 to 49	79	74	89				
50 to 54	73	64	66	ARRESTS		40	•
55 to 59	49	49	43	Arrested in Past 12 Months	29	12	8
60 and Over	49	46	60	Not Arrested in Past 12 Months	321	197	192
				Arrest Status Unknown	228	314	408
RACE / ETHNICITY				TD54T454T D555DD44 004D05			
Caucasian	468	438	509	TREATMENT REFERRAL SOURCE	000	070	007
African American	72	60	74	Self / Family / Friend	300	276	237
Native American / Alaskan	*	0	*	School			
Asian / Pacific Islander	0	0	0	Mental Health Provider	110	107	132
Hispanic	14	10	13	Health Care Provider	51	23	35
Other Race	22	15	11	Court / Criminal Justice	25	25	105
Race/Ethnicity Unknown	0	0	0	Other Referral Source Unknown	91	91	96 *
				Referral Source Unknown	0	0	
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	109	65	68	Voluntary	565	510	501
High School Grad or G.E.D.	167	88	86	Civil	*	0	93
A.A. Degree or Some College	54	25	25	Criminal	12	13	13
Bachelor or Advanced Degree	17	11	8	Sexual Predatory	0	0	0
Education Level Unknown	231	334	421	Commitment Type Unknown	0	0	*

COLE COUNTY

2012 MISSOURI STUDENT SURVEY

EPRESSION		(%)	ક	SUICIDE	of atudon	to who in	the neet	12 months		(%
Percent of students who, In the past 30 days: Were very sad		20.9				<i>ts wno, in</i> lered atter		12 months. icido	•	•
					-		-		uloldo	13.8
Were grouchy, irritable, or in a bad mood		25.2			•		ey would	attempt su	licide	10.4
Felt hopeless about the future		11.9			ted suicio		rooultod	In Inlum.	r avardosa that had to	6.2
Felt like not eating or eating more than usual		17.4				doctor or		in injury or	r overdose that had to	2.3
Slept a lot more or a lot less than usual		19.5		DC t	realed by	doctor or	Huise			
Had difficulty concentrating on school work		23.7		REBELLIC	OUSNES	s				
IGHTING			•			ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		26.
Were in a physical fight		18.6							ake people mad	15.3
Were in a fight and had to be treated by a doctor or nurse		3.0 It is okay to take something without permission						8.2		
Were threatened or injured with a weapon on school property		7.0		Someti	mes it is	okay to ch	eat at sc	hool		28.
				It is oka	ay to beat	t up people	e if they s	start a fight		52.
ULLYING VICTIM										
Percent of students who, in the past 3 months:		040		CHOOL						
Were shoved, slapped, hit, or kicked in a serious manner		24.9				_		he followin	-	
Were victims of mean rumors or lies spread at school		49.1						tudent's go		65.3
Had embarrassing or hurtful pictures/text of them posted on		13.7			-		-	-	ve student performance	33.4
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	16.9				student fo	or hard w	ork		52.2
Were made fun of by others		62.0			are enforc	-				59.
ULLYING PERPRETRATOR				Studen	its of all ra	aces and e	ethnicities	s are treate	ed equally	68.
Percent of students who, in the past 3 months:				PARENT	DEI ATIC	DA/C				
Shoved, slapped, hit, or kicked a student in a serious manner	er.	21.1					ree with t	he followin	a:	
Spread mean rumors or lies about other kids at school		31.9				_		ident's goo	-	82.
Posted on internet embarrassing or hurtful pictures/text of someone		9.9						amily decis		67.
Sent by cell phone embarrassing or hurtful pictures/text of so		11.7						-	dless of consequences	84.
Made fun of other people	Jilicolic	66.5							onal problem	71.
UBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	<	<	= <	<	= <	≠ <	<	s <	⇒ c >	
	₹	₹	e p	ਰੋ	em 8	ey ∂	ਰੋ	일	mo sed	
	hav	hav	se c	say	beli	say	<u>ē</u>	be th	Among st used sub: first used	
	e e	e E	lose 12 n	≓ ≤	es eye	par	≕ ≤	8 중	tude	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disappro they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wh first used	
	sec	<u>5</u>	g eg	be	y ris	W	<u> </u>	호	who	
	us t	ਰ ਰ	ds	ea	risk ha	ᇤ	W.	<u> </u>	o ha	
	bsta	ast	lave	sy to	arm	dis	ong	<u> 윤</u>	le ag	
	Ince	8	SE	ge	g	ള	ð		ever ge w	
		ays	E E	-		ove if	Se	thood sing	hen	
Cigarottee	25.1	11.3	47.1	54.7	83.6	91.1	80.4	23.9	12.48	
Chowing Tobacco	9.5	5.1	47.1	34.7	03.0	91.1	00.4	23.9	12.40	
Chewing Tobacco Alcohol			60.6	62.0	60.0	77 4	EE O	25.0	12.64	
	43.4	19.2	62.6	63.9	69.2	77.1	55.9	25.8	12.64	
Binge Alcohol (5+ drinks on one occasion in past 30 days)	10.0	10.6	11 1	40.4	74.0	00.7	70.0	40.0	12.50	
Marijuana	16.8	8.2	41.1	40.4	71.2	92.7	79.3	40.3	13.59	
Inhalants	4.5	1.8	40.0	40.0	04.0	00.0	05.0	40.7	12.05	
Illicit drugs such as cocaine, LSD, meth, club drugs			16.9	19.0	94.8	98.0	95.0	49.7		
Over-the-counter medications for non-medical use	7.3	4.7		59.0	81.4	95.8	87.5			
Prescription drugs not prescribed for student	9.6	5.1		32.4	88.2	94.9	90.5			
Heroin	0.5									
Cocaine	1.7									
Methamphetamine	0.9									
Hallucinogens	3.6									
Club drugs such as ecstasy, GHB, roofle, or Special K	2.7									
Cunthatia drugs such as K2 hath salts. Chica	7.6								nates for age groups 10-	4.4

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

7.6

COOPER COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 12 FIPS COUNTY CODE 053 CENSUS 2010 17,601 2011 POP. ESTIMATE 17,663

2	2011 POPULATION PROFILE BY AGE GROUP	
	1,000	
	800	
	600	
	400	
	200	╟╢╢╫┰╂╴
	0	
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	■ Female ■ Male	

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	187	204	236
Mother Reported Drinking while Pregnant ¹		0	5
Mother Reported Smoking while Pregnant	41	42	58
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	177	186	213
Suicides	3	4	3
Self-inflicted Injuries	22	21	14
Homicides	0	0	0
Assault Injuries	58	60	45
Alcohol Induced Deaths	1	0	2
Drug Induced Deaths	1	2	3
Smoking Induced Deaths	35	30	35
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	122	122	113
Direct Hospitalizations	34	34	36
Emergency Room Hospitalizations	33	26	32
Emergency Room Outpatient	55	62	45
Drug RelatedTotal	81	60	49
Direct Hospitalizations	24	31	20
Emergency Room Hospitalizations	32	10	5
Emergency Room Outpatient	25	19	24
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	34	25	34
Fatal Crashes	0	2	1
Injury Crashes	16	8	14
Property Damage Crashes	18	15	19
Crash Fatalities	0	2	1
Crash Injuries	22	8	17
Drug Involved CrashesTotal	2	3	5
Fatal Crashes	0	0	0
Injury Crashes	1	2	4
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	1	2	5
EMPLOYMENT	2011	2010	2009
Labor Force	8,674	8,663	9,099
Employed	7,927	7,866	8,276
Unemployed	747	797	823
Unemployment Rate	8.6%	9.2%	9.0%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	21	20	22
Alcohol Package Carry-out Licenses	24	26	28
			_5

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	837	936	962
Drop-outs	18	19	28
Drop-out Rate	2.2%	2.0%	2.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	1	1
Drug Incidents	1	1	1
Tobacco Incidents	3	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	157	92	150
Liquor Law Arrests	51	76	74
Drug Arrests	150	121	130
Methamphetamine Lab Incidents	22	18	5
Violent Offenses	23	39	22
Property Offenses	440	419	486
Domestic Violence Reports	63	78	79
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	110	71	198
Violent Offenses	32	25	42
Alcohol Offenses	12	4	6
Drug Offenses	2	2	8
Status OffensesTotal	117	88	146
Truancy	8	8	11
Beyond Parental Control	13	9	19
Habitually Absent from Home	7	11	9
Injurious Behavior	83	54	91
Abuse/Neglect/CustodyTotal	11	11	19
Abuse	1	4	10
Neglect	10	7	9
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	22	15	22
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	4	0	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	18	14	19
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	22	14	15
Probation/Parole AdmissionsTotal	146	108	117
Probation/Parole AdmissionsDrug	47	32	33
Probation/Parole AdmissionsDWI	19	10	8
Prison AdmissionsTotal	72	53	56
Prison AdmissionsDrug	29	16	17
Prison AdmissionsDWI	8	4	3
* An asterisk in a data cell indicates the co		han 5 and su	

An asterisk in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

COOPER COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	6	*	*
CSTAR Women and Children	10	14	7
CSTAR General Adult	40	8	*
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	10	9	*
Primary Recovery Treatment	26	59	57
Clinical SATOP (CIP, YCIP, SROP)	11	12	11
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	56	75	79
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	23	24	37
- Weekend Intervention Program	13	17	24
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	8	*	*
- Compulsive Gambling	*	0	0
- Recovery Supports	*	*	*
- Early Intervention	0	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	58	66	53	Never Married	40	47	35
Female	22	21	29	Married / Cohabitating	20	16	21
		-1	20	Previously Married	20	24	26
AGE				•	20		20
Under 18	7	*	*	PRIMARY DRUG PROBLEM			
18 to 24	11	15	13	Alcohol	38	42	47
25 to 29	14	20	19	Marijuana / Hashish	22	27	20
30 to 34	18	8	14	Cocaine (total)	5	8	7
35 to 39	12	8	9	- Crack	*	*	6
40 to 44	6	11	5	Stimulant (total)	13	8	5
45 to 54	10	16	15	- Methamphetamine	13	8	5
55 and Over	*	5	*	Heroin	0	0	*
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	71	68	64	- Non-Prescription Methadone	0	0	0
African American	7	16	-	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	11	Tranquilizer	*	*	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	*	*	*	Sedative	0	0	0
Hispanic	*	*	-	Other Medication or Illicit Drug	0	0	*
Other Race / Two or More Races			5	Average Age at First Use of Drug	15.4	17.2	17.5
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	22	27	25	Any Injection Use at Admission	8	*	*
High School Graduate or G.E.D.	47	50	34	- Daily Injection Use	*	*	0
Associate Degree or Some College	11	8	21	- Weekly Injection Use	0	0	*
Bachelor or Advanced Degree	0	*	*	- Less than Weekly Injection Use	5	0	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	24	20	32	Self / Family / Friend	19	22	16
Unemployed	33	41	28	School	0	0	0
Not in Labor Force	23	26	22	Mental Health Provider	*	0	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	54	55	56
Independent Living	66	73	73	Other Referral Source	*	7	6
Dependent Living	10	8	5	005044 00044 474040			
Homeless	*	*	*	SPECIAL POPULATIONS	*	*	
LIFETIME DI II / DI II / DD				Pregnant when Admitted to any Episode			-
LIFETIME DUI / DWI ARRESTS		0-	0.0	Military Veteran	5	5	5
0	33	35	33	Special Education Services Needed	7	10	12
1 or 2	30	33	32	Co-Occurring Psychological Problem	20	28	24
3 or More	17	19	17	Co-Occurring Developmental Problem	*	*	6

COOPER COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 12 CENSUS 2010 17,601 2011 POP. ESTIMATE 17,663 disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 5 **Anxiety Disorder** 31 51 34 Dementia 0 0 **Developmental Disorder** 0 Impulse Control Disorder 7 **Mood Disorder** 75 84 59 Personality Disorder 6 12 **Psychotic Disorder** 19 12 13 Sexual Disorder 0 0 0 Other Diagnosis 10 Diagnosis Unknown 37 18

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	120	96	143	Hearing Impaired	*	*	*
Male	50	33	65	Past or Current Military Service	*	*	5
Female	70	63	78	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	63	20	30
Under 6	0	0	*	Dependent Living	6	6	5
6 to 9	*	*	8	Homeless	0	0	*
10 to 13	*	*	14	Other	*	0	0
14 to 17	5	*	10	Housing Unknown	48	70	107
18 to 24	13	13	17	EMPLOYMENT			
25 to 29	23	19	17	Employed	13	5	*
30 to 34	21	10	16	Unemployed	54	16	26
35 to 39	7	7	11	Not in Labor Force	*	*	*
40 to 44	5	*	9	Employment Status Unknown	49	74	109
45 to 49	5	8	11				
50 to 54	10	9	9	ARRESTS			
55 to 59	15	12	10	Arrested in Past 12 Months	14	7	*
60 and Over	9	6	10	Not Arrested in Past 12 Months	58	19	32
				Arrest Status Unknown	48	70	107
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	101	78	118	Self / Family / Friend	68	57	83
African American	14	13	18	School	0	0	0
Native American / Alaskan	0	0	*	Mental Health Provider	10	12	18
Asian / Pacific Islander	0	0	0	Health Care Provider	23	8	18
Hispanic	*	*	*	Court / Criminal Justice	23 7	5	14
Other Race	*	*	*	Other	12	13	
Race/Ethnicity Unknown	0	0	*	Referral Source Unknown	0	*	9
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	16	7	14	Voluntary	116	92	127
High School Grad or G.E.D.	40	12	15	Civil	*	*	14
A.A. Degree or Some College	15	*	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	0	*	Sexual Predatory	0	0	0
Education Level Unknown	48	74	109	Commitment Type Unknown	0	*	*
	.0			••	•		

COOPER COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, In the past 30 days:		(%)	5	SUICIDE Parcent i	nf ctudon	tewho in	the nact	12 months	•		(%)
Were very sad		20.1				lered atter			•		14.1
Were grouchy, irritable, or in a bad mood		29.6			-			attempt su	ıicide		13.4
Felt hopeless about the future		14.0			ted suicio		cy would	attempt 30	aiciuc		5.3
Felt like not eating or eating more than usual		17.3					resulted	in injury o	r overdose that	t had to	2.2
Slept a lot more or a lot less than usual		21.6				doctor or		iii iiijui y o	i overdose indi	i ilaa to	2.2
Had difficulty concentrating on school work		25.5			•						
riad difficulty concentrating on school work		20.0	F	REBELLIC	OUSNES	s					
FIGHTING						ts who agi					
Percent of students who, in the past 12 months:						s that get		-			22.5
Were in a physical fight		23.2		-			_		iake people ma	ad	14.1
Were in a fight and had to be treated by a doctor or nurse		2.8		It is oka	ay to take	somethin	g without	permissio	n		5.6
Were threatened or injured with a weapon on school proper	ty	6.7		Sometimes it is okay to cheat at school							21.9
DULL VINO MOTIN				It is oka	ay to beat	t up people	e if they s	tart a fight			49.8
BULLYING VICTIM Percent of students who, in the past 3 months:				2011001	DEL 471	24/0					
Were shoved, slapped, hit, or kicked in a serious manner		26.4	2	SCHOOL . Percent i			roo with t	he followin	a.		
Were victims of mean rumors or lies spread at school		50.7				_		tudent's go	-		62.9
Had embarrassing or hurtful pictures/text of them posted on	internet	15.5						•	ve student per	formance	36.7
Had embarrassing or hurtful pictures/text of them sent by ce		18.4			•	student fo	•	•	ve student per	ioimanee	46.5
Were made fun of by others	ii piione	68.3			re enforc		i ilala w	ork.			52.6
Word made fail of by others		00.0				-	thnicities	are treate	ed equally		73.5
Percent of students who, in the past 3 months: Shoved, slapped, hit, or kicked a student in a serious manner. Spread mean rumors or lies about other kids at school. Posted on internet embarrassing or hurtful pictures/text of schools. Sent by cell phone embarrassing or hurtful pictures/text of schools. Made fun of other people. SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	omeone omeone	20.8 33.3 9.5 11.3 72.4 Who have us		Parents Parents It is imp	of students notice as involve portant to t could as	ts who againd common student in be hones sk parent f	ent on stu making f t with par for help w	rith a perso	od work sions dless of consec onal problem	quences	80.2 65.6 83.1 72.2
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used		
Cigarettes	31.7	16.0	50.7	57.3	80.6	90.7	77.7	21.6	12.58		
Chewing Tobacco	15.8	7.7									
Alcohol	54.6	27.2	62.9	61.6	65.8	72.0	50.2	23.5	12.31		
Binge Alcohol (5+ drinks on one occasion in past 30 days)		17.3									
Marijuana	22.9	13.0	47.0	46.2	68.7	93.8	79.9	36.7	13.39		
Inhalants	8.1	3.5	0:5	4- 1	00.5	00.0	00.0	46 =	13.46		
Illicit drugs such as cocaine, LSD, meth, club drugs			21.6	19.4	93.3	98.6	96.8	49.5			
Over-the-counter medications for non-medical use	8.8	6.0		54.4	78.1	96.1	84.6				
Prescription drugs not prescribed for student											
	12.0	6.3		30.2	85.2	96.1	87.6				
Heroin Cocaine	12.0 0.7 2.1	6.3		30.2	85.2	96.1	87.6				

Data source:

Methamphetamine

Hallucinogens

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofle, or Special K

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

1.1

4.6


1.8

10.2

CRAWFORD COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 17 055 24,696 24,800



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	273	295	326
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	79	106	100
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	1
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	281	279	287
Suicides	3	4	3
Self-inflicted Injuries	23	29	20
Homicides	0	0	0
Assault Injuries	97	69	77
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	8	4	4
Smoking Induced Deaths	53	67	62
Shoking induced Deaths	55	07	02
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	252	173	161
Direct Hospitalizations	99	59	53
Emergency Room Hospitalizations	60	41	53
Emergency Room Outpatient	93	73	55
Drug RelatedTotal	240	181	159
Direct Hospitalizations	94	51	46
Emergency Room Hospitalizations	44	66	49
Emergency Room Outpatient	102	64	64
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	33	51	31
Fatal Crashes	5	0	0
Injury Crashes	16	14	17
Property Damage Crashes	12	37	14
Crash Fatalities	5	0	0
Crash Injuries	29	20	19
Drug Involved CrashesTotal	4	4	5
Fatal Crashes	1	0	1
Injury Crashes	3	1	2
Property Damage Crashes	0	3	2
Crash Fatalities	1	0	1
Crash Injuries	3	1	5
EMPLOYATAT	0044	0040	0000
EMPLOYMENT	2011	2010	2009
Labor Force	11,812	11,775	12,201
Employed	10,629	10,452	10,846
Unemployed	1,183	1,323	1,355
Unemployment Rate	10.0%	11.2%	11.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	30	28	30
Alcohol Package Carry-out Licenses	30	29	31

SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	977	964	966
Drop-outs	42	54	70
Drop-out Rate	4.3%	5.6%	7.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	1	6	2
Drug Incidents	9	21	18
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	185	135	160
Liquor Law Arrests	297	229	170
Drug Arrests	302	328	295
Methamphetamine Lab Incidents	37	26	24
Violent Offenses	63	65	18
Property Offenses	913	751	446
Domestic Violence Reports	352	354	253
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	134	130	140
Violent Offenses	42	42	51
Alcohol Offenses	11	10	11
Drug Offenses	18	26	18
Status OffensesTotal	81	85	67
Truancy	21	17	10
Beyond Parental Control	33	39	47
Habitually Absent from Home	1	1	2
Injurious Behavior	7	14	6
Abuse/Neglect/CustodyTotal	20	28	29
Abuse	2	4	3
Neglect	18	24	26
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	22	29	34
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	8	9	15
Parental Alcohol and Drug Use	0	1	1
Child Removed for Other Reason	14	19	18
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	21	27	31
Probation/Parole AdmissionsTotal	257	269	253
Probation/Parole AdmissionsDrug	105	106	92
Probation/Parole AdmissionsDWI	16	15	18
Prison AdmissionsTotal	122	172	143
Prison AdmissionsDrug	47	48	41
Prison AdmissionsDWI	5	21	14

- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

CRAWFORD COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	6	11	16
CSTAR Women and Children	6	6	13
CSTAR General Adult	78	42	27
CSTAR Opioid	*	*	*
Primary Recovery Detoxification	13	19	14
Primary Recovery Treatment	210	258	289
Clinical SATOP (CIP, YCIP, SROP)	18	17	12
Other Substance Abuse Treatment	0	*	39

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	83	134	116
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	30	47	39
- Weekend Intervention Program	20	32	38
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	*
- Compulsive Gambling	0	*	*
- Recovery Supports	26	61	31
- Early Intervention	8	5	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	229	249	258	Never Married	142	157	162
Female	82	98	93	Married / Cohabitating	88	107	113
	02	00	50	Previously Married	81	83	76
AGE					01	00	
Under 18	7	11	16	PRIMARY DRUG PROBLEM			
18 to 24	59	68	89	Alcohol	135	143	135
25 to 29	64	63	60	Marijuana / Hashish	79	87	109
30 to 34	48	50	42	Cocaine (total)	*	9	7
35 to 39	30	52	47	- Crack	*	6	*
40 to 44	32	29	43	Stimulant (total)	51	64	64
45 to 54	57	61	47	- Methamphetamine	50	62	62
55 and Over	14	13	7	Heroin	11	9	12
RACE / ETHNICITY				Analgesic except Heroin	25	30	19
Caucasian	304	333	344	- Non-Prescription Methadone	0	*	0
African American	*	9	*	PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan	0	0	0	Tranquilizer	*	5	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	6	*	6	Sedative	*	0	0
Other Race / Two or More Races	*	*	*	Other Medication or Illicit Drug	*	0	*
Other Nace / Two of More Naces				Average Age at First Use of Drug	17.7	17.7	17.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	129	130	134	Any Injection Use at Admission	32	47	30
High School Graduate or G.E.D.	144	167	164	- Daily Injection Use	7	*	6
Associate Degree or Some College	37	48	47	- Weekly Injection Use	*	8	5
Bachelor or Advanced Degree	*	*	6	- Less than Weekly Injection Use	21	36	19
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	82	105	126	Self / Family / Friend	63	58	58
Unemployed	154	154	125	School	0	0	*
Not in Labor Force	75	88	100	Mental Health Provider	*	6	5
				Health Care Provider	6	10	*
LIVING ARRANGEMENT				Court / Criminal Justice	221	251	259
Independent Living	288	316	326	Other Referral Source	19	21	25
Dependent Living	18	21	22	005044 00044 474040			
Homeless	5	8	*	SPECIAL POPULATIONS	*	•	
LIFETIME DUI / DIA" A DOCOTO				Pregnant when Admitted to any Episode		0	8
LIFETIME DUI / DWI ARRESTS	400	044	000	Military Veteran	12	12	18
0	188	211	232	Special Education Services Needed	28	42	42
1 or 2	87	96	79	Co-Occurring Psychological Problem	51 *	137	132
3 or More	36	40	40	Co-Occurring Developmental Problem	*	11	7

CRAWFORD COUNTY



ADA/CPS REGION Southeast
CPS SERVICE AREA 17A
CENSUS 2010 24,696
2011 POP. ESTIMATE 24,800

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009				
Adjustment Disorder	10	15	16				
Anxiety Disorder	128	114	84				
Dementia	0	0	0				
Developmental Disorder	*	*	*				
Impulse Control Disorder	50	61	57				
Mood Disorder	266	221	173				
Personality Disorder	11	18	18				
Psychotic Disorder	48	46	48				
Sexual Disorder	0	0	0				
Other Diagnosis	14	20	22				
Diagnosis Unknown	14	44	80				

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	372	357	352	Hearing Impaired	13	15	13
Male	158	159	164	Past or Current Military Service	10	7	8
Female	214	198	188	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	132	13	24
Under 6	5	6	*	Dependent Living	19	31	16
6 to 9	22	28	29	Homeless	0	*	0
10 to 13	25	29	32	Other	*	*	*
14 to 17	23	29	32	Housing Unknown	220	310	311
18 to 24	27	32	34	EMPLOYMENT			
25 to 29	46	34	34 27	Employed	16	*	*
30 to 34	40	29	33	Unemployed	111	15	27
35 to 39	28	33	33 25	Not in Labor Force	25	15	27
	_		_		_		204
40 to 44	37	28	27	Employment Status Unknown	220	336	321
45 to 49	42	45	44	ARRESTS			
50 to 54	31	30	31	Arrested in Past 12 Months	6	7	7
55 to 59	25	19	17	Not Arrested in Past 12 Months	146	40	34
60 and Over	21	17	17	Arrest Status Unknown	220	310	311
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	362	345	339	Self / Family / Friend	263	257	223
African American	*	*	*	School	203	7	9
Native American / Alaskan	0	*	0	Mental Health Provider	8	8	14
Asian / Pacific Islander	0	0	0	Health Care Provider	24	19	24
Hispanic	6	7	6	Court / Criminal Justice	12	19	24 17
Other Race	*	*	*	Other			
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	61 0	54 0	63
EDUCATION.					· ·	Ü	
EDUCATION		44	40	TYPE OF COMMITMENT	205	244	22.4
Less than High School Diploma	69	11	12	Voluntary	365	344	334
High School Grad or G.E.D.	65	10	12	Civil	6	12	12
A.A. Degree or Some College	15	0	6	Criminal			*
Bachelor or Advanced Degree	*	0	*	Sexual Predatory	0	0	0
Education Level Unknown	222	336	321	Commitment Type Unknown	0	0	*

CRAWFORD COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)	s	UICIDE						(%)
Percent of students who, in the past 30 days:							-	12 months	:	· ·
Were very sad		25.1			-	ered atter				14.5
Were grouchy, irritable, or in a bad mood		28.4			•		ey would	attempt su	uicide	11.2
Felt hopeless about the future		12.9			ted suicid		rooultod	la laluar o	r avardosa that had ta	8.1 3.4
Felt like not eating or eating more than usual		19.8 21.6				doctor or		in injury o	r overdose that had to	3.4
Slept a lot more or a lot less than usual		24.4		DC ti	realed by	doctor or	iiuisc			
Had difficulty concentrating on school work		24.4		EBELLIC	OUSNES.	s				
FIGHTING				Percent of	of student	's who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ıay		24.8
Were in a physical fight		24.9		They do	o the opp	osite of w	hat they'r	e told to m	nake people mad	16.2
Were in a fight and had to be treated by a doctor or nurse		3.8		It is oka	ay to take	somethin	g without	permissio	n	7.6
Were threatened or injured with a weapon on school proper	rty	7.9		Someti	mes it is o	kay to ch	eat at scl	hool		27.9
DULL LYBUO LUOTUA				It is oka	ay to beat	up people	e if they s	start a fight	t	53.2
BULLYING VICTIM Percent of students who, in the past 3 months:			_	011001	DEL 4711	24/0				
Were shoved, slapped, hit, or kicked in a serious manner		29.0		CHOOL : Percent i			roo with t	he followin	na·	
Were victims of mean rumors or lies spread at school		53.4				_		tudent's g	-	66.8
Had embarrassing or hurtful pictures/text of them posted on	internet	15.2						_	ive student performance	
Had embarrassing or hurtful pictures/text of them sent by ce		17.3			-	student fo	-	-	ive student performance	52.9
Were made fun of by others	on priorio	62.9			re enforc		or mara w	OI K		57.4
Word made fair of by carons		02.0				-	ethnicities	s are treate	ed equally	78.4
BULLYING PERPRETRATOR				Otadon		ioos ana (o aro around	ou oquany	
Percent of students who, in the past 3 months:				ARENT						
Shoved, slapped, hit, or kicked a student in a serious mann	er	24.2				-		he followin		
Spread mean rumors or lies about other kids at school 28.5 Parents notice and comment on student's good work				79.0						
Posted on internet embarrassing or hurtful pictures/text of s		10.1	, and the second se						61.9	
Sent by cell phone embarrassing or hurtful pictures/text of s	someone	11.4						_		83.8
Made fun of other people		66.6		Studen	t could as	k parent i	or help w	ith a perso	onal problem	69.3
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	<	<	⇒ ≤	<	≠ <	⇒ ≤	<	s s	⇒c >	
	₹	ह	hos	₹	em /b	€ ₽	8	<u>6</u>	mor sed	
	Who have ever used substance	Who have used in the past 30 da	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	say	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wf first used	
	eev	SI	ose 12 m	≓	es #	par	₹	Car Ki	tude	
	er L	<u>8</u>	ont fr	읊	# # #	ents	읎	ght in	ints	
	Sed		ts leg	ᇛ	/ ris	8	듄	\$ ₹	who	
	SL	e p	굸	eas	ĕ k	튭	WTC		rage	
	osta	ast :	ave	y to	3.	disa	ğ	eigh fc	ve e	
	nce	0 d	use	get	9		5		e w	
		ays	e e			Who say parents would disapprove if they use	8	aing hood	hen	
0		40.0			70.0		74.0		11.70	
Cigarettes	30.8	16.8	55.2	56.5	76.9	86.5	71.9	16.2	11.70	
Chewing Tobacco										
	17.5	8.9								
Alcohol	17.5 46.6	19.4	60.2	57.1	67.1	74.7	55.9	21.9	12.37	
Binge Alcohol (5+ drinks on one occasion in past 30 days)	46.6	19.4 12.4								
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	46.6	19.4 12.4 11.1	60.2	57.1 38.5	67.1 67.8	74.7 88.7	55.9 77.2	21.9	13.07	
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	46.6	19.4 12.4	40.4	38.5	67.8	88.7	77.2	34.7		
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	20.0 8.6	19.4 12.4 11.1 4.0		38.5	67.8 90.6	88.7 98.2	77.2 93.7		13.07	
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	20.0 8.6 6.8	19.4 12.4 11.1 4.0	40.4	38.5 20.9 52.7	67.8 90.6 77.5	88.7 98.2 93.5	77.2 93.7 88.8	34.7	13.07	
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	20.0 8.6 6.8 12.6	19.4 12.4 11.1 4.0	40.4	38.5	67.8 90.6	88.7 98.2	77.2 93.7	34.7	13.07	
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	46.6 20.0 8.6 6.8 12.6 1.5	19.4 12.4 11.1 4.0	40.4	38.5 20.9 52.7	67.8 90.6 77.5	88.7 98.2 93.5	77.2 93.7 88.8	34.7	13.07	
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	46.6 20.0 8.6 6.8 12.6 1.5 2.6	19.4 12.4 11.1 4.0	40.4	38.5 20.9 52.7	67.8 90.6 77.5	88.7 98.2 93.5	77.2 93.7 88.8	34.7	13.07	
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	46.6 20.0 8.6 6.8 12.6 1.5 2.6 2.3	19.4 12.4 11.1 4.0	40.4	38.5 20.9 52.7	67.8 90.6 77.5	88.7 98.2 93.5	77.2 93.7 88.8	34.7	13.07	
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	46.6 20.0 8.6 6.8 12.6 1.5 2.6 2.3 4.8	19.4 12.4 11.1 4.0	40.4	38.5 20.9 52.7	67.8 90.6 77.5	88.7 98.2 93.5	77.2 93.7 88.8	34.7	13.07	
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	46.6 20.0 8.6 6.8 12.6 1.5 2.6 2.3 4.8 3.3	19.4 12.4 11.1 4.0 4.8 7.1	40.4 19.4	38.5 20.9 52.7 35.4	90.6 77.5 82.4	98.2 93.5 92.5	77.2 93.7 88.8 87.3	34.7 43.9	13.07 12.65	14
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	46.6 20.0 8.6 6.8 12.6 1.5 2.6 2.3 4.8	19.4 12.4 11.1 4.0 4.8 7.1	40.4 19.4 ata are w	38.5 20.9 52.7 35.4	67.8 90.6 77.5 82.4	98.2 93.5 92.5	77.2 93.7 88.8 87.3	34.7 43.9	13.07	-14

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

DADE COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Southwest 10 057 7,883 7,807



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	74	79	80
Mother Reported Drinking while Pregnant 1	47	1	0
Mother Reported Smoking while Pregnant	17	13	18
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	106	110	117
Suicides	1	1	2
Self-inflicted Injuries	10	9	5
Homicides	0	0	0
Assault Injuries	15	13	14
Alcohol Induced Deaths	2	0	0
Drug Induced Deaths	1	0	0
Smoking Induced Deaths	21	14	20
LICERITAL / FMERCENCY ROOM	2010	2000	2008
HOSPITAL / EMERGENCY ROOM Alcohol RelatedTotal		2009	
Direct Hospitalizations	69 18	64 21	65 10
Emergency Room Hospitalizations	16 21	21	29
Emergency Room Outpatient	30	21	29
Drug RelatedTotal	50 50	44	46
Direct Hospitalizations	14	9	16
Emergency Room Hospitalizations	8	13	13
Emergency Room Outpatient	28	22	17
	-		
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	2	3	6
Fatal Crashes	0	1	2
Injury Crashes	2	2	2
Property Damage Crashes	0	0	2
Crash Fatalities	0	1	2
Crash Injuries	3	2	3
Drug Involved CrashesTotal Fatal Crashes	0	0	0
Injury Crashes	0 0	0 0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
5.45, <u>4.</u> 5	-		-
EMPLOYMENT	2011	2010	2009
Labor Force	3,558	3,484	3,561
Employed	3,237	3,173	3,243
Unemployed	321	311	318
Unemployment Rate	9.0%	8.9%	8.9%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	3	3	6
Alcohol Package Carry-out Licenses	12	14	12

■ Female [†]	■ Male		•
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	375	387	410
Drop-outs	7	9	11
Drop-out Rate	1.9%	2.3%	2.7%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	0	4	3
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	27	15	45
Liquor Law Arrests	5	1	6
Drug Arrests	49	50	39
Methamphetamine Lab Incidents	2	7	7
Violent Offenses	10	3	9
Property Offenses	67	69	80
Domestic Violence Reports	5	18	12
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	12	11	19
Violent Offenses	4	2	6
Alcohol Offenses	1	0	1
Drug Offenses	2	3	3
Status OffensesTotal	21	16	20
Truancy	9	2	7
Beyond Parental Control	2	3	6
Habitually Absent from Home	0	4	3
Injurious Behavior	10	7	4
Abuse/Neglect/CustodyTotal	26	18	29
Abuse	5	9	5
Neglect	21	9	24
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	6	4	3
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	2	4	3
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	34	36	41
Probation/Parole AdmissionsDrug	15	16	12
Probation/Parole AdmissionsDWI	0	1	6
Prison AdmissionsTotal	16	8	23
Prison AdmissionsDrug	7	3	6
Prison AdmissionsDWI	2	1	2
* An asterisk in a data cell indicates the co	ount was fewer t	than 5 and su	ppressed

- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DADE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

	EV0044	EV0040	EV0000
SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	0	*
CSTAR Women and Children	5	6	*
CSTAR General Adult	5	6	8
CSTAR Opioid	0	*	0
Primary Recovery Detoxification	8	*	*
Primary Recovery Treatment	*	5	7
Clinical SATOP (CIP, YCIP, SROP)	*	*	0
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	18	19	18
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	8	8	9
- Weekend Intervention Program	*	6	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	0	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	*	*
- Early Intervention	0	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	9	9	12	Never Married	10	6	9
Female	10	10	14	Married / Cohabitating	6	5	9
				Previously Married	*	8	8
AGE							
Under 18	*	0	*	PRIMARY DRUG PROBLEM			
18 to 24	*	*	5	Alcohol	7	12	11
25 to 29	*	*	*	Marijuana / Hashish			5
30 to 34	*	*	6	Cocaine (total)	0	0	0
35 to 39	*		*	- Crack	0	0	0
40 to 44	*	5	0	Stimulant (total)	*	*	*
45 to 54	*	*	7	- Methamphetamine	*	*	*
55 and Over	0	*	*	Heroin	*	*	0
RACE / ETHNICITY				Analgesic except Heroin	*	*	5
Caucasian	18	19	25	- Non-Prescription Methadone	0	0	*
African American	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	0	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	0	0	Sedative	0	0	0
Other Race / Two or More Races	*	0	*	Other Medication or Illicit Drug	0	0	0
Carlot Raco / Two of Moro Racoo		O		Average Age at First Use of Drug	16.3	16.2	16.9
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	8	*	8	Any Injection Use at Admission	5	5	*
High School Graduate or G.E.D.	7	11	14	- Daily Injection Use	*	*	0
Associate Degree or Some College	*	*	*	- Weekly Injection Use	0	*	*
Bachelor or Advanced Degree	0	*	*	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	*	5	*	Self / Family / Friend	6	8	13
Unemployed	7	9	11	School	0	0	0
Not in Labor Force	8	5	12	Mental Health Provider	*	0	*
				Health Care Provider	*	0	*
LIVING ARRANGEMENT				Court / Criminal Justice	6	9	8
Independent Living	13	15	22	Other Referral Source	*	*	*
Dependent Living	*	*	*				
Homeless	*	*	*	SPECIAL POPULATIONS		_	
				Pregnant when Admitted to any Episode	0	0	*
LIFETIME DUI / DWI ARRESTS		4.5		Military Veteran	*		*
0	10	10	14	Special Education Services Needed	*	0	*
1 or 2	7		5	Co-Occurring Psychological Problem	5	7	11
3 or More	*	5	7	Co-Occurring Developmental Problem	0	*	0

DADE COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 8A
CENSUS 2010 7,883
2011 POP. ESTIMATE 7,807

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder **Anxiety Disorder** 5 12 9 Dementia 0 0 0 **Developmental Disorder** Impulse Control Disorder 7 **Mood Disorder** 14 12 12 Personality Disorder 6 5 **Psychotic Disorder** 7 Sexual Disorder 0 0 Other Diagnosis

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	30	24	30	Hearing Impaired	*	*	*
Male	14	9	14	Past or Current Military Service	0	0	0
Female	16	15	16	HOUSING / LIVING ARRANGEMENT	-		
AGE				Independent Living	7	*	*
Under 6	0	*	0	Dependent Living	0	*	0
6 to 9	0	*	*	Homeless	0	0	0
10 to 13	*	*	*	Other	0	0	0
14 to 17	5	5	*	Housing Unknown	23	18	29
18 to 24	*	*	*	EMPLOYMENT			
25 to 29	*	*	*	Employed	*	0	0
30 to 34	*	0	*	Unemployed	6	*	*
35 to 39	*	*	*	Not in Labor Force	0	*	0
40 to 44	*	*	*	Employment Status Unknown	23	22	29
45 to 49	*	*		Employment Status Offichown	23	22	29
50 to 54	*	*	5	ARRESTS			
		•	*	Arrested in Past 12 Months	0	*	0
55 to 59 60 and Over	0	0	*	Not Arrested in Past 12 Months	7	*	*
60 and Over				Arrest Status Unknown	23	18	29
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	27	23	29	Self / Family / Friend	40	7	40
African American	*	*	0	School	13	7	13
Native American / Alaskan	0	0	0		0	0	0
Asian / Pacific Islander	0	0	0	Mental Health Provider		*	
Hispanic	0	0	0	Health Care Provider	7	*	
Other Race	*	0	*	Court / Criminal Justice			•
Race/Ethnicity Unknown	0	0	0	Other	5	7	8
				Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	*	*	0	Voluntary	28	23	28
High School Grad or G.E.D.	*	0	0	Civil	*	*	*
A.A. Degree or Some College	*	0	*	Criminal	0	0	*
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	0	0	0
Education Level Unknown	23	22	29	Commitment Type Unknown	0	0	0

5

DADE COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, In the past 30 days:		(%)	_	UICIDE Percent i	nf studen	ts who in	tha nast	12 months	••	(%)
Were very sad		17.1				lered atter			•	10.8
Were grouchy, irritable, or in a bad mood		27.3			•			attempt su	uicide	7.9
Felt hopeless about the future		13.0			•		cy would	attempt 30	uiciuc	4.3
Felt like not eating or eating more than usual		14.6	•							
Slept a lot more or a lot less than usual		18.0				doctor or		iii iiijui y O	i overdose triat riad to	1.5
		25.2			outou by	400.0.	u.oo			
Had difficulty concentrating on school work		25.2	R	EBELLIC	OUSNES	s				
FIGHTING				Percent (of studen	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		23.6
Were in a physical fight		20.9		They d	o the opp	osite of w	hat they'r	e told to m	nake people mad	12.9
Were in a fight and had to be treated by a doctor or nurse		2.9		It is oka	ay to take	somethin	g without	permissio	n	6.5
Were threatened or injured with a weapon on school proper	ty	7.9		Someti	mes it is	okay to ch	eat at sc	hool		18.1
						-		start a fight	t	42.0
BULLYING VICTIM							•	·		
Percent of students who, in the past 3 months:					RELATIO					
Were shoved, slapped, hit, or kicked in a serious manner		30.9				_		he followin	=	
Were victims of mean rumors or lies spread at school		53.6						tudent's go		72.9
Had embarrassing or hurtful pictures/text of them posted on		15.0			-		-	-	ive student performan	
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	15.8			•	student fo	or hard w	ork		51.4
Were made fun of by others		66.2		Rules a	ire enforc	ed fairly				56.5
BULLYING PERPRETRATOR				Studen	ts of all ra	aces and o	ethnicities	s are treate	ed equally	78.3
Percent of students who, in the past 3 months:			_	ADENT		24/6				
Shoved, slapped, hit, or kicked a student in a serious manner	or	23.7			RELATIC of studen		roo with t	he followin	na·	
Spread mean rumors or lies about other kids at school	21	31.4				-		ident's god	-	87.1
Posted on internet embarrassing or hurtful pictures/text of so	nmenne	6.4						amily decis		74.8
Sent by cell phone embarrassing or hurtful pictures/text of se		10.8						-	dless of consequence	
Made fun of other people	omeone	67.9						_	onal problem	81.3
Made fall of other people		01.0		Student	t could a.	ok parent i	or neip w	nur u porse	onal problem	01.0
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	\leq	€	≠ ≤	€	≠ ≤	≠ ≤	€	≨ ≶	₹ 5 ≥	
	ਰ	₹.						0 -		
		유	So e	'nо́	ho t	טר שליי	ਰੂ	들	ed on	
	have	o have	nose club past 1	ho say	ho belie emselve	no say iy use	no feel	no think	Among st used subs first used	
	have ev	o have us	nose closes past 12 m	ho say it w	ho believe i emselves if	no say pare yy use	no feel it w	no think kid uld be cau	nong stude ed substan st used	
	have ever u	o have used i	nose closest fr	ho say it would	ho believe they emselves if the	no say parents y use	no feel it would	no think kids in uld be caught	nong students ed substance, st used	
	have ever used	o have used in th	Whose closest friend the past 12 months	ho say it would be	Who believe they ris themselves if they us	no say parents wo sy use	no feel it would be	o think kids in the	nong students who ed substance, ave st used	
	have ever used sul	o have used in the pa	nose closest friends h	ho say it would be eas	ho believe they risk ha emselves if they use	no say parents would y use	no feel it would be wro	o think kids in their nuld be caught by polic	nong students who ha ed substance, averagi st used	
	have ever used substa	o have used in the past	nose closest friends have past 12 months	ho say it would be easy to	ho believe they risk harmi emselves if they use	no say parents would disa sy use	no feel it would be wrong	no think kids in their neigh	nong students who have one substance, average ag	
	have ever used substance	o have used in the past 30 d	nose closest friends have use past 12 months	ho say it would be easy to ge	Who believe they risk harming themselves if they use	no say parents would disappr ey use	no feel it would be wrong to u	o think kids in their neighbor	nong students who have ever ed substance, average age w st used	
	Who have ever used substance	Who have used in the past 30 days	nds have used	Who say it would be easy to get	ho believe they risk harming emselves if they use	no say parents would disapprove sy use	Who feel it would be wrong to use	Who think kids in their neighborhoo would be caught by police for using	udents who have ever stance, average age w	
	have ever used substance	ays	nose closest friends have used in past 12 months		isk harming use	Who say parents would disapprove if they use	no feel it would be wrong to use	hood ting	nong students who have ever ed substance, average age when st used	
Cigarettes	have ever used substance	10.0	•	ho say it would be easy to get 50.7	ho believe they risk harming 5.	o say parents would disapprove if .8	no feel it would be wrong to use 86.3	no think kids in their neighborhood 9.	udents who have ever stance, average age w	
Chewing Tobacco	22.3 10.8	ays	2		isk harming use	≕		hood ting	udents who have ever tance, average age when 12.	
Chewing Tobacco Alcohol	22.3	10.0	2		isk harming use	≕		hood ting	udents who have ever stance, average age when	
Chewing Tobacco	22.3 10.8	10.0	33.8	50.7	isk harming use	92.8	86.3	25.9	udents who have ever tance, average age when 12.	
Chewing Tobacco Alcohol	22.3 10.8	10.0 5.8 17.3	33.8	50.7	isk harming use	92.8	86.3	25.9	udents who have ever tance, average age when 12.	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	22.3 10.8 36.7	10.0 5.8 17.3 10.1	33.8	50.7	1sk harming 85.7	92.8	86.3 69.8	25.9 27.9	stance, average age when 12.11 12.70	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	22.3 10.8 36.7	10.0 5.8 17.3 10.1 4.3	33.8	50.7	1sk harming 85.7	92.8	86.3 69.8	25.9 27.9	stance, average age when 12.11 12.70	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	22.3 10.8 36.7	10.0 5.8 17.3 10.1 4.3	33.8 43.9 23.0	50.7 55.0 29.5	85.7 76.3	92.8 81.2 95.6	86.3 69.8 87.8	25.9 27.9 41.3	stance, average age when 12.11 12.70	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	22.3 10.8 36.7 10.8 7.9	10.0 5.8 17.3 10.1 4.3 3.6	33.8 43.9 23.0	50.7 55.0 29.5 15.8	85.7 76.3 79.1 96.4	92.8 81.2 95.6 98.6	86.3 69.8 87.8 97.1	25.9 27.9 41.3	stance, average age when 12.11 12.70	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	22.3 10.8 36.7 10.8 7.9	10.0 5.8 17.3 10.1 4.3 3.6	33.8 43.9 23.0	50.7 55.0 29.5 15.8 49.6	85.7 76.3 79.1 96.4 89.3	92.8 81.2 95.6 98.6 98.6	86.3 69.8 87.8 97.1 96.4	25.9 27.9 41.3	stance, average age when 12.11 12.70	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	22.3 10.8 36.7 10.8 7.9 7.2 6.5	10.0 5.8 17.3 10.1 4.3 3.6	33.8 43.9 23.0	50.7 55.0 29.5 15.8 49.6	85.7 76.3 79.1 96.4 89.3	92.8 81.2 95.6 98.6 98.6	86.3 69.8 87.8 97.1 96.4	25.9 27.9 41.3	stance, average age when 12.11 12.70	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	22.3 10.8 36.7 10.8 7.9 7.2 6.5 0.0	10.0 5.8 17.3 10.1 4.3 3.6	33.8 43.9 23.0	50.7 55.0 29.5 15.8 49.6	85.7 76.3 79.1 96.4 89.3	92.8 81.2 95.6 98.6 98.6	86.3 69.8 87.8 97.1 96.4	25.9 27.9 41.3	stance, average age when 12.11 12.70	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	22.3 10.8 36.7 10.8 7.9 7.2 6.5 0.0 2.9 0.7	10.0 5.8 17.3 10.1 4.3 3.6	33.8 43.9 23.0	50.7 55.0 29.5 15.8 49.6	85.7 76.3 79.1 96.4 89.3	92.8 81.2 95.6 98.6 98.6	86.3 69.8 87.8 97.1 96.4	25.9 27.9 41.3	stance, average age when 12.11 12.70	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	22.3 10.8 36.7 10.8 7.9 7.2 6.5 0.0 2.9 0.7 1.4	10.0 5.8 17.3 10.1 4.3 3.6	33.8 43.9 23.0	50.7 55.0 29.5 15.8 49.6	85.7 76.3 79.1 96.4 89.3	92.8 81.2 95.6 98.6 98.6	86.3 69.8 87.8 97.1 96.4	25.9 27.9 41.3	stance, average age when 12.11 12.70	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	22.3 10.8 36.7 10.8 7.9 7.2 6.5 0.0 2.9 0.7 1.4 2.2	10.0 5.8 17.3 10.1 4.3 3.6 2.2 4.3	33.8 43.9 23.0 14.3	50.7 55.0 29.5 15.8 49.6 29.5	85.7 76.3 79.1 96.4 89.3 94.2	92.8 81.2 95.6 98.6 98.6 96.4	86.3 69.8 87.8 97.1 96.4 92.9	25.9 27.9 41.3 44.6	stance, average age when 12.11 12.70	10-14
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	22.3 10.8 36.7 10.8 7.9 7.2 6.5 0.0 2.9 0.7 1.4	10.0 5.8 17.3 10.1 4.3 3.6 2.2 4.3	33.8 43.9 23.0 14.3	50.7 55.0 29.5 15.8 49.6 29.5	85.7 76.3 79.1 96.4 89.3 94.2 comparisace, and	92.8 81.2 95.6 98.6 98.6 96.4	86.3 69.8 87.8 97.1 96.4 92.9	25.9 27.9 41.3 44.6	stance, average age when 12.11 12.70 13.72 12.36	10-14

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

DALLAS COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 10 059 16,777 16,749



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	192	230	212
Mother Reported Drinking while Pregnant ¹		0	1
Mother Reported Smoking while Pregnant	42	52	49
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	1
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	180	194	166
Suicides	2	5	4
Self-inflicted Injuries	26	31	23
Homicides	0	2	1
Assault Injuries	43	38	49
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	3	4	4
Smoking Induced Deaths	34	44	31
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	97	134	132
Direct Hospitalizations	28	43	25
Emergency Room Hospitalizations	36	36	49
Emergency Room Outpatient	33	55	58
Drug RelatedTotal	120	127	97
Direct Hospitalizations	34	51	38
Emergency Room Hospitalizations	22	37	31
Emergency Room Outpatient	64	39	28
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	13	19	29
Fatal Crashes	4	0	1
Injury Crashes	6	10	19
Property Damage Crashes	3	9	9
Crash Fatalities	4	0	1
Crash Injuries	9	12	27
Drug Involved CrashesTotal	4	2	2
Fatal Crashes	0	0	0
Injury Crashes	3	0	2
Property Damage Crashes	1	2	0
Crash Fatalities	0	0	0
Crash Injuries	3	0	4
EMPLOYMENT	2011	2010	2009
Labor Force	7,395	7,295	7,455
Employed	6,642	6,442	6,598
Unemployed	753	853	857
Unemployment Rate	10.2%	11.7%	11.5%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	11	11	13
Alcohol Package Carry-out Licenses	19	18	26
acingo carry out mountou	10	10	20

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	589	615	484
Drop-outs	19	19	19
Drop-out Rate	3.2%	3.1%	3.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	1	0	3
Drug Incidents	8	6	13
Tobacco Incidents	0	0	1
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	75	61	93
Liquor Law Arrests	217	313	202
Drug Arrests	165	157	269
Methamphetamine Lab Incidents	0	1	3
Violent Offenses	38	47	49
Property Offenses	318	336	304
Domestic Violence Reports	96	84	47
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	110	142	115
Violent Offenses	28	42	19
Alcohol Offenses	4	12	12
Drug Offenses	14	9	9
Status OffensesTotal	41	48	36
Truancy	7	2	3
Beyond Parental Control	16	18	11
Habitually Absent from Home	9	19	20
Injurious Behavior	9	9	2
Abuse/Neglect/CustodyTotal	129	93	66
Abuse	37	25	33
Neglect	92	66	33
Custody Disputes	0	2	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	14	21	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	9	0
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	10	11	5
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	81	104	121
Probation/Parole AdmissionsDrug	21	28	39
Probation/Parole AdmissionsDWI	9	5	7
Prison AdmissionsTotal	58	61	58
Prison AdmissionsDrug	13	14	14
Prison AdmissionsDWI	8	6	4
* An asterisk in a data cell indicates the co	ount was fewer t	than 5 and su	ppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DALLAS COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	11	10
CSTAR Women and Children	*	7	6
CSTAR General Adult	43	45	9
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	9	7
Primary Recovery Treatment	9	29	36
Clinical SATOP (CIP, YCIP, SROP)	12	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	57	57	67
- Adolescent Diversion Education Program	*	6	5
- Offender Education Program	18	21	29
- Weekend Intervention Program	17	11	27
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	7	6
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	50	60	44	Never Married	24	38	30
Female	19	24	19	Married / Cohabitating	24	22	12
	10	2-7	10	Previously Married	21	24	21
AGE				•			
Under 18	*	12	12	PRIMARY DRUG PROBLEM			
18 to 24	13	14	9	Alcohol	31	30	20
25 to 29	10	*	10	Marijuana / Hashish	18	28	24
30 to 34	11	13	7	Cocaine (total)	0	0	*
35 to 39	7	10	9	- Crack	0	0	*
40 to 44	10	11	10	Stimulant (total)	14	17	13
45 to 54	11	16	6	- Methamphetamine	14	17	13
55 and Over	*	*	0	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	9	5
Caucasian	65	81	58	- Non-Prescription Methadone	0	*	0
African American	03	*	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	0		Tranquilizer	*	0	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	0	*	*	Sedative	0	0	0
Hispanic	*	*	*	Other Medication or Illicit Drug	*	0	0
Other Race / Two or More Races				Average Age at First Use of Drug	16.2	16.3	15.8
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	23	39	33	Any Injection Use at Admission	7	13	8
High School Graduate or G.E.D.	33	29	24	- Daily Injection Use	*	*	0
Associate Degree or Some College	12	16	6	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	0	0	- Less than Weekly Injection Use	5	9	7
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	17	21	15	Self / Family / Friend	6	10	14
Unemployed	38	38	24	School	0	0	0
Not in Labor Force	14	25	24	Mental Health Provider	0	0	*
				Health Care Provider	*	6	*
LIVING ARRANGEMENT				Court / Criminal Justice	59	64	40
Independent Living	61	69	47	Other Referral Source	*	*	*
Dependent Living	5	14	15				
Homeless	0	0	*	SPECIAL POPULATIONS	_	_	
				Pregnant when Admitted to any Episode	0	0	*
LIFETIME DUI / DWI ARRESTS		4.5		Military Veteran	5		*
0	38	49	34	Special Education Services Needed		5	5
1 or 2	18	17	20	Co-Occurring Psychological Problem	19	18	21
3 or More	13	18	9	Co-Occurring Developmental Problem	*	5	*

DALLAS COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 10
CENSUS 2010 16,777
2011 POP. ESTIMATE 16,749

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 9 16 **Anxiety Disorder** 28 27 22 Dementia 0 0 **Developmental Disorder** Impulse Control Disorder 15 9 9 **Mood Disorder** 60 54 34 Personality Disorder 12 13 15 **Psychotic Disorder** 20 25 16 Sexual Disorder 0 0 0 Other Diagnosis 15 11

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	118	111	90	Hearing Impaired	*	*	*
Male	64	63	45	Past or Current Military Service	*	*	*
Female	54	48	45	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	23	*	8
Under 6	*	*	*	Dependent Living	14	14	9
6 to 9	8	9	5	Homeless	0	0	0
10 to 13	14	18	8	Other	0	0	0
14 to 17	18	6	6	Housing Unknown	81	95	73
18 to 24	6	9	*	EMPLOYMENT			
25 to 29	*	5	6	Employed	*	*	*
30 to 34	*	5	7	Unemployed	33	6	14
35 to 39	11	9	6	Not in Labor Force	*	0	*
40 to 44	9	8	7	Employment Status Unknown	81	104	74
45 to 49	13	13	10				
50 to 54	9	8	12	ARRESTS			
55 to 59	10	10	10	Arrested in Past 12 Months	*	*	*
60 and Over	11	7	9	Not Arrested in Past 12 Months	34	15	15
				Arrest Status Unknown	81	95	73
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	114	105	84	Self / Family / Friend	75	71	40
African American	0	0	0	School	75 *	71	40
Native American / Alaskan	0	0	0	Mental Health Provider	*	0 5	0 7
Asian / Pacific Islander	0	0	0	Health Care Provider		5	
Hispanic	0	0	0	Court / Criminal Justice	9		5 *
Other Race	*	6	6	Other	0.4	6	20
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	24	27	32
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	13	*	*	Voluntary	114	105	84
High School Grad or G.E.D.	19	*	9	Civil	*	*	*
A.A. Degree or Some College	*	*	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	81	104	74	Commitment Type Unknown	*	*	*
	01	104	, ,	Tarinaman Type China			

34

DALLAS COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	١	UICIDE Percent (of studen	ts who. in	the past	12 months.	<i>:</i>	(%
Were very sad		20.9				ered atter	•		•	14.
Were grouchy, irritable, or in a bad mood		27.3			-			attempt su	ulcide	9.
Felt hopeless about the future		12.6			ted suicio		- ,			6.
Felt like not eating or eating more than usual		19.0					resulted	in injury o	r overdose that had to	3.
Slept a lot more or a lot less than usual		19.6				doctor or		,,		
Had difficulty concentrating on school work		24.8								
,			R	EBELLIC						
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get				17.
Were in a physical fight		21.3		-					ake people mad	12.
Were in a fight and had to be treated by a doctor or nurse	_	3.5			-		-	permission	n	3.
Were threatened or injured with a weapon on school proper	ıy	6.6	5			okay to ch				29.
BULLYING VICTIM				It is oka	y to beat	up people	e if they s	tart a fight		55.
Percent of students who, in the past 3 months:			s	CHOOL	RFI ATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		26.9					ee with t	he followin	a:	
Were victims of mean rumors or lies spread at school		51.2				_		tudent's go	-	58.
Had embarrassing or hurtful pictures/text of them posted on	internet	11.2						_	ve student performance	26.
Had embarrassing or hurtful pictures/text of them sent by ce		14.3			-	student fo	•	-		41.
Were made fun of by others	•	61.1			re enforc					54.
•						-	ethnicities	are treate	ed equally	72.
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		40.0		ARENT				L - 6-11	_	
Shoved, slapped, hit, or kicked a student in a serious manne	ar.	19.2				-		he followin	₹	70
Spread mean rumors or lies about other kids at school		21.8						dent's goo		78.
Posted on internet embarrassing or hurtful pictures/text of so		6.0						amily decis		67.
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	4.6 60.7						_	dless of consequences	87. 77.
Made fun of other people		00.7		Studen	i coulu a:	sk parent i	or neib w	illi a persu	onal problem	11.
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	5	\$	≠ ≤	5	≓ ≤	≠ ≤	\$	₹ ≤		
	ᅙ	ᇰ	e pa	ਨ	ems Total	ਲ ey u	ਤ੍ਰ	돌	Among st used subs first used	
	lave	lave	e clo	ä	후 호	نق ۾	R I	요를	sub st	
	eve	S	2 2		ੋ ਜਾ		<u></u>			
	4		3 %	it wo	leve t /es if	/ pare	ii w	Cauc	uder	
	5	<u>e</u>	est fri	it would	eve they es if they	parents	it would	kids in caught I	udents v	
	used	ed in the	Whose closest friend the past 12 months	it would be	Who believe they risk themselves if they us	parents wou	it would be	kids in the	udents who stance, aver	
	used sub	ed in the pa	est friends ha months	it would be easy	eve they risk han	parents would c	il it would be wro	kids in their ne	udents who hav	
	used substar	ed in the past 3	est friends have months	it would be easy to	eve they risk harmir es if they use	parents would disa	el it would be wrong t	kids in their neigh caught by police fo	udents who have e stance, average ag	
	Who have ever used substance	ed in the past 30 da	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	parents would disappro	el it would be wrong to us	kids in their neighborh caught by police for us	Among students who have ever used substance, average age wifirst used	
	used substance	Who have used in the past 30 days	est friends have used in months	it would be easy to get	eve they risk harming es if they use	parents would disapprove i	Who feel it would be wrong to use	kids in their neighborhood	udents who have ever stance, average age when	
Cigarettes			j.			Who say parents would disapprove if they use		Who think kids in their neighborhood would be caught by police for using	nen .	
Cigarettes Chewing Tobacco	30.3	13.6	est friends have used in months 42.9	it would be easy to get	leve they risk harming 81.1	parents would disapprove if 90.2	I it would be wrong to use	caught by police for using	udents who have ever stance, average age when 12.05	
Chewing Tobacco	30.3 17.5	13.6 9.8	42.9	49.1	81.1	90.2	81.1	20.2	12.05	
Chewing Tobacco Alcohol	30.3	13.6 9.8 13.3	j.						nen .	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	30.3 17.5 39.5	13.6 9.8 13.3 7.0	42.9 47.6	49.1	81.1	90.2	81.1	20.2	12.05 12.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	30.3 17.5 39.5	13.6 9.8 13.3 7.0 5.6	42.9	49.1	81.1	90.2	81.1	20.2	12.05 12.58 13.17	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	30.3 17.5 39.5	13.6 9.8 13.3 7.0	42.9 47.6 28.7	49.1 47.3 32.0	81.1 76.7 76.8	90.2 81.6 92.6	81.1 66.0 83.2	20.2 25.7 37.8	12.05 12.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	30.3 17.5 39.5 13.2 4.9	13.6 9.8 13.3 7.0 5.6 1.4	42.9 47.6	49.1 47.3 32.0 18.0	81.1 76.7 76.8 92.6	90.2 81.6 92.6 98.6	81.1 66.0 83.2 95.8	20.2	12.05 12.58 13.17	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	30.3 17.5 39.5 13.2 4.9	13.6 9.8 13.3 7.0 5.6 1.4	42.9 47.6 28.7	49.1 47.3 32.0 18.0 50.4	81.1 76.7 76.8 92.6 80.8	90.2 81.6 92.6 98.6 96.8	81.1 66.0 83.2 95.8 89.5	20.2 25.7 37.8	12.05 12.58 13.17	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	30.3 17.5 39.5 13.2 4.9 6.3 8.0	13.6 9.8 13.3 7.0 5.6 1.4	42.9 47.6 28.7	49.1 47.3 32.0 18.0	81.1 76.7 76.8 92.6	90.2 81.6 92.6 98.6	81.1 66.0 83.2 95.8	20.2 25.7 37.8	12.05 12.58 13.17	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	30.3 17.5 39.5 13.2 4.9 6.3 8.0 1.1	13.6 9.8 13.3 7.0 5.6 1.4	42.9 47.6 28.7	49.1 47.3 32.0 18.0 50.4	81.1 76.7 76.8 92.6 80.8	90.2 81.6 92.6 98.6 96.8	81.1 66.0 83.2 95.8 89.5	20.2 25.7 37.8	12.05 12.58 13.17	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	30.3 17.5 39.5 13.2 4.9 6.3 8.0 1.1 2.1	13.6 9.8 13.3 7.0 5.6 1.4	42.9 47.6 28.7	49.1 47.3 32.0 18.0 50.4	81.1 76.7 76.8 92.6 80.8	90.2 81.6 92.6 98.6 96.8	81.1 66.0 83.2 95.8 89.5	20.2 25.7 37.8	12.05 12.58 13.17	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	30.3 17.5 39.5 13.2 4.9 6.3 8.0 1.1 2.1 1.8	13.6 9.8 13.3 7.0 5.6 1.4	42.9 47.6 28.7	49.1 47.3 32.0 18.0 50.4	81.1 76.7 76.8 92.6 80.8	90.2 81.6 92.6 98.6 96.8	81.1 66.0 83.2 95.8 89.5	20.2 25.7 37.8	12.05 12.58 13.17	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	30.3 17.5 39.5 13.2 4.9 6.3 8.0 1.1 2.1 1.8 2.5	13.6 9.8 13.3 7.0 5.6 1.4	42.9 47.6 28.7	49.1 47.3 32.0 18.0 50.4	81.1 76.7 76.8 92.6 80.8	90.2 81.6 92.6 98.6 96.8	81.1 66.0 83.2 95.8 89.5	20.2 25.7 37.8	12.05 12.58 13.17	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	30.3 17.5 39.5 13.2 4.9 6.3 8.0 1.1 2.1 1.8	13.6 9.8 13.3 7.0 5.6 1.4 4.5 4.9	42.9 47.6 28.7 12.3	49.1 47.3 32.0 18.0 50.4 28.6	81.1 76.7 76.8 92.6 80.8 88.2	90.2 81.6 92.6 98.6 96.8 97.2	81.1 66.0 83.2 95.8 89.5 91.9	20.2 25.7 37.8 41.3	12.05 12.58 13.17	4

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:


Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

DAVIESS COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 13 061 8,433 8,313



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	126	114	137
Mother Reported Drinking while Pregnant ¹		0	1
Mother Reported Smoking while Pregnant	25	12	29
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	1
IDU and MSM ²	0	*	1
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	89	85	74
Suicides	3	0	1
Self-inflicted Injuries	9	8	9
Homicides	0	1	0
Assault Injuries	9	12	12
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	0	1
Smoking Induced Deaths	13	14	14
•			
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	37	25	30
Direct Hospitalizations	16	9	9
Emergency Room Hospitalizations	6	6	4
Emergency Room Outpatient	15	10	17
Drug RelatedTotal	32	35	25
Direct Hospitalizations	15	20	11
Emergency Room Hospitalizations	5	4	5
Emergency Room Outpatient	12	11	9
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	2	8	5
Fatal Crashes	0	1	0
Injury Crashes	1	5	3
Property Damage Crashes	1	2	2
Crash Fatalities	0	1	0
Crash Injuries	1	4	6
Drug Involved CrashesTotal	2	1	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	4,000	3,777	3,878
Employed	3,645	3,408	3,534
Unemployed	355	369	344
Unemployment Rate	8.9%	9.8%	8.9%
BETAIL ALCOHOL OUTLETS	2011	2040	2000
RETAIL ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses		2010	2009
	5 11	6 10	8
Alcohol Package Carry-out Licenses	11	10	11

■ Female ■	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	338	364	386
Drop-outs	4	6	10
Drop-out Rate	1.2%	1.6%	2.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	1	1
Drug Incidents	0	0	3
Tobacco Incidents	1	1	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	35	44	66
Liquor Law Arrests	4	3	4
Drug Arrests	38	56	88
Methamphetamine Lab Incidents	0	1	1
Violent Offenses	10	8	13
Property Offenses	81	79	89
Domestic Violence Reports	20	42	20
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	12	18	19
Violent Offenses	0	9	6
Alcohol Offenses	2	1	2
Drug Offenses	0	1	2
Status OffensesTotal	20	29	16
Truancy	10	8	1
Beyond Parental Control	5	6	7
Habitually Absent from Home	3	8	7
Injurious Behavior	1	0	0
Abuse/Neglect/CustodyTotal	6	9	6
Abuse	3	3	4
Neglect	3	5	2
Custody Disputes	0	1	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	7	2	3
Parental Alcohol Use Related	3	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	4	2	3
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	94	94	101
Probation/Parole AdmissionsDrug	24	33	37
Probation/Parole AdmissionsDWI	13	8	5
Prison AdmissionsTotal	60	66	74
Prison AdmissionsDrug	22	23	28

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DAVIESS COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	30	*	6
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	8	*
Primary Recovery Treatment	*	36	33
Clinical SATOP (CIP, YCIP, SROP)	6	0	5
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	29	23	33
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	9	14	11
- Weekend Intervention Program	*	7	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	23	*
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	24	31	31	Never Married	15	21	23
Female	20	13	11	Married / Cohabitating	9	11	11
				Previously Married	20	12	8
AGE							
Under 18	*	*	*	PRIMARY DRUG PROBLEM			
18 to 24	6	14	7	Alcohol	20	17	25
25 to 29	6	8	7	Marijuana / Hashish	10	14	12
30 to 34	6	*	5	Cocaine (total)	0	0	*
35 to 39	6	6	6	- Crack	0	0	0
40 to 44	5	*	5	Stimulant (total)	10	8	*
45 to 54	11	6	10	- Methamphetamine	10	8	*
55 and Over	*	*	0	Heroin	*	*	*
RACE / ETHNICITY				Analgesic except Heroin	*	*	0
Caucasian	42	43	41	- Non-Prescription Methadone	0	0	0
African American	0	0	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	0	0	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	0	0	Sedative	0	0	0
Other Race / Two or More Races	*	*	0	Other Medication or Illicit Drug	0	*	0
				Average Age at First Use of Drug	17.5	16.3	14.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	19	13	16	Any Injection Use at Admission	5	5	*
High School Graduate or G.E.D.	18	24	23	- Daily Injection Use	0	*	0
Associate Degree or Some College	7	6	*	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	0	*	0	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	18	14	17	Self / Family / Friend	11	13	11
Unemployed	18	22	16	School	*	0	0
Not in Labor Force	8	8	9	Mental Health Provider	0	0	0
				Health Care Provider	*	*	0
LIVING ARRANGEMENT				Court / Criminal Justice	24	18	25
Independent Living	41	41	40	Other Referral Source	7	12	6
Dependent Living	*	*	*	0050141 000111 4710110			
Homeless	0	0	0	SPECIAL POPULATIONS	^	*	*
LIETIME DIII / DIA/I A DDECTO				Pregnant when Admitted to any Episode	0	*	^
LIFETIME DUI / DWI ARRESTS	00	25	00	Military Veteran	*		0
0 4 or 2	30	35	23	Special Education Services Needed		0	0
1 or 2	9	5	8	Co-Occurring Psychological Problem	12	9	8
3 or More	5	*	11	Co-Occurring Developmental Problem	*	0	*

DAVIESS COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 13
CENSUS 2010 8,433
2011 POP. ESTIMATE 8,313

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.									
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009						
Adjustment Disorder	*	5	*						
Anxiety Disorder	32	29	37						
Dementia	0	*	*						
Developmental Disorder	*	*	*						
Impulse Control Disorder	20	20	35						
Mood Disorder	60	63	65						
Personality Disorder	*	*	*						
Psychotic Disorder	7	*	*						
Sexual Disorder	0	*	*						
Other Diagnosis	7	10	12						
Diagnosis Unknown	7	17	9						

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	87	102	111	Hearing Impaired	*	*	*
Male	37	49	58	Past or Current Military Service	*	*	5
Female	50	53	53	·			ŭ
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	19	7	7
Under 6	0	*	*	Dependent Living	0	8	*
6 to 9	6	12	13	Homeless	0	0	0
10 to 13	12	12	14	Other	0	0	0
14 to 17	15	13	13	Housing Unknown	68	87	101
18 to 24	*	10	10	EMPLOYMENT			
25 to 29	*	8	5	Employed	5	*	*
30 to 34	*	*	10	Unemployed	13	5	5
35 to 39	6	*	5	Not in Labor Force	*	0	0
40 to 44	16	16	11	Employment Status Unknown	68	94	104
45 to 49	7	6	11		00	0.	
50 to 54	7	7	9	ARRESTS			
55 to 59	*	*	*	Arrested in Past 12 Months	6	*	*
60 and Over	6	*	*	Not Arrested in Past 12 Months	13	13	9
	· ·			Arrest Status Unknown	68	87	101
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	85	99	107	TREATMENT REFERRAL SOURCE	20	07	4.4
African American	*	0	0	Self / Family / Friend School	30	37	44
Native American / Alaskan	0	0	0	Mental Health Provider			5
Asian / Pacific Islander	0	*	*	Health Care Provider	21	25	26
Hispanic	0	*	*	Court / Criminal Justice	14 7	16	15
Other Race	*	*	*	Other	-	5	5
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	11	14	15 *
				Relettal Source Officiowit			
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	6	*	*	Voluntary	86	101	110
High School Grad or G.E.D.	9	*	*	Civil	0	0	0
A.A. Degree or Some College	*	*	0	Criminal	0	0	0
Bachelor or Advanced Degree	*	0	*	Sexual Predatory	0	0	0
Education Level Unknown	68	94	104	Commitment Type Unknown	*	*	*

DAVIESS COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, In the past 30 days:		(%)	3	SUICIDE	of ctudon	tcuho in	the nect	12 months.			(%)
Were very sad		24.0				lered atter	-		•		12.6
Were grouchy, irritable, or in a bad mood		31.0			-			attempt su	ilcida		9.7
Felt hopeless about the future		13.7			ted suicio		cy would	attempt 30	aiciuc		7.6
Felt like not eating or eating more than usual		9.7					resulted	in injury or	r overdose that	t had to	5.0
Slept a lot more or a lot less than usual		19.9				doctor or		iii iiijai y oi	i overdose trid	i nau to	0.0
Had difficulty concentrating on school work		23.4			,						
riad difficulty concentrating on school work		20.4	/	REBELLIC	OUSNES	s					
FIGHTING						ts who agi					
Percent of students who, in the past 12 months:						s that get		-			17.2
Were in a physical fight		16.4					_		iake people ma	ad	15.1
Were in a fight and had to be treated by a doctor or nurse		3.4			-		-	permissio	n		7.0
Were threatened or injured with a weapon on school proper	ty	5.5		Someti	mes it is	okay to ch	eat at sch	nool			22.8
BULLYING VICTIM					-		e if they s	tart a fight			35.9
Percent of students who, in the past 3 months:		10.6		SCHOOL .			roo with t	ha fallawin	·~.		
Were shoved, slapped, hit, or kicked in a serious manner Were victims of mean rumors or lies spread at school		18.6 46.2				_		<i>he followin</i> tudent's go	-		72.4
•	Internet							•		formence	
Had embarrassing or hurtful pictures/text of them posted on		12.4			•		•	•	ve student per	ioimance	48.6
Had embarrassing or hurtful pictures/text of them sent by ce	ii priorie	20.0 66.2			are enforc	student fo	oi naru w	JIK			54.9 67.6
Were made fun of by others		00.2					athalaltica	are treate	od ogually		77.4
Percent of students who, in the past 3 months: Shoved, slapped, hit, or kicked a student in a serious manner. Spread mean rumors or lies about other kids at school. Posted on internet embarrassing or hurtful pictures/text of schools. Sent by cell phone embarrassing or hurtful pictures/text of schools. Made fun of other people. SUBSTANCE USE AND BELIEFS. Regarding the substances listed below, percent of students:	omeone	20.0 22.8 6.8 12.4 56.2 Who have used in the past 30 days	Whose closest friends have used the past 12 months	Parents Parents It is imp	of studen s notice a s involve portant to	ts who ago and comme student in be hones sk parent to they use	ent on stu making f t with par	who think kids in their neighborh a a would be caught by police for us	od work	quences	81.4 73.8 92.5 72.6
			5			ve if		mg oo			
Charles Tabassa	30.3	16.8	43.2	44.1	76.7	92.4	76.6	16.7	12.17		
Chewing Tobacco	19.3	11.6	45.0	20.0	60.0	90.0	er r	10.0	40.57		
Alcohol Ringo Alcohol /F - drinko en ene eccesion in pact 20 deux)	31.0	13.8	45.9	39.3	68.3	89.0	65.5	19.3	12.57		
Binge Alcohol (5+ drinks on one occasion in past 30 days)	12.0	9.0	22.0	25.5	00.0	07.3	040	25.0	12.40		
Marijuana	13.0	5.5 4.1	23.8	25.5	80.0	97.3	84.8	35.0	13.48 12.17		
Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	9.6	4.1	12.3	16.1	91.7	00.3	93.8	39.6	12.17		
Over-the-counter medications for non-medical use	0.0	7 5	12.3			99.3 97.2		39.0			
Prescription drugs not prescribed for student	8.3	7.5		47.6	78.8		90.3				
	12.3	6.8		32.9	81.5	97.2	90.4				
Heroin	2.8										
Cocaine	2.8										

Data source:

Methamphetamine

Hallucinogens

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofie, or Special K

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

2.8

5.5


5.5

11.6

DE KALB COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 063 12,892 12,767



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	110	122	90
Mother Reported Drinking while Pregnant ¹	110	0	0
Mother Reported Smoking while Pregnant	24	19	24
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	2
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	124	97	117
Suicides	3	2	1
Self-inflicted Injuries	6	4	11
Homicides	0	0	0
Assault Injuries	26	18	17
Alcohol Induced Deaths	1	2	1
Drug Induced Deaths	0	2	0
Smoking Induced Deaths	21	16	21
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	33	49	55
Direct Hospitalizations	14	14	15
Emergency Room Hospitalizations	6	23	16
Emergency Room Outpatient	13	12	24
Drug RelatedTotal	44	19	22
Direct Hospitalizations	25	7	5
Emergency Room Hospitalizations	4	6	8
Emergency Room Outpatient	15	6	9
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	5	7	10
Fatal Crashes	0	0	0
Injury Crashes	3	5	4
Property Damage Crashes	2	2	6
Crash Fatalities	0	0	0
Crash Injuries	4	5	4
Drug Involved CrashesTotal	2	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	2	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	5,686	5,051	5,241
Employed	5,215	4,560	4,747
Unemployed	471	491	494
Unemployment Rate	8.3%	9.7%	9.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	9	8	10
Alcohol Package Carry-out Licenses	11	10	11
	• • •		

SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	328	374	358
Drop-outs	3	7	7
Drop-out Rate	0.9%	1.9%	2.0%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	C
Drug Incidents	0	0	C
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	32	59	53
Liquor Law Arrests	19	21	13
Drug Arrests	72	50	51
Methamphetamine Lab Incidents	0	1	0
Violent Offenses	7	6	17
Property Offenses	98	84	103
Domestic Violence Reports	51	50	39
IUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	13	23	33
Violent Offenses	4	8	6
Alcohol Offenses	0	1	2
Drug Offenses	2	1	4
Status OffensesTotal	14	14	14
Truancy	6	7	4
Beyond Parental Control	3	2	6
Habitually Absent from Home	1	1	2
Injurious Behavior	3	3	1
Abuse/Neglect/CustodyTotal	0	3	4
Abuse	0	0	0
Neglect	0	3	4
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	5	6	3
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	2	2
Parental Alcohol and Drug Use	0	0	C
Child Removed for Other Reason	5	4	1
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	91	93	90
Probation/Parole AdmissionsDrug	22	24	27
Probation/Parole AdmissionsDWI	7	6	14
Prison AdmissionsTotal	72	68	50
Prison AdmissionsDrug	13	17	16
Prison AdmissionsDWI	4	7	9

- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DE KALB COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

	FY2011	FY2010	FY2009
SUBSTANCE ABUSE TREATMENT			
CSTAR Adolescent	*	*	0
CSTAR Women and Children	0	0	*
CSTAR General Adult	14	*	*
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	5	5	7
Primary Recovery Treatment	8	30	48
Clinical SATOP (CIP, YCIP, SROP)	*	0	7
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	34	34	35
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	19	18	15
- Weekend Intervention Program	10	6	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	8	6
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	18	28	38	Never Married	11	24	24
Female	8	10	17	Married / Cohabitating	8	8	10
· omaio	J	10	.,	Previously Married	7	6	21
AGE				•	•	ŭ	
Under 18	*	*	*	PRIMARY DRUG PROBLEM			
18 to 24	5	13	10	Alcohol	13	14	29
25 to 29	*	5	9	Marijuana / Hashish	7	14	15
30 to 34	0	*	8	Cocaine (total)	*	*	*
35 to 39	5	5	*	- Crack	*	*	*
40 to 44	*	*	9	Stimulant (total)	*	*	7
45 to 54	*	*	7	- Methamphetamine	*	*	7
55 and Over	*	*	6	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	25	36	52	- Non-Prescription Methadone	0	*	0
African American	2 5	0		PCP, LSD, other Hallucinogen	0	*	0
Native American / Alaskan	0	0	0 0	Tranquilizer	0	*	0
Asian / Pacific Islander	-	0	0	Inhalant	0	0	0
	0	-	-	Sedative	0	0	0
Hispanic		0	0	Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races	0			Average Age at First Use of Drug	16.4	16.1	16.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	10	13	12	Any Injection Use at Admission	*	*	6
High School Graduate or G.E.D.	11	19	31	- Daily Injection Use	*	*	*
Associate Degree or Some College	*	5	12	- Weekly Injection Use	0	*	0
Bachelor or Advanced Degree	*	*	0	- Less than Weekly Injection Use	*	*	5
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	9	14	18	Self / Family / Friend	7	5	8
Unemployed	11	15	25	School	0	0	0
Not in Labor Force	6	9	12	Mental Health Provider	0	0	0
				Health Care Provider	*	5	*
LIVING ARRANGEMENT				Court / Criminal Justice	14	22	40
Independent Living	22	32	52	Other Referral Source	*	6	6
Dependent Living	*	5	*	005044 00044 474040			
Homeless	0	*	*	SPECIAL POPULATIONS			_
1 (FETURE D.II (D.III A D.F.O.T.)				Pregnant when Admitted to any Episode	*	0	0
LIFETIME DUI / DWI ARRESTS		0.0	0.0	Military Veteran	*	*	*
0	12	26	29	Special Education Services Needed	*		*
1 or 2	8	6	11	Co-Occurring Psychological Problem	8	6	20
3 or More	6	6	15	Co-Occurring Developmental Problem	*	0	0

DE KALB COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 1
CENSUS 2010 12,892
2011 POP. ESTIMATE 12,767

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 7 **Anxiety Disorder** 23 15 17 Dementia 0 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 10 13 9 **Mood Disorder** 27 38 28 Personality Disorder 0 **Psychotic Disorder** 11 10 10 Sexual Disorder 0 0 0 Other Diagnosis 7 6 7 Diagnosis Unknown 10 9

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
86	78	71	Hearing Impaired	5	*	*
38	31	27	Past or Current Military Service	*	*	*
48	47	44	HOUSING / LIVING ARRANGEMENT			
			Independent Living	22	*	*
			Dependent Living	*	*	0
		*	Homeless	0	*	0
			Other	_	0	0
			Housing Unknown	_		70
			•			
*	*	*	Employed	0	0	*
6	7	*	Unemployed	23	*	0
6	0	*	Not in Labor Force	*	0	0
*	*	*	Employment Status Unknown	62	76	70
6	6	10	ADDESTS			
7	8	10		*	*	*
6	7	8		22	_	0
7	6	*				0 70
			Arrest Status Officiowif	02	12	70
			TREATMENT REFERRAL SOURCE			
71	71	63		40	24	22
*	*	*	•	-		23
7	*	*		_	-	8
0	0	0			_	18
*	*	*			_	8
5	*	*				0
0	0	0				13
			Referral Source Unknown	0	0	*
			TYPE OF COMMITMENT			
8	0	0	Voluntary	85	77	70
9	*	*	Civil	0	0	0
6	0	0	Criminal	0	0	0
0	0	0	Sexual Predatory	*	*	0
63	76	70	Commitment Type Unknown	0	0	*
	86 38 48 * 5 17 16 * * 6 6 7 6 7 7 1 * * 5 0 8 9 0 8 9 0 8 0 0 8 0 0 8 0 0 8 0 0 8 0 0 0 0	86	86 78 71 38 31 27 48 47 44 * * * 5 6 * 17 17 10 16 9 11 * * * 6 7 * 6 0 * * * * 6 10 * 7 8 10 6 7 8 7 6 * 7 * * 0 0 0 * * * 0 0 0 8 0 0 0 0 0 8 0 0 8 0 0 8 0 0 9 * * 6 0 0 0 0 0	SPECIAL POPULATION	SPECIAL POPULATION SPECIAL	SPECIAL POPULATION S

DE KALB COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Percent i	nf etudan	tewho in	tha nast	12 months	,	(%)
Were very sad			Percent of students who, in the past 12 months: Seriously considered attempting suicide					•	7.9	
Were grouchy, irritable, or in a bad mood				Made a plan about how they would attempt suicide					iicido	4.2
Felt hopeless about the future				· · · · · · · · · · · · · · · · · · ·						3.0
Felt like not eating or eating more than usual			Attempted suicide Had a suicide attempt that resulted in injury or overdose that had to						3.7	
Slept a lot more or a lot less than usual			be treated by doctor or nurse					5.7		
		11.6 10.8			outou by	400.0.				
Had difficulty concentrating on school work		10.6	R	EBELLIC	DUSNES.	s				
FIGHTING				Percent of	of student	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		16.8
Were in a physical fight				They do	the opp	osite of w	hat they'ı	e told to m	ake people mad	18.0
Were in a fight and had to be treated by a doctor or nurse		1.8		It is oka	y to take	somethin	g without	permissio	n	6.0
Were threatened or injured with a weapon on school property		7.8			-	okay to ch	-	-		21.1
, , , , , , , , , , , , , , , , , , , ,	•					-		start a fight		52.4
BULLYING VICTIM					•		•	•		
Percent of students who, in the past 3 months:				CHOOL .						
Were shoved, slapped, hit, or kicked in a serious manner		31.3								
Were victims of mean rumors or lies spread at school		51.8						tudent's go		75.3
Had embarrassing or hurtful pictures/text of them posted on	internet	10.2		School	provides	feedback	to paren	ts on positi	ve student performance	38.9
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	17.6		Teache	rs praise	student fo	or hard w	ork		64.5
Were made fun of by others		63.3		Rules a	re enforc	ed fairly				65.9
				Studen	ts of all ra	aces and e	ethnicities	s are treate	ed equally	79.4
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		24.7		ARENT				h a fallanda		
Shoved, slapped, hit, or kicked a student in a serious manne	er	31.7	Percent of students who agree with the following:							00.5
Spread mean rumors or lies about other kids at school		31.9	Parents notice and comment on student's good work						82.5	
Posted on internet embarrassing or hurtful pictures/text of so		5.4	Parents involve student in making family decisions						66.3	
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	10.3	It is important to be honest with parents regardless of consequences					89.2		
Made fun of other people		67.1	7.1 Student could ask parent for help with a personal problem							79.6
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:		_		_			_			
regarding the substances listed bolon, percent or students.	Wh	Marian	Whose closest frier the past 12 months	E	Who believe they themselves if they	they	MS S	ND A	Among st used subs first used	
	ha	ha)se o	Sa) be	use Sa	ğ	를	use use	
	/e e	/e u	dos 12		es leg) pa	₩	S	stud bsta	
	¥er	sed	mo est	ě	₹ ¥	reg	<u>§</u>	흋쭚	ent	
	use	₹	nths	ᅙ	<u>e</u> 9	S V	ם	ja ja ge	s w	
	S PR	the	~ ਤੁ		_ = = -	<u> </u>	ፙ	_ <u></u>) eg	
			S	9	se se	듣	S			
	8	pas	s hav	easy	risk harr use	ᇤ	wron	nei olice	nave	
	bstano	past 30	s have u	e easy to g	sk harming Ise	uld disap	wrong to	neighb olice for	nave ev ige age	
	Who have ever used substance	Who have used in the past 30 day	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	uld disapprov	wrong to use	Who think kids in their neighborho would be caught by police for using the caught by	Among students who have ever used substance, average age whe first used	
	bstance	past 30 days	s have used in	easy to get	sk harming Ise	Who say parents would disapprove if they use	Who feel it would be wrong to use	neighborhood olice for using	nave ever ige age when	
Cigarettes		ays	□			===		ing	hen	
Cigarettes Chewing Tobacco	27.1	12.0	<u> </u>	easy to get 56.0	sk harming 75.6	uld disapprove if 93.4	wrong to use	neighborhood 2.9	ige age when 13.15	
Chewing Tobacco	27.1 20.5	12.0 12.0	50.0	56.0	75.6	93.4	82.4	22.9	13.15	
Chewing Tobacco Alcohol	27.1	12.0 12.0 15.6	□			===		ing	hen	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	27.1 20.5 39.5	12.0 12.0 15.6 6.6	50.0	56.0	75.6 63.5	93.4	82.4	22.9 23.5	13.15 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	27.1 20.5 39.5	12.0 12.0 15.6 6.6 1.8	50.0	56.0	75.6	93.4	82.4	22.9	13.15	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	27.1 20.5 39.5	12.0 12.0 15.6 6.6	50.0 54.8 27.7	56.0 59.0 27.9	75.6 63.5 78.9	93.4 79.4 97.6	82.4 61.1 91.0	22.9 23.5 40.2	13.15 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	27.1 20.5 39.5 9.6 2.4	12.0 12.0 15.6 6.6 1.8 1.8	50.0	56.0 59.0 27.9	75.6 63.5 78.9 87.2	93.4 79.4 97.6 99.4	82.4 61.1 91.0 97.0	22.9 23.5	13.15 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	27.1 20.5 39.5 9.6 2.4	12.0 12.0 15.6 6.6 1.8 1.8	50.0 54.8 27.7	56.0 59.0 27.9 12.3 49.4	75.6 63.5 78.9 87.2 86.7	93.4 79.4 97.6 99.4 97.6	82.4 61.1 91.0 97.0 92.8	22.9 23.5 40.2	13.15 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	27.1 20.5 39.5 9.6 2.4 2.4 3.0	12.0 12.0 15.6 6.6 1.8 1.8	50.0 54.8 27.7	56.0 59.0 27.9	75.6 63.5 78.9 87.2	93.4 79.4 97.6 99.4	82.4 61.1 91.0 97.0	22.9 23.5 40.2	13.15 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	27.1 20.5 39.5 9.6 2.4 2.4 3.0 1.2	12.0 12.0 15.6 6.6 1.8 1.8	50.0 54.8 27.7	56.0 59.0 27.9 12.3 49.4	75.6 63.5 78.9 87.2 86.7	93.4 79.4 97.6 99.4 97.6	82.4 61.1 91.0 97.0 92.8	22.9 23.5 40.2	13.15 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	27.1 20.5 39.5 9.6 2.4 2.4 3.0 1.2 0.6	12.0 12.0 15.6 6.6 1.8 1.8	50.0 54.8 27.7	56.0 59.0 27.9 12.3 49.4	75.6 63.5 78.9 87.2 86.7	93.4 79.4 97.6 99.4 97.6	82.4 61.1 91.0 97.0 92.8	22.9 23.5 40.2	13.15 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	27.1 20.5 39.5 9.6 2.4 2.4 3.0 1.2 0.6 0.6	12.0 12.0 15.6 6.6 1.8 1.8	50.0 54.8 27.7	56.0 59.0 27.9 12.3 49.4	75.6 63.5 78.9 87.2 86.7	93.4 79.4 97.6 99.4 97.6	82.4 61.1 91.0 97.0 92.8	22.9 23.5 40.2	13.15 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	27.1 20.5 39.5 9.6 2.4 2.4 3.0 1.2 0.6 0.6	12.0 12.0 15.6 6.6 1.8 1.8	50.0 54.8 27.7	56.0 59.0 27.9 12.3 49.4	75.6 63.5 78.9 87.2 86.7	93.4 79.4 97.6 99.4 97.6	82.4 61.1 91.0 97.0 92.8	22.9 23.5 40.2	13.15 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	27.1 20.5 39.5 9.6 2.4 2.4 3.0 1.2 0.6 0.6	12.0 12.0 15.6 6.6 1.8 1.8 1.8	50.0 54.8 27.7 7.8	56.0 59.0 27.9 12.3 49.4 24.1	75.6 63.5 78.9 87.2 86.7 84.3	93.4 79.4 97.6 99.4 97.6 97.0	82.4 61.1 91.0 97.0 92.8 92.7	22.9 23.5 40.2 45.1	13.15 13.09 14.65	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	27.1 20.5 39.5 9.6 2.4 2.4 3.0 1.2 0.6 0.6	12.0 12.0 15.6 6.6 1.8 1.8 1.8	50.0 54.8 27.7 7.8	56.0 59.0 27.9 12.3 49.4 24.1	75.6 63.5 78.9 87.2 86.7 84.3	93.4 79.4 97.6 99.4 97.6 97.0	82.4 61.1 91.0 97.0 92.8 92.7	22.9 23.5 40.2 45.1	13.15 13.09	-14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

DENT COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 17 065 15,657 15,676



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	173	198	173
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	56	64	53
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	0	0
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	205	203	198
Suicides	4	3	6
Self-inflicted Injuries	34	24	30
Homicides	1	1	1
Assault Injuries	49	53	35
Alcohol Induced Deaths	1	0	2
Drug Induced Deaths	8	6	4
Smoking Induced Deaths	39	43	36
Chicking madood Doddie	33	40	
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	171	121	120
Direct Hospitalizations	63	29	33
Emergency Room Hospitalizations	34	30	41
Emergency Room Outpatient	74	62	46
Drug RelatedTotal	163	132	127
Direct Hospitalizations	65	49	51
Emergency Room Hospitalizations	31	31	30
Emergency Room Outpatient	67	52	46
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	16	23	21
Fatal Crashes	0	1	0
Injury Crashes	10	13	13
Property Damage Crashes	6	9	8
Crash Fatalities	0	1	0
Crash Injuries	14	22	21
Drug Involved CrashesTotal	10	9	6
Fatal Crashes	1	1	0
Injury Crashes	4	6	2
Property Damage Crashes	5	2	4
Crash Fatalities	1	1	0
Crash Injuries	8	10	3
EMPLOYMENT	2011	2010	2009
Labor Force	6,669	6,843	6,757
Employed	6,040	6,191	6,101
Unemployed	629	652	656
Unemployment Rate	9.4%	9.5%	9.7%
Champioymant Itala	9.4%	9.5%	9.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	14	10	11
Alcohol Package Carry-out Licenses	19	18	21

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	622	630	657
Drop-outs	18	9	8
Drop-out Rate	2.9%	1.4%	1.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	8	5	8
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	81	97	121
Liquor Law Arrests	13	22	16
Drug Arrests	122	91	117
Methamphetamine Lab Incidents	3	0	1
Violent Offenses	32	29	33
Property Offenses	321	365	301
Domestic Violence Reports	29	42	46
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	64	87	75
Violent Offenses	18	42	27
Alcohol Offenses	2	3	4
Drug Offenses	3	12	3
Status OffensesTotal	25	22	28
Truancy	11	4	8
Beyond Parental Control	5	5	8
Habitually Absent from Home	3	7	5
Injurious Behavior	6	1	3
Abuse/Neglect/CustodyTotal	57	98	16
Abuse	19	38	6
Neglect	37	60	10
Custody Disputes	1	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	24	15	9
Parental Alcohol Use Related	4	0	1
Parental Drug Use Related	15	3	5
Parental Alcohol and Drug Use	0	2	0
Child Removed for Other Reason	5	10	3
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	19	23	21
Probation/Parole AdmissionsTotal	148	136	127
Probation/Parole AdmissionsDrug	64	44	57
Probation/Parole AdmissionsDWI	11	1	9
Prison AdmissionsTotal	61	69	69
Prison AdmissionsDrug	32	19	24
Prison AdmissionsDWI	4	6	5
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DENT COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	10	10
CSTAR Women and Children	5	5	11
CSTAR General Adult	79	69	52
CSTAR Opioid	*	0	0
Primary Recovery Detoxification	28	25	16
Primary Recovery Treatment	139	116	125
Clinical SATOP (CIP, YCIP, SROP)	8	13	18
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	50	71	85
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	14	16	29
- Weekend Intervention Program	10	10	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	0	6	7
- Early Intervention	9	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	136	132	144	Never Married	77	81	91
Female	61	54	52	Married / Cohabitating	77	57	62
	0.	0.	02	Previously Married	43	48	43
AGE				•	10	.0	10
Under 18	*	10	11	PRIMARY DRUG PROBLEM			
18 to 24	43	45	47	Alcohol	71	88	86
25 to 29	43	42	42	Marijuana / Hashish	51	46	62
30 to 34	32	31	22	Cocaine (total)	*	*	5
35 to 39	21	9	14	- Crack	0	*	*
40 to 44	19	19	20	Stimulant (total)	18	11	15
45 to 54	31	23	29	- Methamphetamine	17	10	15
55 and Over	6	7	11	Heroin	12	*	*
RACE / ETHNICITY				Analgesic except Heroin	38	32	24
Caucasian	193	184	189	- Non-Prescription Methadone	0	*	0
African American	193	0		PCP, LSD, other Hallucinogen	*	*	0
Native American / Alaskan	*	0	0	Tranquilizer	*	*	*
Asian / Pacific Islander	0	0	0	Inhalant	*	*	0
	0	*	-	Sedative	0	0	0
Hispanic	*	0	6	Other Medication or Illicit Drug	0	0	*
Other Race / Two or More Races		U		Average Age at First Use of Drug	18.3	16.5	17.1
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	74	73	84	Any Injection Use at Admission	31	23	18
High School Graduate or G.E.D.	93	88	91	- Daily Injection Use	7	5	*
Associate Degree or Some College	30	18	20	- Weekly Injection Use	8	5	*
Bachelor or Advanced Degree	0	7	*	- Less than Weekly Injection Use	16	13	12
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	63	42	63	Self / Family / Friend	47	39	41
Unemployed	91	92	92	School	0	*	0
Not in Labor Force	43	52	41	Mental Health Provider	*	5	*
				Health Care Provider	7	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	124	124	133
Independent Living	188	167	174	Other Referral Source	17	12	16
Dependent Living	*	13	13	ODEOLAL DODUKATIONS			
Homeless	*	6	6	SPECIAL POPULATIONS Pregnant when Admitted to any Episode	*	*	*
LIFETIME DUI / DWI ARRESTS				Military Veteran	12	10	11
0	108	115	116	Special Education Services Needed	25	22	21
1 or 2	64	48	44	Co-Occurring Psychological Problem	64	59	67
3 or More	25	23	36	Co-Occurring Developmental Problem	25	32	19
O OI WOOLD	25	23	30	Co-Coourning Developmental Froblem	23	32	19

DENT COUNTY



ADA/CPS REGION Southeast
CPS SERVICE AREA 17A
CENSUS 2010 15,657
2011 POP. ESTIMATE 15,676

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 5 **Anxiety Disorder** 107 98 71 Dementia 0 0 0 **Developmental Disorder** 5 Impulse Control Disorder 43 38 29 **Mood Disorder** 101 142 124 Personality Disorder 17 19 19 **Psychotic Disorder** 25 26 28 Sexual Disorder 0

27

23

33

22

65

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	227	217	221	Hearing Impaired	6	9	*
Male	100	108	110	Past or Current Military Service	*	8	10
Female	127	109	111	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	94	27	*
Under 6	*	*	0	Dependent Living	*	26	*
6 to 9	12	9	12	Homeless	0	0	*
10 to 13	18	16	22	Other	*	*	0
14 to 17	23	24	23	Housing Unknown	131	163	215
18 to 24	31	26	18	EMPLOYMENT			
25 to 29	13	17	21	Employed	9	*	0
30 to 34	19	17	17	Unemployed	83	23	*
35 to 39	23	20	16	Not in Labor Force	os *	23 *	
40 to 44	_	-	_		404		0
	22	18	16	Employment Status Unknown	131	187	218
45 to 49	30	31	31	ARRESTS			
50 to 54	18	18	24	Arrested in Past 12 Months	7	*	*
55 to 59	9	9	13	Not Arrested in Past 12 Months	88	52	5
60 and Over	8	9	8	Arrest Status Unknown	132	163	215
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	220	208	206	Self / Family / Friend	160	157	159
African American	0	*	*	School	0	0	0
Native American / Alaskan	*	0	0	Mental Health Provider	-	6	7
Asian / Pacific Islander	0	0	0	Health Care Provider	5 26	_	
Hispanic	5	5	*	Court / Criminal Justice	20 12	13 13	16 9
Other Race	*	*	*	Other		_	_
Race/Ethnicity Unknown	0	*	6	Referral Source Unknown	24 0	25	22 8
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	28	14	*	Voluntary	222	204	207
High School Grad or G.E.D.	47	13	*	Civil	*	6	5
A.A. Degree or Some College	18	13	0	Criminal	*	*	ə *
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	*	*	0
Education Level Unknown	_	-	_		^	*	-
Education Level Unknown	134	187	218	Commitment Type Unknown	0		8

DENT COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)		UICIDE				40		(%)
Percent of students who, in the past 30 days:								12 months	:	` '
Were very sad		28.5		Seriously considered attempting suicide					13.5	
Were grouchy, irritable, or in a bad mood	26.0 Made a plan about how they would attempt suicide						4.9			
Felt hopeless about the future			21.2 Attempted suicide						2.0	
Felt like not eating or eating more than usual		8.6						in injury o	r overdose that had to	0.4
Slept a lot more or a lot less than usual		12.6		be u	eated by	doctor or	Hurse			
Had difficulty concentrating on school work		27.8		EBELLIC	OUSNES	s				
FIGHTING						s who agi				
Percent of students who, in the past 12 months:						s that get		-		25.7
Were in a physical fight		32.9)	They do	o the opp	osite of w	hat they'r	e told to m	nake people mad	20.8
Were in a fight and had to be treated by a doctor or nurse		2.4	ŀ		-		-	permissio	n	3.7
Were threatened or injured with a weapon on school proper	ty	13.5	5			kay to ch				19.2
BULLYING VICTIM				IT IS OK	iy to beat	up peopie	e ir tney s	tart a fight		58.9
Percent of students who, in the past 3 months:					RELATIC					
Were shoved, slapped, hit, or kicked in a serious manner		30.2				_		he followin	-	
Were victims of mean rumors or lies spread at school		47.8						tudent's go		61.9
Had embarrassing or hurtful pictures/text of them posted on	internet	9.8	3	School	provides	feedback	to parent	s on positi	ive student performance	43.5
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	13.1		Teache	rs praise	student fo	or hard w	ork		50.4
Were made fun of by others		66.5	5		ire enforc	_				64.6
DULL VINO DEPODETDATOR				Studen	ts of all ra	ices and e	ethnicities	are treate	ed equally	84.4
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:				ABENT	RELATIO	NC.				
Shoved, slapped, hit, or kicked a student in a serious manner	or .	28.2					ree with to	he followin	na·	
Spread mean rumors or lies about other kids at school	24.9		Percent of students who agree with the following: Parents notice and comment on student's good work							
Posted on internet embarrassing or hurtful pictures/text of so	4.5		Parents involve student in making family decisions						86.1 78.0	
Sent by cell phone embarrassing or hurtful pictures/text of se	17.5		It is important to be honest with parents regardless of consequences						87.4	
Made fun of other people 59.0 Student could ask parent for help with a personal problem						80.7				
						•	•	•	•	
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≨	₹	‡ ≨	≨	‡ ≰	Who say they use	≨	§ ≨	firs Am	
	<u>ہ</u>	<u></u>	Whose closest frier the past 12 months	Who say it would be easy to	Who believe they risk I themselves if they use	o sa y us	o fe	ĕ₽	Among st used sub first used	
	ave .	ave	t 12	y it	eliev	e y	⊕ =	e j	ed stu	
	eve	use	sest	VQ.	e #	arer	W	aug	den	
	S L	声	n t fie	큡	ਜ਼ੁ ਭੂ	ıts v	듄		e, a	
	ě	≢	Spu	be e	us risk	NO.	be v	y pe	/ho	
	Sub S	pas	ing i	asy) ar	<u>a</u>	Yron	olice .	hav	
	Who have ever used substance	Who have used in the past 30 d	Whose closest friends have use the past 12 months	6	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborh would be caught by police for us	Among students who have ever used substance, average age w first used	
	8	da	sed	get	9	pro	<u>s</u>	rs. of	er er	
		ays	5			Ve≕	Ф	aing nood	hen	
Cigarettes	22.4	13.5		37.1	76.2	83.3	82.7	20.8	10.78	
Chewing Tobacco	22.9	11.4								
Alcohol	28.2	17.1	36.7	40.2	57.7	76.3	71.2	26.9	10.50	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		9.8								
Marijuana	13.9	6.9	19.3	23.4	73.2	99.1	83.5	48.8	13.30	
•										
Inhalants	12.6	9.4							9.89	
Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs				7.8	96.1	99.1	96.5	35.5	9.89	
Inhalants	12.6 9.8	9.4	4.9	37.1	77.0	93.1	90.9	35.5	9.89	
Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	9.8 8.6	9.4	4.9					35.5	9.89	
Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	12.6 9.8	9.4	4.9	37.1	77.0	93.1	90.9	35.5	9.89	
Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	9.8 8.6 0.8 1.2	9.4	4.9	37.1	77.0	93.1	90.9	35.5	9.89	
Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	9.8 8.6 0.8 1.2 0.8	9.4	4.9	37.1	77.0	93.1	90.9	35.5	9.89	
Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	9.8 8.6 0.8 1.2	9.4	4.9	37.1	77.0	93.1	90.9	35.5	9.89	
Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	9.8 8.6 0.8 1.2 0.8	9.4 3.3 2.0	4.9	37.1 21.2	77.0 93.9	93.1 90.9	90.9 95.2			
Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	9.8 8.6 0.8 1.2 0.8 3.3	9.4 3.3 2.0	4.9	37.1 21.2	77.0 93.9 comparis	93.1 90.9	90.9 95.2 Inty popu		9.89	-14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

DOUGLAS COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 18 067 13,684 13,548



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	137	130	183
Mother Reported Drinking while Pregnant ¹		2	1
Mother Reported Smoking while Pregnant	31	37	47
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	2	2
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	1
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	141	150	131
Suicides	2	2	2
Self-inflicted Injuries	11	12	16
Homicides	0	2	0
Assault Injuries	13	16	14
Alcohol Induced Deaths	1	3	0
Drug Induced Deaths	1	0	2
Smoking Induced Deaths	32	25	28
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	84	70	78
Direct Hospitalizations	25	18	9
Emergency Room Hospitalizations	36	32	40
Emergency Room Outpatient	23	20	29
Drug RelatedTotal	70	62	57
Direct Hospitalizations	22	17	13
Emergency Room Hospitalizations	21	20	25
Emergency Room Outpatient	27	25	19
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	22	15	18
Fatal Crashes	0	1	0
Injury Crashes	15	8	10
Property Damage Crashes	7	6	8
Crash Fatalities	0	1	0
Crash Injuries	23	11	12
Drug Involved CrashesTotal	3	3	7
Fatal Crashes	0	0	0
Injury Crashes	1	2	3
Property Damage Crashes	2	1	4
Crash Injuries	0	0	0
Crash Injuries	1	2	3
EMPLOYMENT	2011	2010	2009
Labor Force	6,289	6,144	6,437
Employed	5,743	5,510	5,837
Unemployed	546	634	600
Unemployment Rate	8.7%	10.3%	9.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	4	5	5
Alcohol Package Carry-out Licenses	11	11	12

■ Female ¹	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	456	450	483
Drop-outs	3	1	6
Drop-out Rate	0.7%	0.2%	1.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	1	5	2
Drug Incidents	5	4	8
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	84	46	70
Liquor Law Arrests	8	17	29
Drug Arrests	82	52	45
Methamphetamine Lab Incidents	9	3	5
Violent Offenses	30	53	58
Property Offenses	180	194	313
Domestic Violence Reports	3	1	63
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	34	45	51
Violent Offenses	10	14	6
Alcohol Offenses	2	6	4
Drug Offenses	3	5	3
Status OffensesTotal	29	22	19
Truancy	8	9	10
Beyond Parental Control	17	9	6
Habitually Absent from Home	1	2	1
Injurious Behavior	3	2	2
Abuse/Neglect/CustodyTotal	12	17	10
Abuse	1	7	0
Neglect	10	8	8
Custody Disputes	1	2	2
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	12	15	7
Parental Alcohol Use Related	1	1	1
Parental Drug Use Related	2	1	3
Parental Alcohol and Drug Use	2	1	0
Child Removed for Other Reason	7	12	3
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	26	33	33
Probation/Parole AdmissionsTotal	95	70	62
Probation/Parole AdmissionsDrug	38	24	24
Probation/Parole AdmissionsDWI	4	4	4
Prison AdmissionsTotal	43	41	43
Prison AdmissionsDrug	14	8	8
Prison AdmissionsDWI	5	8	5
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DOUGLAS COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	5	*	5
CSTAR Women and Children	*	11	5
CSTAR General Adult	10	14	5
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	16	10	11
Primary Recovery Treatment	40	37	31
Clinical SATOP (CIP, YCIP, SROP)	5	7	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	40	37	53
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	13	12	21
- Weekend Intervention Program	6	9	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	*	*
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	44	44	31	Never Married	30	31	21
Female	17	24	19	Married / Cohabitating	13	20	21
	• • •		10	Previously Married	18	16	8
AGE					10		Ü
Under 18	5	*	5	PRIMARY DRUG PROBLEM			
18 to 24	13	17	8	Alcohol	33	30	24
25 to 29	10	15	12	Marijuana / Hashish	11	12	14
30 to 34	6	6	7	Cocaine (total)	0	0	0
35 to 39	5	9	6	- Crack	0	0	0
40 to 44	*	8	5	Stimulant (total)	10	14	7
45 to 54	15	8	7	- Methamphetamine	9	14	7
55 and Over	5	*	0	Heroin	0	0	*
RACE / ETHNICITY				Analgesic except Heroin	7	11	*
Caucasian	61	68	49	- Non-Prescription Methadone	0	0	0
African American	_	00		PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0 0	Tranquilizer	0	0	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	*
	-	-	-	Sedative	0	*	0
Hispanic	0	0	0	Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races	0	0		Average Age at First Use of Drug	15.7	17.0	16.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	24	20	19	Any Injection Use at Admission	6	10	5
High School Graduate or G.E.D.	27	33	24	- Daily Injection Use	*	*	*
Associate Degree or Some College	10	12	6	- Weekly Injection Use	*	0	*
Bachelor or Advanced Degree	0	*	*	- Less than Weekly Injection Use	*	7	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	7	10	7	Self / Family / Friend	17	9	7
Unemployed	33	34	26	School	0	0	0
Not in Labor Force	21	24	17	Mental Health Provider	0	*	0
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	36	50	35
Independent Living	51	59	44	Other Referral Source	6	5	5
Dependent Living	7	5	5	005044 00044 474040			
Homeless	*	*	*	SPECIAL POPULATIONS		*	-
				Pregnant when Admitted to any Episode	*	*	0
LIFETIME DUI / DWI ARRESTS		4.5	0.5	Military Veteran	*	*	*
0	36	43	30	Special Education Services Needed	*		*
1 or 2	15	9	12	Co-Occurring Psychological Problem	16	21	20
3 or More	10	16	8	Co-Occurring Developmental Problem	*	0	0

DOUGLAS COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 18
CENSUS 2010 13,684
2011 POP. ESTIMATE 13,548

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 **Anxiety Disorder** 21 16 13 Dementia 0 0 0 **Developmental Disorder** Impulse Control Disorder 7 9 **Mood Disorder** 41 33 36 Personality Disorder 0 0 **Psychotic Disorder** 5 5 Sexual Disorder 0 0 Other Diagnosis Diagnosis Unknown 9

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	61	56	64	Hearing Impaired	*	*	*
Male	26	28	26	Past or Current Military Service	*	0	0
Female	35	28	38	HOUSING / LIVING ARRANGEMENT			
				Independent Living	11	5	8
AGE				Dependent Living	*	6	*
Under 6	*	*	0	Homeless	*	*	*
6 to 9	*	*	*	Other	0	0	0
10 to 13	7	5	5	Housing Unknown	0 47	0	0 52
14 to 17	*	*	6	Housing Unknown	47	44	52
18 to 24	6	7	*	EMPLOYMENT			
25 to 29	*	*	8	Employed	0	0	*
30 to 34	5	*	*	Unemployed	13	7	9
35 to 39	7	9	15	Not in Labor Force	*	0	0
40 to 44	5	*	*	Employment Status Unknown	47	49	54
45 to 49	6	7	8				
50 to 54	*	*	7	ARRESTS	*	*	
55 to 59	8	*	*	Arrested in Past 12 Months			
60 and Over	*	*	*	Not Arrested in Past 12 Months	12	11	10
				Arrest Status Unknown	47	44	52
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	58	55	63	Self / Family / Friend	30	28	2.4
African American	0	0	0	School		_	24
Native American / Alaskan	0	0	0	Mental Health Provider	0	0	0
Asian / Pacific Islander	0	0	0	Health Care Provider			6
Hispanic	*	*	0		22	17	25
Other Race	*	0	*	Court / Criminal Justice	*	6	5
Race/Ethnicity Unknown	0	0	0	Other			*
				Referral Source Unknown	0	0	•
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	*	5	*	Voluntary	61	54	60
High School Grad or G.E.D.	8	*	5	Civil	0	*	*
A.A. Degree or Some College	*	*	*	Criminal	0	*	*
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	47	49	55	Commitment Type Unknown	0	0	*

DOUGLAS COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		CUICIDE Percent	nf studen	ts who in	the nact	12 months	·•		(%)
Were very sad	25.6	Percent of students who, in the past 12 months: Seriously considered attempting suicide							10.6		
Were grouchy, irritable, or in a bad mood		30.9		Made a plan about how they would attempt suicide						8.7	
Felt hopeless about the future		15.2		Attempted suicide						3.8	
Felt like not eating or eating more than usual		20.2		Had a suicide attempt that resulted in injury or overdose that had to					had to	2.0	
Slept a lot more or a lot less than usual		22.7		be treated by doctor or nurse					iluu to	2.0	
Had difficulty concentrating on school work		25.6			_						
The amount concommunity of concommunity				PEBELLIC							
FIGHTING						ts who ag					
Percent of students who, in the past 12 months:						s that get		-			29.3
Were in a physical fight		21.7							nake people mad	ı	19.3
Were in a fight and had to be treated by a doctor or nurse	_	5.3			•		•	permissio	n		13.1
Were threatened or injured with a weapon on school proper	ty	7.2				okay to ch					31.3
BULLYING VICTIM				It is oka	ay to bear	t up peopl	e if they s	start a fight			49.5
Percent of students who, in the past 3 months:			s	CHOOL	RFI ATIO	ONS					
Were shoved, slapped, hit, or kicked in a serious manner		25.1					ree with t	he followin	ng:		
Were victims of mean rumors or lies spread at school		52.4				_		student's g	-		72.5
Had embarrassing or hurtful pictures/text of them posted on	internet	15.9		School	provides	feedback	to paren	ts on positi	ive student perfo	rmance	38.6
Had embarrassing or hurtful pictures/text of them sent by ce		19.3			-	student fo		-	•		59.2
Were made fun of by others	•	63.6		Rules a	re enforc	ed fairly					57.2
•				Studen	ts of all ra	aces and	ethnicities	s are treate	ed equally		75.5
BULLYING PERPRETRATOR											
Percent of students who, in the past 3 months:		04.0		ARENT				u			
Shoved, slapped, hit, or kicked a student in a serious manne	er	21.3				_		he followin	-		04.0
Spread mean rumors or lies about other kids at school	17.4	Parents notice and comment on student's good work							81.6 68.8		
Posted on internet embarrassing or hurtful pictures/text of so	12.1 13.1	Parents involve student in making family decisions It is important to be honest with parents regardless of consequences							uonooo	89.5	
Sent by cell phone embarrassing or hurtful pictures/text of someone 13.1 It is important to be honest with parents Made fun of other people 58.2 Student could ask parent for help with a				_	· · · · · · · · · · · · · · · · · · ·	uences	76.9				
SUBSTANCE USE AND BELIEFS											
Regarding the substances listed below, percent of students:						I			765		
Regarding the substances listed below, percent of students:	Who	Who	Who the p	Who	Who	Who	Who	Who	Amo used first i		
Regarding the substances listed below, percent of students:	Who hav	Who hav	Whose c	Who say	Who beli themselv	Who say they use	Who feel	Who thin would be	Among s used sub first used		
Regarding the substances listed below, percent of students:	Who have e	Who have u	Whose close the past 12 r	Who say it w	Who believe themselves i	Who say par they use	Who feel it w	Who think ki would be car	Among studused substate		
Regarding the substances listed below, percent of students:	Who have ever	Who have used	Whose closest fi the past 12 mon	Who say it would	Who believe the themselves if the	Who say parents they use	Who feel it woul	Who think kids i	Among students used substance, first used		
Regarding the substances listed below, percent of students:	Who have ever use	Who have used in the	Whose closest frien the past 12 months	Who say it would be	Who believe they risthemselves if they u	Who say parents we they use	Who feel it would be	Who think kids in th would be caught by	Among students wh used substance, av first used		
Regarding the substances listed below, percent of students:	Who have ever used su	Who have used in the p	Whose closest friends he past 12 months	Who say it would be ear	Who believe they risk h themselves if they use	Who say parents would they use	Who feel it would be wr	Who think kids in their r would be caught by poli	Among students who he used substance, average first used		
Regarding the substances listed below, percent of students:	Who have ever used substa	Who have used in the past	Whose closest friends have the past 12 months	Who say it would be easy to	Who believe they risk harm themselves if they use	Who say parents would dist	Who feel it would be wrong	Who think kids in their neigl would be caught by police f	Among students who have used substance, average a first used		
Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 o	Whose closest friends have use the past 12 months	Who say it would be easy to ge	Who believe they risk harming themselves if they use	Who say parents would disapputhey use	Who feel it would be wrong to u	Who think kids in their neighbor would be caught by police for u	Among students who have ever used substance, average age v first used		
Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days	nds have used	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborhoo would be caught by police for using	udents who have ever stance, average age w		
Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used		
Cigarettes	29.3	11.1		Who say it would be easy to get 65.5	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use 84.6	Who feel it would be wrong to use 8.9	Who think kids in their neighborhood would be caught by police for using 12.6	Among students who have ever used substance, average age when 12.19		
			5		harming		Ф	3 8	len		
Cigarettes	29.3	11.1	5		harming		Ф	3 8	len		
Cigarettes Chewing Tobacco	29.3 25.0	11.1 16.4	53.4	65.5	harming 76.4	84.6	68.9	12.6	12.19		
Cigarettes Chewing Tobacco Alcohol	29.3 25.0 43.3	11.1 16.4 22.1 13.5 7.7	53.4	65.5	harming 76.4	84.6	68.9	12.6	12.19 12.95 13.19		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	29.3 25.0 43.3	11.1 16.4 22.1 13.5	53.4 62.5	65.5 64.4	76.4 66.2	84.6 75.2	68.9	12.6	12.19		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	29.3 25.0 43.3	11.1 16.4 22.1 13.5 7.7	53.4 62.5	65.5 64.4	76.4 66.2	84.6 75.2	68.9	12.6	12.19 12.95 13.19		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	29.3 25.0 43.3	11.1 16.4 22.1 13.5 7.7 1.9	53.4 62.5 35.9	65.5 64.4 35.8 15.2 61.5	76.4 66.2 72.6 93.7 83.7	84.6 75.2 92.7 96.1 95.7	68.9 60.3 79.7 95.7 92.8	12.6 14.5 30.3	12.19 12.95 13.19		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	29.3 25.0 43.3 14.5 3.4 1.9 7.2	11.1 16.4 22.1 13.5 7.7 1.9	53.4 62.5 35.9	65.5 64.4 35.8 15.2	76.4 66.2 72.6 93.7	84.6 75.2 92.7 96.1	68.9 60.3 79.7 95.7	12.6 14.5 30.3	12.19 12.95 13.19		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	29.3 25.0 43.3 14.5 3.4 1.9 7.2 0.5	11.1 16.4 22.1 13.5 7.7 1.9	53.4 62.5 35.9	65.5 64.4 35.8 15.2 61.5	76.4 66.2 72.6 93.7 83.7	84.6 75.2 92.7 96.1 95.7	68.9 60.3 79.7 95.7 92.8	12.6 14.5 30.3	12.19 12.95 13.19		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	29.3 25.0 43.3 14.5 3.4 1.9 7.2 0.5 2.0	11.1 16.4 22.1 13.5 7.7 1.9	53.4 62.5 35.9	65.5 64.4 35.8 15.2 61.5	76.4 66.2 72.6 93.7 83.7	84.6 75.2 92.7 96.1 95.7	68.9 60.3 79.7 95.7 92.8	12.6 14.5 30.3	12.19 12.95 13.19		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	29.3 25.0 43.3 14.5 3.4 1.9 7.2 0.5 2.0 1.4	11.1 16.4 22.1 13.5 7.7 1.9	53.4 62.5 35.9	65.5 64.4 35.8 15.2 61.5	76.4 66.2 72.6 93.7 83.7	84.6 75.2 92.7 96.1 95.7	68.9 60.3 79.7 95.7 92.8	12.6 14.5 30.3	12.19 12.95 13.19		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	29.3 25.0 43.3 14.5 3.4 1.9 7.2 0.5 2.0 1.4 0.5	11.1 16.4 22.1 13.5 7.7 1.9	53.4 62.5 35.9	65.5 64.4 35.8 15.2 61.5	76.4 66.2 72.6 93.7 83.7	84.6 75.2 92.7 96.1 95.7	68.9 60.3 79.7 95.7 92.8	12.6 14.5 30.3	12.19 12.95 13.19		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	29.3 25.0 43.3 14.5 3.4 1.9 7.2 0.5 2.0 1.4 0.5 0.5	11.1 16.4 22.1 13.5 7.7 1.9	53.4 62.5 35.9 13.9	65.5 64.4 35.8 15.2 61.5 38.2	76.4 66.2 72.6 93.7 83.7 88.5	84.6 75.2 92.7 96.1 95.7 93.6	68.9 60.3 79.7 95.7 92.8 92.8	12.6 14.5 30.3 33.3	12.19 12.95 13.19 12.41		
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	29.3 25.0 43.3 14.5 3.4 1.9 7.2 0.5 2.0 1.4 0.5	11.1 16.4 22.1 13.5 7.7 1.9 1.4 1.4	53.4 62.5 35.9 13.9	65.5 64.4 35.8 15.2 61.5 38.2	76.4 66.2 72.6 93.7 83.7 88.5	84.6 75.2 92.7 96.1 95.7 93.6	68.9 60.3 79.7 95.7 92.8 92.8	12.6 14.5 30.3 33.3	12.19 12.95 13.19	oups 10-14	

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

DUNKLIN COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 20 069 31,953 31,974



0040	0000	0000
		2008
4/3		482
400	_	2
132	129	141
2010	2009	2008
1	2	0
*	*	0
*	*	0
2010	2009	2008
	454	443
		6
-	-	82
		1
-	_	178
		170
_	=	5
	•	74
70	03	74
2010	2009	2008
393	381	342
115	57	77
103	192	140
175	132	125
622	377	326
224	74	102
168	189	120
230	114	104
2010	2009	2008
38	39	30
2	2	2
21	16	17
15	21	11
2	2	2
33	15	24
21	26	11
2	0	0
11	8	4
8	18	7
2	0	0
4.0		6
16	7	O
2011	2010	2009
2011 14,207	2010 14,307	2009 14,780
2011 14,207 12,725	2010 14,307 12,751	2009 14,780 13,163
2011 14,207 12,725 1,482	2010 14,307 12,751 1,556	2009 14,780 13,163 1,617
2011 14,207 12,725 1,482 10.4%	2010 14,307 12,751 1,556 10.9%	2009 14,780 13,163 1,617 10.9%
2011 14,207 12,725 1,482 10.4% 2011	2010 14,307 12,751 1,556 10.9% 2010	2009 14,780 13,163 1,617 10.9% 2009
2011 14,207 12,725 1,482 10.4%	2010 14,307 12,751 1,556 10.9%	2009 14,780 13,163 1,617 10.9%
	2010 443 5 121 1 193 2 4 78 2010 393 115 103 175 622 224 168 230 2010 38 2 21 15 2 33 21 2 11 8	473 462 2 132 129 2010 2009 1 2

■ Female	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,585	1,572	1,543
Drop-outs	35	56	97
Drop-out Rate	2.2%	3.6%	6.39
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	(
Drug Incidents	23	28	11
Tobacco Incidents	1	0	1
POLICE REPORTS	2010	2009	200
DUI Arrests, DWI Tracking System	373	319	40
Liquor Law Arrests	60	92	135
Drug Arrests	269	336	210
Methamphetamine Lab Incidents	17	30	10
Violent Offenses	121	108	90
Property Offenses	900	926	1,115
Domestic Violence Reports	92	84	64
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	243	197	262
Violent Offenses	58	55	46
Alcohol Offenses	22	14	14
Drug Offenses	17	4	13
Status OffensesTotal	70	82	99
Truancy	17	13	2
Beyond Parental Control	32	45	4
Habitually Absent from Home	10	9	1:
Injurious Behavior	6	11	1
Abuse/Neglect/CustodyTotal	695	846	87
Abuse	205	241	27
Neglect	488	604	602
Custody Disputes	2	1	(
JUVENILE COURT PLACEMENTS	2010	2009	200
Out-of-Home PlacementsTotal	120	100	6
Parental Alcohol Use Related	6	2	
Parental Drug Use Related	60	43	33
Parental Alcohol and Drug Use	7	2	(
Child Removed for Other Reason	47	53	20
CRIMINAL JUSTICE	FY2011	FY2010	FY200
Drug Court Participants	54	73	59
Probation/Parole AdmissionsTotal	459	527	473
Probation/Parole AdmissionsDrug	114	130	10
Probation/Parole AdmissionsDWI	40	38	4
Prison AdmissionsTotal	295	281	28
Prison AdmissionsDrug	84	79	57
Prison AdmissionsDWI	30	29	26

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DUNKLIN COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	38	43	31
CSTAR Women and Children	41	68	60
CSTAR General Adult	68	70	73
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	93	54	39
Primary Recovery Treatment	296	302	314
Clinical SATOP (CIP, YCIP, SROP)	21	27	*
Other Substance Abuse Treatment	0	0	43

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	117	164	192
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	53	75	102
- Weekend Intervention Program	15	28	55
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	5	*
- Compulsive Gambling	0	0	*
- Recovery Supports	5	6	*
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	304	328	313	Never Married	225	230	232
Female	134	152	141	Married / Cohabitating	125	146	124
				Previously Married	88	104	98
AGE				•			
Under 18	38	47	30	PRIMARY DRUG PROBLEM			
18 to 24	91	102	109	Alcohol	129	161	163
25 to 29	93	88	93	Marijuana / Hashish	172	195	180
30 to 34	70	72	69	Cocaine (total)	31	28	35
35 to 39	41	53	50	- Crack	19	15	28
40 to 44	27	43	39	Stimulant (total)	42	43	33
45 to 54	59	59	54	- Methamphetamine	39	43	32
55 and Over	19	16	10	Heroin	*	*	6
RACE / ETHNICITY				Analgesic except Heroin	41	38	25
Caucasian	336	387	355	- Non-Prescription Methadone	0	0	0
African American	91	81	91	PCP, LSD, other Hallucinogen	*	0	*
Native American / Alaskan	0	*	0	Tranquilizer	15	8	9
Asian / Pacific Islander	0	*	*	Inhalant	*	*	*
Hispanic	6	5	*	Sedative	0	0	*
Other Race / Two or More Races	8	5	5	Other Medication or Illicit Drug	*	0	0
	· ·	Ü	Ü	Average Age at First Use of Drug	17.2	17.2	17.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	227	246	215	Any Injection Use at Admission	18	24	22
High School Graduate or G.E.D.	178	200	204	- Daily Injection Use	*	*	*
Associate Degree or Some College	32	28	32	- Weekly Injection Use	*	6	7
Bachelor or Advanced Degree	*	6	*	- Less than Weekly Injection Use	10	14	11
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	96	90	126	Self / Family / Friend	44	62	52
Unemployed	176	198	183	School	*	*	0
Not in Labor Force	166	192	145	Mental Health Provider	*	13	6
				Health Care Provider	15	7	*
LIVING ARRANGEMENT				Court / Criminal Justice	315	340	349
Independent Living	341	359	358	Other Referral Source	58	56	45
Dependent Living	86	101	66				
Homeless	9	8	9	SPECIAL POPULATIONS		_	J.
				Pregnant when Admitted to any Episode	12	8	*
LIFETIME DUI / DWI ARRESTS	0.5-	07:	20.4	Military Veteran	9	11	11
0	307	271	284	Special Education Services Needed	52	44	48
1 or 2	91	147	98	Co-Occurring Psychological Problem	77	102	75
3 or More	40	62	72	Co-Occurring Developmental Problem	7	11	5

DUNKLIN COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 19 CENSUS 2010 31,953 2011 POP. ESTIMATE 31,974 disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 32 30 29 **Anxiety Disorder** 85 41 68 Dementia **Developmental Disorder** 0 Impulse Control Disorder 36 30 17 **Mood Disorder** 204 245 164 Personality Disorder 67 69 61 **Psychotic Disorder** 61 59 52

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	415	466	610	Hearing Impaired	9	8	11
Male	175	215	232	Past or Current Military Service	12	13	16
Female	240	251	378			.0	.0
	2.10	201	0.0	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	130	69	42
Under 6	0	*	*	Dependent Living	21	29	16
6 to 9	18	7	6	Homeless	*	0	0
10 to 13	19	21	11	Other	0	*	*
14 to 17	30	27	24	Housing Unknown	263	366	551
18 to 24	46	59	64	EMPLOYMENT			
25 to 29	32	52	70	Employed	7	5	*
30 to 34	37	48	68	Unemployed	142	81	53
35 to 39	44	60	70	Not in Labor Force	*	*	*
40 to 44	47	37	68	Employment Status Unknown	263	379	555
45 to 49	38	45	71		200	0.0	000
50 to 54	32	33	51	ARRESTS			
55 to 59	35	35	46	Arrested in Past 12 Months	10	17	*
60 and Over	37	39	59	Not Arrested in Past 12 Months	142	84	55
33 4.12 3.3.	07	00	00	Arrest Status Unknown	263	365	551
RACE / ETHNICITY							
Caucasian	346	388	519	TREATMENT REFERRAL SOURCE			
African American	57	67	83	Self / Family / Friend	93	114	172
Native American / Alaskan	0	0	*	School			0
Asian / Pacific Islander	0	*	0	Mental Health Provider	71	85	76
Hispanic	5	5	5	Health Care Provider	92	49	89
Other Race	7	5	*	Court / Criminal Justice	82	84	70
Race/Ethnicity Unknown	0	0	0	Other	56	69	70
				Referral Source Unknown	17	62	133
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	59	38	23	Voluntary	387	374	437
High School Grad or G.E.D.	82	42	24	Civil	8	26	31
A.A. Degree or Some College	8	5	5	Criminal	*	*	9
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	0	0	0
Education Level Unknown	263	379	556	Commitment Type Unknown	17	62	133

0

18

360

35

57

30

156

DUNKLIN COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)	s	SUICIDE	af atudan	to who lo	4h a maad	12		(%)
Percent of students who, in the past 30 days:								12 months	;	
Were very sad		18.5			-	lered atter			datala	11.8
Were grouchy, irritable, or in a bad mood		27.6		Made a plan about how they would attempt suicide					licide	9.0
Felt hopeless about the future		11.0		Attempted suicide						5.4
Felt like not eating or eating more than usual		17.3		Had a suicide attempt that resulted in injury or overdose that had to be treated by doctor or nurse				r overdose that had to	1.9	
Slept a lot more or a lot less than usual		21.5		be ireated by doctor or harse						
Had difficulty concentrating on school work		22.1	F	REBELLIC	OUSNES	s				
FIGHTING						ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		21.0
Were in a physical fight		25.3		They d	o the opp	osite of w	hat they'r	e told to m	ake people mad	15.8
Were in a fight and had to be treated by a doctor or nurse		3.2		It is oka	ay to take	somethin	g without	permissio	n	5.9
Were threatened or injured with a weapon on school proper	ty	4.9		Someti	mes it is	okay to ch	eat at scl	nool		31.2
								tart a fight		53.4
BULLYING VICTIM					-		_	_		
Percent of students who, in the past 3 months:		04.4		CHOOL						
Were shoved, slapped, hit, or kicked in a serious manner		24.4				_		he followin	-	00.5
Were victims of mean rumors or lies spread at school		58.0						tudent's go		69.5
Had embarrassing or hurtful pictures/text of them posted on		14.6			•		•	•	ve student performance	37.3
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	19.6			•	student fo	or hard w	ork		51.4
Were made fun of by others		65.5			are enforc	-				65.6
BULLYING PERPRETRATOR				Studen	its of all ra	aces and e	ethnicities	are treate	ed equally	73.8
Percent of students who, in the past 3 months:			_	PARENT	RFI ATIC	ONS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	20.9					ee with t	he followin	a:	
Spread mean rumors or lies about other kids at school		24.4				-		dent's god	-	85.0
Posted on internet embarrassing or hurtful pictures/text of so	omeone	7.4						amily decis		70.0
Sent by cell phone embarrassing or hurtful pictures/text of s		10.8					_	•	dless of consequences	86.7
Made fun of other people						•	75.5			
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≨	≨	≢ ≰	≨	‡ ≰	# Ee	≨	8 ≨	Am firs	
	9	0	pas	0 8	mse	o sa y us	o fe	들을	Among st used sub first used	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disappro they use	Who feel it would be wrong to use	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wh	
	eve	use	sest mc	Wo	e #	arer	8	aug kids	den	
	r us	e i	on fie	튭	je je	nts v	듄	E in	e, a	
	8	the	Spui	о е	딿ண	<u>8</u>	e v	heir y po	/ho	
	Si bi	pa	ha	äsy	ੇ ਡ	<u>d</u>	Yor	e e	hav age	
	stan	31 30	Ve u	6	릙	isap	og to	or igh	e ev	
	8) da	sed	get	9	pro	SI (말	ver wh	
		S	₹			ove if	(D	ja ja	nen	
Cigarettes	31.7	16.8	50.6	59.6	82.8	90.2	76.7	29.4	12.11	
Chewing Tobacco	17.4	9.1								
Alcohol	42.2	18.8	56.8	53.5	74.4	82.8	60.5	35.1	12.95	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		10.8								
Marijuana	17.9	7.9	36.9	37.8	74.5	94.0	81.8	45.0	13.41	
Inhalants	7.2	3.0							12.95	
Illicit drugs such as cocaine, LSD, meth, club drugs			15.5	18.1	93.1	98.7	96.2	58.2		
Over-the-counter medications for non-medical use	6.6	3.8		54.0	81.1	95.6	88.3			
Prescription drugs not prescribed for student	12.7	7.2		36.4	86.4	93.0	88.1			
Heroin	1.5									
Cocaine	2.5									
Methamphetamine	1.8									
Hallucinogens	ı									
	2.2									
Club drugs such as ecstasy, GHB, roofle, or Special K	2.2									

Synthetic drugs such as K2, bath salts, Spice

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Steroids not prescribed for student

Data source:

10.2

Data are weighted in comparison to county population estimates for age groups 10-14

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Percentages on some items are based on combined answer choices.

and 15-19, gender, race, and Hispanic origin.

FRANKLIN COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Eastern 16 071 101,492 101,938



DIDTU DIOK FACTORO	0040	0000	0000
BIRTH RISK FACTORS Resident BirthsTotal	2010	2009	2008
Mother Reported Drinking while Pregnant ¹	1,271	1,315 7	1,368 5
Mother Reported Smoking while Pregnant	312	283	300
Mother Reported Smoking while Pregnant	312	203	300
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	7	2
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	966	901	1,024
Suicides	21	23	15
Self-inflicted Injuries	139	124	138
Homicides	3	2	4
Assault Injuries	344	294	314
Alcohol Induced Deaths	6	4	7
Drug Induced Deaths	23	14	21
Smoking Induced Deaths	164	156	190
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	915	848	866
Direct Hospitalizations	351	275	235
Emergency Room Hospitalizations	195	229	229
Emergency Room Outpatient	369	344	402
Drug RelatedTotal	1.108	776	788
Direct Hospitalizations	400	260	231
Emergency Room Hospitalizations	187	184	183
Emergency Room Outpatient	521	332	374
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	136	172	161
Fatal Crashes	8	8	6
Injury Crashes	58	69	77
Property Damage Crashes	70	95	78
Crash Fatalities	8	7	6
Crash Injuries	82	97	93
Drug Involved CrashesTotal	25	43	31
Fatal Crashes	4	2	2
Injury Crashes	11	13	13
Property Damage Crashes	10	28	16
Crash Fatalities	4	1	3
Crash Injuries	18	14	14
EMPLOYMENT	2011	2010	2009
Labor Force	53,498	52,681	53,675
Employed	48,503	46,867	47,196
Unemployed	4,995	5,814	6,479
Unemployment Rate	9.3%	11.0%	12.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol Deckage Count out Licenses	120	131	138
Alcohol Package Carry-out Licenses	95	86	90

■ Female ■ Male							
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009				
Enrollment Grades 9-12	5,083	5,318	5,388				
Drop-outs	155	122	159				
Drop-out Rate	3.0%	2.3%	3.0%				
School Suspensions, 10 or More Days							
Alcohol Incidents	17	7	6				
Drug Incidents	79	37	54				
Tobacco Incidents	6	3	2				
POLICE REPORTS	2010	2009	2008				
DUI Arrests, DWI Tracking System	547	444	626				
Liquor Law Arrests	105	184	161				
Drug Arrests	507	396	414				
Methamphetamine Lab Incidents	106	96	70				
Violent Offenses	185	179	269				
Property Offenses	2,038	2,186	2,474				
Domestic Violence Reports	539	484	454				
JUVENILE COURT REFERRALS	2010	2009	2008				
Law Violation OffensesTotal	345	462	609				
Violent Offenses	80	114	108				
Alcohol Offenses	29	28	49				
Drug Offenses	27	31	62				
Status OffensesTotal	223	137	184				
Truancy	69	27	39				
Beyond Parental Control	20	23	33				
Habitually Absent from Home	40	34	46				
Injurious Behavior	70	39	43				
Abuse/Neglect/CustodyTotal	103	75	65				
Abuse	5	11	23				
Neglect	98	61	42				
Custody Disputes	0	3	0				
JUVENILE COURT PLACEMENTS	2010	2009	2008				
Out-of-Home PlacementsTotal	104	76	69				
Parental Alcohol Use Related	0	2	0				
Parental Drug Use Related	73	43	30				
Parental Alcohol and Drug Use	8	3	0				
Child Removed for Other Reason	23	28	39				
CRIMINAL JUSTICE	FY2011	FY2010	FY2009				
Drug Court Participants	100	97	98				
Probation/Parole AdmissionsTotal	444	547	557				
Probation/Parole AdmissionsDrug	131	136	164				
Probation/Parole AdmissionsDWI	39	44	39				
Prison AdmissionsTotal	184	191	173				
Prison AdmissionsDrug	52	51	45				
Prison AdmissionsDWI	13	17	17				
* An asterisk in a data cell indicates the cou		han 5 and su	ıppressed				

- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

FRANKLIN COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	57	47	38
CSTAR Women and Children	60	61	36
CSTAR General Adult	82	33	26
CSTAR Opioid	*	*	*
Primary Recovery Detoxification	52	50	47
Primary Recovery Treatment	192	256	198
Clinical SATOP (CIP, YCIP, SROP)	99	126	99
Other Substance Abuse Treatment	*	*	27

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	482	561	578
- Adolescent Diversion Education Program	5	8	11
- Offender Education Program	175	234	275
- Weekend Intervention Program	138	129	109
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	9	8	9
- Compulsive Gambling	*	*	*
- Recovery Supports	0	16	40
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	311	362	299	Never Married	272	320	245
Female	149	167	99	Married / Cohabitating	101	105	87
	140	107	00	Previously Married	87	104	64
AGE				•	O.		0.
Under 18	58	49	36	PRIMARY DRUG PROBLEM			
18 to 24	97	121	104	Alcohol	187	228	187
25 to 29	77	101	63	Marijuana / Hashish	105	106	77
30 to 34	73	81	55	Cocaine (total)	*	9	7
35 to 39	48	50	40	- Crack	*	6	*
40 to 44	31	45	37	Stimulant (total)	60	83	62
45 to 54	55	64	56	- Methamphetamine	58	81	60
55 and Over	21	18	7	Heroin	64	73	37
RACE / ETHNICITY				Analgesic except Heroin	28	20	14
Caucasian	447	507	388	- Non-Prescription Methadone	0	0	0
African American	8	11	5	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	0	*	0	Tranquilizer	5	5	7
Asian / Pacific Islander	0	*	0	Inhalant	*	*	*
Hispanic	5	*	5	Sedative	*	*	*
Other Race / Two or More Races	*	5	*	Other Medication or Illicit Drug	*	0	*
Other Nace / Two of More Naces		3		Average Age at First Use of Drug	17.7	17.4	16.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	192	208	162	Any Injection Use at Admission	90	87	48
High School Graduate or G.E.D.	190	228	184	- Daily Injection Use	28	22	18
Associate Degree or Some College	75	83	46	- Weekly Injection Use	26	34	18
Bachelor or Advanced Degree	*	10	6	- Less than Weekly Injection Use	36	31	12
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	111	136	108	Self / Family / Friend	111	132	112
Unemployed	191	224	154	School	7	0	*
Not in Labor Force	158	169	136	Mental Health Provider	9	17	6
				Health Care Provider	16	20	15
LIVING ARRANGEMENT				Court / Criminal Justice	274	306	235
Independent Living	362	429	293	Other Referral Source	43	54	29
Dependent Living	77	84	79	CDECIAL DODULATIONS			
Homeless	12	8	16	SPECIAL POPULATIONS	0	40	•
LIFETIME DUI / DW/LADDESTS				Pregnant when Admitted to any Episode Military Veteran	8 22	10	6
LIFETIME DUI / DWI ARRESTS 0	055	076	407	· · · · · · · · · · · · · · · · · · ·		21 43	18
1 or 2	255	276	187	Special Education Services Needed	34 165	_	27 05
	124	163	111	Co-Occurring Psychological Problem	165	167	95
3 or More	81	90	100	Co-Occurring Developmental Problem	17	14	7

FRANKLIN COUNTY



ADA/CPS REGION Eastern
CPS SERVICE AREA 16
CENSUS 2010 101,492
2011 POP. ESTIMATE 101,938

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 30 32 31 **Anxiety Disorder** 373 301 205 Dementia 5 7 5 **Developmental Disorder** 38 33 29 Impulse Control Disorder 218 169 122 **Mood Disorder** 548 406 661 Personality Disorder 157 138 150 **Psychotic Disorder** 125 124 119 Sexual Disorder 0

77

124

90

86

98

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
1,016	834	692	Hearing Impaired	13	8	8
538	453	393	Past or Current Military Service	14	11	15
478	381	299	HOUSING / LIVING ARRANGEMENT			
			Independent Living	407	313	263
*	*	*	Dependent Living	20	136	61
81	62	46	Homeless	*	*	*
			Other	*	*	5
			Housing Unknown	581	377	362
			EMPLOYMENT			
	-		_	54	52	35
-				_	-	239
						13
-						405
	-		Employment Grade Gradiown	301	302	403
			ARRESTS			
			Arrested in Past 12 Months	81	90	72
			Not Arrested in Past 12 Months	354	367	258
44	39	30	Arrest Status Unknown	581	377	362
			TREATMENT RECERPAL SOURCE			
972	794	661		105	126	120
15	17	15	•			67
0	0	*		_		122
*	*	*		_		37
11	8	*		_		63
17	14	9			_	272
0	0	*				11
			Referral Oddice Officiowii	9	O	11
			TYPE OF COMMITMENT			
172	118	97	Voluntary	994	759	619
159	145	135	Civil	6	55	52
80	53	46	Criminal	7	12	10
16	14	8	Sexual Predatory	0	0	0
589	504	406	Commitment Type Unknown	9	8	11
	1,016 538 478 * 81 122 109 103 91 82 88 85 77 48 44 972 15 0 * 11 17 0	1,016 834 538 453 478 381 * * * 81 62 122 89 109 83 103 94 91 74 82 61 82 77 88 70 85 81 77 69 48 34 44 39 972 794 15 17 0 0 * * 11 8 17 14 0 0 172 118 159 145 80 53 16 14	1,016 834 692 538 453 393 478 381 299 * * * 81 62 46 122 89 54 109 83 73 103 94 75 91 74 56 82 61 65 82 77 66 88 70 55 85 81 73 77 69 61 48 34 29 44 39 38 972 794 661 15 17 15 0 0 * * * * 11 8 * 17 14 9 0 0 * 172 118 97 159 145 135 80 53 46 16 14 8	1,016	1,016	1,016

FRANKLIN COUNTY

2012 MISSOURI STUDENT SURVEY

PEPRESSION Percent of students who, in the past 30 days:		(%)		CUICIDE Percent o	of studen	ts who, in	the past	12 months	:	(
Were very sad		19.7				lered atter				11
Were grouchy, irritable, or in a bad mood		26.1			-			attempt su	ılcide	ç
Felt hopeless about the future		11.0			ted suicio		•	•		5
Felt like not eating or eating more than usual		18.9					resulted	in injury o	r overdose that had to	
Slept a lot more or a lot less than usual		20.8				doctor or		,,		
Had difficulty concentrating on school work		24.8			•					
That almostly sollooms almy on solloom work				PEBELLIC	OUSNES	s				
GHTING				Percent of	of studen	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their v	ıay		20
Were in a physical fight		21.8		They do	o the opp	osite of w	hat they'	e told to m	ake people mad	14
Were in a fight and had to be treated by a doctor or nurse		3.3		It is oka	ay to take	somethin	g withou	permissio	n	7
Were threatened or injured with a weapon on school propert	.y	6.8		Someti	mes it is	okay to ch	eat at sc	hool		22
				It is oka	ay to beat	t up peopl	e if they :	start a fight		52
PULLYING VICTIM										
Percent of students who, in the past 3 months:		07.0		CHOOL				h - 6-11	_	
Were shoved, slapped, hit, or kicked in a serious manner		27.6				_		he followin	-	0.1
Were victims of mean rumors or lies spread at school		51.8						tudent's go		65
Had embarrassing or hurtful pictures/text of them posted on		12.6			-		•	-	ve student performance	38
Had embarrassing or hurtful pictures/text of them sent by ce	il phone	15.4			-	student fo	or hard w	ork		53
Were made fun of by others		63.0			re enforc	-				6′
ULLYING PERPRETRATOR				Studen	ts of all ra	aces and o	ethnicitie	s are treate	ed equally	79
Percent of students who, in the past 3 months:				ARENT	DEI ATIC	OME				
Shoved, slapped, hit, or kicked a student in a serious manner	эr	22.0					ree with i	he followin	a·	
Spread mean rumors or lies about other kids at school	•	27.2				-		ident's god	-	82
Posted on internet embarrassing or hurtful pictures/text of someone								amily decis		65
Sent by cell phone embarrassing or hurtful pictures/text of someone		8.7 9.2						-	dless of consequences	86
Made fun of other people	лисопс	61.4							onal problem	76
	no have eve	no have us	Whose closest frier the past 12 months	no say i	no believ emselves	no say pa y use	no feel it n	no think ki uld be ca	Among stuc used substa	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	rents would disapprove if	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cigarettes Charles The control of th	21.0	9.6	est friends have used in months 39.5	t would be easy to get 51.8	e they risk harming 83.0	Who say parents would disapprove if .0. they use	would be wrong to use 84.1	ds in their neighborhood ught by police for using 25.2	lents who have ever ance, average age when	
Chewing Tobacco	21.0 12.5	9.6 7.6	39.5	51.8	83.0	93.0	84.1	25.2	12.14	
Chewing Tobacco Alcohol	21.0	9.6 7.6 18.1	<u> </u>					ng od	nen .	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	21.0 12.5 43.2	9.6 7.6 18.1 10.1	39.5 55.0	51.8 58.4	83.0 67.9	93.0 78.3	84.1 58.1	25.2 27.8	12.14 12.53	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	21.0 12.5 43.2	9.6 7.6 18.1 10.1 6.2	39.5	51.8	83.0	93.0	84.1	25.2	12.14 12.53 13.16	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	21.0 12.5 43.2	9.6 7.6 18.1 10.1	39.5 55.0 32.3	51.8 58.4 35.4	83.0 67.9 75.4	93.0 78.3 94.3	84.1 58.1 84.0	25.2 27.8 43.1	12.14 12.53	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	21.0 12.5 43.2 13.6 5.0	9.6 7.6 18.1 10.1 6.2 2.3	39.5 55.0	51.8 58.4 35.4 15.5	83.0 67.9 75.4 93.7	93.0 78.3 94.3	84.1 58.1 84.0 96.1	25.2 27.8	12.14 12.53 13.16	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	21.0 12.5 43.2 13.6 5.0	9.6 7.6 18.1 10.1 6.2 2.3	39.5 55.0 32.3	51.8 58.4 35.4 15.5 51.2	83.0 67.9 75.4 93.7 81.5	93.0 78.3 94.3 97.7 96.0	84.1 58.1 84.0 96.1 90.2	25.2 27.8 43.1	12.14 12.53 13.16	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	21.0 12.5 43.2 13.6 5.0 4.8 8.1	9.6 7.6 18.1 10.1 6.2 2.3	39.5 55.0 32.3	51.8 58.4 35.4 15.5	83.0 67.9 75.4 93.7	93.0 78.3 94.3	84.1 58.1 84.0 96.1	25.2 27.8 43.1	12.14 12.53 13.16	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	21.0 12.5 43.2 13.6 5.0 4.8 8.1 0.5	9.6 7.6 18.1 10.1 6.2 2.3	39.5 55.0 32.3	51.8 58.4 35.4 15.5 51.2	83.0 67.9 75.4 93.7 81.5	93.0 78.3 94.3 97.7 96.0	84.1 58.1 84.0 96.1 90.2	25.2 27.8 43.1	12.14 12.53 13.16	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	21.0 12.5 43.2 13.6 5.0 4.8 8.1 0.5 0.9	9.6 7.6 18.1 10.1 6.2 2.3	39.5 55.0 32.3	51.8 58.4 35.4 15.5 51.2	83.0 67.9 75.4 93.7 81.5	93.0 78.3 94.3 97.7 96.0	84.1 58.1 84.0 96.1 90.2	25.2 27.8 43.1	12.14 12.53 13.16	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	21.0 12.5 43.2 13.6 5.0 4.8 8.1 0.5 0.9	9.6 7.6 18.1 10.1 6.2 2.3	39.5 55.0 32.3	51.8 58.4 35.4 15.5 51.2	83.0 67.9 75.4 93.7 81.5	93.0 78.3 94.3 97.7 96.0	84.1 58.1 84.0 96.1 90.2	25.2 27.8 43.1	12.14 12.53 13.16	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	21.0 12.5 43.2 13.6 5.0 4.8 8.1 0.5 0.9	9.6 7.6 18.1 10.1 6.2 2.3	39.5 55.0 32.3	51.8 58.4 35.4 15.5 51.2	83.0 67.9 75.4 93.7 81.5	93.0 78.3 94.3 97.7 96.0	84.1 58.1 84.0 96.1 90.2	25.2 27.8 43.1	12.14 12.53 13.16	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	21.0 12.5 43.2 13.6 5.0 4.8 8.1 0.5 0.9	9.6 7.6 18.1 10.1 6.2 2.3 2.8 3.6	39.5 55.0 32.3 13.2	51.8 58.4 35.4 15.5 51.2 30.4	83.0 67.9 75.4 93.7 81.5 85.4	93.0 78.3 94.3 97.7 96.0 95.1	84.1 58.1 84.0 96.1 90.2 90.3	25.2 27.8 43.1 48.5	12.14 12.53 13.16 12.24	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	21.0 12.5 43.2 13.6 5.0 4.8 8.1 0.5 0.9 0.8 2.2	9.6 7.6 18.1 10.1 6.2 2.3 2.8 3.6	39.5 55.0 32.3 13.2	51.8 58.4 35.4 15.5 51.2 30.4	83.0 67.9 75.4 93.7 81.5 85.4	93.0 78.3 94.3 97.7 96.0 95.1	84.1 58.1 84.0 96.1 90.2 90.3	25.2 27.8 43.1 48.5	12.14 12.53 13.16	14

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:


Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

GASCONADE COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 17 073 15,222 15,168



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	156	146	181
Mother Reported Drinking while Pregnant ¹		2	1
Mother Reported Smoking while Pregnant	48	35	43
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	0
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	175	202	181
Suicides	1	0	2
Self-inflicted Injuries	12	15	22
Homicides	0	2	0
Assault Injuries	56	31	43
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	4	0	3
Smoking Induced Deaths	28	35	29
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	143	110	99
Direct Hospitalizations	47	35	38
Emergency Room Hospitalizations	35	26	24
Emergency Room Outpatient	61	49	37
Drug RelatedTotal	140	66	75
Direct Hospitalizations	46	20	23
Emergency Room Hospitalizations	33	19	22
Emergency Room Outpatient	61	27	30
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	22	21	17
Fatal Crashes	0	0	2
Injury Crashes	10	14	6
Property Damage Crashes	10	7	9
Crash Fatalities	0	0	3
Crash Injuries	16	17	7
Drug Involved CrashesTotal	2	2	1
Fatal Crashes	1	0	0
Injury Crashes	0	1	1
Property Damage Crashes	1	1	0
Crash Fatalities	1	0	0
Crash Injuries	1	1	2
EMPLOYMENT	2011	2010	2000
EMPLOYMENT Labor Force	2011	2010	2009
Employed	7,380 6.703	7,490 6,701	8,029 7,100
Unemployed	6,702		929
Unemployment Rate	678	789 10.5%	
опетироушент кате	9.2%	10.5%	11.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	57	51	49
Alcohol Package Carry-out Licenses	22	21	24

■ Female ■ Male					
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009		
Enrollment Grades 9-12	966	1,020	1,070		
Drop-outs	20	18	23		
Drop-out Rate	2.1%	1.8%	2.1%		
School Suspensions, 10 or More Days					
Alcohol Incidents	3	6	5		
Drug Incidents	10	15	3		
Tobacco Incidents	0	0	0		
POLICE REPORTS	2010	2009	2008		
DUI Arrests, DWI Tracking System	64	112	87		
Liquor Law Arrests	29	22	59		
Drug Arrests	46	44	27		
Methamphetamine Lab Incidents	16	19	16		
Violent Offenses	34	37	18		
Property Offenses	241	310	364		
Domestic Violence Reports	9	11	34		
JUVENILE COURT REFERRALS	2010	2009	2008		
Law Violation OffensesTotal	88	91	141		
Violent Offenses	22	35	47		
Alcohol Offenses	7	12	8		
Drug Offenses	19	6	10		
Status OffensesTotal	25	40	49		
Truancy	5	0	0		
Beyond Parental Control	4	0	2		
Habitually Absent from Home	3	0	5		
Injurious Behavior	13	40	42		
Abuse/Neglect/CustodyTotal	3	3	6		
Abuse	0	0	0		
Neglect	3	3	6		
Custody Disputes	0	0	0		
JUVENILE COURT PLACEMENTS	2010	2009	2008		
Out-of-Home PlacementsTotal	5	7	6		
Parental Alcohol Use Related	0	0	3		
Parental Drug Use Related	2	0	0		
Parental Alcohol and Drug Use	0	0	0		
Child Removed for Other Reason	3	7	3		
CRIMINAL JUSTICE	FY2011	FY2010	FY2009		
Drug Court Participants	9	0	0		
Probation/Parole AdmissionsTotal	64	73	69		
Probation/Parole AdmissionsDrug	18	25	30		
Probation/Parole AdmissionsDWI	2	7	6		
Prison AdmissionsTotal	31	38	33		
Prison AdmissionsDrug	12	12	11		
Prison AdmissionsDWI	0	4	3		
* An asterisk in a data cell indicates the cou		han 5 and su	ppressed		

All asterisk in a data cell midicales the count was rewer trial 5 and suppresser to avoid disclosure of identifying information.
 Reporting of this information on the birth long form was discontinued in 2010.
 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

GASCONADE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	5	*	*
CSTAR Women and Children	*	6	7
CSTAR General Adult	19	6	9
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	6	10	10
Primary Recovery Treatment	50	61	31
Clinical SATOP (CIP, YCIP, SROP)	12	17	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	72	86	65
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	37	34	27
- Weekend Intervention Program	19	22	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	*
- Compulsive Gambling	*	*	0
- Recovery Supports	*	*	*
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	57	63	33	Never Married	44	44	30
Female	17	29	17	Married / Cohabitating	18	24	10
		-		Previously Married	12	24	10
AGE							
Under 18	6	5	*	PRIMARY DRUG PROBLEM			
18 to 24	14	19	18	Alcohol	31	37	18
25 to 29	16	16	8	Marijuana / Hashish	22	21	14
30 to 34	11	6		Cocaine (total)		0	*
35 to 39		13	5	- Crack	0	0	0
40 to 44	6	11	6	Stimulant (total)	13	23	9
45 to 54	9	15	8	- Methamphetamine	13	23	9
55 and Over	8	7	0	Heroin			*
RACE / ETHNICITY				Analgesic except Heroin	*	6	*
Caucasian	72	89	50	- Non-Prescription Methadone	0	0	0
African American	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	*	0	Tranquilizer	0	*	0
Asian / Pacific Islander	*	*	0	Inhalant	0	0	0
Hispanic	0	*	0	Sedative	0	0	0
Other Race / Two or More Races	0	0	0	Other Medication or Illicit Drug	0	0	0
				Average Age at First Use of Drug	17.4	17.8	16.9
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	24	39	22	Any Injection Use at Admission	7	13	*
High School Graduate or G.E.D.	36	41	19	- Daily Injection Use	0	*	*
Associate Degree or Some College	11	10	9	- Weekly Injection Use	*	5	*
Bachelor or Advanced Degree	*	*	0	- Less than Weekly Injection Use	6	7	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	32	32	9	Self / Family / Friend	14	16	17
Unemployed	21	38	24	School	0	0	0
Not in Labor Force	21	22	17	Mental Health Provider	0	*	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	55	71	29
Independent Living	64	81	41	Other Referral Source	*	*	*
Dependent Living	6	8	6	CDECIAL DODULATIONS			
Homeless	*	0	*	SPECIAL POPULATIONS Prognant when Admitted to any Enjands	*	^	*
LIFETIME DUL/DWI ABBESTS				Pregnant when Admitted to any Episode Military Veteran	5	0	*
LIFETIME DUI / DWI ARRESTS 0	42	55	30	Special Education Services Needed	5	11	6
1 or 2	22	25	30 15	Co-Occurring Psychological Problem		34	19
3 or More					25	34	19
3 OF MOTE	10	12	5	Co-Occurring Developmental Problem	0		

GASCONADE COUNTY



ADA/CPS REGION Southeast
CPS SERVICE AREA 17A
CENSUS 2010 15,222
2011 POP. ESTIMATE 15,168

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.					
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009		
Adjustment Disorder	*	8	5		
Anxiety Disorder	57	58	41		
Dementia	0	0	0		
Developmental Disorder	*	6	5		
Impulse Control Disorder	27	36	29		
Mood Disorder	93	101	73		
Personality Disorder	13	16	9		
Psychotic Disorder	11	11	12		
Sexual Disorder	0	0	0		
Other Diagnosis	9	15	8		
Diagnosis I Inknown	۵	12	37		

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	140	154	152	Hearing Impaired	5	5	*
Male	54	62	73	Past or Current Military Service	*	*	*
Female	86	92	79				
				HOUSING / LIVING ARRANGEMENT	40		
AGE				Independent Living	19	33	23
Under 6	*	*	*	Dependent Living		22	9
6 to 9	7	12	11	Homeless	0	0	0
10 to 13	11	14	19	Other		0	0
14 to 17	16	18	15	Housing Unknown	119	99	120
18 to 24	9	10	19	EMPLOYMENT			
25 to 29	6	11	9	Employed	6	*	*
30 to 34	14	11	8	Unemployed	15	25	20
35 to 39	13	12	9	Not in Labor Force	0	6	*
40 to 44	13	14	12	Employment Status Unknown	119	120	128
45 to 49	13	14	10	10000			
50 to 54	21	16	18	ARRESTS	*		
55 to 59	11	13	16	Arrested in Past 12 Months		8	
60 and Over	5	5	*	Not Arrested in Past 12 Months	19	47	28
				Arrest Status Unknown	119	99	120
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	134	148	150	TREATMENT REFERRAL SOURCE	F.4	00	50
African American	*	0	0	Self / Family / Friend	51	62	58 *
Native American / Alaskan	0	0	0	School	0	0	
Asian / Pacific Islander	*	*	0	Mental Health Provider	6		5
Hispanic	*	*	*	Health Care Provider	7	6	7
Other Race	*	*	*	Court / Criminal Justice		9	
Race/Ethnicity Unknown	0	0	0	Other Referral Source Unknown	74	72 *	75 *
				Referral Source Unknown	0		
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	8	12	6	Voluntary	138	146	146
High School Grad or G.E.D.	8	17	13	Civil	0	6	*
A.A. Degree or Some College	*	*	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	0	0	0
Education Level Unknown	120	120	128	Commitment Type Unknown	0	*	*

GASCONADE COUNTY

2012 MISSOURI STUDENT SURVEY

20	12 W15	SOUR	1310	DENI 3	SURV	⊏ ĭ				
DEPRESSION		(0()		SUICIDE						(0/)
Percent of students who, in the past 30 days:		(%)						12 months	s:	(%)
Were very sad		22.8			-	lered atter				13.6
Were grouchy, irritable, or in a bad mood		23.3		Made a	plan ab	out how th	ey would	l attempt s	uicide	10.2
Felt hopeless about the future		11.0		Attemp	ted suicio	de				5.9
Felt like not eating or eating more than usual		19.6		Had a	suicide at	ttempt that	resulted	l in injury o	or overdose that had to	2.6
Slept a lot more or a lot less than usual		22.5		be t	reated by	doctor or	nurse			
Had difficulty concentrating on school work		21.9		DEDE!!!						
FIGHTING			•	REBELLIC Percent i		is Its who ag	ree that:			
Percent of students who, in the past 12 months:						es that get		vav		19.5
Were in a physical fight		24.5				•		•	nake people mad	14.4
Were in a fight and had to be treated by a doctor or nurse		5.0		-			•	t permissio		6.3
Were threatened or injured with a weapon on school properly	hv	8.4			-	okay to ch	-	-		25.0
Troto unoutoriou of injurou mar a troupon on sonooi propor	.9	0. 1				-		start a figh	t	42.9
BULLYING VICTIM				11 15 011	.y 10 D 00	t up poop.	o	otart a rigir	•	12.0
Percent of students who, in the past 3 months:				SCHOOL .						
Were shoved, slapped, hit, or kicked in a serious manner		33.3				_		the followir	-	
Were victims of mean rumors or lies spread at school		55.3						student's g		65.8
Had embarrassing or hurtful pictures/text of them posted on		17.7			-		-	•	tive student performance	32.8
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	20.3	·						52.3	
Were made fun of by others		67.2	•						70.9	
BULLYING PERPRETRATOR				Studen	ts of all r	aces and	ethnicitie	s are treat	ed equally	82.7
Percent of students who, in the past 3 months:				PARENT I	DEI ATI	OME				
Shoved, slapped, hit, or kicked a student in a serious manner	er	20.3					ree with i	the followir	na:	
Spread mean rumors or lies about other kids at school		30.8				_		udent's go	•	84.4
Posted on internet embarrassing or hurtful pictures/text of so	omeone	8.5						family deci		68.5
Sent by cell phone embarrassing or hurtful pictures/text of so		11.0						•	rdless of consequences	87.4
Made fun of other people		66.2					•	•	onal problem	74.4
						•	•	•	!	
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≨	≨	the ¥t	≨	# ≰	‡≰	≨	§ §	Arr	
	5	5	pas	S 01	ms d	Who say they use	10 fe	들 호	Among st used sub first used	
	ave	ave	Whose closest frier the past 12 months	ay it	Who believe they risk themselves if they use	ay p	<u>₩</u>	e ≢	y stu ed	
	eve	use	ses mc	WO	e#	are	W	äig	den	
	S I	g i	onth.	튭	hey leg	nts v	듄	E in	e, a	
	8 8	₹	nds S	эе е	딿호	<u>&</u>	oe ×	y pc	ho t	
	adus	pas	hav	asy	Than	d <u>d</u> .	Ton	elice ne	nave	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
	ĕ	g	sed	<u> </u>	_	Voro	use	퇇	whe	
		S	⋾			⁄e if		ğ	<u> </u>	
Cigarettes	20.3	9.7	37.6	47.3	81.5	94.1	84.3	23.2	11.45	
Chewing Tobacco	15.1	9.7								
AL										

	have ever used substance	nave used in the past 30 days	se closest friends have used in ast 12 months	say it would be easy to get	believe they risk harming selves if they use	say parents would disapprove if use	feel it would be wrong to use	think kids in their neighborhood be caught by police for using	
Cigarettes	20.3	9.7	7 37.6	47.3	81.5	94.1	84.3	23.2	
Chewing Tobacco	15.1	9.7	7						
Alcohol	44.7	17.	7 53.0	62.9	68.5	70.4	55.9	24.1	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		8.0	0						
Marijuana	10.1	6.8	8 26.9	28.4	82.2	95.8	86.1	44.1	
Inhalants	6.7	2.9	9						
Illicit drugs such as cocaine, LSD, meth, club drugs			14.4	14.3	92.7	99.2	95.8	46.4	
Over-the-counter medications for non-medical use	5.9	2.9	9	51.5	84.8	97.4	90.7		
Prescription drugs not prescribed for student	10.5	5.9	9	26.2	85.9	97.4	92.8		
Heroin	0.4								
Cocaine	1.7								
Methamphetamine	1.3								
Hallucinogens	2.6								
Club drugs such as ecstasy, GHB, roofle, or Special K	1.3		_						
Synthetic drugs such as K2, bath salts, Spice	3.8		Data are we and 15-19,					lation estin	na
Steroids not prescribed for student	1.3		Percentage					ined answe	er

nates for age groups 10-14

Percentages on some items are based on combined answer choices. Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


11.79

12.15 11.31

GENTRY COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 075 6,738 6,786



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	99	80	86
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	25	11	20
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	87	97	80
Suicides	1	1	1
Self-inflicted Injuries	13	4	7
Homicides	0	0	0
Assault Injuries	18	22	24
Alcohol Induced Deaths	2	0	0
Drug Induced Deaths	0	0	0
Smoking Induced Deaths	12	20	10
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	53	32	49
Direct Hospitalizations	19	32 10	13
Emergency Room Hospitalizations	19	17	14
Emergency Room Outpatient	22		22
Drug RelatedTotal	22 51	5 36	52 52
Direct Hospitalizations	19	36 13	52 18
Emergency Room Hospitalizations	8	7	10
Emergency Room Outpatient	o 24	, 16	24
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	4	9	4
Fatal Crashes	1	2	0
Injury Crashes	2	5	1
Property Damage Crashes	1	2	3
Crash Injuries	1	2	0
Crash Injuries Drug Involved CrashesTotal	3	7	2
Fatal Crashes	1 1	1	0
Injury Crashes	•	0	0
	0	0	_
Property Damage Crashes Crash Fatalities	0 1	1	0
Crash Injuries	1 1	0 0	0
Orașii Injunes	ļ		U
EMPLOYMENT	2011	2010	2009
Labor Force	3,625	3,560	3,559
Employed	3,383	3,308	3,328
Unemployed	242	252	231
Unemployment Rate	6.7%	7.1%	6.5%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	6	4	5
Alcohol Package Carry-out Licenses	11	9	10

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	345	366	370
Drop-outs	3	4	9
Drop-out Rate	0.9%	1.1%	2.4%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	0	3	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	18	43	36
Liquor Law Arrests	9	10	3
Drug Arrests	1	11	10
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	3	1	5
Property Offenses	32	36	54
Domestic Violence Reports	2	7	0
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	27	14	33
Violent Offenses	7	2	2
Alcohol Offenses	3	4	7
Drug Offenses	1	0	1
Status OffensesTotal	17	23	19
Truancy	2	1	2
Beyond Parental Control	6	12	9
Habitually Absent from Home	1	0	1
Injurious Behavior	8	9	7
Abuse/Neglect/CustodyTotal	31	12	24
Abuse	0	0	6
Neglect	30	11	18
Custody Disputes	1	1	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	14	1	6
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	3	0	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	11	0	3
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	1	0	4
Probation/Parole AdmissionsTotal	21	28	33
Probation/Parole AdmissionsDrug	2	7	7
Probation/Parole AdmissionsDWI	1	1	2
Prison AdmissionsTotal	12	16	19
Prison AdmissionsDrug	0	10	6
Prison AdmissionsDWI	0	0	1
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

GENTRY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	0	0
CSTAR General Adult	6	*	*
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	*	*
Primary Recovery Treatment	11	20	23
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	17	31	47
- Adolescent Diversion Education Program	0	7	10
- Offender Education Program	6	11	23
- Weekend Intervention Program	*	8	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	*	*	6
- Early Intervention	9	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	14	14	14	Never Married	10	13	14
Female	8	13	13	Married / Cohabitating	6	5	9
				Previously Married	6	9	*
AGE							
Under 18	*	*	*	PRIMARY DRUG PROBLEM			
18 to 24		5 *	8	Alcohol	12	16	11
25 to 29	5	*		Marijuana / Hashish	*	8	7
30 to 34	*	*	*	Cocaine (total)	*	0	0
35 to 39	*	*	*	- Crack	*	0	0
40 to 44	*			Stimulant (total)	*		5
45 to 54	*	7	6	- Methamphetamine	*	*	5
55 and Over	*	*	0	Heroin	*	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	21	26	27	- Non-Prescription Methadone	0	0	0
African American	0	*	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	0	0	Tranquilizer	*	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	*	0	Sedative	0	0	0
Other Race / Two or More Races	0	0	0	Other Medication or Illicit Drug	0	0	0
	_			Average Age at First Use of Drug	17.2	16.9	17.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	5	7	8	Any Injection Use at Admission	*	*	*
High School Graduate or G.E.D.	8	12	17	- Daily Injection Use	0	0	0
Associate Degree or Some College	8	8	*	- Weekly Injection Use	*	0	0
Bachelor or Advanced Degree	*	0	0	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	8	9	11	Self / Family / Friend	6	5	5
Unemployed	10	10	8	School	0	0	0
Not in Labor Force	*	8	8	Mental Health Provider	0	*	0
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	12	15	19
Independent Living	20	23	22	Other Referral Source	*	5	*
Dependent Living	*	*	5	CDECIAL DODINATIONS			
Homeless	*	0	0	SPECIAL POPULATIONS Prognant when Admitted to any Enjage	^	^	0
LIFETIME DUI / DIVI A DDESTS				Pregnant when Admitted to any Episode Military Veteran	0	0	0
LIFETIME DUI / DWI ARRESTS 0	9	13	16	Special Education Services Needed	0	*	0
1 or 2		10	7	Co-Occurring Psychological Problem	10	7	10
3 or More	9	10	/ *		_		1U *
3 OF MOTE				Co-Occurring Developmental Problem	0	0	

GENTRY COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 1
CENSUS 2010 6,738
2011 POP. ESTIMATE 6,786

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009					
Adjustment Disorder	0	0	0					
Anxiety Disorder	8	5	6					
Dementia	0	0	0					
Developmental Disorder	0	0	0					
Impulse Control Disorder	*	8	11					
Mood Disorder	21	18	21					
Personality Disorder	0	0	0					
Psychotic Disorder	*	*	*					
Sexual Disorder	0	0	0					
Other Diagnosis	*	*	6					

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	34	34	45	Hearing Impaired	*	0	0
Male	14	17	21	Past or Current Military Service	*	*	*
Female	20	17	24	HOUSING / LIVING ARRANGEMENT			
				Independent Living	5	0	0
AGE				Dependent Living	*	*	0
Under 6	0	0	0	Homeless	0	0	0
6 to 9	*	5	8	Other	*	0	0
10 to 13	5	*	7	Housing Unknown	26	32	45
14 to 17	*	5	5	riodoling critations	20	32	40
18 to 24	*	*	5	EMPLOYMENT			
25 to 29	*	*	*	Employed	0	0	0
30 to 34	*	*	*	Unemployed	7	0	0
35 to 39	6	*	5	Not in Labor Force	*	0	0
40 to 44	*	*	0	Employment Status Unknown	26	34	45
45 to 49	*	*	*				
50 to 54	*	0	0	ARRESTS			
55 to 59	*	*	*	Arrested in Past 12 Months	*	*	0
60 and Over	*	*	*	Not Arrested in Past 12 Months	5	*	0
				Arrest Status Unknown	26	32	45
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	33	33	41	Self / Family / Friend	10	12	14
African American	0	0	*	School			14
Native American / Alaskan	0	0	0		0	0	0
Asian / Pacific Islander	0	0	0	Mental Health Provider	9		9
Hispanic	0	0	*	Health Care Provider		7	7
Other Race	*	*	*	Court / Criminal Justice	5		5
Race/Ethnicity Unknown	0	0	0	Other	6	7	8
·				Referral Source Unknown	0	0	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	*	0	0	Voluntary	31	34	44
High School Grad or G.E.D.	*	0	0	Civil	*	0	0
A.A. Degree or Some College	*	0	0	Criminal	*	0	0
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	26	34	45	Commitment Type Unknown	0	0	*

7

GENTRY COUNTY

2012 MISSOURI STUDENT SURVEY

EPRESSION Percent of students who, In the past 30 days:		(%)	ક	SUICIDE Percent (of studen	ts who. in	the past	12 months	:	(
Were very sad						ered atte	-			ç
Were grouchy, irritable, or in a bad mood					•			attempt su	ılcide	9
Felt hopeless about the future					ted suicio					3
Felt like not eating or eating more than usual				Had a suicide attempt that resulted in injury or overdose that had to						C
Slept a lot more or a lot less than usual		14.7		be treated by doctor or nurse						
Had difficulty concentrating on school work		8.5								
, ,			A	REBELLIC						
IGHTING				Percent of		•				
Percent of students who, in the past 12 months:	They ignore ru							•		12
Were in a physical fight		14.7	3 11							15
Were in a fight and had to be treated by a doctor or nurse		1.7			-		-	permissio	n	6
Were threatened or injured with a weapon on school propert	.y	6.0	O Sometimes it is okay to cheat at school It is okay to beat up people if they start a fight							11
ULLYING VICTIM				IT IS OK	ay to beat	up peop	e ir tney s	start a right		40
Percent of students who, in the past 3 months:			s	CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		20.5					ree with t	he followin	<i>g</i> :	
Were victims of mean rumors or lies spread at school		40.2		Teache	ers notice	and com	ment on s	tudent's go	ood work	69
Had embarrassing or hurtful pictures/text of them posted on	internet	9.4		School	provides	feedback	to paren	ts on positi	ve student performance	34
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	16.5		Teache	ers praise	student f	or hard w	ork		54
Were made fun of by others		52.1		Rules a	are enforc	ed fairly				75
•				Studen	ts of all ra	aces and	ethnicities	s are treate	ed equally	98
ULLYING PERPRETRATOR										
Percent of students who, in the past 3 months: Shoved, slapped, hit, or kicked a student in a serious manner		15.4		PARENT			roo with t	ha fallawin	~ .	
• • • • • • • • • • • • • • • • • • • •						-		<i>he followin</i> Ident's god	-	81
Spread mean rumors or lies about other kids at school								•		76
Posted on internet embarrassing or hurtful pictures/text of so		1.7 6.0					_	amily decis		90
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people	Jilleone	50.9		-			-		dless of consequences onal problem	73
UBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	5	5	≓ ≤	\$	# ≤	≓ ≤	5	₹ ≤	∌ ⊊ ≥	
	<u>8</u>	<u>8</u>	Whose closest frier the past 12 months	ਰ	en 75	ey u	3		Among st used sub first used	
	nave	lave	e cl	ä	elie	se j	8	윤	g st subs	
	ev	SI (oses 2 m	¥	ზ ≷	a	∓		ude	
	- P	8	_ ≥ ≃		≕ <u>⇔</u>		~			
		=	≢ ₹	ᇤ	e they if the	ents	bluo/	<u>₹</u>	nts v	
	sed	in ‡	friend: 1ths	ould be	e they risk if they us	ents wou	ould be	s in thei jht by p	nts who	
	sed sub	in the pa	friends ha nths	ould be easy	Who believe they risk han themselves if they use	ents would d	ould be wro	s in their ne jht by police	nts who hav ce, average	
	sed substan	in the past 30	friends have unths	ould be easy to	e they risk harmin if they use	ents would disap	ould be wrong to	s in their neight tht by police for	nts who have exce, average ago	
	Who have ever used substance	in the past 30 da	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	ents would disappro	ould be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wh first used	
	sed substance	Who have used in the past 30 days	friends have used in nths	ould be easy to get	e they risk harming if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	s in their neighborhood tht by police for using	nts who have ever ce, average age when	
Cigarettes	sed substance	in the past 30 days	friends have used in this 34.2	ould be easy to get 53.0		ents would disapprove if 100.0	ould be wrong to use	s in their neighborhood th by police for using	nts who have ever ce, average age when 44.10	
-			<u>=</u>					ng od	nen	
Cigarettes Chewing Tobacco Alcohol	18.1	9.4	<u>=</u>					ng od	14.10	
Chewing Tobacco Alcohol	18.1 12.9	9.4 6.9	34.2	53.0	89.7	100.0	83.8	23.1	nen	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	18.1 12.9	9.4 6.9 14.7	34.2	53.0	89.7 76.9	100.0	83.8	23.1	14.10	
Chewing Tobacco Alcohol	18.1 12.9 29.1	9.4 6.9 14.7 8.5	34.2	53.0 53.8	89.7 76.9	100.0 85.5	83.8	23.1	14.10 12.59	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	18.1 12.9 29.1	9.4 6.9 14.7 8.5 3.4	34.2	53.0 53.8	89.7 76.9	100.0 85.5	83.8	23.1	14.10 12.59 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	18.1 12.9 29.1	9.4 6.9 14.7 8.5 3.4	34.2 43.6 21.4	53.0 53.8 6.8 2.6	89.7 76.9 78.6 88.0	100.0 85.5 100.0	83.8 76.1 92.3 100.0	23.1 29.3 45.3	14.10 12.59 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	18.1 12.9 29.1 6.8 8.5	9.4 6.9 14.7 8.5 3.4 0.0	34.2 43.6 21.4	53.0 53.8 6.8 2.6 47.8	89.7 76.9 78.6	100.0 85.5 100.0	83.8 76.1 92.3 100.0 92.8	23.1 29.3 45.3	14.10 12.59 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	18.1 12.9 29.1 6.8 8.5	9.4 6.9 14.7 8.5 3.4 0.0	34.2 43.6 21.4	53.0 53.8 6.8 2.6	89.7 76.9 78.6 88.0 87.1	100.0 85.5 100.0 100.0 94.0	83.8 76.1 92.3 100.0	23.1 29.3 45.3	14.10 12.59 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	18.1 12.9 29.1 6.8 8.5 11.1 6.9 3.4	9.4 6.9 14.7 8.5 3.4 0.0	34.2 43.6 21.4	53.0 53.8 6.8 2.6 47.8	89.7 76.9 78.6 88.0 87.1	100.0 85.5 100.0 100.0 94.0	83.8 76.1 92.3 100.0 92.8	23.1 29.3 45.3	14.10 12.59 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	18.1 12.9 29.1 6.8 8.5 11.1 6.9 3.4 3.5	9.4 6.9 14.7 8.5 3.4 0.0	34.2 43.6 21.4	53.0 53.8 6.8 2.6 47.8	89.7 76.9 78.6 88.0 87.1	100.0 85.5 100.0 100.0 94.0	83.8 76.1 92.3 100.0 92.8	23.1 29.3 45.3	14.10 12.59 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	18.1 12.9 29.1 6.8 8.5 11.1 6.9 3.4 3.5 3.5	9.4 6.9 14.7 8.5 3.4 0.0	34.2 43.6 21.4	53.0 53.8 6.8 2.6 47.8	89.7 76.9 78.6 88.0 87.1	100.0 85.5 100.0 100.0 94.0	83.8 76.1 92.3 100.0 92.8	23.1 29.3 45.3	14.10 12.59 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	18.1 12.9 29.1 6.8 8.5 11.1 6.9 3.4 3.5 3.5 3.4	9.4 6.9 14.7 8.5 3.4 0.0	34.2 43.6 21.4	53.0 53.8 6.8 2.6 47.8	89.7 76.9 78.6 88.0 87.1	100.0 85.5 100.0 100.0 94.0	83.8 76.1 92.3 100.0 92.8	23.1 29.3 45.3	14.10 12.59 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	18.1 12.9 29.1 6.8 8.5 11.1 6.9 3.4 3.5 3.5 3.4 3.4	9.4 6.9 14.7 8.5 3.4 0.0 0.0	34.2 43.6 21.4 3.4	53.0 53.8 6.8 2.6 47.8 19.7	89.7 76.9 78.6 88.0 87.1 88.9	100.0 85.5 100.0 100.0 94.0 90.5	83.8 76.1 92.3 100.0 92.8 92.3	23.1 29.3 45.3 60.7	14.10 12.59 13.27	-14
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	18.1 12.9 29.1 6.8 8.5 11.1 6.9 3.4 3.5 3.5 3.4	9.4 6.9 14.7 8.5 3.4 0.0 0.0	34.2 43.6 21.4 3.4	53.0 53.8 6.8 2.6 47.8 19.7	89.7 76.9 78.6 88.0 87.1 88.9	100.0 85.5 100.0 100.0 94.0 90.5	83.8 76.1 92.3 100.0 92.8 92.3	23.1 29.3 45.3 60.7	14.10 12.59 13.27 11.50	-14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

GREENE COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 10 077 275,174 277,214



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	3,530	3,540	3,645
Mother Reported Drinking while Pregnant ¹		32	19
Mother Reported Smoking while Pregnant	640	666	648
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	23	18	28
IDU and MSM ²	*	*	2
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	2,531	2,443	2,522
Suicides	36	38	40
Self-inflicted Injuries	467	422	422
Homicides	10	8	11
Assault Injuries	1,170	1,106	1,052
Alcohol Induced Deaths	32	23	27
Drug Induced Deaths	86	66	71
Smoking Induced Deaths	441	420	433
•	2010	-	
HOSPITAL / EMERGENCY ROOM		2009	2008
Alcohol RelatedTotal	3,993	3,673	3,539
Direct Hospitalizations	689	641	411
Emergency Room Hospitalizations	1,303	1,250	1,443
Emergency Room Outpatient	2,001	1,782	1,685
Drug RelatedTotal	3,580	3,067	2,932
Direct Hospitalizations	901	709	588
Emergency Room Hospitalizations	1,079	1,018	1,144
Emergency Room Outpatient	1,600	1,340	1,200
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	334	421	258
Fatal Crashes	6	8	5
Injury Crashes	113	176	122
Property Damage Crashes	215	237	131
Crash Fatalities	8	8	5
Crash Injuries	167	175	129
Drug Involved CrashesTotal	85	88	46
Fatal Crashes	0	3	1
Injury Crashes	37	34	19
Property Damage Crashes	48	51	26
Crash Fatalities	0	3	1
Crash Injuries	55	30	22
EMPLOYMENT	2011	2010	2009
Labor Force	143,782	139,254	139,367
Employed	133,087	127,532	127,732
Unemployed	10,695	11,722	11,635
Unemployment Rate	7.4%	8.4%	8.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	336	340	336
Alcohol Package Carry-out Licenses	220	197	215

■ Female	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	11,362	11,622	11,402
Drop-outs	256	312	488
Drop-out Rate	2.3%	2.7%	4.3%
School Suspensions, 10 or More Days			
Alcohol Incidents	32	24	43
Drug Incidents	200	96	86
Tobacco Incidents	21	26	9
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	1,778	1,808	1,963
Liquor Law Arrests	489	501	615
Drug Arrests	1,101	992	1,219
Methamphetamine Lab Incidents	79	46	37
Violent Offenses	1,563	1,450	1,237
Property Offenses	18,284	17,039	17,157
Domestic Violence Reports	3,341	3,202	3,127
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	1,341	1,309	1,646
Violent Offenses	539	535	534
Alcohol Offenses	50	32	81
Drug Offenses	110	97	157
Status OffensesTotal	478	440	596
Truancy	5	6	12
Beyond Parental Control	12	19	4
Habitually Absent from Home	68	64	69
Injurious Behavior	393	351	510
Abuse/Neglect/CustodyTotal	606	375	593
Abuse	82	60	109
Neglect	465	263	420
Custody Disputes	59	52	64
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	490	310	370
Parental Alcohol Use Related	24	15	12
Parental Drug Use Related	181	88	114
Parental Alcohol and Drug Use	31	20	6
Child Removed for Other Reason	254	187	238
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	674	524	452
Probation/Parole AdmissionsTotal	1,626	1,883	1,673
Probation/Parole AdmissionsDrug	560	734	658
Probation/Parole AdmissionsDWI	114	131	85
Prison AdmissionsTotal	944	834	856
Prison AdmissionsDrug	327	318	272
Prison AdmissionsDWI	41	36	40
* An asterisk in a data cell indicates the col	unt was fower t	han 5 and cu	innroccod

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.
- IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

GREENE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	159	158	131
CSTAR Women and Children	242	214	263
CSTAR General Adult	517	500	143
CSTAR Opioid	*	0	*
Primary Recovery Detoxification	468	455	401
Primary Recovery Treatment	612	1,057	1,183
Clinical SATOP (CIP, YCIP, SROP)	213	292	138
Other Substance Abuse Treatment	*	6	104

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	1,248	1,613	1,512
- Adolescent Diversion Education Program	33	57	75
- Offender Education Program	506	621	639
- Weekend Intervention Program	270	375	401
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	78	76	83
- Compulsive Gambling	*	0	0
- Recovery Supports	312	648	525
- Early Intervention	201	96	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	1,292	1,583	1.441	Never Married	1,045	1,192	1,086
Female	665	608	553	Married / Cohabitating	435	452	437
				Previously Married	478	547	471
AGE				•			
Under 18	159	164	136	PRIMARY DRUG PROBLEM			
18 to 24	367	414	386	Alcohol	829	916	775
25 to 29	332	415	375	Marijuana / Hashish	488	643	625
30 to 34	279	311	255	Cocaine (total)	68	85	89
35 to 39	209	249	248	- Crack	38	34	46
40 to 44	210	210	211	Stimulant (total)	332	314	302
45 to 54	336	339	322	- Methamphetamine	321	307	296
55 and Over	66	89	61	Heroin	34	28	23
RACE / ETHNICITY				Analgesic except Heroin	155	162	135
Caucasian	1,650	1,910	1,707	- Non-Prescription Methadone	*	5	*
African American	212	187	191	PCP, LSD, other Hallucinogen	8	6	5
Native American / Alaskan	6	11	8	Tranquilizer	30	29	31
Asian / Pacific Islander	5	8	6	Inhalant	*	*	*
Hispanic	51	48	46	Sedative	5	*	*
Other Race / Two or More Races	57	54	52	Other Medication or Illicit Drug	5	*	*
	0.	٠.	02	Average Age at First Use of Drug	16.5	16.5	16.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	753	824	784	Any Injection Use at Admission	295	258	225
High School Graduate or G.E.D.	802	917	828	- Daily Injection Use	66	59	29
Associate Degree or Some College	369	416	357	- Weekly Injection Use	84	49	62
Bachelor or Advanced Degree	34	34	25	- Less than Weekly Injection Use	145	150	134
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	450	660	633	Self / Family / Friend	563	499	485
Unemployed	791	855	736	School	13	5	*
Not in Labor Force	717	676	625	Mental Health Provider	58	44	30
				Health Care Provider	111	74	60
LIVING ARRANGEMENT				Court / Criminal Justice	1,064	1,421	1,282
Independent Living	1,466	1,721	1,606	Other Referral Source	149	148	134
Dependent Living	294	299	233	ODEOLAL DODLU ATIONS			
Homeless	163	115	140	SPECIAL POPULATIONS	05	40	07
LIFETIME DULL / DIAM ADDECTO				Pregnant when Admitted to any Episode	35	43	27
LIFETIME DUI / DWI ARRESTS 0	1.000	1 160	4 000	Military Veteran	102	102	74
1 or 2	1,063	1,169	1,083	Special Education Services Needed	139	114	114
· · · ·	594	611	565	Co-Occurring Psychological Problem	635	654	532
3 or More	301	411	346	Co-Occurring Developmental Problem	39	44	37

GREENE COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 10
CENSUS 2010 275,174
2011 POP. ESTIMATE 277,214

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 155 97 61 **Anxiety Disorder** 785 598 457 Dementia 6 18 10 **Developmental Disorder** 53 42 36 Impulse Control Disorder 318 230 167 **Mood Disorder** 1,468 1,240 967 Personality Disorder 364 352 349 **Psychotic Disorder** 594 535 456 Sexual Disorder 5 5 Other Diagnosis 198 158 110

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	2,948	2,803	2,590	Hearing Impaired	67	51	55
Male	1,414	1,346	1,219	Past or Current Military Service	76	67	77
Female	1,534	1,457	1,371	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	840	153	189
Under 6	119	128	65	Dependent Living	109	194	108
6 to 9	245	239	151	Homeless	32	10	*
10 to 13	194	202	162	Other	21	10	*
14 to 17	211	206	188	Housing Unknown	1,946	2,436	2,286
18 to 24	185	187	176	EMPLOYMENT			
25 to 29	176	158	172	Employed	87	22	30
30 to 34	239	216	208	Unemployed	859	172	184
35 to 39	249	218	236	Not in Labor Force	56	11	9
40 to 44	271	276	288	Employment Status Unknown	1,946	2,598	2,367
45 to 49	366	319	286		,-	,	,
50 to 54	299	284	290	ARRESTS			
55 to 59	195	177	190	Arrested in Past 12 Months	160	44	29
60 and Over	199	193	178	Not Arrested in Past 12 Months	840	321	274
				Arrest Status Unknown	1,948	2,438	2,287
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	2,619	2,537	2,334	Self / Family / Friend	2,070	1,928	1,417
African American	106	84	84	School	2,070	1,926	1,417
Native American / Alaskan	10	9	8	Mental Health Provider	119	144	155
Asian / Pacific Islander	5	5	5	Health Care Provider	157	70	110
Hispanic	49	32	33	Court / Criminal Justice	63	70	81
Other Race	159	136	126	Other	487	552	779
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	37	31	39
				Tolonal Godiso Chalowi	31	31	33
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	281	68	55	Voluntary	2,857	2,716	2,486
High School Grad or G.E.D.	433	83	88	Civil	27	26	31
A.A. Degree or Some College	217	45	61	Criminal	21	27	30
Bachelor or Advanced Degree	66	8	18	Sexual Predatory	*	*	*
Education Level Unknown	1,951	2,599	2,368	Commitment Type Unknown	40	32	41

1,006

711

433

GREENE COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%	6)	SUICIDE				40		(%)	
Percent of students who, in the past 30 days:		-					-	12 months	•	-	
Were very sad		19.			-	lered atter			aria.	13.0	
Were grouchy, irritable, or in a bad mood		24.			•		ey would	attempt su	licide	9.2	
Felt like not eating or eating more than usual		11.			ted suicio		rocultod	in injuny o	r overdose that had to	5.8 1.9	
Felt like not eating or eating more than usual		18. 20.				doctor or		iii iiijury oi	r overdose that had to	1.9	
Slept a lot more or a lot less than usual		20. 22.		•							
Had difficulty concentrating on school work		22.	REBELLIOUSNESS								
FIGHTING						ts who agi					
Percent of students who, in the past 12 months:						s that get		-		21.9	
Were in a physical fight		18.		-					ake people mad	15.2	
Were in a fight and had to be treated by a doctor or nurse		3.			-		-	permissio	n	7.0	
Were threatened or injured with a weapon on school propert	у	7.	.0			okay to ch				21.4	
BULLYING VICTIM				IT IS OK	ay to bear	up peopi	e if they s	start a fight		47.9	
Percent of students who, in the past 3 months:				SCHOOL	RELATIO	ONS					
Were shoved, slapped, hit, or kicked in a serious manner		24.					ree with t	he followin	g:		
Were victims of mean rumors or lies spread at school		47.	.0	Teache	ers notice	and comr	nent on s	student's go	ood work	68.8	
Had embarrassing or hurtful pictures/text of them posted on	internet	13.	.9	School	provides	feedback	to paren	ts on positi	ve student performance	38.9	
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	16.	.6			student fo	or hard w	ork		60.5	
Were made fun of by others		58.	.1	Rules	are enforc	ed fairly				64.2	
DULLYING REPORTEDATOR				Studen	its of all ra	aces and o	ethnicities	s are treate	ed equally	77.6	
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:				PARENT	DEL ATIC	OMC.					
Shoved, slapped, hit, or kicked a student in a serious manner	er	17.					ree with t	he followin	a·		
Spread mean rumors or lies about other kids at school		26.		Percent of students who agree with the following: Parents notice and comment on student's good work							
Posted on internet embarrassing or hurtful pictures/text of so	meone	9.		•							
Sent by cell phone embarrassing or hurtful pictures/text of so		10.								69.8 83.9	
Made fun of other people		57.		-			-		onal problem	77.3	
						•	•	·	•		
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:							_				
Regulating the Substances listed below, percent of stadelits.	Who	Ş	 	₩	then Who	they	₩	Who	Amc		
	Who have ever used substance	ha	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age what first used		
	/e e	e	12 d	. #	/es	pa	₹		stud		
	ě l	sed	non est f	<u>0</u>	# #	ent	<u>ē</u>	ug ds	ents nce,		
	usec	≕	ths rien	d be	y ris	WC N	d be	\$ ₽	wh		
	us b	р	ds h	ea	Se X	ᇤ	¥.	<u> </u>	o ha		
	bsta	ast	lave	sy to	am.	disc	ong	leigh ce fo	ive e		
	ınce	30 d	use	ge	g	뷸	Ö	nbor or us	ever ge w		
		Who have used in the past 30 days		-		Who say parents would disapprove if they use	Se	hood	hen .		
Cinarette	22.0	44.0		50.0	00.4		70.7				
Cigarettes Chewing Tobacco	22.9 9.7	11.3 5.1		52.0	82.4	90.9	79.7	28.7	12.39		
Alcohol	33.1	13.9		54.2	73.0	81.9	66.1	32.9	12.63		
Binge Alcohol (5+ drinks on one occasion in past 30 days)	33.1	8.1		54.2	73.0	01.9	00.1	32.9	12.03		
Marijuana	18.0	9.8		41.1	70.2	92.0	77.9	43.2	13.19		
Inhalants	5.6	2.6			70.2	02.0	77.0	10.2	12.20		
Illicit drugs such as cocaine, LSD, meth, club drugs			19.2	21.8	93.0	97.9	93.5	55.0			
Over-the-counter medications for non-medical use	7.2	4.4		53.7	81.6	95.4	86.9				
Prescription drugs not prescribed for student	9.4	5.1		34.3	87.2	94.6	88.8				
Heroin	1.1										
Cocaine	2.6										
Methamphetamine	1.7										
Hallucinogens	4.5										
Club drugs such as ecstasy, GHB, roofie, or Special K	3.0										
Synthetic drugs such as K2, bath salts, Spice	8.3							lation estir	mates for age groups 10-	14	
Steroids not prescribed for student 1.5 Prescribed for student 1.5											

Data source:

Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

GRUNDY COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 13 079 10,261 10,228



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	145	147	122
Mother Reported Drinking while Pregnant 1		0	1
Mother Reported Smoking while Pregnant	36	35	38
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	142	141	149
Suicides	1	1	2
Self-inflicted Injuries	7	9	12
Homicides	0	0	1
Assault Injuries	27	24	48
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	2	0
Smoking Induced Deaths	26	23	29
•			_
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	99	102	108
Direct Hospitalizations	37	39	38
Emergency Room Hospitalizations	7	16	16
Emergency Room Outpatient	55	47	54
Drug RelatedTotal	91	75	83
Direct Hospitalizations	33	32	34
Emergency Room Hospitalizations	6	4	6
Emergency Room Outpatient	52	39	43
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	8	15	9
Fatal Crashes	0	2	2
Injury Crashes	5	6	2
Property Damage Crashes	3	7	5
Crash Fatalities	0	2	1
Crash Injuries	5	12	5
Drug Involved CrashesTotal	0	2	3
Fatal Crashes	0	0	1
Injury Crashes	0	2	0
Property Damage Crashes	0	0	2
Crash Fatalities	0	0	0
Crash Injuries	0	2	1
EMPLOYMENT	2011	2010	2009
Labor Force	4,868	4,791	4,832
Employed	4,516	4,418	4,448
Unemployed	352	373	384
Unemployment Rate	7.2%	7.8%	7.9%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
RETAIL ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses	9	10	2009
Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses	_	_	_
Alcohol Fackage Cally Out Licelises	11	9	11

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	456	446	416
Drop-outs	5	13	12
Drop-out Rate	1.1%	2.9%	2.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	1	0	0
Drug Incidents	2	0	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	31	51	38
Liquor Law Arrests	35	45	38
Drug Arrests	59	64	27
Methamphetamine Lab Incidents	3	0	0
Violent Offenses	15	14	27
Property Offenses	226	232	215
Domestic Violence Reports	105	119	124
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	64	47	107
Violent Offenses	24	15	37
Alcohol Offenses	2	2	9
Drug Offenses	1	0	0
Status OffensesTotal	43	21	42
Truancy	8	2	3
Beyond Parental Control	13	4	19
Habitually Absent from Home	9	10	12
Injurious Behavior	13	5	5
Abuse/Neglect/CustodyTotal	79	83	26
Abuse	18	25	20
Neglect	61	58	6
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	7	18	7
Parental Alcohol Use Related	0	3	3
Parental Drug Use Related	2	2	0
Parental Alcohol and Drug Use	0	1	1
Child Removed for Other Reason	5	12	3
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	16	24	20
Probation/Parole AdmissionsTotal	83	86	68
Probation/Parole AdmissionsDrug	22	20	14
Probation/Parole AdmissionsDWI	2	3	1
Prison AdmissionsTotal	41	57	33
Prison AdmissionsDrug	8	14	4
Prison AdmissionsDWI	2	2	0
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

GRUNDY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	5	9
CSTAR Women and Children	*	0	*
CSTAR General Adult	88	18	23
CSTAR Opioid	0	0	*
Primary Recovery Detoxification	7	20	14
Primary Recovery Treatment	6	66	69
Clinical SATOP (CIP, YCIP, SROP)	10	*	9
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	28	42	39
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	10	18	9
- Weekend Intervention Program	*	11	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	0	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	17	5
- Early Intervention	7	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	80	60	68	Never Married	58	50	54
Female	23	29	44	Married / Cohabitating	25	21	24
· omais	20	20		Previously Married	20	18	34
AGE				•	20	10	0.
Under 18	*	6	9	PRIMARY DRUG PROBLEM			
18 to 24	19	23	24	Alcohol	46	33	53
25 to 29	21	18	17	Marijuana / Hashish	26	27	28
30 to 34	17	11	14	Cocaine (total)	*	*	*
35 to 39	9	10	14	- Crack	0	*	*
40 to 44	17	10	9	Stimulant (total)	16	11	*
45 to 54	13	8	20	- Methamphetamine	14	10	*
55 and Over	*	*	5	Heroin	*	0	*
RACE / ETHNICITY				Analgesic except Heroin	7	15	20
Caucasian	98	79	105	- Non-Prescription Methadone	0	0	*
African American	*	*	103	PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan		0	*	Tranquilizer	*	*	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	*	*	*	Sedative	0	0	*
Hispanic Other Reco / Two or More Reco	*	*	*	Other Medication or Illicit Drug	*	0	0
Other Race / Two or More Races				Average Age at First Use of Drug	16.8	16.6	17.8
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	35	29	41	Any Injection Use at Admission	13	11	16
High School Graduate or G.E.D.	53	50	57	- Daily Injection Use	*	5	5
Associate Degree or Some College	15	10	13	- Weekly Injection Use	*	0	*
Bachelor or Advanced Degree	0	0	*	- Less than Weekly Injection Use	8	6	9
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	43	14	32	Self / Family / Friend	20	19	35
Unemployed	47	61	48	School	0	*	0
Not in Labor Force	13	14	32	Mental Health Provider	0	0	0
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	70	57	48
Independent Living	96	79	88	Other Referral Source	9	11	27
Dependent Living	5	8	12	0050141 000111 4710110			
Homeless	0	*	*	SPECIAL POPULATIONS		_	
LIFETIME DUI / DIMI ADDECTO				Pregnant when Admitted to any Episode	0	0	*
LIFETIME DUI / DWI ARRESTS		0.0	0.5	Military Veteran		*	*
0	63	69	69	Special Education Services Needed	6		7
1 or 2	24	12	23	Co-Occurring Psychological Problem	31	11	35
3 or More	16	8	20	Co-Occurring Developmental Problem	*	0	0

GRUNDY COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 13
CENSUS 2010 10,261
2011 POP. ESTIMATE 10,228

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 8 14 15 **Anxiety Disorder** 130 110 112 Dementia 0 0 0 **Developmental Disorder** 9 6 6 Impulse Control Disorder 46 58 56 **Mood Disorder** 221 207 199 Personality Disorder 22 21 14 **Psychotic Disorder** 26 26 25 Sexual Disorder

22

35

33

32

54

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	303	354	340	Hearing Impaired	*	*	*
Male	117	130	134	Past or Current Military Service	8	7	6
Female	186	224	206	HOUSING / LIVING ARRANGEMENT			-
				Independent Living	88	71	42
AGE	*		*	Dependent Living	9	38	17
Under 6		*		Homeless	0	*	0
6 to 9	12	21	21	Other	*	0	*
10 to 13	32	32	27	Housing Unknown	205	243	280
14 to 17	27	31	42		200	210	200
18 to 24	27	35	27	EMPLOYMENT			
25 to 29	18	25	23	Employed	6	*	*
30 to 34	25	30	19	Unemployed	89	69	37
35 to 39	24	25	29	Not in Labor Force	*	5	*
40 to 44	33	28	22	Employment Status Unknown	205	277	298
45 to 49	26	32	36	4005050			
50 to 54	29	37	37	ARRESTS	_		
55 to 59	23	23	26	Arrested in Past 12 Months	9	11	16
60 and Over	26	33	30	Not Arrested in Past 12 Months	89	100	44
				Arrest Status Unknown	205	243	280
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	290	343	328	Self / Family / Friend	153	166	161
African American	*	*	*	School	100		
Native American / Alaskan	0	0	0			7	5
Asian / Pacific Islander	0	0	0	Mental Health Provider	36	44	48
Hispanic	5	*	6	Health Care Provider	45	53	49
Other Race	5	*	*	Court / Criminal Justice	13	15	13
Race/Ethnicity Unknown	0	0	0	Other	47	62	59
•				Referral Source Unknown	5	7	5
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	23	17	15	Voluntary	297	345	332
High School Grad or G.E.D.	58	43	20	Civil	0	*	*
A.A. Degree or Some College	16	15	7	Criminal	*	*	*
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	0	0	0
Education Level Unknown	205	278	298	Commitment Type Unknown	5	7	5

GRUNDY COUNTY

2012 MISSOURI STUDENT SURVEY

PEPRESSION Percent of students who, In the past 30 days:		(%)		CUICIDE Percent	of studen	ts who. in	the past	12 months:		(%
Were very sad		21.3				lered atter	-			14.
Were grouchy, irritable, or in a bad mood		25.0			_		-	attempt su	icide	10.
Felt hopeless about the future		15.2			ted suicio		.,			5.
Felt like not eating or eating more than usual		15.9					resulted	in injury or	overdose that had to	0.
Slept a lot more or a lot less than usual		20.7				doctor or		• • •		
Had difficulty concentrating on school work		24.1								
,				REBELLIC						
IGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get		-		28.
Were in a physical fight		26.4		-					ake people mad	16.
Were in a fight and had to be treated by a doctor or nurse		1.9			-		-	permissio	1	8.
Were threatened or injured with a weapon on school property	y	5.5				okay to ch				25.
PULLYING VICTIM				It IS OK	ay to beat	t up people	e if they s	start a fight		47.
Percent of students who, in the past 3 months:			s	CHOOL	RFI ATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		26.2					ree with t	he followin	q:	
Were victims of mean rumors or lies spread at school		59.1				_		tudent's go		63.
Had embarrassing or hurtful pictures/text of them posted on	internet	18.3		School	provides	feedback	to paren	ts on positi	ve student performance	39.
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	24.5			-	student fo	-	-	•	52.
Were made fun of by others	•	69.5		Rules a	are enforc	ed fairly				60
•				Studen	ts of all ra	aces and e	ethnicities	are treate	d equally	78
PULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:	_	00.0		ARENT				h - 6-11	_	
Shoved, slapped, hit, or kicked a student in a serious manner	er	28.2				_		he followin		70
Spread mean rumors or lies about other kids at school		34.8	· · · · · · · · · · · · · · · · · · ·					78.		
Posted on internet embarrassing or hurtful pictures/text of someone		8.6						-		61.
Sent by cell phone embarrassing or hurtful pictures/text of so	omeone	15.2						82.		
Made fun of other people		69.5		Studen	it could as	sk parent i	or neip w	nın a perso	nai problem	72.
UBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	5	\$	≠ ≤	\$	# ≤	≓ ≤	\$	₹ ≤	≢ 5, ≥	
	ᅙ	亥	hos e p	ਲੁੱ	ems Tot	by c	亥		Among st used sub first used	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have use the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborh would be caught by police for usi	Among students who have ever used substance, average age wifirst used	
	ev	Sn	ose: 2 m	¥ N	s #e	pare	∓	Cai (kid	ude	
	역 다	<u>e</u>	ont fri	bild	they	shts	틾	ght in	nts i	
	sed		rs ed	æ	y us	Wo	æ	y #	who	
	Sub	e B	S	eas	ਲੇ ਨੇ	튭	WTO		ha rage	
	sta	ıst 3	ave	y to	3.	disa	g	e fo	ve e	
	nce	Ö	use	get	2	ᄝ	9	i bor	e w	
		Syg	p.			¥e	ő	hood	nen	
Cigarettes	30.5	15.9	51.2	59.1	74.7	93.2	77.2	26.4	12.52	
Chewing Tobacco	11.0	4.9	01.2	00.1	. 7.1	00.2		20.7	12.02	
Alcohol	45.7	25.2	59.5	60.4	69.1	86.0	55.2	32.9	13.13	
Binge Alcohol (5+ drinks on one occasion in past 30 days)	.0	14.5								
Marijuana	13.4	6.7	38.9	34.4	73.3	95.0	82.7	41.6	13.32	
Inhalants	6.7	4.3						-	12.27	
Illicit drugs such as cocaine, LSD, meth, club drugs			15.3	16.0	92.6	97.5	92.5	48.5		
		6.7		62.3	80.9	96.9	87.4			
Over-the-counter medications for non-medical use	9.1	0.7								
•	9.1	7.3		38.7	84.6	95.1				
Over-the-counter medications for non-medical use	14.6			38.7	84.6	95.1	86.7			
Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin				38.7	84.6	95.1				
Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	14.6 2.5 3.0			38.7	84.6	95.1				
Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	14.6 2.5 3.0 2.4			38.7	84.6	95.1				
Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	14.6 2.5 3.0			38.7	84.6	95.1				

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Data are weighted in comparison to county population estimates for age groups 10-14

6.7

HARRISON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 13 081 8,957 8,866



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	106	107	116
Mother Reported Drinking while Pregnant ¹		1	0
Mother Reported Smoking while Pregnant	40	30	28
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	0
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	99	117	132
Suicides	2	1	0
Self-inflicted Injuries	11	6	8
Homicides	0	0	0
Assault Injuries	12	15	10
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	2	1	0
Smoking Induced Deaths	15	21	29
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	59	46	57
Direct Hospitalizations	30	46 16	24
Emergency Room Hospitalizations	30 11	17	10
Emergency Room Outpatient			_
Drug RelatedTotal	18 42	13 55	23 50
Direct Hospitalizations	•=		
•	26 4	26 6	19 9
Emergency Room Hospitalizations Emergency Room Outpatient	12	23	22
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	9	13	18
Fatal Crashes	0	1	3
Injury Crashes	5	6	4
Property Damage Crashes	4	6	11
Crash Fatalities	0	1	3
Crash Injuries	5	7	5
Drug Involved CrashesTotal	2	2	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	2	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	0
EMPLOYMENT	2011	2010	2009
Labor Force	4,347	4,327	4,665
Employed	4,005	3,952	4,310
Unemployed	342	375	355
Unemployment Rate	7.9%	8.7%	7.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	8	9	10
Alcohol Package Carry-out Licenses	13	12	12
• • • • • • • • • • • • • • • • • • • •	. •		

■ Female	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	381	408	402
Drop-outs	12	9	17
Drop-out Rate	3.1%	2.2%	4.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	1	0
Drug Incidents	0	4	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	67	95	117
Liquor Law Arrests	17	23	39
Drug Arrests	99	119	97
Methamphetamine Lab Incidents	0	0	1
Violent Offenses	12	16	8
Property Offenses	94	98	153
Domestic Violence Reports	18	14	9
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	19	14	38
Violent Offenses	6	6	11
Alcohol Offenses	2	0	1
Drug Offenses	0	1	0
Status OffensesTotal	5	12	18
Truancy	0	0	1
Beyond Parental Control	2	8	4
Habitually Absent from Home	2	2	6
Injurious Behavior	1	2	7
Abuse/Neglect/CustodyTotal	41	46	29
Abuse	16	17	3
Neglect	24	29	26
Custody Disputes	1	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	4	11	12
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	0	10
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	2	11	2
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	8	10	13
Probation/Parole AdmissionsTotal	75	83	60
Probation/Parole AdmissionsDrug	31	35	27
Probation/Parole AdmissionsDWI	3	5	6
Prison AdmissionsTotal	41	35	34
Prison AdmissionsDrug	15	15	13
Prison AdmissionsDWI	4	5	1

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

HARRISON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	6
CSTAR Women and Children	*	*	*
CSTAR General Adult	26	8	9
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	3	*	6
Primary Recovery Treatment	6	26	36
Clinical SATOP (CIP, YCIP, SROP)	6	*	9
Other Substance Abuse Treatment	*	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	37	42	50
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	18	15	18
- Weekend Intervention Program	*	17	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	*	0
- Recovery Supports	*	8	6
- Early Intervention	6	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	22	28	43	Never Married	16	20	29
Female	10	11	18	Married / Cohabitating	8	12	20
	.0		10	Previously Married	8	7	12
AGE				•	· ·	•	
Under 18	*	*	7	PRIMARY DRUG PROBLEM			
18 to 24	9	10	13	Alcohol	20	15	25
25 to 29	*	9	10	Marijuana / Hashish	6	11	18
30 to 34	*	6	8	Cocaine (total)	*	0	*
35 to 39	6	*	5	- Crack	0	0	0
40 to 44	5	*	8	Stimulant (total)	5	8	12
45 to 54	*	5	7	- Methamphetamine	5	8	12
55 and Over	0	0	*	Heroin	0	0	*
RACE / ETHNICITY				Analgesic except Heroin	0	*	*
Caucasian	31	37	57	- Non-Prescription Methadone	0	0	*
African American	*	*	*	PCP, LSD, other Hallucinogen	0	0	*
Native American / Alaskan			0	Tranquilizer	0	*	0
	0	0	0	Inhalant	0	0	0
Asian / Pacific Islander	0	0	0	Sedative	0	0	0
Hispanic	0		*	Other Medication or Illicit Drug	0	*	0
Other Race / Two or More Races	0	0	-	Average Age at First Use of Drug	16.1	16.3	16.1
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	9	12	19	Any Injection Use at Admission	*	5	7
High School Graduate or G.E.D.	19	22	36	- Daily Injection Use	0	*	*
Associate Degree or Some College	*	*	5	- Weekly Injection Use	*	*	0
Bachelor or Advanced Degree	0	*	*	- Less than Weekly Injection Use	*	*	6
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	15	16	20	Self / Family / Friend	5	9	18
Unemployed	11	18	26	School	0	0	0
Not in Labor Force	6	5	15	Mental Health Provider	0	0	*
				Health Care Provider	0	0	0
LIVING ARRANGEMENT				Court / Criminal Justice	22	25	33
Independent Living	29	34	48	Other Referral Source	5	5	9
Dependent Living	*	*	8	ODEOLAL DODUKATIONS			
Homeless	*	*	*	SPECIAL POPULATIONS	*	^	
LIEFTIME DUI / DIA// A DDFCTO				Pregnant when Admitted to any Episode		0	
LIFETIME DUI / DWI ARRESTS	40	07	0.4	Military Veteran	0	*	
0	16	27	31	Special Education Services Needed			4-
1 or 2	11	7	22	Co-Occurring Psychological Problem	6	5	15
3 or More	5	5	8	Co-Occurring Developmental Problem	*	0	0

HARRISON COUNTY



ADA/CPS REGION Northwest CPS SERVICE AREA 13
CENSUS 2010 8,957
2011 POP. ESTIMATE 8,866

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder **Anxiety Disorder** 47 39 32 Dementia 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 18 20 21 **Mood Disorder** 84 83 93 Personality Disorder 5 **Psychotic Disorder** 12 15 13 Sexual Disorder 0 0 0

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	115	122	134	Hearing Impaired	*	*	*
Male	57	56	55	Past or Current Military Service	*	*	*
Female	58	66	79	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	42	27	18
Under 6	0	*	0	Dependent Living	*	10	5
6 to 9	5	7	6	Homeless	0	0	0
10 to 13	6	11	13	Other	0	0	0
14 to 17	11	10	9	Housing Unknown	71	85	111
18 to 24	12	12	12	EMPLOYMENT			
25 to 29			12	EMPLOTMENT Employed	0	*	*
30 to 34	8	9			8		40
	9	5	6	Unemployed	34	24	19
35 to 39	8	10	12	Not in Labor Force			0
40 to 44	9	12	13	Employment Status Unknown	71	94	113
45 to 49	13	13	13	ARRESTS			
50 to 54	8	8	12	Arrested in Past 12 Months	8	8	*
55 to 59	11	10	9	Not Arrested in Past 12 Months	36	29	21
60 and Over	15	14	17	Arrest Status Unknown	71	85	111
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	112	119	132	Self / Family / Friend	34	42	44
African American	0	*	*	School	0	4 <u>∠</u> *	*
Native American / Alaskan	0	0	0	Mental Health Provider	27	32	36
Asian / Pacific Islander	0	0	0	Health Care Provider		-	
Hispanic	*	*	0	Court / Criminal Justice	32	32	28
Other Race	*	0	*		9	7	40
Race/Ethnicity Unknown	0	0	0	Other Referral Source Unknown	13	8	18
				Referral Source Offichiown	0	U	
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	8	8	5	Voluntary	115	122	130
High School Grad or G.E.D.	26	12	13	Civil	0	0	*
A.A. Degree or Some College	10	8	*	Criminal	0	0	*
Bachelor or Advanced Degree	0	0	*	Sexual Predatory	0	0	0
Education Level Unknown	71	94	113	Commitment Type Unknown	0	0	*

14

17

7

11

HARRISON COUNTY

2012 MISSOURI STUDENT SURVEY

EPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Percent (of studen	ts who. in	the nast	12 months	•		(9
Were very sad						ered atte	-				3.
Were grouchy, irritable, or in a bad mood					•			attempt si	uicide		3
Felt hopeless about the future		14.3 7.8			ted suicid		oj noulu	attompt of			1.
·							t resulted	in injury o	r overdose that	had to	0.
Felt like not eating or eating more than usual Slept a lot more or a lot less than usual		18.0 14.5	Had a suicide attempt that resulted in injury or overdose that had to be treated by doctor or nurse					nau to	O.		
Had difficulty concentrating on school work		14.9			,						
riad difficulty concentrating on school work		14.5	R	EBELLIC	OUSNES.	s					
IGHTING				Percent of	of student	ts who ag	ree that:				
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay			20
Were in a physical fight		20.3	They do the opposite of what they're told to make people mad							d	12
Were in a fight and had to be treated by a doctor or nurse		1.5		It is oka	y to take	somethir	g without	permissio	n		3
Were threatened or injured with a weapon on school propert	ty	4.5		Someti	mes it is o	okay to ch	eat at sc	hool			16
						-		start a fight			36
ULLYING VICTIM								·			
Percent of students who, in the past 3 months:				CHOOL I							
Were shoved, slapped, hit, or kicked in a serious manner		23.3				_		he followin	-		
Were victims of mean rumors or lies spread at school		46.3						tudent's g			83
Had embarrassing or hurtful pictures/text of them posted on		10.5			-		-	-	ve student perf	ormance	64
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	12.8			-	student f	or hard w	ork			77
Were made fun of by others		56.4		Rules a	ire enforc	ed fairly					68
				Studen	ts of all ra	aces and	ethnicities	s are treate	ed equally		93
ULLYING PERPRETRATOR Percent of students who, in the past 3 months:			_								
•		20.4		ARENT I			roo with t	ha fallawin			
Shoved, slapped, hit, or kicked a student in a serious manner	#1	29.1	Percent of students who agree with the following:							0.4	
Spread mean rumors or lies about other kids at school		25.6	Parents notice and comment on student's good work							81	
Posted on internet embarrassing or hurtful pictures/text of so		6.8 9.0	3 • 3 • • • • • • • • • • • • • • • • • • •						74		
Sent by cell phone embarrassing or hurtful pictures/text of someone		un	3						ΠΙΔηςΔς	× /	
	onicone						-	_		lucilices	87
Made fun of other people UBSTANCE USE AND BELIEFS		61.2	= <	Studen	t could as	sk parent	for help v	ith a perso	onal problem	juences	
Made fun of other people	Who have ever used substance		Whose closest friends have used in the past 12 months				-	_		pences	
Made fun of other people UBSTANCE USE AND BELIEFS		Who have used in the past 30 d	•	Studen	t could as	Who say parents would disapprove they use	for help v	would be caught by police for us	Among students who have ever used substance, average age with first used	pences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days	j.	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	who think kids in their neighborhood a would be caught by police for using	Among students who have ever used substance, average age when first used	pences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes	Who have ever used substance 32.3	Who have used in the past 30 days	j.	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	who think kids in their neighborhood a would be caught by police for using	Among students who have ever used substance, average age when first used	pences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	Who have ever used substance 32.3 28.4	61.2 Who have used in the past 30 days 15.7	59.0	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	would be caught by police for using 25.	Among students who have ever used substance, average age when 13.	pences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	Who have ever used substance 32.3 28.4	Who have used in the past 30 days 15.7 14.9 27.6	59.0	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	would be caught by police for using 25.	Among students who have ever used substance, average age when 13.	pences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	Who have ever used substance 32.3 28.4 43.6	Who have used in the past 30 days 15.7 14.9 27.6 15.8 11.2	59.0 61.2	Who say it would be easy to get 56.7	t could do who believe they risk harming themselves if they use 73.7	who say parents would disapprove if 82.2	Who feel it would be wrong to use 72.3	would be caught by police for using 25.6	Among students who have ever used substance, average age when 13.49 12.49 13.64	pences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	Who have ever used substance 32.3 28.4 43.6	Who have used in the past 30 days 15.7 14.9 27.6 15.8	59.0 61.2 18.8	Who say it would be easy to get 56.7 45.7	t could as themselves if they use 73.7 75.2 82.7	they use Who say parents would disapprove if 82.2 70.2 94.8	Who feel it would be wrong to use 72.3 43.9	would be caught by police for using 25.6 37.1 54.5	Among students who have ever used substance, average age when 13.49	pences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	Who have ever used substance 32.3 28.4 43.6 15.7 3.7	Who have used in the past 30 days 15.7 14.9 27.6 15.8 11.2 0.0	59.0 61.2	Who say it would be easy to get 56.7 45.7 14.3	t could as themselves if they use 73.7 75.2 82.7 91.7	who say parents would disapprove if 82.2 70.2 94.8 100.0	Who feel it would be wrong to use 72.3 43.9 88.1	would be caught by police for using 25.6	Among students who have ever used substance, average age when 13.49 12.49 13.64	pences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	Who have ever used substance 32.3 28.4 43.6 15.7 3.7	01.2 Who have used in the past 30 days 15.7 14.9 27.6 15.8 11.2 0.0 0.8	59.0 61.2 18.8	Who say it would be easy to get 56.7 45.7 14.3 6.0 37.3	t could as themselves if they use 73.7 75.2 82.7 91.7 85.3	sk parent Who say parents would disapprove if 82.2 70.2 94.8 100.0 98.5	72.3 43.9 88.1 100.0 97.0	would be caught by police for using 25.6 37.1 54.5	Among students who have ever used substance, average age when 13.49 12.49 13.64	pences	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	Who have ever used substance 32.3 28.4 43.6 15.7 0.8 2.2	Who have used in the past 30 days 15.7 14.9 27.6 15.8 11.2 0.0	59.0 61.2 18.8	Who say it would be easy to get 56.7 45.7 14.3	t could as themselves if they use 73.7 75.2 82.7 91.7	who say parents would disapprove if 82.2 70.2 94.8 100.0	Who feel it would be wrong to use 72.3 43.9 88.1	would be caught by police for using 25.6 37.1 54.5	Among students who have ever used substance, average age when 13.49 12.49 13.64	perices	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	Who have ever used substance 32.3 28.4 43.6 15.7 3.7 0.8 2.2 0.0	01.2 Who have used in the past 30 days 15.7 14.9 27.6 15.8 11.2 0.0 0.8	59.0 61.2 18.8	Who say it would be easy to get 56.7 45.7 14.3 6.0 37.3	t could as themselves if they use 73.7 75.2 82.7 91.7 85.3	sk parent Who say parents would disapprove if 82.2 70.2 94.8 100.0 98.5	72.3 43.9 88.1 100.0 97.0	would be caught by police for using 25.6 37.1 54.5	Among students who have ever used substance, average age when 13.49 12.49 13.64	perices	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	Who have ever used substance 32.3 28.4 43.6 15.7 0.8 2.2 0.0 0.0	01.2 Who have used in the past 30 days 15.7 14.9 27.6 15.8 11.2 0.0 0.8	59.0 61.2 18.8	Who say it would be easy to get 56.7 45.7 14.3 6.0 37.3	t could as themselves if they use 73.7 75.2 82.7 91.7 85.3	sk parent Who say parents would disapprove if 82.2 70.2 94.8 100.0 98.5	72.3 43.9 88.1 100.0 97.0	would be caught by police for using 25.6 37.1 54.5	Among students who have ever used substance, average age when 13.49 12.49 13.64	perices	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	Who have ever used substance 32.3 28.4 43.6 15.7 3.7 0.8 2.2 0.0 0.0 0.0	01.2 Who have used in the past 30 days 15.7 14.9 27.6 15.8 11.2 0.0 0.8	59.0 61.2 18.8	Who say it would be easy to get 56.7 45.7 14.3 6.0 37.3	t could as themselves if they use 73.7 75.2 82.7 91.7 85.3	sk parent Who say parents would disapprove if 82.2 70.2 94.8 100.0 98.5	72.3 43.9 88.1 100.0 97.0	would be caught by police for using 25.6 37.1 54.5	Among students who have ever used substance, average age when 13.49 12.49 13.64	perices	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	32.3 28.4 43.6 15.7 3.7 0.8 2.2 0.0 0.0 0.0	01.2 Who have used in the past 30 days 15.7 14.9 27.6 15.8 11.2 0.0 0.8	59.0 61.2 18.8	Who say it would be easy to get 56.7 45.7 14.3 6.0 37.3	t could as themselves if they use 73.7 75.2 82.7 91.7 85.3	sk parent Who say parents would disapprove if 82.2 70.2 94.8 100.0 98.5	72.3 43.9 88.1 100.0 97.0	would be caught by police for using 25.6 37.1 54.5	Among students who have ever used substance, average age when 13.49 12.49 13.64	perices	70
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	Who have ever used substance 32.3 28.4 43.6 15.7 3.7 0.8 2.2 0.0 0.0 0.0	01.2 Who have used in the past 30 days 15.7 14.9 27.6 15.8 11.2 0.0 0.8 2.2	59.0 61.2 18.8 0.0	Who say it would be easy to get 56.7 45.7 14.3 6.0 37.3 16.5	t could as themselves if they use 73.7 75.2 82.7 91.7 85.3 88.7	they use Who say parents would disapprove if 82.2 70.2 94.8 100.0 98.5 98.4	72.3 43.9 88.1 100.0 97.0	would be caught by police for using 25.6 37.1 54.5 57.1	Among students who have ever used substance, average age when 13.49 12.49 13.64		70

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

HENRY COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 083 22,272 22,219



DIDTU DIOV FACTORO	0040	0000	
BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	260	272	247
Mother Reported Drinking while Pregnant 1	70	1	1
Mother Reported Smoking while Pregnant	79	82	65
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	0	0
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	300	304	292
Suicides	4	3	6
Self-inflicted Injuries	39	46	44
Homicides	0	0	0
Assault Injuries	77	66	71
Alcohol Induced Deaths	2	2	4
Drug Induced Deaths	6	1	3
Smoking Induced Deaths	57	66	64
Smoking induced Deaths	57	00	04
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	230	217	189
Direct Hospitalizations	105	81	80
Emergency Room Hospitalizations	48	53	43
Emergency Room Outpatient	77	83	66
Drug RelatedTotal	277	246	132
Direct Hospitalizations	84	98	66
Emergency Room Hospitalizations	29	39	21
Emergency Room Outpatient	164	109	45
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	31	27	34
Fatal Crashes	1	0	0
Injury Crashes	18	13	14
Property Damage Crashes	12	14	20
Crash Fatalities	1	0	0
Crash Injuries	28	17	20
Drug Involved CrashesTotal	5	8	3
Fatal Crashes	0	0	0
Injury Crashes	5	6	1
Property Damage Crashes	0	2	2
Crash Fatalities	0	0	0
Crash Injuries	8	6	1
EMPLOYMENT	2011	2010	2009
Labor Force			
Employed	10,449	10,623 9,553	10,940
Unemployed	9,470		9,888
Unemployed Unemployment Rate	979	1,070	1,052 9.6%
	0.40/		9 n%
Onemployment Nate	9.4%	10.1%	0.070
RETAIL ALCOHOL OUTLETS	9.4% 2011	10.1% 2010	2009
RETAIL ALCOHOL OUTLETS	2011	2010	2009

■ Female ■ Male							
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009				
Enrollment Grades 9-12	887	902	878				
Drop-outs	32	25	27				
Drop-out Rate	3.6%	2.8%	3.1%				
School Suspensions, 10 or More Days							
Alcohol Incidents	3	0	0				
Drug Incidents	11	11	14				
Tobacco Incidents	0	0	1				
POLICE REPORTS	2010	2009	2008				
DUI Arrests, DWI Tracking System	111	98	163				
Liquor Law Arrests	70	121	174				
Drug Arrests	140	152	95				
Methamphetamine Lab Incidents	0	21	17				
Violent Offenses	93	57	68				
Property Offenses	793	624	675				
Domestic Violence Reports	151	135	143				
JUVENILE COURT REFERRALS	2010	2009	2008				
Law Violation OffensesTotal	114	114	135				
Violent Offenses	24	34	34				
Alcohol Offenses	20	28	23				
Drug Offenses	13	6	16				
Status OffensesTotal	101	162	154				
Truancy	13	24	25				
Beyond Parental Control	23	38	42				
Habitually Absent from Home	7	15	12				
Injurious Behavior	58	83	73				
Abuse/Neglect/CustodyTotal	170	171	153				
Abuse	30	26	40				
Neglect	115	88	89				
Custody Disputes	25	57	24				
JUVENILE COURT PLACEMENTS	2010	2009	2008				
Out-of-Home PlacementsTotal	72	22	29				
Parental Alcohol Use Related	2	1	1				
Parental Drug Use Related	19	5	0				
Parental Alcohol and Drug Use	0	0	1				
Child Removed for Other Reason	51	16	27				
CRIMINAL JUSTICE	FY2011	FY2010	FY2009				
Drug Court Participants	12	16	13				
Probation/Parole AdmissionsTotal	217	175	186				
Probation/Parole AdmissionsDrug	42	43	41				
Probation/Parole AdmissionsDWI	13	14	11				
Prison AdmissionsTotal	117	104	76				
Prison AdmissionsDrug	27	21	23				
Prison AdmissionsDWI	9	14	6				
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	ppressed				

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

HENRY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	13	19	26
CSTAR Women and Children	5	*	*
CSTAR General Adult	205	192	201
CSTAR Opioid	*	0	*
Primary Recovery Detoxification	31	29	35
Primary Recovery Treatment	72	96	92
Clinical SATOP (CIP, YCIP, SROP)	21	21	19
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	96	80	120
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	24	26	44
- Weekend Intervention Program	26	20	46
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	11	22	9
- Compulsive Gambling	0	0	0
- Recovery Supports	50	56	49
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	233	205	235	Never Married	171	148	162
Female	86	81	83	Married / Cohabitating	80	71	65
	00	01	00	Previously Married	68	67	91
AGE				•	00	01	0.
Under 18	17	21	31	PRIMARY DRUG PROBLEM			
18 to 24	76	55	55	Alcohol	115	117	122
25 to 29	54	43	49	Marijuana / Hashish	95	70	96
30 to 34	51	41	39	Cocaine (total)	*	8	9
35 to 39	30	28	38	- Crack	*	6	8
40 to 44	38	41	49	Stimulant (total)	78	57	64
45 to 54	39	46	46	- Methamphetamine	78	56	63
55 and Over	14	11	11	Heroin	0	0	*
RACE / ETHNICITY				Analgesic except Heroin	24	27	21
Caucasian	305	273	306	- Non-Prescription Methadone	0	0	0
African American	5	5	6	PCP, LSD, other Hallucinogen	*	0	*
Native American / Alaskan	*	0	*	Tranquilizer	*	5	*
Asian / Pacific Islander	0	*	*	Inhalant	0	*	0
Hispanic	9	5	5	Sedative	*	0	0
Other Race / Two or More Races	*	5	*	Other Medication or Illicit Drug	0	*	0
Other Nace / Two of More Naces		3		Average Age at First Use of Drug	17.4	17.4	17.1
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	112	101	120	Any Injection Use at Admission	39	36	31
High School Graduate or G.E.D.	160	147	151	- Daily Injection Use	*	*	*
Associate Degree or Some College	47	33	45	- Weekly Injection Use	8	8	6
Bachelor or Advanced Degree	0	5	*	- Less than Weekly Injection Use	28	26	23
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	90	58	78	Self / Family / Friend	92	91	112
Unemployed	149	161	156	School	0	0	0
Not in Labor Force	80	67	84	Mental Health Provider	*	*	*
				Health Care Provider	7	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	187	180	178
Independent Living	285	247	264	Other Referral Source	30	11	22
Dependent Living	25	35	47	CDECIAL DODULATIONS			
Homeless	*	*	*	SPECIAL POPULATIONS Pregnant when Admitted to any Enisode	r	*	*
LIFETIME DUI / DIA/LA DRESTS				Pregnant when Admitted to any Episode Military Veteran	5		4.4
LIFETIME DUI / DWI ARRESTS 0	400	464	470	•	18	12	11
1 or 2	186	161	170	Special Education Services Needed	14	8	22
	88	75 50	89 50	Co-Occurring Psychological Problem	103	85	100
3 or More	45	50	59	Co-Occurring Developmental Problem	•	0	5

HENRY COUNTY



ADA/CPS REGION Southwest CPS SERVICE AREA 8B CENSUS 2010 22,272 2011 POP. ESTIMATE 22,219 disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 22 19 16 **Anxiety Disorder** 183 110 194 Dementia 0 0 0 **Developmental Disorder** 8 5 5 Impulse Control Disorder 63 70 59 **Mood Disorder** 326 218 354 Personality Disorder 33 42 35 **Psychotic Disorder** 69 64 62 Sexual Disorder Other Diagnosis 47 44 32 Diagnosis Unknown 45 198 73

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	558	526	535	Hearing Impaired	10	11	12
Male	235	238	247	Past or Current Military Service	14	15	11
Female	323	288	288	HOUSING / LIVING ARRANGEMENT			
				Independent Living	227	168	83
AGE				Dependent Living	28	50	28
Under 6	5	5	*	Homeless	20 *	*	0
6 to 9	34	27	39	Other	*	7	*
10 to 13	38	37	43	Housing Unknown	297	7 297	422
14 to 17	44	47	67	riousing officiown	291	291	422
18 to 24	49	50	47	EMPLOYMENT			
25 to 29	51	46	47	Employed	33	24	14
30 to 34	50	50	36	Unemployed	213	163	81
35 to 39	45	42	38	Not in Labor Force	15	14	10
40 to 44	58	56	45	Employment Status Unknown	297	325	430
45 to 49	71	64	69	4.005070			
50 to 54	48	46	37	ARRESTS Arrested in Past 12 Months	07	00	4.4
55 to 59	37	31	36		27	33	11
60 and Over	28	25	28	Not Arrested in Past 12 Months	234	195	102
				Arrest Status Unknown	297	298	422
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	538	500	507	TREATMENT REFERRAL SOURCE	400	000	070
African American	7	6	5	Self / Family / Friend	428	392	379
Native American / Alaskan	*	*	*	School Markel Health Breakles	0		0
Asian / Pacific Islander	0	0	0	Mental Health Provider	28	32	35
Hispanic	5	9	11	Health Care Provider	18	13	15
Other Race	7	9	10	Court / Criminal Justice	16	17	18
Race/Ethnicity Unknown	0	0	0	Other	67	70	82
				Referral Source Unknown	*	*	6
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	85	76	37	Voluntary	550	519	519
High School Grad or G.E.D.	142	91	54	Civil	7	*	6
A.A. Degree or Some College	24	30	11	Criminal	0	*	5
Bachelor or Advanced Degree	9	*	*	Sexual Predatory	0	0	0
Education Level Unknown	298	326	430	Commitment Type Unknown	*	*	5

HENRY COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION				UICIDE						
Percent of students who, in the past 30 days:		(%)			of student	s who, in	the past	12 months	:	(%)
Were very sad		23.7				ered atter				9.8
Were grouchy, irritable, or in a bad mood		24.5			-			attempt su	ıicide	5.3
Felt hopeless about the future		9.0		Attempted suicide					3.9	
Felt like not eating or eating more than usual		20.0		Had a suicide attempt that resulted in injury or overdose that had to					1.2	
Slept a lot more or a lot less than usual		20.4		be treated by doctor or nurse						
Had difficulty concentrating on school work		20.1								
•				REBELLIC						
FIGHTING						's who agi				
Percent of students who, in the past 12 months:						s that get		-		17.9
Were in a physical fight		21.1		-			-		ake people mad	12.5
Were in a fight and had to be treated by a doctor or nurse		2.7		It is okay to take something without permission Sometimes it is okay to cheat at school					4.5	
Were threatened or injured with a weapon on school proper	ty	4.5				-				15.8
BULLYING VICTIM				It IS OKA	iy to beat	up people	e ir tney s	tart a fight		46.3
Percent of students who, in the past 3 months:			s	CHOOL I	RELATIC	ons				
Were shoved, slapped, hit, or kicked in a serious manner		31.5					ree with ti	he followin	<i>g:</i>	
Were victims of mean rumors or lies spread at school		57.6		Teache	rs notice	and comm	nent on s	tudent's go	ood work	72.0
Had embarrassing or hurtful pictures/text of them posted on	internet	17.8		School	provides	feedback	to parent	s on positi	ve student performance	41.5
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	19.3			-	student fo	or hard w	ork		55.2
Were made fun of by others		69.9	9 Rules are enforced fairly						66.8	
BULLYING PERPRETRATOR				Studen	ts of all ra	ices and e	ethnicities	are treate	ed equally	84.2
Percent of students who, in the past 3 months:				ARENT I	DEI ATIC	N/C				
Shoved, slapped, hit, or kicked a student in a serious manner	er	18.8					ree with to	he followin	a:	
Spread mean rumors or lies about other kids at school				Parents notice and comment on student's good work						83.6
Posted on internet embarrassing or hurtful pictures/text of so	omeone	30.1 8.6						amily decis		70.6
Sent by cell phone embarrassing or hurtful pictures/text of se		11.2							dless of consequences	89.3
Made fun of other people	65.8 Student could ask parent for help with a personal problem				•	79.0				
						·	•	•	•	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:										
Regarding the substances listed below, percent of students.	¥	≨	ŧ₩	≨	ther Wh	they	≨	WoL d√	Am use	
	o ha	굺	ose pas	Sa	nse	us o	e e	를 를	Among st used sub first used	
	Ve e	۷e L	clos 112	¥	₹ 등	₩ <u>~</u>	<u> </u>	으 긎	희망왕	
	Ver	Sec	⊒ @	_	ა ≲ _	8	=	싫 ㅈ	8 2	
	Su		호 왕	Nom	ve the	barent	t wou	kids	udent	
		in the	Whose closest frien the past 12 months	would be	ve they ries if they u	arents w	t would b	kids in th	udents whatance, av	
	S De	in the p	st friends I nonths	would be ea	Who believe they risk h themselves if they use	parents would	t would be wr	kids in their i caught by pol	dents who hatance, average	
	ed subst	in the past	st friends have nonths	would be easy t	we they risk harm s if they use	arents would dis	t would be wrong	kids in their neig caught by police t	dents who have tance, average a	
	ed substance	in the past 30 o	st friends have uso nonths	would be easy to ge	Who believe they risk harming themselves if they use	parents would disapp	t would be wrong to u	kids in their neighbo caught by police for u	dents who have everance, average age v	
	Who have ever used substance	In the past 30 days	ds have used	Who say it would be easy to get	we they risk harming sif they use	arents would disapprove	Who feel it would be wrong to use	Who think kids in their neighborhoo would be caught by police for using	Among students who have ever used substance, average age wher first used	
		Who have used in the past 30 days	ds have used in		harming	Who say parents would disapprove if they use	Ф	ood boo	len	
Cigarettes	22.5	8.3	ds have used	would be easy to get 50.7	we they risk harming 9.2	parents would disapprove if 92.1	t would be wrong to use	kids in their neighborhood 4.4 aught by police for using 24.	dents who have ever 29 tance, average age when 2.	
Chewing Tobacco	22.5 11.8	8.3 4.7	ds have used in 35.1	50.7	harming 79.2	92.1	84.5	24.4	12.29	
Chewing Tobacco Alcohol	22.5	8.3 4.7 12.5	ds have used in		harming		Ф	ood boo	len	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	22.5 11.8 39.8	8.3 4.7 12.5 5.3	35.1 52.8	50.7	79.2	92.1 80.3	84.5 62.3	24.4	12.29 12.55	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	22.5 11.8 39.8	8.3 4.7 12.5 5.3 3.6	ds have used in 35.1	50.7	harming 79.2	92.1	84.5	24.4	12.29 12.55 13.38	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	22.5 11.8 39.8	8.3 4.7 12.5 5.3	35.1 52.8 21.5	50.7 56.4 26.6	79.2 72.7 82.4	92.1 80.3 95.1	84.5 62.3 89.6	24.4 31.9 42.3	12.29 12.55	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	22.5 11.8 39.8 11.0 3.3	8.3 4.7 12.5 5.3 3.6 1.2	35.1 52.8	50.7 56.4 26.6 11.4	79.2 72.7 82.4 96.1	92.1 80.3 95.1 97.6	84.5 62.3 89.6 96.4	24.4	12.29 12.55 13.38	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	22.5 11.8 39.8 11.0 3.3	8.3 4.7 12.5 5.3 3.6 1.2	35.1 52.8 21.5	50.7 56.4 26.6 11.4 50.7	79.2 72.7 82.4 96.1 85.5	92.1 80.3 95.1 97.6 96.1	84.5 62.3 89.6 96.4 90.4	24.4 31.9 42.3	12.29 12.55 13.38	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	22.5 11.8 39.8 11.0 3.3 5.0 7.4	8.3 4.7 12.5 5.3 3.6 1.2	35.1 52.8 21.5	50.7 56.4 26.6 11.4	79.2 72.7 82.4 96.1	92.1 80.3 95.1 97.6	84.5 62.3 89.6 96.4	24.4 31.9 42.3	12.29 12.55 13.38	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	22.5 11.8 39.8 11.0 3.3 5.0 7.4 0.3	8.3 4.7 12.5 5.3 3.6 1.2	35.1 52.8 21.5	50.7 56.4 26.6 11.4 50.7	79.2 72.7 82.4 96.1 85.5	92.1 80.3 95.1 97.6 96.1	84.5 62.3 89.6 96.4 90.4	24.4 31.9 42.3	12.29 12.55 13.38	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	22.5 11.8 39.8 11.0 3.3 5.0 7.4 0.3 0.6	8.3 4.7 12.5 5.3 3.6 1.2	35.1 52.8 21.5	50.7 56.4 26.6 11.4 50.7	79.2 72.7 82.4 96.1 85.5	92.1 80.3 95.1 97.6 96.1	84.5 62.3 89.6 96.4 90.4	24.4 31.9 42.3	12.29 12.55 13.38	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	22.5 11.8 39.8 11.0 3.3 5.0 7.4 0.3 0.6 0.3	8.3 4.7 12.5 5.3 3.6 1.2	35.1 52.8 21.5	50.7 56.4 26.6 11.4 50.7	79.2 72.7 82.4 96.1 85.5	92.1 80.3 95.1 97.6 96.1	84.5 62.3 89.6 96.4 90.4	24.4 31.9 42.3	12.29 12.55 13.38	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	22.5 11.8 39.8 11.0 3.3 5.0 7.4 0.3 0.6	8.3 4.7 12.5 5.3 3.6 1.2	35.1 52.8 21.5	50.7 56.4 26.6 11.4 50.7	79.2 72.7 82.4 96.1 85.5	92.1 80.3 95.1 97.6 96.1	84.5 62.3 89.6 96.4 90.4	24.4 31.9 42.3	12.29 12.55 13.38	

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data are weighted in comparison to county population estimates for age groups 10-14


and 15-19, gender, race, and Hispanic origin.

3.6

HICKORY COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 085 9,627 9,628



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	81	72	68
Mother Reported Drinking while Pregnant ¹		0	1
Mother Reported Smoking while Pregnant	19	26	18
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	1
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	1
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	141	134	141
Suicides	0	2	3
Self-inflicted Injuries	12	13	10
Homicides	0	0	1
Assault Injuries	16	18	18
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	2	0	2
Smoking Induced Deaths	29	30	32
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	79	94	77
Direct Hospitalizations	29	36	25
Emergency Room Hospitalizations	18	30	24
Emergency Room Outpatient	32	28	28
Drug RelatedTotal	64	61	57
Direct Hospitalizations	18	18	25
Emergency Room Hospitalizations	18	19	17
Emergency Room Outpatient	28	24	15
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	14	20	11
Fatal Crashes	1	3	3
Injury Crashes	7	12	6
Property Damage Crashes	6	5	2
Crash Fatalities	1	3	2
Crash Injuries	15	18	12
Drug Involved CrashesTotal	0	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	0
EMPLOYMENT	2011	2010	2009
Labor Force	3,433	3,508	3,495
Employed	3,008	3,069	3,023
Unemployed	425	439	472
Unemployment Rate	12.4%	12.5%	13.5%
• •			
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	13	12	17
Alcohol Package Carry-out Licenses	11	12	21

Female	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	564	539	627
Drop-outs	4	7	11
Drop-out Rate	0.7%	1.3%	1.8%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	1	0
Drug Incidents	1	8	11
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	44	45	55
Liquor Law Arrests	7	1	9
Drug Arrests	21	33	36
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	4	1	3
Property Offenses	146	99	132
Domestic Violence Reports	12	16	20
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	20	20	29
Violent Offenses	4	1	7
Alcohol Offenses	0	3	0
Drug Offenses	1	3	4
Status OffensesTotal	10	12	11
Truancy	1	2	0
Beyond Parental Control	5	7	6
Habitually Absent from Home	1	1	0
Injurious Behavior	3	2	4
Abuse/Neglect/CustodyTotal	15	32	25
Abuse	2	4	11
Neglect	13	28	14
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	7	6	7
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	2	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	5	5	7
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	52	51	64
Probation/Parole AdmissionsDrug	10	10	14
Probation/Parole AdmissionsDWI	4	4	4
Prison AdmissionsTotal	26	36	37
Prison AdmissionsDrug	3	3	3
Prison AdmissionsDWI	0	1	3
* An asterisk in a data cell indicates the cou		•	

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

HICKORY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	0	0	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	9	10	7
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	6	*	*
Primary Recovery Treatment	13	5	8
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	26	48	46
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	8	21	20
- Weekend Intervention Program	11	18	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	5	17	6
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	19	11	12	Never Married	10	6	6
Female	11	7	8	Married / Cohabitating	12	*	5
		•	O	Previously Married	8	9	9
AGE				•	Ü	ŭ	Ü
Under 18	0	*	0	PRIMARY DRUG PROBLEM			
18 to 24	5	*	*	Alcohol	13	11	13
25 to 29	5	*	*	Marijuana / Hashish	*	*	*
30 to 34	*	*	5	Cocaine (total)	*	0	0
35 to 39	*	*	*	- Crack	*	0	0
40 to 44	5	*	*	Stimulant (total)	5	0	*
45 to 54	7	5	5	- Methamphetamine	5	0	*
55 and Over	*	0	0	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	30	17	20	- Non-Prescription Methadone	0	0	0
African American		0		PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0 0	Tranquilizer	*	0	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	-	-	-	Sedative	0	0	0
Hispanic	0	0	0	Other Medication or Illicit Drug	*	0	0
Other Race / Two or More Races	0		0	Average Age at First Use of Drug	18.8	16.5	15.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	10	*	*	Any Injection Use at Admission	5	0	*
High School Graduate or G.E.D.	9	12	14	- Daily Injection Use	*	0	*
Associate Degree or Some College	11	*	*	- Weekly Injection Use	0	0	*
Bachelor or Advanced Degree	0	*	0	- Less than Weekly Injection Use	*	0	0
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	6	5	*	Self / Family / Friend	9	11	10
Unemployed	11	5	7	School	0	0	0
Not in Labor Force	13	8	9	Mental Health Provider	*	0	0
				Health Care Provider	*	0	0
LIVING ARRANGEMENT				Court / Criminal Justice	13	6	5
Independent Living	26	16	16	Other Referral Source	*	*	5
Dependent Living	*	*	*				
Homeless	*	0	0	SPECIAL POPULATIONS		_	
				Pregnant when Admitted to any Episode	*	0	*
LIFETIME DUI / DWI ARRESTS	, -	_	_	Military Veteran	*	*	*
0	13	9	6	Special Education Services Needed	0		0
1 or 2	11	5		Co-Occurring Psychological Problem	7	7	*
3 or More	6	*	11	Co-Occurring Developmental Problem	0	*	0

HICKORY COUNTY



ADA/CPS REGION Southwest CPS SERVICE AREA 8B CENSUS 2010 9,627 2011 POP. ESTIMATE 9,628

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 0 **Anxiety Disorder** 6 11 Dementia 0 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder **Mood Disorder** 19 Personality Disorder **Psychotic Disorder** 5 Sexual Disorder 0 0 0 Other Diagnosis Diagnosis Unknown 9

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	29	18	18	Hearing Impaired	0	0	*
Male	14	8	10	Past or Current Military Service	*	0	*
Female	15	10	8	Tust of Surface trainedly Scribes		U	
Tomalo	13	10	O	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	15	*	*
Under 6	0	0	0	Dependent Living	0	0	0
6 to 9	0	0	0	Homeless	0	0	0
10 to 13	*	*	*	Other	0	0	0
14 to 17	*	*	*	Housing Unknown	14	16	16
18 to 24	0	*	*	EMPLOYMENT			
25 to 29	*	*	*	Employed	*	0	0
30 to 34	*	*	*	Unemployed	14	*	*
35 to 39	6	*	5	Not in Labor Force	0	0	0
40 to 44	*	0	0	Employment Status Unknown	14	16	16
45 to 49	6	5	*	Employment Status Offichown	14	10	10
50 to 54	*	0	*	ARRESTS			
55 to 59	*	0	*	Arrested in Past 12 Months	6	0	0
60 and Over	0	*	0	Not Arrested in Past 12 Months	9	*	*
oo and over	U		U	Arrest Status Unknown	14	16	16
RACE / ETHNICITY				TREATMENT REFERRAL COURSE			
Caucasian	29	18	18	TREATMENT REFERRAL SOURCE Self / Family / Friend	40	40	0
African American	0	0	0	School	16	13	9
Native American / Alaskan	0	0	0		0	0	0
Asian / Pacific Islander	0	0	0	Mental Health Provider		*	
Hispanic	0	0	0	Health Care Provider	8		
Other Race	0	0	0	Court / Criminal Justice	*	0	_
Race/Ethnicity Unknown	0	0	0	Other			0
				Referral Source Unknown	0	0	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	*	0	0	Voluntary	28	17	14
High School Grad or G.E.D.	8	*	*	Civil	*	*	*
A.A. Degree or Some College	5	*	0	Criminal	0	0	*
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	0	0	0
Education Level Unknown	14	16	16	Commitment Type Unknown	0	0	*

HICKORY COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		SUICIDE Porcont	of ctudon	te who in	the nact	12 months	·.	(%)
Were very sad		7.0				ered atter			•	10.2
Were grouchy, irritable, or in a bad mood		22.5			_		-	attempt su	uicide	8.7
Felt hopeless about the future		7.8			ted suicid		cy would	attompt 30	uiciuc	3.1
Felt like not eating or eating more than usual		14.7		Had a suicide attempt that resulted in injury or overdose that had to					1.6	
Slept a lot more or a lot less than usual		15.5		be treated by doctor or nurse						
Had difficulty concentrating on school work		18.6	•							
rias amostly concomisming on concomism				REBELLIC						
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get		-		16.3
Were in a physical fight		27.1		-			-		nake people mad	14.7
Were in a fight and had to be treated by a doctor or nurse		3.9	· · · · · · · · · · · · · · · · · · ·					7.0		
Were threatened or injured with a weapon on school proper	ty	5.4				okay to ch			_	21.9
BULLYING VICTIM				It is oka	y to beat	up peopl	e if they s	start a fight	t	41.9
Percent of students who, in the past 3 months:			s	CHOOL	RFI ATIC	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		31.0					ree with t	he followin	ng:	
Were victims of mean rumors or lies spread at school		47.3				_		tudent's go	-	75.2
Had embarrassing or hurtful pictures/text of them posted on	internet	11.6		School	provides	feedback	to parent	ts on positi	ive student performance	39.8
Had embarrassing or hurtful pictures/text of them sent by ce		15.5			-	student fo	-	-	·	59.7
Were made fun of by others	•	59.7		Rules a	re enforc	ed fairly				61.2
				Studen	ts of all ra	aces and o	ethnicities	are treate	ed equally	89.1
BULLYING PERPRETRATOR Persont of students who in the next 3 months:										
Percent of students who, in the past 3 months:	0.5	04.7		PARENT			roo with t	ha fallawin	· ~.	
Shoved, slapped, hit, or kicked a student in a serious manner	EI	21.7 31.0				-		<i>he followin</i> Ident's god	-	90.7
Spread mean rumors or lies about other kids at school	omoono	7.8						amily deci:		68.2
Posted on internet embarrassing or hurtful pictures/text of someone Sent by cell phone embarrassing or hurtful pictures/text of someone							_	-	dless of consequences	85.8
Made fun of other people	oneone	6.2 65.9		-				_	onal problem	82.0
Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cigarettes	29.5	10.1	39.5	51.2	77.5	96.0	82.2	17.1	12.07	
Chewing Tobacco	17.8	6.2								
Alcohol	39.5	14.0	45.0	54.3	59.7	81.9	58.9	27.3	12.79	
Ringe Alcohol (5+ drinks on one accession in pact 20 days)		7.0								
Binge Alcohol (5+ drinks on one occasion in past 30 days)						06.4	89.1	50.4	13.66	
Marijuana	6.2	1.6	24.0	24.8	77.5	96.1				
	6.2 6.2	1.6 3.1	24.0	24.8	77.5	90.1	00		11.93	
Marijuana			24.0	24.8	91.3	99.2	96.9	49.2		
Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use		3.1		11.7 50.4	91.3 77.5			49.2		
Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	5.4 7.0	3.1		11.7	91.3	99.2	96.9	49.2		
Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	6.2 5.4	3.1		11.7 50.4	91.3 77.5	99.2 97.7	96.9 87.6	49.2		
Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	5.4 7.0 0.8 0.8	3.1		11.7 50.4	91.3 77.5	99.2 97.7	96.9 87.6	49.2		
Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	5.4 7.0 0.8 0.8	3.1		11.7 50.4	91.3 77.5	99.2 97.7	96.9 87.6	49.2		
Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	5.4 7.0 0.8 0.8	3.1		11.7 50.4	91.3 77.5	99.2 97.7	96.9 87.6	49.2		
Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	5.4 7.0 0.8 0.8	3.1 3.9 4.7	11.8	11.7 50.4 25.6	91.3 77.5 82.9	99.2 97.7 96.9	96.9 87.6 85.0		11.93	1
Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	5.4 7.0 0.8 0.8 0.0	3.1 3.9 4.7	11.8	11.7 50.4 25.6	91.3 77.5 82.9	99.2 97.7 96.9	96.9 87.6 85.0)-14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

HOLT COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 087 4,912 4,814



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	61	60	60
Mother Reported Drinking while Pregnant ¹		1	0
Mother Reported Smoking while Pregnant	17	15	18
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	70	73	60
Suicides	1	0	1
Self-inflicted Injuries	9	2	1
Homicides	0	0	0
Assault Injuries	7	8	13
Alcohol Induced Deaths	2	1	0
Drug Induced Deaths	1	0	0
Smoking Induced Deaths	13	10	11
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	31	21	25
Direct Hospitalizations	14	6	11
Emergency Room Hospitalizations	6	7	8
Emergency Room Outpatient	11	8	6
Drug RelatedTotal	24	14	16
Direct Hospitalizations	11	3	4
Emergency Room Hospitalizations	6	5	8
Emergency Room Outpatient	7	6	4
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	9	10	12
Fatal Crashes	1	0	0
Injury Crashes	7	4	9
Property Damage Crashes	1	6	3
Crash Fatalities	1	0	0
Crash Injuries	9	8	10
Drug Involved CrashesTotal	2	0	0
Fatal Crashes	0	0	0
Injury Crashes	2	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	3	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	2,818	2,700	2,792
Employed	2,625	2,495	2,592
Unemployed	193	205	200
Unemployment Rate	6.8%	7.6%	7.2%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	11	10	11
Alcohol Package Carry-out Licenses	8	9	9
• • • • • • • • • • • • • • • • • • • •	•	•	5

マスタグルが Female	្សាស្ត្រ ■Male	\$ \$ \$	କ ି
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	196	204	232
Drop-outs	2	5	5
Drop-out Rate	1.0%	2.5%	2.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	42	36	43
Liquor Law Arrests	11	11	15
Drug Arrests	34	58	44
Methamphetamine Lab Incidents	0	0	1
Violent Offenses	4	6	15
Property Offenses	119	102	91
Domestic Violence Reports	19	13	10
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	15	20	20
Violent Offenses	2	3	3
Alcohol Offenses	0	3	0
Drug Offenses	2	0	0
Status OffensesTotal	25	14	16
Truancy	3	4	5
Beyond Parental Control	13	9	9
Habitually Absent from Home	1	0	0
Injurious Behavior	8	1	2
Abuse/Neglect/CustodyTotal	26	17	11
Abuse	0	0	0
Neglect	26	16	11
Custody Disputes	0	1	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	5	2	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	4
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	5	2	1
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	1	2	4
Probation/Parole AdmissionsTotal	33	50	51
Probation/Parole AdmissionsDrug	9	13	11
Probation/Parole AdmissionsDWI	5	8	8
Prison AdmissionsTotal	29	26	30
Prison AdmissionsDrug	6	5	5
Prison AdmissionsDWI	5	5	7
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	ppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	*	*	0
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	*	0
Primary Recovery Treatment	9	7	17
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	22	27	29
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	12	15	10
- Weekend Intervention Program	*	10	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	0	*
- Early Intervention	5	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	10	9	21	Never Married	8	6	15
Female	9	*	5	Married / Cohabitating	6	*	6
· Smale	J		Ü	Previously Married	5	*	5
AGE				•	Ü		Ü
Under 18	*	*	*	PRIMARY DRUG PROBLEM			
18 to 24	*	*	5	Alcohol	7	6	13
25 to 29	*	0	*	Marijuana / Hashish	5	*	*
30 to 34	*	*	6	Cocaine (total)	0	0	*
35 to 39	*	*	*	- Crack	0	0	0
40 to 44	5	*	*	Stimulant (total)	5	*	7
45 to 54	*	*	6	- Methamphetamine	5	*	6
55 and Over	*	*	0	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	19	12	24	- Non-Prescription Methadone	0	0	0
African American		0	∠4 *	PCP, LSD, other Hallucinogen	0	0	0
	0	-	*	Tranquilizer	0	*	0
Native American / Alaskan	0	0	0	Inhalant	0	0	0
Asian / Pacific Islander	0	0	0	Sedative	0	0	0
Hispanic	0	0	0	Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races	0	0	0	Average Age at First Use of Drug	19.5	18.8	17.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	6	*	6	Any Injection Use at Admission	*	*	*
High School Graduate or G.E.D.	11	7	17	- Daily Injection Use	*	0	0
Associate Degree or Some College	*	*	*	- Weekly Injection Use	0	*	0
Bachelor or Advanced Degree	*	0	*	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	7	*	11	Self / Family / Friend	*	*	*
Unemployed	8	7	9	School	0	0	0
Not in Labor Force	*	*	6	Mental Health Provider	*	0	0
				Health Care Provider	*	0	0
LIVING ARRANGEMENT				Court / Criminal Justice	12	11	21
Independent Living	18	10	22	Other Referral Source	*	0	*
Dependent Living	*	*	*	005044 00044 474040			
Homeless	0	0	*	SPECIAL POPULATIONS	_	•	•
LIEFTIME DIN / DIN A DOCUM				Pregnant when Admitted to any Episode	0	0	0
LIFETIME DUI / DWI ARRESTS		_	4.6	Military Veteran	*	0	*
0	11	8	13	Special Education Services Needed	*	0	*
1 or 2	5	*	6	Co-Occurring Psychological Problem		0	*
3 or More	*	*	7	Co-Occurring Developmental Problem	0	0	*

HOLT COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 1
CENSUS 2010 4,912
2011 POP. ESTIMATE 4,814

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder **Anxiety Disorder** 5 Dementia 0 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 5 8 7 **Mood Disorder** 11 13 19 Personality Disorder 0 0 0 **Psychotic Disorder** 0 Sexual Disorder 0 0 0 Other Diagnosis 0 5

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	21	26	30	Hearing Impaired	*	*	*
Male	12	14	14	Past or Current Military Service	*	0	*
Female	9	12	16				
				HOUSING / LIVING ARRANGEMENT	_	_	_
AGE				Independent Living	7	0	0
Under 6	0	*	*	Dependent Living	0	0	0
6 to 9	6	6	5	Homeless	0	0	0
10 to 13	*	*	*	Other	0	0	0
14 to 17	*	*	*	Housing Unknown	14	26	30
18 to 24	0	0	*	EMPLOYMENT			
25 to 29	*	*	*	Employed	*	0	0
30 to 34	0	*	*	Unemployed	6	0	0
35 to 39	0	*	*	Not in Labor Force	0	0	0
40 to 44	*	*	*	Employment Status Unknown	14	26	30
45 to 49	*	*	5	4.005070			
50 to 54	*	*	*	ARRESTS	*	0	0
55 to 59	*	*	0	Arrested in Past 12 Months		0	0
60 and Over	*	0	*	Not Arrested in Past 12 Months Arrest Status Unknown	6	0	0
				Arrest Status Ofiknown	14	26	30
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	19	24	28	TREATMENT REFERRAL SOURCE Self / Family / Friend	44	4.5	40
African American	0	0	0	School	11	15	16
Native American / Alaskan	0	0	0	Mental Health Provider	0	*	*
Asian / Pacific Islander	0	0	0	Health Care Provider	5	*	*
Hispanic	*	*	*	Court / Criminal Justice	5 *	*	-
Other Race	0	0	0	Other	*	*	5
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	0	0	0
				Referral Source Offictiown	U	U	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	*	0	0	Voluntary	21	26	30
High School Grad or G.E.D.	0	0	0	Civil	0	0	0
A.A. Degree or Some College	*	0	0	Criminal	0	0	0
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	0	0	0
Education Level Unknown	14	26	30	Commitment Type Unknown	0	0	0

HOLT COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE	nf studen	tewho in	tha nact	12 months	••	(%
Were very sad		18.5				ered atter			•	9.4
Were grouchy, irritable, or in a bad mood		26.2			-			attempt su	uleido	6.3
Felt hopeless about the future					ted suicio		ey woulu	attempt St	uicide	4.6
Felt like not eating or eating more than usual		12.5 16.9					rocultod	in injuny o	r avardaca that had	
						i overdose mai nau	10 0.0			
Slept a lot more or a lot less than usual		17.2 13.8	-							
Had difficulty concentrating on school work		13.6	R	EBELLIC Percent (s ts who agi	roo that:			
FIGHTING Parcent of students who in the past 12 months:						•		av.		23.
Percent of students who, in the past 12 months:		20.0				s that get			nake people mad	23. 21.9
Were in a fight and had to be treated by a dector or purce		1.5		-			•	permissio		7.7
Were in a fight and had to be treated by a doctor or nurse	4				•		•	•	n	
Were threatened or injured with a weapon on school proper	ty	6.2				okay to ch			•	26.2
BULLYING VICTIM				IL IS OKA	iy to beat	up peopi	e ii iney s	tart a fight		49.2
Percent of students who, in the past 3 months:			s	CHOOL I	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		29.2					ree with t	he followin	ng:	
Were victims of mean rumors or lies spread at school		49.2		Teache	rs notice	and comr	nent on s	tudent's go	ood work	85.9
Had embarrassing or hurtful pictures/text of them posted on	internet	10.8		School	provides	feedback	to paren	s on positi	ive student performa	ince 57.8
Had embarrassing or hurtful pictures/text of them sent by ce	ell phone	17.2		Teache	rs praise	student fo	or hard w	ork	·	73.8
Were made fun of by others	•	64.6		Rules a	re enforc	ed fairly				71.4
•						_	ethnicities	are treate	ed equally	79.7
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:				ARENT						
Shoved, slapped, hit, or kicked a student in a serious manne	er	24.6				-		he followin	-	
Spread mean rumors or lies about other kids at school		30.8 12.3	3							83.
Posted on internet embarrassing or hurtful pictures/text of someone							_	•		69.2
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	13.8		-			-		dless of consequen	ces 87.5
Made fun of other people		70.8	70.8 Student could ask parent for help with a personal problem					80.0		
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:		_		1						
riogaranig are casciariose nelea soleti, percein el ciaserno.	2									
70 T			Who the p	Who	Who	Who	Who	Who	Amo useo first	
	no ha	Vho ha	Whose of the past	Who say	Who bel	Who say they use	Who fee	Who this would be	Among: used su first use	
	ho have e	Who have u	Whose clos the past 12	Who say it v	Who believe themselves	Who say pa they use	Who feel it v	Who think k would be ca	Among stud used substa first used	
	'no have ever	Vho have used	Whose closest the past 12 mor	Who say it wou	Who believe the themselves if themselves if the themselves if the themselves if the themselves in the	Who say parent they use	Who feel it wou	Who think kids would be caugh	Among students used substance first used	
	ho have ever use	Who have used in t	Whose closest frier the past 12 months	Who say it would b	Who believe they rithemselves if they	Who say parents w they use	Who feel it would b	Who think kids in the would be caught by	Among students wi used substance, av first used	
	ho have ever used s	Who have used in the	Whose closest friends the past 12 months	Who say it would be ea	Who believe they risk I themselves if they use	Who say parents would they use	Who feel it would be w	Who think kids in their would be caught by po	Among students who h used substance, avera first used	
	ho have ever used subs	Who have used in the pas	Whose closest friends hav the past 12 months	Who say it would be easy	Who believe they risk harr themselves if they use	Who say parents would ditthey use	Who feel it would be wron	Who think kids in their neignould be caught by police	Among students who have used substance, average a first used	
	ho have ever used substanc	Who have used in the past 30	Whose closest friends have us the past 12 months	Who say it would be easy to g	Who believe they risk harming themselves if they use	Who say parents would disappethey use	Who feel it would be wrong to	Who think kids in their neighbound be caught by police for	Among students who have ew used substance, average age first used	
	Who have ever used substance	Who have used in the past 30 day	ds have used	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprov they use	Who feel it would be wrong to use	Who think kids in their neighborho would be caught by police for usin	udents who have ever stance, average age wh	
	ho have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cigarettes	ho have ever used substance	Who have used in the past 30 days 16.9	ds have used	Who say it would be easy to get 58.5	Who believe they risk harming themselves if they use	é	Who feel it would be wrong to use 73.8	Who think kids in their neighborhood would be caught by police for using 29.2	Among students who have ever used substance, average age when 12.72	
Cigarettes Chewing Tobacco		ys	ds have used in		harming	ve if		ng od	ēn	
Cigarettes Chewing Tobacco Alcohol	31.3	16.9 18.5	ds have used in	58.5	harming 75.4	87.7	73.8	29.2	ēn	
Chewing Tobacco Alcohol	31.3 23.4	16.9 18.5 21.5	ds have used in 56.9		harming	ve if		ng od	12.72	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	31.3 23.4 49.2	16.9 18.5 21.5 15.4	1 ds have used in 56.9	58.5 63.1	75.4 76.6	87.7	73.8 56.3	29.2	12.72	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	31.3 23.4 49.2	16.9 18.5 21.5 15.4 7.7	ds have used in 56.9	58.5	harming 75.4	87.7	73.8	29.2	12.72	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	31.3 23.4 49.2	16.9 18.5 21.5 15.4	56.9 64.1 41.5	58.5 63.1 36.9	75.4 76.6 86.2	87.7 71.4 95.3	73.8 56.3 88.9	29.2 30.8 52.3	12.72	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	31.3 23.4 49.2 13.8 6.2	16.9 18.5 21.5 15.4 7.7 4.6	1 ds have used in 56.9	58.5 63.1 36.9	75.4 76.6 86.2 95.3	87.7 71.4 95.3 96.9	73.8 56.3 88.9 95.4	29.2	12.72	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	31.3 23.4 49.2 13.8 6.2	16.9 18.5 21.5 15.4 7.7 4.6	56.9 64.1 41.5	58.5 63.1 36.9 13.8 59.4	75.4 76.6 86.2 95.3 87.5	87.7 71.4 95.3 96.9 90.8	73.8 56.3 88.9 95.4 89.1	29.2 30.8 52.3	12.72	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	31.3 23.4 49.2 13.8 6.2 10.8 13.8	16.9 18.5 21.5 15.4 7.7 4.6	56.9 64.1 41.5	58.5 63.1 36.9	75.4 76.6 86.2 95.3	87.7 71.4 95.3 96.9	73.8 56.3 88.9 95.4	29.2 30.8 52.3	12.72	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	31.3 23.4 49.2 13.8 6.2 10.8 13.8 1.6	16.9 18.5 21.5 15.4 7.7 4.6	56.9 64.1 41.5	58.5 63.1 36.9 13.8 59.4	75.4 76.6 86.2 95.3 87.5	87.7 71.4 95.3 96.9 90.8	73.8 56.3 88.9 95.4 89.1	29.2 30.8 52.3	12.72	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	31.3 23.4 49.2 13.8 6.2 10.8 13.8 1.6 1.5	16.9 18.5 21.5 15.4 7.7 4.6	56.9 64.1 41.5	58.5 63.1 36.9 13.8 59.4	75.4 76.6 86.2 95.3 87.5	87.7 71.4 95.3 96.9 90.8	73.8 56.3 88.9 95.4 89.1	29.2 30.8 52.3	12.72	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	31.3 23.4 49.2 13.8 6.2 10.8 13.8 1.6 1.5	16.9 18.5 21.5 15.4 7.7 4.6	56.9 64.1 41.5	58.5 63.1 36.9 13.8 59.4	75.4 76.6 86.2 95.3 87.5	87.7 71.4 95.3 96.9 90.8	73.8 56.3 88.9 95.4 89.1	29.2 30.8 52.3	12.72	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	31.3 23.4 49.2 13.8 6.2 10.8 13.8 1.6 1.5	16.9 18.5 21.5 15.4 7.7 4.6	56.9 64.1 41.5	58.5 63.1 36.9 13.8 59.4	75.4 76.6 86.2 95.3 87.5	87.7 71.4 95.3 96.9 90.8	73.8 56.3 88.9 95.4 89.1	29.2 30.8 52.3	12.72	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	31.3 23.4 49.2 13.8 6.2 10.8 13.8 1.6 1.5 1.6	16.9 18.5 21.5 15.4 7.7 4.6 6.2 9.2	56.9 64.1 41.5 12.3	58.5 63.1 36.9 13.8 59.4 32.8	75.4 76.6 86.2 95.3 87.5 89.2	87.7 71.4 95.3 96.9 90.8 92.2	73.8 56.3 88.9 95.4 89.1 87.5	29.2 30.8 52.3 46.2	12.72 12.40 14.58	s 10-14
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	31.3 23.4 49.2 13.8 6.2 10.8 13.8 1.6 1.5	16.9 18.5 21.5 15.4 7.7 4.6 6.2 9.2	56.9 64.1 41.5 12.3	58.5 63.1 36.9 13.8 59.4 32.8	75.4 76.6 86.2 95.3 87.5 89.2 comparisace, and	87.7 71.4 95.3 96.9 90.8 92.2	73.8 56.3 88.9 95.4 89.1 87.5	29.2 30.8 52.3 46.2	12.72	s 10-14

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

HOWARD COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 12 FIPS COUNTY CODE 089 CENSUS 2010 10,144 2011 POP. ESTIMATE 10,204

2011 POPULATION PROFILE BY AGE GROUP 500 400 300 200 100

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	120	116	110
Mother Reported Drinking while Pregnant ¹		2	1
Mother Reported Smoking while Pregnant	34	30	31
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	101	79	122
Suicides	1	2	0
Self-inflicted Injuries	10	10	10
Homicides	0	0	0
Assault Injuries	15	18	22
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	0	0
Smoking Induced Deaths	14	12	25
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	69	69	41
Direct Hospitalizations	25	17	18
Emergency Room Hospitalizations	22	22	9
Emergency Room Outpatient	22	30	14
Drug RelatedTotal	44	32	48
Direct Hospitalizations	17	15	16
Emergency Room Hospitalizations	18	11	14
Emergency Room Outpatient	9	6	18
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	13	15	18
Fatal Crashes	2	0	0
Injury Crashes	5	9	8
Property Damage Crashes	6	6	10
Crash Fatalities	2	0	0
Crash Injuries	10	12	11
Drug Involved CrashesTotal	1	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	5,243	5,138	5,179
Employed	4,848	4,729	4,743
Unemployed	395	409	436
Unemployment Rate	7.5%	8.0%	8.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	11	10	11
Alcohol Package Carry-out Licenses	9	8	9

マダガガガガガ ■ Female !	¥ିନିନି ■Male	\$ ~ ~	95
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	439	442	464
Drop-outs	7	12	15
Drop-out Rate	1.6%	2.7%	3.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	1	0	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	42	72	79
Liquor Law Arrests	24	47	40
Drug Arrests	31	47	59
Methamphetamine Lab Incidents	2	14	5
Violent Offenses	14	9	8
Property Offenses	64	84	74
Domestic Violence Reports	28	31	26
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	29	50	28
Violent Offenses	11	15	7
Alcohol Offenses	0	15	0
Drug Offenses	1	2	3
Status OffensesTotal	26	42	20
Truancy	10	19	6
Beyond Parental Control	1	2	3
Habitually Absent from Home	1	2	4
Injurious Behavior	14	19	7
Abuse/Neglect/CustodyTotal	8	15	11
Abuse	4	6	2
Neglect	4	9	9
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	5	6	4
Parental Alcohol Use Related	2	0	0
Parental Drug Use Related	1	3	0
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	1	3	4
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	65	95	84
Probation/Parole AdmissionsDrug	24	31	27
Probation/Parole AdmissionsDWI	3	6	6
Prison AdmissionsTotal	47	56	56
Prison AdmissionsDrug	14	27	15
Prison AdmissionsDWI	3	2	7
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	ppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

HOWARD COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	5	*	*
CSTAR General Adult	23	*	*
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	5	9
Primary Recovery Treatment	13	47	78
Clinical SATOP (CIP, YCIP, SROP)	6	6	6
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	39	57	63
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	13	14	26
- Weekend Intervention Program	8	21	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	*	*
- Early Intervention	0	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	37	47	65	Never Married	22	37	53
Female	12	25	19	Married / Cohabitating	16	21	20
				Previously Married	11	14	11
AGE				•			
Under 18	0	*	*	PRIMARY DRUG PROBLEM			
18 to 24	8	18	21	Alcohol	30	38	37
25 to 29	6	15	19	Marijuana / Hashish	10	17	26
30 to 34	11	6	11	Cocaine (total)	*	5 *	5
35 to 39	9	11	11	- Crack			*
40 to 44	*	7	9	Stimulant (total)	7	10	13
45 to 54	10	9	12	- Methamphetamine	7	10	13
55 and Over	*	*	0	Heroin	0	0	*
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	42	57	68	- Non-Prescription Methadone	0	0	0
African American	*	8	12	PCP, LSD, other Hallucinogen	0	*	0
Native American / Alaskan	*	0	0	Tranquilizer	0	0	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	*	*	0	Sedative	0	0	*
Other Race / Two or More Races	*	6	*	Other Medication or Illicit Drug	0	0	0
		Ü		Average Age at First Use of Drug	16.3	16.6	16.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	20	28	37	Any Injection Use at Admission	*	*	*
High School Graduate or G.E.D.	19	33	38	- Daily Injection Use	0	0	0
Associate Degree or Some College	9	10	8	- Weekly Injection Use	*	0	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	16	22	43	Self / Family / Friend	12	15	21
Unemployed	19	30	26	School	0	0	0
Not in Labor Force	14	20	15	Mental Health Provider	*	*	0
				Health Care Provider	0	*	0
LIVING ARRANGEMENT				Court / Criminal Justice	35	51	61
Independent Living	44	62	75	Other Referral Source	*	*	*
Dependent Living	*	5	7				
Homeless	*	*	0	SPECIAL POPULATIONS	_	*	
LIFETIME DUI / DIAM A DRECTO				Pregnant when Admitted to any Episode	0	*	*
LIFETIME DUI / DWI ARRESTS	4.5	00	40	Military Veteran	*		4-
0	15	30	40	Special Education Services Needed	6	12	15
1 or 2	21	33	32	Co-Occurring Psychological Problem	18	29	23
3 or More	13	9	12	Co-Occurring Developmental Problem	5	9	7

HOWARD COUNTY



ADA/CPS REGION Central
CPS SERVICE AREA 12
CENSUS 2010 10,144
2011 POP. ESTIMATE 10,204

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 0 **Anxiety Disorder** 20 17 20 Dementia **Developmental Disorder** 0 Impulse Control Disorder 8 9 **Mood Disorder** 42 41 43 Personality Disorder 5 7 **Psychotic Disorder** 30 24 25 Sexual Disorder 0 0 0 Other Diagnosis 6 Diagnosis Unknown 31 13

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	83	82	98	Hearing Impaired	0	*	*
Male	54	48	52	Past or Current Military Service	*	5	5
Female	29	34	46	HOUSING / LIVING ARRANGEMENT			
				Independent Living	28	7	10
AGE				Dependent Living	23	12	10
Under 6	0	0	*	Homeless	0	0	0
6 to 9	*	0	*	Other	*	0	0
10 to 13	*	5	7	Housing Unknown	31	63	78
14 to 17	*	*	12		01	00	
18 to 24	14	7	6	EMPLOYMENT			
25 to 29	*	5	6	Employed	8	*	*
30 to 34	5	7	5	Unemployed	39	14	14
35 to 39	10	8	9	Not in Labor Force	5	0	*
40 to 44	5	7	9	Employment Status Unknown	31	67	79
45 to 49	12	12	11	ARRESTS			
50 to 54	10	12	14	Arrested in Past 12 Months	10	*	*
55 to 59	6	7	8	Not Arrested in Past 12 Months	_		40
60 and Over	9	8	9	Arrest Status Unknown	42	16	19
				Arrest Status Unknown	31	63	78
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	70	69	82	TREATMENT REFERRAL SOURCE	00	44	50
African American	10	10	11	Self / Family / Friend	36	41	50
Native American / Alaskan	0	0	0	School	0	0	0
Asian / Pacific Islander	0	0	*	Mental Health Provider	17	22	21
Hispanic	0	0	0	Health Care Provider	17	9	11
Other Race	*	*	*	Court / Criminal Justice	5	*	8
Race/Ethnicity Unknown	0	0	0	Other	7	5	6
,	v	ŭ	ŭ	Referral Source Unknown	*	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	14	*	7	Voluntary	80	77	86
High School Grad or G.E.D.	29	11	9	Civil	0	*	8
A.A. Degree or Some College	8	*	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	31	67	79	Commitment Type Unknown	*	*	*

HOWARD COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%	n '	SUICIDE						(%)
Percent of students who, in the past 30 days:								12 months	:	
Were very sad			0		_	lered atter	-			7.8
Were grouchy, irritable, or in a bad mood		21.			•		ey would	attempt si	uicide	3.9
Felt hopeless about the future			1		ted suicio					2.8
Felt like not eating or eating more than usual		13.						in injury o	r overdose that had to	0.0
Slept a lot more or a lot less than usual		17.	9	be t	reated by	doctor or	nurse			
Had difficulty concentrating on school work		16.		REBELLIO	OUSNES	s				
FIGHTING						ts who ag	ree that:			
Percent of students who, in the past 12 months:				They ig	gnore rule	s that get	in their v	<i>ı</i> ay		15.7
Were in a physical fight		19.	0	They d	o the opp	osite of w	hat they'	e told to m	nake people mad	12.3
Were in a fight and had to be treated by a doctor or nurse		3.	4	It is ok	ay to take	somethin	g withou	permissio	n	6.2
Were threatened or injured with a weapon on school proper	ty	3.9	9	Somet	imes it is	okay to ch	eat at sc	hool		22.9
						-		start a fight	t	34.6
BULLYING VICTIM										
Percent of students who, in the past 3 months:		20.		SCHOOL						
Were shoved, slapped, hit, or kicked in a serious manner						_		he followin	-	75.0
Were victims of mean rumors or lies spread at school	Intornet	41.						tudent's g		75.0
Had embarrassing or hurtful pictures/text of them posted on		8.4			-		-	-	ive student performance	50.0
Had embarrassing or hurtful pictures/text of them sent by ce	eli pnone	11.			-	student fo	or nard w	OFK		65.4
Were made fun of by others		52.	U		are enforc	-	- 141 - Laud -		ad a gually	73.1
BULLYING PERPRETRATOR				Studer	its of all ra	aces and (ethnicitie	s are treate	ed equally	82.7
Percent of students who, in the past 3 months:				PARENT	RELATIC	ONS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	16.					ree with t	he followin	ng:	
Spread mean rumors or lies about other kids at school			3 Parents notice and comment on student's good work							
Posted on internet embarrassing or hurtful pictures/text of s	omeone	5.	6	Parent	s involve	student in	making t	amily deci	sions	81.4
Sent by cell phone embarrassing or hurtful pictures/text of s		neone 9.6 It is important to be honest with parents regardless of consequences								85.5
Made fun of other people		59.4 Student could ask parent for help with a personal problem								83.1
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:			₽₹	W	‡.≰	# ≸		§ §	firs An	
	5	ō	pas	10 Si	mse d ol	y us	lo fe	튭	Among st used sub first used	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usi	Among students who have ever used substance, average age what first used	
	eve	esu	sest mo	WOL	e #	arer	W	aug	den	
	Sn	i i	in the	ıld t	ਜ਼ੁੰਦੂ	ıts v	듑		e, is	
	ed s	ŧ	s nds)е е	use isk	<u>o</u>	e ≤	ջ	ho h	
	aubs	pas	hav	asy	harr	효	on line	nei lice	nave	
	tanc	t 30	e L	to g	njg	sap	g to	학물	ev age	
	ю	da	sed	et	_	Voro	use	퇇	whe	
		S	5			e≓		jng 100d	nen .	
Cigarettes	26.3	15.7		41.1	67.0	92.7	74.3	32.0	13.13	
Chewing Tobacco	19.6	11.8	3							
Alcohol	44.1	20.2	49.4	45.8	62.4	76.0	57.1	34.9	12.54	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		11.2	2							
Marijuana	15.1	8.4		21.8	73.0	93.7	84.7	56.7	14.43	
Inhalants	6.1	2.2	2						11.37	
Illicit drugs such as cocaine, LSD, meth, club drugs			3.9	8.4	91.5	100.0	96.6	67.4		
Over-the-counter medications for non-medical use	6.1	2.2		37.7	75.7	97.2	90.5			
Prescription drugs not prescribed for student	7.8	5.0)	14.8	81.7	96.6	91.5			
Heroin	1.7									
Cocaine	2.2									
Methamphetamine	1.7									
Hallucinogens	1.7									
Club drugs such as ecstasy, GHB, roofle, or Special K	1.7									
Synthetic drugs such as K2, bath salts, Spice	7.8		Data are v and 15-19					liation estir	mates for age groups 10-	14
Steroids not prescribed for student	2.3		Percentag					inad answ	or choices	

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

HOWELL COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 18 091 40,400 40,665



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	537	560	582
Mother Reported Drinking while Pregnant 1		0	1
Mother Reported Smoking while Pregnant	159	147	170
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	0	1
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	451	463	500
Suicides	8	11	9
Self-inflicted Injuries	91	120	53
Homicides	2	120	3
Assault Injuries	133	141	148
Alcohol Induced Deaths	133	141	6
Drug Induced Deaths	5	11	9
Smoking Induced Deaths	87	86	88
Smoking induced Deaths	01	00	00
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	471	425	645
Direct Hospitalizations	183	73	80
Emergency Room Hospitalizations	54	195	192
Emergency Room Outpatient	234	157	373
Drug RelatedTotal	533	451	464
Direct Hospitalizations	268	104	85
Emergency Room Hospitalizations	48	214	193
Emergency Room Outpatient	217	133	186
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	55	60	57
Fatal Crashes	1	3	1
Injury Crashes	32	31	29
Property Damage Crashes	22	26	27
Crash Fatalities	1	3	1
Crash Injuries	44	45	42
Drug Involved CrashesTotal	14	7	9
Fatal Crashes	1	0	0
Injury Crashes	6	1	4
Property Damage Crashes	7	6	5
Crash Fatalities	1	0	0
Crash Injuries	7	2	4
EMPLOYMENT	2011	2010	2009
Labor Force	18,968	19,448	19,882
Employed	17,371	17,666	17,947
Unemployed	1,597	1,782	1,935
Unemployment Rate	8.4%	9.2%	9.7%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	32	32	41
Alcohol Package Carry-out Licenses	41	44	46

■ Female ■ Male							
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009				
Enrollment Grades 9-12	1,890	2,044	1,952				
Drop-outs	56	66	77				
Drop-out Rate	3.0%	3.2%	3.9%				
School Suspensions, 10 or More Days							
Alcohol Incidents	7	7	2				
Drug Incidents	25	9	13				
Tobacco Incidents	0	2	2				
POLICE REPORTS	2010	2009	2008				
DUI Arrests, DWI Tracking System	224	226	324				
Liquor Law Arrests	38	43	99				
Drug Arrests	328	212	307				
Methamphetamine Lab Incidents	26	9	11				
Violent Offenses	118	133	114				
Property Offenses	1,469	1,453	1,525				
Domestic Violence Reports	259	230	240				
JUVENILE COURT REFERRALS	2010	2009	2008				
Law Violation OffensesTotal	120	123	175				
Violent Offenses	31	26	28				
Alcohol Offenses	9	5	7				
Drug Offenses	13	8	6				
Status OffensesTotal	370	430	517				
Truancy	106	181	228				
Beyond Parental Control	68	65	82				
Habitually Absent from Home	40	51	52				
Injurious Behavior	118	92	118				
Abuse/Neglect/CustodyTotal	153	117	127				
Abuse	19	12	17				
Neglect	110	86	98				
Custody Disputes	24	19	12				
JUVENILE COURT PLACEMENTS	2010	2009	2008				
Out-of-Home PlacementsTotal	29	38	54				
Parental Alcohol Use Related	0	0	0				
Parental Drug Use Related	6	1	16				
Parental Alcohol and Drug Use	3	0	1				
Child Removed for Other Reason	20	37	37				
CRIMINAL JUSTICE	FY2011	FY2010	FY2009				
Drug Court Participants	25	23	11				
Probation/Parole AdmissionsTotal	228	219	204				
Probation/Parole AdmissionsDrug	58	51	65				
Probation/Parole AdmissionsDWI	11	7	10				
Prison AdmissionsTotal	134	99	106				
Prison AdmissionsDrug	37	24	27				
Prison AdmissionsDWI	2	5	4				
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	ppressed				

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

HOWELL COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	45	44	39
CSTAR Women and Children	23	34	23
CSTAR General Adult	82	71	48
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	59	54	61
Primary Recovery Treatment	129	169	182
Clinical SATOP (CIP, YCIP, SROP)	29	40	35
Other Substance Abuse Treatment	0	0	8

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	137	217	220
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	54	90	95
- Weekend Intervention Program	30	43	63
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	12	12	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	25	10
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	208	248	240	Never Married	156	159	147
Female	107	105	92	Married / Cohabitating	80	98	96
			-	Previously Married	79	96	89
AGE							
Under 18	50	44	39	PRIMARY DRUG PROBLEM			
18 to 24	73	73	68	Alcohol	120	161	140
25 to 29	48	54	54	Marijuana / Hashish	85	87	94
30 to 34	37	40	44	Cocaine (total)	*	*	*
35 to 39	36	51	45	- Crack	*	0	*
40 to 44	26	28	28	Stimulant (total)	44	47	61
45 to 54	33	49	43	- Methamphetamine	43	47	59
55 and Over	12	14	11	Heroin	*	*	*
RACE / ETHNICITY				Analgesic except Heroin	49	44	25
Caucasian	303	342	316	- Non-Prescription Methadone	0	*	*
African American	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	*	*	Tranquilizer	*	*	6
Asian / Pacific Islander	*	0	0	Inhalant	*	5	0
Hispanic	7	5	5	Sedative	*	*	*
Other Race / Two or More Races	6	5	9	Other Medication or Illicit Drug	*	*	0
	Ū	Ü	J	Average Age at First Use of Drug	16.1	17.1	16.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	137	160	123	Any Injection Use at Admission	47	41	48
High School Graduate or G.E.D.	133	145	153	- Daily Injection Use	10	13	11
Associate Degree or Some College	39	44	53	- Weekly Injection Use	17	12	15
Bachelor or Advanced Degree	6	*	*	- Less than Weekly Injection Use	20	16	22
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	17	19	51	Self / Family / Friend	80	73	90
Unemployed	176	181	147	School	*	*	0
Not in Labor Force	122	153	134	Mental Health Provider	*	7	14
				Health Care Provider	9	6	9
LIVING ARRANGEMENT				Court / Criminal Justice	184	232	188
Independent Living	235	289	271	Other Referral Source	36	32	31
Dependent Living	64	58	49				
Homeless	11	*	12	SPECIAL POPULATIONS	*	*	_
LIFETIME DUI / DUI ADDECTO				Pregnant when Admitted to any Episode			5
LIFETIME DUI / DWI ARRESTS	46.4	405	470	Military Veteran	5	5	13
0	194	185	178	Special Education Services Needed	18	18	34
1 or 2	77	109	99	Co-Occurring Psychological Problem	86	138	129
3 or More	44	59	55	Co-Occurring Developmental Problem	*	*	*

HOWELL COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 18
CENSUS 2010 40,400
2011 POP. ESTIMATE 40,665

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 26 38 60 **Anxiety Disorder** 229 180 186 Dementia 0 0 **Developmental Disorder** 5 Impulse Control Disorder 42 35 46 **Mood Disorder** 402 502 424 Personality Disorder 5 10 **Psychotic Disorder** 50 45 57 Sexual Disorder 0 Other Diagnosis 17 13 20

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	667	684	877	Hearing Impaired	35	35	61
Male	294	298	369	Past or Current Military Service	17	28	34
Female	373	386	508	·			-
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	233	143	173
Under 6	*	16	18	Dependent Living	15	27	34
6 to 9	13	14	26	Homeless	29	19	15
10 to 13	22	18	24	Other		*	*
14 to 17	23	21	26	Housing Unknown	389	494	651
18 to 24	95	118	121	EMPLOYMENT			
25 to 29	86	81	102	Employed	14	16	23
30 to 34	72	59	93	Unemployed	256	150	169
35 to 39	53	68	95	Not in Labor Force	8	*	13
40 to 44	73	78	108	Employment Status Unknown	389	515	672
45 to 49	80	82	109				
50 to 54	70	60	65	ARRESTS			
55 to 59	43	44	53	Arrested in Past 12 Months	41	34	43
60 and Over	33	25	37	Not Arrested in Past 12 Months	237	156	182
				Arrest Status Unknown	389	494	652
RACE / ETHNICITY				TREATMENT REFERRAL COURSE			
Caucasian	651	661	825	TREATMENT REFERRAL SOURCE	400	000	050
African American	*	*	9	Self / Family / Friend	190	200	258
Native American / Alaskan	*	*	*	School Market Health Breakter		0	
Asian / Pacific Islander	*	*	*	Mental Health Provider	48	65	118
Hispanic	*	7	19	Health Care Provider	190	148	177
Other Race	7	7	16	Court / Criminal Justice	22	28	40
Race/Ethnicity Unknown	0	0	*	Other	216	243	279
				Referral Source Unknown	0	0	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	70	58	61	Voluntary	664	678	871
High School Grad or G.E.D.	178	80	115	Civil	*	5	*
A.A. Degree or Some College	24	27	24	Criminal	*	*	0
Bachelor or Advanced Degree	6	*	5	Sexual Predatory	0	0	0
Education Level Unknown	389	515	672	Commitment Type Unknown	0	0	*

74

34

HOWELL COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, In the past 30 days:		(%)		UICIDE Percent (of studen	ts who. In	the past	12 months	<i>:</i>	(%)
Were very sad		17.1				ered atter	-			8.5
Were grouchy, irritable, or in a bad mood		19.0			_		-	attempt su	ulcide	8.7
Felt hopeless about the future		10.6			ted suicio		- J			4.8
Felt like not eating or eating more than usual		13.5					resulted	in injury o	r overdose that had to	1.6
Slept a lot more or a lot less than usual		16.9				doctor or				
Had difficulty concentrating on school work		17.3			_					
riad dimodity concommunity on concommunity			R		OUSNES					
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:				They ig	jnore rule	s that get	in their w	ay		19.6
Were in a physical fight		21.4		They d	o the opp	osite of w	hat they'r	e told to m	ake people mad	14.6
Were in a fight and had to be treated by a doctor or nurse		2.2	!	It is oka	ay to take	somethin	g without	permissio	n	7.0
Were threatened or injured with a weapon on school proper	ty	7.2		Someti	mes it is	okay to ch	eat at sc	hool		15.4
				It is oka	ay to beat	up peopl	e if they s	start a fight		44.9
BULLYING VICTIM										
Percent of students who, in the past 3 months:		25.6			RELATIC		roo with t	ha fallawin		
Were shoved, slapped, hit, or kicked in a serious manner		25.6				_		he followin	-	70.2
Were victims of mean rumors or lies spread at school	lmto most	51.9						tudent's go		70.3
Had embarrassing or hurtful pictures/text of them posted on		13.7 13.2			-		-	-	ve student performance	36.9
Had embarrassing or hurtful pictures/text of them sent by ce	ii pnone				•	student fo	or nard w	OFK		56.0
Were made fun of by others		62.4	•		are enforc	-				65.3
BULLYING PERPRETRATOR				Studen	ts of all ra	ices and (ethnicities	s are treate	ed equally	78.1
Percent of students who, in the past 3 months:			P	ARFNT	RELATIC	NS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	20.8					ree with t	he followin	a:	
Spread mean rumors or lies about other kids at school		25.7				_		ident's god	₹	83.4
Posted on internet embarrassing or hurtful pictures/text of so	omeone	6.6	i					amily decis		65.9
Sent by cell phone embarrassing or hurtful pictures/text of se		7.5						-	dless of consequences	86.1
Made fun of other people		54.8	}					_	onal problem	77.3
• •						•	•	•	•	
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≨	≨	≢ ≨	≤	≢ ≨	≢ ≨	≤	§ ≤	fit us An	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have use the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age wifirst used	
	ave	ave	를 음 등	ay ii	elle	e By	<u>ŏ</u>	e j	ed l	
	eve	use	ses m	¥	s#1	are	W	äig	lden tanc	
	E I	σ.	₩	튭	iney Tey	ま	듄	<u> </u>	ë, a	
	<u>e</u>	ŧ	Spar	9	risk I	NO.	be v	y p	/ho	
	Subs	pa	ਜ਼	äs	ੰ ਡ	Б	Mor	olice Olice	hav age	
	stan	31	e [6	를	isa	ig to	of ge	e ex	
	93	O da	ISec	get	9	pro	SI	뺤	/er	
						≨	Ф	.g g	hen	
		S	₽			<u>=</u>				
Cigarettes	30.7	14.4	5 41.7	53.9	79.4	84.9	75.1	18.9	12.33	
Cigarettes Chewing Tobacco	30.7 26.5			53.9	79.4		75.1	18.9	12.33	
Cigarettes Chewing Tobacco Alcohol		14.4	41.7	53.9 51.4	79.4					
Chewing Tobacco Alcohol	26.5	14.4 16.1 16.2				84.9	75.1 58.0	18.9	12.33	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	26.5 41.4	14.4 16.1 16.2 10.1	41.7 50.9	51.4	70.8	84.9 76.8	58.0	28.9	12.33	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	26.5 41.4 10.4	14.4 16.1 16.2 10.1 2.2	41.7			84.9			12.33 12.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	26.5 41.4	14.4 16.1 16.2 10.1	41.7 50.9 21.8	51.4 29.1	70.8 84.1	84.9 76.8 96.2	58.0 87.4	28.9 42.1	12.33	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	26.5 41.4 10.4 7.7	14.4 16.1 16.2 10.1 2.2 3.1	41.7 50.9	51.4 29.1 17.0	70.8 84.1 94.7	84.9 76.8 96.2 97.4	58.0 87.4 96.6	28.9	12.33 12.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	26.5 41.4 10.4 7.7 5.1	14.4 16.1 16.2 10.1 2.2 3.1	41.7 50.9 21.8	51.4 29.1 17.0 43.9	70.8 84.1 94.7 86.9	84.9 76.8 96.2 97.4 96.3	58.0 87.4 96.6 92.2	28.9 42.1	12.33 12.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	26.5 41.4 10.4 7.7 5.1 7.7	14.4 16.1 16.2 10.1 2.2 3.1	41.7 50.9 21.8	51.4 29.1 17.0	70.8 84.1 94.7	84.9 76.8 96.2 97.4	58.0 87.4 96.6	28.9 42.1	12.33 12.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	26.5 41.4 10.4 7.7 5.1 7.7 1.6	14.4 16.1 16.2 10.1 2.2 3.1	41.7 50.9 21.8	51.4 29.1 17.0 43.9	70.8 84.1 94.7 86.9	84.9 76.8 96.2 97.4 96.3	58.0 87.4 96.6 92.2	28.9 42.1	12.33 12.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	26.5 41.4 10.4 7.7 5.1 7.7 1.6 2.1	14.4 16.1 16.2 10.1 2.2 3.1	41.7 50.9 21.8	51.4 29.1 17.0 43.9	70.8 84.1 94.7 86.9	84.9 76.8 96.2 97.4 96.3	58.0 87.4 96.6 92.2	28.9 42.1	12.33 12.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	26.5 41.4 10.4 7.7 5.1 7.7 1.6 2.1 1.5	14.4 16.1 16.2 10.1 2.2 3.1	41.7 50.9 21.8	51.4 29.1 17.0 43.9	70.8 84.1 94.7 86.9	84.9 76.8 96.2 97.4 96.3	58.0 87.4 96.6 92.2	28.9 42.1	12.33 12.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	26.5 41.4 10.4 7.7 5.1 7.7 1.6 2.1 1.5 2.8	14.4 16.1 16.2 10.1 2.2 3.1	41.7 50.9 21.8	51.4 29.1 17.0 43.9	70.8 84.1 94.7 86.9	84.9 76.8 96.2 97.4 96.3	58.0 87.4 96.6 92.2	28.9 42.1	12.33 12.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	26.5 41.4 10.4 7.7 5.1 7.7 1.6 2.1 1.5 2.8 3.4	14.4 16.1 16.2 10.1 2.2 3.1 2.5 2.6	41.7 50.9 21.8 9.8	51.4 29.1 17.0 43.9 24.8	70.8 84.1 94.7 86.9 85.2	84.9 76.8 96.2 97.4 96.3 95.4	58.0 87.4 96.6 92.2 93.2	28.9 42.1 43.1	12.33 12.66	4
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	26.5 41.4 10.4 7.7 5.1 7.7 1.6 2.1 1.5 2.8	14.4 16.1 16.2 10.1 2.2 3.1 2.5 2.6	41.7 50.9 21.8 9.8	51.4 29.1 17.0 43.9 24.8	70.8 84.1 94.7 86.9 85.2	84.9 76.8 96.2 97.4 96.3 95.4	58.0 87.4 96.6 92.2 93.2	28.9 42.1 43.1	12.33 12.66 12.66	4

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:


Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

IRON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Southeast 17 093 10,630 10,656



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	112	108	120
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	41	38	49
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	0	1
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	143	154	166
Suicides	1	2	1
Self-inflicted Injuries	14	4	8
Homicides	1	1	0
Assault Injuries	30	18	26
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	2	1
Smoking Induced Deaths	30	28	30
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	89	73	76
Direct Hospitalizations	38	75 25	33
Emergency Room Hospitalizations	24	35	19
Emergency Room Outpatient	2 4 27		
		13	24
Drug RelatedTotal	136	81	61
Direct Hospitalizations	45	28	21
Emergency Room Hospitalizations	20	20	18
Emergency Room Outpatient	71	33	22
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	15	19	22
Fatal Crashes	0	0	0
Injury Crashes	7	10	15
Property Damage Crashes	8	9	7
Crash Fatalities	0	0	0
Crash Injuries	14	11	22
Drug Involved CrashesTotal	3	3	2
Fatal Crashes	1	0	0
Injury Crashes	0	3	1
Property Damage Crashes	2	0	1
Crash Fatalities	1	0	0
Crash Injuries	1	3	2
EMPLOYMENT	2011	2010	2009
Labor Force	4,970	4,947	5,773
Employed	4,459	4,374	5,260
Unemployed	511	573	513
Unemployment Rate	10.3%	11.6%	8.9%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	12	14	19
Alcohol Package Carry-out Licenses	8	8	9
, accorded acting of carry out bloomsoo	O	O	Э

■ Female ■	■ Female ■ Male								
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009						
Enrollment Grades 9-12	582	660	591						
Drop-outs	21	18	9						
Drop-out Rate	3.6%	2.7%	1.5%						
School Suspensions, 10 or More Days									
Alcohol Incidents	0	1	0						
Drug Incidents	0	1	2						
Tobacco Incidents	4	3	4						
POLICE REPORTS	2010	2009	2008						
DUI Arrests, DWI Tracking System	42	71	55						
Liquor Law Arrests	4	14	13						
Drug Arrests	32	42	6						
Methamphetamine Lab Incidents	3	2	2						
Violent Offenses	25	11	28						
Property Offenses	120	97	121						
Domestic Violence Reports	24	23	30						
JUVENILE COURT REFERRALS	2010	2009	2008						
Law Violation OffensesTotal	20	34	50						
Violent Offenses	7	12	11						
Alcohol Offenses	6	2	2						
Drug Offenses	0	2	2						
Status OffensesTotal	64	44	53						
Truancy	3	12	17						
Beyond Parental Control	8	7	3						
Habitually Absent from Home	1	2	3						
Injurious Behavior	40	20	27						
Abuse/Neglect/CustodyTotal	110	92	37						
Abuse	35	25	18						
Neglect	75	67	18						
Custody Disputes	0	0	1						
JUVENILE COURT PLACEMENTS	2010	2009	2008						
Out-of-Home PlacementsTotal	13	19	14						
Parental Alcohol Use Related	0	0	2						
Parental Drug Use Related	6	8	4						
Parental Alcohol and Drug Use	0	4	0						
Child Removed for Other Reason	7	7	8						
CRIMINAL JUSTICE	FY2011	FY2010	FY2009						
Drug Court Participants	16	19	15						
Probation/Parole AdmissionsTotal	95	92	98						
Probation/Parole AdmissionsDrug	27	27	24						
Probation/Parole AdmissionsDWI	4	2	4						
Prison AdmissionsTotal	49	67	58						
Prison AdmissionsDrug	16	20	14						
Prison AdmissionsDWI	2	4	1						
* An asterisk in a data cell indicates the cou	unt was fewer t	han 5 and su	ppressed						

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	5	6	11
CSTAR Women and Children	0	*	*
CSTAR General Adult	33	16	16
CSTAR Opioid	0	*	0
Primary Recovery Detoxification	5	9	7
Primary Recovery Treatment	65	95	91
Clinical SATOP (CIP, YCIP, SROP)	9	*	6
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	28	45	42
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	11	19	16
- Weekend Intervention Program	7	15	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	5
- Compulsive Gambling	*	0	0
- Recovery Supports	0	0	*
- Early Intervention	0	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	83	85	87	Never Married	63	61	61
Female	31	29	35	Married / Cohabitating	28	33	32
	01	20	00	Previously Married	23	20	29
AGE				•	20	20	20
Under 18	6	6	12	PRIMARY DRUG PROBLEM			
18 to 24	26	30	27	Alcohol	42	39	41
25 to 29	21	23	19	Marijuana / Hashish	35	40	42
30 to 34	21	11	16	Cocaine (total)	*	0	*
35 to 39	9	11	10	- Crack	*	0	*
40 to 44	10	11	14	Stimulant (total)	14	5	11
45 to 54	18	20	18	- Methamphetamine	14	*	11
55 and Over	*	*	6	Heroin	*	*	*
RACE / ETHNICITY				Analgesic except Heroin	15	24	19
Caucasian	111	111	119	- Non-Prescription Methadone	0	0	0
African American	*	*	*	PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan			0	Tranquilizer	0	*	*
Asian / Pacific Islander	0	0	0	Inhalant	0	*	0
	0	0	0	Sedative	*	0	*
Hispanic	0			Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races		0	0	Average Age at First Use of Drug	17.6	17.7	16.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	50	50	55	Any Injection Use at Admission	8	9	10
High School Graduate or G.E.D.	49	59	54	- Daily Injection Use	*	*	*
Associate Degree or Some College	15	*	12	- Weekly Injection Use	0	*	*
Bachelor or Advanced Degree	0	*	*	- Less than Weekly Injection Use	5	6	6
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	23	26	34	Self / Family / Friend	30	22	26
Unemployed	64	61	60	School	0	0	*
Not in Labor Force	27	27	28	Mental Health Provider	*	10	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	70	63	79
Independent Living	103	102	104	Other Referral Source	9	15	11
Dependent Living	10	9	15	ODEOLAL DODUKATIONO			
Homeless	*	*	*	SPECIAL POPULATIONS	*	•	
LIFETIME DIN / DIM ADDECTS				Pregnant when Admitted to any Episode		0	· ·
LIFETIME DUI / DWI ARRESTS	70	7-	70	Military Veteran	5 *	5	9
0	70	75 07	79	Special Education Services Needed		10	9
1 or 2	30	27	29	Co-Occurring Psychological Problem	36	35	44
3 or More	14	12	14	Co-Occurring Developmental Problem	30	20	13

IRON COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 17B CENSUS 2010 10,630 **2011 POP. ESTIMATE** 10,656

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 5 9 6 **Anxiety Disorder** 36 33 46 Dementia 6 **Developmental Disorder** 6 5 Impulse Control Disorder 24 24 34 **Mood Disorder** 141 90 112 Personality Disorder 49 46 15 **Psychotic Disorder**

42

17

18

48

35

29

FY2011 FY2010 FY2009

55

25

41

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

FY2011 FY2010 FY2009

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	F12009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	180	214	259	Hearing Impaired	10	11	12
Male	82	109	137	Past or Current Military Service	7	12	9
Female	98	105	122	HOUSING / LIVING ARRANGEMENT	40		00
AGE				Independent Living	40	22	28
Under 6	*	*	0	Dependent Living	16	21	18
6 to 9	8	*	5	Homeless		0	0
10 to 13	17	17	17	Other	0	0	0
14 to 17	16	13	20	Housing Unknown	122	171	213
18 to 24	17	20	31	EMPLOYMENT			
25 to 29	12	22	16	Employed	*	*	*
30 to 34	9	14	18	Unemployed	55	26	39
35 to 39	16	20	24	Not in Labor Force	*	*	*
40 to 44	19	19	20	Employment Status Unknown	122	183	215
45 to 49	20	23	37	4005050			
50 to 54	14	19	22	ARRESTS	*		
55 to 59	11	18	19	Arrested in Past 12 Months		6	40
60 and Over	19	24	30	Not Arrested in Past 12 Months Arrest Status Unknown	54	37	42
				Arrest Status Unknown	122	171	213
RACE / ETHNICITY				TOTATMENT DECEDDAL COURCE			
Caucasian	172	207	241	TREATMENT REFERRAL SOURCE	50	70	0.5
African American	*	*	12	Self / Family / Friend School	58	70	85
Native American / Alaskan	*	*	*	Mental Health Provider	0 37	0	0 35
Asian / Pacific Islander	0	0	0	Health Care Provider	37 27	32	33
Hispanic	0	0	*	Court / Criminal Justice	2 <i>1</i> 5	28 18	33 22
Other Race	*	*	*	Other	_	_	
Race/Ethnicity Unknown	0	*	0	Referral Source Unknown	51	65 *	83
				Releital Source Officiowif			
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	24	8	18	Voluntary	173	193	239
High School Grad or G.E.D.	28	16	21	Civil	*	18	16
A.A. Degree or Some College	5	5	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	*	*	0
Education Level Unknown	122	183	215	Commitment Type Unknown	0	0	0

IRON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	5	SUICIDE Percent	of studen	tewho in	the nact	12 months.		(%)
· · · · · · · · · · · · · · · · · · ·		23.0				ered atter	-		•	9.8
Were very sad					-				iloldo	
Were grouchy, irritable, or in a bad mood		25.6		Made a plan about how they would attempt suicide Attempted suicide					8.5	
Felt hopeless about the future		10.4						to total and a		3.7
Felt like not eating or eating more than usual		22.0				tempt that doctor or		in injury oi	r overdose that had to	1.2
Slept a lot more or a lot less than usual		20.7		De t	reated by	doctor or	nuise			
Had difficulty concentrating on school work		16.4		PERELLIN	OUSNES.	c				
FIGHTING			•			ts who agi	ree that:			
Percent of students who, in the past 12 months:						s that get		ıav		23.8
Were in a physical fight		26.2						-	ake people mad	21.2
Were in a fight and had to be treated by a doctor or nurse		3.0		_				permissio		6.1
Were threatened or injured with a weapon on school properly	w	6.7				okay to ch				28.7
were threatened or injured with a weapon on school propert	y	0.7						start a fight		53.9
BULLYING VICTIM				IL IS UK	ay to beat	up peopl	e ii uiey s	start a right		33.3
Percent of students who, in the past 3 months:			ع	CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		31.5		Percent (of student	ts who agi	ree with t	he followin	g:	
Were victims of mean rumors or lies spread at school		55.8		Teache	ers notice	and comr	nent on s	tudent's go	ood work	75.8
Had embarrassing or hurtful pictures/text of them posted on	internet	14.0		School	provides	feedback	to paren	ts on positi	ve student performance	39.4
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	19.4		Teache	ers praise	student fo	or hard w	ork		55.5
Were made fun of by others	•	66.5		Rules a	are enforc	ed fairly				61.6
•						-	ethnicities	s are treate	ed equally	77.0
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:			F		RELATIC					
Shoved, slapped, hit, or kicked a student in a serious manne	er	25.0				-		he followin	-	
Spread mean rumors or lies about other kids at school	27.3						ıdent's goo		84.8	
Posted on internet embarrassing or hurtful pictures/text of so		8.5					_	amily decis		68.1
Sent by cell phone embarrassing or hurtful pictures/text of someone 10.3 It is important to be honest with parents regardless of con-					· · · · · · · · · · · · · · · · · · ·	85.5				
Made fun of other people		67.9		Studen	it could as	sk parent i	for help v	ith a perso	onal problem	75.3
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:		_								
g,	₩	\$	ਜ਼ ਜ਼ਿਲ੍ਹ	M _b	Nho herr	hey	₽		Among st used sub first used	
	hav	ha	se c	<u>sa</u>	beli	sa) use	f e	gra≢	ng s	
	/e e	e =	Whose closest frien the past 12 months	₹	Who believe they risk I themselves if they use	pa l	₹	8 8	stud	
	Ver .	sed	non	2	###	ent	<u>o</u>	를 않	ents nce	
	use	⋽	tt rie	g b	ey ni	S W	g D	t by	av wh	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disappro they use	Who feel it would be wrong to use	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wh first used	
	ıbst	ast	nave	syt	arm	dis	Geo	ic jej	ave ge a	
	anc	జ	SI	o g	Jing	흊	8	of B	eve ge 1	
	Ф	day	8	뗲		Ş	use	뺡	when	
		S	⋽)ve if		bood		
Cigarettes	30.3	10.3	41.8	52.1	75.6	87.7	75.6	20.1	11.72	
Chewing Tobacco	23.2	12.7								
Alcohol	44.8	17.6	54.9	57.3	70.1	77.3	55.2	25.0	12.25	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		12.8								
Marijuana	14.6	7.3	27.3	30.1	73.2	93.9	85.5	42.1	13.25	
Inhalants	2.4	1.8								
Illicit drugs such as cocaine, LSD, meth, club drugs			9.7	15.3	93.9	97.5	95.2	43.9		
Over-the-counter medications for non-medical use	5.5	3.6		50.3	81.0	95.7	89.6			
Prescription drugs not prescribed for student	8.5	5.5		32.1	88.5	93.9	90.9			
Heroin	0.6	0.0		<i>JL</i> . 1	50.0	50.5	50.0			
Cocaine	0.6									
Methamphetamine	0.6									
•	1.2									
Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K										
	4.0									
Synthetic drugs such as K2, bath salts, Spice	1.8 5.5	D:	ata are w	eighted in	compari	son to cou	inty popu	lation estin	nates for age groups 10	-14

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Steroids not prescribed for student


and 15-19, gender, race, and Hispanic origin. Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

JACKSON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest JC 095 674,158 676,360



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	9,763	10,348	10,474
Mother Reported Drinking while Pregnant ¹		54	52
Mother Reported Smoking while Pregnant	1,529	1,324	1,479
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	129	139	158
IDU and MSM ²	*	*	4
IDU without MSM ²	*	*	2
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	5,883	5,903	6,124
Suicides	93	98	106
Self-inflicted Injuries	1,133	1,127	1,229
Homicides	121	111	136
Assault Injuries	4,370	4,770	4,954
Alcohol Induced Deaths	72	67	76
Drug Induced Deaths	123	111	90
Smoking Induced Deaths	942	958	1,030
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	13,485	12,202	12,176
Direct Hospitalizations	3,297	1,901	1,656
Emergency Room Hospitalizations	3,213	3,771	3,770
Emergency Room Outpatient	6,975	6,530	6,750
Drug RelatedTotal	10,668	8,010	7,919
Direct Hospitalizations	3,955	2,157	2,047
Emergency Room Hospitalizations	2,605	3,052	3,050
Emergency Room Outpatient	4,108	2,801	2,822
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	716	754	748
Fatal Crashes	9	23	23
Injury Crashes	289	329	332
Property Damage Crashes	418	402	393
Crash Fatalities	9	25	24
Crash Injuries	428	350	373
Drug Involved CrashesTotal	165	200	133
Fatal Crashes	2	7	3
Injury Crashes	79	101	61
Property Damage Crashes	84	92	69
Crash lateria	2	7	3
Crash Injuries	109	104	78
EMPLOYMENT	2011	2010	2009
Labor Force	339,740	340,863	336,424
Employed	307,179	303,463	301,975
Unemployed	32,561	37,400	34,449
Unemployment Rate	9.6%	11.0%	10.2%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	784	766	842
Alcohol Package Carry-out Licenses	445	434	450

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	29,317	29,642	29,950
Drop-outs	1,592	1,338	1,327
Drop-out Rate	5.4%	4.5%	4.4%
School Suspensions, 10 or More Days			
Alcohol Incidents	56	43	57
Drug Incidents	406	369	280
Tobacco Incidents	12	8	10
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	3,522	3,177	3,863
Liquor Law Arrests	892	1,289	1,482
Drug Arrests	3,800	6,377	7,145
Methamphetamine Lab Incidents	24	21	16
Violent Offenses	6,712	7,690	7,728
Property Offenses	43,841	41,841	47,153
Domestic Violence Reports	7,709	3,179	2,854
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	1,210	1,582	1,790
Violent Offenses	505	554	520
Alcohol Offenses	19	17	27
Drug Offenses	79	123	141
Status OffensesTotal	83	22	60
Truancy	21	1	3
Beyond Parental Control	22	2	18
Habitually Absent from Home	18	1	1
Injurious Behavior	11	17	23
Abuse/Neglect/CustodyTotal	1,581	1,441	1,160
Abuse	197	7	77
Neglect	991	1,202	936
Custody Disputes	393	232	147
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	1,084	935	782
Parental Alcohol Use Related	27	32	26
Parental Drug Use Related	303	249	241
Parental Alcohol and Drug Use	41	34	32
Child Removed for Other Reason	713	620	483
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	870	809	1,219
Probation/Parole AdmissionsTotal	2,969	3,156	4,021
Probation/Parole AdmissionsDrug	995	1,228	1,688
Probation/Parole AdmissionsDWI	147	146	201
Prison AdmissionsTotal	1,357	1,417	1,634
Prison AdmissionsDrug	320	364	498
Prison AdmissionsDWI	106	73	103

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

JACKSON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	284	314	307
CSTAR Women and Children	733	717	772
CSTAR General Adult	1,442	448	273
CSTAR Opioid	83	58	117
Primary Recovery Detoxification	1,392	1,399	1,425
Primary Recovery Treatment	1,092	2,458	2,697
Clinical SATOP (CIP, YCIP, SROP)	379	441	478
Other Substance Abuse Treatment	515	491	719

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	2,650	3,142	3,500
- Adolescent Diversion Education Program	21	28	20
- Offender Education Program	1,125	1,323	1,569
- Weekend Intervention Program	639	833	1,002
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	228	259	328
- Compulsive Gambling	31	41	43
- Recovery Supports	1,284	2,864	2,282
- Early Intervention	26	5	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	3,495	3.675	3,809	Never Married	3,057	3,134	3,313
Female	1,522	1,489	1,572	Married / Cohabitating	884	910	916
	.,	.,	.,	Previously Married	1,076	1,120	1,136
AGE				•	,-	, -	,
Under 18	290	311	313	PRIMARY DRUG PROBLEM			
18 to 24	706	714	803	Alcohol	1,991	2,073	2,027
25 to 29	763	776	820	Marijuana / Hashish	1,270	1,313	1,346
30 to 34	680	688	655	Cocaine (total)	690	815	1,000
35 to 39	602	645	660	- Crack	562	683	811
40 to 44	594	610	707	Stimulant (total)	564	520	527
45 to 54	1,080	1,136	1,170	- Methamphetamine	541	488	503
55 and Over	302	284	254	Heroin	79	79	98
RACE / ETHNICITY				Analgesic except Heroin	163	125	147
Caucasian	2,629	2,734	2,749	- Non-Prescription Methadone	5	*	*
African American	2,051	2,071	2,288	PCP, LSD, other Hallucinogen	205	193	199
Native American / Alaskan	23	27	19	Tranquilizer	36	33	23
Asian / Pacific Islander	15	14	14	Inhalant	*	*	*
Hispanic	206	186	199	Sedative	9	9	5
Other Race / Two or More Races	153	176	172	Other Medication or Illicit Drug	6	*	7
Circi Naco, File of More Nacos	100	170	172	Average Age at First Use of Drug	17.7	17.6	18.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	1,737	1,866	2,035	Any Injection Use at Admission	257	261	256
High School Graduate or G.E.D.	2,147	2,234	2,329	- Daily Injection Use	58	67	66
Associate Degree or Some College	1,054	973	936	- Weekly Injection Use	78	66	72
Bachelor or Advanced Degree	79	91	82	- Less than Weekly Injection Use	121	127	118
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	964	928	968	Self / Family / Friend	1,772	1,861	2,031
Unemployed	2,449	2,430	2,485	School	27	40	41
Not in Labor Force	1,604	1,806	1,929	Mental Health Provider	102	94	106
				Health Care Provider	281	235	203
LIVING ARRANGEMENT				Court / Criminal Justice	2,392	2,483	2,550
Independent Living	3,288	3,354	3,401	Other Referral Source	441	446	449
Dependent Living	892	903	895	005044 00044 474040			
Homeless	686	752	836	SPECIAL POPULATIONS	70	00	00
LIFETIME DUI / DUI A DEFOTO				Pregnant when Admitted to any Episode	78	83	68
LIFETIME DUI / DWI ARRESTS	0.000	0.400	0.004	Military Veteran	288	287	265
0	3,068	3,130	3,281	Special Education Services Needed	307	341	336
1 or 2	1,138	1,172	1,169	Co-Occurring Psychological Problem	1,884	2,001	1,934
3 or More	811	862	932	Co-Occurring Developmental Problem	153	217	194

JACKSON COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 2-5
CENSUS 2010 674,158
2011 POP. ESTIMATE 676,360

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 531 482 584 **Anxiety Disorder** 2,368 2,211 1,551 Dementia 22 17 16 **Developmental Disorder** 75 51 65 Impulse Control Disorder 1,640 1,573 1,189 **Mood Disorder** 5,751 5,385 4,581 Personality Disorder 221 213 244 **Psychotic Disorder** 2,511 2,280 2,106

12

682

2.692

13

598

5,501

10

523

6,838

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	13,020	15,376	14,909	Hearing Impaired	202	244	255
Male	6,540	7,736	7,682	Past or Current Military Service	289	347	383
Female	6,480	7,640	7,227				
	·	•		HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	2,152	2,232	1,230
Under 6	164	223	155	Dependent Living	336	664	277
6 to 9	760	846	726	Homeless	161	184	154
10 to 13	912	993	883	Other	177	366	177
14 to 17	1,061	1,165	1,166	Housing Unknown	10,194	11,930	13,071
18 to 24	1,123	1,513	1,434	EMPLOYMENT			
25 to 29	1,029	1,387	1,414	Employed	295	420	272
30 to 34	1,159	1,357	1,316	Unemployed	2,438	2,485	1,392
35 to 39	1,061	1,342	1,323	Not in Labor Force	89	121	59
40 to 44	1,177	1,440	1,459	Employment Status Unknown	10,198	12,350	13,186
45 to 49	1,448	1,802	1,839	4005676			
50 to 54	1,411	1,521	1,520	ARRESTS Arrested in Past 12 Months	450	731	200
55 to 59	962	996	932	Not Arrested in Past 12 Months		_	399
60 and Over	753	791	742	Arrest Status Unknown	2,364 10,206	2,715 11,930	1,439
				Ariest Status Officiowii	10,206	11,930	13,071
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	6,195	7,334	6,681	Self / Family / Friend	5,526	6,586	7,127
African American	5,437	6,606	6,762	School	177	224	238
Native American / Alaskan	64	69	48	Mental Health Provider	1,485	1,639	1,433
Asian / Pacific Islander	51	50	51	Health Care Provider	1,636	1,848	1,407
Hispanic	384	456	470	Court / Criminal Justice	913	1,366	1,601
Other Race	888	861	896	Other	3,235	3,634	2,962
Race/Ethnicity Unknown	*	0	*	Referral Source Unknown	5,233 48	79	141
				Noticinal Source Children	40	73	141
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	921	1,017	617	Voluntary	12,766	15,115	14,376
High School Grad or G.E.D.	1,229	1,274	688	Civil	94	100	303
A.A. Degree or Some College	478	551	281	Criminal	124	111	124
Bachelor or Advanced Degree	173	155	96	Sexual Predatory	8	*	*
Education Level Unknown	10,219	12,379	13,227	Commitment Type Unknown	28	46	105

JACKSON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, In the past 30 days:		(%)		UICIDE	nf studen	tewho in	tha nact	12 months	·	(%)
Were very sad		19.9	Percent of students who, in the past 12 months: Seriously considered attempting suicide					12.5		
Were grouchy, irritable, or in a bad mood		25.5		Made a plan about how they would attempt suicide					8.8	
Felt hopeless about the future		11.8		Attempted suicide					5.6	
Felt like not eating or eating more than usual		17.4					resulted	in injury o	r overdose that had to	1.8
Slept a lot more or a lot less than usual		21.6				doctor or		iii iiijui y oi	i overdose mai nad to	1.0
		23.3			outou by	400.0.				
Had difficulty concentrating on school work		23.3	R	EBELLIC	OUSNES	s				
FIGHTING				Percent of	of studen	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		23.8
Were in a physical fight		19.9						-	nake people mad	16.2
Were in a fight and had to be treated by a doctor or nurse		3.0						permissio		7.7
Were threatened or injured with a weapon on school proper	tv	6.5			-	okay to ch	-	-		25.2
	9					-		start a fight	1	52.9
BULLYING VICTIM					.,	ah haab.	. , .			
Percent of students who, in the past 3 months:				CHOOL I						
Were shoved, slapped, hit, or kicked in a serious manner		22.8				_		he followin	-	
Were victims of mean rumors or lies spread at school		44.7		Teache	rs notice	and comr	nent on s	tudent's go	ood work	65.8
Had embarrassing or hurtful pictures/text of them posted on	internet	11.9		School	provides	feedback	to parent	ts on positi	ive student performance	36.7
Had embarrassing or hurtful pictures/text of them sent by ce	ell phone	13.6		Teache	rs praise	student fo	or hard w	ork		52.6
Were made fun of by others		58.0		Rules a	ire enforc	ed fairly				62.3
				Studen	ts of all ra	aces and e	ethnicities	s are treate	ed equally	71.7
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		00.5		ARENT						
Shoved, slapped, hit, or kicked a student in a serious manno	er	20.5				-		he followin	-	
Spread mean rumors or lies about other kids at school		25.4	· · · · · · · · · · · · · · · · · · ·					80.9		
Posted on internet embarrassing or hurtful pictures/text of s		9.0 Parents involve student in making family decisions					67.0			
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone		9.6 It is important to be honest with parents regardless of consequences62.0 Student could ask parent for help with a personal problem					84.6		
Made fun of other people		62.0		Studen	t could as	sk parent i	or help w	ith a perso	onal problem	73.8
Regarding the substances listed below, percent of students:	Who hav	Who ha	Whos the pa	Who	Who	Who :	Who	Who	Amc usec	
	e ever u	ve used	e closest fr st 12 mont	say it would	believe they	say parents use	eel it would	think kids ir d be caught	Among students used substance, first used	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cigarettes	e ever used substance	ve used in the past 30 days	<u> </u>	say it would be easy to get 54.4	nselves if they use	say parents would disapprove if 90.6	eel it would be wrong to use	think kids in their neighborhood be caught by police for using 25.0	udents who have ever stance, average age w	
Cigarettes Chewing Tobacco		ays	j.		isk harming use	===		hood	udents who have ever stance, average age when	
-	21.1	9.2	j.		isk harming use	===		hood	udents who have ever stance, average age when	
Chewing Tobacco Alcohol	21.1 7.8	9.2 3.8	41.0	54.4	isk harming use	90.6	81.3	25.0	udents who have ever stance, average age when 12.	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	21.1 7.8 36.7	9.2 3.8 14.9 7.8	41.0	54.4	tsk harming 81.9	90.6	81.3	25.0 27.7	stance, average age when 12.65	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	21.1 7.8 36.7	9.2 3.8 14.9 7.8 10.2	41.0	54.4	isk harming use	90.6	81.3	25.0	stance, average age when 12.65 12.94	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	21.1 7.8 36.7	9.2 3.8 14.9 7.8	41.0 51.5 42.9	54.4 56.9 43.6	81.9 71.4 67.2	90.6 79.3 91.5	81.3 61.1 76.9	25.0 27.7 38.4	stance, average age when 12.65	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	21.1 7.8 36.7 19.6 5.0	9.2 3.8 14.9 7.8 10.2 2.0	41.0	54.4 56.9 43.6 18.7	81.9 71.4 67.2 91.8	90.6 79.3 91.5 97.3	81.3 61.1 76.9 93.9	25.0 27.7	stance, average age when 12.65 12.94	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	21.1 7.8 36.7 19.6 5.0	9.2 3.8 14.9 7.8 10.2 2.0	41.0 51.5 42.9	54.4 56.9 43.6 18.7 56.8	81.9 71.4 67.2 91.8 79.2	90.6 79.3 91.5 97.3 94.6	81.3 61.1 76.9 93.9 85.8	25.0 27.7 38.4	stance, average age when 12.65 12.94	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	21.1 7.8 36.7 19.6 5.0 5.9 8.0	9.2 3.8 14.9 7.8 10.2 2.0	41.0 51.5 42.9	54.4 56.9 43.6 18.7	81.9 71.4 67.2 91.8	90.6 79.3 91.5 97.3	81.3 61.1 76.9 93.9	25.0 27.7 38.4	stance, average age when 12.65 12.94	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	21.1 7.8 36.7 19.6 5.0 5.9 8.0 1.0	9.2 3.8 14.9 7.8 10.2 2.0	41.0 51.5 42.9	54.4 56.9 43.6 18.7 56.8	81.9 71.4 67.2 91.8 79.2	90.6 79.3 91.5 97.3 94.6	81.3 61.1 76.9 93.9 85.8	25.0 27.7 38.4	stance, average age when 12.65 12.94	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	21.1 7.8 36.7 19.6 5.0 5.9 8.0 1.0 2.1	9.2 3.8 14.9 7.8 10.2 2.0	41.0 51.5 42.9	54.4 56.9 43.6 18.7 56.8	81.9 71.4 67.2 91.8 79.2	90.6 79.3 91.5 97.3 94.6	81.3 61.1 76.9 93.9 85.8	25.0 27.7 38.4	stance, average age when 12.65 12.94	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	21.1 7.8 36.7 19.6 5.0 5.9 8.0 1.0 2.1 1.3	9.2 3.8 14.9 7.8 10.2 2.0	41.0 51.5 42.9	54.4 56.9 43.6 18.7 56.8	81.9 71.4 67.2 91.8 79.2	90.6 79.3 91.5 97.3 94.6	81.3 61.1 76.9 93.9 85.8	25.0 27.7 38.4	stance, average age when 12.65 12.94	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	21.1 7.8 36.7 19.6 5.0 5.9 8.0 1.0 2.1 1.3	9.2 3.8 14.9 7.8 10.2 2.0	41.0 51.5 42.9	54.4 56.9 43.6 18.7 56.8	81.9 71.4 67.2 91.8 79.2	90.6 79.3 91.5 97.3 94.6	81.3 61.1 76.9 93.9 85.8	25.0 27.7 38.4	stance, average age when 12.65 12.94	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	21.1 7.8 36.7 19.6 5.0 5.9 8.0 1.0 2.1 1.3 3.0 2.4	9.2 3.8 14.9 7.8 10.2 2.0 3.5 4.5	41.0 51.5 42.9 15.1	54.4 56.9 43.6 18.7 56.8 33.6	81.9 71.4 67.2 91.8 79.2 83.8	90.6 79.3 91.5 97.3 94.6 94.1	81.3 61.1 76.9 93.9 85.8 88.3	25.0 27.7 38.4 54.7	stance, average age when 12.65 12.94 13.61 11.55	. ₁₄
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	21.1 7.8 36.7 19.6 5.0 5.9 8.0 1.0 2.1 1.3	9.2 3.8 14.9 7.8 10.2 2.0 3.5 4.5	41.0 51.5 42.9 15.1	54.4 56.9 43.6 18.7 56.8 33.6	81.9 71.4 67.2 91.8 79.2 83.8	90.6 79.3 91.5 97.3 94.6 94.1	81.3 61.1 76.9 93.9 85.8 88.3	25.0 27.7 38.4 54.7	stance, average age when 12.65 12.94	-14

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

JASPER COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 097 117,404 118,435



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	1,779	1,782	1,859
Mother Reported Drinking while Pregnant ¹		5	13
Mother Reported Smoking while Pregnant	368	331	402
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	8	8	11
IDU and MSM ²	*	*	1
IDU without MSM ²	*	*	3
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	1,114	1,094	1,144
Suicides	15	16	21
Self-inflicted Injuries	173	175	145
Homicides	3	1	5
Assault Injuries	494	521	590
Alcohol Induced Deaths	5	5	5
Drug Induced Deaths	25	22	16
Smoking Induced Deaths	197	214	203
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	2,052	2,245	2,002
Direct Hospitalizations	796	241	218
Emergency Room Hospitalizations	359	1,076	967
Emergency Room Outpatient	897	928	817
Drug RelatedTotal	1,822	1,789	1,656
Direct Hospitalizations	760	244	267
Emergency Room Hospitalizations	325	781	736
Emergency Room Outpatient	737	764	653
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	106	133	143
Fatal Crashes	0	3	5
Injury Crashes	45	52	54
Property Damage Crashes	61	78	84
Crash Fatalities	0	2	5
Crash Injuries	58	58	62
Drug Involved CrashesTotal	41	40	50
Fatal Crashes	1	1	2
Injury Crashes	15	11	17
Property Damage Crashes	25	28	31
Crash Fatalities	1	0	2
Crash Injuries	21	11	19
EMPLOYMENT	2011	2010	2009
Labor Force	58,457	57,887	57,294
Employed	53,977	53,042	52,566
Unemployed	4,480	4,845	4,728
Unemployment Rate	7.7%	8.4%	8.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	116	114	123
Alcohol Package Carry-out Licenses	115	105	123

Maie		
2010-2011	2009-2010	2008-2009
5,961	5,986	5,734
185	178	331
3.1%	3.0%	5.8%
6	19	8
65	52	41
0	0	1
2010	2009	2008
1,302	1,057	1,110
172	392	373
539	795	831
93	94	106
535	516	551
5,336	5,840	6,310
1,054	1,230	1,262
2010	2009	2008
726	779	725
166	171	185
34	63	41
74	77	60
372	412	311
134	185	104
87	56	58
51	102	92
90	56	44
896	858	451
27	31	27
867	_	423
2	0	1
2010	2009	2008
323	246	189
7	6	10
116	94	70
15	12	3
185	134	106
FY2011	FY2010	FY2009
30	29	28
725	642	604
241	195	165
80	44	70
365	363	347
135	112	113
	5,961 185 3.1% 6 65 0 2010 1,302 172 539 93 535 5,336 1,054 2010 726 166 34 74 372 134 87 51 90 896 27 867 2 2010 323 7 116 15 185 FY2011 30 725 241 80	2010-2011 2009-2010 5,961 5,986 185 178 3.1% 3.0% 6 19 65 52 0 0 2010 2009 1,302 1,057 172 392 539 795 93 94 535 516 5,336 5,840 1,054 1,230 2010 2009 726 779 166 171 34 63 74 77 372 412 134 185 87 56 51 102 90 56 896 858 27 31 867 827 2 0 2010 2009 323 246 7 6 116 94 15

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

JASPER COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	79	84	77
CSTAR Women and Children	182	179	172
CSTAR General Adult	462	184	112
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	143	167	147
Primary Recovery Treatment	290	603	666
Clinical SATOP (CIP, YCIP, SROP)	126	131	110
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	692	810	826
- Adolescent Diversion Education Program	49	63	75
- Offender Education Program	249	280	280
- Weekend Intervention Program	99	179	212
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	63	96	89
- Compulsive Gambling	*	*	12
- Recovery Supports	183	122	122
- Early Intervention	30	33	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	773	745	780	Never Married	546	562	535
Female	432	433	343	Married / Cohabitating	338	296	268
· omaio	402	400	0-10	Previously Married	321	319	320
AGE				•	021	0.0	020
Under 18	80	88	81	PRIMARY DRUG PROBLEM			
18 to 24	195	193	192	Alcohol	519	504	518
25 to 29	247	220	192	Marijuana / Hashish	262	280	254
30 to 34	170	143	142	Cocaine (total)	24	30	38
35 to 39	142	163	144	- Crack	14	21	27
40 to 44	119	116	130	Stimulant (total)	291	261	225
45 to 54	208	202	195	- Methamphetamine	265	251	205
55 and Over	44	53	47	Heroin	7	*	8
RACE / ETHNICITY				Analgesic except Heroin	84	76	49
Caucasian	1,080	1,057	1,004	- Non-Prescription Methadone	0	0	0
African American	59	56	49	PCP, LSD, other Hallucinogen	0	*	*
Native American / Alaskan	5	12	10	Tranquilizer	11	18	19
Asian / Pacific Islander	5	1Z *	*	Inhalant	*	0	*
Hispanic	39	33	28	Sedative	0	*	*
Other Race / Two or More Races	25	29	38	Other Medication or Illicit Drug	*	*	*
Other Race / Two or More Races	25	29	30	Average Age at First Use of Drug	17.3	17.4	17.5
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	476	441	407	Any Injection Use at Admission	172	155	132
High School Graduate or G.E.D.	491	489	465	- Daily Injection Use	24	27	16
Associate Degree or Some College	224	227	233	- Weekly Injection Use	45	45	27
Bachelor or Advanced Degree	14	21	18	- Less than Weekly Injection Use	103	83	89
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	330	341	371	Self / Family / Friend	366	394	351
Unemployed	491	412	360	School	*	0	0
Not in Labor Force	384	425	392	Mental Health Provider	12	14	19
				Health Care Provider	70	103	73
LIVING ARRANGEMENT				Court / Criminal Justice	569	517	618
Independent Living	955	860	799	Other Referral Source	186	150	61
Dependent Living	156	232	250	ODEOLAL DODUKATIONS			
Homeless	73	68	48	SPECIAL POPULATIONS	00	4.4	40
LIFETIME DUL / DWL ADDECTO				Pregnant when Admitted to any Episode	20	14	13
LIFETIME DUI / DWI ARRESTS 0	E74	E 40	F20	Military Veteran	49	75 424	76
1 or 2	571	546	532	Special Education Services Needed	134	121	94
	404	393	356	Co-Occurring Psychological Problem	538	436	346
3 or More	230	239	235	Co-Occurring Developmental Problem	38	31	16

JASPER COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 9
CENSUS 2010 117,404
2011 POP. ESTIMATE 118,435

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 301 350 264 **Anxiety Disorder** 923 1,214 1,008 Dementia 30 14 14 **Developmental Disorder** 40 46 38 Impulse Control Disorder 716 577 572 **Mood Disorder** 1,787 1,473 1,498 Personality Disorder 751 669 701

298

11

274

220

273

253

996

7

262

12

225

658

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Psychotic Disorder

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	3,036	3.351	3,144	Hearing Impaired	37	37	32
Male	1,318	1,457	1,389	Past or Current Military Service	55	66	73
Female	1,718	1,894	1,755	•			
	,	,	,	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	473	399	231
Under 6	48	71	46	Dependent Living	37	154	47
6 to 9	198	209	178	Homeless	42	36	16
10 to 13	239	243	226	Other	16	27	16
14 to 17	242	253	242	Housing Unknown	2,468	2,735	2,834
18 to 24	314	311	324	EMPLOYMENT			
25 to 29	280	324	327	Employed	69	66	36
30 to 34	306	323	309	Unemployed	474	407	234
35 to 39	292	316	320	Not in Labor Force	25	27	10
40 to 44	257	294	310	Employment Status Unknown	2,468	2,851	2,864
45 to 49	291	333	312	ARRESTS			
50 to 54	294	324	282	ARRESTS Arrested in Past 12 Months	85	78	4.4
55 to 59	149	156	147	Not Arrested in Past 12 Months	65 482	538	44 264
60 and Over	126	194	121	Arrest Status Unknown	2,469	2,735	2,836
				Arrest Status Officiowii	2,409	2,735	2,030
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	2,814	3,099	2,930	Self / Family / Friend	2,396	2,507	2,222
African American	60	72	63	School	2,390	2,307 5	2,222
Native American / Alaskan	12	16	17	Mental Health Provider	107	178	165
Asian / Pacific Islander	*	*	*	Health Care Provider	98	123	157
Hispanic	69	71	35	Court / Criminal Justice	174	230	256
Other Race	76	90	95	Other	249	287	316
Race/Ethnicity Unknown	*	0	0	Referral Source Unknown	9	21	20
					Ŭ		20
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	189	169	94	Voluntary	2,867	3,188	2,992
High School Grad or G.E.D.	250	220	124	Civil	149	130	115
A.A. Degree or Some College	98	97	47	Criminal	9	9	14
Bachelor or Advanced Degree	31	14	15	Sexual Predatory	0	0	0
Education Level Unknown	2,468	2,851	2,864	Commitment Type Unknown	11	24	23

JASPER COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, In the past 30 days:		(%)		UICIDE Percent i	of studen	tewho in	tha nast	12 months	•	(%)
Were very sad		17.3				ered atter	-		•	9.7
Were grouchy, irritable, or in a bad mood		20.8			_			attempt su	iicide	7.0
Felt hopeless about the future		10.5			ted suicid		cy would	attompt 30	alcide	4.6
Felt like not eating or eating more than usual		16.2					resulted	in injury o	r overdose that had to	1.4
Slept a lot more or a lot less than usual		18.7				doctor or			ovorabbo anat maa to	
Had difficulty concentrating on school work		21.7								
That amount concommaning on concommon				EBELLIC						
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get		-		20.6
Were in a physical fight		18.7							ake people mad	12.4
Were in a fight and had to be treated by a doctor or nurse	_	3.4			-		-	permissio	n	5.3
Were threatened or injured with a weapon on school proper	ty	6.6				okay to ch				19.4
BULLYING VICTIM				It is oka	y to beat	up peopl	e if they s	start a fight		41.9
Percent of students who, in the past 3 months:			s	CHOOL	RFI ATIC	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		25.8					ree with t	he followin	ng:	
Were victims of mean rumors or lies spread at school		47.3				_		tudent's go	-	68.1
Had embarrassing or hurtful pictures/text of them posted on	internet	12.7		School	provides	feedback	to paren	ts on positi	ive student performance	36.8
Had embarrassing or hurtful pictures/text of them sent by ce		16.3			-	student fo	-	-	•	56.2
Were made fun of by others	•	57.6			re enforc					61.0
•				Studen	ts of all ra	aces and o	ethnicities	are treate	ed equally	77.0
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		47.4		ARENT				L - C- H		
Shoved, slapped, hit, or kicked a student in a serious manne	er	17.1 23.9				-		he followin	-	00.0
Spread mean rumors or lies about other kids at school				Parents notice and comment on student's good work						82.0 69.1
Posted on internet embarrassing or hurtful pictures/text of so		7.6 9.5	,						87.8	
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people	omeone	9.5 54.4		-			-	_	onal problem	77.9
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	Who hav	Who hav	Whose closest frier the past 12 months	Who say	Who beli themselv	Who say they use	Who feel	Who thin would be	Among st used sub first used	
	e ev	e u	12 los	=	es e	pare	lit wo	k kids	tuder ostano	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cigarettes	22.3	10.4		would be easy to get 46.7	they risk harming f they use	ents would disapprove if 91.0	uld be wrong to use 82.9	ht by police for using 32.7	its who have ever e, average age when 12.48	
Cigarettes Chewing Tobacco			5		harming		Ф		ien	
-	22.3	10.4	5		harming		Ф		ien	
Chewing Tobacco	22.3 9.1	10.4 4.4	39.1	46.7	harming 81.2	91.0	82.9	32.7	12.48	
Chewing Tobacco Alcohol	22.3 9.1	10.4 4.4 12.8	39.1	46.7	harming 81.2	91.0	82.9	32.7	12.48	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	22.3 9.1 31.5	10.4 4.4 12.8 7.9	39.1 44.0	46.7	81.2 75.3	91.0 81.7	82.9 68.5	32.7 35.9	12.48 12.70	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	22.3 9.1 31.5	10.4 4.4 12.8 7.9 5.6	39.1 44.0	46.7	81.2 75.3	91.0 81.7	82.9 68.5	32.7 35.9	12.48 12.70 13.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	22.3 9.1 31.5	10.4 4.4 12.8 7.9 5.6 1.9	39.1 44.0 30.3	46.7 47.4 31.3 15.6 49.5	81.2 75.3 73.5 93.8 84.6	91.0 81.7 93.8 98.2 96.0	82.9 68.5 83.9 95.2 90.2	32.7 35.9 48.4	12.48 12.70 13.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	22.3 9.1 31.5 13.3 5.2 5.7 6.5	10.4 4.4 12.8 7.9 5.6 1.9	39.1 44.0 30.3	46.7 47.4 31.3 15.6	81.2 75.3 73.5 93.8	91.0 81.7 93.8 98.2	82.9 68.5 83.9 95.2	32.7 35.9 48.4	12.48 12.70 13.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	22.3 9.1 31.5 13.3 5.2 5.7 6.5 0.8	10.4 4.4 12.8 7.9 5.6 1.9	39.1 44.0 30.3	46.7 47.4 31.3 15.6 49.5	81.2 75.3 73.5 93.8 84.6	91.0 81.7 93.8 98.2 96.0	82.9 68.5 83.9 95.2 90.2	32.7 35.9 48.4	12.48 12.70 13.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	22.3 9.1 31.5 13.3 5.2 5.7 6.5 0.8 1.6	10.4 4.4 12.8 7.9 5.6 1.9	39.1 44.0 30.3	46.7 47.4 31.3 15.6 49.5	81.2 75.3 73.5 93.8 84.6	91.0 81.7 93.8 98.2 96.0	82.9 68.5 83.9 95.2 90.2	32.7 35.9 48.4	12.48 12.70 13.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	22.3 9.1 31.5 13.3 5.2 5.7 6.5 0.8 1.6 1.2	10.4 4.4 12.8 7.9 5.6 1.9	39.1 44.0 30.3	46.7 47.4 31.3 15.6 49.5	81.2 75.3 73.5 93.8 84.6	91.0 81.7 93.8 98.2 96.0	82.9 68.5 83.9 95.2 90.2	32.7 35.9 48.4	12.48 12.70 13.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	22.3 9.1 31.5 13.3 5.2 5.7 6.5 0.8 1.6	10.4 4.4 12.8 7.9 5.6 1.9	39.1 44.0 30.3	46.7 47.4 31.3 15.6 49.5	81.2 75.3 73.5 93.8 84.6	91.0 81.7 93.8 98.2 96.0	82.9 68.5 83.9 95.2 90.2	32.7 35.9 48.4	12.48 12.70 13.66	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	22.3 9.1 31.5 13.3 5.2 5.7 6.5 0.8 1.6 1.2	10.4 4.4 12.8 7.9 5.6 1.9 3.3 3.5	39.1 44.0 30.3 13.3	46.7 47.4 31.3 15.6 49.5 28.2	75.3 73.5 93.8 84.6 88.9	91.0 81.7 93.8 98.2 96.0 95.7	82.9 68.5 83.9 95.2 90.2 92.4	32.7 35.9 48.4 58.4	12.48 12.70 13.66 12.06	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	22.3 9.1 31.5 13.3 5.2 5.7 6.5 0.8 1.6 1.2 2.8	10.4 4.4 12.8 7.9 5.6 1.9 3.3 3.5	39.1 44.0 30.3 13.3	46.7 47.4 31.3 15.6 49.5 28.2	81.2 75.3 73.5 93.8 84.6 88.9	91.0 81.7 93.8 98.2 96.0 95.7	82.9 68.5 83.9 95.2 90.2 92.4	32.7 35.9 48.4 58.4	12.48 12.70 13.66	-14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

JEFFERSON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Eastern 22 099 218,733 219,480



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	2,758	2,859	2,894
Mother Reported Drinking while Pregnant 1		7	8
Mother Reported Smoking while Pregnant	613	574	561
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	11	7	3
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	1,823	1,772	1,740
Suicides	37	32	33
Self-inflicted Injuries	260	155	218
Homicides	9	6	8
Assault Injuries	563	543	539
Alcohol Induced Deaths	4	7	12
Drug Induced Deaths	57	47	29
Smoking Induced Deaths	373	363	364
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	1,711	1,600	1,683
Direct Hospitalizations	579	528	555
Emergency Room Hospitalizations	624	634	609
Emergency Room Outpatient	508	438	519
Drug RelatedTotal	1,953	1,514	1,387
Direct Hospitalizations	719	501	474
Emergency Room Hospitalizations	568	554	440
Emergency Room Outpatient	666	459	473
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	221	295	316
Fatal Crashes	8	14	17
Injury Crashes	97	117	129
Property Damage Crashes	116	164	170
Crash Fatalities	8	13	16
Crash Injuries	139	158	153
Drug Involved CrashesTotal	35	43	30
Fatal Crashes	5	5	3
Injury Crashes	11	13	11
Property Damage Crashes	19	25	16
Crash Fatalities	5	5	3
Crash Injuries	22	27	17
EMPLOYMENT	2011	2010	2009
Labor Force	117,800	116,155	117,018
Employed	107,369	104,134	104,588
Unemployed	107,309	12,021	12,430
Unemployment Rate	8.9%	10.3%	12,430
• •			
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	174	183	215
Alcohol Package Carry-out Licenses	147	143	145

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	10,877	11,134	11,124
Drop-outs	234	235	278
Drop-out Rate	2.2%	2.1%	2.5%
School Suspensions, 10 or More Days			
Alcohol Incidents	24	10	12
Drug Incidents	110	115	111
Tobacco Incidents	1	2	2
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	1,950	2,055	2,078
Liquor Law Arrests	730	945	728
Drug Arrests	1,574	1,682	1,318
Methamphetamine Lab Incidents	228	227	203
Violent Offenses	569	606	629
Property Offenses	4,248	4,503	6,108
Domestic Violence Reports	1,404	1,393	1,246
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	1,111	1,047	1,376
Violent Offenses	377	372	420
Alcohol Offenses	65	43	69
Drug Offenses	113	115	138
Status OffensesTotal	444	358	428
Truancy	237	207	220
Beyond Parental Control	47	44	41
Habitually Absent from Home	93	54	113
Injurious Behavior	65	53	54
Abuse/Neglect/CustodyTotal	504	456	434
Abuse	54	49	45
Neglect	51	50	77
Custody Disputes	399	357	312
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	307	309	286
Parental Alcohol Use Related	9	20	28
Parental Drug Use Related	125	142	84
Parental Alcohol and Drug Use	16	14	7
Child Removed for Other Reason	157	133	167
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	99	84	115
Probation/Parole AdmissionsTotal	923	847	837
Probation/Parole AdmissionsDrug	271	258	257
Probation/Parole AdmissionsDWI	99	72	63
Prison AdmissionsTotal	369	362	308
Prison AdmissionsDrug	105	113	85
Prison AdmissionsDWI	41	42	40
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

JEFFERSON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	162	142	148
CSTAR Women and Children	84	65	71
CSTAR General Adult	591	79	41
CSTAR Opioid	17	17	23
Primary Recovery Detoxification	136	118	136
Primary Recovery Treatment	172	678	673
Clinical SATOP (CIP, YCIP, SROP)	237	237	244
Other Substance Abuse Treatment	*	12	22

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	1,049	1,349	1,322
- Adolescent Diversion Education Program	11	85	73
- Offender Education Program	409	470	516
- Weekend Intervention Program	234	308	311
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	18	25	13
- Compulsive Gambling	*	9	13
- Recovery Supports	*	70	197
- Early Intervention	125	57	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	826	839	851	Never Married	811	775	746
Female	439	357	329	Married / Cohabitating	230	225	208
	400	001	020	Previously Married	224	195	226
AGE				•		100	220
Under 18	164	144	156	PRIMARY DRUG PROBLEM			
18 to 24	278	270	205	Alcohol	480	533	529
25 to 29	207	222	212	Marijuana / Hashish	292	273	265
30 to 34	190	135	159	Cocaine (total)	40	38	46
35 to 39	118	133	134	- Crack	25	24	30
40 to 44	99	116	135	Stimulant (total)	126	98	112
45 to 54	175	154	150	- Methamphetamine	118	94	105
55 and Over	34	22	29	Heroin	241	192	155
RACE / ETHNICITY				Analgesic except Heroin	54	47	50
Caucasian	1,221	1,148	1,126	- Non-Prescription Methadone	*	*	6
African American	,		•	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	25 0	25	19	Tranquilizer	23	8	13
Asian / Pacific Islander	*	0	*	Inhalant	*	*	*
Hispanic		10	10	Sedative	*	*	*
Other Race / Two or More Races	7	_	_	Other Medication or Illicit Drug	*	0	*
Other Race / Two or More Races	13	17	24	Average Age at First Use of Drug	18.0	17.4	17.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	486	450	454	Any Injection Use at Admission	260	209	174
High School Graduate or G.E.D.	534	546	568	- Daily Injection Use	95	70	78
Associate Degree or Some College	228	184	145	- Weekly Injection Use	72	75	36
Bachelor or Advanced Degree	17	16	13	- Less than Weekly Injection Use	93	64	60
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	338	374	357	Self / Family / Friend	357	316	309
Unemployed	537	407	475	School	*	*	8
Not in Labor Force	390	415	348	Mental Health Provider	20	13	5
				Health Care Provider	33	29	25
LIVING ARRANGEMENT				Court / Criminal Justice	720	666	686
Independent Living	963	955	923	Other Referral Source	133	169	146
Dependent Living	201	179	204	ODEOLAL DODLU ATIONS			
Homeless	30	44	32	SPECIAL POPULATIONS	00	45	4.4
LIFETIME DUI / DIA/LADDECTO				Pregnant when Admitted to any Episode	20	15	14
LIFETIME DUI / DWI ARRESTS	740	004	0.47	Military Veteran	50	39	36
0	718	624	647	Special Education Services Needed	56 467	53	56
1 or 2	353	382	322	Co-Occurring Psychological Problem	467	428	401
3 or More	194	190	211	Co-Occurring Developmental Problem	39	40	40

JEFFERSON COUNTY



ADA/CPS REGION Eastern
CPS SERVICE AREA 22
CENSUS 2010 218,733
2011 POP. ESTIMATE 219,480

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 51 44 44 **Anxiety Disorder** 845 740 661 Dementia 10 16 16 **Developmental Disorder** 65 62 65 Impulse Control Disorder 321 304 320 **Mood Disorder** 1,448 1,420 1,340 Personality Disorder 717 655 562 **Psychotic Disorder** 307 312 320

183

199

174

187

162

207

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	2,065	2.059	2,011	Hearing Impaired	8	9	14
Male	908	921	918	Past or Current Military Service	43	38	32
Female	1,157	1,138	1,093	r ast or current wintery service	40	30	32
Tomalo	1,107	1,100	1,000	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	455	152	180
Under 6	7	5	9	Dependent Living	67	111	77
6 to 9	33	42	68	Homeless	*	*	*
10 to 13	73	80	92	Other	5	*	*
14 to 17	112	122	158	Housing Unknown	1,536	1,790	1,748
18 to 24	194	225	196	EMPLOYMENT			
25 to 29	243	240	198	Employed	88	32	45
30 to 34	223	213	183	Unemployed	429	188	211
35 to 39	203	200	200	Not in Labor Force	11	0	*
40 to 44	213	222	217	Employment Status Unknown	1,537	1,839	1,751
45 to 49	261	266	264	Employment Grade Gradiown	1,007	1,000	1,751
50 to 54	244	217	210	ARRESTS			
55 to 59	135	124	119	Arrested in Past 12 Months	44	35	21
60 and Over	124	103	97	Not Arrested in Past 12 Months	484	234	242
oo ana ovor	124	103	31	Arrest Status Unknown	1,537	1,790	1,748
RACE / ETHNICITY							
Caucasian	1,975	1,973	1,872	TREATMENT REFERRAL SOURCE	4 000	4 004	004
African American	43	41	67	Self / Family / Friend	1,023	1,061	864
Native American / Alaskan	*	*	*	School Markel Health Breakles	6	10	10
Asian / Pacific Islander	8	7	6	Mental Health Provider	172	175	176
Hispanic	10	8	9	Health Care Provider	212	149	139
Other Race	26	27	15	Court / Criminal Justice	106	116	108
Race/Ethnicity Unknown	0	0	39	Other	531	532	654
				Referral Source Unknown	15	16	60
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	179	98	113	Voluntary	2,022	1,984	1,904
High School Grad or G.E.D.	237	89	99	Civil	18	49	40
A.A. Degree or Some College	83	23	34	Criminal	10	11	8
Bachelor or Advanced Degree	26	10	13	Sexual Predatory	*	0	0
Education Level Unknown	1,540	1,839	1,752	Commitment Type Unknown	14	15	59

JEFFERSON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Porcent of students who in the past 20 days:		(%)		UICIDE Porcont	of ctudon	tc who in	the nact	12 months		(
Percent of students who, in the past 30 days:		21.0				is <i>wilo, ili</i> lered attei	-	<i>12 months</i>	•	12
Were grouphy imitable or in a had mood					•				ulalda	
Were grouchy, irritable, or in a bad mood		24.2			•		ey would	attempt su	uicide	8
Felt hopeless about the future		11.3	Had a suicide attempt that resulted in injury or overdose that had to					5 1 to 1		
Felt like not eating or eating more than usual								110		
Slept a lot more or a lot less than usual		20.6		DC ti	realed by	doctor or	Hurse			
Had difficulty concentrating on school work		26.1	R	EBELLIC	OUSNES	s				
FIGHTING						ts who ag	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	<i>i</i> ay		22
Were in a physical fight		20.8							nake people mad	15
Were in a fight and had to be treated by a doctor or nurse		3.2		-						7
Were threatened or injured with a weapon on school proper	tv	5.9						24		
	•					-		start a fight	t	50
BULLYING VICTIM					•		•	•		
Percent of students who, in the past 3 months:				CHOOL						
Were shoved, slapped, hit, or kicked in a serious manner		27.6				_		he followin	-	
Were victims of mean rumors or lies spread at school		48.5						tudent's g		65
Had embarrassing or hurtful pictures/text of them posted on		14.3			-		-	-	ive student perform	
Had embarrassing or hurtful pictures/text of them sent by ce	ell phone	16.9				student fo	or hard w	ork		53
Were made fun of by others		59.9			are enforc					62
BULLYING PERPRETRATOR				Studen	ts of all ra	aces and	ethnicities	s are treate	ed equally	78
Percent of students who, in the past 3 months:				ARENT I	DEI ATIC	DA/S				
Shoved, slapped, hit, or kicked a student in a serious manner	er	20.3					ree with t	he followin	na:	
Spread mean rumors or lies about other kids at school		27.4				_			-	81
Posted on internet embarrassing or hurtful pictures/text of se	omeone	9.4	Parents notice and comment on student's good work Parents involve student in making family decisions							67
Sent by cell phone embarrassing or hurtful pictures/text of someone 11.2 It is important to be honest with parents regardless of consequent										
Made fun of other people		61.8 Student could ask parent for help with a personal problem				76				
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	<									
	 	≨	≢ ≨	\$	the	the	≨	₩ ¥	Arr	
	Vho h	Who h	Whose the pas	Who s	Who b	Who si	Who fe	Who th	Among used s first us	
	Vho have	Who have	Whose clo the past 1:	Who say it	Who believe themselve	Who say p	Who feel it	Who think would be o	Among stuused subs	
	Vho have eve	Who have use	Whose closes the past 12 m	Who say it wo	Who believe themselves if	Who say pare they use	Who feel it wo	Who think kids	Among studer used substanc first used	
	Vho have ever us	Who have used in	Whose closest frie the past 12 month	Who say it would	Who believe they themselves if they	Who say parents they use	Who feel it would	Who think kids in would be caught t	Among students v used substance, a first used	
	Vho have ever used	Who have used in the	Whose closest friends the past 12 months	Who say it would be	Who believe they risk themselves if they us	Who say parents wou they use	Who feel it would be v	Who think kids in thei would be caught by p	Among students who used substance, aver first used	
	Vho have ever used sub	Who have used in the par	Whose closest friends ha the past 12 months	Who say it would be easy	Who believe they risk har themselves if they use	Who say parents would d they use	Who feel it would be wron	Who think kids in their ne would be caught by police	Among students who hav used substance, average first used	
	Vho have ever used substar	Who have used in the past 3	Whose closest friends have use the past 12 months	Who say it would be easy to	Who believe they risk harmin themselves if they use	Who say parents would disap they use	Who feel it would be wrong to	Who think kids in their neight would be caught by police for	Among students who have enused substance, average age first used	
	Who have ever used substance	Who have used in the past 30 da	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disappro they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usi	udents who have ever stance, average age w	
	Vho have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cinarettes		ays	<u>p</u>		isk harming use	==		nood bood	udents who have ever stance, average age when	
Cigarettes Chawing Tobacco	25.8	13.3	•	Who say it would be easy to get 57.1	Who believe they risk harming themselves if they use	Who say parents would disapprove if 91.2	Who feel it would be wrong to use 80.	Who think kids in their neighborhood would be caught by police for using	udents who have ever stance, average age w	
Chewing Tobacco	25.8 10.5	13.3 6.2	47.7	57.1	isk harming 81.2	91.2	80.6	22.6	udents who have ever 85 stance, average age when 22	
Chewing Tobacco Alcohol	25.8	13.3 6.2 20.0	<u>p</u>		isk harming use	==		nood bood	udents who have ever stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	25.8 10.5 43.9	13.3 6.2 20.0 11.8	47.7	57.1	tsk harming 81.2	91.2	80.6 59.1	22.6 28.3	stance, average age when 12.85	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	25.8 10.5 43.9	13.3 6.2 20.0 11.8 11.1	47.7	57.1	isk harming 81.2	91.2	80.6	22.6	stance, average age when 12.85 12.75	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	25.8 10.5 43.9	13.3 6.2 20.0 11.8	47.7 57.1 43.1	57.1 59.6 44.5	81.2 68.3 69.3	91.2 77.1 92.8	80.6 59.1 77.7	22.6 28.3 38.5	stance, average age when 12.85	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	25.8 10.5 43.9 20.2 6.1	13.3 6.2 20.0 11.8 11.1 2.7	47.7	57.1 59.6 44.5 21.6	81.2 68.3 69.3 93.5	91.2 77.1 92.8 97.9	80.6 59.1 77.7 95.0	22.6 28.3	stance, average age when 12.85 12.75	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	25.8 10.5 43.9 20.2 6.1	13.3 6.2 20.0 11.8 11.1 2.7	47.7 57.1 43.1	57.1 59.6 44.5 21.6 55.1	81.2 68.3 69.3 93.5 81.1	91.2 77.1 92.8 97.9 96.1	80.6 59.1 77.7 95.0 88.3	22.6 28.3 38.5	stance, average age when 12.85 12.75	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	25.8 10.5 43.9 20.2 6.1 7.2 9.7	13.3 6.2 20.0 11.8 11.1 2.7	47.7 57.1 43.1	57.1 59.6 44.5 21.6	81.2 68.3 69.3 93.5	91.2 77.1 92.8 97.9	80.6 59.1 77.7 95.0	22.6 28.3 38.5	stance, average age when 12.85 12.75	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	25.8 10.5 43.9 20.2 6.1 7.2 9.7	13.3 6.2 20.0 11.8 11.1 2.7	47.7 57.1 43.1	57.1 59.6 44.5 21.6 55.1	81.2 68.3 69.3 93.5 81.1	91.2 77.1 92.8 97.9 96.1	80.6 59.1 77.7 95.0 88.3	22.6 28.3 38.5	stance, average age when 12.85 12.75	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	25.8 10.5 43.9 20.2 6.1 7.2 9.7 1.1 2.1	13.3 6.2 20.0 11.8 11.1 2.7	47.7 57.1 43.1	57.1 59.6 44.5 21.6 55.1	81.2 68.3 69.3 93.5 81.1	91.2 77.1 92.8 97.9 96.1	80.6 59.1 77.7 95.0 88.3	22.6 28.3 38.5	stance, average age when 12.85 12.75	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	25.8 10.5 43.9 20.2 6.1 7.2 9.7 1.1 2.1	13.3 6.2 20.0 11.8 11.1 2.7	47.7 57.1 43.1	57.1 59.6 44.5 21.6 55.1	81.2 68.3 69.3 93.5 81.1	91.2 77.1 92.8 97.9 96.1	80.6 59.1 77.7 95.0 88.3	22.6 28.3 38.5	stance, average age when 12.85 12.75	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	25.8 10.5 43.9 20.2 6.1 7.2 9.7 1.1 2.1 1.2 3.6	13.3 6.2 20.0 11.8 11.1 2.7	47.7 57.1 43.1	57.1 59.6 44.5 21.6 55.1	81.2 68.3 69.3 93.5 81.1	91.2 77.1 92.8 97.9 96.1	80.6 59.1 77.7 95.0 88.3	22.6 28.3 38.5	stance, average age when 12.85 12.75	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K	25.8 10.5 43.9 20.2 6.1 7.2 9.7 1.1 2.1 1.2 3.6 2.6	13.3 6.2 20.0 11.8 11.1 2.7 4.7 5.8	47.7 57.1 43.1 18.5	57.1 59.6 44.5 21.6 55.1 33.3	81.2 68.3 69.3 93.5 81.1 86.9	91.2 77.1 92.8 97.9 96.1 95.5	80.6 59.1 77.7 95.0 88.3 89.9	22.6 28.3 38.5 54.9	stance, average age when 12.85 12.75 13.79 12.48	ns 10-14
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	25.8 10.5 43.9 20.2 6.1 7.2 9.7 1.1 2.1 1.2 3.6	13.3 6.2 20.0 11.8 11.1 2.7 4.7 5.8	47.7 57.1 43.1 18.5	57.1 59.6 44.5 21.6 55.1 33.3	81.2 68.3 69.3 93.5 81.1 86.9	91.2 77.1 92.8 97.9 96.1 95.5	80.6 59.1 77.7 95.0 88.3 89.9	22.6 28.3 38.5 54.9	stance, average age when 12.85 12.75	os 10-14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

JOHNSON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 101 52,595 53,439



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	737	738	757
Mother Reported Drinking while Pregnant ¹		2	3
Mother Reported Smoking while Pregnant	137	118	122
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	1	2
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	384	358	382
Suicides	8	4	3
Self-inflicted Injuries	49	52	67
Homicides	0	2	0
Assault Injuries	144	112	122
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	5	1	0
Smoking Induced Deaths	66	65	74
	0040	0000	0000
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	454	375	346
Direct Hospitalizations	179	123	113
Emergency Room Hospitalizations	84	104	73
Emergency Room Outpatient	191	148 234	160 242
Drug RelatedTotal	296		
Direct Hospitalizations	140	93 57	102 45
Emergency Room Hospitalizations Emergency Room Outpatient	46	57 84	
Emergency Room Outpatient	110	84	95
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	84	95	70
Fatal Crashes	3	2	1
Injury Crashes	30	39	29
Property Damage Crashes	51	54	40
Crash Fatalities	3	1	1
Crash Injuries	35	51	34
Drug Involved CrashesTotal	7	10	9
Fatal Crashes	0	0	0
Injury Crashes	3	6	3
Property Damage Crashes	4	4	6
Crash Fatalities	0	0	0
Crash Injuries	7	8	2
EMPLOYMENT	2011	2010	2009
Labor Force	25,416	25,562	26,209
Employed	23,280	23,242	24,012
Unemployed	2,136	2,320	2,197
Unemployment Rate	8.4%	9.1%	8.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	52	52	54
Alcohol Package Carry-out Licenses	39	34	35

■ Female		6 N N	କ୍ତି
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	2,220	2,310	2,330
Drop-outs	34	52	72
Drop-out Rate	1.5%	2.3%	3.1%
School Suspensions, 10 or More Days			
Alcohol Incidents	4	11	2
Drug Incidents	14	19	11
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	326	300	360
Liquor Law Arrests	341	293	610
Drug Arrests	261	253	296
Methamphetamine Lab Incidents	1	2	5
Violent Offenses	86	79	87
Property Offenses	1,333	1,323	1,289
Domestic Violence Reports	401	450	381
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	145	175	209
Violent Offenses	45	49	54
Alcohol Offenses	10	13	8
Drug Offenses	8	16	10
Status OffensesTotal	207	163	207
Truancy	6	7	7
Beyond Parental Control	66	40	72
Habitually Absent from Home	36	36	39
Injurious Behavior	97	80	88
Abuse/Neglect/CustodyTotal	204	143	109
Abuse	25	32	2
Neglect	166	104	97
Custody Disputes	13	7	10
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	37	27	44
Parental Alcohol Use Related	3	0	0
Parental Drug Use Related	18	9	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	16	18	43
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	282	297	286
Probation/Parole AdmissionsDrug	78	96	95
Probation/Parole AdmissionsDWI	25	22	21
Prison AdmissionsTotal	154	139	147
Prison AdmissionsDrug	44	34	41
Prison AdmissionsDWI	24	13	13

^{*} An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

JOHNSON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	29	17	18
CSTAR Women and Children	5	5	*
CSTAR General Adult	159	96	19
CSTAR Opioid	*	0	*
Primary Recovery Detoxification	21	31	45
Primary Recovery Treatment	23	249	232
Clinical SATOP (CIP, YCIP, SROP)	30	42	44
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	255	299	293
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	129	128	144
- Weekend Intervention Program	69	80	77
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	21	18	12
- Compulsive Gambling	0	0	0
- Recovery Supports	137	86	69
- Early Intervention	18	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	181	269	251	Never Married	153	205	182
Female	86	99	85	Married / Cohabitating	66	100	81
	00	00	00	Previously Married	48	63	73
AGE					10	00	
Under 18	30	18	19	PRIMARY DRUG PROBLEM			
18 to 24	57	106	91	Alcohol	115	174	159
25 to 29	53	69	64	Marijuana / Hashish	83	112	102
30 to 34	38	41	34	Cocaine (total)	7	21	15
35 to 39	25	42	43	- Crack	*	7	8
40 to 44	24	29	29	Stimulant (total)	49	46	41
45 to 54	29	47	51	- Methamphetamine	46	46	40
55 and Over	11	16	5	Heroin	*	*	*
RACE / ETHNICITY				Analgesic except Heroin	9	11	17
Caucasian	235	324	297	- Non-Prescription Methadone	0	0	0
African American	17	29	27	PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan	*	29 *	0	Tranquilizer	0	*	*
Asian / Pacific Islander	0	0	*	Inhalant	0	0	0
Hispanic	9	7	7	Sedative	0	0	0
Other Race / Two or More Races	6	8	6	Other Medication or Illicit Drug	*	0	0
Other Nace / Two or More Naces	O	0	O	Average Age at First Use of Drug	16.6	17.1	16.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	81	110	103	Any Injection Use at Admission	18	23	17
High School Graduate or G.E.D.	109	164	154	- Daily Injection Use	*	*	*
Associate Degree or Some College	68	79	70	- Weekly Injection Use	7	7	5
Bachelor or Advanced Degree	9	15	9	- Less than Weekly Injection Use	9	12	8
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	71	143	132	Self / Family / Friend	177	163	164
Unemployed	76	161	145	School	0	*	0
Not in Labor Force	120	64	58	Mental Health Provider	*	*	0
				Health Care Provider	*	5	*
LIVING ARRANGEMENT				Court / Criminal Justice	69	188	145
Independent Living	221	322	271	Other Referral Source	13	10	22
Dependent Living	33	35	56	005044 00044 474040			
Homeless	5	*	5	SPECIAL POPULATIONS	*	_	
LIFETIME DI II / DIA" ADDESTO				Pregnant when Admitted to any Episode		6	4-7
LIFETIME DUI / DWI ARRESTS	444	045	007	Military Veteran	16	24	17
0	144	215	207	Special Education Services Needed	10	11	16
1 or 2	77	96	74	Co-Occurring Psychological Problem	73	102	98
3 or More	46	57	55	Co-Occurring Developmental Problem	*	*	6

JOHNSON COUNTY



 ADA/CPS REGION
 Northwest

 CPS SERVICE AREA
 7

 CENSUS 2010
 52,595

 2011 POP. ESTIMATE
 53,439

disorders. The total number of diag served because some individuals ha	,		
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
Adjustment Disorder	17	15	18
Anxiety Disorder	141	112	66
Dementia	*	*	0
Developmental Disorder	11	9	7
Impulse Control Disorder	86	75	57
Mood Disorder	297	242	193
Personality Disorder	12	14	12
Psychotic Disorder	73	66	61
Sexual Disorder	0	0	0
Other Diagnosis	32	32	23
Diagnosis Unknown	35	59	111

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	479	426	415	Hearing Impaired	15	21	19
Male	228	221	211	Past or Current Military Service	14	17	20
Female	251	205	204	·			_0
				HOUSING / LIVING ARRANGEMENT	400	25	2.4
AGE				Independent Living	133	35	34
Under 6	5	7	9	Dependent Living	13	40	11
6 to 9	29	28	31	Homeless	*		0
10 to 13	49	32	38	Other		0	
14 to 17	59	49	51	Housing Unknown	327	348	368
18 to 24	40	43	29	EMPLOYMENT			
25 to 29	38	34	35	Employed	19	6	6
30 to 34	47	42	33	Unemployed	127	31	29
35 to 39	48	46	38	Not in Labor Force	6	*	*
40 to 44	47	36	40	Employment Status Unknown	327	386	378
45 to 49	41	39	44	4005070			
50 to 54	29	27	30	ARRESTS	00	0.4	40
55 to 59	24	24	15	Arrested in Past 12 Months	23	21	13
60 and Over	23	19	22	Not Arrested in Past 12 Months	129	57	34
				Arrest Status Unknown	327	348	368
RACE / ETHNICITY				TOTATMENT DECEDDAL COURSE			
Caucasian	437	381	354	TREATMENT REFERRAL SOURCE	404	0.40	04.4
African American	19	21	27	Self / Family / Friend	401	346	314
Native American / Alaskan	*	*	*	School	0	0	0
Asian / Pacific Islander	*	*	*	Mental Health Provider	12	8	9
Hispanic	9	8	10	Health Care Provider	19	13	7
Other Race	10	11	21	Court / Criminal Justice	11	14	19
Race/Ethnicity Unknown	0	0	0	Other	35	44	62
				Referral Source Unknown	•	•	Î
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	51	14	14	Voluntary	475	421	402
High School Grad or G.E.D.	66	19	13	Civil	0	0	6
A.A. Degree or Some College	30	7	6	Criminal	*	*	*
Bachelor or Advanced Degree	5	0	*	Sexual Predatory	*	*	0
Education Level Unknown	327	386	378	Commitment Type Unknown	*	*	*

JOHNSON COUNTY

2012 MISSOURI STUDENT SURVEY

EPRESSION Percent of students who, in the past 30 days:		(%)		CUICIDE Percent o	of studen	ts who, in	the past	12 months	S:		(9			
Were very sad		16.7		Seriously considered attempting suicide						10				
Were grouchy, irritable, or in a bad mood		23.6		Made a plan about how they would attempt suicide							8			
Felt hopeless about the future		10.0		Attemp	ted suicio	de					4			
Felt like not eating or eating more than usual		16.7		Had a	suicide at	tempt that	resulted	in injury o	r overdose tha	at had to	1			
Slept a lot more or a lot less than usual		19.5		be to	reated by	doctor or	nurse							
Had difficulty concentrating on school work		19.8												
·				PEBELLIC										
GHTING						ts who ag								
Percent of students who, in the past 12 months:						s that get					17			
Were in a physical fight		16.7		-			-		nake people m	iad	11			
Were in a fight and had to be treated by a doctor or nurse		2.5			-		-	t permissio	n		4			
Were threatened or injured with a weapon on school proper	ty	3.9				okay to ch					19			
ULLYING VICTIM				It is oka	y to beat	t up peopl	e if they :	start a fight	t		45			
Percent of students who, in the past 3 months:			_	cuon	DEL ATI	OMC								
Were shoved, slapped, hit, or kicked in a serious manner		19.9		CHOOL : Percent i			roo with i	he followin	nα·					
Were victims of mean rumors or lies spread at school		47.2				_		student's g	-		70			
Had embarrassing or hurtful pictures/text of them posted on	internet	11.0						_	ive student pe	rformance	40			
Had embarrassing or hurtful pictures/text of them sent by ce		13.2			-	student fo	•	-	ive student pe	nomance	58			
Were made fun of by others	ii piione	57.5			ire enforc		Ji ilalu w	UIK			65			
were made run or by others		57.5				-	athnicitic	o ara traat	od ogually		81			
ULLYING PERPRETRATOR				Studen	is or all re	aces and	eu i i i i ciue:	s are treate	eu equally		01			
Percent of students who, in the past 3 months:			P	ARENT	RELATIC	ONS								
Shoved, slapped, hit, or kicked a student in a serious manne	er	17.2		Percent of	of studen	ts who ag	ree with t	he followin	ng:					
						_		Percent of students who agree with the following: Parents notice and comment on student's good work						
Spread mean rumors or lies about other kids at school	•			Parents involve student in making family decisions										
Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of si	omeone	6.1			involve:						70			
Posted on internet embarrassing or hurtful pictures/text of s		6.1 10.2		Parents		student in	making t	family deci	sions	eauences	70 86			
•	omeone	10.2 60.4		Parents It is imp Studen	oortant to t could as	student in be hones sk parent	making t t with par for help v	family deci rents regar vith a perso	sions rdless of conse onal problem	equences	86			
Posted on internet embarrassing or hurtful pictures/text of so Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people		10.2	Whose closest friends have used in the past 12 months	Parents It is imp	ortant to	student in be hones sk parent Who say parents would disapprotes they use	making t t with pa	family deci rents regar with a would be caught by police for us	sions rdless of conse	equences	86			
Posted on internet embarrassing or hurtful pictures/text of single Sent by cell phone embarrassing or hurtful pictures/text of single Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	Who have ever used substance	10.2 Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Parents It is imp Studen Who say it would be easy to get	Who believe they risk harming themselves if they use	student in be hones sk parent Who say parents would disapprove if they use	t with par for help v Who feel it would be wrong to use	family decirents regar Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	equences	70 86 79			
Posted on internet embarrassing or hurtful pictures/text of single Sent by cell phone embarrassing or hurtful pictures/text of single Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes	Who have ever used substance	10.2 60.4 Who have used in the past 30 days 11.6	Whose closest friends have used the past 12 months	Parents It is imp Studen	oortant to t could as	student in be hones sk parent Who say parents would disapprotes they use	t with par for help v Who feel it would be wrong to us	family deci rents regar with a would be caught by police for us	Among students who have ever used substance, average age where the students who have ever used substance, average age where the students who have ever used substance, average age where the students who have ever used to students who have ever used	equences	86			
Posted on internet embarrassing or hurtful pictures/text of significant series of signif	Who have ever used substance 23.0 10.9	10.2 60.4 Who have used in the past 30 days 11.6 6.1	Whose closest friends have used in the past 12 months 4	Parents It is imp Studen Who say it would be easy to get 52.3	who believe they risk harming themselves if they use	student in be hones sk parent Who say parents would disapprove if they use	t with par for help v Who feel it would be wrong to use	family decirents regar with a person with a would be caught by police for using 24.1	Among students who have ever used substance, average age when 12.82	equences	86			
Posted on internet embarrassing or hurtful pictures/text of significant series of signif	Who have ever used substance	10.2 60.4 Who have used in the past 30 days 11.6 6.1 17.1	Whose closest friends have used in the past 12 months	Parents It is imp Studen Who say it would be easy to get	Who believe they risk harming themselves if they use	student in be hones sk parent Who say parents would disapprove if they use	t with par for help v Who feel it would be wrong to use	family decirents regar Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	equences	86			
Posted on internet embarrassing or hurtful pictures/text of significant series of signif	Who have ever used substance 23.0 10.9 38.3	10.2 60.4 Who have used in the past 30 days 11.6 6.1 17.1 9.7	Whose closest friends have used in the past 12 months 41.8	Parents It is imp Studen Who say it would be easy to get 52.3	who believe they risk harming themselves if they use 83.7	student in be hones sk parent who say parents would disapprove if 92.5	making to the with part of the with part	family decirents regar with a person would be caught by police for using 24.1	Among students who have ever 12.82	equences	86			
Posted on internet embarrassing or hurtful pictures/text of significant series of signif	Who have ever used substance 23.0 10.9 38.3	10.2 60.4 Who have used in the past 30 days 11.6 6.1 17.1 9.7 5.9	Whose closest friends have used in the past 12 months 4	Parents It is imp Studen Who say it would be easy to get 52.3	who believe they risk harming themselves if they use	student in be hones sk parent Who say parents would disapprove if they use	t with par for help v Who feel it would be wrong to use	family decirents regar with a person with a would be caught by police for using 24.1	Among students who have ever 12.82 13.08	equences	86			
Posted on internet embarrassing or hurtful pictures/text of significant series of signif	Who have ever used substance 23.0 10.9 38.3	10.2 60.4 Who have used in the past 30 days 11.6 6.1 17.1 9.7	Whose closest friends have used in the past 12 months 41.8 55.3	Parents It is imp Studen Who say it would be easy to get 52.3 58.4 37.3	Who believe they risk harming 83.7 71.7 72.6	student in be hones sk parent Who say parents would disapprove if 92.5 76.9 94.6	making to the provided by the state of the provided by the state of the provided by the state of	family decirents regard with a person with a person would be caught by police for using 24.1 27.6 40.5	Among students who have ever 12.82	equences	86			
Posted on internet embarrassing or hurtful pictures/text of significant series of significant sign	Who have ever used substance 23.0 10.9 38.3 14.5 5.4	10.2 60.4 Who have used in the past 30 days 11.6 6.1 17.1 9.7 5.9 2.0	Whose closest friends have used in the past 12 months 41.8	Parents It is imp Studen Who say it would be easy to get 52.3 58.4 37.3	who believe they risk harming 83.7 71.7 72.6 95.3	student in be hones sk parent who say parents would disapprove if 92.5 76.9 94.6 98.5	waking to the part of the part	family decirents regar with a person would be caught by police for using 24.1	Among students who have ever 12.82 13.08	equences	86			
Posted on internet embarrassing or hurtful pictures/text of significant series of significant significant series of significant signif	Who have ever used substance 23.0 10.9 38.3 14.5 5.4	10.2 60.4 Who have used in the past 30 days 11.6 6.1 17.1 9.7 5.9 2.0	Whose closest friends have used in the past 12 months 41.8 55.3	Parents It is imp Studen Who say it would be easy to get 52.3 58.4 37.3 15.9 56.4	who believe they risk harming 83.7 71.7 72.6 95.3 82.4	student in be hones sk parent who say parents would disapprove if 92.5 76.9 94.6 98.5 96.7	making t with part t with part t with part t with part to help v who feel it would be wrong to use 80.5 60.8 81.3 95.9 88.6	family decirents regard with a person with a person would be caught by police for using 24.1 27.6 40.5	Among students who have ever 12.82 13.08	equences	86			
Posted on internet embarrassing or hurtful pictures/text of significant series of signif	Who have ever used substance 23.0 10.9 38.3 14.5 5.4 4.8 7.8	10.2 60.4 Who have used in the past 30 days 11.6 6.1 17.1 9.7 5.9 2.0	Whose closest friends have used in the past 12 months 41.8 55.3	Parents It is imp Studen Who say it would be easy to get 52.3 58.4 37.3	who believe they risk harming 83.7 71.7 72.6 95.3	student in be hones sk parent who say parents would disapprove if 92.5 76.9 94.6 98.5	waking to the part of the part	family decirents regard with a person with a person would be caught by police for using 24.1 27.6 40.5	Among students who have ever 12.82 13.08	equences	86			
Posted on internet embarrassing or hurtful pictures/text of s Sent by cell phone embarrassing or hurtful pictures/text of s Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	Who have ever used substance 23.0 10.9 38.3 14.5 5.4 4.8 7.8 0.4	10.2 60.4 Who have used in the past 30 days 11.6 6.1 17.1 9.7 5.9 2.0	Whose closest friends have used in the past 12 months 41.8 55.3	Parents It is imp Studen Who say it would be easy to get 52.3 58.4 37.3 15.9 56.4	who believe they risk harming 83.7 71.7 72.6 95.3 82.4	student in be hones sk parent who say parents would disapprove if 92.5 76.9 94.6 98.5 96.7	making t with part t with part t with part t with part to help v who feel it would be wrong to use 80.5 60.8 81.3 95.9 88.6	family decirents regard with a person with a person would be caught by police for using 24.1 27.6 40.5	Among students who have ever 12.82 13.08	equences	86			
Posted on internet embarrassing or hurtful pictures/text of s Sent by cell phone embarrassing or hurtful pictures/text of s Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	Who have ever used substance 23.0 10.9 38.3 14.5 5.4 4.8 7.8 0.4 1.2	10.2 60.4 Who have used in the past 30 days 11.6 6.1 17.1 9.7 5.9 2.0	Whose closest friends have used in the past 12 months 41.8 55.3	Parents It is imp Studen Who say it would be easy to get 52.3 58.4 37.3 15.9 56.4	who believe they risk harming 83.7 71.7 72.6 95.3 82.4	student in be hones sk parent who say parents would disapprove if 92.5 76.9 94.6 98.5 96.7	making t with part t with part t with part t with part to help v who feel it would be wrong to use 80.5 60.8 81.3 95.9 88.6	family decirents regard with a person with a person would be caught by police for using 24.1 27.6 40.5	Among students who have ever 12.82 13.08	equences	86			
Posted on internet embarrassing or hurtful pictures/text of s Sent by cell phone embarrassing or hurtful pictures/text of s Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	Who have ever used substance 23.0 10.9 38.3 14.5 5.4 4.8 7.8 0.4 1.2 0.6	10.2 60.4 Who have used in the past 30 days 11.6 6.1 17.1 9.7 5.9 2.0	Whose closest friends have used in the past 12 months 41.8 55.3	Parents It is imp Studen Who say it would be easy to get 52.3 58.4 37.3 15.9 56.4	who believe they risk harming 83.7 71.7 72.6 95.3 82.4	student in be hones sk parent who say parents would disapprove if 92.5 76.9 94.6 98.5 96.7	making t with part t with part t with part t with part to help v who feel it would be wrong to use 80.5 60.8 81.3 95.9 88.6	family decirents regard with a person with a person would be caught by police for using 24.1 27.6 40.5	Among students who have ever 12.82 13.08	equences	86			
Posted on internet embarrassing or hurtful pictures/text of s Sent by cell phone embarrassing or hurtful pictures/text of s Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	Who have ever used substance 23.0 10.9 38.3 14.5 5.4 4.8 7.8 0.4 1.2 0.6 2.8	10.2 60.4 Who have used in the past 30 days 11.6 6.1 17.1 9.7 5.9 2.0	Whose closest friends have used in the past 12 months 41.8 55.3	Parents It is imp Studen Who say it would be easy to get 52.3 58.4 37.3 15.9 56.4	who believe they risk harming 83.7 71.7 72.6 95.3 82.4	student in be hones sk parent who say parents would disapprove if 92.5 76.9 94.6 98.5 96.7	making t with part t with part t with part t with part to help v who feel it would be wrong to use 80.5 60.8 81.3 95.9 88.6	family decirents regard with a person with a person would be caught by police for using 24.1 27.6 40.5	Among students who have ever 12.82 13.08	equences	86			
Posted on internet embarrassing or hurtful pictures/text of s Sent by cell phone embarrassing or hurtful pictures/text of s Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	Who have ever used substance 23.0 10.9 38.3 14.5 5.4 4.8 7.8 0.4 1.2 0.6	10.2 60.4 Who have used in the past 30 days 11.6 6.1 17.1 9.7 5.9 2.0	Whose closest friends have used in 41.8 55.5 34.8	Parents It is imp Studen Who say it would be easy to get 52.3 58.4 37.3 15.9 56.4 32.3	who believe they risk harming 83.7 71.7 72.6 95.3 82.4 89.1	student in be hones sk parent who say parents would disapprove if 92.5 76.9 94.6 98.5 96.7 96.0	making t with pair to with pair for help v Who feel it would be wrong to use 80.5 60.8 81.3 95.9 88.6 90.6	family decirents regarding with a person with a person would be caught by police for using 24.1 27.6 40.5 47.9	Among students who have ever 12.82 13.08		86 79			

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

KNOX COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 14 FIPS COUNTY CODE 103 CENSUS 2010 4,131 2011 POP. ESTIMATE 4,126

2011 POPULATION PROFILE BY AGE GROUP 200 150 100 50

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	36	46	58
Mother Reported Drinking while Pregnant 1		0	0
Mother Reported Smoking while Pregnant	8	13	14
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	53	49	76
Suicides	0	1	1
Self-inflicted Injuries	5	4	8
Homicides	0	0	0
Assault Injuries	9	2	2
Alcohol Induced Deaths	2	1	0
Drug Induced Deaths	1	1	0
Smoking Induced Deaths	10	9	13
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	29	12	38
Direct Hospitalizations	16	3	12
Emergency Room Hospitalizations	4	4	16
Emergency Room Outpatient	9	5	10
Drug RelatedTotal	14	20	14
Direct Hospitalizations	3	8	7
Emergency Room Hospitalizations	4	8	5
Emergency Room Outpatient	7	4	2
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	5	8	3
Fatal Crashes	0	2	0
Injury Crashes	3	3	2
Property Damage Crashes	2	3	1
Crash Fatalities	0	3	0
Crash Injuries	3	2	2
Drug Involved CrashesTotal	1	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	2,244	2,255	2,344
Employed	2,103	2,103	2,201
Unemployed	141	152	143
Unemployment Rate	6.3%	6.7%	6.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	4	6	5
Alcohol Package Carry-out Licenses	3	3	4

■ Female	୍ଟିନିନି ■Male	<i>ૄ</i> જ જ	କ ୍
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	159	179	186
Drop-outs	3	3	4
Drop-out Rate	1.9%	1.7%	2.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	10	14	9
Liquor Law Arrests	0	0	0
Drug Arrests	2	0	2
Methamphetamine Lab Incidents	2	2	0
Violent Offenses	9	6	4
Property Offenses	100	134	107
Domestic Violence Reports	8	12	6
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	12	8	1
Violent Offenses	1	2	0
Alcohol Offenses	0	0	1
Drug Offenses	0	0	0
Status OffensesTotal	38	28	9
Truancy	5	3	3
Beyond Parental Control	5	4	1
Habitually Absent from Home	0	0	1
Injurious Behavior	24	18	4
Abuse/Neglect/CustodyTotal	9	7	6
Abuse	2	0	3
Neglect	7	7	3
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	3	10	2
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	4	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	2	6	2
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	11	10	11
Probation/Parole AdmissionsDrug	3	4	3
Probation/Parole AdmissionsDWI	2	1	1
Prison AdmissionsTotal	4	8	3
Prison AdmissionsDrug	1	5	1
Prison AdmissionsDWI	0	0	0
			-

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	7	10	13
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	*	*
Primary Recovery Treatment	*	6	9
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	10	17	20
- Adolescent Diversion Education Program	5	*	*
- Offender Education Program	*	*	7
- Weekend Intervention Program	5	*	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	*	*
- Early Intervention	*	5	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	14	18	16	Never Married	10	10	10
Female	5	10	*	Married / Cohabitating	*	10	7
				Previously Married	5	8	*
AGE Under 18			*	DDIMARY DDIVO DDODI EM			
	*	*		PRIMARY DRUG PROBLEM	0	40	4.5
18 to 24 25 to 29	*	*	6	Alcohol	9	19	15
30 to 34	*	*	*	Marijuana / Hashish	5	*	
	*	*	*	Cocaine (total)	*	*	0
35 to 39		*		- Crack		*	0
40 to 44			0	Stimulant (total)		*	
45 to 54	7	8	7	- Methamphetamine			
55 and Over	0		0	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	^		^
Caucasian	18	28	19	- Non-Prescription Methadone	0	0	0
African American	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	*		0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	*	0	0	Sedative	0	0	0
Other Race / Two or More Races	0	0	0	Other Medication or Illicit Drug	0	0	*
				Average Age at First Use of Drug	20.6	15.4	16.5
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	6	8	5	Any Injection Use at Admission	0	*	*
High School Graduate or G.E.D.	11	18	12	- Daily Injection Use	0	*	0
Associate Degree or Some College	*	*	*	- Weekly Injection Use	0	0	0
Bachelor or Advanced Degree	0	0	0	- Less than Weekly Injection Use	0	0	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	6	5	9	Self / Family / Friend	7	8	*
Unemployed	7	12	*	School	0	0	0
Not in Labor Force	6	11	7	Mental Health Provider	0	0	0
				Health Care Provider	0	0	0
LIVING ARRANGEMENT				Court / Criminal Justice	10	14	11
Independent Living	16	22	14	Other Referral Source	*	6	*
Dependent Living	*	5	*				
Homeless	0	*	*	SPECIAL POPULATIONS			
	_			Pregnant when Admitted to any Episode	0	0	0
LIFETIME DUI / DWI ARRESTS				Military Veteran	0	*	0
0	9	15	8	Special Education Services Needed	*	*	*
1 or 2	6	6	5	Co-Occurring Psychological Problem	8	19	7
3 or More	*	7	6	Co-Occurring Developmental Problem	*	*	*

KNOX COUNTY



ADA/CPS REGION Central
CPS SERVICE AREA 14
CENSUS 2010 4,131
2011 POP. ESTIMATE 4,126

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.					
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009		
Adjustment Disorder	*	*	*		
Anxiety Disorder	6	18	12		
Dementia	*	*	*		
Developmental Disorder	0	0	0		
Impulse Control Disorder	*	6	5		
Mood Disorder	17	23	22		
Personality Disorder	*	5	*		
Psychotic Disorder	9	11	17		
Sexual Disorder	0	0	0		
Other Diagnosis	*	5	*		
Diagnosis Unknown	6	10	14		

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.


NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	40	57	64	Hearing Impaired	0	*	*
Male	19	25	36	Past or Current Military Service	*	*	*
Female	21	32	28	·			
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	12	9	*
Under 6	0	0	0	Dependent Living	8	22	12
6 to 9	*	*	*	Homeless	0	0	0
10 to 13	*	*	*	Other	0	0	0
14 to 17	*	*	*	Housing Unknown	20	26	49
18 to 24	*	6	5	EMPLOYMENT			
25 to 29	*	*	*	Employed	*	*	*
30 to 34	5	7	11	Unemployed	15	24	13
35 to 39	*	8	8	Not in Labor Force	*	*	0
40 to 44	*	*	*	Employment Status Unknown	20	29	50
45 to 49	*	6	8				
50 to 54	6	7	9	ARRESTS			
55 to 59	*	*	*	Arrested in Past 12 Months	0	*	*
60 and Over	*	6	8	Not Arrested in Past 12 Months	20	27	11
			•	Arrest Status Unknown	20	26	49
RACE / ETHNICITY				TD5 4 T45 4 T D5 5 T D 4 4 0 0 4 D 0 5			
Caucasian	37	53	61	TREATMENT REFERRAL SOURCE	40	4-	4-
African American	*	*	*	Self / Family / Friend	13	17	17 *
Native American / Alaskan	0	0	0	School	0	0	
Asian / Pacific Islander	0	0	0	Mental Health Provider	5	9	11
Hispanic	0	0	0	Health Care Provider		6	8
Other Race	*	*	*	Court / Criminal Justice	0		6
Race/Ethnicity Unknown	0	0	0	Other	19	23	21
				Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	*	10	6	Voluntary	40	55	61
High School Grad or G.E.D.	11	13	8	Civil	0	*	*
A.A. Degree or Some College	*	*	0	Criminal	0	0	*
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	0	0	0
Education Level Unknown	20	29	50	Commitment Type Unknown	0	0	0

LACLEDE COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE

Central 11 105 35,571 35,636



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	440	470	508
Mother Reported Drinking while Pregnant 1		4	2
Mother Reported Smoking while Pregnant	123	124	148
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	4	0	1
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	356	344	364
Suicides	9	5	4
Self-inflicted Injuries	62	59	49
Homicides	6	2	2
Assault Injuries	115	158	147
Alcohol Induced Deaths	1	2	1
Drug Induced Deaths	2	0	2
Smoking Induced Deaths	72	67	72
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	325	328	297
Direct Hospitalizations	325 121	326 123	297 92
•	44	123 44	92 51
Emergency Room Hospitalizations			
Emergency Room Outpatient	160	161	154
Drug RelatedTotal	326	304	277
Direct Hospitalizations	165	143	133
Emergency Room Hospitalizations	41	38	41
Emergency Room Outpatient	120	123	103
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	39	36	47
Fatal Crashes	2	1	1
Injury Crashes	15	17	17
Property Damage Crashes	22	18	29
Crash Fatalities	2	1	1
Crash Injuries	20	22	22
Drug Involved CrashesTotal	1	8	4
Fatal Crashes	0	0	0
Injury Crashes	0	3	2
Property Damage Crashes	1	5	2
Crash Fatalities	0	0	0
Crash Injuries	0	3	2
EMPLOYMENT	2011	2010	2009
Labor Force	16,289	16,255	16,753
Employed	14,485	14,330	14,678
Unemployed	1,804	1,925	2,075
Unemployment Rate	11.1%	11.8%	12.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	21	24	25
Alcohol Package Carry-out Licenses	40	41	46
adiago darry dat Electron	40	41	40

■ Female ■ Male							
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009				
Enrollment Grades 9-12	1,754	1,714	1,775				
Drop-outs	33	44	55				
Drop-out Rate	1.9%	2.6%	3.1%				
School Suspensions, 10 or More Days							
Alcohol Incidents	2	2	2				
Drug Incidents	30	47	10				
Tobacco Incidents	0	3	1				
POLICE REPORTS	2010	2009	2008				
DUI Arrests, DWI Tracking System	194	190	295				
Liquor Law Arrests	115	148	145				
Drug Arrests	220	209	229				
Methamphetamine Lab Incidents	18	31	8				
Violent Offenses	284	148	109				
Property Offenses	1,015	1,083	1,165				
Domestic Violence Reports	212	298	346				
JUVENILE COURT REFERRALS	2010	2009	2008				
Law Violation OffensesTotal	151	163	149				
Violent Offenses	66	70	56				
Alcohol Offenses	15	5	4				
Drug Offenses	7	8	9				
Status OffensesTotal	110	104	124				
Truancy	56	43	41				
Beyond Parental Control	5	9	7				
Habitually Absent from Home	7	16	15				
Injurious Behavior	16	16	37				
Abuse/Neglect/CustodyTotal	131	184	192				
Abuse	26	101	84				
Neglect	105	82	108				
Custody Disputes	0	1	0				
JUVENILE COURT PLACEMENTS	2010	2009	2008				
Out-of-Home PlacementsTotal	79	69	77				
Parental Alcohol Use Related	1	3	0				
Parental Drug Use Related	23	13	13				
Parental Alcohol and Drug Use	1	2	2				
Child Removed for Other Reason	54	51	62				
CRIMINAL JUSTICE	FY2011	FY2010	FY2009				
Drug Court Participants	0	0	0				
Probation/Parole AdmissionsTotal	303	309	347				
Probation/Parole AdmissionsDrug	137	134	126				
Probation/Parole AdmissionsDWI	24	26	35				
Prison AdmissionsTotal	185	177	197				
Prison AdmissionsDrug	70	79	74				
Prison AdmissionsDWI	24	17	18				
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	innressed				

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

LACLEDE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	16	30	23
CSTAR Women and Children	14	19	18
CSTAR General Adult	48	33	13
CSTAR Opioid	*	0	0
Primary Recovery Detoxification	34	18	9
Primary Recovery Treatment	91	107	88
Clinical SATOP (CIP, YCIP, SROP)	31	11	12
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	141	184	193
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	57	74	80
- Weekend Intervention Program	40	57	74
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	7	10	7
- Compulsive Gambling	0	0	0
- Recovery Supports	6	27	17
- Early Intervention	0	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	147	141	112	Never Married	106	107	90
Female	61	63	47	Married / Cohabitating	62	55	36
	01	00	71	Previously Married	40	42	33
AGE				•			
Under 18	18	33	24	PRIMARY DRUG PROBLEM			
18 to 24	48	34	31	Alcohol	83	70	64
25 to 29	40	40	30	Marijuana / Hashish	44	43	50
30 to 34	38	34	23	Cocaine (total)	*	*	*
35 to 39	12	20	14	- Crack	*	0	*
40 to 44	13	13	12	Stimulant (total)	48	56	25
45 to 54	31	26	23	- Methamphetamine	46	53	25
55 and Over	8	*	*	Heroin	6	6	0
RACE / ETHNICITY				Analgesic except Heroin	19	19	13
Caucasian	200	196	147	- Non-Prescription Methadone	0	*	0
African American	200	0	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	*	*	Tranquilizer	*	6	*
Asian / Pacific Islander	0	0	0	Inhalant	0	*	*
Hispanic	*	*	*	Sedative	0	0	0
Other Race / Two or More Races	*	5	6	Other Medication or Illicit Drug	*	0	0
Other Race / Two or More Races		Э	б	Average Age at First Use of Drug	16.8	17.0	16.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	82	87	71	Any Injection Use at Admission	47	51	16
High School Graduate or G.E.D.	97	87	71	- Daily Injection Use	15	14	5
Associate Degree or Some College	27	28	16	- Weekly Injection Use	15	12	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	17	25	8
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	44	38	46	Self / Family / Friend	59	61	41
Unemployed	77	82	55	School	*	*	*
Not in Labor Force	87	84	58	Mental Health Provider	5	7	*
				Health Care Provider	7	6	*
LIVING ARRANGEMENT				Court / Criminal Justice	116	99	93
Independent Living	158	148	119	Other Referral Source	19	27	18
Dependent Living	40	51	38	005044 00044 474040			
Homeless	6	*	*	SPECIAL POPULATIONS	_	•	_
LIEFTIME DIN / DIN" ADDESTO				Pregnant when Admitted to any Episode	7	0	5
LIFETIME DUI / DWI ARRESTS	46-	445		Military Veteran	15	6	
0	107	119	84	Special Education Services Needed	29	15	15
1 or 2	69	60	48	Co-Occurring Psychological Problem	93	88	56
3 or More	32	25	27	Co-Occurring Developmental Problem	7	9	9

LACLEDE COUNTY



disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 7 6 **Anxiety Disorder** 121 116 90 Dementia 0 0 0 **Developmental Disorder** 5 Impulse Control Disorder 54 56 41 **Mood Disorder** 234 237 168 Personality Disorder 27 32 31 **Psychotic Disorder** 61 59 59 Sexual Disorder Other Diagnosis 51 45 24 Diagnosis Unknown 23 55 18

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
372	355	324	Hearing Impaired	10	9	7
171	164	155	Past or Current Military Service	11	10	13
201	191	169				
				407	40	
			•	-	_	30
*	*	*	•			23
25	18	11			-	0
32	37	35			-	*
42	56		Housing Unknown	230	242	270
20	17	19	EMPLOYMENT			
26	20	18	Employed	15	6	*
34	30	22	Unemployed	116	55	28
26	25	25	Not in Labor Force	11	7	8
36	32	23	Employment Status Unknown	230	287	284
43	41	42				
38	32	34				_
21	17	14				8
27	26	26			-	46
			Arrest Status Unknown	230	244	270
			TD5.4.TM5.WT D555DD44 004/D05			
351	332	300		400	4.45	455
*	*	6	•	_		155
*	*	*				0
0	0	0		_	_	37
6	*	*		_		17
10	14	13			_	27
0	0	0				88
			Referral Source Unknown	0	0	0
			TYPE OF COMMITMENT			
57	26	21	Voluntary	362	343	304
64	32	15	Civil	*	5	12
21	9	*	Criminal	7	7	7
0	*	*	Sexual Predatory	0	0	*
230	287	284	Commitment Type Unknown	0	0	0
	372 171 201 * 25 32 42 20 26 34 26 36 43 38 21 27 351 * * 0 6 10 0	372 355 171 164 201 191 * * * 25 18 32 37 42 56 20 17 26 20 34 30 26 25 36 32 43 41 38 32 21 17 27 26 351 332 * * * * 0 0 6 * 10 14 0 0 57 26 64 32 21 9 0 *	372	SPECIAL POPULATION Hearing Impaired Past or Current Military Service HOUSING / LIVING ARRANGEMENT Independent Living Dependent Living Homeless Other Housing Unknown	372 355 324 Hearing Impaired 10	SPECIAL POPULATION 10 9 17 164 155 Past or Current Military Service 11 10 10 10 10 10 10 1

LACLEDE COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Porcont	of ctudon	tcwho in	the nact	12 months			(%)
Were very sad		3.6				lered atter			•		17.2
Were grouchy, irritable, or in a bad mood		21.7			-		-	attempt su	ucido		2.5
Felt hopeless about the future		3.1			ted suicio		cy would	attempt 30	aicide		0.7
Felt like not eating or eating more than usual		5.9					resulted	in injury o	r overdose that ha	ad to	1.3
Slept a lot more or a lot less than usual		8.7				doctor or		iii iiijui y o	overdose macin	Ju 10	1.0
Had difficulty concentrating on school work		20.7									
riad difficulty concentrating on school work		20.7	R	EBELLIC	OUSNES	s					
FIGHTING						ts who agi					
Percent of students who, in the past 12 months:						s that get		-			40.1
Were in a physical fight		25.2		-			-		ake people mad		21.5
Were in a fight and had to be treated by a doctor or nurse		0.5		It is okay to take something without permission							2.5
Were threatened or injured with a weapon on school proper	ty	1.3				okay to ch					36.2
BULLYING VICTIM				It is oka	ay to beat	t up peopl	e if they s	start a fight	t		47.3
Percent of students who, in the past 3 months:			S	CHOOL	REI ATIO	2//5					
Were shoved, slapped, hit, or kicked in a serious manner		11.6					ree with t	he followin	na:		
Were victims of mean rumors or lies spread at school		31.3		Percent of students who agree with the following: Teachers notice and comment on student's good work							72.5
Had embarrassing or hurtful pictures/text of them posted on	internet	1.0							ive student perfor	mance	41.9
Had embarrassing or hurtful pictures/text of them sent by ce		3.6			-	student fo	-	-			36.0
Were made fun of by others		34.4			re enforc						85.5
						-	ethnicities	are treate	ed equally		93.6
BULLYING PERPRETRATOR											
Percent of students who, in the past 3 months:				ARENT							
Shoved, slapped, hit, or kicked a student in a serious manne	er e	11.7		Percent of students who agree with the following:							
Spread mean rumors or lies about other kids at school		24.3	Parents notice and comment on student's good work Parents involve student in making family decisions								78.8
Posted on Internet embarrassing or hurtful pictures/text of so		2.0						-			67.5
Sent by cell phone embarrassing or hurtful pictures/text of se	omeone	2.1		-				_	dless of consequ	ences	79.9
Made fun of other people		40.0		Studen	t could as	sk parent i	or help w	ith a perso	onal problem		77.6
Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used	Whose closest frier the past 12 months	Who say it wo	Who believe they risk themselves if they use	Who say parent they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usi	Among students who have ever used substance, average age wf flist used		
	ised substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	be wrong to use	heir neighborhood y police for using	ho have ever verage age when		
Cigarettes	ised substance	in the past 30 days 6.		uld be easy to get 42.3	ney risk harming 74.7	ts would disapprove if 98.5	be wrong to use	heir neighborhood y police for using	ho have ever verage age when 11.33		
Cigarettes Chewing Tobacco			5		harming		Ф		len		
•	4.3	1.6	5		harming		Ф		len		
Chewing Tobacco	4.3 6.4	1.6 2.8	28.3	42.3	harming 74.7	98.5	80.2	37.6	11.33		
Chewing Tobacco Alcohol	4.3 6.4	1.6 2.8 16.2	28.3	42.3	harming 74.7	98.5	80.2	37.6	11.33		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	4.3 6.4 22.4	1.6 2.8 16.2 14.7	28.3	42.3	74.7 80.3	98.5 80.2	80.2 62.1	37.6 39.0	11.33		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	4.3 6.4 22.4	1.6 2.8 16.2 14.7 0.2	28.3	42.3	74.7 80.3	98.5 80.2	80.2 62.1	37.6 39.0	11.33 12.09		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	4.3 6.4 22.4	1.6 2.8 16.2 14.7 0.2	28.3 39.6 4.1	42.3 40.9 5.6	74.7 80.3 91.0	98.5 80.2 99.3	80.2 62.1 97.7	37.6 39.0 64.2	11.33 12.09		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	4.3 6.4 22.4 0.2 1.8	1.6 2.8 16.2 14.7 0.2 0.8	28.3 39.6 4.1	42.3 40.9 5.6 3.8	74.7 80.3 91.0 93.9	98.5 80.2 99.3	80.2 62.1 97.7 98.8	37.6 39.0 64.2	11.33 12.09		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	4.3 6.4 22.4 0.2 1.8	1.6 2.8 16.2 14.7 0.2 0.8	28.3 39.6 4.1	42.3 40.9 5.6 3.8 39.9	74.7 80.3 91.0 93.9 89.4	98.5 80.2 99.3 99.0 83.8	80.2 62.1 97.7 98.8 83.0	37.6 39.0 64.2	11.33 12.09		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	4.3 6.4 22.4 0.2 1.8 0.7 0.7	1.6 2.8 16.2 14.7 0.2 0.8	28.3 39.6 4.1	42.3 40.9 5.6 3.8 39.9	74.7 80.3 91.0 93.9 89.4	98.5 80.2 99.3 99.0 83.8	80.2 62.1 97.7 98.8 83.0	37.6 39.0 64.2	11.33 12.09		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	4.3 6.4 22.4 0.2 1.8 0.7 0.7 0.7	1.6 2.8 16.2 14.7 0.2 0.8	28.3 39.6 4.1	42.3 40.9 5.6 3.8 39.9	74.7 80.3 91.0 93.9 89.4	98.5 80.2 99.3 99.0 83.8	80.2 62.1 97.7 98.8 83.0	37.6 39.0 64.2	11.33 12.09		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	4.3 6.4 22.4 0.2 1.8 0.7 0.7 0.0 0.0	1.6 2.8 16.2 14.7 0.2 0.8	28.3 39.6 4.1	42.3 40.9 5.6 3.8 39.9	74.7 80.3 91.0 93.9 89.4	98.5 80.2 99.3 99.0 83.8	80.2 62.1 97.7 98.8 83.0	37.6 39.0 64.2	11.33 12.09		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	4.3 6.4 22.4 0.2 1.8 0.7 0.7 0.0 0.0	1.6 2.8 16.2 14.7 0.2 0.8	28.3 39.6 4.1	42.3 40.9 5.6 3.8 39.9	74.7 80.3 91.0 93.9 89.4	98.5 80.2 99.3 99.0 83.8	80.2 62.1 97.7 98.8 83.0	37.6 39.0 64.2	11.33 12.09		4
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	4.3 6.4 22.4 0.2 1.8 0.7 0.7 0.0 0.0 0.0	1.6 2.8 16.2 14.7 0.2 0.8 0.2	28.3 39.6 4.1 2.1	42.3 40.9 5.6 3.8 39.9 36.8	74.7 80.3 91.0 93.9 89.4 76.4	98.5 80.2 99.3 99.0 83.8 98.5	80.2 62.1 97.7 98.8 83.0 81.3	37.6 39.0 64.2 47.8	11.33 12.09	ups 10-14	1

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

LAFAYETTE COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Northwest 107 33,381 33,209



DIDTH DIOK FACTORS	2040	2000	2000
BIRTH RISK FACTORS Resident BirthsTotal	2010 412	2009 377	2008 405
Mother Reported Drinking while Pregnant ¹	412	1	403
Mother Reported Smoking while Pregnant	105	102	101
Motion Reported Smoking Wille Freguent	100	102	101
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	1	1
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	333	335	364
Suicides	6	5	5
Self-inflicted Injuries	48	29	44
Homicides	0	1	1
Assault Injuries	110	87	110
Alcohol Induced Deaths	2	1	1
Drug Induced Deaths	1	3	2
Smoking Induced Deaths	60	64	61
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	275	244	243
Direct Hospitalizations	95	68	64
Emergency Room Hospitalizations	63	81	77
Emergency Room Outpatient	117	95	102
Drug RelatedTotal	278	177	217
Direct Hospitalizations	124	56	81
Emergency Room Hospitalizations	44	52	62
Emergency Room Outpatient	110	69	74
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	38	46	40
Fatal Crashes	1	2	0
Injury Crashes	18	17	20
Property Damage Crashes	19	27	20
Crash Fatalities	1	2	0
Crash Injuries	23	19	28
Drug Involved CrashesTotal	5	5	9
Fatal Crashes	0	1	0
Injury Crashes	2	3	4
Property Damage Crashes	3	1	5
Crash Fatalities	0	1	0
Crash Injuries	8	3	4
EMPLOYMENT	2011	2010	2009
Labor Force	16,952	15,799	16,504
Employed	15,281	14,072	14,939
Unemployed	1,671	1,727	1,565
Unemployment Rate	9.9%	10.9%	9.5%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	42	43	54
Alcohol Package Carry-out Licenses	39	38	38

■ Female	■ Male	• • •	Ĩ
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,640	1,697	1,792
Drop-outs	15	41	38
Drop-out Rate	0.9%	2.4%	2.1%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	1	2
Drug Incidents	17	9	8
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	218	237	322
Liquor Law Arrests	104	103	88
Drug Arrests	317	318	296
Methamphetamine Lab Incidents	0	6	3
Violent Offenses	47	45	45
Property Offenses	598	586	681
Domestic Violence Reports	42	50	39
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	205	266	280
Violent Offenses	49	77	74
Alcohol Offenses	27	19	28
Drug Offenses	5	12	15
Status OffensesTotal	79	90	79
Truancy	18	16	30
Beyond Parental Control	26	25	22
Habitually Absent from Home	17	31	19
Injurious Behavior	18	17	8
Abuse/Neglect/CustodyTotal	23	12	7
Abuse	2	0	0
Neglect	6	8	7
Custody Disputes	15	4	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	20	8	10
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	3	1	5
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	17	5	4
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	44	52	31
Probation/Parole AdmissionsTotal	457	458	497
Probation/Parole AdmissionsDrug	185	161	166
Probation/Parole AdmissionsDWI	34	22	24
Prison AdmissionsTotal	270	247	276
Prison AdmissionsDrug	100	84	98
Prison AdmissionsDWI	18	15	20
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed

- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

LAFAYETTE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	14	5	5
CSTAR Women and Children	*	*	*
CSTAR General Adult	107	99	6
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	16	16	12
Primary Recovery Treatment	34	150	184
Clinical SATOP (CIP, YCIP, SROP)	6	19	22
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	116	149	203
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	51	70	85
- Weekend Intervention Program	35	34	73
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	7	5	*
- Compulsive Gambling	0	0	0
- Recovery Supports	40	37	28
- Early Intervention	11	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	123	197	183	Never Married	89	131	124
Female	60	63	58	Married / Cohabitating	57	78	75
				Previously Married	37	51	42
AGE							
Under 18	14	7	5	PRIMARY DRUG PROBLEM			
18 to 24	42	63	71	Alcohol	84	120	122
25 to 29	28	42	41	Marijuana / Hashish	51	83	72
30 to 34	19	39	25	Cocaine (total)	0	6	6
35 to 39	21	32	31	- Crack	0	*	5
40 to 44	28	26	22	Stimulant (total)	34	35	34
45 to 54	24	46	41	- Methamphetamine	28	35	32
55 and Over	7	5	5	Heroin	*	*	0
RACE / ETHNICITY				Analgesic except Heroin	7	11	5
Caucasian	161	236	213	- Non-Prescription Methadone	0	0	0
African American	13	19	21	PCP, LSD, other Hallucinogen	*	0	*
Native American / Alaskan	*	0	*	Tranquilizer	*	*	*
Asian / Pacific Islander	0	0	*	Inhalant	0	0	0
Hispanic	*	*	*	Sedative	0	0	0
Other Race / Two or More Races	7	*	*	Other Medication or Illicit Drug	*	*	0
Cities reader 1 Wo of World Reades	,			Average Age at First Use of Drug	16.8	16.1	16.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	53	80	67	Any Injection Use at Admission	11	25	11
High School Graduate or G.E.D.	96	139	130	- Daily Injection Use	*	*	0
Associate Degree or Some College	31	39	41	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	8	19	10
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	51	83	100	Self / Family / Friend	56	73	78
Unemployed	72	118	104	School	0	0	*
Not in Labor Force	60	59	37	Mental Health Provider	0	*	0
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	110	176	150
Independent Living	158	240	218	Other Referral Source	13	6	8
Dependent Living	15	11	18				
Homeless	*	*	*	SPECIAL POPULATIONS	*	_	4
				Pregnant when Admitted to any Episode		5	*
LIFETIME DUI / DWI ARRESTS	4.5		400	Military Veteran	8	11	9
0	112	144	133	Special Education Services Needed	5	5	5
1 or 2	40	65	63	Co-Occurring Psychological Problem	46	67	69
3 or More	31	51	45	Co-Occurring Developmental Problem	*	*	*

LAFAYETTE COUNTY



ADA/CPS REGION Northwest CPS SERVICE AREA 7
CENSUS 2010 33,381
2011 POP. ESTIMATE 33,209

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 8 10 **Anxiety Disorder** 107 81 64 Dementia 0 0 **Developmental Disorder** 5 Impulse Control Disorder 39 40 33 **Mood Disorder** 165 178 134 Personality Disorder 9 10 9 **Psychotic Disorder** 29 31 35

0

21

21

99

0

14

26

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	297	281	302	Hearing Impaired	14	13	9
Male	116	113	136	Past or Current Military Service	6	9	15
Female	181	168	166	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	101	26	8
Under 6	6	7	*	Dependent Living	*	28	7
6 to 9	23	, 21	21	Homeless	*	*	0
10 to 13	23 27	30	37	Other	5	*	*
14 to 17	32	27	30	Housing Unknown	186	224	284
18 to 24				EMPLOYMENT			
25 to 29	30	32	40	_	0	*	0
	30	15	18	Employed	8		0
30 to 34	20	23	18	Unemployed	95	26	11
35 to 39	22	17	25	Not in Labor Force	8		0
40 to 44	26	21	26	Employment Status Unknown	186	251	291
45 to 49	28	39	31	ARRESTS			
50 to 54	24	23	28	Arrested in Past 12 Months	13	11	*
55 to 59	15	15	13	Not Arrested in Past 12 Months	98	46	14
60 and Over	14	11	12	Arrest Status Unknown	186	224	284
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	279	260	279	Self / Family / Friend	234	218	226
African American	9	10	14	School	234	210 *	0
Native American / Alaskan	0	*	*	Mental Health Provider	7	10	9
Asian / Pacific Islander	*	0	*	Health Care Provider		*	9 *
Hispanic	0	*	0	Court / Criminal Justice	6 16		24
Other Race	8	9	7		_	18	
Race/Ethnicity Unknown	0	0	0	Other Referral Source Unknown	32	28	35 6
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	34	11	5	Voluntary	293	275	279
High School Grad or G.E.D.	55	15	5	Civil	*	0	13
A.A. Degree or Some College	17	*	*	Criminal	*	*	*
Bachelor or Advanced Degree	5	*	0	Sexual Predatory	*	*	*
Education Level Unknown	186	251	291	Commitment Type Unknown	*	*	6
	100	201	201	Committee Type Charlette			U

LAFAYETTE COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%) 8	UICIDE	-6-44	44 1	46 4	10		(%)	
Percent of students who, in the past 30 days:		•	-					12 months	;		
Were very sad		20.5			_	lered atter	-			12.4	
Were grouchy, irritable, or in a bad mood		23.4			•		ey would	attempt si	uicide	9.7	
Felt like and eating an eating man than your		10.2			ted suicid		ام مقاربه مسا	la lalumi a		6.1	
Felt like not eating or eating more than usual		16.2				tempt that doctor or		in injury o	r overdose that had to	0.7	
Slept a lot more or a lot less than usual		19.4		De i	realed by	doctor or	iiui 36				
Had difficulty concentrating on school work		19.9		REBELLIC	OUSNES.	s					
FIGHTING			•			ts who agi	ree that:				
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		17.4	
Were in a physical fight		19.4	1	They do the opposite of what they're told to make people mad							
Were in a fight and had to be treated by a doctor or nurse		2.5	5	It is okay to take something without permission						5.9	
Were threatened or injured with a weapon on school proper	ty	4.9	9		-	okay to ch	-	-		18.8	
•						-		tart a fight	t	41.7	
BULLYING VICTIM					•		•	•			
Percent of students who, in the past 3 months:		0.4.6		CHOOL							
Were shoved, slapped, hit, or kicked in a serious manner		24.9				_		he followin	-	70.0	
Were victims of mean rumors or lies spread at school		49.4						tudent's g		72.0	
Had embarrassing or hurtful pictures/text of them posted on		12.4			•		•	•	ive student performance		
Had embarrassing or hurtful pictures/text of them sent by ce	ell pnone	15.8				student fo	or nard w	ork		57.0	
Were made fun of by others		60.9)		are enforc	-				70.4	
BULLYING PERPRETRATOR				Studen	ts of all ra	aces and (ethnicities	are treate	ed equally	80.7	
Percent of students who, in the past 3 months:			F	PARENT	RFI ATIC	ONS					
Shoved, slapped, hit, or kicked a student in a serious manne	er	17.6					ree with t	he followin	ng:		
Spread mean rumors or lies about other kids at school		27.1	1	Percent of students who agree with the following: Parents notice and comment on student's good work							
Posted on Internet embarrassing or hurtful pictures/text of se	omeone	7.5	5					amily deci		68.4	
Sent by cell phone embarrassing or hurtful pictures/text of someone		10.8	3					-	dless of consequences	87.9	
Made fun of other people		60.3	3	-				_	onal problem	77.9	
SUBSTANCE USE AND BELIEFS											
Regarding the substances listed below, percent of students:	≨	≨	the Wh	≨	the ¥h	the ¥h	≨	₩ M	Am Am		
	0 2 2	<u>ي</u>	ose pas	S 0	o be	o sa y us	o fe	<u>₽</u> 6	Among st used sub first used		
	ave o	We .	Whose closest frier the past 12 months	₹.	Who believe they risk I themselves if they use	e y	<u>e</u>	Θ Σ	ad stu		
	eve	use	mo	Vo	e d	arer	Wo	aug kids	dent		
	Sn.	j.	nth:	큡	hey r	its v	ם	声	e, ay		
	S Pa	ŧ	nds	e e	rse isk	<u>o</u>	e ≤	얼	vers		
	übs	pas	hav	asy	Than I	d <u>d.</u>	ron On	nei lice	nave		
	Who have ever used substance	Who have used in the past 30 da	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wf first used		
	8	da		e		prov	Su	usir of	¥ ^{eq}		
		lys	₹.			/e ≓	Ф	<u>1</u> 00	en		
Cigarettes	25.8	13.0	47.6	50.3	79.5	92.8	83.4	26.6	12.22		
Chewing Tobacco	16.4	9.5									
Alcohol	39.9	17.3	53.8	51.3	72.0	80.0	64.0	29.0	12.37		
Binge Alcohol (5+ drinks on one occasion in past 30 days)		10.6									
Marijuana	14.2	8.1		27.2	77.2	95.5	85.5	44.0	13.33		
Inhalants	5.7	2.4							11.59		
Illicit drugs such as cocaine, LSD, meth, club drugs			11.7	10.5	92.7	99.5	95.9	52.2			
Over-the-counter medications for non-medical use	6.9	3.9		47.5	82.9	96.9	90.5	02.2			
	9.1	5.6		27.0	85.5	95.7	91.5				
Prescription drugs not prescribed for student	U	0.0		_,.5	00.0		01.0				
Prescription drugs not prescribed for student Heroin	0.3										
Heroin	0.3										
Heroin Cocaine	1.2										
Heroin Cocaine Methamphetamine	1.2 0.9										
Heroin Cocaine Methamphetamine Hallucinogens	1.2 0.9 1.4										
Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K	1.2 0.9 1.4 1.2							lation estir	mates for age groups 10)-14	
Heroin Cocaine Methamphetamine Hallucinogens	1.2 0.9 1.4	а	ınd 15-19,	gender, r	ace, and	Hispanic	origin.		mates for age groups 10)-14	

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

LAWRENCE COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 109 38,634 38,660



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	476	522	579
Mother Reported Drinking while Pregnant ¹		0	1
Mother Reported Smoking while Pregnant	119	110	139
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	1
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	419	407	431
Suicides	3	8	4
Self-inflicted Injuries	41	59	43
Homicides	0	1	1
Assault Injuries	63	66	55
Alcohol Induced Deaths	4	3	7
Drug Induced Deaths	9	5	6
Smoking Induced Deaths	80	72	81
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	296	325	298
Direct Hospitalizations	290 89	69	63
Emergency Room Hospitalizations	54	81	93
Emergency Room Outpatient		-	142
	153	175	
Drug RelatedTotal	388	392	317
Direct Hospitalizations	99	98	75
Emergency Room Hospitalizations	87	72	85
Emergency Room Outpatient	202	222	157
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	41	47	38
Fatal Crashes	3	2	3
Injury Crashes	20	24	16
Property Damage Crashes	18	21	19
Crash Fatalities	3	3	3
Crash Injuries	29	33	16
Drug Involved CrashesTotal	8	11	3
Fatal Crashes	0	0	0
Injury Crashes	2	5	1
Property Damage Crashes	6	6	2
Crash Fatalities	0	0	0
Crash Injuries	2	7	1
EMPLOYMENT	2011	2010	2009
Labor Force	18,787	18,658	19,127
Employed	17,338	17,084	17,529
Unemployed	1,449	1,574	1,598
Unemployment Rate	7.7%	8.4%	8.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	18	16	21
Alcohol Package Carry-out Licenses	43	41	43

■ Female	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,805	1,810	1,787
Drop-outs	47	53	90
Drop-out Rate	2.6%	2.9%	5.0%
School Suspensions, 10 or More Days			
Alcohol Incidents	1	1	8
Drug Incidents	20	13	19
Tobacco Incidents	1	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	167	168	164
Liquor Law Arrests	37	65	105
Drug Arrests	109	90	149
Methamphetamine Lab Incidents	23	33	21
Violent Offenses	121	132	121
Property Offenses	1,128	1,130	1,167
Domestic Violence Reports	168	206	174
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	133	190	187
Violent Offenses	47	51	46
Alcohol Offenses	12	10	7
Drug Offenses	5	9	8
Status OffensesTotal	44	81	75
Truancy	1	6	10
Beyond Parental Control	9	33	28
Habitually Absent from Home	20	26	31
Injurious Behavior	11	12	5
Abuse/Neglect/CustodyTotal	90	133	85
Abuse	14	25	8
Neglect	52	72	54
Custody Disputes	24	36	23
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	28	47	51
Parental Alcohol Use Related	0	0	4
Parental Drug Use Related	3	6	12
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	25	41	34
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	4	0	0
Probation/Parole AdmissionsTotal	230	249	262
Probation/Parole AdmissionsDrug	62	50	67
Probation/Parole AdmissionsDWI	10	16	12
Prison AdmissionsTotal	127	146	133
Prison AdmissionsDrug	31	38	27
Prison AdmissionsDWI	10	9	10
* An asterisk in a data cell indicates the co			

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

LAWRENCE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	8	16	11
CSTAR Women and Children	25	15	12
CSTAR General Adult	80	41	9
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	20	17	23
Primary Recovery Treatment	25	109	141
Clinical SATOP (CIP, YCIP, SROP)	12	17	10
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	111	121	136
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	53	69	70
- Weekend Intervention Program	18	16	40
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	8	*	8
- Compulsive Gambling	0	0	0
- Recovery Supports	*	11	9
- Early Intervention	0	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	109	138	143	Never Married	87	112	103
Female	60	59	60	Married / Cohabitating	46	41	46
				Previously Married	36	44	54
AGE							
Under 18	10	16	12	PRIMARY DRUG PROBLEM			
18 to 24	43	47	54	Alcohol	68	88	87
25 to 29	29	36	31	Marijuana / Hashish	25	44	54
30 to 34	27	28	31	Cocaine (total)	0	*	*
35 to 39	22	22	28	- Crack	0	*	
40 to 44	14	16	16	Stimulant (total)	45	40	34
45 to 54	23	27	24	- Methamphetamine	44	39	32
55 and Over	*	5	7	Heroin	*	*	0
RACE / ETHNICITY				Analgesic except Heroin	26	17	18
Caucasian	157	185	187	- Non-Prescription Methadone	*	0	0
African American	*	*	*	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	*	*	6	Tranquilizer	*	*	*
Asian / Pacific Islander	0	0	0	Inhalant	0	*	0
Hispanic	9	*	5	Sedative	0	0	0
Other Race / Two or More Races	*	*	*	Other Medication or Illicit Drug	0	0	*
Calci Nass / Two St Moto Nasss				Average Age at First Use of Drug	16.7	16.0	15.9
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	72	83	87	Any Injection Use at Admission	37	26	31
High School Graduate or G.E.D.	76	90	88	- Daily Injection Use	6	7	5
Associate Degree or Some College	20	23	27	- Weekly Injection Use	11	*	11
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	20	15	15
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	35	49	58	Self / Family / Friend	47	50	58
Unemployed	90	99	82	School	0	*	*
Not in Labor Force	44	49	63	Mental Health Provider	*	*	*
				Health Care Provider	6	8	9
LIVING ARRANGEMENT				Court / Criminal Justice	102	123	121
Independent Living	141	167	178	Other Referral Source	13	14	10
Dependent Living	23	23	23				
Homeless	*	*	*	SPECIAL POPULATIONS		_	
				Pregnant when Admitted to any Episode	*	8	*
LIFETIME DUI / DWI ARRESTS			,	Military Veteran	6	5	
0	98	112	106	Special Education Services Needed	11	13	16
1 or 2	40	50	65	Co-Occurring Psychological Problem	52	38	45
3 or More	31	35	32	Co-Occurring Developmental Problem	*	*	*

LAWRENCE COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 8A
CENSUS 2010 38,634
2011 POP. ESTIMATE 38,660

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 23 46 18 **Anxiety Disorder** 136 91 93 Dementia 0 0 0 **Developmental Disorder** 7 5 7 Impulse Control Disorder 75 53 73 **Mood Disorder** 156 181 238 Personality Disorder 54 30 30 **Psychotic Disorder** 44 38 39

40

76

28

200

37

158

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	462	460	465	Hearing Impaired	34	29	35
Male	236	222	232	Past or Current Military Service	6	5	*
Female	226	238	233	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	59	46	*
Under 6	9	6	8	Dependent Living	*	23	18
6 to 9	20	23	24	Homeless	*	0	0
10 to 13	39	41	54	Other	*	*	0
14 to 17	48	43	52	Housing Unknown	397	390	445
18 to 24				EMBL OVMENT			
25 to 29	38	48	36	EMPLOYMENT	*	-	0
	31	35	36	Employed		5	0
30 to 34	48	31	38	Unemployed	63	45	
35 to 39	56	63	50	Not in Labor Force			0
40 to 44	47	38	42	Employment Status Unknown	397	409	463
45 to 49	46	52	41	ARRESTS			
50 to 54	37	35	38	Arrested in Past 12 Months	*	*	*
55 to 59	23	18	18	Not Arrested in Past 12 Months	61	66	19
60 and Over	20	27	28	Arrest Status Unknown	397	390	445
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	440	436	443		000	000	050
African American	*	6	*	Self / Family / Friend	236	283	258
Native American / Alaskan	0	*	*	School	9	5	5
Asian / Pacific Islander	*	*	*	Mental Health Provider	58	52	58
Hispanic	13	9	8	Health Care Provider	64	50	57
Other Race	7	*	9	Court / Criminal Justice	30	26	33
Race/Ethnicity Unknown	0	0	0	Other	64	44	54
	Ũ	Ü	Ü	Referral Source Unknown	*	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	17	11	0	Voluntary	451	457	458
High School Grad or G.E.D.	37	29	*	Civil	7	*	6
A.A. Degree or Some College	9	9	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	*	0	0
Education Level Unknown	397	410	463	Commitment Type Unknown	*	0	0

LAWRENCE COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Percent (of studen	ts who. In	the past	12 months	<i>:</i>	(%)
Were very sad			<u>!</u>	Percent of students who, in the past 12 months: Seriously considered attempting suicide						9.8
Were grouchy, irritable, or in a bad mood				Made a plan about how they would attempt suicide						7.4
Felt hopeless about the future				Attempted suicide						5.5
Felt like not eating or eating more than usual		10.5 17.0					resulted	in injury o	r overdose that had to	2.0
Slept a lot more or a lot less than usual		15.4				doctor or			ovoracco macrica to	
Had difficulty concentrating on school work		15.8			_					
riad difficulty concentrating on school work		10.0		EBELLIC	OUSNES	s				
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		15.7
Were in a physical fight		17.9)	They d	o the opp	osite of w	hat they'r	e told to m	ake people mad	9.9
Were in a fight and had to be treated by a doctor or nurse		2.5	i	It is oka	ay to take	somethin	g without	permissio	n	4.8
Were threatened or injured with a weapon on school proper	ty	7.9)	Someti	mes it is	okay to ch	eat at sc	nool		16.3
				It is oka	ay to beat	t up peopl	e if they s	tart a fight		47.1
BULLYING VICTIM										
Percent of students who, in the past 3 months:		22.6		CHOOL			roo with t	ha fallawin		
Were shoved, slapped, hit, or kicked in a serious manner		23.6				_		he followin	-	74.0
Were victims of mean rumors or lies spread at school		49.4						tudent's go		71.8
Had embarrassing or hurtful pictures/text of them posted on		10.5			-		-	-	ve student performance	45.9 55.2
Had embarrassing or hurtful pictures/text of them sent by ce	eli pnone	12.1			-	student fo	or nard w	OFK		
Were made fun of by others		61.4	•		re enforc	•			at a succettive	68.3
BULLYING PERPRETRATOR				Studen	ts of all ra	aces and (ethnicities	are treate	ed equally	83.1
Percent of students who, in the past 3 months:			P	ARENT	RELATIO	ons				
Shoved, slapped, hit, or kicked a student in a serious manne	er	15.7					ree with t	he followin	g:	
Spread mean rumors or lies about other kids at school		24.7	•	Parents	s notice a	nd comme	ent on stu	dent's god	od work	86.4
Posted on internet embarrassing or hurtful pictures/text of s	omeone	8.2		Parents	sinvolve	student in	making f	amily decis	sions	74.8
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	8.2		It is imp	ortant to	be hones	t with par	ents regar	dless of consequences	89.9
Made fun of other people		60.4	ļ	Studen	t could as	sk parent 1	for help w	ith a perso	onal problem	78.4
SUBSTANCE USE AND BELIEFS Degarding the substance listed below, persent of students.										
Regarding the substances listed below, percent of students:	≨	≨	≢≰	S						
	유	0		- →	<u>₹</u>	.Eg ≸	≨	ا ﴿ وَ	Am use first	
	~	ਡ	lose	/ho sa	Who be	Who sa they us	Who fe	Who thi	Among used su	
	lave	have	ose clos past 12	/ho say it	Who believ themselves	Who say pathey use	Who feel it	Who think I would be c	Among stuused substricts used	
	lave evel	have use	ose closest past 12 mo	/ho say it wou	Who believe th	Who say parer they use	Who feel it wou	Who think kids would be caugi	Among studeni used substanc first used	
	lave ever usi	have used in	ose closest frie past 12 months	/ho say it would b	Who believe they r themselves if they	Who say parents withey use	Who feel it would t	Who think kids in t would be caught b	Among students w used substance, ar first used	
	ave ever used s	have used in the	Whose closest friends the past 12 months	/ho say it would be e	Who believe they risk themselves if they use	Who say parents woul they use	Who feel it would be w	Who think kids in their would be caught by po	Among students who is used substance, avera first used	
	ave ever used subs	have used in the pas	lose closest friends have past 12 months	/ho say it would be easy	Who believe they risk han themselves if they use	Who say parents would di they use	Who feel it would be wron	Who think kids in their nei would be caught by police	Among students who have used substance, average first used	
	ave ever used substan	have used in the past 30	ose closest friends have use past 12 months	/ho say it would be easy to o	Who believe they risk harming themselves if they use	Who say parents would disap they use	Who feel it would be wrong to	Who think kids in their neighb would be caught by police for	Among students who have ev used substance, average age first used	
	Who have ever used substance	have used in the past 30 day	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapproving they use	Who feel it would be wrong to use	Who think kids in their neighborh would be caught by police for usi	udents who have ever stance, average age w	
	ave ever used substance	Who have used in the past 30 days	ose closest friends have used in past 12 months	ho say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cigarettes	ave ever used substance 88.8	have used in the past 30 days	ose closest friends have used in 999 past 12 months	Tho say it would be easy to get 40.1	Who believe they risk harming 2.8 bemselves if they use	Who say parents would disapprove if 4.4 they use	Who feel it would be wrong to use 87.7	Who think kids in their neighborhood on the caught by police for using on the caught by the caught by police for using the caught by	udents who have ever stance, average age w	
Cigarettes Chewing Tobacco			j.						udents who have ever stance, average age when	
	18.8	9.6	j.			94.4	87.7	29.0	udents who have ever 5.	
Chewing Tobacco Alcohol	18.8 12.1	9.6 7.1 9.2	29.3	40.1	82.8				udents who have ever stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	18.8 12.1 27.3	9.6 7.1 9.2 4.0	29.3	40.1	82.8 74.2	94.4 87.5	87.7 72.7	29.0 35.2	stance, average age when 11.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	18.8 12.1 27.3	9.6 7.1 9.2 4.0 5.8	29.3	40.1	82.8	94.4	87.7	29.0	stance, average age when 11.58 11.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	18.8 12.1 27.3	9.6 7.1 9.2 4.0	29.3	40.1 43.5 21.7	82.8 74.2 77.7	94.4 87.5 96.0	87.7 72.7 88.5	29.0 35.2	stance, average age when 11.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	18.8 12.1 27.3 10.2 3.8	9.6 7.1 9.2 4.0 5.8 1.3	29.3 40.7 16.8	40.1 43.5 21.7 13.6	82.8 74.2 77.7 94.3	94.4 87.5 96.0 98.6	87.7 72.7 88.5 97.2	29.0 35.2 47.8	stance, average age when 11.58 11.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	18.8 12.1 27.3 10.2 3.8	9.6 7.1 9.2 4.0 5.8 1.3	29.3 40.7 16.8	40.1 43.5 21.7 13.6 47.3	82.8 74.2 77.7 94.3 84.7	94.4 87.5 96.0 98.6 98.3	87.7 72.7 88.5 97.2 92.5	29.0 35.2 47.8	stance, average age when 11.58 11.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	18.8 12.1 27.3 10.2 3.8 5.2 6.8	9.6 7.1 9.2 4.0 5.8 1.3	29.3 40.7 16.8	40.1 43.5 21.7 13.6	82.8 74.2 77.7 94.3	94.4 87.5 96.0 98.6	87.7 72.7 88.5 97.2	29.0 35.2 47.8	stance, average age when 11.58 11.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	18.8 12.1 27.3 10.2 3.8 5.2 6.8 1.0	9.6 7.1 9.2 4.0 5.8 1.3	29.3 40.7 16.8	40.1 43.5 21.7 13.6 47.3	82.8 74.2 77.7 94.3 84.7	94.4 87.5 96.0 98.6 98.3	87.7 72.7 88.5 97.2 92.5	29.0 35.2 47.8	stance, average age when 11.58 11.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	18.8 12.1 27.3 10.2 3.8 5.2 6.8 1.0	9.6 7.1 9.2 4.0 5.8 1.3	29.3 40.7 16.8	40.1 43.5 21.7 13.6 47.3	82.8 74.2 77.7 94.3 84.7	94.4 87.5 96.0 98.6 98.3	87.7 72.7 88.5 97.2 92.5	29.0 35.2 47.8	stance, average age when 11.58 11.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	18.8 12.1 27.3 10.2 3.8 5.2 6.8 1.0 1.1	9.6 7.1 9.2 4.0 5.8 1.3	29.3 40.7 16.8	40.1 43.5 21.7 13.6 47.3	82.8 74.2 77.7 94.3 84.7	94.4 87.5 96.0 98.6 98.3	87.7 72.7 88.5 97.2 92.5	29.0 35.2 47.8	stance, average age when 11.58 11.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	18.8 12.1 27.3 10.2 3.8 5.2 6.8 1.0 1.1 1.6 3.4	9.6 7.1 9.2 4.0 5.8 1.3	29.3 40.7 16.8	40.1 43.5 21.7 13.6 47.3	82.8 74.2 77.7 94.3 84.7	94.4 87.5 96.0 98.6 98.3	87.7 72.7 88.5 97.2 92.5	29.0 35.2 47.8	stance, average age when 11.58 11.93	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	18.8 12.1 27.3 10.2 3.8 5.2 6.8 1.0 1.1	9.6 7.1 9.2 4.0 5.8 1.3 2.7 3.2	29.3 40.7 16.8 9.2	40.1 43.5 21.7 13.6 47.3 29.5	82.8 74.2 77.7 94.3 84.7 87.5	94.4 87.5 96.0 98.6 98.3 97.7	87.7 72.7 88.5 97.2 92.5 95.3	29.0 35.2 47.8 51.5	stance, average age when 11.58 11.93	14

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:

Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

LEWIS COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 14 FIPS COUNTY CODE 111 CENSUS 2010 10,211 2011 POP. ESTIMATE 10,155

2011 POPULATION PROFILE BY AGE GROUP 500 400 300 200 100

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	116	117	108
Mother Reported Drinking while Pregnant ¹		1	1
Mother Reported Smoking while Pregnant	29	23	15
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	110	83	86
Suicides	0	0	0
Self-inflicted Injuries	2	5	8
Homicides	0	2	0
Assault Injuries	2	5	6
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	2	0	0
Smoking Induced Deaths	22	13	15
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	23	54	43
Direct Hospitalizations	6	18	12
Emergency Room Hospitalizations	7	36	24
Emergency Room Outpatient	10	0	7
Drug RelatedTotal	13	27	28
Direct Hospitalizations	4	5	11
Emergency Room Hospitalizations	3	20	15
Emergency Room Outpatient	6	2	2
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	5	9	6
Fatal Crashes	1	2	0
Injury Crashes	3	3	1
Property Damage Crashes	1	4	5
Crash Fatalities	1	2	0
Crash Injuries	4	3	1
Drug Involved CrashesTotal	0	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	0
EMPLOYMENT	2011	2010	2009
Labor Force	5,627	5,424	5,532
Employed	5,264	4,965	5,078
Unemployed	363	459	454
Unemployment Rate	6.5%	8.5%	8.2%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	12	13	15
Alcohol Package Carry-out Licenses	10	10	14

■ Female	* લિંલ ■Male	<i>ઇર</i> ઇ	& & "
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	474	475	454
Drop-outs	8	9	23
Drop-out Rate	1.7%	1.9%	5.1%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	8
Drug Incidents	3	0	7
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	54	55	106
Liquor Law Arrests	40	42	72
Drug Arrests	26	39	39
Methamphetamine Lab Incidents	4	10	6
Violent Offenses	10	13	19
Property Offenses	149	135	171
Domestic Violence Reports	44	54	69
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	27	26	75
Violent Offenses	1	8	20
Alcohol Offenses	4	4	7
Drug Offenses	3	3	4
Status OffensesTotal	177	215	148
Truancy	39	25	27
Beyond Parental Control	13	30	32
Habitually Absent from Home	0	3	6
Injurious Behavior	101	87	43
Abuse/Neglect/CustodyTotal	46	19	14
Abuse	5	1	2
Neglect	41	14	12
Custody Disputes	0	4	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	21	18	9
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	9	2	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	12	16	8
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	10	14	11
Probation/Parole AdmissionsTotal	54	56	69
Probation/Parole AdmissionsDrug	14	27	23
Probation/Parole AdmissionsDWI	6	2	8
Prison AdmissionsTotal	29	23	29
Prison AdmissionsDrug	8	5	10

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

LEWIS COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	5	9
CSTAR Women and Children	*	*	*
CSTAR General Adult	8	13	10
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	9	7	*
Primary Recovery Treatment	36	39	49
Clinical SATOP (CIP, YCIP, SROP)	8	12	14
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	37	56	80
- Adolescent Diversion Education Program	*	9	5
- Offender Education Program	7	13	22
- Weekend Intervention Program	10	13	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	*	*	*
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	45	54	63	Never Married	36	35	46
Female	10	9	17	Married / Cohabitating	10	21	16
· Sinalo	10	J	.,	Previously Married	9	7	18
AGE				•	Ü	•	10
Under 18	*	*	11	PRIMARY DRUG PROBLEM			
18 to 24	18	21	20	Alcohol	28	37	45
25 to 29	12	9	9	Marijuana / Hashish	16	18	26
30 to 34	10	7	8	Cocaine (total)	0	0	*
35 to 39	*	*	6	- Crack	0	0	0
40 to 44	*	7	6	Stimulant (total)	*	*	5
45 to 54	6	9	14	- Methamphetamine	*	*	*
55 and Over	*	*	6	Heroin	0	*	*
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	51	59	75	- Non-Prescription Methadone	0	0	0
African American	*	*	*	PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan	0	0	0	Tranquilizer	0	*	0
Asian / Pacific Islander	0	*	0	Inhalant	0	0	0
Hispanic	*	0	0	Sedative	*	0	0
Other Race / Two or More Races	0	0	*	Other Medication or Illicit Drug	*	0	0
Other Nace / Two or More Naces	U	U		Average Age at First Use of Drug	16.5	15.9	16.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	15	21	36	Any Injection Use at Admission	*	*	*
High School Graduate or G.E.D.	34	32	36	- Daily Injection Use	*	*	0
Associate Degree or Some College	6	9	8	- Weekly Injection Use	0	0	0
Bachelor or Advanced Degree	0	*	0	- Less than Weekly Injection Use	0	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	24	26	40	Self / Family / Friend	10	11	5
Unemployed	23	25	16	School	0	0	0
Not in Labor Force	8	12	24	Mental Health Provider	0	0	0
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	39	46	65
Independent Living	51	56	66	Other Referral Source	5	5	8
Dependent Living	*	*	13	005044 00044 474040			
Homeless	0	*	0	SPECIAL POPULATIONS		•	_
LIFETIME DUI / DIAM ADDECTO				Pregnant when Admitted to any Episode	*	0	0
LIFETIME DUI / DWI ARRESTS		00	0.4	Military Veteran	*	7	7
0	25	32	34	Special Education Services Needed		6	16
1 or 2	18	19	24	Co-Occurring Psychological Problem	16	18	11
3 or More	12	12	22	Co-Occurring Developmental Problem	5	5	*

LEWIS COUNTY



disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 **Anxiety Disorder** 12 13 12 Dementia 0 0 **Developmental Disorder** 0 Impulse Control Disorder 13 13 16 **Mood Disorder** 46 45 41 Personality Disorder 0 0 **Psychotic Disorder** 8 7 7 Sexual Disorder 0 0 0 Other Diagnosis 5

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	64	75	80	Hearing Impaired	0	0	0
Male	22	32	38	Past or Current Military Service	*	*	*
Female	42	43	42				
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	26	20	15
Under 6	0	*	0	Dependent Living	*	8	*
6 to 9	*	6	5	Homeless	0	0	0
10 to 13	6	6	10	Other	*	*	0
14 to 17	12	9	12	Housing Unknown	35	46	61
18 to 24	*	8	7	EMPLOYMENT			
25 to 29	6	6	6	Employed	*	*	*
30 to 34	*	5	*	Unemployed	27	19	14
35 to 39	7	7	8	Not in Labor Force	0	0	0
40 to 44	*	*	5	Employment Status Unknown	35	53	63
45 to 49	5	6	*				-
50 to 54	9	9	11	ARRESTS			
55 to 59	*	5	*	Arrested in Past 12 Months	*	*	*
60 and Over	*	*	5	Not Arrested in Past 12 Months	26	25	15
			•	Arrest Status Unknown	35	46	61
RACE / ETHNICITY							
Caucasian	59	70	75	TREATMENT REFERRAL SOURCE			
African American	*	*	*	Self / Family / Friend	12	14	19
Native American / Alaskan	0	0	0	School	*	*	*
Asian / Pacific Islander	0	0	0	Mental Health Provider			
Hispanic	0	0	*	Health Care Provider	8	5	7
Other Race	*	*	0	Court / Criminal Justice			5
Race/Ethnicity Unknown	0	0	0	Other	39	47	42
				Referral Source Unknown	*	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	10	5	8	Voluntary	61	70	74
High School Grad or G.E.D.	12	11	5	Civil	*	*	*
A.A. Degree or Some College	6	6	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	35	53	63	Commitment Type Unknown	*	*	*

17

10

LEWIS COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)		UICIDE				40		(%)
Percent of students who, in the past 30 days:				Percent of students who, in the past 12 months:						10.8
Were very sad						Seriously considered attempting suicide				
Were grouchy, irritable, or in a bad mood		20.4		Made a plan about how they would attempt suicide						8.4
Felt hopeless about the future		7.8		Attempted suicide						6.5
Felt like not eating or eating more than usual		13.9				tempt tna doctor or		in injury o	r overdose that had to	1.2
Slept a lot more or a lot less than usual		13.9		be t	realed by	doctor or	iiuise			
Had difficulty concentrating on school work		20.5	R	FRFI I I	OUSNES	S				
FIGHTING						ts who ag	ree that:			
Percent of students who, in the past 12 months:						s that get		av		25.7
Were in a physical fight		21.1						-	ake people mad	10.8
Were in a fight and had to be treated by a doctor or nurse		6.6		-			-	permissio		4.8
Were threatened or injured with a weapon on school proper	tv	9.6			-	okay to ch	-	-		20.4
Trois an outside of injured that a troupon on concorptopor	9	0.0				-		start a fight	†	45.8
BULLYING VICTIM				11 15 010	., 10 Dou	. up poop.	o	narr a rigini	•	10.0
Percent of students who, in the past 3 months:			S	CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		20.4				-		he followin	-	
Were victims of mean rumors or lies spread at school		52.7		Teache	ers notice	and com	nent on s	tudent's go	ood work	62.0
Had embarrassing or hurtful pictures/text of them posted on	internet	15.0		School	provides	feedback	to paren	ts on positi	ive student performance	22.9
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	19.2		Teache	ers praise	student f	or hard w	ork		42.5
Were made fun of by others		60.5		Rules a	are enforc	ced fairly				39.2
				Studen	ts of all ra	aces and	ethnicities	s are treate	ed equally	76.6
BULLYING PERPRETRATOR Percent of students who in the past 2 months:			_							
Percent of students who, in the past 3 months: Shoved, slapped, hit, or kicked a student in a serious manner.	or.	111			RELATIC of ctudon		roo with t	ha fallawin		
•	31	14.4	Percent of students who agree with the following: Parents notice and comment on student's good work							02.4
Spread mean rumors or lies about other kids at school		33.1	Parents involve student in making family decisions							83.1 68.5
Posted on internet embarrassing or hurtful pictures/text of s		6.0		It is important to be honest with parents regardless of consequences						
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	9.6		It is imi	ortant to	be nones	t with bai	enis regar	diess of consequences	83.2
Made for of other needs		60.7						_	•	745
Made fun of other people		60.7						_	onal problem	74.5
Made fun of other people SUBSTANCE USE AND BELIEFS		60.7						_	•	74.5
	€		# ≨	Studen	t could as	sk parent	or help w	vith a perso	onal problem	74.5
SUBSTANCE USE AND BELIEFS	Who		Whos the pa	Studen	t could as	sk parent	or help w	vith a perso	onal problem	74.5
SUBSTANCE USE AND BELIEFS	Who have		Whose cl	Studen	t could as	sk parent	or help w	vith a perso	onal problem	74.5
SUBSTANCE USE AND BELIEFS	Who have ev		Whose close the past 12 n	Studen	t could as	sk parent	or help w	vith a perso	onal problem	74.5
SUBSTANCE USE AND BELIEFS	Who have ever u		Whose closest fr the past 12 mont	Studen	t could as	sk parent	or help w	vith a perso	onal problem	74.5
SUBSTANCE USE AND BELIEFS	Who have ever used		Whose closest friend the past 12 months	Studen	t could as	sk parent	or help w	vith a perso	onal problem	74.5
SUBSTANCE USE AND BELIEFS	Who have ever used sul		Whose closest friends h the past 12 months	Studen	t could as	sk parent	or help w	vith a perso	onal problem	74.5
SUBSTANCE USE AND BELIEFS	Who have ever used substa		Whose closest friends have the past 12 months	Studen	t could as	sk parent	or help w	vith a perso	onal problem	74.5
SUBSTANCE USE AND BELIEFS	Who have ever used substance		Whose closest friends have use the past 12 months	Studen	t could as	sk parent	or help w	vith a perso	onal problem	74.5
SUBSTANCE USE AND BELIEFS	Who have ever used substance		ds have used		t could as	Who say parents would disappro		would be caught by police for us	Among students who have ever used substance, average age with first used	74.5
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:		Who have used in the past 30 days	₹.	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	74.5
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes	18.6	Who have used in the past 30 days 8.3		Studen	t could as	Who say parents would disappro	Who feel it would be wrong to us	would be caught by police for us	Among students who have ever used substance, average age with first used	74.5
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	18.6 11.4	Who have used in the past 30 days 8.3 5.4	40.4	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	would be caught by police for using 22.8	Among students who have ever used substance, average age when 13.58	74.5
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	18.6	Who have used in the past 30 days 8.3 5.4 13.8	₹.	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	74.5
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	18.6 11.4 38.3	Who have used in the past 30 days 8.3 5.4 13.8 6.0	40.4	Who say it would be easy to get 50.0	t could as themselves if they use 78.3	Who say parents would disapprove if 93.3	Who feel it would be wrong to use 84.2	would be caught by police for using 25.3	Among students who have ever used substance, average age when 13.58	74.5
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	18.6 11.4 38.3	Who have used in the past 30 days 8.3 5.4 13.8 6.0 3.0	40.4	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	would be caught by police for using 22.8	Among students who have ever used substance, average age when 13.58	74.5
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	18.6 11.4 38.3	Who have used in the past 30 days 8.3 5.4 13.8 6.0	40.4 49.7 26.3	Who say it would be easy to get 50.0 54.2	t could as themselves if they risk harming 78.3 72.9	Who say parents would disapprove if 93.3	Who feel it would be wrong to use 84.2	would be caught by police for using 22.8 25.3	Among students who have ever used substance, average age when 13.58	74.5
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	18.6 11.4 38.3	Who have used in the past 30 days 8.3 5.4 13.8 6.0 1.8	40.4	Who say it would be easy to get 50.0 54.2 25.6 15.1	t could as themselves if they use 78.3 72.9 82.4 92.7	Who say parents would disapprove if 93.3 79.1 96.4 97.6	Who feel it would be wrong to use 84.2 60.0 88.6 96.4	would be caught by police for using 25.3	Among students who have ever used substance, average age when 13.58	74.5
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	18.6 11.4 38.3 7.2 3.6	Who have used in the past 30 days 8.3 5.4 13.8 6.0 1.8	40.4 49.7 26.3	Who say it would be easy to get 50.0 54.2 25.6 15.1 51.2	t could as themselves if they use 78.3 72.9 82.4 92.7 86.1	who say parents would disapprove if 93.3 79.1 96.4 97.6 96.9	Who feel it would be wrong to use 84.2 60.0 88.6 96.4 92.2	would be caught by police for using 22.8 25.3	Among students who have ever used substance, average age when 13.58	74.5
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	18.6 11.4 38.3 7.2 3.6	Who have used in the past 30 days 8.3 5.4 13.8 6.0 1.8	40.4 49.7 26.3	Who say it would be easy to get 50.0 54.2 25.6 15.1	t could as themselves if they use 78.3 72.9 82.4 92.7	Who say parents would disapprove if 93.3 79.1 96.4 97.6	Who feel it would be wrong to use 84.2 60.0 88.6 96.4	would be caught by police for using 22.8 25.3	Among students who have ever used substance, average age when 13.58	74.5
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	18.6 11.4 38.3 7.2 3.6	Who have used in the past 30 days 8.3 5.4 13.8 6.0 1.8	40.4 49.7 26.3	Who say it would be easy to get 50.0 54.2 25.6 15.1 51.2	t could as themselves if they use 78.3 72.9 82.4 92.7 86.1	who say parents would disapprove if 93.3 79.1 96.4 97.6 96.9	Who feel it would be wrong to use 84.2 60.0 88.6 96.4 92.2	would be caught by police for using 22.8 25.3	Among students who have ever used substance, average age when 13.58	74.5
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	18.6 11.4 38.3 7.2 3.6 6.0 6.0	Who have used in the past 30 days 8.3 5.4 13.8 6.0 1.8	40.4 49.7 26.3	Who say it would be easy to get 50.0 54.2 25.6 15.1 51.2	t could as themselves if they use 78.3 72.9 82.4 92.7 86.1	who say parents would disapprove if 93.3 79.1 96.4 97.6 96.9	Who feel it would be wrong to use 84.2 60.0 88.6 96.4 92.2	would be caught by police for using 22.8 25.3	Among students who have ever used substance, average age when 13.58	74.5
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	18.6 11.4 38.3 7.2 3.6 6.0 6.0	Who have used in the past 30 days 8.3 5.4 13.8 6.0 1.8	40.4 49.7 26.3	Who say it would be easy to get 50.0 54.2 25.6 15.1 51.2	t could as themselves if they use 78.3 72.9 82.4 92.7 86.1	who say parents would disapprove if 93.3 79.1 96.4 97.6 96.9	Who feel it would be wrong to use 84.2 60.0 88.6 96.4 92.2	would be caught by police for using 22.8 25.3	Among students who have ever used substance, average age when 13.58	74.5

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofle, or Special K

Synthetic drugs such as K2, bath salts, Spice Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

0.6


4.2

LINCOLN COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE

Eastern 16 113 52,566 53,076



DIDTU DIOK FACTORS	2040	2000	2000
BIRTH RISK FACTORS Resident BirthsTotal	2010 731	2009 806	2008 796
Mother Reported Drinking while Pregnant ¹	731	2	
Mother Reported Smoking while Pregnant	181	163	5 162
Mother Reported Officially write i regularit	101	103	102
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	2
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	411	370	430
Suicides	16	3	5
Self-inflicted Injuries	84	54	81
Homicides	3	1	0
Assault Injuries	190	219	187
Alcohol Induced Deaths	2	2	1
Drug Induced Deaths	10	9	6
Smoking Induced Deaths	77	69	81
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	620	636	592
Direct Hospitalizations	207	148	111
Emergency Room Hospitalizations	122	190	213
Emergency Room Outpatient	291	298	268
Drug RelatedTotal	731	522	430
Direct Hospitalizations	245	181	148
Emergency Room Hospitalizations	183	146	146
Emergency Room Outpatient	303	195	136
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	33	59	60
Fatal Crashes	2	2	2
Injury Crashes	10	34	31
Property Damage Crashes	21	23	27
Crash Fatalities	4	2	2
Crash Injuries	14	38	42
Drug Involved CrashesTotal	9	7	7
Fatal Crashes	0	0	0
Injury Crashes	5	4	3
Property Damage Crashes	4	3	4
Crash Fatalities	0	0	0
Crash Injuries	5	4	3
EMPLOYMENT	2011	2010	2009
Labor Force	27,221	27,151	27,276
Employed	24,453	24,018	24,030
Unemployed	2,768	3,133	3,246
Unemployment Rate	10.2%	11.5%	11.9%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	47	48	51
Alcohol Package Carry-out Licenses	37	41	41

■ Female ■ Male					
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009		
Enrollment Grades 9-12	2,838	2,838	2,785		
Drop-outs	64	82	126		
Drop-out Rate	2.3%	2.9%	4.5%		
School Suspensions, 10 or More Days					
Alcohol Incidents	2	19	12		
Drug Incidents	74	48	44		
Tobacco Incidents	0	1	2		
POLICE REPORTS	2010	2009	2008		
DUI Arrests, DWI Tracking System	251	209	289		
Liquor Law Arrests	80	42	53		
Drug Arrests	373	477	386		
Methamphetamine Lab Incidents	20	37	70		
Violent Offenses	139	83	108		
Property Offenses	714	649	842		
Domestic Violence Reports	222	265	332		
JUVENILE COURT REFERRALS	2010	2009	2008		
Law Violation OffensesTotal	266	252	266		
Violent Offenses	65	88	55		
Alcohol Offenses	19	8	13		
Drug Offenses	23	16	10		
Status OffensesTotal	281	364	421		
Truancy	137	246	319		
Beyond Parental Control	21	16	7		
Habitually Absent from Home	38	49	48		
Injurious Behavior	85	53	47		
Abuse/Neglect/CustodyTotal	149	312	468		
Abuse	11	12	15		
Neglect	133	298	443		
Custody Disputes	5	2	10		
JUVENILE COURT PLACEMENTS	2010	2009	2008		
Out-of-Home PlacementsTotal	41	70	36		
Parental Alcohol Use Related	1	1	0		
Parental Drug Use Related	5	16	5		
Parental Alcohol and Drug Use	0	1	1		
Child Removed for Other Reason	35	52	30		
CRIMINAL JUSTICE	FY2011	FY2010	FY2009		
Drug Court Participants	72	63	84		
Probation/Parole AdmissionsTotal	456	383	400		
Probation/Parole AdmissionsDrug	164	142	139		
Probation/Parole AdmissionsDWI	42	22	28		
Prison AdmissionsTotal	157	173	196		
Prison AdmissionsDrug	65	78	77		
Prison AdmissionsDWI	11	14	16		
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed		

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

LINCOLN COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	44	27	28
CSTAR Women and Children	48	61	58
CSTAR General Adult	75	12	*
CSTAR Opioid	*	5	*
Primary Recovery Detoxification	33	24	31
Primary Recovery Treatment	159	249	224
Clinical SATOP (CIP, YCIP, SROP)	53	87	62
Other Substance Abuse Treatment	*	0	9

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	235	299	322
- Adolescent Diversion Education Program	*	*	20
- Offender Education Program	71	86	96
- Weekend Intervention Program	46	54	72
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	7	6	5
- Compulsive Gambling	*	*	*
- Recovery Supports	*	10	11
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	239	291	253	Never Married	214	229	209
Female	123	121	112	Married / Cohabitating	79	97	71
	120	121	112	Previously Married	69	86	85
AGE				•	00	00	00
Under 18	44	25	25	PRIMARY DRUG PROBLEM			
18 to 24	79	106	85	Alcohol	143	203	176
25 to 29	71	70	63	Marijuana / Hashish	113	112	96
30 to 34	60	62	47	Cocaine (total)	11	15	14
35 to 39	32	40	40	- Crack	9	11	8
40 to 44	28	38	46	Stimulant (total)	21	26	23
45 to 54	35	53	50	- Methamphetamine	19	22	21
55 and Over	13	18	9	Heroin	56	46	44
RACE / ETHNICITY				Analgesic except Heroin	13	6	6
Caucasian	328	381	337	- Non-Prescription Methadone	0	0	0
African American	17	21	20	PCP, LSD, other Hallucinogen	*	*	0
Native American / Alaskan	0	0	0	Tranquilizer	*	*	5
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	7	*	8	Sedative	0	*	0
Other Race / Two or More Races	11	8	5	Other Medication or Illicit Drug	0	*	*
Other Race / Two of More Races	11	0	5	Average Age at First Use of Drug	16.9	16.8	16.5
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	171	172	154	Any Injection Use at Admission	52	44	41
High School Graduate or G.E.D.	150	183	158	- Daily Injection Use	17	14	14
Associate Degree or Some College	36	53	44	- Weekly Injection Use	11	9	*
Bachelor or Advanced Degree	5	*	9	- Less than Weekly Injection Use	24	21	23
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	109	125	88	Self / Family / Friend	44	71	70
Unemployed	155	192	180	School	18	0	*
Not in Labor Force	98	95	97	Mental Health Provider	*	*	5
				Health Care Provider	6	10	*
LIVING ARRANGEMENT				Court / Criminal Justice	238	295	265
Independent Living	294	365	296	Other Referral Source	53	34	22
Dependent Living	57	34	31	005044 00044 474040			
Homeless	7	*	10	SPECIAL POPULATIONS	_	_	
LIFETIME DUI / DIA" A DOCOTO				Pregnant when Admitted to any Episode	8	7	^
LIFETIME DUI / DWI ARRESTS	004	045	470	Military Veteran	7	10	9
0	201	215	178	Special Education Services Needed	57	37	30
1 or 2	115	132	127	Co-Occurring Psychological Problem	158	119	97
3 or More	46	65	60	Co-Occurring Developmental Problem	11	17	7

LINCOLN COUNTY



ADA/CPS REGION Eastern
CPS SERVICE AREA 16
CENSUS 2010 52,566
2011 POP. ESTIMATE 53,076

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 22 26 18 **Anxiety Disorder** 259 205 346 Dementia **Developmental Disorder** 28 25 16 Impulse Control Disorder 193 158 139 **Mood Disorder** 471 369 613 Personality Disorder 101 122 89 **Psychotic Disorder** 168 156 142 Sexual Disorder Other Diagnosis 57 48 61 Diagnosis Unknown 87 71 67

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	908	743	658	Hearing Impaired	11	8	10
Male	458	397	344	Past or Current Military Service	16	18	22
Female	450	346	314	HOUSING / LIVING ARRANGEMENT			
				Independent Living	392	237	189
AGE				Dependent Living	54	120	66
Under 6	15	7	7	Homeless	*	*	*
6 to 9	51	37	37	Other	*	6	5
10 to 13	89	74	58	Housing Unknown	456	378	395
14 to 17	111	102	82	riodaling officiowin	430	370	393
18 to 24	94	66	50	EMPLOYMENT			
25 to 29	72	57	48	Employed	56	40	31
30 to 34	65	38	39	Unemployed	354	221	182
35 to 39	63	68	55	Not in Labor Force	40	23	13
40 to 44	88	61	58	Employment Status Unknown	458	459	432
45 to 49	92	89	83	4.005070			
50 to 54	76	63	61	ARRESTS	400	00	7.5
55 to 59	43	39	38	Arrested in Past 12 Months	100	69	75
60 and Over	49	42	42	Not Arrested in Past 12 Months	351	298	188
				Arrest Status Unknown	457	376	395
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	823	666	592	Self / Family / Friend	121	128	109
African American	43	47	38	School	79	80	89
Native American / Alaskan	5	5	6	Mental Health Provider	79 87		
Asian / Pacific Islander	0	0	0	Health Care Provider	_	108	100
Hispanic	10	8	5	Court / Criminal Justice	71 28	61	49
Other Race	27	17	17			33	33
Race/Ethnicity Unknown	0	0	0	Other	518	329	273
				Referral Source Unknown	Î	•	5
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	169	111	83	Voluntary	890	716	638
High School Grad or G.E.D.	183	120	94	Civil	9	18	13
A.A. Degree or Some College	88	51	44	Criminal	5	5	*
Bachelor or Advanced Degree	13	5	5	Sexual Predatory	0	0	0
Education Level Unknown	455	456	432	Commitment Type Unknown	*	*	5

LINCOLN COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	5	SUICIDE Percent (of studen	's who. in	the past	12 months	:	(%)
Were very sad				Percent of students who, in the past 12 months: Seriously considered attempting suicide						10.4
Were grouchy, irritable, or in a bad mood		20.0 25.1		Made a plan about how they would attempt suicide						6.0
Felt hopeless about the future		14.6		Attempted suicide						4.6
Felt like not eating or eating more than usual		19.9					resulted	in injury o	r overdose that had to	1.4
Slept a lot more or a lot less than usual		21.6				doctor or		• • •		
Had difficulty concentrating on school work		22.0								
,			F	REBELLIC						
FIGHTING						's who agi				00.0
Percent of students who, in the past 12 months:		40.0				s that get		-		20.0
Were in a physical fight		19.0		•			-		nake people mad	18.2
Were in a fight and had to be treated by a doctor or nurse		1.8			•		_	permissio	n	6.1
Were threatened or injured with a weapon on school property	ty	5.2				kay to ch				23.3
BULLYING VICTIM				IT IS OK	ay to beat	up people	e ir tney s	start a fight		55.5
Percent of students who, in the past 3 months:				CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		20.4					ee with t	he followin	ıg:	
Were victims of mean rumors or lies spread at school		48.3						tudent's go		64.3
Had embarrassing or hurtful pictures/text of them posted on	internet	15.8		School	provides	feedback	to parent	ts on positi	ive student performance	31.0
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	17.7		Teache	rs praise	student fo	r hard w	ork		54.7
Were made fun of by others		57.2		Rules a	re enforc	ed fairly				58.8
•				Studen	ts of all ra	ices and e	thnicities	s are treate	ed equally	71.7
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:	_	45.0		PARENT				h a fallanda		
Shoved, slapped, hit, or kicked a student in a serious manner	er .	15.8 27.3				-		he followin	-	90.0
Spread mean rumors or lies about other kids at school				Parents notice and comment on student's good work Parents involve student in making family decisions						80.0 64.9
Posted on internet embarrassing or hurtful pictures/text of someone			Parents involve student in making family decisions It is important to be honest with parents regardless of consequences						86.3	
Sent by cell phone embarrassing or hurtful pictures/text of someone Made fun of other people				Student could ask parent for help with a personal problem						74.7
wade full of other people		64.8		Sidueii	t coulu as	k parent i	oi iieip w	nui a persu	mai probl e m	74.7
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	8	€	‡ ≤	€	# ≤	‡ ≤	€	§ §	ff us ≥	
	<u>7</u>	ᅙ	nose par	S 0L	g or	no s	5	를 걸	Among st used sub first used	
	Who have ever used substance	Who have used in the past 30 da	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wh	
	eve	use	ses 2 ma	Wo	ve #	are	₩ 	kids	lden tanc	
	S.	<u>5</u>	₩ #	튭	E e	nts I	듄	<u> </u>	ë, a	
	ĕ	₹	s ands	be e	ns risk	<u>S</u>	be	their by po	vho	
	subs	pa	ha	as)	ੰ ਡੂ	<u>ld</u> d	MO	olice	hav	
	stan	왕	e ∟	8		isa	ğ	of igh	e ex	
	8	da	Ised	get	9	pro	<u>s</u>	rs. or	ver ver	
		S	≡.			ve ≡	O	ja g	e	
Cigarettes	29.2	10.4	44.7	60.2	80.3	88.9	79.8	14.1	12.44	
Chewing Tobacco	14.8	8.3								
Alcohol	51.2	22.7	63.4	64.4	67.8	70.1	53.1	18.6	12.64	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		14.2								
Marijuana	17.2	6.7	40.4	37.7	71.3	93.3	78.9	30.6	13.86	
Inhalants	3.7	1.2							12.72	
Illicit drugs such as cocaine, LSD, meth, club drugs			15.3	14.1	93.6	98.8	96.1	40.6		
Over-the-counter medications for non-medical use	7.2	3.3		55.7	80.2	95.8	87.9			
Prescription drugs not prescribed for student	8.8	3.8		31.3	87.8	95.3	90.5			
Heroin	0.4									
Cocaine	1.4									
Methamphetamine	1.2									
Hallucinogens	2.6									
Club drugs such as ecstasy, GHB, roofle, or Special K	1.9	_								
Synthatic drugs such as K2, hath salts, Spica	6.8	D:	ara are w	eighted in	compari	con to cou	nty nonu	intion actir	mates for age groups 10-	/

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.


Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

6.8

LINN COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 13 115 12,761 12,566



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	125	159	154
Mother Reported Drinking while Pregnant ¹		1	1
Mother Reported Smoking while Pregnant	29	43	50
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	0	1
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	167	176	183
Suicides	1	2	4
Self-inflicted Injuries	19	8	11
Homicides	0	0	0
Assault Injuries	45	25	22
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	1	0	0
Smoking Induced Deaths	40	38	33
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	98	92	75
Direct Hospitalizations	40	40	43
Emergency Room Hospitalizations	14	14	12
Emergency Room Outpatient	44	38	20
Drug RelatedTotal	102	51	65
Direct Hospitalizations	41	21	27
Emergency Room Hospitalizations	15	10	15
Emergency Room Outpatient	46	20	23
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	13	13	15
Fatal Crashes	0	1	1
Injury Crashes	5	7	6
Property Damage Crashes	8	5	8
Crash Fatalities	0	1	1
Crash Injuries	11	7	7
Drug Involved CrashesTotal	2	0	1
Fatal Crashes	0	0	0
Injury Crashes	2	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	3	0	2
EMPLOYMENT	2011	2010	2009
Labor Force	5,867	6,024	6,619
Employed	5,232	5,353	5,982
Unemployed	635	671	637
Unemployment Rate	10.8%	11.1%	9.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	18	20	23
Alcohol Package Carry-out Licenses	16	13	13
- ·			. •

■ Female ■ Male						
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009			
Enrollment Grades 9-12	738	767	798			
Drop-outs	14	9	21			
Drop-out Rate	1.9%	1.2%	2.6%			
School Suspensions, 10 or More Days						
Alcohol Incidents	0	0	0			
Drug Incidents	3	7	0			
Tobacco Incidents	0	0	0			
POLICE REPORTS	2010	2009	2008			
DUI Arrests, DWI Tracking System	77	50	60			
Liquor Law Arrests	32	25	33			
Drug Arrests	35	33	20			
Methamphetamine Lab Incidents	0	1	0			
Violent Offenses	22	23	30			
Property Offenses	238	220	194			
Domestic Violence Reports	163	116	93			
JUVENILE COURT REFERRALS	2010	2009	2008			
Law Violation OffensesTotal	50	55	52			
Violent Offenses	15	16	14			
Alcohol Offenses	15	4	7			
Drug Offenses	8	8	6			
Status OffensesTotal	120	170	270			
Truancy	78	135	243			
Beyond Parental Control	14	11	3			
Habitually Absent from Home	0	2	0			
Injurious Behavior	28	22	24			
Abuse/Neglect/CustodyTotal	35	20	23			
Abuse	2	2	6			
Neglect	33	18	17			
Custody Disputes	0	0	0			
JUVENILE COURT PLACEMENTS	2010	2009	2008			
Out-of-Home PlacementsTotal	21	16	18			
Parental Alcohol Use Related	0	0	0			
Parental Drug Use Related	1	0	2			
Parental Alcohol and Drug Use	1	0	0			
Child Removed for Other Reason	19	16	16			
CRIMINAL JUSTICE	FY2011	FY2010	FY2009			
Drug Court Participants	42	35	32			
Probation/Parole AdmissionsTotal	64	53	85			
Probation/Parole AdmissionsDrug	20	19	25			
Probation/Parole AdmissionsDWI	4	0	3			
Prison AdmissionsTotal	44	37	41			
Prison AdmissionsDrug	19	13	13			
Prison AdmissionsDWI	2	0	0			
* An asterisk in a data cell indicates the co		-				
* All asielisk ill a data cell illulcates the co	Julii was iewei i	illaii o anu su	phiessen			

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	6	11
CSTAR Women and Children	*	*	*
CSTAR General Adult	76	25	33
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	8	10	5
Primary Recovery Treatment	23	69	70
Clinical SATOP (CIP, YCIP, SROP)	8	*	5
Other Substance Abuse Treatment	*	0	9

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	49	45	45
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	24	14	19
- Weekend Intervention Program	8	16	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	5	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	11	6
- Early Intervention	7	5	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	69	58	72	Never Married	57	49	66
Female	28	40	43	Married / Cohabitating	22	31	33
	20	.0	10	Previously Married	18	18	16
AGE				•	10	10	
Under 18	6	6	12	PRIMARY DRUG PROBLEM			
18 to 24	22	18	27	Alcohol	37	38	53
25 to 29	20	22	25	Marijuana / Hashish	36	37	34
30 to 34	14	15	11	Cocaine (total)	0	*	5
35 to 39	9	10	14	- Crack	0	*	*
40 to 44	15	9	6	Stimulant (total)	12	15	11
45 to 54	9	15	15	- Methamphetamine	10	14	11
55 and Over	*	*	5	Heroin	0	*	*
RACE / ETHNICITY				Analgesic except Heroin	9	*	5
Caucasian	89	87	105	- Non-Prescription Methadone	0	*	0
African American	*	7	7	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	*	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	*
Hispanic	*	*	*	Sedative	0	0	0
Other Race / Two or More Races	*	*	*	Other Medication or Illicit Drug	*	0	*
Other Race / Two or More Races				Average Age at First Use of Drug	17.0	16.0	14.9
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	39	30	52	Any Injection Use at Admission	*	*	9
High School Graduate or G.E.D.	41	55	52	- Daily Injection Use	*	0	0
Associate Degree or Some College	16	13	8	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	0	*	- Less than Weekly Injection Use	*	*	6
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	32	30	35	Self / Family / Friend	29	25	18
Unemployed	39	39	51	School	*	0	*
Not in Labor Force	26	29	29	Mental Health Provider	0	*	*
				Health Care Provider	6	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	52	58	82
Independent Living	82	88	97	Other Referral Source	9	12	12
Dependent Living	7	9	16	ODEOLAL DODUKATIONS			
Homeless	*	0	0	SPECIAL POPULATIONS	0	*	-
LIFETIME DI II / DIVIJ ARRESTO				Pregnant when Admitted to any Episode	0		5
LIFETIME DUI / DWI ARRESTS 0	60	E 4	60	Military Veteran		7	
	63	54	68	Special Education Services Needed	15	5	12
1 or 2	24	20	33	Co-Occurring Psychological Problem	23	24	29
3 or More	10	24	14	Co-Occurring Developmental Problem	*	*	^

LINN COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 13
CENSUS 2010 12,761
2011 POP. ESTIMATE 12,566

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 8 14 11 **Anxiety Disorder** 98 99 92 Dementia 0 0 0 **Developmental Disorder** 7 9 9 Impulse Control Disorder 43 33 37 **Mood Disorder** 153 138 149 Personality Disorder 13 18 15 **Psychotic Disorder** 22 11 16

0

24

0

25

22

0

26

21

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	207	226	225	Hearing Impaired	5	*	*
Male	90	86	87	Past or Current Military Service	*	*	7
Female	117	140	138	r act of Current Williamy Colvido			,
I omalo	117	140	130	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	62	47	28
Under 6	0	0	*	Dependent Living	*	25	10
	0	0		Homeless	*	0	*
6 to 9	11	18	11	Other	0	*	0
10 to 13	22	20	24	Housing Unknown	143	152	186
14 to 17	18	19	24				
18 to 24	21	23	23	EMPLOYMENT			
25 to 29	19	26	22	Employed	9	5	*
30 to 34	14	21	19	Unemployed	54	38	24
35 to 39	22	20	20	Not in Labor Force	*	*	*
40 to 44	28	19	20	Employment Status Unknown	143	179	196
45 to 49	9	15	14	ARRESTS			
50 to 54	20	20	20	Arrested in Past 12 Months	12	7	*
55 to 59	10	12	13	Not Arrested in Past 12 Months	52	67	37
60 and Over	13	13	14	Arrest Status Unknown	143	152	186
				Arrest Status Offichowif	143	152	100
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	202	216	214	Self / Family / Friend	81	104	00
African American	*	5	6	School	0 I *	104	90
Native American / Alaskan	0	0	0				
Asian / Pacific Islander	0	0	0	Mental Health Provider	34	33	38
Hispanic	*	*	*	Health Care Provider	37	33	40
Other Race	*	*	*	Court / Criminal Justice	21	18	21
Race/Ethnicity Unknown	0	0	0	Other	31	37	31
•				Referral Source Unknown	0	0	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	21	6	10	Voluntary	202	222	212
High School Grad or G.E.D.	32	31	15	Civil	*	0	7
A.A. Degree or Some College	8	8	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	0	0	0
Education Level Unknown	143	179	196	Commitment Type Unknown	0	0	*
		-		**	-	_	

LINN COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Percent	nf studen	tewho in	tha nact	12 months	··	(%)
Were very sad		20.2				ered atter	-		•	13.2
Were grouchy, irritable, or in a bad mood		23.2			•			attempt su	ileido	10.3
		10.3			•		ey would	attempt St	uicide	5.9
Felt hopeless about the future			•					r avardosa that had to	5.9 2.5	
Felt like not eating or eating more than usual		18.3							2.5	
Slept a lot more or a lot less than usual		17.3	•							
Had difficulty concentrating on school work		19.6	19.6 REBELLIOUSNESS							
FIGHTING						ts who agi	ree that:			
Percent of students who, in the past 12 months:						s that get		av		23.6
Were in a physical fight		20.7							ake people mad	16.7
Were in a fight and had to be treated by a doctor or nurse		2.5		-			-	permissio		7.4
Were threatened or injured with a weapon on school properly	hv	5.4			-	okay to ch	-	-		21.7
Word and action of anything with a weapon on serious property	.)	0. 1				-		start a fight	t	45.8
BULLYING VICTIM				11 15 010	., 10 Dou	up poop.	o	narr a rigini	•	10.0
Percent of students who, in the past 3 months:			S	CHOOL	RELATIC	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		21.8		Percent (of studen	ts who agi	ree with t	he followin	ıg:	
Were victims of mean rumors or lies spread at school		55.0		Teache	ers notice	and comm	nent on s	tudent's go	ood work	64.5
Had embarrassing or hurtful pictures/text of them posted on	internet	13.8		School	provides	feedback	to parent	ts on positi	ive student performance	35.5
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	17.3		Teache	ers praise	student fo	or hard w	ork		51.5
Were made fun of by others		65.8		Rules a	re enforc	ed fairly				61.9
•				Studen	ts of all ra	aces and e	ethnicities	are treate	ed equally	80.7
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:					RELATIC					
Shoved, slapped, hit, or kicked a student in a serious manne	er	19.7				-		he followin	-	80.3
Spread mean rumors or lies about other kids at school		32.0	Parents notice and comment on student's good work							
Posted on internet embarrassing or hurtful pictures/text of so		10.8	· · · · · · · · · · · · · · · · · · ·							71.1
Sent by cell phone embarrassing or hurtful pictures/text of se	omeone	10.3								88.7 78.7
Made fun of other people	66.5	6.5 Student could ask parent for help with a personal problem								
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	Who hav	Who hav	Whose the pas	Who s	Who be themse	Who sa they us	Who fee	Who th	Among st used sub: first used	
	S			ě	₩ ₩	e 🗸	<u> </u>	й≡	g s sub sed	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove I they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cingrettee		ays	<u>p</u>		isk harming use	===		hood	udents who have ever stance, average age when	
Cigarettes Chawley Tobacco	38.2	19.7	•	ay it would be easy to get 63.7	elieve they risk harming 2.2. 2.2. 2.2. 2.2. 2.2. 2.2. 2.2. 2.	y parents would disapprove if 90.	el it would be wrong to use	ink kids in their neighborhood caught by police for using 25.	udents who have ever stance, average age w	
Chewing Tobacco	38.2 18.6	19.7 11.3	54.2	63.7	isk harming use 81.2	90.6	72.4	25.2	udents who have ever stance, average age when 12.	
Chewing Tobacco Alcohol	38.2	19.7 11.3 25.1	<u>p</u>		isk harming use	===		hood	udents who have ever stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	38.2 18.6 51.5	19.7 11.3 25.1 15.7	54.2	63.7	tsk harming 81.2	90.6	72.4 52.5	25.2 28.6	stance, average age when 12.81	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	38.2 18.6 51.5	19.7 11.3 25.1 15.7 7.9	54.2	63.7	isk harming use 81.2	90.6	72.4	25.2	stance, average age when 12.81 12.64	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	38.2 18.6 51.5	19.7 11.3 25.1 15.7	54.2 58.9 32.7	63.7 63.9 41.4	81.2 69.3 75.2	90.6 71.8 94.0	72.4 52.5 85.6	25.2 28.6 41.4	stance, average age when 12.81	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	38.2 18.6 51.5 15.3 4.4	19.7 11.3 25.1 15.7 7.9 1.5	54.2	63.7 63.9 41.4 20.9	81.2 69.3 75.2 95.0	90.6 71.8 94.0 99.0	72.4 52.5 85.6 97.0	25.2 28.6	stance, average age when 12.81 12.64	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	38.2 18.6 51.5 15.3 4.4	19.7 11.3 25.1 15.7 7.9 1.5	54.2 58.9 32.7	63.7 63.9 41.4 20.9 57.2	81.2 69.3 75.2 95.0 82.7	90.6 71.8 94.0 99.0 96.0	72.4 52.5 85.6 97.0 90.6	25.2 28.6 41.4	stance, average age when 12.81 12.64	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	38.2 18.6 51.5 15.3 4.4 6.9 9.8	19.7 11.3 25.1 15.7 7.9 1.5	54.2 58.9 32.7	63.7 63.9 41.4 20.9	81.2 69.3 75.2 95.0	90.6 71.8 94.0 99.0	72.4 52.5 85.6 97.0	25.2 28.6 41.4	stance, average age when 12.81 12.64	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	38.2 18.6 51.5 15.3 4.4 6.9 9.8 1.0	19.7 11.3 25.1 15.7 7.9 1.5	54.2 58.9 32.7	63.7 63.9 41.4 20.9 57.2	81.2 69.3 75.2 95.0 82.7	90.6 71.8 94.0 99.0 96.0	72.4 52.5 85.6 97.0 90.6	25.2 28.6 41.4	stance, average age when 12.81 12.64	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	38.2 18.6 51.5 15.3 4.4 6.9 9.8 1.0	19.7 11.3 25.1 15.7 7.9 1.5	54.2 58.9 32.7	63.7 63.9 41.4 20.9 57.2	81.2 69.3 75.2 95.0 82.7	90.6 71.8 94.0 99.0 96.0	72.4 52.5 85.6 97.0 90.6	25.2 28.6 41.4	stance, average age when 12.81 12.64	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	38.2 18.6 51.5 15.3 4.4 6.9 9.8 1.0 1.5	19.7 11.3 25.1 15.7 7.9 1.5	54.2 58.9 32.7	63.7 63.9 41.4 20.9 57.2	81.2 69.3 75.2 95.0 82.7	90.6 71.8 94.0 99.0 96.0	72.4 52.5 85.6 97.0 90.6	25.2 28.6 41.4	stance, average age when 12.81 12.64	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	38.2 18.6 51.5 15.3 4.4 6.9 9.8 1.0	19.7 11.3 25.1 15.7 7.9 1.5	54.2 58.9 32.7	63.7 63.9 41.4 20.9 57.2	81.2 69.3 75.2 95.0 82.7	90.6 71.8 94.0 99.0 96.0	72.4 52.5 85.6 97.0 90.6	25.2 28.6 41.4	stance, average age when 12.81 12.64	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	38.2 18.6 51.5 15.3 4.4 6.9 9.8 1.0 1.5	19.7 11.3 25.1 15.7 7.9 1.5 4.4 5.4	54.2 58.9 32.7 11.9	63.7 63.9 41.4 20.9 57.2 33.7	81.2 69.3 75.2 95.0 82.7 86.6	90.6 71.8 94.0 99.0 96.0 94.6	72.4 52.5 85.6 97.0 90.6 92.1	25.2 28.6 41.4 49.5	stance, average age when 12.81 12.64 13.74 12.19	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	38.2 18.6 51.5 15.3 4.4 6.9 9.8 1.0 1.5 1.0 2.0	19.7 11.3 25.1 15.7 7.9 1.5 4.4 5.4	54.2 58.9 32.7 11.9	63.7 63.9 41.4 20.9 57.2 33.7	81.2 69.3 75.2 95.0 82.7 86.6	90.6 71.8 94.0 99.0 96.0 94.6	72.4 52.5 85.6 97.0 90.6 92.1	25.2 28.6 41.4 49.5	stance, average age when 12.81 12.64)-14

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

LIVINGSTON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 13 117 15,195 15,074



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	171	163	165
Mother Reported Drinking while Pregnant ¹		0	1
Mother Reported Smoking while Pregnant	36	37	38
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	175	192	206
Suicides	3	3	2
Self-inflicted Injuries	29	24	37
Homicides	1	0	0
Assault Injuries	37	55	60
Alcohol Induced Deaths	1	2	1
Drug Induced Deaths	3	3	0
Smoking Induced Deaths	33	35	36
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	128	137	152
Direct Hospitalizations	52	55	52
Emergency Room Hospitalizations	52 17	24	28
Emergency Room Outpatient	59		72
Drug RelatedTotal	59 119	58 104	92
Direct Hospitalizations			
•	53 19	53 18	25 25
Emergency Room Hospitalizations Emergency Room Outpatient	47	33	42
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	24	18	22
Fatal Crashes	0	0	0
Injury Crashes	12	12	11
Property Damage Crashes	12	6	11
Crash Injuries	0	0	0
Crash Injuries	12	17	12
Drug Involved CrashesTotal	1	4	7
Fatal Crashes	0	0	0
Injury Crashes	0	4	3
Property Damage Crashes	1	0	4
Crash Injuries	0	0	0
Crash Injuries	0	4	6
EMPLOYMENT	2011	2010	2009
Labor Force	6,945	7,004	7,404
Employed	6,386	6,438	6,830
Unemployed	559	566	574
Unemployment Rate	8.0%	8.1%	7.8%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	27	24	29
Alcohol Package Carry-out Licenses	20	16	17
• • • • • • • • • • • • • • • • • • • •			• •

2010-2011 672 20 3.0%	2009-2010 700	2008-2009 700
20		700
_		, 50
2 00/	26	31
3.0%	3.7%	4.4%
1	0	0
2	1	7
2	0	0
2010	2009	2008
95	117	107
80	93	77
112	67	121
0	0	0
25	39	57
296	341	399
49	75	73
2010	2009	2008
69	94	88
12	29	19
11	2	5
7	5	5
56	90	40
18	15	6
14	22	13
10	21	9
11	28	8
15	6	9
6	3	2
9	2	6
0	1	1
2010	2009	2008
11	10	12
0	0	0
6	0	1
0	0	0
5	10	11
FY2011	FY2010	FY2009
0	0	0
151	134	144
52	34	41
3	7	7
108	105	110
35	32	35
9	6	7
	2 2 2 2010 95 80 112 0 25 296 49 2010 69 12 11 7 56 18 14 10 11 15 6 9 0 2010 11 0 6 0 5 FY2011 0 151 52 3 108 35 9	2 1 2 0 2010 2009 95 117 80 93 112 67 0 0 25 39 296 341 49 75 2010 2009 69 94 12 29 11 2 7 5 56 90 18 15 14 22 10 21 11 28 15 6 3 9 2 11 28 15 6 3 9 2 0 1 2010 2009 11 10 0 0 6 0 0 0 5 10 FY2011 FY2010 0 0 151 134 52 34 3 7 108 105 35 32

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

LIVINGSTON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	9	9
CSTAR Women and Children	*	0	*
CSTAR General Adult	97	27	21
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	5	10	10
Primary Recovery Treatment	8	69	95
Clinical SATOP (CIP, YCIP, SROP)	8	7	8
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	37	54	65
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	11	22	32
- Weekend Intervention Program	13	11	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	0	16	7
- Early Intervention	6	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	62	76	94	Never Married	55	63	78
Female	44	29	45	Married / Cohabitating	28	25	29
		20	10	Previously Married	23	17	32
AGE				•	20	• • • • • • • • • • • • • • • • • • • •	02
Under 18	*	9	9	PRIMARY DRUG PROBLEM			
18 to 24	26	28	39	Alcohol	41	43	68
25 to 29	15	23	21	Marijuana / Hashish	26	35	35
30 to 34	20	16	19	Cocaine (total)	*	*	6
35 to 39	14	12	16	- Crack	*	*	*
40 to 44	13	7	13	Stimulant (total)	17	11	16
45 to 54	15	8	16	- Methamphetamine	15	11	16
55 and Over	*	*	6	Heroin	*	*	*
RACE / ETHNICITY				Analgesic except Heroin	8	8	9
Caucasian	97	98	132	- Non-Prescription Methadone	0	0	0
African American	7	*	*	PCP, LSD, other Hallucinogen	0	0	*
Native American / Alaskan	0	0	0	Tranquilizer	*	*	*
Asian / Pacific Islander	0	0	0 0	Inhalant	0	0	0
	*	*	-	Sedative	0	0	*
Hispanic	*	*	0	Other Medication or Illicit Drug	8	*	0
Other Race / Two or More Races				Average Age at First Use of Drug	17.4	16.5	17.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	35	38	42	Any Injection Use at Admission	7	6	6
High School Graduate or G.E.D.	50	50	80	- Daily Injection Use	*	0	*
Associate Degree or Some College	20	16	14	- Weekly Injection Use	0	0	0
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	5	6	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	32	31	43	Self / Family / Friend	26	22	35
Unemployed	56	54	67	School	0	0	0
Not in Labor Force	18	20	29	Mental Health Provider	0	*	0
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	65	66	79
Independent Living	93	88	119	Other Referral Source	12	12	22
Dependent Living	7	16	15				
Homeless	5	0	*	SPECIAL POPULATIONS		_	_
1 (FETIME DUI / DIM ADDEST)				Pregnant when Admitted to any Episode	0	0	0
LIFETIME DUI / DWI ARRESTS			0.5	Military Veteran		*	5
0	80	54	82	Special Education Services Needed	8		6
1 or 2	15	26	38	Co-Occurring Psychological Problem	31	23	33
3 or More	11	25	19	Co-Occurring Developmental Problem	*	*	*

LIVINGSTON COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 13
CENSUS 2010 15,195
2011 POP. ESTIMATE 15,074

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 23 28 26 **Anxiety Disorder** 183 192 169 Dementia **Developmental Disorder** 6 6 6 Impulse Control Disorder 47 59 64 **Mood Disorder** 266 299 303 Personality Disorder 39 41 34 **Psychotic Disorder** 56 58 54 Sexual Disorder 0 0 Other Diagnosis 33 43 49

48

47

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	400	474	471	Hearing Impaired	*	*	*
Male	134	162	180	Past or Current Military Service	*	7	10
Female	266	312	291	r ast or ourrent wintary dervice		,	10
I emale	200	312	291	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	141	94	66
Under 6	*	*	*	Dependent Living	48	40	19
6 to 9	15	21	21	Homeless	0	*	0
10 to 13	_	31	30	Other	*	*	*
14 to 17	24 31	_		Housing Unknown	209	338	385
	_	49	55	EMBI OVIMENT			
18 to 24 25 to 29	35	49	49	EMPLOYMENT	00	40	40
	45	50	42	Employed	22	19	19
30 to 34	33	33	41	Unemployed	152	83	55
35 to 39	25	40	32	Not in Labor Force	17	8	
40 to 44	32	38	36	Employment Status Unknown	209	364	396
45 to 49	31	33	35	ARRESTS			
50 to 54	36	44	52	Arrested in Past 12 Months	22	19	12
55 to 59	42	29	23	Not Arrested in Past 12 Months	169	117	74
60 and Over	50	56	53	Arrest Status Unknown	209	338	385
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	378	455	445	TREATMENT REFERRAL SOURCE	400	204	407
African American	8	7	13	Self / Family / Friend	166	201	187
Native American / Alaskan	0	*	*	School	6	12	20
Asian / Pacific Islander	0	0	0	Mental Health Provider	61	75	84
Hispanic	7	6	6	Health Care Provider	84	84	80
Other Race	7	5	6	Court / Criminal Justice	20	25	19
Race/Ethnicity Unknown	0	0	0	Other	62	75	77
•	-			Referral Source Unknown	*	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	44	33	17	Voluntary	397	470	465
High School Grad or G.E.D.	107	56	49	Civil	*	*	*
A.A. Degree or Some College	34	18	9	Criminal	*	*	0
Bachelor or Advanced Degree	5	*	*	Sexual Predatory	0	0	0
Education Level Unknown	210	364	395	Commitment Type Unknown	*	*	*

LIVINGSTON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		CUICIDE	of ctudon	tewho in	tha nact	12 months	••	(%)
Were very sad		20.8				ered atter	-		•	11.8
Were grouchy, irritable, or in a bad mood		25.4			_			attempt su	uicido	8.1
Felt hopeless about the future		11.8			ted suicid		cy would	attempt 30	uicide	5.2
Felt like not eating or eating more than usual		19.4	•					r overdose that had to	1.9	
Slept a lot more or a lot less than usual		26.4					. ovoracco marmaa to			
Had difficulty concentrating on school work		23.8								
That amount concornating on concornation				PEBELLIC						
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get		-		29.9
Were in a physical fight		19.9		-					nake people mad	18.0
Were in a fight and had to be treated by a doctor or nurse	_	1.9			-		-	permissio	n	6.6
Were threatened or injured with a weapon on school proper	ty	10.9				okay to ch				29.7
BULLYING VICTIM				It is oka	y to beat	up people	e if they s	start a fight		45.5
Percent of students who, in the past 3 months:			s	CHOOL	RFI ATIC	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		30.5					ee with t	he followin	ng:	
Were victims of mean rumors or lies spread at school		57.8				_		tudent's go	-	64.6
Had embarrassing or hurtful pictures/text of them posted on	internet	17.6		School	provides	feedback	to paren	ts on positi	ive student performand	e 35.1
Had embarrassing or hurtful pictures/text of them sent by ce		20.6			-	student fo	•	-	•	50.0
Were made fun of by others		67.6		Rules a	re enforc	ed fairly				59.9
•				Studen	ts of all ra	aces and e	ethnicities	s are treate	ed equally	81.6
BULLYING PERPRETRATOR Descent of students who in the next 2 menths:										
Percent of students who, in the past 3 months:	or	27.0		PARENT			oo with t	ha fallawin	· ~.	
Shoved, slapped, hit, or kicked a student in a serious manner	EI	27.0 41.7				_		he followin	-	83.5
Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of so	omoono	13.3	Parents notice and comment on student's good work Parents involve student in making family decisions							67.8
		14.7	It is important to be honest with parents regardless of consequences							
Sent by cell phone embarrassing or hurtful pictures/text of someone Made fun of other people 14.7 It is important to be hone. 76.3 Student could ask parent					_		71.6			
Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 da	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age what first used	
	tance	ast 30 days	nave used in	easy to get	harming e	ld disapprove if	rong to use	neighborhood lice for using	e ever age when	
Cigarettes	32.1	ast 30 days 17.5		easy to get 59.7	harming 78.9	ld disapprove if 90.6	rong to use	neighborhood lice for using	age when 12.60	
Cigarettes Chewing Tobacco		ys	5		harming		Ф	.g	len	
-	32.1	17.5	5		harming		Ф	.g	len	
Chewing Tobacco	32.1 13.7	17.5 7.5	58.0	59.7	harming 78.9	90.6	76.8	19.8	12.60	
Chewing Tobacco Alcohol	32.1 13.7 46.7	17.5 7.5 24.4	58.0	59.7	harming 78.9	90.6	76.8	19.8	12.60 12.24 13.81	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	32.1 13.7 46.7	17.5 7.5 24.4 16.0	58.0 65.4	59.7 67.0	78.9 63.0	90.6 79.5	76.8 56.6	19.8	12.60	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	32.1 13.7 46.7	17.5 7.5 24.4 16.0 8.0	58.0 65.4	59.7 67.0	78.9 63.0	90.6 79.5 96.2 99.0	76.8 56.6 85.8 96.2	19.8	12.60 12.24 13.81	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	32.1 13.7 46.7 15.1 5.7	17.5 7.5 24.4 16.0 8.0 3.3	58.0 65.4 42.6	59.7 67.0 33.5 16.2 59.9	78.9 63.0 74.9 91.4 78.8	90.6 79.5 96.2 99.0 96.2	76.8 56.6 85.8 96.2 89.5	19.8 23.2 39.7	12.60 12.24 13.81	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	32.1 13.7 46.7 15.1 5.7 6.6 8.0	17.5 7.5 24.4 16.0 8.0 3.3	58.0 65.4 42.6	59.7 67.0 33.5 16.2	78.9 63.0 74.9 91.4	90.6 79.5 96.2 99.0	76.8 56.6 85.8 96.2	19.8 23.2 39.7	12.60 12.24 13.81	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	32.1 13.7 46.7 15.1 5.7 6.6 8.0 1.0	17.5 7.5 24.4 16.0 8.0 3.3	58.0 65.4 42.6	59.7 67.0 33.5 16.2 59.9	78.9 63.0 74.9 91.4 78.8	90.6 79.5 96.2 99.0 96.2	76.8 56.6 85.8 96.2 89.5	19.8 23.2 39.7	12.60 12.24 13.81	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	32.1 13.7 46.7 15.1 5.7 6.6 8.0 1.0	17.5 7.5 24.4 16.0 8.0 3.3	58.0 65.4 42.6	59.7 67.0 33.5 16.2 59.9	78.9 63.0 74.9 91.4 78.8	90.6 79.5 96.2 99.0 96.2	76.8 56.6 85.8 96.2 89.5	19.8 23.2 39.7	12.60 12.24 13.81	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	32.1 13.7 46.7 15.1 5.7 6.6 8.0 1.0 1.4	17.5 7.5 24.4 16.0 8.0 3.3	58.0 65.4 42.6	59.7 67.0 33.5 16.2 59.9	78.9 63.0 74.9 91.4 78.8	90.6 79.5 96.2 99.0 96.2	76.8 56.6 85.8 96.2 89.5	19.8 23.2 39.7	12.60 12.24 13.81	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	32.1 13.7 46.7 15.1 5.7 6.6 8.0 1.0 1.4 1.4 2.4	17.5 7.5 24.4 16.0 8.0 3.3	58.0 65.4 42.6	59.7 67.0 33.5 16.2 59.9	78.9 63.0 74.9 91.4 78.8	90.6 79.5 96.2 99.0 96.2	76.8 56.6 85.8 96.2 89.5	19.8 23.2 39.7	12.60 12.24 13.81	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	32.1 13.7 46.7 15.1 5.7 6.6 8.0 1.0 1.4 1.4 2.4 0.9	17.5 7.5 24.4 16.0 8.0 3.3 3.8 5.2	58.0 65.4 42.6 18.4	59.7 67.0 33.5 16.2 59.9 33.0	78.9 63.0 74.9 91.4 78.8 87.7	90.6 79.5 96.2 99.0 96.2 98.1	76.8 56.6 85.8 96.2 89.5 92.5	19.8 23.2 39.7 46.2	12.60 12.24 13.81 12.36	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	32.1 13.7 46.7 15.1 5.7 6.6 8.0 1.0 1.4 1.4 2.4	17.5 7.5 24.4 16.0 8.0 3.3 3.8 5.2	58.0 65.4 42.6 18.4	59.7 67.0 33.5 16.2 59.9 33.0	78.9 63.0 74.9 91.4 78.8 87.7	90.6 79.5 96.2 99.0 96.2 98.1	76.8 56.6 85.8 96.2 89.5 92.5	19.8 23.2 39.7 46.2	12.60 12.24 13.81	0-14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

MC DONALD COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 119 23,083 22,977



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	296	343	358
Mother Reported Drinking while Pregnant 1		0	5
Mother Reported Smoking while Pregnant	66	78	101
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	3	0	1
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	192	206	181
Suicides	4	6	2
Self-inflicted Injuries	29	19	26
Homicides	1	1	1
Assault Injuries	57	67	53
•			
Alcohol Induced Deaths	2	3	1
Drug Induced Deaths	2	3	3
Smoking Induced Deaths	41	48	35
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	230	210	207
Direct Hospitalizations	131	44	56
Emergency Room Hospitalizations	34	88	81
Emergency Room Outpatient	65	78	70
Drug RelatedTotal	190	135	157
Direct Hospitalizations	102	35	43
Emergency Room Hospitalizations	24	41	69
Emergency Room Outpatient	64	59	45
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	55	73	68
Fatal Crashes	3	3	6
Injury Crashes	26	38	36
Property Damage Crashes	26	32	26
Crash Fatalities	3	7	7
Crash Injuries	39	55	55
Drug Involved CrashesTotal	5	3	7
Fatal Crashes	0	0	1
Injury Crashes	1	2	3
Property Damage Crashes	4	1	3
Crash Fatalities	0	0	2
Crash Injuries	2	5	5
EMPLOYMENT	2011	2010	2009
Labor Force	11,030	10,844	10,961
Employed	10,182	9,845	10,301
Unemployed	•	9,043	831
Unemployment Rate	848		
	7.7%	9.2%	7.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	17	17	20
Alcohol Package Carry-out Licenses	36	30	35

■ Female ■ Male						
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009			
Enrollment Grades 9-12	1,036	1,043	1,028			
Drop-outs	18	28	25			
Drop-out Rate	1.7%	2.7%	2.4%			
School Suspensions, 10 or More Days						
Alcohol Incidents	3	3	1			
Drug Incidents	18	4	13			
Tobacco Incidents	0	0	0			
POLICE REPORTS	2010	2009	2008			
DUI Arrests, DWI Tracking System	403	439	453			
Liquor Law Arrests	116	74	113			
Drug Arrests	136	154	254			
Methamphetamine Lab Incidents	33	9	13			
Violent Offenses	77	80	108			
Property Offenses	398	449	540			
Domestic Violence Reports	448	391	259			
JUVENILE COURT REFERRALS	2010	2009	2008			
Law Violation OffensesTotal	87	93	107			
Violent Offenses	32	31	26			
Alcohol Offenses	2	5	12			
Drug Offenses	4	3	12			
Status OffensesTotal	23	31	32			
Truancy	6	3	4			
Beyond Parental Control	7	12	11			
Habitually Absent from Home	4	8	5			
Injurious Behavior	5	7	8			
Abuse/Neglect/CustodyTotal	97	106	75			
Abuse	26	34	23			
Neglect	67	67	51			
Custody Disputes	4	5	1			
JUVENILE COURT PLACEMENTS	2010	2009	2008			
Out-of-Home PlacementsTotal	74	88	65			
Parental Alcohol Use Related	7	6	5			
Parental Drug Use Related	20	6	18			
Parental Alcohol and Drug Use	0	2	5			
Child Removed for Other Reason	47	74	37			
CRIMINAL JUSTICE	FY2011	FY2010	FY2009			
Drug Court Participants	8	11	16			
Probation/Parole AdmissionsTotal	168	163	205			
Probation/Parole AdmissionsDrug	45	36	42			
Probation/Parole AdmissionsDWI	23	37	24			
Prison AdmissionsTotal	101	92	85			
Prison AdmissionsDrug	20	11	19			
Prison AdmissionsDWI	20	13	15			
* An asterisk in a data cell indicates the count was fewer than 5 and suppressed						

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

MC DONALD COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	7	5	*
CSTAR Women and Children	12	16	18
CSTAR General Adult	26	7	0
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	7	18	15
Primary Recovery Treatment	48	139	128
Clinical SATOP (CIP, YCIP, SROP)	24	22	17
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	100	130	144
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	29	61	49
- Weekend Intervention Program	19	39	55
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	5	9	5
- Compulsive Gambling	0	0	5
- Recovery Supports	28	*	*
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	104	156	125	Never Married	50	77	55
Female	34	46	49	Married / Cohabitating	43	66	56
				Previously Married	45	59	63
AGE							
Under 18	6	*	*	PRIMARY DRUG PROBLEM			
18 to 24	14	36	31	Alcohol	72	94	84
25 to 29	23	27	28	Marijuana / Hashish	30	57	40
30 to 34	26	43	25	Cocaine (total)	0	*	*
35 to 39	14	29	27	- Crack	0	*	0
40 to 44	17	17	24	Stimulant (total)	32	38	37
45 to 54	30	38	24	- Methamphetamine	30	36	34
55 and Over	8	8	11	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	9	10
Caucasian	123	182	161	- Non-Prescription Methadone	0	*	0
African American	0	0	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	*	*	Tranquilizer	0	*	*
Asian / Pacific Islander	*	*	0	Inhalant	0	0	0
Hispanic	10	11	7	Sedative	0	0	0
Other Race / Two or More Races	*	6	*	Other Medication or Illicit Drug	0	0	0
Cutof Nace / Two of More Naces		O		Average Age at First Use of Drug	18.1	17.1	16.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	76	88	83	Any Injection Use at Admission	17	19	19
High School Graduate or G.E.D.	46	97	72	- Daily Injection Use	*	*	*
Associate Degree or Some College	16	15	18	- Weekly Injection Use	*	9	*
Bachelor or Advanced Degree	0	*	*	- Less than Weekly Injection Use	12	9	13
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	53	88	76	Self / Family / Friend	29	157	139
Unemployed	43	64	64	School	0	*	0
Not in Labor Force	42	50	34	Mental Health Provider	*	*	*
				Health Care Provider	9	15	6
LIVING ARRANGEMENT				Court / Criminal Justice	88	21	22
Independent Living	123	179	160	Other Referral Source	11	6	6
Dependent Living	9	14	9				
Homeless	*	*	*	SPECIAL POPULATIONS	_	*	
				Pregnant when Admitted to any Episode	0		*
LIFETIME DUI / DWI ARRESTS		0.0	76	Military Veteran	7	9	11
0	53	83	73	Special Education Services Needed	18	19	9
1 or 2	47	58	52	Co-Occurring Psychological Problem	45	38	25
3 or More	38	61	49	Co-Occurring Developmental Problem	*	7	*

MC DONALD COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 9
CENSUS 2010 23,083
2011 POP. ESTIMATE 22,977

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 31 29 24 **Anxiety Disorder** 120 91 103 Dementia 5 **Developmental Disorder** 6 Impulse Control Disorder 72 57 63 **Mood Disorder** 127 164 140 Personality Disorder 68 53 58 **Psychotic Disorder** 19 16 19 Sexual Disorder 0 0 Other Diagnosis 26 32 28 Diagnosis Unknown 56 43

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	285	278	281	Hearing Impaired	*	*	*
Male	143	143	139	Past or Current Military Service	*	*	*
Female	142	135	142	HOUSING / LIVING ARRANGEMENT			
				Independent Living	45	27	18
AGE				Dependent Living	*	15	*
Under 6	9	5	6	Homeless	*	*	0
6 to 9	21	17	14	Other	*	*	*
10 to 13	35	31	29	Housing Unknown	237	232	258
14 to 17	31	27	30	riodoling officiowi	231	232	230
18 to 24	25	26	36	EMPLOYMENT			
25 to 29	20	25	22	Employed	*	*	*
30 to 34	22	24	29	Unemployed	43	29	19
35 to 39	23	18	21	Not in Labor Force	*	0	0
40 to 44	16	23	19	Employment Status Unknown	237	247	261
45 to 49	29	26	24	4005070			
50 to 54	24	25	24	ARRESTS	_		
55 to 59	15	14	17	Arrested in Past 12 Months	5	9	
60 and Over	15	17	10	Not Arrested in Past 12 Months	43	37	22
				Arrest Status Unknown	237	232	258
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	270	262	267	Self / Family / Friend	209	183	181
African American	0	0	*	School	209	103	0
Native American / Alaskan	*	*	0	Mental Health Provider	21	21	19
Asian / Pacific Islander	*	0	*				-
Hispanic	6	5	*	Health Care Provider	11	10	14
Other Race	7	9	8	Court / Criminal Justice	23	38	39
Race/Ethnicity Unknown	0	0	0	Other	19	23	26
				Referral Source Unknown	*	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	15	10	8	Voluntary	263	252	251
High School Grad or G.E.D.	20	16	8	Civil	21	20	22
A.A. Degree or Some College	11	*	*	Criminal	0	*	6
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	0	0	0
Education Level Unknown	237	247	261	Commitment Type Unknown	*	*	*

MACON COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 14 FIPS COUNTY CODE 121 CENSUS 2010 15,566 2011 POP. ESTIMATE 15,591

2011 POPULATION PROFILE BY AGE GROUP 600 400 200

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	178	194	181
Mother Reported Drinking while Pregnant ¹		1	1
Mother Reported Smoking while Pregnant	42	44	31
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	2	0
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	202	164	209
Suicides	5	4	2
Self-inflicted Injuries	18	23	12
Homicides	0	0	1
Assault Injuries	38	29	21
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	4	0	2
Smoking Induced Deaths	35	24	34
LIOSPITAL / FMEDOENOV DOOM	2010	2009	2008
HOSPITAL / EMERGENCY ROOM Alcohol RelatedTotal	90	200 9 75	99
Direct Hospitalizations	38	75 26	38
Emergency Room Hospitalizations	36 17	20	21
Emergency Room Outpatient	35	28	40
Drug RelatedTotal	58	63	57
Direct Hospitalizations	16	20	27
Emergency Room Hospitalizations	13	18	11
Emergency Room Outpatient	29	25	19
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	15	14	20
Fatal Crashes	0	0	1
Injury Crashes	8	5	11
Property Damage Crashes	7	9	8
Crash Fatalities	0	0	1
Crash Injuries	11	6	10
Drug Involved CrashesTotal	5	2	5
Fatal Crashes	1	0	0
Injury Crashes	1	1	2
Property Damage Crashes	3	1	3
Crash Injuries	1	0	0
Crash Injuries	2	1	3
EMPLOYMENT	2011	2010	2009
Labor Force	7,952	8,027	8,209
Employed	7,334	7,354	7,505
Unemployed	618	673	704
Unemployment Rate	7.8%	8.4%	8.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	23	25	25
Alcohol Package Carry-out Licenses	21	19	19

■ Female ■ Male						
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009			
Enrollment Grades 9-12	731	769	750			
Drop-outs	8	11	12			
Drop-out Rate	1.1%	1.4%	1.6%			
School Suspensions, 10 or More Days						
Alcohol Incidents	1	0	1			
Drug Incidents	3	2	4			
Tobacco Incidents	0	0	0			
POLICE REPORTS	2010	2009	2008			
DUI Arrests, DWI Tracking System	109	117	155			
Liquor Law Arrests	32	42	61			
Drug Arrests	58	40	66			
Methamphetamine Lab Incidents	5	3	1			
Violent Offenses	27	29	40			
Property Offenses	277	233	225			
Domestic Violence Reports	86	72	50			
JUVENILE COURT REFERRALS	2010	2009	2008			
Law Violation OffensesTotal	74	101	145			
Violent Offenses	19	26	31			
Alcohol Offenses	2	4	3			
Drug Offenses	5	6	6			
Status OffensesTotal	135	117	154			
Truancy	22	16	13			
Beyond Parental Control	62	57	61			
Habitually Absent from Home	7	11	16			
Injurious Behavior	44	33	57			
Abuse/Neglect/CustodyTotal	124	150	129			
Abuse	30	68	46			
Neglect	89	79	82			
Custody Disputes	5	3	1			
JUVENILE COURT PLACEMENTS	2010	2009	2008			
Out-of-Home PlacementsTotal	36	11	41			
Parental Alcohol Use Related	6	0	4			
Parental Drug Use Related	3	4	7			
Parental Alcohol and Drug Use	5	0	2			
Child Removed for Other Reason	22	7	28			
CRIMINAL JUSTICE	FY2011	FY2010	FY2009			
Drug Court Participants	16	20	21			
Probation/Parole AdmissionsTotal	90	99	130			
Probation/Parole AdmissionsDrug	18	20	37			
Probation/Parole AdmissionsDWI	10	15	16			
Prison AdmissionsTotal	35	47	44			
Prison AdmissionsDrug	6	12	8			
Prison AdmissionsDWI	5	6	6			
* An asterisk in a data cell indicates the co	ount was fewer t	t <mark>han 5 and s</mark> t	uppressed			

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

MACON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	9	10	13
CSTAR Women and Children	*	5	*
CSTAR General Adult	43	64	80
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	8	9	5
Primary Recovery Treatment	61	51	71
Clinical SATOP (CIP, YCIP, SROP)	10	19	13
Other Substance Abuse Treatment	0	0	12

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	62	101	109
- Adolescent Diversion Education Program	12	11	16
- Offender Education Program	18	38	33
- Weekend Intervention Program	13	20	23
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	0
- Compulsive Gambling	0	0	0
- Recovery Supports	*	5	6
- Early Intervention	6	10	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	87	94	102	Never Married	72	81	90
Female	32	47	51	Married / Cohabitating	22	29	35
				Previously Married	25	31	28
AGE							
Under 18	11	11	13	PRIMARY DRUG PROBLEM			
18 to 24	30	39	46	Alcohol	48	70	78
25 to 29	33	26	33	Marijuana / Hashish	39	49	52
30 to 34	13	16	18	Cocaine (total)	12	*	6
35 to 39	6	9	9	- Crack	*	0	
40 to 44	6	9	11	Stimulant (total)	11	15	12
45 to 54	19	26	16	- Methamphetamine	10	15	12
55 and Over	*	5	7	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	7	*	*
Caucasian	90	104	124	- Non-Prescription Methadone	0	0	*
African American	20	25	21	PCP, LSD, other Hallucinogen	*	0	*
Native American / Alaskan	0	0	*	Tranquilizer	*	*	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	*	6	*	Sedative	0	0	0
Other Race / Two or More Races	6	8	6	Other Medication or Illicit Drug	0	0	0
Cities reader 1 Wo of More reades	U	O	U	Average Age at First Use of Drug	16.2	16.5	16.8
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	41	51	59	Any Injection Use at Admission	7	10	10
High School Graduate or G.E.D.	70	69	71	- Daily Injection Use	*	0	0
Associate Degree or Some College	8	19	22	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	0	*	*	- Less than Weekly Injection Use	*	7	8
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	41	48	61	Self / Family / Friend	18	18	15
Unemployed	41	62	53	School	0	0	*
Not in Labor Force	37	31	39	Mental Health Provider	*	*	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	79	110	105
Independent Living	90	115	122	Other Referral Source	17	11	26
Dependent Living	14	14	21	005044 00044 474040			
Homeless	*	*	0	SPECIAL POPULATIONS	*	*	
LIEFTIME DIN / DIN" ADDESTO				Pregnant when Admitted to any Episode			×
LIFETIME DUI / DWI ARRESTS	6.4	70	00	Military Veteran	5	6	40
0	64	72	86	Special Education Services Needed	20	21	10
1 or 2	35	41	39	Co-Occurring Psychological Problem	30	51 *	51
3 or More	20	28	28	Co-Occurring Developmental Problem	*	*	7

MACON COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 14
CENSUS 2010 15,566
2011 POP. ESTIMATE 15,591

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 11 17 11 **Anxiety Disorder** 25 23 31 Dementia 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 12 11 13 **Mood Disorder** 78 64 87 Personality Disorder 10 **Psychotic Disorder** 16 10 14 Sexual Disorder Other Diagnosis 6 10 Diagnosis Unknown 52 16 30

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

FY2011 FY2010 FY2009

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	136	134	201	Hearing Impaired	0	0	*
Male	63	65	90	Past or Current Military Service	*	5	8
Female	73	69	111	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	61	41	18
Under 6	0	0	*	Dependent Living		9	
6 to 9	5	8	9	Homeless	0	0	0
10 to 13	11	9	17	Other	0		
14 to 17	20	18	29	Housing Unknown	73	83	179
18 to 24	11	13	29	EMPLOYMENT			
25 to 29	11	11	15	Employed	7	5	*
30 to 34	17	16	27	Unemployed	55	38	17
35 to 39	11	8	10	Not in Labor Force	*	*	0
40 to 44	10	14	8	Employment Status Unknown	73	90	180
45 to 49	15	13	20	455555			
50 to 54	9	11	13	ARRESTS Arrested in Past 12 Months	-	*	
55 to 59	11	9	13	Not Arrested in Past 12 Months	7		20
60 and Over	5	*	9	Arrest Status Unknown	56 73	47 83	20 179
				Arrest Status Officiowif	13	03	179
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	124	123	187	Self / Family / Friend	36	34	39
African American	10	9	9	School	*	*	*
Native American / Alaskan	0	0	0	Mental Health Provider	7	7	12
Asian / Pacific Islander	0	0	0	Health Care Provider	12	11	26
Hispanic	*	*	*	Court / Criminal Justice	5	8	30
Other Race	*	0	*	Other	73	70	90
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	13	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	22	16	10	Voluntary	130	126	170
High School Grad or G.E.D.	31	21	7	Civil	*	*	28
A.A. Degree or Some College	9	6	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	*	0	0
Education Level Unknown	73	90	180	Commitment Type Unknown	*	*	*

FY2011 FY2010 FY2009

MACON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		CUICIDE	nf studen	te who in	the nest	12 months			(%)
Were very sad				Percent of students who, in the past 12 months: Seriously considered attempting suicide						14.8	
Were grouchy, irritable, or in a bad mood		19.9 24.8			-				uicide		11.4
Felt hopeless about the future				Made a plan about how they would attempt suicide Attempted suicide						6.1	
Felt like not eating or eating more than usual							resulted	l in injury o	r overdose that h	ad to	2.0
Slept a lot more or a lot less than usual						doctor or		ju j o	. ovoruoso unat n	ida to	
Had difficulty concentrating on school work		20.7 25.4									
The annually concommunity on concommunity				PEBELLIC							
FIGHTING						ts who ag					
Percent of students who, in the past 12 months:						s that get		-			30.8
Were in a physical fight		27.5		-					nake people mad	2	22.0
Were in a fight and had to be treated by a doctor or nurse	_	6.9			-		-	t permissio	n		8.1
Were threatened or injured with a weapon on school proper	ty	6.5				okay to ch					25.7
BULLYING VICTIM				It is oka	ay to beat	up peopl	e if they s	start a fight		;	56.1
Percent of students who, in the past 3 months:			s	CHOOL	RFI ATIO	ONS					
Were shoved, slapped, hit, or kicked in a serious manner		32.1					ree with t	he followin	ng:		
Were victims of mean rumors or lies spread at school		53.3				_		student's g	-		64.0
Had embarrassing or hurtful pictures/text of them posted on	internet	16.6		School	provides	feedback	to paren	ts on posit	ive student perfo	rmance	31.6
Had embarrassing or hurtful pictures/text of them sent by ce		19.9		Teache	rs praise	student fo	or hard w	ork	•		47.2
Were made fun of by others	•	64.6		Rules a	re enforc	ed fairly					45.1
				Studen	ts of all ra	aces and	ethnicities	s are treate	ed equally	-	72.2
BULLYING PERPRETRATOR											
Percent of students who, in the past 3 months:		26.7		PARENT			roo with t	lha fallawir	· · ·		
Shoved, slapped, hit, or kicked a student in a serious manner	31	26.7 34.8				_		the followin	-		80.5
Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of so	omoono	11.7		Parents notice and comment on student's good work							64.0
Sent by cell phone embarrassing or hurtful pictures/text of so		12.2	Parents involve student in making family decisions It is important to be honest with parents regardless of consequences							80.6	
Made fun of other people	uneune	68.3					-	_	-		72.4
SUBSTANCE USE AND BELIEFS					t could as	sk parent	or neip v	vitn a perso	onal problem		12.4
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use		Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used		72.4
SUBSTANCE USE AND BELIEFS	Who have ever used substance 35.2	Who have used in the past 30 da	Whose closest friends have used the past 12 months		T	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighbort would be caught by police for us	Among students who have ever used substance, average age wifirst used		72.4
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:		Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used		72.4
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes	35.2	Who have used in the past 30 days 8.8	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used		12.4
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	35.2 17.4	Who have used in the past 30 days 18.8 9.7	Whose closest friends have used in the past 12 months	Who say it would be easy to get 63.0	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 69.5	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when 12.		12.4
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	35.2 17.4	Who have used in the past 30 days 18.8 9.7 25.0	Whose closest friends have used in the past 12 months	Who say it would be easy to get 63.0	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 69.5	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when 12.		12.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	35.2 17.4 50.8	Who have used in the past 30 days 18.8 9.7 25.0 14.6	Whose closest friends have used in the past 12 months 57.6	Who say it would be easy to get 63.0	Who believe they risk harming themselves if they use 76.3	Who say parents would disapprove if they use 86.1	Who feel it would be wrong to use 69.5	Who think kids in their neighborhood would be caught by police for using 19.4	Among students who have ever used substance, average age when 12.36		12.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	35.2 17.4 50.8	Who have used in the past 30 days 18.8 9.7 25.0 14.6 6.5	Whose closest friends have used in the past 12 months 57.6	Who say it would be easy to get 63.0	Who believe they risk harming themselves if they use 76.3	Who say parents would disapprove if they use 86.1	Who feel it would be wrong to use 69.5	Who think kids in their neighborhood would be caught by police for using 19.4	Among students who have ever used substance, average age when 12.36		12.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	35.2 17.4 50.8	Who have used in the past 30 days 18.8 9.7 25.0 14.6 6.5	Whose closest friends have used in the past 12 months 57.6 66.0 34.0	Who say it would be easy to get 63.0 27.8	Who believe they risk harming themselves if they use 76.3	Who say parents would disapprove if they use 86.1	Who feel it would be wrong to use 69.5 47.3	Who think kids in their neighborhood would be caught by police for using 19.4 24.8	Among students who have ever used substance, average age when 12.36		12.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	35.2 17.4 50.8 15.0 4.9	Who have used in the past 30 days 18.8 9.7 25.0 14.6 6.5 1.6	Whose closest friends have used in the past 12 months 57.6 66.0 34.0	Who say it would be easy to get 63.0 63.0 16.8	themselves if they use 76.3 57.9 74.4 93.0	they use 86.1 897.5	Who feel it would be wrong to use 69.5 47.3 84.0	Who think kids in their neighborhood would be caught by police for using 19.4 24.8	Among students who have ever used substance, average age when 12.36		12.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	35.2 17.4 50.8 15.0 4.9	Who have used in the past 30 days 18.8 9.7 25.0 14.6 6.5 1.6	Whose closest friends have used in the past 12 months 57.6 66.0 34.0	Who say it would be easy to get 63.0 63.0 27.8 16.8 57.0	Who believe they risk harming 76.3 57.9 74.4 93.0 80.9	Who say parents would disapprove if 86.1 69.0 93.4 97.5 95.1	Who feel it would be wrong to use 69.5 47.3 84.0 96.7 90.7	Who think kids in their neighborhood would be caught by police for using 19.4 24.8	Among students who have ever used substance, average age when 12.36		12.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	35.2 17.4 50.8 15.0 4.9 5.7 10.5	Who have used in the past 30 days 18.8 9.7 25.0 14.6 6.5 1.6	Whose closest friends have used in the past 12 months 57.6 66.0 34.0	Who say it would be easy to get 63.0 63.0 27.8 16.8 57.0	Who believe they risk harming 76.3 57.9 74.4 93.0 80.9	Who say parents would disapprove if 86.1 69.0 93.4 97.5 95.1	Who feel it would be wrong to use 69.5 47.3 84.0 96.7 90.7	Who think kids in their neighborhood would be caught by police for using 19.4 24.8	Among students who have ever used substance, average age when 12.36 12.28		12.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	35.2 17.4 50.8 15.0 4.9 5.7 10.5 0.4	Who have used in the past 30 days 18.8 9.7 25.0 14.6 6.5 1.6	Whose closest friends have used in the past 12 months 57.6 66.0 34.0	Who say it would be easy to get 63.0 63.0 27.8 16.8 57.0	Who believe they risk harming 76.3 57.9 74.4 93.0 80.9	Who say parents would disapprove if 86.1 69.0 93.4 97.5 95.1	Who feel it would be wrong to use 69.5 47.3 84.0 96.7 90.7	Who think kids in their neighborhood would be caught by police for using 19.4 24.8	Among students who have ever used substance, average age when 12.36 12.28		12.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	35.2 17.4 50.8 15.0 4.9 5.7 10.5 0.4 1.6	Who have used in the past 30 days 18.8 9.7 25.0 14.6 6.5 1.6	Whose closest friends have used in the past 12 months 57.6 66.0 34.0	Who say it would be easy to get 63.0 63.0 27.8 16.8 57.0	Who believe they risk harming 76.3 57.9 74.4 93.0 80.9	Who say parents would disapprove if 86.1 69.0 93.4 97.5 95.1	Who feel it would be wrong to use 69.5 47.3 84.0 96.7 90.7	Who think kids in their neighborhood would be caught by police for using 19.4 24.8	Among students who have ever used substance, average age when 12.36 12.28		12.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	35.2 17.4 50.8 15.0 4.9 5.7 10.5 0.4 1.6 1.2	Who have used in the past 30 days 18.8 9.7 25.0 14.6 6.5 5.3	Whose closest friends have used in 57.6 66.0 34.0 15.4	Who say it would be easy to get 63.0 63.0 27.8 16.8 57.0 31.6	themselves if they use 76.3 57.9 74.4 93.0 80.9 87.3	Who say parents would disapprove if 86.1 69.0 93.4 97.5 95.1 91.8	Who feel it would be wrong to use 69.5 47.3 84.0 96.7 90.7	would be caught by police for using 19.4 24.8 38.5 38.6	Among students who have ever used substance, average age when 12.36 12.28 13.59 11.18		12.4
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	35.2 17.4 50.8 15.0 4.9 5.7 10.5 0.4 1.6 1.2	Who have used in the past 30 days 18.8 9.7 25.0 14.6 6.5 5.3	Whose closest friends have used in 57.6 66.0 34.0 15.4	Who say it would be easy to get 63.0 63.0 27.8 16.8 57.0 31.6	themselves if they use 76.3 57.9 74.4 93.0 80.9 87.3	Who say parents would disapprove if 86.1 69.0 93.4 97.5 95.1 91.8	Who feel it would be wrong to use 69.5 47.3 84.0 96.7 90.7 91.1	would be caught by police for using 19.4 24.8 38.5 38.6	Among students who have ever used substance, average age when 12.36 12.28		12.4

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

MADISON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 21 123 12,226 12,195



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	138	167	164
Mother Reported Drinking while Pregnant 1		0	1
Mother Reported Smoking while Pregnant	57	45	59
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	161	186	176
Suicides	1	3	2
Self-inflicted Injuries	25	11	14
Homicides	0	2	1
Assault Injuries	47	48	53
Alcohol Induced Deaths	0	3	1
Drug Induced Deaths	1	2	5
Smoking Induced Deaths	36	40	41
LIOSPITAL / FMEDOENOV DOOM	2010	2000	2008
HOSPITAL / EMERGENCY ROOM Alcohol RelatedTotal	107	2009 106	85
Direct Hospitalizations	38	38	28
Emergency Room Hospitalizations	36 19	20	9
Emergency Room Outpatient	50	48	48
Drug RelatedTotal	140	40 83	46 75
Direct Hospitalizations	47	23	75 21
Emergency Room Hospitalizations	13	23 28	7
Emergency Room Outpatient	80	32	7 47
Emergency Room Outpatient		-	
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	13	15	18
Fatal Crashes	0	1	0
Injury Crashes	9	12	10
Property Damage Crashes	4	2	8
Crash Fatalities	0	1	0
Crash Injuries	14	20	12
Drug Involved CrashesTotal	1	2	1
Fatal Crashes	0	0	0
Injury Crashes	1	1	0
Property Damage Crashes	0	1	1
Crash Fatalities	0	0	0
Crash Injuries	1	1	0
EMPLOYMENT	2011	2010	2009
Labor Force	6,118	6,223	6,227
Employed	5,557	5,573	5,581
Unemployed	561	650	646
Unemployment Rate	9.2%	10.4%	10.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	12	12	14
Alcohol Package Carry-out Licenses	13	14	14

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	624	642	632
Drop-outs	6	13	23
Drop-out Rate	1.0%	2.0%	3.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	17	6	8
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	88	108	66
Liquor Law Arrests	19	46	28
Drug Arrests	35	40	33
Methamphetamine Lab Incidents	4	1	1
Violent Offenses	5	35	37
Property Offenses	136	121	198
Domestic Violence Reports	94	87	126
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	57	67	76
Violent Offenses	29	24	31
Alcohol Offenses	0	6	8
Drug Offenses	0	2	3
Status OffensesTotal	50	60	39
Truancy	22	21	20
Beyond Parental Control	8	17	9
Habitually Absent from Home	8	1	2
Injurious Behavior	12	12	6
Abuse/Neglect/CustodyTotal	23	11	7
Abuse	3	6	2
Neglect	20	4	4
Custody Disputes	0	1	1
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	13	8	8
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	5	0	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	8	8	5
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	9	9	7
Probation/Parole AdmissionsTotal	71	63	75
Probation/Parole AdmissionsDrug	22	15	22
Probation/Parole AdmissionsDWI	7	8	4
Prison AdmissionsTotal	43	39	46
Prison AdmissionsDrug	16	13	18
Prison AdmissionsDWI	7	2	5

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

MADISON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	5	6	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	26	12	14
CSTAR Opioid	0	*	*
Primary Recovery Detoxification	*	*	5
Primary Recovery Treatment	26	46	59
Clinical SATOP (CIP, YCIP, SROP)	6	15	6
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	50	69	53
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	20	24	20
- Weekend Intervention Program	17	20	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	0	0	*
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	30	45	65	Never Married	24	27	38
Female	28	23	29	Married / Cohabitating	18	28	39
	20	20	20	Previously Married	16	13	17
AGE				•	10	.0	• • •
Under 18	*	5	*	PRIMARY DRUG PROBLEM			
18 to 24	10	9	15	Alcohol	26	36	42
25 to 29	12	14	15	Marijuana / Hashish	11	14	23
30 to 34	11	10	18	Cocaine (total)	0	0	*
35 to 39	5	7	13	- Crack	0	0	*
40 to 44	8	6	10	Stimulant (total)	10	7	8
45 to 54	7	13	14	- Methamphetamine	9	5	8
55 and Over	*	*	6	Heroin	*	0	7
RACE / ETHNICITY				Analgesic except Heroin	7	10	8
Caucasian	57	67	93	- Non-Prescription Methadone	0	0	*
African American	0	*	93 *	PCP, LSD, other Hallucinogen	0	0	0
	_			Tranquilizer	*	*	*
Native American / Alaskan	0	0	0	Inhalant	0	0	0
Asian / Pacific Islander	0	0	0	Sedative	0	0	*
Hispanic	0	0	0	Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races		0	0	Average Age at First Use of Drug	17.0	15.9	17.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	27	27	32	Any Injection Use at Admission	5	*	10
High School Graduate or G.E.D.	23	35	49	- Daily Injection Use	*	0	5
Associate Degree or Some College	7	5	13	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	*	0	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	10	17	36	Self / Family / Friend	20	19	24
Unemployed	34	28	34	School	0	0	0
Not in Labor Force	14	23	24	Mental Health Provider	*	*	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	27	40	58
Independent Living	52	56	87	Other Referral Source	7	5	6
Dependent Living	5	9	6				
Homeless	*	*	0	SPECIAL POPULATIONS	_	*	_
				Pregnant when Admitted to any Episode	0		0
LIFETIME DUI / DWI ARRESTS				Military Veteran	*	6	7
0	34	30	57	Special Education Services Needed		7	5
1 or 2	14	21	22	Co-Occurring Psychological Problem	21	24	20
3 or More	10	17	15	Co-Occurring Developmental Problem	*	*	*

MADISON COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA CENSUS 2010 12,226 **2011 POP. ESTIMATE** 12,195

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 9 5 16 **Anxiety Disorder** 49 17 42 Dementia 0 0 0 **Developmental Disorder** 0 Impulse Control Disorder 86 88 21 **Mood Disorder** 207 273 104 Personality Disorder 19 24 11 **Psychotic Disorder** 30 26 23 Sexual Disorder Other Diagnosis 29

16

125

17

113

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	402	450	267	Hearing Impaired	30	23	20
Male	185	218	106	Past or Current Military Service	9	12	7
Female	217	232	161	HOUSING / LIVING ARRANGEMENT			
				Independent Living	78	25	42
AGE				Dependent Living	/ O *	34	4∠ *
Under 6	*	6	*	Homeless	*	0	0
6 to 9	31	37	6	Other	*	*	0
10 to 13	46	72	17	Housing Unknown	317	389	220
14 to 17	39	67	27	Housing Officiown	317	369	220
18 to 24	39	49	32	EMPLOYMENT			
25 to 29	41	29	17	Employed	*	*	*
30 to 34	33	25	20	Unemployed	72	24	37
35 to 39	25	27	23	Not in Labor Force	9	*	6
40 to 44	40	35	29	Employment Status Unknown	317	420	221
45 to 49	39	41	32	4.005070			
50 to 54	29	33	30	ARRESTS Arrested in Past 12 Months	0	4.4	0
55 to 59	18	16	16		6	14	6
60 and Over	21	13	17	Not Arrested in Past 12 Months	78	46	40
				Arrest Status Unknown	318	390	221
RACE / ETHNICITY				TOTATMENT DECEDDAL COURCE			
Caucasian	370	405	250	TREATMENT REFERRAL SOURCE	004	000	400
African American	5	5	*	Self / Family / Friend	261	266	188
Native American / Alaskan	0	*	*	School Mantal Haalth Provides	6	9	0
Asian / Pacific Islander	0	0	0	Mental Health Provider	24	22	10
Hispanic	18	24	*	Health Care Provider	34	36	20
Other Race	9	14	8	Court / Criminal Justice	8	17	16
Race/Ethnicity Unknown	0	0	0	Other	69	99	32
				Referral Source Unknown	0	•	Î
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	35	13	23	Voluntary	401	436	259
High School Grad or G.E.D.	39	13	19	Civil	0	11	7
A.A. Degree or Some College	8	*	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	0	*	0
Education Level Unknown	318	420	221	Commitment Type Unknown	0	0	0

MADISON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Porcont	of ctudon	tewho in	the nact	12 months			(%)
Were very sad		17.9				ered atter			•		10.4
Were grouchy, irritable, or in a bad mood		24.0			-		-	attempt su	iicido		9.3
Felt hopeless about the future		10.8			ted suicio		cy would	attompt 30	aicide		4.1
Felt like not eating or eating more than usual		18.6		Had a suicide attempt that resulted in injury or overdose that had				nad to	1.0		
Slept a lot more or a lot less than usual		16.6		be treated by doctor or nurse				idu to			
Had difficulty concentrating on school work		19.9									
That amount containing on containing				EBELLIC							
FIGHTING						ts who agi					
Percent of students who, in the past 12 months:						s that get		-			20.5
Were in a physical fight		17.6		-			-		iake people mad		15.5
Were in a fight and had to be treated by a doctor or nurse	_	1.5			-		-	permissio	n		5.7
Were threatened or injured with a weapon on school proper	ty	5.2				okay to ch					29.9
BULLYING VICTIM				It is oka	y to beat	up peopl	e if they s	start a fight			48.7
Percent of students who, in the past 3 months:			s	CHOOL	RFI ATIO	ONS					
Were shoved, slapped, hit, or kicked in a serious manner		19.1					ree with t	he followin	ıg:		
Were victims of mean rumors or lies spread at school		41.5				_		tudent's go	-		71.0
Had embarrassing or hurtful pictures/text of them posted on	internet	11.5		School	provides	feedback	to paren	ts on positi	ive student perfo	rmance	35.8
Had embarrassing or hurtful pictures/text of them sent by ce		12.4			-	student fo	-	-	•		56.5
Were made fun of by others	•	53.9			re enforc						66.5
•				Studen	ts of all ra	aces and o	ethnicities	are treate	ed equally		66.8
BULLYING PERPRETRATOR											
Percent of students who, in the past 3 months:		47.0		ARENT				L - C- H			
Shoved, slapped, hit, or kicked a student in a serious manne	er	17.0				-		he followin	-		00.5
Spread mean rumors or lies about other kids at school		22.2						ident's god			82.5
Posted on internet embarrassing or hurtful pictures/text of se		7.7 9.3						amily decis		ionoco	64.1 83.5
Sent by cell phone embarrassing or hurtful pictures/text of s Made fun of other people	omeone	9.3 57.7						_	dless of consequ onal problem	iences	72.5
Regarding the substances listed below, percent of students:	¥h	≤	≠ <	_		= <	<	< <			
	Who have ever used substance	ho have used in the past 30 da	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Vho say parents would disapproney use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wh first used		
	o have ever used substance	Who have used in the past 30 days	Vhose closest friends have used in ne past 12 months	Vho say it would be easy to get	Who believe they risk harming hemselves if they use	Who say parents would disapprove if they use	Vho feel it would be wrong to use	Who think kids in their neighborhood yould be caught by police for using	Among students who have ever used substance, average age when irst used		
Cigarettes	29.2	ho have used in the past 30 days		Who say it would be easy to get 58.2	Who believe they risk harming 73.3	Nho say parents would disapprove if 87.6	Who feel it would be wrong to use 75.8	Who think kids in their neighborhood could be caught by police for using 6.5	Among students who have ever substance, average age when 12.37 irst used		
Chewing Tobacco	29.2 20.6	17.4 13.4	5	58.2	harming 73.3	87.6	75.8	16.5	12.37		
	29.2	17.4 13.4 15.5	5		harming		Ф		len		
Chewing Tobacco	29.2 20.6	17.4 13.4	55.2	58.2	harming 73.3	87.6	75.8	16.5	12.37 12.76		
Chewing Tobacco Alcohol	29.2 20.6 37.1	17.4 13.4 15.5 8.2 5.2	55.2	58.2	harming 73.3	87.6	75.8	16.5	12.37 12.76 13.49		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	29.2 20.6 37.1	17.4 13.4 15.5 8.2	55.2 56.4	58.2 52.8	73.3 69.9	87.6 79.8	75.8 56.5	16.5	12.37 12.76		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	29.2 20.6 37.1	17.4 13.4 15.5 8.2 5.2	55.2 56.4	58.2 52.8	73.3 69.9	87.6 79.8	75.8 56.5	16.5	12.37 12.76 13.49		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	29.2 20.6 37.1	17.4 13.4 15.5 8.2 5.2	55.2 56.4 30.3	58.2 52.8 32.0	73.3 69.9 74.1	87.6 79.8 95.3	75.8 56.5 85.9	16.5 22.2 34.2	12.37 12.76 13.49		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	29.2 20.6 37.1 11.3 4.1	17.4 13.4 15.5 8.2 5.2 1.5	55.2 56.4 30.3	58.2 52.8 32.0 19.4	73.3 69.9 74.1 92.8	87.6 79.8 95.3 97.4	75.8 56.5 85.9 94.8	16.5 22.2 34.2	12.37 12.76 13.49		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	29.2 20.6 37.1 11.3 4.1 4.6 6.7 1.0	17.4 13.4 15.5 8.2 5.2 1.5	55.2 56.4 30.3	58.2 52.8 32.0 19.4 50.8	73.3 69.9 74.1 92.8 82.4	87.6 79.8 95.3 97.4 95.8	75.8 56.5 85.9 94.8 90.7	16.5 22.2 34.2	12.37 12.76 13.49		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	29.2 20.6 37.1 11.3 4.1 4.6 6.7 1.0	17.4 13.4 15.5 8.2 5.2 1.5	55.2 56.4 30.3	58.2 52.8 32.0 19.4 50.8	73.3 69.9 74.1 92.8 82.4	87.6 79.8 95.3 97.4 95.8	75.8 56.5 85.9 94.8 90.7	16.5 22.2 34.2	12.37 12.76 13.49		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	29.2 20.6 37.1 11.3 4.1 4.6 6.7 1.0 2.1	17.4 13.4 15.5 8.2 5.2 1.5	55.2 56.4 30.3	58.2 52.8 32.0 19.4 50.8	73.3 69.9 74.1 92.8 82.4	87.6 79.8 95.3 97.4 95.8	75.8 56.5 85.9 94.8 90.7	16.5 22.2 34.2	12.37 12.76 13.49		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	29.2 20.6 37.1 11.3 4.1 4.6 6.7 1.0 2.1 2.1	17.4 13.4 15.5 8.2 5.2 1.5	55.2 56.4 30.3	58.2 52.8 32.0 19.4 50.8	73.3 69.9 74.1 92.8 82.4	87.6 79.8 95.3 97.4 95.8	75.8 56.5 85.9 94.8 90.7	16.5 22.2 34.2	12.37 12.76 13.49		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	29.2 20.6 37.1 11.3 4.1 4.6 6.7 1.0 2.1 2.1 0.5	17.4 13.4 15.5 8.2 5.2 1.5 2.6 4.6	55.2 56.4 30.3 12.3	58.2 52.8 32.0 19.4 50.8 33.0	73.3 69.9 74.1 92.8 82.4 85.9	87.6 79.8 95.3 97.4 95.8 95.2	75.8 56.5 85.9 94.8 90.7 91.8	16.5 22.2 34.2 45.6	12.37 12.76 13.49 11.85		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	29.2 20.6 37.1 11.3 4.1 4.6 6.7 1.0 2.1 2.1	17.4 13.4 15.5 8.2 5.2 1.5 2.6 4.6	55.2 56.4 30.3 12.3	58.2 52.8 32.0 19.4 50.8 33.0	73.3 69.9 74.1 92.8 82.4 85.9	87.6 79.8 95.3 97.4 95.8 95.2	75.8 56.5 85.9 94.8 90.7 91.8	16.5 22.2 34.2 45.6	12.37 12.76 13.49	oups 10-14	

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

MARIES COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 17 125 9,176 9,171



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	98	95	93
Mother Reported Drinking while Pregnant ¹		0	1
Mother Reported Smoking while Pregnant	34	28	19
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	110	90	85
Suicides	1	1	1
Self-inflicted Injuries	14	4	9
Homicides	0	0	1
Assault Injuries	11	11	12
Alcohol Induced Deaths	2	0	0
Drug Induced Deaths	4	1	0
Smoking Induced Deaths	26	19	14
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	47	46	37
Direct Hospitalizations	17	15	9
Emergency Room Hospitalizations	19	15	11
Emergency Room Outpatient	11	16	17
Drug RelatedTotal	64	37	27
Direct Hospitalizations	23	7	5
Emergency Room Hospitalizations	25	16	12
Emergency Room Outpatient	16	14	10
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	9	13	12
Fatal Crashes	1	1	2
Injury Crashes	5	6	6
Property Damage Crashes	3	6	4
Crash Fatalities	1	1	1
Crash Injuries	9	7	5
Drug Involved CrashesTotal	0	1	5
Fatal Crashes	0	0	1
Injury Crashes	0	0	3
Property Damage Crashes	0	1	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	5
EMPLOYMENT	2011	2010	2009
Labor Force	4,768	4,846	4,838
Employed	4,419	4,462	4,443
Unemployed	349	384	395
Unemployment Rate	7.3%	7.9%	8.2%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	5	6	8
Alcohol Package Carry-out Licenses	11	10	11

SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	394	382	416
Drop-outs	10	14	19
Drop-out Rate	2.5%	3.7%	4.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	C
Drug Incidents	0	5	2
Tobacco Incidents	0	0	C
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	25	24	33
Liquor Law Arrests	25	32	21
Drug Arrests	81	77	16
Methamphetamine Lab Incidents	14	16	1
Violent Offenses	12	12	12
Property Offenses	85	92	83
Domestic Violence Reports	33	33	12
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	9	18	23
Violent Offenses	5	3	1
Alcohol Offenses	0	0	C
Drug Offenses	1	1	2
Status OffensesTotal	21	28	16
Truancy	13	11	6
Beyond Parental Control	1	8	7
Habitually Absent from Home	0	0	1
Injurious Behavior	7	9	2
Abuse/Neglect/CustodyTotal	106	63	32
Abuse	53	25	18
Neglect	52	36	14
Custody Disputes	1	2	C
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	6	6	ξ
Parental Alcohol Use Related	0	0	(
Parental Drug Use Related	1	4	1
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	5	2	7
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	(
Probation/Parole AdmissionsTotal	27	33	30
Probation/Parole AdmissionsDrug	12	15	8
Probation/Parole AdmissionsDWI	0	1	3
Prison AdmissionsTotal	12	19	15
Prison AdmissionsDrug	5	12	3
Prison AdmissionsDWI	0	0	2

An asterisk in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information.
 Reporting of this information on the birth long form was discontinued in 2010.

Reporting of this information on the birth long form was discontinued in 2010. P. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

MARIES COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	12	*	0
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	*	5
Primary Recovery Treatment	17	28	54
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	19	24	31
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	9	9	12
- Weekend Intervention Program	8	7	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	*	*
- Early Intervention	0	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	20	21	47	Never Married	18	17	33
Female	13	19	20	Married / Cohabitating	12	12	22
				Previously Married	*	11	12
AGE	*	*	*				
Under 18				PRIMARY DRUG PROBLEM			
18 to 24	7	7	10	Alcohol	8	11	28
25 to 29	*	9	14	Marijuana / Hashish	6	11	21
30 to 34			11 *	Cocaine (total)	0		*
35 to 39	7	5		- Crack	0	0	
40 to 44	-		9	Stimulant (total)	12	11	13
45 to 54	5	9	14	- Methamphetamine	11	11	13
55 and Over	*	*	*	Heroin		*	*
RACE / ETHNICITY				Analgesic except Heroin	5		*
Caucasian	32	38	63	- Non-Prescription Methadone	0	0	0
African American	0	*	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	0	0	Tranquilizer	*	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	*	0	0	Sedative	0	*	0
Other Race / Two or More Races	0	0	*	Other Medication or Illicit Drug	0	0	0
				Average Age at First Use of Drug	19.6	18.6	17.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	15	16	28	Any Injection Use at Admission	5	6	*
High School Graduate or G.E.D.	15	12	29	- Daily Injection Use	0	*	0
Associate Degree or Some College	*	12	9	- Weekly Injection Use	0	*	*
Bachelor or Advanced Degree	0	0	*	- Less than Weekly Injection Use	5	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	13	5	22	Self / Family / Friend	11	5	13
Unemployed	7	21	28	School	0	0	0
Not in Labor Force	13	14	17	Mental Health Provider	0	*	0
				Health Care Provider	0	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	20	26	45
Independent Living	28	36	58	Other Referral Source	*	7	6
Dependent Living	*	*	6				
Homeless	*	*	*	SPECIAL POPULATIONS	*		
LIFETIME DIN / DIM ADDECTO				Pregnant when Admitted to any Episode		0	*
LIFETIME DUI / DWI ARRESTS	60	0.1	00	Military Veteran	0		*
0	20	24	39	Special Education Services Needed	7	6	9
1 or 2	10	12	17	Co-Occurring Psychological Problem	10	16	22
3 or More	*	*	11	Co-Occurring Developmental Problem	*	*	*

MARIES COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 17A **CENSUS 2010** 9,176 2011 POP. ESTIMATE 9,171

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 **Anxiety Disorder** 26 21 15 Dementia 0 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 9 13 13 **Mood Disorder** 43 34 26 Personality Disorder **Psychotic Disorder** 7 8 6 Sexual Disorder 0 0 0 Other Diagnosis Diagnosis Unknown

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
59	55	57	Hearing Impaired	0	0	*
24	25	27	Past or Current Military Service	*	*	*
35	30	30	LIQUORIO (LIVINO ARRANGEMENT			
				4.4	40	_
			•			7
*	*	0	•			
*	5	6		_	-	0
6	*			_	-	0
*	6	7	Housing Unknown	46	37	49
*	*	5	EMPLOYMENT			
*	6	*	Employed	*	*	0
7	*	*	Unemployed	12	10	7
9	*	*	Not in Labor Force	0	*	0
6	*	*	Employment Status Unknown	46	43	50
6	*	*				
*	7	6				_
*	*	5				0
5	7	8				8
			Arrest Status Unknown	46	37	49
			TREATMENT REFERRAL COURSE			
57	53	57		20	20	00
*	*	0	•	-		26
0	0	0		_		0
0	0	0				
0	0	0				8
0	*	0				
0	0	0				18
			Referral Source Unknown	0	0	0
			TYPE OF COMMITMENT			
6	6	*	Voluntary	58	52	54
6	*	*	Civil	0	*	*
*	*	0	Criminal	*	*	0
0	*	0	Sexual Predatory	0	0	0
46	43	50	Commitment Type Unknown	0	0	0
	59 24 35 * * * * * * * * * * * * * * * * * * *	59	59 55 57 24 25 27 35 30 30 * * 0 * 5 6 6 * 5 * 6 * * 6 * * 7 * 9 * * 6 * * 6 * * 5 7 8 57 53 57 * * 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	SPECIAL POPULATION	SPECIAL POPULATION	SPECIAL POPULATION

15

MARION COUNTY



ADA/CPS REGION ADA SERVICE AREA 14 FIPS COUNTY CODE 127 CENSUS 2010 28,781 2011 POP. ESTIMATE

2011 POPULATION PROFILE BY AGE GROUP 1,200 Central 900 600 300 28,717

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	372	355	418
Mother Reported Drinking while Pregnant ¹		2	0
Mother Reported Smoking while Pregnant	112	104	126
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	1	0
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	325	297	356
Suicides	4	6	4
Self-inflicted Injuries	50	53	39
Homicides	1	1	1
Assault Injuries	111	114	121
Alcohol Induced Deaths	2	2	3
Drug Induced Deaths	2	7	1
Smoking Induced Deaths	61	47	68
Chloring madoda Dodano	01	77	00
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	350	346	342
Direct Hospitalizations	99	65	73
Emergency Room Hospitalizations	122	163	139
Emergency Room Outpatient	129	118	130
Drug RelatedTotal	267	254	218
Direct Hospitalizations	113	74	60
Emergency Room Hospitalizations	90	127	118
Emergency Room Outpatient	64	53	40
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	40	45	45
Fatal Crashes	1	1	2
Injury Crashes	14	17	14
Property Damage Crashes	25	27	29
Crash Fatalities	1	1	2
Crash Injuries	18	15	14
Drug Involved CrashesTotal	8	6	4
Fatal Crashes	0	0	0
Injury Crashes	1	0	2
Property Damage Crashes	7	6	2
Crash Fatalities	0	0	0
Crash Injuries	1	0	2
EMPLOYMENT	2011	2010	2009
Labor Force	14,556	14,856	14,868
Employed	13,464	13,536	13,452
Unemployed	1,092	1,320	1,416
Unemployment Rate	7.5%	8.9%	9.5%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	51	54	57
Alcohol Package Carry-out Licenses	40	35	40

■ Female ■ Male						
2010-2011	2009-2010	2008-2009				
1,444	1,460	1,466				
24	28	58				
1.7%	1.9%	4.0%				
0	0	0				
9	1	1				
0	0	0				
2010	2009	2008				
271	238	213				
193	191	195				
217	177	156				
29	33	19				
69	118	152				
1,523	1,430	1,725				
244	231	226				
2010	2009	2008				
126	164	183				
32	41	36				
16	15	31				
4	9	10				
98	90	91				
34	21	29				
1	1	3				
10	9	7				
53	59	52				
60	29	25				
13	1	14				
46	28	11				
1	0	0				
2010	2009	2008				
48	20	20				
1	0	0				
5	1	4				
0	0	0				
42	19	16				
FY2011	FY2010	FY2009				
21	23	22				
229	230	231				
83	81	89				
28	24	24				
164	171	146				
	00	FΩ				
68	68	59				
	2010-2011 1,444 24 1.7% 0 9 0 2010 271 193 217 29 69 1,523 244 2010 126 32 16 4 98 34 1 10 53 60 13 46 1 2010 48 1 5 0 42 FY2011 21 229 83 28	2010-2011 2009-2010 1,444 1,460 24 28 1.7% 1.9% 0 0 9 1 0 0 2010 2009 271 238 193 191 217 177 29 33 69 118 1,523 1,430 244 231 2010 2009 126 164 32 41 16 15 4 9 98 90 34 21 1 1 10 9 53 59 60 29 13 1 46 28 1 0 2010 2009 48 20 1 0 42 19 FY2011 FY2010				

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

MARION COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	27	24	22
CSTAR Women and Children	70	64	50
CSTAR General Adult	38	30	27
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	85	98	74
Primary Recovery Treatment	197	239	252
Clinical SATOP (CIP, YCIP, SROP)	21	27	23
Other Substance Abuse Treatment	0	*	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	147	175	184
- Adolescent Diversion Education Program	11	29	37
- Offender Education Program	55	49	43
- Weekend Intervention Program	26	43	40
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	29	24	11
- Compulsive Gambling	0	0	0
- Recovery Supports	11	67	7
- Early Intervention	21	6	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	250	287	290	Never Married	215	231	218
Female	103	96	80	Married / Cohabitating	66	75	71
	100	00	00	Previously Married	72	77	81
AGE						• •	0.
Under 18	29	29	27	PRIMARY DRUG PROBLEM			
18 to 24	92	102	94	Alcohol	152	158	173
25 to 29	56	66	68	Marijuana / Hashish	102	139	130
30 to 34	50	52	38	Cocaine (total)	31	18	29
35 to 39	33	40	45	- Crack	13	7	13
40 to 44	28	30	43	Stimulant (total)	43	41	25
45 to 54	54	57	46	- Methamphetamine	43	40	24
55 and Over	11	7	9	Heroin	15	10	*
RACE / ETHNICITY				Analgesic except Heroin	6	11	5
Caucasian	297	322	309	- Non-Prescription Methadone	0	*	*
African American	39	50	54	PCP, LSD, other Hallucinogen	*	0	*
Native American / Alaskan	*	*	0	Tranquilizer	*	*	*
Asian / Pacific Islander	*	0	0	Inhalant	0	0	0
Hispanic	8	5	*	Sedative	0	0	0
Other Race / Two or More Races	10	5	7	Other Medication or Illicit Drug	0	*	*
Other Race / Two of More Races	10	5	,	Average Age at First Use of Drug	16.6	16.7	16.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	141	140	151	Any Injection Use at Admission	38	21	10
High School Graduate or G.E.D.	182	194	171	- Daily Injection Use	9	8	*
Associate Degree or Some College	27	48	45	- Weekly Injection Use	9	*	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	20	10	7
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	104	107	141	Self / Family / Friend	61	43	38
Unemployed	158	199	116	School	*	0	0
Not in Labor Force	91	77	113	Mental Health Provider	*	6	5
				Health Care Provider	6	*	6
LIVING ARRANGEMENT				Court / Criminal Justice	266	314	297
Independent Living	276	310	298	Other Referral Source	15	16	24
Dependent Living	57	60	62	ODEOLAL DODUKATIONS			
Homeless	16	9	*	SPECIAL POPULATIONS	*	*	
LIFETIME DUI / DIA// A DRECTO				Pregnant when Admitted to any Episode			40
LIFETIME DUI / DWI ARRESTS	400	040	405	Military Veteran	15	17	13
0	190	218	185	Special Education Services Needed	51	54	37
1 or 2	104	106	123	Co-Occurring Psychological Problem	131	145	109
3 or More	59	59	62	Co-Occurring Developmental Problem	23	18	17

MARION COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 14 CENSUS 2010 28,781 2011 POP. ESTIMATE 28,717

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 20 28 19 **Anxiety Disorder** 128 118 111 Dementia **Developmental Disorder** Impulse Control Disorder 137 71 73 **Mood Disorder** 461 485 465 Personality Disorder 21 36 32 **Psychotic Disorder** 201 184 176 Sexual Disorder 0 0 0 Other Diagnosis 79 53 52 Diagnosis Unknown 73 97 153

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	872	825	909	Hearing Impaired	9	8	14
Male	449	410	445	Past or Current Military Service	31	36	38
Female	423	415	464	HOUSING / LIVING ARRANGEMENT			
				Independent Living	326	290	178
AGE				Dependent Living	164	171	124
Under 6	*	0	0	Homeless	7	*	*
6 to 9	44	20	23	Other	9	7	*
10 to 13	71	39	39	Housing Unknown	366	355	601
14 to 17	62	46	61	riodaling officiowin	300	333	001
18 to 24	95	90	120	EMPLOYMENT			
25 to 29	94	98	93	Employed	67	73	57
30 to 34	80	81	77	Unemployed	424	342	229
35 to 39	71	81	93	Not in Labor Force	15	19	16
40 to 44	71	74	90	Employment Status Unknown	366	391	607
45 to 49	101	107	110	4005050			
50 to 54	74	68	78	ARRESTS	70		00
55 to 59	53	56	58	Arrested in Past 12 Months	78	63	30
60 and Over	53	65	67	Not Arrested in Past 12 Months	428	408	278
				Arrest Status Unknown	366	354	601
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	752	718	787	Self / Family / Friend	105	100	254
African American	93	85	98	School	195	193	251
Native American / Alaskan	*	*	0	Mental Health Provider			8
Asian / Pacific Islander	0	*	*		81	87	94
Hispanic	10	6	6	Health Care Provider	51	50	68
Other Race	16	13	16	Court / Criminal Justice	32	53	70
Race/Ethnicity Unknown	0	0	0	Other	503	426	400
				Referral Source Unknown	7	14	18
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	161	147	92	Voluntary	846	773	850
High School Grad or G.E.D.	259	213	155	Civil	7	27	26
A.A. Degree or Some College	68	60	40	Criminal	12	12	16
Bachelor or Advanced Degree	17	14	15	Sexual Predatory	0	0	0
Education Level Unknown	367	391	607	Commitment Type Unknown	7	13	17

MARION COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		/0/		SUICIDE						(0/)	
Percent of students who, in the past 30 days:		(%	o)					12 months	:	(%)	
Were very sad		22.	9	Seriou	sly consid	lered atter	mpting su	icide		15.1	
Were grouchy, irritable, or in a bad mood		24.	9	Made a	a plan abo	out how th	ey would	attempt su	uicide	13.8	
Felt hopeless about the future		13.	6	Attempted suicide							
Felt like not eating or eating more than usual		13.	4					in injury o	r overdose that had to	1.4	
Slept a lot more or a lot less than usual		22.	8	be t	reated by	doctor or	nurse				
Had difficulty concentrating on school work		25.									
FIGURENO			,	REBELLIO Parcant		s ts who ag	roo that:				
FIGHTING Percent of students who, in the past 12 months:						s that get		ıav.		24.4	
Were in a physical fight		18.	g.					-	nake people mad	18.1	
Were in a physical light Were in a fight and had to be treated by a doctor or nurse				-			_			2.9	
Were threatened or injured with a weapon on school proper	tv	2.4 It is okay to take something without permission 8.9 Sometimes it is okay to cheat at school					""	25.6			
were uneatened of injured with a weapon off school proper	ıy	0.	9			-		start a fight	•	38.9	
BULLYING VICTIM				It is on	ay to bea	up peopi	e ii iiley .	start a rigin		30.9	
Percent of students who, in the past 3 months:				SCHOOL	RELATIO	ONS					
Were shoved, slapped, hit, or kicked in a serious manner		20.	6	Percent	of studen	ts who ag	ree with t	he followin	ng:		
Were victims of mean rumors or lies spread at school		49.	9	Teach	ers notice	and com	ment on s	tudent's go	ood work	63.8	
Had embarrassing or hurtful pictures/text of them posted on	internet	15.	9	School	provides	feedback	to paren	ts on positi	ive student performance	35.8	
Had embarrassing or hurtful pictures/text of them sent by ce	ell phone	13.	4	Teach	ers praise	student fo	or hard w	ork		49.7	
Were made fun of by others		63.	2	Rules	are enforc	ed fairly				56.3	
				Studer	its of all ra	aces and	ethnicitie:	s are treate	ed equally	78.8	
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:											
·	or	19.		PARENT			roo with t	ha fallawin	na:		
Shoved, slapped, hit, or kicked a student in a serious manner			9	Percent of students who agree with the following: Parents notice and comment on student's good work							
Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of someone								•		78.4 61.9	
		8.° 8.0						amily decis		86.4	
Sent by cell phone embarrassing or hurtful pictures/text of s Made fun of other people	oneone	66.4						_	dless of consequences onal problem	76.7	
Made fall of other people		00.	•	Studen	it could a.	ok parent	ioi ncip i	nur u porse	onar problem	7 0.7	
SUBSTANCE USE AND BELIEFS											
Regarding the substances listed below, percent of students:	≤		the W	≤	# ≤	# ≤	≤	ĕ ≦	∄ us ≥s		
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	no s	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age what first used		
	ave	ave	e clo st 1:	ay ii	elie	ay p	8	윤호	ubs ed		
	eve	Su	ses 2 m	W I	ve t s #f	are	t w	iii iii	tanc		
	, E	<u>ă</u>	on the	튭	they	ns:	ᇤ	at sin	Se, S		
	ĕ	. ₹	ns end:	be	us risk	WOL	e	the oy p	who		
	dus	ba	s ha	eas	e ਜ਼ਿ	둽	WTO	e ir	hav age		
	star	St 3	Ive	to	₫.	isa i	g	e fo	/e e		
	e)	Q,	use	get	g		<u>د</u>	rus bort	e w		
		Syg	i i			Who say parents would disapprove if they use	ő	ja ja	nen		
Cigarettes	17.8	11.4	37.5	44.0	79.5	91.5	82.3	29.3	12.07		
Chewing Tobacco	8.4	4.4		74.0	13.3	51.5	02.3	23.3	12.01		
Alcohol	34.0	17.1		52.3	64.4	84.2	66.4	32.7	11.97		
Binge Alcohol (5+ drinks on one occasion in past 30 days)	34.0	8.2		32.3	04.4	04.2	00.4	52.1	11.37		
Marijuana	7.3	3.8		18.7	83.6	96.6	88.2	50.9	12.81		
Inhalants	3.6	1.3		10.7	03.0	90.0	00.2	50.9	11.61		
	3.0	1.3	10.0	8.0	93.0	98.6	96.2	48.1	11.01		
Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	6.0	4.9		46.3	87.3	96.9	92.6	40.1			
Prescription drugs not prescribed for student	6.0	2.4		21.9	89.2	97.3	92.6				
Heroin	0.0	2.4		21.9	09.2	91.3	92.0				
Cocaine	1.4										
	0.7										
Methamphetamine Hellusinggens											
Hallucinogens	2.7										
Club drugs such as ecstasy, GHB, roofle, or Special K	1.4	ſ	Data are w	eighted ir	compari	son to cou	ıntv popu	lation estir	mates for age groups 10	-14	
Synthetic drugs such as K2, bath salts, Spice	3.3	á	and 15-19,	, gender, ı	ace, and	Hispanic	origin.				
Steroids not prescribed for student	0.4	-	Percentag	es on som	ne items a	are based	on comb	ined answe	er choices.		

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

MERCER COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 13 129 3,785 3,804



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	37	55	35
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	8	17	10
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	48	37	41
Suicides	2	1	0
Self-inflicted Injuries	4	2	2
Homicides	0	0	0
Assault Injuries	3	2	4
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	1
Smoking Induced Deaths	11	8	10
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	19	19	19
Direct Hospitalizations	6	5	9
Emergency Room Hospitalizations	5	5	4
Emergency Room Outpatient	8	9	6
Drug RelatedTotal	20	16	11
Direct Hospitalizations	10	11	5
Emergency Room Hospitalizations	0	2	3
Emergency Room Outpatient	10	3	3
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	2	5	0
Fatal Crashes	0	0	0
Injury Crashes	1	2	0
Property Damage Crashes	1	3	0
Crash Fatalities	0	0	0
Crash Injuries	2	1	0
Drug Involved CrashesTotal	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	1,919	1,838	1,760
Employed	1,797	1,695	1,629
Unemployed	122	143	131
Unemployment Rate	6.4%	7.8%	7.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	5	6	6
Alcohol Package Carry-out Licenses	6	5	4

= Temale	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	163	156	160
Drop-outs	0	1	3
Drop-out Rate	0.0%	0.6%	1.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	1
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	8	21	6
Liquor Law Arrests	7	7	5
Drug Arrests	12	5	5
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	11	3	3
Property Offenses	21	16	30
Domestic Violence Reports	7	4	13
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	11	5	12
Violent Offenses	0	0	3
Alcohol Offenses	5	0	2
Drug Offenses	1	2	0
Status OffensesTotal	6	8	3
Truancy	0	0	0
Beyond Parental Control	2	1	2
Habitually Absent from Home	0	2	0
Injurious Behavior	4	5	1
Abuse/Neglect/CustodyTotal	21	15	6
Abuse	5	10	2
Neglect	16	5	4
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	3	1	1
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	3	1	1
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	4	6	4
Probation/Parole AdmissionsTotal	35	36	40
Probation/Parole AdmissionsDrug	1	2	4
Probation/Parole AdmissionsDWI	2	1	4
Prison AdmissionsTotal	10	20	23
Prison AdmissionsDrug	0	0	2
Prison AdmissionsDWI	1	2	1

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

MERCER COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	0	0	0
CSTAR Women and Children	0	0	*
CSTAR General Adult	23	*	*
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	*	0
Primary Recovery Treatment	0	17	17
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	7	15	14
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	8	*
- Weekend Intervention Program	0	5	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	5	0
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	18	16	14	Never Married	8	10	9
Female	8	*	5	Married / Cohabitating	10	*	*
	· ·		Ü	Previously Married	8	6	6
AGE				•	Ü	Ü	Ü
Under 18	0	0	0	PRIMARY DRUG PROBLEM			
18 to 24	*	*	*	Alcohol	13	12	9
25 to 29	*	5	5	Marijuana / Hashish	5	5	6
30 to 34	6	5	*	Cocaine (total)	0	0	0
35 to 39	*	0	*	- Crack	0	0	0
40 to 44	*	*	*	Stimulant (total)	*	*	*
45 to 54	7	*	*	- Methamphetamine	*	*	*
55 and Over	*	*	*	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	24	20	18	- Non-Prescription Methadone	0	0	0
African American	24 *	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	0	0	Tranquilizer	0	0	0
Asian / Pacific Islander	0	0	*	Inhalant	0	0	0
Hispanic	0	0	0	Sedative	0	0	0
Other Race / Two or More Races	0	0	0	Other Medication or Illicit Drug	*	0	0
Other Race / Two of More Races	U	U	U	Average Age at First Use of Drug	19.5	17.5	15.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	6	*	*	Any Injection Use at Admission	*	0	*
High School Graduate or G.E.D.	15	16	13	- Daily Injection Use	0	0	0
Associate Degree or Some College	5	*	0	- Weekly Injection Use	*	0	0
Bachelor or Advanced Degree	0	*	*	- Less than Weekly Injection Use	*	0	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	12	10	8	Self / Family / Friend	5	5	*
Unemployed	10	8	9	School	0	0	0
Not in Labor Force	*	*	*	Mental Health Provider	*	0	*
				Health Care Provider	0	0	0
LIVING ARRANGEMENT				Court / Criminal Justice	15	14	12
Independent Living	25	19	15	Other Referral Source	5	*	*
Dependent Living	*	0	0	005044 00044 474040			
Homeless	0	0	*	SPECIAL POPULATIONS		•	
LIFETIME DUI / DIA" A DOCOTO				Pregnant when Admitted to any Episode	0	0	*
LIFETIME DUI / DWI ARRESTS	40		4.4	Military Veteran	*		
0	16	14	11	Special Education Services Needed	0	0	*
1 or 2	6	5		Co-Occurring Psychological Problem	11		6
3 or More	*	*	5	Co-Occurring Developmental Problem	0	0	0

MERCER COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 13
CENSUS 2010 3,785
2011 POP. ESTIMATE 3,804

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 0 **Anxiety Disorder** 23 20 22 Dementia 0 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 5 7 **Mood Disorder** 31 32 41 Personality Disorder 0 **Psychotic Disorder** 8 7 9 Sexual Disorder 0 0 Other Diagnosis 6 6 Diagnosis Unknown

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	46	47	58	Hearing Impaired	0	*	*
Male	12	16	23	Past or Current Military Service	*	*	*
Female	34	31	35	HOUSING / LIVING ARRANGEMENT			
				Independent Living	16	13	8
AGE				Dependent Living	*	*	*
Under 6	0	0	0	Homeless	0	0	0
6 to 9	*	*	*	Other	_	0	0
10 to 13	*	*	5		0	0	47
14 to 17	*	*	*	Housing Unknown	27	31	47
18 to 24	*	*	*	EMPLOYMENT			
25 to 29	0	*	*	Employed	0	0	*
30 to 34	5	*	5	Unemployed	16	13	9
35 to 39	*	5	*	Not in Labor Force	*	*	0
40 to 44	*	*	*	Employment Status Unknown	27	32	48
45 to 49	8	11	6	1005050			
50 to 54	7	*	5	ARRESTS	*	*	
55 to 59	*	*	7	Arrested in Past 12 Months			*
60 and Over	8	9	10	Not Arrested in Past 12 Months	18	15	9
				Arrest Status Unknown	27	31	47
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	46	47	58	Self / Family / Friend	15	14	40
African American	0	0	0	School	_	14	18
Native American / Alaskan	0	0	0		0		
Asian / Pacific Islander	0	0	0	Mental Health Provider	5	7	12
Hispanic	0	0	0	Health Care Provider	16	14	15
Other Race	0	0	0	Court / Criminal Justice			
Race/Ethnicity Unknown	0	0	0	Other	8	9	10
				Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	*	5	*	Voluntary	46	47	58
High School Grad or G.E.D.	13	7	5	Civil	0	0	0
A.A. Degree or Some College	*	*	0	Criminal	0	0	0
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	0	0	0
Education Level Unknown	27	32	48	Commitment Type Unknown	0	0	0

MERCER COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Porcont	of ctudon	te who in	the nact	12 months		(%)
Were very sad		23.9				ered atter	-		•	10.4
Were grouchy, irritable, or in a bad mood		28.4			-			attempt su	uicido	4.5
Felt hopeless about the future		9.0			ted suicio		cy would	attempt se	aicide	4.4
Felt like not eating or eating more than usual		13.2					resulted	in injury o	r overdose that had to	
Slept a lot more or a lot less than usual		16.4				doctor or			ovoracco anarmaa t	0.0
Had difficulty concentrating on school work		19.4			·					
,				EBELLIC						
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get		-		17.9
Were in a physical fight		19.1		-					ake people mad	16.2
Were in a fight and had to be treated by a doctor or nurse		3.0		It is okay to take something without permission Sometimes it is okay to cheat at school				4.4		
Were threatened or injured with a weapon on school proper	ty	7.6				-				16.4
BULLYING VICTIM				It IS OK	iy to beat	up people	e ir tney s	start a fight		55.2
Percent of students who, in the past 3 months:			s	CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		22.1					ee with t	he followin	g:	
Were victims of mean rumors or lies spread at school		53.7		Teache	rs notice	and comm	nent on s	tudent's go	ood work	83.8
Had embarrassing or hurtful pictures/text of them posted on	internet	14.9		School	provides	feedback	to paren	ts on positi	ve student performan	ce 58.2
Had embarrassing or hurtful pictures/text of them sent by ce	ell phone	20.6		Teache	rs praise	student fo	or hard w	ork		71.6
Were made fun of by others		63.2		Rules a	re enforc	ed fairly				74.6
				Studen	ts of all ra	aces and e	ethnicities	s are treate	ed equally	91.2
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:			_							
Shoved, slapped, hit, or kicked a student in a serious mann	or	16.4		ARENT I			roo with t	he followin	a.	
	CI	28.4				_			-	87.9
Spread mean rumors or lies about other kids at school			Parents notice and comment on student's good work Parents involve student in making family decisions						70.1	
Posted on internet embarrassing or hurtful pictures/text of someone Sent by cell phone embarrassing or hurtful pictures/text of someone								-		
Made fun of other people	onconc	17.6 64.2	, , , , , , , , , , , , , , , , , , , ,							77.6
Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age what first used	
	Ce	30 days	ve used in	y to get	rming	disapprove if	ng to use	ghborhood for using	ever age when	
Cigarettes	31.3	30 days 13.4		y to get 52.2	72.1	disapprove if 90.9	ng to use 75.8	ghborhood for using 28.4	age when 13.69	
Chewing Tobacco	31.3 20.6		5				Ф	ng Boo	13.69	
-	31.3	13.4	5				Ф	ng Boo	ien	
Chewing Tobacco	31.3 20.6	13.4 14.7 19.1 9.0	35.8	52.2 52.2	72.1 61.2	90.9 81.5	75.8 56.7	28.4	13.69 12.71	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	31.3 20.6 43.3	13.4 14.7 19.1 9.0 1.5	35.8	52.2	72.1	90.9	75.8	28.4	13.69	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	31.3 20.6 43.3	13.4 14.7 19.1 9.0	35.8 45.6 14.9	52.2 52.2 11.9	72.1 61.2 77.6	90.9 81.5 98.5	75.8 56.7 89.6	28.4 33.3 51.5	13.69 12.71	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	31.3 20.6 43.3 7.4 6.0	13.4 14.7 19.1 9.0 1.5	35.8 45.6	52.2 52.2 11.9 9.0	72.1 61.2 77.6 88.2	90.9 81.5 98.5 98.5	75.8 56.7 89.6 94.1	28.4	13.69 12.71	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	31.3 20.6 43.3 7.4 6.0	13.4 14.7 19.1 9.0 1.5 3.0	35.8 45.6 14.9	52.2 52.2 11.9 9.0 50.7	72.1 61.2 77.6 88.2 80.6	90.9 81.5 98.5 98.5 100.0	75.8 56.7 89.6 94.1 89.4	28.4 33.3 51.5	13.69 12.71	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	31.3 20.6 43.3 7.4 6.0 5.9 7.4	13.4 14.7 19.1 9.0 1.5 3.0	35.8 45.6 14.9	52.2 52.2 11.9 9.0	72.1 61.2 77.6 88.2	90.9 81.5 98.5 98.5	75.8 56.7 89.6 94.1	28.4 33.3 51.5	13.69 12.71	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	31.3 20.6 43.3 7.4 6.0 5.9 7.4 1.5	13.4 14.7 19.1 9.0 1.5 3.0	35.8 45.6 14.9	52.2 52.2 11.9 9.0 50.7	72.1 61.2 77.6 88.2 80.6	90.9 81.5 98.5 98.5 100.0	75.8 56.7 89.6 94.1 89.4	28.4 33.3 51.5	13.69 12.71	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	31.3 20.6 43.3 7.4 6.0 5.9 7.4 1.5	13.4 14.7 19.1 9.0 1.5 3.0	35.8 45.6 14.9	52.2 52.2 11.9 9.0 50.7	72.1 61.2 77.6 88.2 80.6	90.9 81.5 98.5 98.5 100.0	75.8 56.7 89.6 94.1 89.4	28.4 33.3 51.5	13.69 12.71	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	31.3 20.6 43.3 7.4 6.0 5.9 7.4 1.5 1.5	13.4 14.7 19.1 9.0 1.5 3.0	35.8 45.6 14.9	52.2 52.2 11.9 9.0 50.7	72.1 61.2 77.6 88.2 80.6	90.9 81.5 98.5 98.5 100.0	75.8 56.7 89.6 94.1 89.4	28.4 33.3 51.5	13.69 12.71	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	31.3 20.6 43.3 7.4 6.0 5.9 7.4 1.5 1.5	13.4 14.7 19.1 9.0 1.5 3.0	35.8 45.6 14.9	52.2 52.2 11.9 9.0 50.7	72.1 61.2 77.6 88.2 80.6	90.9 81.5 98.5 98.5 100.0	75.8 56.7 89.6 94.1 89.4	28.4 33.3 51.5	13.69 12.71	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K	31.3 20.6 43.3 7.4 6.0 5.9 7.4 1.5 1.5 1.5	13.4 14.7 19.1 9.0 1.5 3.0 2.9 1.5	35.8 45.6 14.9 4.5	52.2 52.2 11.9 9.0 50.7 11.9	72.1 61.2 77.6 88.2 80.6 88.1	90.9 81.5 98.5 98.5 100.0 95.5	75.8 56.7 89.6 94.1 89.4 89.6	28.4 33.3 51.5 50.7	13.69 12.71 14.06	10.14
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	31.3 20.6 43.3 7.4 6.0 5.9 7.4 1.5 1.5	13.4 14.7 19.1 9.0 1.5 3.0 2.9 1.5	35.8 45.6 14.9 4.5	52.2 52.2 11.9 9.0 50.7 11.9	72.1 61.2 77.6 88.2 80.6 88.1	90.9 81.5 98.5 98.5 100.0 95.5	75.8 56.7 89.6 94.1 89.4 89.6	28.4 33.3 51.5 50.7	13.69 12.71	10-14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data source:


Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

MILLER COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE

Central 11 131 24,748 24,770



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	288	337	331
Mother Reported Drinking while Pregnant ¹		2	2
Mother Reported Smoking while Pregnant	73	94	86
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	2
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	252	247	282
Suicides	2	1	2
Self-inflicted Injuries	18	25	15
Homicides	2	0	3
Assault Injuries	94	72	69
Alcohol Induced Deaths	2	5	1
Drug Induced Deaths	6	1	2
Smoking Induced Deaths	44	45	65
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	226	238	231
Direct Hospitalizations	60	230 41	30
Emergency Room Hospitalizations	85	121	126
Emergency Room Outpatient			_
Drug RelatedTotal	81 197	76 165	75 143
· · · · · · · · · · · · · · · · · · ·			
Direct Hospitalizations	44	33	37
Emergency Room Hospitalizations	57	70	63
Emergency Room Outpatient	96	62	43
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	60	48	46
Fatal Crashes	2	2	5
Injury Crashes	29	24	17
Property Damage Crashes	29	22	24
Crash Fatalities	2	2	5
Crash Injuries	42	36	22
Drug Involved CrashesTotal	7	5	3
Fatal Crashes	0	0	0
Injury Crashes	3	3	2
Property Damage Crashes	4	2	1
Crash Fatalities	0	0	0
Crash Injuries	4	3	3
EMPLOYMENT	2011	2010	2009
Labor Force	11,608	12,183	12,798
Employed	10,294	10,678	11,297
Unemployed	1,314	1,505	1,501
Unemployment Rate	11.3%	12.4%	11.7%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	54	55	60
Alcohol Package Carry-out Licenses	38	33	41
g,	00	00	71

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,507	1,532	1,562
Drop-outs	49	42	32
Drop-out Rate	3.3%	2.7%	2.0%
School Suspensions, 10 or More Days			
Alcohol Incidents	1	2	7
Drug Incidents	15	14	17
Tobacco Incidents	2	0	2
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	262	255	356
Liquor Law Arrests	58	83	78
Drug Arrests	107	155	183
Methamphetamine Lab Incidents	16	19	10
Violent Offenses	62	96	98
Property Offenses	406	400	516
Domestic Violence Reports	156	116	146
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	88	133	143
Violent Offenses	31	50	72
Alcohol Offenses	5	16	15
Drug Offenses	10	21	13
Status OffensesTotal	100	78	102
Truancy	22	19	34
Beyond Parental Control	14	12	12
Habitually Absent from Home	15	14	15
Injurious Behavior	46	33	38
Abuse/Neglect/CustodyTotal	82	126	106
Abuse	7	34	22
Neglect	75	92	84
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	38	51	34
Parental Alcohol Use Related	1	1	0
Parental Drug Use Related	11	7	12
Parental Alcohol and Drug Use	2	3	0
Child Removed for Other Reason	24	40	22
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	233	250	259
Probation/Parole AdmissionsDrug	76	91	87
Probation/Parole AdmissionsDWI	24	23	23
Prison AdmissionsTotal	125	106	119
Prison AdmissionsDrug	46	39	44
Prison AdmissionsDWI	13	14	11
* An asterisk in a data cell indicates the co		han 5 and su	ppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

MILLER COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	5	8	10
CSTAR Women and Children	16	18	9
CSTAR General Adult	68	13	8
CSTAR Opioid	*	0	0
Primary Recovery Detoxification	14	18	25
Primary Recovery Treatment	41	98	122
Clinical SATOP (CIP, YCIP, SROP)	19	11	18
Other Substance Abuse Treatment	0	0	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	127	156	161
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	46	69	65
- Weekend Intervention Program	37	46	55
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	9	*
- Compulsive Gambling	0	0	*
- Recovery Supports	*	9	9
- Early Intervention	0	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	92	103	123	Never Married	66	71	77
Female	47	47	44	Married / Cohabitating	38	35	49
				Previously Married	35	44	41
AGE							
Under 18	6	10	9	PRIMARY DRUG PROBLEM			
18 to 24	24	36	40	Alcohol	67	62	82
25 to 29	19	27	28	Marijuana / Hashish	29	44	43
30 to 34	18	21	21	Cocaine (total)	*	*	*
35 to 39	21	11	16	- Crack	0	*	*
40 to 44	16	17	24	Stimulant (total)	21	20	20
45 to 54	28	23	22	- Methamphetamine	21	18	20
55 and Over	7	5	7	Heroin	*	*	0
RACE / ETHNICITY				Analgesic except Heroin	16	20	15
Caucasian	136	146	161	- Non-Prescription Methadone	0	0	0
African American	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	*	Tranquilizer	*	*	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	*	*	*	Sedative	*	0	0
Other Race / Two or More Races	*	*	*	Other Medication or Illicit Drug	0	0	*
Cutof Nace / Two of More Naces				Average Age at First Use of Drug	17.7	16.8	17.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	50	70	61	Any Injection Use at Admission	12	12	12
High School Graduate or G.E.D.	60	64	78	- Daily Injection Use	*	*	*
Associate Degree or Some College	28	16	28	- Weekly Injection Use	*	*	6
Bachelor or Advanced Degree	*	0	0	- Less than Weekly Injection Use	5	8	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	41	37	60	Self / Family / Friend	34	43	43
Unemployed	59	63	53	School	0	0	*
Not in Labor Force	39	50	54	Mental Health Provider	*	*	*
				Health Care Provider	6	6	5
LIVING ARRANGEMENT				Court / Criminal Justice	90	91	105
Independent Living	125	133	140	Other Referral Source	8	9	12
Dependent Living	11	15	21				
Homeless	*	0	*	SPECIAL POPULATIONS	*		
				Pregnant when Admitted to any Episode		0	_
LIFETIME DUI / DWI ARRESTS			7.0	Military Veteran	7	7	7
0	62	78	78	Special Education Services Needed	13	19	18
1 or 2	45	42	55	Co-Occurring Psychological Problem	48	62	59
3 or More	32	30	34	Co-Occurring Developmental Problem	*	7	5

MILLER COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 11 CENSUS 2010 24,748 2011 POP. ESTIMATE 24,770

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 7 5 7 **Anxiety Disorder** 123 111 82 Dementia **Developmental Disorder** 7 6 6 Impulse Control Disorder 32 24 25 **Mood Disorder** 180 184 144 Personality Disorder 37 28 32 **Psychotic Disorder** 43 45 45 Sexual Disorder Other Diagnosis 30 32 41 Diagnosis Unknown 10 29

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	272	269	242	Hearing Impaired	*	*	*
Male	114	123	127	Past or Current Military Service	*	*	6
Female	158	146	115	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	131	125	29
Under 6	*	*	*	Dependent Living	5	28	16
6 to 9	17	19	10	Homeless	0	*	0
10 to 13	17	25	19 24	Other	*	*	0
14 to 17	19	25 21	24 22	Housing Unknown	135	114	197
18 to 24				EMPL OVMENT			
25 to 29	23	26	21	EMPLOYMENT	4.4	00	0
	27	26	23	Employed	14	20	9
30 to 34	33	29	19	Unemployed	116	97	23
35 to 39	34	29	23	Not in Labor Force	7	11	0
40 to 44	17	17	16	Employment Status Unknown	135	141	210
45 to 49	38	27	22	ARRESTS			
50 to 54	22	28	26	Arrested in Past 12 Months	24	26	9
55 to 59	11	7	9	Not Arrested in Past 12 Months	113	129	36
60 and Over	10	12	15	Arrest Status Unknown	135	114	197
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	266	257	232	Self / Family / Friend	167	162	135
African American	0	*	*	School	*	*	0
Native American / Alaskan	0	0	0	Mental Health Provider	15	20	25
Asian / Pacific Islander	0	0	0	Health Care Provider	22	24	25
Hispanic	5	6	*	Court / Criminal Justice	22	25	30
Other Race	*	5	7	Other	44	36	27
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	59	58	7	Voluntary	272	269	220
High School Grad or G.E.D.	56	46	16	Civil	0	0	21
A.A. Degree or Some College	18	22	9	Criminal	0	0	*
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	0	0	0
Education Level Unknown	135	141	210	Commitment Type Unknown	0	0	0
	130		0		J	3	9

MILLER COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)		CUICIDE	a6 a4: dam	ta wha la	4h a man4	10 mantha		(%)
Percent of students who, in the past 30 days:								12 months)	
Were very sad		19.2			-	lered atter			ulalda	10.1
Were grouchy, irritable, or in a bad mood		23.2 9.4			•		ey would	attempt si	uicide	8.1
Felt like not eating or eating more than usual		_			ted suicio		trocultod	in injuny o	r overdose that had to	5.7 2.3
Felt like not eating or eating more than usual		15.6 19.5				doctor or		iii iiijui y o	i overdose that had to	2.3
Slept a lot more or a lot less than usual		23.9			routou by	400101 01	Huiso			
Had difficulty concentrating on school work		23.9		REBELLIC	OUSNES	s				
FIGHTING				Percent (of studen	ts who ag	ree that:			
Percent of students who, in the past 12 months:				They ig	jnore rule	s that get	in their w	<i>ı</i> ay		18.0
Were in a physical fight		20.7	•	They d	o the opp	osite of w	hat they'ı	e told to m	nake people mad	15.0
Were in a fight and had to be treated by a doctor or nurse		4.0	1	It is oka	ay to take	somethin	g without	permissio	n	4.0
Were threatened or injured with a weapon on school prope	rty	5.9	1	Someti	mes it is	okay to ch	eat at sc	hool		16.7
				It is oka	ay to beat	t up peopl	e if they s	start a fight	t	44.3
BULLYING VICTIM Persont of students who in the next 2 menths:			_							
Percent of students who, in the past 3 months:		22.2			RELATIO		roo with t	ha fallawir	200	
Were shoved, slapped, hit, or kicked in a serious manner Were victims of mean rumors or lies spread at school		22.2 49.6				_		the followin	-	68.7
•	a Internet							tudent's g		
Had embarrassing or hurtful pictures/text of them posted of		11.4 12.6			-		-	-	ive student performance	42.7 57.5
Had embarrassing or hurtful pictures/text of them sent by o	en priorie	59.9				student fo	oi naid w	UIK		64.4
Were made fun of by others		59.9			are enforc	_	othnicitics	oro troote	ad aqually	80.2
BULLYING PERPRETRATOR				Studen	ils oi ali i	aces and o	eumone	s are treate	eu equally	00.2
Percent of students who, in the past 3 months:			P	ARENT	RELATIC	DNS				
Shoved, slapped, hit, or kicked a student in a serious mann	ier	15.8	i	Percent (of studen	ts who ag	ree with t	he followin	ng:	
Spread mean rumors or lies about other kids at school		26.4		Parent	s notice a	nd comm	ent on stu	udent's god	od work	83.3
Posted on internet embarrassing or hurtful pictures/text of	someone	5.7	•	Parents	s involve	student in	making f	amily deci	sions	68.7
Sent by cell phone embarrassing or hurtful pictures/text of	someone	7.6	i	It is im	portant to	be hones	t with par	rents regar	dless of consequences	85.2
Made fun of other people		57.3	i	Studen	it could as	sk parent i	for help v	vith a perso	onal problem	77.7
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:			1							
• •	¥	₩h	the	₩	Wh	the	Wh	Wh	Am use	
	Who ha	Who ha	Whose the pas	Who sa	Who be themse	Who sa they us	Who fe	Who th	Among used su	
	Who have	Who have	Whose clos the past 12	Who say it	Who believ themselves	Who say pathey use	Who feel it	Who think I would be ca	Among stuused subst	
	Who have ever	Who have used	Whose closest the past 12 mo	Who say it wou	Who believe the themselves if themselves if the themselves if the themselves if the themselves in the the themselves in the the themselves in the themselves	Who say paren they use	Who feel it wou	Who think kids would be caugh	Among student used substance first used	
	Who have ever use	Who have used in	Whose closest frienthe past 12 months	Who say it would b	Who believe they r themselves if they	Who say parents w they use	Who feel it would b	Who think kids in the would be caught by	Among students w used substance, a first used	
	Who have ever used s	Who have used in the	Whose closest friends the past 12 months	Who say it would be ea	Who believe they risk I themselves if they use	Who say parents would they use	Who feel it would be w	Who think kids in their would be caught by po	Among students who hused substance, avera	
	Who have ever used subsi	Who have used in the past	Whose closest friends hav the past 12 months	Who say it would be easy	Who believe they risk harn themselves if they use	Who say parents would disthey use	Who feel it would be wrong	Who think kids in their neigwould be caught by police	Among students who have used substance, average a first used	
	Who have ever used substanc	Who have used in the past 30	Whose closest friends have us the past 12 months	Who say it would be easy to g	Who believe they risk harming themselves if they use	Who say parents would disapp they use	Who feel it would be wrong to	Who think kids in their neighbowould be caught by police for a	Among students who have evenused substance, average age	
	Who have ever used substance	Who have used in the past 30 day	ıds have used	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprov they use	Who feel it would be wrong to use	Who think kids in their neighborho would be caught by police for usin	udents who have ever stance, average age wh	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
	Who have ever used substance	Who have used in the past 30 days & &	Whose closest friends have used in the past 12 months 4.4	Who say it would be easy to get 50.1	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 84.7	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when 12.17	
Cigarettes			₹ 5		harming		Ф	3 8	en	
Cigarettes Chewing Tobacco	21.4	8.9 6.4	42.4	50.1	harming 82.5	93.3	84.7	23.6	en	
Cigarettes Chewing Tobacco Alcohol	21.4	8.9 6.4 12.1	₹ 5		harming		Ф	3 8	12.17	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	21.4 13.3 34.6	8.9 6.4 12.1 7.4	42.4 51.4	50.1	82.5 74.3	93.3 81.3	84.7 68.5	23.6	12.17	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	21.4 13.3 34.6	8.9 6.4 12.1 7.4 3.7	42.4	50.1	harming 82.5	93.3	84.7	23.6	12.17 12.54 12.97	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	21.4 13.3 34.6	8.9 6.4 12.1 7.4	42.4 51.4	50.1	82.5 74.3	93.3 81.3	84.7 68.5	23.6	12.17	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	21.4 13.3 34.6 9.6 4.9	8.9 6.4 12.1 7.4 3.7 2.0	42.4 51.4 27.2	50.1 53.2 29.7 15.4	82.5 74.3 77.4 92.3	93.3 81.3 94.8 97.3	84.7 68.5 89.1 95.8	23.6 26.8 40.9	12.17 12.54 12.97	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	21.4 13.3 34.6	8.9 6.4 12.1 7.4 3.7	42.4 51.4 27.2	50.1 53.2 29.7	82.5 74.3	93.3 81.3 94.8 97.3 95.8	84.7 68.5 89.1 95.8 91.4	23.6 26.8 40.9	12.17 12.54 12.97	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	21.4 13.3 34.6 9.6 4.9 4.4 7.6	8.9 6.4 12.1 7.4 3.7 2.0	42.4 51.4 27.2	50.1 53.2 29.7 15.4 50.5	82.5 74.3 77.4 92.3 82.4	93.3 81.3 94.8 97.3	84.7 68.5 89.1 95.8	23.6 26.8 40.9	12.17 12.54 12.97	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	21.4 13.3 34.6 9.6 4.9 4.4 7.6 1.0	8.9 6.4 12.1 7.4 3.7 2.0	42.4 51.4 27.2	50.1 53.2 29.7 15.4 50.5	82.5 74.3 77.4 92.3 82.4	93.3 81.3 94.8 97.3 95.8	84.7 68.5 89.1 95.8 91.4	23.6 26.8 40.9	12.17 12.54 12.97	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	21.4 13.3 34.6 9.6 4.9 4.4 7.6 1.0	8.9 6.4 12.1 7.4 3.7 2.0	42.4 51.4 27.2	50.1 53.2 29.7 15.4 50.5	82.5 74.3 77.4 92.3 82.4	93.3 81.3 94.8 97.3 95.8	84.7 68.5 89.1 95.8 91.4	23.6 26.8 40.9	12.17 12.54 12.97	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	21.4 13.3 34.6 9.6 4.9 4.4 7.6 1.0 1.5	8.9 6.4 12.1 7.4 3.7 2.0	42.4 51.4 27.2	50.1 53.2 29.7 15.4 50.5	82.5 74.3 77.4 92.3 82.4	93.3 81.3 94.8 97.3 95.8	84.7 68.5 89.1 95.8 91.4	23.6 26.8 40.9	12.17 12.54 12.97	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	21.4 13.3 34.6 9.6 4.9 4.4 7.6 1.0 1.5 1.0 2.7	8.9 6.4 12.1 7.4 3.7 2.0	42.4 51.4 27.2	50.1 53.2 29.7 15.4 50.5	82.5 74.3 77.4 92.3 82.4	93.3 81.3 94.8 97.3 95.8	84.7 68.5 89.1 95.8 91.4	23.6 26.8 40.9	12.17 12.54 12.97	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	21.4 13.3 34.6 9.6 4.9 4.4 7.6 1.0 1.5	8.9 6.4 12.1 7.4 3.7 2.0 2.9 4.2	51.4 51.4 27.2 13.6	50.1 53.2 29.7 15.4 50.5 28.6	82.5 74.3 77.4 92.3 82.4 86.6	93.3 81.3 94.8 97.3 95.8 95.3	84.7 68.5 89.1 95.8 91.4 92.3	23.6 26.8 40.9 44.4	12.17 12.54 12.97	-14

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

MISSISSIPPI COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 20 133 14,358 14,306



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	179	185	180
Mother Reported Drinking while Pregnant ¹		1	2
Mother Reported Smoking while Pregnant	53	50	62
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	2
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	199	197	182
Suicides	0	0	2
Self-inflicted Injuries	47	36	32
Homicides	2	0	3
Assault Injuries	81	68	95
Alcohol Induced Deaths	1	3	0
Drug Induced Deaths	0	3	0
Smoking Induced Deaths	45	41	36
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	159	101	138
Direct Hospitalizations	74	31	36
Emergency Room Hospitalizations	36	44	48
Emergency Room Outpatient	49	26	54
Drug RelatedTotal	206	141	99
Direct Hospitalizations	94	52	41
Emergency Room Hospitalizations	61	50	27
Emergency Room Outpatient	51	39	31
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	15	15	15
Fatal Crashes	1	1	0
Injury Crashes	8	9	4
Property Damage Crashes	6	5	11
Crash Fatalities	1	1	0
Crash Injuries	15	15	4
Drug Involved CrashesTotal	1	4	4
Fatal Crashes	0	0	0
Injury Crashes	1	3	2
Property Damage Crashes	0	1	2
Crash Fatalities	0	0	0
Crash Injuries	1	5	3
EMPLOYMENT	2011	2010	2009
Labor Force	5,945	6,015	6,103
Employed	5,321	5,420	5,564
Unemployed	624	595	539
Unemployment Rate	10.5%	9.9%	8.8%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	11	12	17
Alcohol Package Carry-out Licenses	13	12	13
• •			

■ Female I	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	589	603	589
Drop-outs	6	18	23
Drop-out Rate	1.0%	3.0%	3.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	1	0
Drug Incidents	4	6	3
Tobacco Incidents	0	4	1
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	94	95	87
Liquor Law Arrests	20	37	76
Drug Arrests	136	82	68
Methamphetamine Lab Incidents	11	8	3
Violent Offenses	71	63	64
Property Offenses	334	321	307
Domestic Violence Reports	208	274	115
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	200	234	208
Violent Offenses	77	78	76
Alcohol Offenses	6	31	9
Drug Offenses	10	17	12
Status OffensesTotal	58	44	45
Truancy	17	5	5
Beyond Parental Control	2	3	9
Habitually Absent from Home	3	0	1
Injurious Behavior	36	35	27
Abuse/Neglect/CustodyTotal	26	12	41
Abuse	0	0	7
Neglect	26	11	34
Custody Disputes	0	1	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	19	7	8
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	8	1	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	11	6	6
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	24	31	29
Probation/Parole AdmissionsTotal	171	160	178
Probation/Parole AdmissionsDrug	67	64	58
Probation/Parole AdmissionsDWI	14	10	7
Prison AdmissionsTotal	77	97	93
Prison AdmissionsDrug	23	38	40
Prison AdmissionsDWI	3	7	5
* An asterisk in a data cell indicates the co	unt was fewer t	t <mark>han 5 and su</mark>	ppressed

All asterisk in a data cell midicales the count was rewer trial 5 and suppresser to avoid disclosure of identifying information.
 Reporting of this information on the birth long form was discontinued in 2010.
 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

MISSISSIPPI COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	14	5	14
CSTAR Women and Children	12	23	16
CSTAR General Adult	10	*	*
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	33	28	17
Primary Recovery Treatment	93	105	135
Clinical SATOP (CIP, YCIP, SROP)	5	7	*
Other Substance Abuse Treatment	0	0	26

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	61	59	66
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	28	32	34
- Weekend Intervention Program	17	17	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	32	37	36
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	93	110	148	Never Married	76	77	90
Female	43	43	37	Married / Cohabitating	30	41	53
	10		O,	Previously Married	30	35	42
AGE					00	00	
Under 18	15	6	15	PRIMARY DRUG PROBLEM			
18 to 24	27	34	34	Alcohol	40	54	60
25 to 29	15	22	29	Marijuana / Hashish	48	49	75
30 to 34	23	25	27	Cocaine (total)	17	12	25
35 to 39	17	24	28	- Crack	13	8	19
40 to 44	10	15	14	Stimulant (total)	14	19	16
45 to 54	25	23	32	- Methamphetamine	14	19	16
55 and Over	*	*	6	Heroin	*	*	*
RACE / ETHNICITY				Analgesic except Heroin	11	15	5
Caucasian	100	106	120	- Non-Prescription Methadone	0	0	0
African American	34	47	62	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	34	0	02	Tranquilizer	*	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	0	*	*	Sedative	0	0	*
Hispanic Other Race / Two or More Races	*	0	*	Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races		U		Average Age at First Use of Drug	18.2	17.1	17.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	68	57	79	Any Injection Use at Admission	9	10	10
High School Graduate or G.E.D.	57	79	89	- Daily Injection Use	0	*	0
Associate Degree or Some College	10	16	16	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	5	7	7
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	31	43	58	Self / Family / Friend	18	32	16
Unemployed	61	59	69	School	0	0	0
Not in Labor Force	44	51	58	Mental Health Provider	5	*	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	100	106	147
Independent Living	107	132	153	Other Referral Source	10	9	16
Dependent Living	27	18	25	ODEOLAL DODUKATIONS			
Homeless	*	*	*	SPECIAL POPULATIONS	*	*	
LIFETIME DI II / DIA!! ARRESTO				Pregnant when Admitted to any Episode			
LIFETIME DUI / DWI ARRESTS	00	70	400	Military Veteran	5	6	5
0	98	76	108	Special Education Services Needed	7	9	25
1 or 2	25	53	50	Co-Occurring Psychological Problem	29	27	43
3 or More	13	24	27	Co-Occurring Developmental Problem	*	*	14

MISSISSIPPI COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 20 CENSUS 2010 14,358 2011 POP. ESTIMATE 14,306

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 24 27 18 **Anxiety Disorder** 42 43 46 Dementia 0 0 0 **Developmental Disorder** 0 Impulse Control Disorder 44 50 49 **Mood Disorder** 147 155 153 Personality Disorder 40 38 40 **Psychotic Disorder** 42 37 43 Sexual Disorder 0 0

16

21

21

21

60

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	295	307	334	Hearing Impaired	5	7	10
Male	131	142	164	Past or Current Military Service	*	*	*
Female	164	165	170	LIQUONO / LIVINO ARRANGEMENT			
				HOUSING / LIVING ARRANGEMENT	C4	50	25
AGE				Independent Living	61	52	35
Under 6	*	13	13	Dependent Living		17	^
6 to 9	24	35	38	Homeless	0	0	0
10 to 13	34	32	34	Other		0	20.4
14 to 17	42	36	41	Housing Unknown	231	238	294
18 to 24	20	23	28	EMPLOYMENT			
25 to 29	16	17	20	Employed	*	5	*
30 to 34	17	18	21	Unemployed	59	48	31
35 to 39	19	21	21	Not in Labor Force	*	0	*
40 to 44	21	20	27	Employment Status Unknown	231	254	298
45 to 49	30	32	34	4005070			
50 to 54	26	24	24	ARRESTS	_	0	
55 to 59	21	18	20	Arrested in Past 12 Months	5	8	
60 and Over	22	18	13	Not Arrested in Past 12 Months	59	61	36
				Arrest Status Unknown	231	238	294
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	230	236	266	Self / Family / Friend	101	115	100
African American	53	58	60	School	134	115	123
Native American / Alaskan	0	0	0	Mental Health Provider	6 34	8 41	10 51
Asian / Pacific Islander	0	0	0	Health Care Provider	_		_
Hispanic	9	8	*	Court / Criminal Justice	39	45	51 35
Other Race	*	5	6		14	32	
Race/Ethnicity Unknown	0	0	0	Other Referral Source Unknown	67	64	63
				Referral Source Offichiown			
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	31	26	19	Voluntary	292	286	320
High School Grad or G.E.D.	26	21	15	Civil	*	17	11
A.A. Degree or Some College	7	6	*	Criminal	0	*	*
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	0	0	0
Education Level Unknown	231	254	298	Commitment Type Unknown	*	*	*

MISSISSIPPI COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Percent i	of studen	ts who in	the nast	12 months		(%)
Were very sad		18.4				ered atter	-		•	19.4
Were grouchy, irritable, or in a bad mood		36.0			•			attempt su	iicide	21.5
Felt hopeless about the future		8.7			ted suicio		cy would	attompt 50	alcido	12.2
Felt like not eating or eating more than usual		17.9					resulted	in injury o	r overdose that had to	4.1
Slept a lot more or a lot less than usual		15.2				doctor or		iii iiijui y oi	overdose that had to	7.1
Had difficulty concentrating on school work		20.4								
riad difficulty concentrating on school work		20.4		EBELLIC	DUSNES	S				
FIGHTING				Percent of	of studen	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		25.0
Were in a physical fight		31.9		They do	o the opp	osite of w	hat they'r	e told to m	ake people mad	21.8
Were in a fight and had to be treated by a doctor or nurse		2.1		It is oka	ay to take	somethin	g without	permissio	n	12.8
Were threatened or injured with a weapon on school proper	ty	8.9		Someti	mes it is (okay to ch	eat at scl	nool		28.4
				It is oka	ay to beat	up peopl	e if they s	tart a fight		59.3
BULLYING VICTIM Persont of students who in the past 3 menths:			_							
Percent of students who, in the past 3 months:		32.1			RELATIC		roo with t	ha fallawin		
Were shoved, slapped, hit, or kicked in a serious manner Were victims of mean rumors or lies spread at school						_		<i>he followin</i> tudent's go	-	82.7
•	Internet	54.8 5.2						•		
Had embarrassing or hurtful pictures/text of them posted on					-		-	-	ve student performance	51.3
Had embarrassing or hurtful pictures/text of them sent by ce	eli pnone	12.8				student fo	or nard w	OFK		58.2
Were made fun of by others		68.0			re enforc				A	54.8
BULLYING PERPRETRATOR				Studen	ts of all ra	aces and (ethnicities	are treate	ed equally	66.3
Percent of students who, in the past 3 months:			P	ARENT	RELATIC	ONS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	27.0					ree with t	he followin	g:	
Spread mean rumors or lies about other kids at school		22.3				-		dent's god	-	85.7
Posted on Internet embarrassing or hurtful pictures/text of se	omeone	7.1		Parents	s involve :	student in	making f	amily decis	sions	74.0
Sent by cell phone embarrassing or hurtful pictures/text of s		4.2						-	dless of consequences	83.2
Made fun of other people		67.3							onal problem	80.8
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≨	≨	# Ee	≨	# Ee	# Ee	≨	8 ≨	firs Am	
	0 2 2	ခ္က	ose	3S 0	o be	o sa y us	o fe	ĕ₽	Among st used sub first used	
	ave .	¥e	112 cb	¥ #	lve.	e y	프	e j	abst stu	
	eve	use	Whose closest frier the past 12 months	8	e #	arer	W	aug	den	
	= =		≅ ∓			= 1	듄		e, a	
	S		⋽ ਲ	ᇤ	ney They	2		<u> </u>		
	sed	n the	iends ihs	uld be e	Who believe they risk themselves if they use	NOM S	be v	₩ ₩	ver a	
	sed subs	n the pas	iends hav	uld be easy	ney risk har they use	s would d	be wror	neir ne / police	ho hav verage	
	sed substan	n the past 30	iends have u	uld be easy to	ney risk harmin ihey use	s would disap	be wrong to	neir neight police for	ho have ev	
	Who have ever used substance	Who have used in the past 30 da	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	s would disappro	be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wh first used	
	sed substance	n the past 30 days	iends have used in ths	uld be easy to get	ney risk harming they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	neir neighborhood / police for using	ho have ever verage age when	
Cinarettes		ays	₽		isk harming use	=======================================		hood	hen	
Cigarettes Chewing Tobacco	41.8	25.0	•	uld be easy to get 49.7	ney risk harming 75.0	s would disapprove if 84.1	be wrong to use	police for using	ho have ever verage age when 10.90	
Chewing Tobacco	41.8 19.3	25.0 10.7	54.6	49.7	isk harming 75.0	84.1	71.9	25.5	10.90	
Chewing Tobacco Alcohol	41.8	25.0 10.7 10.7	₽		isk harming use	=======================================		hood	hen	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	41.8 19.3 39.3	25.0 10.7 10.7 9.6	54.6 48.0	49.7	rsk harming 75.0	84.1	71.9 56.6	25.5 37.2	10.90 12.02	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	41.8 19.3 39.3 27.0	25.0 10.7 10.7 9.6 18.4	54.6	49.7	isk harming 75.0	84.1	71.9	25.5	10.90 12.02 14.31	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	41.8 19.3 39.3	25.0 10.7 10.7 9.6	54.6 48.0 37.1	49.7 43.1 35.2	75.0 67.5 69.0	84.1 76.5 88.7	71.9 56.6 76.5	25.5 37.2 42.1	10.90 12.02	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	41.8 19.3 39.3 27.0 9.6	25.0 10.7 10.7 9.6 18.4 5.1	54.6 48.0	49.7 43.1 35.2 13.8	75.0 67.5 69.0 86.2	84.1 76.5 88.7 98.5	71.9 56.6 76.5 94.8	25.5 37.2	10.90 12.02 14.31	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	41.8 19.3 39.3 27.0 9.6	25.0 10.7 10.7 9.6 18.4 5.1	54.6 48.0 37.1	49.7 43.1 35.2 13.8 40.6	75.0 67.5 69.0 86.2 74.1	84.1 76.5 88.7 98.5 86.5	71.9 56.6 76.5 94.8 90.8	25.5 37.2 42.1	10.90 12.02 14.31	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	41.8 19.3 39.3 27.0 9.6 5.1 17.9	25.0 10.7 10.7 9.6 18.4 5.1	54.6 48.0 37.1	49.7 43.1 35.2 13.8	75.0 67.5 69.0 86.2	84.1 76.5 88.7 98.5	71.9 56.6 76.5 94.8	25.5 37.2 42.1	10.90 12.02 14.31	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	41.8 19.3 39.3 27.0 9.6 5.1 17.9	25.0 10.7 10.7 9.6 18.4 5.1	54.6 48.0 37.1	49.7 43.1 35.2 13.8 40.6	75.0 67.5 69.0 86.2 74.1	84.1 76.5 88.7 98.5 86.5	71.9 56.6 76.5 94.8 90.8	25.5 37.2 42.1	10.90 12.02 14.31	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	41.8 19.3 39.3 27.0 9.6 5.1 17.9 0.0 4.1	25.0 10.7 10.7 9.6 18.4 5.1	54.6 48.0 37.1	49.7 43.1 35.2 13.8 40.6	75.0 67.5 69.0 86.2 74.1	84.1 76.5 88.7 98.5 86.5	71.9 56.6 76.5 94.8 90.8	25.5 37.2 42.1	10.90 12.02 14.31	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	41.8 19.3 39.3 27.0 9.6 5.1 17.9 0.0 4.1	25.0 10.7 10.7 9.6 18.4 5.1	54.6 48.0 37.1	49.7 43.1 35.2 13.8 40.6	75.0 67.5 69.0 86.2 74.1	84.1 76.5 88.7 98.5 86.5	71.9 56.6 76.5 94.8 90.8	25.5 37.2 42.1	10.90 12.02 14.31	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	41.8 19.3 39.3 27.0 9.6 5.1 17.9 0.0 4.1 0.0	25.0 10.7 10.7 9.6 18.4 5.1	54.6 48.0 37.1	49.7 43.1 35.2 13.8 40.6	75.0 67.5 69.0 86.2 74.1	84.1 76.5 88.7 98.5 86.5	71.9 56.6 76.5 94.8 90.8	25.5 37.2 42.1	10.90 12.02 14.31	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K	41.8 19.3 39.3 27.0 9.6 5.1 17.9 0.0 4.1 0.0 0.0	25.0 10.7 10.7 9.6 18.4 5.1 5.1 11.7	54.6 48.0 37.1 8.2	49.7 43.1 35.2 13.8 40.6 25.0	75.0 67.5 69.0 86.2 74.1 85.7	84.1 76.5 88.7 98.5 86.5 82.1	71.9 56.6 76.5 94.8 90.8 82.2	25.5 37.2 42.1 51.0	10.90 12.02 14.31 11.05	.14
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	41.8 19.3 39.3 27.0 9.6 5.1 17.9 0.0 4.1 0.0	25.0 10.7 10.7 9.6 18.4 5.1 5.1 11.7	54.6 48.0 37.1 8.2	49.7 43.1 35.2 13.8 40.6 25.0	75.0 67.5 69.0 86.2 74.1 85.7	84.1 76.5 88.7 98.5 86.5 82.1	71.9 56.6 76.5 94.8 90.8 82.2	25.5 37.2 42.1 51.0	10.90 12.02 14.31	-14

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

MONITEAU COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 11 FIPS COUNTY CODE 135 CENSUS 2010 15,607 2011 POP. ESTIMATE 15,697

2011 POPULATION PROFILE BY AGE GROUP 800 600 400 200

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	208	201	217
Mother Reported Drinking while Pregnant 1		1	0
Mother Reported Smoking while Pregnant	58	42	49
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	150	157	144
Suicides	0	1	2
Self-inflicted Injuries	13	15	12
Homicides	1	0	0
Assault Injuries	34	31	30
Alcohol Induced Deaths	2	0	2
Drug Induced Deaths	1	0	1
Smoking Induced Deaths	19	23	24
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	87	72	88
Direct Hospitalizations	21	9	19
Emergency Room Hospitalizations	27	41	37
Emergency Room Outpatient	39	22	32
Drug RelatedTotal	90	62	48
Direct Hospitalizations	24	14	15
Emergency Room Hospitalizations	33	26	14
Emergency Room Outpatient	33	22	19
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	11	21	21
Fatal Crashes	1	1	1
Injury Crashes	4	9	8
Property Damage Crashes	6	11	12
Crash Fatalities	1	1	1
Crash Injuries	4	10	10
Drug Involved CrashesTotal	1	3	2
Fatal Crashes	0	0	0
Injury Crashes	1	2	0
Property Damage Crashes	0	1	2
Crash Fatalities	0	0	0
Crash Injuries	1	2	0
EMPLOYMENT	2011	2010	2009
Labor Force	7,584	7,419	7,500
Employed	7,006	6,808	6,886
Unemployed	578	611	614
Unemployment Rate	7.6%	8.2%	8.2%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	12	9	15
Alcohol Package Carry-out Licenses	20	19	20

ママママザット ■ Female ■	¥ લેલે ■Male	\$ ~ ~	%
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	700	714	746
Drop-outs	10	20	30
Drop-out Rate	1.4%	2.8%	4.0%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	1	1
Drug Incidents	1	3	5
Tobacco Incidents	0	0	1
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	48	50	57
Liquor Law Arrests	6	3	7
Drug Arrests	54	39	13
Methamphetamine Lab Incidents	9	17	7
Violent Offenses	19	28	22
Property Offenses	156	131	191
Domestic Violence Reports	31	29	36
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	21	36	51
Violent Offenses	6	10	15
Alcohol Offenses	6	5	0
Drug Offenses	2	3	4
Status OffensesTotal	16	13	25
Truancy	4	5	5
Beyond Parental Control	0	1	6
Habitually Absent from Home	2	2	0
Injurious Behavior	10	2	8
Abuse/Neglect/CustodyTotal	26	47	49
Abuse	6	4	13
Neglect	20	43	36
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	10	13	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	4	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	8	9	5
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	64	75	68
Probation/Parole AdmissionsDrug	8	21	18
Probation/Parole AdmissionsDWI	8	5	3
Prison AdmissionsTotal	48	35	39
Prison AdmissionsDrug	11	12	9
Prison AdmissionsDWI	5	1	2

^{*} An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

MONITEAU COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	6
CSTAR Women and Children	6	5	*
CSTAR General Adult	55	7	*
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	8	7	10
Primary Recovery Treatment	18	55	69
Clinical SATOP (CIP, YCIP, SROP)	11	7	*
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	56	54	40
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	16	21	13
- Weekend Intervention Program	18	11	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	0	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	*	5
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	57	58	58	Never Married	39	32	36
Female	24	14	25	Married / Cohabitating	20	27	20
	27		20	Previously Married	22	13	27
AGE				•		10	
Under 18	*	*	6	PRIMARY DRUG PROBLEM			
18 to 24	17	13	14	Alcohol	36	37	36
25 to 29	17	13	11	Marijuana / Hashish	20	17	25
30 to 34	11	8	14	Cocaine (total)	*	*	*
35 to 39	8	10	10	- Crack	0	*	*
40 to 44	6	8	11	Stimulant (total)	17	12	16
45 to 54	15	14	14	- Methamphetamine	17	12	16
55 and Over	*	*	*	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	5	*	*
Caucasian	72	60	76	- Non-Prescription Methadone	0	0	0
African American	*	*	/ O *	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan		0	*	Tranquilizer	0	*	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	•	-	-	Sedative	0	0	0
Hispanic	6	5 5	5	Other Medication or Illicit Drug	0	*	0
Other Race / Two or More Races		5		Average Age at First Use of Drug	17.8	16.0	15.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	28	28	33	Any Injection Use at Admission	8	8	8
High School Graduate or G.E.D.	39	32	35	- Daily Injection Use	0	*	0
Associate Degree or Some College	13	12	13	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	0	*	- Less than Weekly Injection Use	7	5	6
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	26	28	26	Self / Family / Friend	15	11	14
Unemployed	32	29	38	School	0	0	0
Not in Labor Force	23	15	19	Mental Health Provider	0	*	*
				Health Care Provider	0	*	5
LIVING ARRANGEMENT				Court / Criminal Justice	63	53	58
Independent Living	68	63	72	Other Referral Source	*	5	*
Dependent Living	7	7	10	ODEOLAL DODUKATIONS			
Homeless	*	*	*	SPECIAL POPULATIONS	*	^	0
LIFETIME DUI / DW// ADDECTS				Pregnant when Admitted to any Episode	•	0	0
LIFETIME DUI / DWI ARRESTS 0	40	27	45	Military Veteran		*	· ·
	40	37	45	Special Education Services Needed	7		6
1 or 2	25	21	23	Co-Occurring Psychological Problem	29	29	39
3 or More	16	14	15	Co-Occurring Developmental Problem	*	*	^

MONITEAU COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 12 15,607 2011 POP. ESTIMATE 15,697

disorders. The total number of diagr served because some individuals had			
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
Adjustment Disorder	*	*	7
Anxiety Disorder	39	39	39
Dementia	*	*	*
Developmental Disorder	*	*	5
Impulse Control Disorder	10	11	17
Mood Disorder	62	58	67
Personality Disorder	5	5	6
Psychotic Disorder	13	9	13
Sexual Disorder	0	0	*
Other Diagnosis	9	10	5
Diagnosis Unknown	*	6	21

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	87	84	121	Hearing Impaired	*	*	*
Male	25	21	56	Past or Current Military Service	*	*	7
Female	62	63	65	HOUSING / LIVING ARRANGEMENT			•
				Independent Living	52	22	24
AGE				Dependent Living	5Z *	23	21
Under 6	0	0	*	•		6	
6 to 9	*	5	9	Homeless	0	0	0
10 to 13	*	*	*	Other		0	0
14 to 17	*	6	12	Housing Unknown	31	55	97
18 to 24	8	9	16	EMPLOYMENT			
25 to 29	*	5	7	Employed	7	*	*
30 to 34	7	5	7	Unemployed	47	21	17
35 to 39	7	7	10	Not in Labor Force	*	*	*
40 to 44	7	*	6	Employment Status Unknown	31	60	99
45 to 49	13	14	17				
50 to 54	7	7	9	ARRESTS	*		
55 to 59	11	7	11	Arrested in Past 12 Months		*	*
60 and Over	15	13	12	Not Arrested in Past 12 Months	53	27	23
	_			Arrest Status Unknown	31	55	97
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	82	81	115	Self / Family / Friend	40	50	0.5
African American	*	*	0	School	46	50	65
Native American / Alaskan	0	0	*		0	0	40
Asian / Pacific Islander	0	0	0	Mental Health Provider	10	10	13
Hispanic	*	0	*	Health Care Provider	10	6	10
Other Race	*	*	*	Court / Criminal Justice			13
Race/Ethnicity Unknown	0	0	0	Other	20	17	17
				Referral Source Unknown	0	0	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	15	9	8	Voluntary	86	84	110
High School Grad or G.E.D.	27	11	7	Civil	0	0	9
A.A. Degree or Some College	10	*	6	Criminal	*	0	*
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	0	0	0
Education Level Unknown	31	60	99	Commitment Type Unknown	0	0	*

MONITEAU COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	`	SUICIDE Percent (of studen	ts who, in	the past	12 months	:	(%)
Were very sad		15.4				ered atter	-			12.8
Were grouchy, irritable, or in a bad mood		16.5	5		_			attempt su	uicide	8.6
Felt hopeless about the future		7.5	5		ted suicio		•	•		6.7
Felt like not eating or eating more than usual		13.2	2				t resulted	in injury o	r overdose that had to	1.2
Slept a lot more or a lot less than usual		15.4	1			doctor or				
Had difficulty concentrating on school work		17.7	7							
, ,				REBELLIC		_				
FIGHTING						ts who ag				
Percent of students who, in the past 12 months:		05.5	_			s that get		-		17.7
Were in a physical fight		25.5		-			_		nake people mad	10.1
Were in a fight and had to be treated by a doctor or nurse		4.9			•		•	permissio	n	7.1
Were threatened or injured with a weapon on school propert	y	7.9	9			okay to ch				14.7
BULLYING VICTIM				IT IS OK	ay to beat	up peopi	e ir tney s	start a fight		45.1
Percent of students who, in the past 3 months:			s	CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		33.1					ree with t	he followin	ıg:	
Were victims of mean rumors or lies spread at school		47.7	7	Teache	ers notice	and com	ment on s	tudent's go	ood work	64.3
Had embarrassing or hurtful pictures/text of them posted on	internet	12.8	3	School	provides	feedback	to paren	ts on positi	ive student performance	36.5
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	19.0)	Teache	ers praise	student fo	or hard w	ork		42.1
Were made fun of by others		63.5	5	Rules a	are enforc	ed fairly				66.2
•				Studen	ts of all ra	aces and	ethnicities	s are treate	ed equally	80.1
BULLYING PERPRETRATOR Persont of students who in the past 2 months:			_							
Percent of students who, in the past 3 months: Shoved, slapped, hit, or kicked a student in a serious manner.	NT.	24.8		PARENT I			roo with t	he followin	na:	
Spread mean rumors or lies about other kids at school	ii	32.6								80.5
Posted on internet embarrassing or hurtful pictures/text of so	8.6		Parents notice and comment on student's good work						69.3	
Sent by cell phone embarrassing or hurtful pictures/text of so		8.6 Parents involve student in making family decisions 10.9 It is important to be honest with parents regardless of consequences				86.1				
Made fun of other people	Jilleone	68.6						_	onal problem	77.1
• •						•	•		•	
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	¥,	Wh	the	Wh	Wh the	Wh the	Wh	Wh	Am use firs	
	Who ha	Who ha	Whose the pas	Who sa	Who be themse	Who sa they us	Who fe	Who th would t	Among used st	
	Who have	Who have	Whose clost the past 12	Who say it	Who believ themselves	Who say po	Who feel it	Who think would be c	Among stu used subst	
	Who have ever	Who have use	Whose closest the past 12 mo	Who say it wou	Who believe th themselves if themselves if the themselves in the theorem.	Who say parer they use	Who feel it wou	Who think kids would be caug	Among student used substance first used	
	Who have ever us	Who have used in	Whose closest frie the past 12 months	Who say it would t	Who believe they r themselves if they	Who say parents we they use	Who feel it would t	Who think kids in t	Among students w used substance, a first used	
	Who have ever used s	Who have used in the	Whose closest friends the past 12 months	Who say it would be ea	Who believe they risk I themselves if they use	Who say parents would they use	Who feel it would be w	Who think kids in their would be caught by po	Among students who hused substance, avera	
	Who have ever used subs	Who have used in the pas	Whose closest friends hav the past 12 months	Who say it would be easy	Who believe they risk harr themselves if they use	Who say parents would dit	Who feel it would be wrong	Who think kids in their neignound be caught by police	Among students who have used substance, average a first used	
	Who have ever used substanc	Who have used in the past 30	Whose closest friends have us the past 12 months	Who say it would be easy to g	Who believe they risk harming themselves if they use	Who say parents would disapp they use	Who feel it would be wrong to	Who think kids in their neighbo would be caught by police for a	Among students who have evenused substance, average age	
	Who have ever used substance	Who have used in the past 30 day	ıds have used	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborho would be caught by police for usin	udents who have ever stance, average age wi	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
	Who have ever used substance	Who have used in the past 30 days & &	ij	Who say it would be easy to get 44.0	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 86.4	Who think kids in their neighborhood would be caught by police for using 20.7	Among students who have ever used substance, average age when first used	
Regarding the substances listed below, percent of students:			32.5					ing gri	nen ner	
Regarding the substances listed below, percent of students: Cigarettes	19.2	8.6	32.5					ing gri	nen ner	
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	19.2 19.2	8.6 5.6	32.5	44.0	82.7	95.1	86.4	20.7	11.63	
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	19.2 19.2	8.6 5.6 20.3	32.5	44.0	82.7	95.1	86.4	20.7	11.63	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	19.2 19.2 47.7	8.6 5.6 20.3 9.8	32.5 63.2 27.5	44.0	82.7 69.4	95.1 73.2	86.4 56.0	20.7 20.7	11.63	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	19.2 19.2 47.7	8.6 5.6 20.3 9.8 4.9	32.5 63.2 27.5	44.0	82.7 69.4	95.1 73.2	86.4 56.0	20.7 20.7	11.63 12.19 13.25	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	19.2 19.2 47.7	8.6 5.6 20.3 9.8 4.9	32.5 63.2 27.5 9.0	44.0 60.8 31.2	82.7 69.4 75.2	95.1 73.2 97.7	86.4 56.0 84.5	20.7 20.7 43.3	11.63 12.19 13.25	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	19.2 19.2 47.7 11.3 4.5	8.6 5.6 20.3 9.8 4.9 2.6	32.5 63.2 27.5 9.0	44.0 60.8 31.2 14.8	82.7 69.4 75.2 92.8	95.1 73.2 97.7 99.2	86.4 56.0 84.5 96.6	20.7 20.7 43.3	11.63 12.19 13.25	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	19.2 19.2 47.7 11.3 4.5	8.6 5.6 20.3 9.8 4.9 2.6	32.5 63.2 27.5 9.0	44.0 60.8 31.2 14.8 47.0	82.7 69.4 75.2 92.8 82.6	95.1 73.2 97.7 99.2 97.0	86.4 56.0 84.5 96.6 89.7	20.7 20.7 43.3	11.63 12.19 13.25	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	19.2 19.2 47.7 11.3 4.5 4.9 6.4	8.6 5.6 20.3 9.8 4.9 2.6	32.5 63.2 27.5 9.0	44.0 60.8 31.2 14.8 47.0	82.7 69.4 75.2 92.8 82.6	95.1 73.2 97.7 99.2 97.0	86.4 56.0 84.5 96.6 89.7	20.7 20.7 43.3	11.63 12.19 13.25	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	19.2 19.2 47.7 11.3 4.5 4.9 6.4 0.4	8.6 5.6 20.3 9.8 4.9 2.6	32.5 63.2 27.5 9.0	44.0 60.8 31.2 14.8 47.0	82.7 69.4 75.2 92.8 82.6	95.1 73.2 97.7 99.2 97.0	86.4 56.0 84.5 96.6 89.7	20.7 20.7 43.3	11.63 12.19 13.25	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	19.2 19.2 47.7 11.3 4.5 4.9 6.4 0.4 1.1	8.6 5.6 20.3 9.8 4.9 2.6	32.5 63.2 27.5 9.0	44.0 60.8 31.2 14.8 47.0	82.7 69.4 75.2 92.8 82.6	95.1 73.2 97.7 99.2 97.0	86.4 56.0 84.5 96.6 89.7	20.7 20.7 43.3	11.63 12.19 13.25	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	19.2 19.2 47.7 11.3 4.5 4.9 6.4 0.4 1.1	8.6 5.6 20.3 9.8 4.9 2.6 3.0 2.3	32.5 63.2 27.5 9.0	44.0 60.8 31.2 14.8 47.0 28.5	82.7 69.4 75.2 92.8 82.6 83.8	95.1 73.2 97.7 99.2 97.0 94.7	86.4 56.0 84.5 96.6 89.7 87.9	20.7 20.7 43.3 54.9	11.63 12.19 13.25 11.08	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	19.2 19.2 47.7 11.3 4.5 4.9 6.4 0.4 1.1 1.2	8.6 5.6 20.3 9.8 4.9 2.6 3.0 2.3	32.5 63.2 27.5 9.0	44.0 60.8 31.2 14.8 47.0 28.5	82.7 69.4 75.2 92.8 82.6 83.8	95.1 73.2 97.7 99.2 97.0 94.7	86.4 56.0 84.5 96.6 89.7 87.9	20.7 20.7 43.3 54.9	11.63 12.19 13.25)-14

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

MONROE COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 15 FIPS COUNTY CODE 137 CENSUS 2010 8,840 2011 POP. ESTIMATE 8,734

2011 POF	PULATION PROFILE BY AGE GROUP
400	
300	the state of the s
200	######################################
100	
0	
	2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	■ Female ■ Male

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	97	99	110
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	26	25	26
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	92	85	98
Suicides	1	1	1
Self-inflicted Injuries	8	9	10
Homicides	0	0	0
Assault Injuries	20	14	16
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	2	1	1
Smoking Induced Deaths	21	16	17
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	61	70	63
Direct Hospitalizations	18	17	20
Emergency Room Hospitalizations	22	34	23
Emergency Room Outpatient	21	19	20
Drug RelatedTotal	33	35	28
Direct Hospitalizations	9	9	13
Emergency Room Hospitalizations	11	16	12
Emergency Room Outpatient	13	10	3
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	12		14
Fatal Crashes	2	9	14
Injury Crashes	5	2	4
	5	7	9
Property Damage Crashes Crash Fatalities	-	-	-
Crash Injuries	3	0	1
	9	2	7
Drug Involved CrashesTotal Fatal Crashes	2	1	3
	0	0	0
Injury Crashes	1	1	1
Property Damage Crashes	1	0	2
Crash Fatalities	0	0	0
Crash Injuries	1	1	1
EMPLOYMENT	2011	2010	2009
Labor Force	3,930	3,888	4,272
Employed	3,515	3,382	3,720
Unemployed	415	506	552
Unemployment Rate	10.6%	13.0%	12.9%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	9	10	11
Alcohol Package Carry-out Licenses	12	12	13

マダズがデザー Female !	ຈັດ ດັດ ■ Male	6 4 A	%
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	508	551	524
Drop-outs	11	11	14
Drop-out Rate	2.2%	2.0%	2.7%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	4	2	2
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	48	72	69
Liquor Law Arrests	17	22	13
Drug Arrests	24	34	9
Methamphetamine Lab Incidents	2	4	2
Violent Offenses	35	26	42
Property Offenses	150	142	189
Domestic Violence Reports	38	40	52
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	52	43	53
Violent Offenses	15	15	14
Alcohol Offenses	0	3	5
Drug Offenses	2	2	1
Status OffensesTotal	15	13	17
Truancy	1	2	4
Beyond Parental Control	1	0	0
Habitually Absent from Home	2	1	1
Injurious Behavior	11	10	12
Abuse/Neglect/CustodyTotal	1	16	6
Abuse	0	0	2
Neglect	1	16	4
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	0	13	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	1	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	0	12	5
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	36	46	46
Probation/Parole AdmissionsDrug	9	6	11
Probation/Parole AdmissionsDWI	2	6	7
Prison AdmissionsTotal	23	21	29
Prison AdmissionsDrug	5	4	5
Prison AdmissionsDWI	0	1	4
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	ppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

MONROE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	10	*	6
CSTAR Women and Children	5	7	5
CSTAR General Adult	5	*	8
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	9	5	8
Primary Recovery Treatment	31	29	43
Clinical SATOP (CIP, YCIP, SROP)	6	11	7
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	35	51	57
- Adolescent Diversion Education Program	*	*	5
- Offender Education Program	14	13	30
- Weekend Intervention Program	11	12	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	0
- Compulsive Gambling	*	0	0
- Recovery Supports	*	5	*
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	46	35	51	Never Married	43	26	38
Female	13	13	20	Married / Cohabitating	9	11	14
	10	10	20	Previously Married	7	11	19
AGE				•	•		
Under 18	10	*	6	PRIMARY DRUG PROBLEM			
18 to 24	18	11	17	Alcohol	25	27	42
25 to 29	10	12	11	Marijuana / Hashish	27	16	23
30 to 34	9	7	10	Cocaine (total)	*	*	*
35 to 39	*	*	7	- Crack	0	0	*
40 to 44	*	*	8	Stimulant (total)	*	*	*
45 to 54	*	6	9	- Methamphetamine	*	*	*
55 and Over	*	*	*	Heroin	*	*	0
RACE / ETHNICITY				Analgesic except Heroin	0	0	*
Caucasian	52	41	63	- Non-Prescription Methadone	0	0	0
African American	52	41 *	7	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	_			Tranquilizer	0	0	0
	0	0	0	Inhalant	0	0	0
Asian / Pacific Islander	0	0	0	Sedative	0	0	0
Hispanic	*	0	*	Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races				Average Age at First Use of Drug	16.4	15.2	14.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	19	6	19	Any Injection Use at Admission	*	*	*
High School Graduate or G.E.D.	31	34	41	- Daily Injection Use	*	0	*
Associate Degree or Some College	7	7	11	- Weekly Injection Use	*	*	0
Bachelor or Advanced Degree	*	*	0	- Less than Weekly Injection Use	0	*	0
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	24	14	23	Self / Family / Friend	12	8	9
Unemployed	21	23	26	School	0	0	0
Not in Labor Force	14	11	22	Mental Health Provider	0	*	0
				Health Care Provider	*	0	*
LIVING ARRANGEMENT				Court / Criminal Justice	45	37	55
Independent Living	45	41	61	Other Referral Source	*	*	6
Dependent Living	10	*	7	005044 00044 474040			
Homeless	*	*	*	SPECIAL POPULATIONS		*	
				Pregnant when Admitted to any Episode	*		_
LIFETIME DUI / DWI ARRESTS		0.0	0.5	Military Veteran	5	5	7
0	31	20	28	Special Education Services Needed		5	6
1 or 2	18	16	24	Co-Occurring Psychological Problem	13	19	22
3 or More	10	12	19	Co-Occurring Developmental Problem	*	*	*

MONROE COUNTY



ADA/CPS REGION Central
CPS SERVICE AREA 15
CENSUS 2010 8,840
2011 POP. ESTIMATE 8,734

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 8 **Anxiety Disorder** 13 19 18 Dementia 0 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 20 14 13 **Mood Disorder** 57 52 53 Personality Disorder 0 0 **Psychotic Disorder** 7 8 9 Sexual Disorder 0 0 0 Other Diagnosis 5 Diagnosis Unknown 22 10

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	101	89	116	Hearing Impaired	*	*	*
Male	45	35	51	Past or Current Military Service	*	5	6
Female	56	54	65	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	20	13	7
Under 6	*	*	*	Dependent Living	11	11	9
6 to 9	6	*	*	Homeless	*	0	0
10 to 13	15	8	13	Other	0	0	0
14 to 17	16	6	9	Housing Unknown	68	65	100
18 to 24	7	7	13	EMPLOYMENT			
25 to 29	7	8	11	Employed	5	*	*
30 to 34	*	*	8	Unemployed	25	15	8
35 to 39	8	13	10	Not in Labor Force	*	*	*
40 to 44	*	9	10	Employment Status Unknown	68	69	102
45 to 49	10	10	14	Employment States States and	00	03	102
50 to 54	12	8	6	ARRESTS			
55 to 59	1Z *	7	9	Arrested in Past 12 Months	*	*	*
60 and Over	8	*	8	Not Arrested in Past 12 Months	30	21	14
oo and over	0		0	Arrest Status Unknown	68	65	100
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	92	81	109	Self / Family / Friend	59	66	71
African American	6	6	6	School	59 *	*	74
Native American / Alaskan	0	0	0	Mental Health Provider	0		0
Asian / Pacific Islander	0	0	0	Health Care Provider	9	6	6
Hispanic	*	*	0	Court / Criminal Justice	7	5	10 7
Other Race	*	*	*				=
Race/Ethnicity Unknown	0	0	0	Other	22	10	15
				Referral Source Unknown	0	0	
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	12	5	*	Voluntary	100	88	107
High School Grad or G.E.D.	15	9	10	Civil	0	0	7
A.A. Degree or Some College	5	*	*	Criminal	0	0	0
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	*	*	*
Education Level Unknown	68	69	102	Commitment Type Unknown	0	0	*

MONROE COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, In the past 30 days:		(%)		CUICIDE Percent o	of studen	ts who, in	the past	12 months	<i>:</i>	(%)
Were very sad		19.1		Serious	ly consid	ered atter	npting su	iicide		11.2
Were grouchy, irritable, or in a bad mood				Made a	plan abo	out how th	ey would	attempt su	uicide	9.0
Felt hopeless about the future				Attemp	ted suicio	le	•	•		5.1
Felt like not eating or eating more than usual				•			resulted	in injury o	r overdose that had to	3.0
Slept a lot more or a lot less than usual		17.6		be treated by doctor or nurse						
Had difficulty concentrating on school work		21.8								
3				REBELLIC		_				
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get		-		24.3
Were in a physical fight									ake people mad	16.3
Were in a fight and had to be treated by a doctor or nurse			3.0 It is okay to take something without permission						n	5.9
Were threatened or injured with a weapon on school propert	y	3.7	Sometimes it is okay to cheat at school						20.7	
BULLYING VICTIM				It is oka	y to beat	up peopl	e if they s	start a fight	•	57.0
Percent of students who, in the past 3 months:				201001	DEL ATI	OMC.				
Were shoved, slapped, hit, or kicked in a serious manner		27.4		CHOOL : Percent i			ree with t	he followin	na·	
Were victims of mean rumors or lies spread at school		55.6				_		tudent's go	-	71.3
Had embarrassing or hurtful pictures/text of them posted on	internet	13.4						•	ve student performance	44.8
Had embarrassing or hurtful pictures/text of them sent by cel		14.2			-	student fo	-	-	ve stadent performance	47.4
Were made fun of by others	i pilolic	65.7			re enforc		or mara w	OI K		65.7
Word made fair of by carons		00.1					ethnicities	s are treate	ed equally	78.7
BULLYING PERPRETRATOR				Otadon		2000 4114		o ar o ar oaro	ou oquany	
Percent of students who, in the past 3 months:				ARENT I						
Shoved, slapped, hit, or kicked a student in a serious manner	ır	19.3		Percent of students who agree with the following:						
Spread mean rumors or lies about other kids at school		34.1 9.6	Parents notice and comment on student's good work						80.0	
Posted on internet embarrassing or hurtful pictures/text of someone			Parents involve student in making family decisions						65.2	
Sent by cell phone embarrassing or hurtful pictures/text of so	meone	15.6		It is important to be honest with parents regardless of consequences						84.4
Made fun of other people		71.9 Student could ask parent for help with a personal problem								71.1
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	_									
		<	= <	<	= <	= <	<	S S	⇒ ⊂ Ъ	
	₩	Who	Who:	Who	Who	Who	Who	Who	Amou used first u	
	Vho hav	Who hav	Whose c	Who say	Who beli themselv	Who say they use	Who feel	Who thin would be	Among sused sub-	
	Vho have ev	Who have us	Whose close the past 12 r	Who say it w	Who believe themselves i	Who say par they use	Who feel it w	Who think ki	Among stude used substan	
	Vho have ever u	Who have used	Whose closest fi the past 12 mon	Who say it would	Who believe the themselves if the	Who say parents they use	Who feel it would	Who think kids in would be caught	Among students used substance, first used	
	Vho have ever used	Who have used in the	Whose closest friend the past 12 months	Who say it would be	Who believe they ris themselves if they u	Who say parents wo they use	Who feel it would be	Who think kids in the would be caught by	Among students who used substance, averaged first used	
	Vho have ever used su	Who have used in the p	Whose closest friends h the past 12 months	Who say it would be eas	Who believe they risk hat themselves if they use	Who say parents would they use	Who feel it would be wro	Who think kids in their n would be caught by poli	Among students who haused substance, averag	
	Vho have ever used substa	Who have used in the past	Whose closest friends have the past 12 months	Who say it would be easy to	Who believe they risk harmithemselves if they use	Who say parents would disathey use	Who feel it would be wrong	Who think kids in their neight would be caught by police for	Among students who have used substance, average ag	
	Vho have ever used substance	Who have used in the past 30 d	Whose closest friends have use the past 12 months	Who say it would be easy to ge	Who believe they risk harming themselves if they use	Who say parents would disappr they use	Who feel it would be wrong to u	Who think kids in their neighbor would be caught by police for u	Among students who have ever used substance, average age w	
	Who have ever used substance	Who have used in the past 30 days	ıds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	udents who have ever stance, average age w	
			2			Who say parents would disapprove if they use		ing	nen .	
Cigarettes	35.3	13.2	Whose closest friends have used in the past 12 months	Who say it would be easy to get 55.2	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 74.1	Who think kids in their neighborhood would be caught by police for using 25.0	Among students who have ever used substance, average age when 12.59	
Chewing Tobacco	35.3 15.6	13.2 9.6	54.1	55.2	77.0	88.1	74.1	25.0	12.59	
Chewing Tobacco Alcohol	35.3	13.2 9.6 22.2	2					ing	nen .	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	35.3 15.6 52.2	13.2 9.6 22.2 13.2	54.1	55.2 58.2	77.0 62.2	88.1 69.6	74.1 51.9	25.0 26.9	12.59 12.55	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	35.3 15.6 52.2	13.2 9.6 22.2 13.2 5.1	54.1	55.2	77.0	88.1	74.1	25.0	12.59 12.55 13.29	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	35.3 15.6 52.2	13.2 9.6 22.2 13.2	54.1 61.0 29.6	55.2 58.2 31.3	77.0 62.2 74.8	88.1 69.6 94.8	74.1 51.9 85.3	25.0 26.9 44.8	12.59 12.55	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	35.3 15.6 52.2 14.1 3.7	13.2 9.6 22.2 13.2 5.1 2.2	54.1	55.2 58.2 31.3 14.3	77.0 62.2 74.8 93.3	88.1 69.6 94.8 98.5	74.1 51.9 85.3 95.6	25.0 26.9	12.59 12.55 13.29	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	35.3 15.6 52.2 14.1 3.7	13.2 9.6 22.2 13.2 5.1 2.2	54.1 61.0 29.6	55.2 58.2 31.3 14.3 49.3	77.0 62.2 74.8 93.3 82.8	88.1 69.6 94.8 98.5 96.2	74.1 51.9 85.3 95.6 88.7	25.0 26.9 44.8	12.59 12.55 13.29	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	35.3 15.6 52.2 14.1 3.7 5.2 7.4	13.2 9.6 22.2 13.2 5.1 2.2	54.1 61.0 29.6	55.2 58.2 31.3 14.3	77.0 62.2 74.8 93.3	88.1 69.6 94.8 98.5	74.1 51.9 85.3 95.6	25.0 26.9 44.8	12.59 12.55 13.29	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	35.3 15.6 52.2 14.1 3.7 5.2 7.4 0.0	13.2 9.6 22.2 13.2 5.1 2.2	54.1 61.0 29.6	55.2 58.2 31.3 14.3 49.3	77.0 62.2 74.8 93.3 82.8	88.1 69.6 94.8 98.5 96.2	74.1 51.9 85.3 95.6 88.7	25.0 26.9 44.8	12.59 12.55 13.29	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	35.3 15.6 52.2 14.1 3.7 5.2 7.4 0.0 0.7	13.2 9.6 22.2 13.2 5.1 2.2	54.1 61.0 29.6	55.2 58.2 31.3 14.3 49.3	77.0 62.2 74.8 93.3 82.8	88.1 69.6 94.8 98.5 96.2	74.1 51.9 85.3 95.6 88.7	25.0 26.9 44.8	12.59 12.55 13.29	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	35.3 15.6 52.2 14.1 3.7 5.2 7.4 0.0 0.7 0.8	13.2 9.6 22.2 13.2 5.1 2.2	54.1 61.0 29.6	55.2 58.2 31.3 14.3 49.3	77.0 62.2 74.8 93.3 82.8	88.1 69.6 94.8 98.5 96.2	74.1 51.9 85.3 95.6 88.7	25.0 26.9 44.8	12.59 12.55 13.29	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	35.3 15.6 52.2 14.1 3.7 5.2 7.4 0.0 0.7 0.8 0.7	13.2 9.6 22.2 13.2 5.1 2.2	54.1 61.0 29.6	55.2 58.2 31.3 14.3 49.3	77.0 62.2 74.8 93.3 82.8	88.1 69.6 94.8 98.5 96.2	74.1 51.9 85.3 95.6 88.7	25.0 26.9 44.8	12.59 12.55 13.29	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	35.3 15.6 52.2 14.1 3.7 5.2 7.4 0.0 0.7 0.8	13.2 9.6 22.2 13.2 5.1 2.2 3.7 3.0	54.1 61.0 29.6 11.2	55.2 58.2 31.3 14.3 49.3 26.9	77.0 62.2 74.8 93.3 82.8 86.0	88.1 69.6 94.8 98.5 96.2 96.3	74.1 51.9 85.3 95.6 88.7 90.4	25.0 26.9 44.8 45.9	12.59 12.55 13.29	4

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Steroids not prescribed for student

and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.


Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

MONTGOMERY COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE

Central 15 139 12,236 12,270



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	142	131	159
Mother Reported Drinking while Pregnant 1		0	2
Mother Reported Smoking while Pregnant	40	46	43
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	1
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	153	142	148
Suicides	1	2	1
Self-inflicted Injuries	19	13	25
Homicides	0	0	0
Assault Injuries	28	39	40
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	4	1	4
Smoking Induced Deaths	32	22	28
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	112	102	81
Direct Hospitalizations	53	35	26
Emergency Room Hospitalizations	26	36	29
Emergency Room Outpatient	33	31	26
Drug RelatedTotal	100	76	104
Direct Hospitalizations	41	34	45
Emergency Room Hospitalizations	30	20	27
Emergency Room Outpatient	29	22	32
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	18	28	18
Fatal Crashes	10	20	10
Injury Crashes	5	10	6
Property Damage Crashes	12	16	11
Crash Fatalities	1	2	1
Crash Injuries	9	13	6
Drug Involved CrashesTotal	3	5	4
Fatal Crashes	0	1	0
Injury Crashes	0	2	0
Property Damage Crashes	3	2	4
Crash Fatalities	0	1	0
Crash Injuries	0	3	0
	2044	2040	2000
EMPLOYMENT	2011	2010	2009
Labor Force Employed	5,900 5,307	5,943 5,200	6,131
	5,307	5,299	5,405
Unemployed	593	644	726
Unemployment Rate	10.1%	10.8%	11.8%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	27	27	27
Alcohol Package Carry-out Licenses	19	18	21

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	517	526	564
Drop-outs	13	9	15
Drop-out Rate	2.5%	1.7%	2.7%
School Suspensions, 10 or More Days			
Alcohol Incidents	1	0	2
Drug Incidents	2	0	2
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	105	107	94
Liquor Law Arrests	2	8	14
Drug Arrests	63	81	142
Methamphetamine Lab Incidents	21	13	14
Violent Offenses	16	15	22
Property Offenses	164	192	218
Domestic Violence Reports	27	24	48
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	54	36	44
Violent Offenses	23	12	16
Alcohol Offenses	6	0	2
Drug Offenses	1	1	3
Status OffensesTotal	60	127	110
Truancy	3	10	6
Beyond Parental Control	7	7	9
Habitually Absent from Home	3	9	9
Injurious Behavior	10	76	62
Abuse/Neglect/CustodyTotal	33	48	41
Abuse	9	21	22
Neglect	24	27	19
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	13	11	16
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	2	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	9	9	13
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	15	8	4
Probation/Parole AdmissionsTotal	147	126	151
Probation/Parole AdmissionsDrug	65	43	72
Probation/Parole AdmissionsDWI	8	3	10
Prison AdmissionsTotal	68	79	68
Prison AdmissionsDrug	29	38	30
Prison AdmissionsDWI	2	3	4
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

MONTGOMERY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	7	6	*
CSTAR Women and Children	12	13	8
CSTAR General Adult	14	*	*
CSTAR Opioid	*	*	0
Primary Recovery Detoxification	7	14	6
Primary Recovery Treatment	63	79	92
Clinical SATOP (CIP, YCIP, SROP)	12	11	18
Other Substance Abuse Treatment	0	0	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	55	102	85
- Adolescent Diversion Education Program	*	*	5
- Offender Education Program	7	38	28
- Weekend Intervention Program	23	20	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	*	*
- Compulsive Gambling	*	0	0
- Recovery Supports	*	0	*
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	70	78	96	Never Married	50	58	57
Female	35	34	25	Married / Cohabitating	26	25	33
· omaio	00	04	20	Previously Married	29	29	31
AGE				•	20	20	0.
Under 18	5	5	*	PRIMARY DRUG PROBLEM			
18 to 24	18	23	20	Alcohol	44	53	58
25 to 29	18	18	23	Marijuana / Hashish	35	31	34
30 to 34	21	20	19	Cocaine (total)	*	*	*
35 to 39	12	10	12	- Crack	*	*	*
40 to 44	7	12	18	Stimulant (total)	14	17	21
45 to 54	20	21	20	- Methamphetamine	14	16	20
55 and Over	*	*	8	Heroin	*	*	*
RACE / ETHNICITY				Analgesic except Heroin	8	5	*
Caucasian	100	107	112	- Non-Prescription Methadone	0	0	0
African American	5	5		PCP, LSD, other Hallucinogen	0	0	*
Native American / Alaskan	0	0	6	Tranquilizer	*	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	-	-	*	Sedative	0	0	0
Hispanic	0	0	*	Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races	0	U		Average Age at First Use of Drug	17.3	16.8	16.1
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	40	43	44	Any Injection Use at Admission	8	8	6
High School Graduate or G.E.D.	55	57	58	- Daily Injection Use	*	0	0
Associate Degree or Some College	10	12	18	- Weekly Injection Use	*	5	*
Bachelor or Advanced Degree	0	0	*	- Less than Weekly Injection Use	*	*	5
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	33	37	67	Self / Family / Friend	17	10	11
Unemployed	48	54	41	School	0	0	0
Not in Labor Force	24	21	13	Mental Health Provider	*	*	0
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	80	93	105
Independent Living	94	104	115	Other Referral Source	5	*	*
Dependent Living	8	6	*	ODEOLAL DODUKATIONO			
Homeless	0	0	0	SPECIAL POPULATIONS	*	*	
LIFETIME DI II / DIA" ADDESTO				Pregnant when Admitted to any Episode	*		_
LIFETIME DUI / DWI ARRESTS	5 0	5 0	5 /	Military Veteran		6	5
0	52	58	54	Special Education Services Needed	6	10	17
1 or 2	38	33	37	Co-Occurring Psychological Problem	25	19	41
3 or More	15	21	30	Co-Occurring Developmental Problem	*	5	15

MONTGOMERY COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 15 12,236 2011 POP. ESTIMATE 12,270

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 9 8 8 **Anxiety Disorder** 7 14 12 Dementia 0 0 0 **Developmental Disorder** 0 Impulse Control Disorder 48 46 40 **Mood Disorder** 109 115 115 Personality Disorder **Psychotic Disorder** 20 28 23 Sexual Disorder 0 0 0 Other Diagnosis Diagnosis Unknown 19 13 26

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	197	208	211	Hearing Impaired	*	0	*
Male	107	115	107	Past or Current Military Service	*	*	*
Female	90	93	104	HOUSING / LIVING ARRANGEMENT			
405				Independent Living	37	14	8
AGE	7	*	*	Dependent Living	*	20	5
Under 6	7			Homeless	*	0	0
6 to 9	13	17	15	Other	0	0	0
10 to 13	27	25	22	Housing Unknown	156	174	198
14 to 17	23	23	18				
18 to 24	16	16	18	EMPLOYMENT			
25 to 29	19	23	23	Employed	*	*	*
30 to 34	17	23	23	Unemployed	37	15	8
35 to 39	17	13	17	Not in Labor Force	*	*	*
40 to 44	10	13	21	Employment Status Unknown	156	189	200
45 to 49	21	24	18	ARRESTS			
50 to 54	10	13	14	Arrested in Past 12 Months	*	5	0
55 to 59	10	*	7	Not Arrested in Past 12 Months	39	29	13
60 and Over	7	10	13	Arrest Status Unknown	156	174	198
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	183	193	201	Self / Family / Friend	4.40	400	475
African American	6	7	*	•	143	169	175
Native American / Alaskan	0	0	0	School			*
Asian / Pacific Islander	0	0	0	Mental Health Provider	9	5	
Hispanic	*	*	*	Health Care Provider	17	9	9
Other Race	6	5	*	Court / Criminal Justice	8	7	10
Race/Ethnicity Unknown	0	0	0	Other	16	14	12
•				Referral Source Unknown	0	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	14	7	*	Voluntary	193	201	201
High School Grad or G.E.D.	21	10	6	Civil	*	*	8
A.A. Degree or Some College	*	*	*	Criminal	*	*	*
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	0	0	0
Education Level Unknown	156	189	200	Commitment Type Unknown	0	*	*

MONTGOMERY COUNTY

2012 MISSOURI STUDENT SURVEY

20	12 IVII3	SOUR	1310	DENI	SUKV					
DEPRESSION		(0/)		SUICIDE						(0/)
Percent of students who, in the past 30 days:		(%)				nts who, in i	•		s:	(%)
Were very sad		17.1			•	dered atten				8.6
Were grouchy, irritable, or in a bad mood		19.8		Made a plan about how they would attempt suicide						3.8
Felt hopeless about the future		8.0		Attempted suicide						3.2 2.2
Felt like not eating or eating more than usual		16.7		Had a suicide attempt that resulted in injury or overdose that had to						
Slept a lot more or a lot less than usual		16.0		be	treated by	y doctor or	nurse			
Had difficulty concentrating on school work		21.5								
FIGUTING				REBELLI Percent		its who agr	ee that			
FIGHTING Percent of students who, in the past 12 months:						es that get		Nav		22.3
Were in a physical fight		15.0		-	-	-		-	nake people mad	15.0
Were in a fight and had to be treated by a doctor or nurse		2.2		•		something				7.4
Were threatened or injured with a weapon on school propert	lv	4.3			•	okay to ch	-	•		18.7
Trois an outside of injured that a trouper on solice property	9					t up people			t	46.3
BULLYING VICTIM						t up poop.	,oj	otari a rigi	•	.0.0
Percent of students who, in the past 3 months:				SCHOOL						
Were shoved, slapped, hit, or kicked in a serious manner		21.1		Percent of students who agree with the following: Teachers notice and comment on student's good work						
Were victims of mean rumors or lies spread at school		54.5						_		74.5
Had embarrassing or hurtful pictures/text of them posted on		10.8			-		•	-	tive student performance	37.2
Had embarrassing or hurtful pictures/text of them sent by cel	ll phone	15.1							62.0	
Were made fun of by others		62.6	•						64.9	
BULLYING PERPRETRATOR				Stude	nts of all r	aces and e	thnicitie	s are treat	ed equally	84.4
Percent of students who, in the past 3 months:				PARENT	DELATA	OME				
Shoved, slapped, hit, or kicked a student in a serious manner	er	20.4				วเ ง ธ nts who agr	ee with	the followi	na·	
Spread mean rumors or lies about other kids at school		25.1				and comme			-	85.0
Posted on internet embarrassing or hurtful pictures/text of so	omeone	5.9				student in		_		70.3
Sent by cell phone embarrassing or hurtful pictures/text of so		10.2					_	•	rdless of consequences	87.7
Made fun of other people		66.5			-		-	_	onal problem	77.3
made rain or other people				O.uuo.		on paronit i	op	mar a porc	onal problem	
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≤	¥	₽	×	WI the	₽₩	IM	ow M≥	firs An	
	70	5	hose pa	hos	ho b ems	ho s	ho fo		Among st used sub first used	
	Who have ever used substance	ave	Whose closest frier the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	se ay	<u>e</u>	윤	g stubs	
	eve	use)ses 2 m	t wo	ve t s if)are	t wo	au Kid	tanc	
	St. IS	<u> </u>	ĕ ∰	둡	hey they	nts	uld	de si	its v	
	<u>ĕ</u>	#	s and	be e	risk / us	Ş.	be \	y p	vho	
	Subs	pa	ha	asy	har 3	<u>Б</u>	Vror	olice Te	hav age	
	stan	¥ 30	e L	to	min	Sap	ig to	학물	e ev	
	8	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	jet	9	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborhoo would be caught by police for using	Among students who have ever used substance, average age wher first used	
		\S	=			8	Ф	ᇩᇰ	<u>@</u>	

	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in he past 12 months	Who say it would be easy to get	Who believe they risk harming hemselves if they use	Who say parents would disapprove if hey use	Who feel it would be wrong to use	Who think kids in their neighborhood vould be caught by police for using	Among students who have ever used substance, average age when urst used
Cigarettes	28.3	12.8	3 47.3	50.3	77.0	89.8	81.2	23.2	12.39
Chewing Tobacco	16.6	10.1							
Alcohol	48.9	19.3	62.6	51.9	64.0	70.4	54.8	28.1	12.36
Binge Alcohol (5+ drinks on one occasion in past 30 days)		12.2	2						
Marijuana	13.9	5.3	32.3	28.6	76.2	95.1	83.8	48.1	13.61
Inhalants	3.7	1.6	3						11.79
Illicit drugs such as cocaine, LSD, meth, club drugs			15.0	14.8	91.9	96.7	94.1	53.5	
Over-the-counter medications for non-medical use	6.9	3.7	7	50.3	78.5	94.1	88.6		
Prescription drugs not prescribed for student	9.0	5.9)	27.0	81.2	94.6	87.7		
Heroin	1.1								
Cocaine	1.6								
Methamphetamine	1.1								
Hallucinogens	3.2								
Club drugs such as ecstasy, GHB, roofie, or Special K	2.2		_						
Synthetic drugs such as K2, bath salts, Spice	7.4		Data are we and 15-19,					llation esti	mates for age
Steroids not prescribed for student	0.5		Percentage					ined answ	er choices.

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

ge groups 10-14


Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

MORGAN COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE

Central 141 20,565 20,502



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	234	266	261
Mother Reported Drinking while Pregnant ¹		0	3
Mother Reported Smoking while Pregnant	55	76	67
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	272	2009	246
Suicides	1	5	240
Self-inflicted Injuries	24	15	15
Homicides	1	13	13
Assault Injuries	34	47	51
Alcohol Induced Deaths	1	3	1
Drug Induced Deaths	3	1	2
Smoking Induced Deaths	51	57	32
•		-	-
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	219	210	185
Direct Hospitalizations	47	60	35
Emergency Room Hospitalizations	112	113	104
Emergency Room Outpatient	60	37	46
Drug RelatedTotal	134	118	112
Direct Hospitalizations	27	27	23
Emergency Room Hospitalizations	52	47	48
Emergency Room Outpatient	55	44	41
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	35	31	32
Fatal Crashes	0	3	1
Injury Crashes	13	10	16
Property Damage Crashes	22	18	15
Crash Fatalities	0	3	1
Crash Injuries	20	15	21
Drug Involved CrashesTotal	2	2	2
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	1	2	1
Crash Fatalities	0	0	0
Crash Injuries	2	0	1
EMPLOYMENT	2011	2010	2009
Labor Force	8,767	8,895	9,332
Employed	7,761	7,769	8,157
Unemployed	1,006	1,126	1,175
Unemployment Rate	11.5%	12.7%	12.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	43	45	46
Alcohol Package Carry-out Licenses	34	33	36
actings carry out modified	J-T	55	50

■ Female ■	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	619	654	692
Drop-outs	1	12	25
Drop-out Rate	0.2%	1.8%	3.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	2	6
Drug Incidents	9	11	4
Tobacco Incidents	1	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	78	61	60
Liquor Law Arrests	7	12	39
Drug Arrests	128	130	145
Methamphetamine Lab Incidents	5	5	16
Violent Offenses	47	49	87
Property Offenses	439	434	468
Domestic Violence Reports	157	201	216
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	80	96	107
Violent Offenses	26	36	23
Alcohol Offenses	1	14	8
Drug Offenses	9	7	6
Status OffensesTotal	22	36	46
Truancy	5	6	13
Beyond Parental Control	1	4	5
Habitually Absent from Home	1	4	1
Injurious Behavior	12	17	19
Abuse/Neglect/CustodyTotal	37	48	61
Abuse	4	8	24
Neglect	33	40	37
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	20	10	24
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	4	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	18	6	23
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	117	138	160
Probation/Parole AdmissionsDrug	46	46	54
Probation/Parole AdmissionsDWI	8	13	14
Prison AdmissionsTotal	49	64	64
Prison AdmissionsDrug	20	20	23
Prison AdmissionsDWI	3	8	6

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

MORGAN COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	0	0	7
CSTAR Women and Children	8	8	8
CSTAR General Adult	34	17	14
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	12	7	13
Primary Recovery Treatment	21	40	58
Clinical SATOP (CIP, YCIP, SROP)	9	*	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	50	73	96
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	24	25	32
- Weekend Intervention Program	12	27	43
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	13	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	*	13
- Early Intervention	0	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	44	38	58	Never Married	36	28	44
Female	29	24	24	Married / Cohabitating	17	20	19
				Previously Married	20	14	19
AGE							
Under 18	0	*	7	PRIMARY DRUG PROBLEM			
18 to 24	15	14	18	Alcohol	33	23	41
25 to 29	12	15	22	Marijuana / Hashish	19	18	22
30 to 34	10	12	13	Cocaine (total)	0		*
35 to 39	14	6	5 *	- Crack	0	*	
40 to 44	6	5		Stimulant (total)	12	13	13
45 to 54	10	6	8	- Methamphetamine	12	13	13
55 and Over	6	*	5	Heroin	*	0	0
RACE / ETHNICITY				Analgesic except Heroin	8	*	*
Caucasian	71	61	79	- Non-Prescription Methadone	0	0	0
African American	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	0	*	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	*	0	*	Sedative	0	0	0
Other Race / Two or More Races	0	*	0	Other Medication or Illicit Drug	0	0	0
	•			Average Age at First Use of Drug	17.1	17.5	16.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	29	19	33	Any Injection Use at Admission	9	10	5
High School Graduate or G.E.D.	31	32	39	- Daily Injection Use	*	5	*
Associate Degree or Some College	12	10	10	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	*	0	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	15	12	27	Self / Family / Friend	31	19	25
Unemployed	31	30	30	School	0	0	*
Not in Labor Force	27	20	25	Mental Health Provider	*	*	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	33	33	43
Independent Living	67	56	63	Other Referral Source	5	7	9
Dependent Living	*	5	13	CDECIAL DODULATIONS			
Homeless	*	*	*	SPECIAL POPULATIONS Pregnant when Admitted to any Episode	0	*	*
LIFETIME DUI / DWI ARRESTS				Military Veteran	*	0	*
0	26	30	38	Special Education Services Needed	6	11	6
1 or 2	36 20	30 25	36 29	Co-Occurring Psychological Problem		32	26
3 or More		∠5 7			28	32 5	
3 OF MOTE	17	1	15	Co-Occurring Developmental Problem	0	5	0

MORGAN COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 12 20,565 2011 POP. ESTIMATE 20,502

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 9 **Anxiety Disorder** 77 109 90 Dementia **Developmental Disorder** 6 6 Impulse Control Disorder 37 36 32 **Mood Disorder** 131 127 154 Personality Disorder 15 12 14 **Psychotic Disorder** 22 23 21 Sexual Disorder 0 0 Other Diagnosis 8 13 13 Diagnosis Unknown 33 9

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	192	165	191	Hearing Impaired	*	*	*
Male	72	66	83	Past or Current Military Service	*	*	7
Female	120	99	108				
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	107	61	49
Under 6	*	*	0	Dependent Living	*	29	7
6 to 9	*	7	10	Homeless	0	*	*
10 to 13	12	17	16	Other		*	0
14 to 17	12	12	15	Housing Unknown	78	73	134
18 to 24	28	20	26	EMPLOYMENT			
25 to 29	14	7	15	Employed	17	8	9
30 to 34	15	19	11	Unemployed	93	53	40
35 to 39	17	15	21	Not in Labor Force	*	*	*
40 to 44	15	17	16	Employment Status Unknown	78	101	140
45 to 49	29	14	17				
50 to 54	13	13	18	ARRESTS			
55 to 59	21	13	13	Arrested in Past 12 Months	11	16	14
60 and Over	11	10	13	Not Arrested in Past 12 Months	104	75	42
				Arrest Status Unknown	77	74	135
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	184	158	179	TREATMENT REFERRAL SOURCE	0.4	0.4	0.5
African American	*	*	*	Self / Family / Friend	84	84	85 *
Native American / Alaskan	0	0	*	School Martal Haalth Bassides		0	
Asian / Pacific Islander	*	*	*	Mental Health Provider	23	24	25
Hispanic	*	*	*	Health Care Provider	37	16	20
Other Race	*	*	5	Court / Criminal Justice	9	9	32
Race/Ethnicity Unknown	0	0	0	Other	38	32	25
				Referral Source Unknown	0	0	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	41	27	21	Voluntary	190	164	156
High School Grad or G.E.D.	56	26	23	Civil	0	0	31
A.A. Degree or Some College	15	11	7	Criminal	*	*	*
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	78	101	140	Commitment Type Unknown	0	0	*

MORGAN COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	3	SUICIDE Percent	of studen	ts who in	the nast	12 months		(%)
Were very sad				Percent of students who, In the past 12 months: Seriously considered attempting suicide						15.4
Were grouchy, irritable, or in a bad mood 34.2					Made a plan about how they would attempt suicide					
Felt hopeless about the future		Attempted suicide						14.1 4.2		
Felt like not eating or eating more than usual		14.9 23.2					resulted	in injury o	r overdose that had to	1.0
Slept a lot more or a lot less than usual		21.5				doctor or			. Ovoraboo mar naa to	
Had difficulty concentrating on school work		26.9			•					
riad dimodify concentrating on concentration				REBELLIC						
FIGHTING						's who agi				
Percent of students who, in the past 12 months:						s that get		-		35.4
Were in a physical fight		27.9		•			-		nake people mad	25.6
Were in a fight and had to be treated by a doctor or nurse		4.2			-		-	permissio	n	11.9
Were threatened or injured with a weapon on school proper	ty	6.8		Someti	mes it is o	okay to ch	eat at scl	hool		43.6
OULL VINO MOTIN				It is ok	ay to beat	up people	e if they s	start a fight		65.7
BULLYING VICTIM Percent of students who, in the past 3 months:				2011001	DEL 4711	24/0				
Were shoved, slapped, hit, or kicked in a serious manner		35.0		SCHOOL Percent			roo with t	he followin	na·	
Were victims of mean rumors or lies spread at school		56.6						tudent's g		66.7
Had embarrassing or hurtful pictures/text of them posted on	internet	18.3						_	ive student performance	31.4
Had embarrassing or hurtful pictures/text of them sent by ce		17.9			-		-	-	ive student performance	47.8
Were made fun of by others	ii priorie	69.1			-	student fo	i ilalu w	UIK		57.1
were made full of by others		69.1			are enforc		theleltica	oro troots	ad aqually	74.3
BULLYING PERPRETRATOR				Studen	ils or all ra	ices and e	eumones	are treate	eu equally	74.3
Percent of students who, in the past 3 months:			,	PARENT	RELATIC	NS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	32.5		Percent	of student	's who agi	ree with t	he followin	ng:	
Spread mean rumors or lies about other kids at school	35.9		Parent	s notice a	nd comme	ent on stu	ident's god	od work	81.7	
Posted on internet embarrassing or hurtful pictures/text of so	12.5		Parent	s involve :	student in	making f	amily deci	sions	62.6	
Sent by cell phone embarrassing or hurtful pictures/text of so	12.9		It is im	portant to	be hones	t with par	ents regar	dless of consequences	85.6	
Made fun of other people		75.6	Student could ask parent for help with a personal problem						74.9	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cigarettes	33.7	17.0	57.7	62.2	76.9	91.0	70.5	17.3	11.62	
Chewing Tobacco	21.8	13.5								
Alcohol	51.6	25.3	66.0	65.7	67.9	74.9	48.2	20.4	12.41	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		14.7								
Marijuana	22.4	11.9	48.7	42.9	64.7	91.8	71.9	33.0	12.87	
Inhalants	6.7	3.5							11.73	
Illicit drugs such as cocaine, LSD, meth, club drugs			18.4	21.0	89.1	97.1	93.3	43.4		
Over-the-counter medications for non-medical use	9.3	6.7		61.7	75.8	94.4	84.8			
Prescription drugs not prescribed for student	10.6	6.1		42.0	82.2	94.1	85.2			
Heroin	1.0									
Cocaine	2.3									
Methamphetamine	2.0									
Hallucinogens	5.5									
Club drugs such as ecstasy, GHB, roofle, or Special K	1.9									
Cumthotic drugs quah on I/2 hoth colts. Cales	77	D	ata are w	eighted in	comparis	son to cou	inty popu	lation estir	mates for age groups 10-	14

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

7.7

Data are weighted in comparison to county population estimates for age groups 10-14

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Percentages on some items are based on combined answer choices.

and 15-19, gender, race, and Hispanic origin.

NEW MADRID COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 20 143 18,956 18,783



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	248	247	259
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	73	71	85
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	2
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	257	238	242
Suicides	4	1	2
Self-inflicted Injuries	38	25	36
Homicides	2	2	2
Assault Injuries	94	73	61
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	1	1
Smoking Induced Deaths	50	58	49
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	180	157	176
Direct Hospitalizations	72	29	58
Emergency Room Hospitalizations	41	75	57
Emergency Room Outpatient	67	53	61
Drug RelatedTotal	218	167	164
Direct Hospitalizations	98	46	52
Emergency Room Hospitalizations	53	69	56
Emergency Room Outpatient	67	52	56
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	29	25	29
Fatal Crashes	3	0	1
Injury Crashes	14	14	18
Property Damage Crashes	12	11	10
Crash Fatalities	3	0	1
Crash Injuries	24	23	17
Drug Involved CrashesTotal	12	8	9
Fatal Crashes	3	0	1
Injury Crashes	5	7	5
Property Damage Crashes	4	1	3
Crash Fatalities	3	0	1
Crash Injuries	11	10	5
EMPLOYMENT	2011	2010	2009
Labor Force	8,484	8,508	8,457
Employed	7,683	7,751	7,658
Unemployed	801	757	799
Unemployment Rate	9.4%	8.9%	9.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	15	17	28
Alcohol Package Carry-out Licenses	26	25	29

■ Female	- Mare		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	827	829	910
Drop-outs	12	30	25
Drop-out Rate	1.5%	3.6%	2.7%
School Suspensions, 10 or More Days			
Alcohol Incidents	3	0	0
Drug Incidents	5	4	10
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	187	174	141
Liquor Law Arrests	19	18	17
Drug Arrests	171	158	180
Methamphetamine Lab Incidents	49	17	12
Violent Offenses	33	29	58
Property Offenses	129	166	152
Domestic Violence Reports	114	89	76
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	75	101	141
Violent Offenses	5	10	17
Alcohol Offenses	5	9	10
Drug Offenses	6	9	11
Status OffensesTotal	76	67	76
Truancy	10	6	13
Beyond Parental Control	23	20	34
Habitually Absent from Home	5	3	2
Injurious Behavior	38	38	25
Abuse/Neglect/CustodyTotal	34	45	47
Abuse	6	6	18
Neglect	28	39	29
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	26	25	24
Parental Alcohol Use Related	0	1	1
Parental Drug Use Related	14	10	6
Parental Alcohol and Drug Use	0	3	0
Child Removed for Other Reason	12	11	17
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	278	269	306
Probation/Parole AdmissionsDrug	88	94	100
Probation/Parole AdmissionsDWI	18	10	23
Prison AdmissionsTotal	131	145	165
Prison AdmissionsDrug	41	44	52
Prison AdmissionsDWI	5	13	4

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

NEW MADRID COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	13	16	14
CSTAR Women and Children	16	23	12
CSTAR General Adult	19	14	13
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	28	21	18
Primary Recovery Treatment	141	138	159
Clinical SATOP (CIP, YCIP, SROP)	12	11	*
Other Substance Abuse Treatment	0	*	24

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	70	83	95
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	29	36	44
- Weekend Intervention Program	18	21	28
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	25	21	13
- Early Intervention	0	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	159	146	149	Never Married	108	85	95
Female	52	56	55	Married / Cohabitating	58	67	67
· omaio	02	00	00	Previously Married	45	50	42
AGE				•	10	00	
Under 18	13	16	13	PRIMARY DRUG PROBLEM			
18 to 24	35	27	42	Alcohol	70	62	67
25 to 29	44	40	32	Marijuana / Hashish	66	79	76
30 to 34	34	34	28	Cocaine (total)	18	21	22
35 to 39	31	25	26	- Crack	13	15	15
40 to 44	21	18	24	Stimulant (total)	45	29	24
45 to 54	32	32	33	- Methamphetamine	43	28	22
55 and Over	*	10	6	Heroin	0	*	*
RACE / ETHNICITY				Analgesic except Heroin	7	8	7
Caucasian	167	144	145	- Non-Prescription Methadone	0	0	0
African American	41	53	58	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan		*	0	Tranquilizer	*	*	5
Asian / Pacific Islander	0	0	0	Inhalant	0	0	*
	*	*	*	Sedative	*	0	0
Hispanic Other Race / Two or More Races	*	*	0	Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races			U	Average Age at First Use of Drug	17.6	17.3	18.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	81	92	78	Any Injection Use at Admission	10	8	9
High School Graduate or G.E.D.	114	94	105	- Daily Injection Use	*	*	*
Associate Degree or Some College	15	14	20	- Weekly Injection Use	*	*	0
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	*	*	6
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	51	39	70	Self / Family / Friend	30	36	29
Unemployed	105	82	75	School	*	0	0
Not in Labor Force	55	81	59	Mental Health Provider	*	5	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	151	141	158
Independent Living	177	164	173	Other Referral Source	24	17	13
Dependent Living	28	31	20	005044 00044 474040			
Homeless	*	*	5	SPECIAL POPULATIONS	*	*	
1 (FETURE D.II (D.III A D.F.O.T.)				Pregnant when Admitted to any Episode	*		*
LIFETIME DUI / DWI ARRESTS	46-	400	40=	Military Veteran		8	15
0	135	123	127	Special Education Services Needed	14	16	22
1 or 2	45	47	52	Co-Occurring Psychological Problem	34	38	31
3 or More	31	32	25	Co-Occurring Developmental Problem	*	*	*

NEW MADRID COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 20 18,956 2011 POP. ESTIMATE 18,783

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 21 24 26 **Anxiety Disorder** 56 47 51 Dementia 0 0 0 **Developmental Disorder** Impulse Control Disorder 36 37 46 **Mood Disorder** 141 132 134 Personality Disorder 34 30 30

45

0

11

45

0

16

56

49

0

12

61

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Psychotic Disorder

Diagnosis Unknown

Sexual Disorder

Other Diagnosis

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	286	298	324	Hearing Impaired	11	9	6
Male	129	150	155	Past or Current Military Service	6	6	6
Female	157	148	169	r act of Carrotte Mintary Colvido	· ·	U	U
Tomaio	137	140	103	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	59	54	33
Under 6	*	5	7	Dependent Living	*	11	*
6 to 9	17	16	7 17	Homeless	0	0	0
10 to 13		_		Other	0	0	*
	27	36	27	Housing Unknown	224	233	286
14 to 17	31	39	51	EMBLOVAENT			
18 to 24	24	25	33	EMPLOYMENT	*	*	
25 to 29	17	14	16	Employed			
30 to 34	24	20	25	Unemployed	59	52	32
35 to 39	25	28	23	Not in Labor Force	0	*	*
40 to 44	20	21	23	Employment Status Unknown	224	244	289
45 to 49	25	28	35	ARRESTS			
50 to 54	28	24	25	Arrested in Past 12 Months	*	7	5
55 to 59	26	22	20	Not Arrested in Past 12 Months	60	58	33
60 and Over	20	20	22	Arrest Status Unknown	224	233	286
				Allest Gtatus Olikilowii	224	233	200
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	230	232	250	Self / Family / Friend	444	07	400
African American	44	58	66	•	114	97	122
Native American / Alaskan	*	*	*	School Martel Health Bravides			
Asian / Pacific Islander	0	0	0	Mental Health Provider	51	58	70
Hispanic	*	*	*	Health Care Provider	36	36	49
Other Race	7	5	6	Court / Criminal Justice	14	29	18
Race/Ethnicity Unknown	0	0	0	Other	67	71	57
•				Referral Source Unknown	*	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	25	23	14	Voluntary	282	279	311
High School Grad or G.E.D.	29	22	16	Civil	*	13	8
A.A. Degree or Some College	8	8	*	Criminal	0	*	*
Bachelor or Advanced Degree	0	*	*	Sexual Predatory	0	0	0
Education Level Unknown	224	244	289	Commitment Type Unknown	*	*	*

NEW MADRID COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Porcont	of ctudon	tc who in	the nact	12 months	••	(*
Were very sad	ent of students who, in the past 50 days.					-		•	8	
Were grouchy, irritable, or in a bad mood		32.9		Seriously considered attempting suicide Made a plan about how they would attempt suicide					6	
Felt hopeless about the future		10.0		Attempted suicide					2	
Felt like not eating or eating more than usual		16.2		Had a suicide attempt that resulted in injury or overdose that had to						
Slept a lot more or a lot less than usual		22.4		be treated by doctor or nurse					410 1	
Had difficulty concentrating on school work		23.4		30 House of 10000 St Nation						
Trad difficulty correctificating of scriool work		20. 1	R	EBELLIC	OUSNES	s				
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get		-		24
Were in a physical fight		22.3							nake people mad	16
Were in a fight and had to be treated by a doctor or nurse		3.5			-		-	permissio	n	5
Were threatened or injured with a weapon on school proper	ty	4.5				okay to ch				29
BULLYING VICTIM				It is oka	ay to beat	up peopl	e if they s	start a fight	t	56
Percent of students who, in the past 3 months:			S	CHOOL	REI ATIO	ONS.				
Were shoved, slapped, hit, or kicked in a serious manner		25.1					ree with t	he followin	ng:	
Were victims of mean rumors or lies spread at school		49.1				_		student's g	-	72
Had embarrassing or hurtful pictures/text of them posted on	internet	12.2						_	ive student perforn	nance 47
Had embarrassing or hurtful pictures/text of them sent by ce		16.2			-	student fo	-	-	•	59
Were made fun of by others	•	60.4			are enforc					63
•						_	ethnicities	s are treate	ed equally	72
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		0.4.0		ARENT						
Shoved, slapped, hit, or kicked a student in a serious manne	er	24.9				-		he followin	-	
Spread mean rumors or lies about other kids at school		29.0						udent's god		85
Posted on internet embarrassing or hurtful pictures/text of so		9.7						amily deci		69
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	13.4		-			-	_	dless of conseque	
Made full of other people		67.9	Made fun of other people 67.9 Student could ask parent for help with a personal problem							81
SUBSTANCE USE AND BELIEFS										
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	>	>		8	≒ ≶		>	& &	⊉ c. >	
	Who	Whol	Whos the pa	Who:	Who I thems	Who :	Who I	Who t	Amor used first u	
	Who have	Who have	Whose cl the past 1	Who say	Who belice themselve	Who say they use	Who feel	Who thinl would be	Among st used sub first used	
	Who have ev	Who have us	Whose close the past 12 n	Who say it w	Who believe themselves if	Who say pare they use	Who feel it w	Who think kid would be cau	Among stude used substar first used	
	Who have ever u	Who have used	Whose closest fr the past 12 mont	Who say it would	Who believe they themselves if the	Who say parents they use	Who feel it would	Who think kids ir would be caught	Among students used substance, first used	
	Who have ever used	Who have used in th	Whose closest friend the past 12 months	Who say it would be	Who believe they ris themselves if they us	Who say parents wo they use	Who feel it would be	Who think kids in the would be caught by	Among students who used substance, aver first used	
	Who have ever used sul	Who have used in the p	Whose closest friends h the past 12 months	Who say it would be eas	Who believe they risk hat themselves if they use	Who say parents would they use	Who feel it would be wro	Who think kids in their n would be caught by polic	Among students who ha used substance, averag first used	
	Who have ever used substa	Who have used in the past	Whose closest friends have the past 12 months	Who say it would be easy to	Who believe they risk harmi themselves if they use	Who say parents would disathey use	Who feel it would be wrong	Who think kids in their neight would be caught by police for	Among students who have of used substance, average ag first used	
	Who have ever used substance	Who have used in the past 30 d	Whose closest friends have use the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprithey use	Who feel it would be wrong to u	Who think kids in their neighbor would be caught by police for us	Among students who have ever used substance, average age w first used	
	Who have ever used substance	Who have used in the past 30 days	ids have used	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborhoo would be caught by police for using	udents who have ever stance, average age wh	
Regarding the substances listed below, percent of students:			5		harming	Who say parents would disapprove if they use	Ф	3 8	len	
Regarding the substances listed below, percent of students: Cigarettes	33.4	16.7		Who say it would be easy to get 55.7	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 75.4	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	33.4 14.3	16.7 6.8	49.3	55.7	harming 82.5	90.3	75.4	25.7	12.19	
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	33.4	16.7 6.8 22.9	5		harming		Ф	3 8	len	
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	33.4 14.3	16.7 6.8	49.3	55.7 54.3	82.5 73.8	90.3	75.4 60.1	25.7 31.7	12.19 12.52	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	33.4 14.3 46.4 17.7	16.7 6.8 22.9 14.3 8.2	49.3	55.7	harming 82.5	90.3	75.4	25.7	12.19 12.52 13.85	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	33.4 14.3 46.4	16.7 6.8 22.9 14.3	49.3 57.8	55.7 54.3	82.5 73.8 76.0	90.3	75.4 60.1 83.2	25.7 31.7	12.19 12.52	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	33.4 14.3 46.4 17.7	16.7 6.8 22.9 14.3 8.2	49.3 57.8	55.7 54.3	82.5 73.8	90.3 81.0 96.1 99.3	75.4 60.1 83.2 96.1	25.7 31.7	12.19 12.52 13.85	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	33.4 14.3 46.4 17.7 6.5	16.7 6.8 22.9 14.3 8.2 1.0	49.3 57.8 38.0	55.7 54.3 35.9 20.1 49.1	82.5 73.8 76.0 95.5 83.7	90.3 81.0 96.1 99.3 97.5	75.4 60.1 83.2 96.1 90.9	25.7 31.7 44.6	12.19 12.52 13.85	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	33.4 14.3 46.4 17.7 6.5 3.1 10.2	16.7 6.8 22.9 14.3 8.2 1.0	49.3 57.8 38.0	55.7 54.3 35.9 20.1	82.5 73.8 76.0 95.5	90.3 81.0 96.1 99.3	75.4 60.1 83.2 96.1	25.7 31.7 44.6	12.19 12.52 13.85	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	33.4 14.3 46.4 17.7 6.5 3.1 10.2 0.7	16.7 6.8 22.9 14.3 8.2 1.0	49.3 57.8 38.0	55.7 54.3 35.9 20.1 49.1	82.5 73.8 76.0 95.5 83.7	90.3 81.0 96.1 99.3 97.5	75.4 60.1 83.2 96.1 90.9	25.7 31.7 44.6	12.19 12.52 13.85	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	33.4 14.3 46.4 17.7 6.5 3.1 10.2 0.7 1.7	16.7 6.8 22.9 14.3 8.2 1.0	49.3 57.8 38.0	55.7 54.3 35.9 20.1 49.1	82.5 73.8 76.0 95.5 83.7	90.3 81.0 96.1 99.3 97.5	75.4 60.1 83.2 96.1 90.9	25.7 31.7 44.6	12.19 12.52 13.85	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	33.4 14.3 46.4 17.7 6.5 3.1 10.2 0.7 1.7 0.7	16.7 6.8 22.9 14.3 8.2 1.0	49.3 57.8 38.0	55.7 54.3 35.9 20.1 49.1	82.5 73.8 76.0 95.5 83.7	90.3 81.0 96.1 99.3 97.5	75.4 60.1 83.2 96.1 90.9	25.7 31.7 44.6	12.19 12.52 13.85	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	33.4 14.3 46.4 17.7 6.5 3.1 10.2 0.7 1.7 0.7	16.7 6.8 22.9 14.3 8.2 1.0	49.3 57.8 38.0	55.7 54.3 35.9 20.1 49.1	82.5 73.8 76.0 95.5 83.7	90.3 81.0 96.1 99.3 97.5	75.4 60.1 83.2 96.1 90.9	25.7 31.7 44.6	12.19 12.52 13.85	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	33.4 14.3 46.4 17.7 6.5 3.1 10.2 0.7 1.7 0.7 1.4	16.7 6.8 22.9 14.3 8.2 1.0 2.0 6.2	49.3 57.8 38.0 10.7	55.7 54.3 35.9 20.1 49.1 33.7	82.5 73.8 76.0 95.5 83.7 86.9	90.3 81.0 96.1 99.3 97.5 94.7	75.4 60.1 83.2 96.1 90.9 90.0	25.7 31.7 44.6 54.3	12.19 12.52 13.85 12.36	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	33.4 14.3 46.4 17.7 6.5 3.1 10.2 0.7 1.7 0.7	16.7 6.8 22.9 14.3 8.2 1.0 2.0 6.2	49.3 57.8 38.0 10.7	55.7 54.3 35.9 20.1 49.1 33.7	82.5 73.8 76.0 95.5 83.7 86.9	90.3 81.0 96.1 99.3 97.5 94.7	75.4 60.1 83.2 96.1 90.9 90.0	25.7 31.7 44.6 54.3	12.19 12.52 13.85	ps 10-14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

NEWTON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 145 58,114 58,414



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	753	761	742
Mother Reported Drinking while Pregnant ¹		2	3
Mother Reported Smoking while Pregnant	176	144	160
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	0	0
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	571	557	592
Suicides	6	17	3
Self-inflicted Injuries	64	75	72
Homicides	1	2	5
Assault Injuries	167	174	161
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	11	13	2
Smoking Induced Deaths	106	98	107
•			
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	502	519	498
Direct Hospitalizations	220	99	97
Emergency Room Hospitalizations	76	224	207
Emergency Room Outpatient	206	196	194
Drug RelatedTotal	468	483	470
Direct Hospitalizations	208	86	102
Emergency Room Hospitalizations	63	171	161
Emergency Room Outpatient	197	226	207
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	68	60	86
Fatal Crashes	4	2	3
Injury Crashes	35	28	40
Property Damage Crashes	29	30	43
Crash Fatalities	4	1	2
Crash Injuries	49	37	59
Drug Involved CrashesTotal	8	13	11
Fatal Crashes	0	1	0
Injury Crashes	5	6	3
Property Damage Crashes	3	6	8
Crash Fatalities	0	1	0
Crash Injuries	6	10	4
EMPLOYMENT	2011	2010	2009
Labor Force	29,310	27,953	27,775
Employed	26,995	25,449	25,515
Unemployed	2,315	2,504	2,260
Unemployment Rate	7.9%	9.0%	8.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	43	38	44
Alcohol Package Carry-out Licenses	59	55	61
	00	00	01

■ Female ■ Male						
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009			
Enrollment Grades 9-12	2,578	2,581	2,543			
Drop-outs	64	54	97			
Drop-out Rate	2.5%	2.1%	3.8%			
School Suspensions, 10 or More Days						
Alcohol Incidents	3	6	4			
Drug Incidents	46	26	16			
Tobacco Incidents	0	1	1			
POLICE REPORTS	2010	2009	2008			
DUI Arrests, DWI Tracking System	326	349	463			
Liquor Law Arrests	54	29	77			
Drug Arrests	364	405	287			
Methamphetamine Lab Incidents	45	52	4			
Violent Offenses	126	106	128			
Property Offenses	1,315	1,269	1,502			
Domestic Violence Reports	422	502	370			
JUVENILE COURT REFERRALS	2010	2009	2008			
Law Violation OffensesTotal	267	377	389			
Violent Offenses	67	100	96			
Alcohol Offenses	24	12	19			
Drug Offenses	11	17	24			
Status OffensesTotal	107	109	106			
Truancy	21	16	15			
Beyond Parental Control	25	31	27			
Habitually Absent from Home	29	25	31			
Injurious Behavior	15	21	18			
Abuse/Neglect/CustodyTotal	291	250	206			
Abuse	65	86	53			
Neglect	173	134	145			
Custody Disputes	53	30	8			
JUVENILE COURT PLACEMENTS	2010	2009	2008			
Out-of-Home PlacementsTotal	192	191	166			
Parental Alcohol Use Related	4	7	2			
Parental Drug Use Related	50	32	47			
Parental Alcohol and Drug Use	11	2	4			
Child Removed for Other Reason	127	150	113			
CRIMINAL JUSTICE	FY2011	FY2010	FY2009			
Drug Court Participants	61	46	53			
Probation/Parole AdmissionsTotal	295	302	294			
Probation/Parole AdmissionsDrug	121	92	87			
Probation/Parole AdmissionsDWI	28	23	15			
Prison AdmissionsTotal	124	156	146			
Prison AdmissionsDrug	34	44	39			
Prison AdmissionsDWI	13	20	18			
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed			

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

NEWTON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	8	20	15
CSTAR Women and Children	53	57	54
CSTAR General Adult	124	33	23
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	36	26	32
Primary Recovery Treatment	120	214	183
Clinical SATOP (CIP, YCIP, SROP)	40	55	29
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	217	290	294
- Adolescent Diversion Education Program	17	18	16
- Offender Education Program	84	101	108
- Weekend Intervention Program	40	65	88
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	27	17	24
- Compulsive Gambling	*	0	7
- Recovery Supports	31	17	8
- Early Intervention	7	5	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	240	245	217	Never Married	163	169	142
Female	114	103	98	Married / Cohabitating	92	86	86
		100	00	Previously Married	99	93	87
AGE				•	00	00	O.
Under 18	8	22	15	PRIMARY DRUG PROBLEM			
18 to 24	70	64	62	Alcohol	159	153	145
25 to 29	64	67	65	Marijuana / Hashish	81	87	66
30 to 34	68	50	46	Cocaine (total)	*	9	14
35 to 39	43	31	36	- Crack	*	*	7
40 to 44	38	44	35	Stimulant (total)	90	78	72
45 to 54	48	57	51	- Methamphetamine	86	75	67
55 and Over	15	13	5	Heroin	*	*	*
RACE / ETHNICITY				Analgesic except Heroin	14	15	13
Caucasian	322	313	279	- Non-Prescription Methadone	0	0	0
African American	9	*	10	PCP, LSD, other Hallucinogen	0	*	0
Native American / Alaskan	*	6	*	Tranquilizer	5	*	*
Asian / Pacific Islander	*	*	*	Inhalant	0	*	0
Hispanic	6	11	8	Sedative	0	0	*
Other Race / Two or More Races	14	11	15	Other Medication or Illicit Drug	*	0	0
Carlot Nacco / Two of Moro Nacco	17		10	Average Age at First Use of Drug	17.5	17.3	16.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	129	121	128	Any Injection Use at Admission	42	45	42
High School Graduate or G.E.D.	159	148	138	- Daily Injection Use	*	5	*
Associate Degree or Some College	63	75	43	- Weekly Injection Use	11	10	14
Bachelor or Advanced Degree	*	*	6	- Less than Weekly Injection Use	27	30	24
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	117	131	101	Self / Family / Friend	92	86	103
Unemployed	145	112	120	School	0	*	*
Not in Labor Force	92	105	94	Mental Health Provider	*	5	*
				Health Care Provider	15	14	16
LIVING ARRANGEMENT				Court / Criminal Justice	200	204	172
Independent Living	310	260	233	Other Referral Source	44	37	20
Dependent Living	31	79	67	ODEOLAL DODUKATIONS			
Homeless	*	*	8	SPECIAL POPULATIONS	_	*	
LIFETIME DUI / DW/ A DRECTS				Pregnant when Admitted to any Episode	5		
LIFETIME DUI / DWI ARRESTS 0	160	150	140	Military Veteran	21	23	20
1 or 2	160	150	142	Special Education Services Needed	36	25 115	20
	124	118	100	Co-Occurring Psychological Problem	146	115	110
3 or More	70	80	73	Co-Occurring Developmental Problem	7	7	-

NEWTON COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 9
CENSUS 2010 58,114
2011 POP. ESTIMATE 58,414

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 76 91 82 **Anxiety Disorder** 325 236 264 Dementia 14 **Developmental Disorder** 8 14 11 Impulse Control Disorder 208 144 117 **Mood Disorder** 401 402 461 Personality Disorder 205 179 206 **Psychotic Disorder** 103 73 78 Sexual Disorder 6

87

50

72

261

60

227

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
825	893	855	Hearing Impaired	5	8	7
404	409	388	Past or Current Military Service	15	15	22
421	484	467				
			•			75
9	20	15	•			15
				_		*
				-		5
97	72	75	Housing Unknown	658	724	758
97	96	88	EMPLOYMENT			
62	70	101	Employed	17	9	8
	62		Unemployed	141		79
69	83	73	Not in Labor Force	9	*	0
62	80	90	Employment Status Unknown	658	752	768
82	105	99				
68	69	67				_
46	47	36				6
28	46	25		_		91
			Arrest Status Unknown	659	725	758
			TREATMENT REFERRAL COURSE			
776	836	810		007	040	500
7	6	8	•	_		583
*	6	8			-	40
6	11	5		_		49
10	12	*			-	42
22	21	22				81
0	*	0				91
			Referral Source Unknown		ь	6
			TYPE OF COMMITMENT			
52	55	30	Voluntary	775	832	800
89	59	35	Civil	45	51	46
21	21	16	Criminal	*	*	*
5	6	6	Sexual Predatory	0	0	0
658	752	768	Commitment Type Unknown	*	7	7
	825 404 421 9 63 79 97 97 62 63 69 62 82 68 46 28 776 7 * 6 10 22 0	825 893 404 409 421 484 9 20 63 59 79 84 97 72 97 96 62 70 63 62 69 83 62 80 82 105 68 69 46 47 28 46 776 836 7 6 * 6 6 11 10 12 22 21 0 * 52 55 89 59 21 21 5 6	825 893 855 404 409 388 421 484 467 9 20 15 63 59 57 79 84 74 97 72 75 97 96 88 62 70 101 63 62 55 69 83 73 62 80 90 82 105 99 68 69 67 46 47 36 28 46 25 776 836 810 7 6 8 6 11 5 10 12 * 22 21 22 0 * 0 52 55 30 89 59 35 21 21 16 5 6 6	SPECIAL POPULATION	SPECIAL POPULATION SPECIAL POPULATION SPECIAL POPULATION 404 409 388 Past or Current Military Service 15 421 484 467 HOUSING / LIVING ARRANGEMENT Independent Living 124 Dependent Living 30 Dependent Living 30	SPECIAL POPULATION Section Sec

NEWTON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%	s)	SUICIDE Percent	nf studen	ts who in	the nact	12 months		(%
Were very sad		20.0	n			lered atter			•	11.
Were grouchy, irritable, or in a bad mood					_				iicida	7.
Felt hopeless about the future		22.2 Made a plan about how they won 11.7 Attempted suicide						odia attempt suicide		
Felt like not eating or eating more than usual		19.0					trocultod	in injuny o	r overdose that had to	4. 1.
		19.				doctor or		iii iiijui y oi	i overdose iliai ilau io	1.
Slept a lot more or a lot less than usual					routou by	doctor or	114130			
Had difficulty concentrating on school work		23.		REBELLIC	OUSNES	s				
GGHTING						ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		19.
Were in a physical fight		19.	7						nake people mad	13.
Were in a fight and had to be treated by a doctor or nurse		2.8	8	-			_	permissio		7.
Were threatened or injured with a weapon on school proper	tv	4.	7		-	okay to ch	-	-		20.
, , , , , , , , , , , , , , , , , , , ,	•					•		start a fight	t	49.
PULLYING VICTIM					.,			3		
Percent of students who, in the past 3 months:				CHOOL						
Were shoved, slapped, hit, or kicked in a serious manner		27.				_		he followin	-	
Were victims of mean rumors or lies spread at school		50.0						tudent's go		66.
Had embarrassing or hurtful pictures/text of them posted on		12.3			-		-	-	ive student performand	
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	14.3	3		-	student fo	or hard w	ork		54.
Were made fun of by others		59.	5	Rules	are enfor	ed fairly				62.
VIII / VIII / DEDDDETD / TOD				Studen	its of all r	aces and (ethnicities	s are treate	ed equally	72.
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:			_							
Shoved, slapped, hit, or kicked a student in a serious manner	or	19.0		PARENT			roo with t	he followin	na:	
•	5 1	23.4				-			-	84.
Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of someone				Parents notice and comment on student's good work Parents involve student in making family decisions						
									74.	
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	54.5						_	onal problem	s 89. 77.
Made fun of other people		04.	0	Studen	it could a	sk parciit i	ioi ricip v	nui a porse	mai problem	,,,
CUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	€	\{	∌ €	€	₽₹	∌ €	€	§ §	fin us	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disappro they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wh	
	lave	ave	e do	ay i	elve	se ay	<u>&</u>	BE 를	g stubs	
	eve	Su)Ses 2 m	t wc	ve t	oare	ŧ K	Cauc	uder	
	막	8		ᇤ	the	ats	ᇤ	gh s in	nts i	
	sed		hs lead	æ	risk I y use	WO	8	bype	who	
	Sub	e p	S T	eas	ਲ ਨੇ	튭	WTO	oli ir	hay rage	
	osta	ast :	ave	y to	₫.	disa	ğ	e de de	ve e	
	nce	80	use	ge	g	룡	6	or abor	yer Je w	
		ays	<u>≅</u>			ove if	Se	sing	hen	
Cigarettes Chewing Tobacco	25.0 14.5	8.4 7.8		44.2	81.1	94.0	82.0	31.1	11.85	
Alcohol	32.3	11.2		43.8	74.2	85.3	69.7	33.5	12.11	
	32.3			43.0	14.2	00.3	03.7	33.3	14.11	
Binge Alcohol (5+ drinks on one occasion in past 30 days) Mariluana	10.0	4.6		25.7	70.4	06.0	07.4	4F 0	12.37	
,	10.9 5.9	3.3 2.3		25.7	79.4	96.8	87.1	45.2		
Inhalants	5.9	2.3		4 E 4	05.4	00.0	04.0	F0.7	12.59	
Illicit drugs such as cocaine, LSD, meth, club drugs	2.0		13.2	15.1	95.1	98.3	94.9	50.7		
Over-the-counter medications for non-medical use	6.3	4.4		47.9	83.7	96.8	90.3			
Prescription drugs not prescribed for student	7.8	4.3		27.7	88.0	97.1	91.2			
Heroin	0.5									
Cocaine	1.2									
Methamphetamine	0.9									
Hallucinogens	2.5									
Club drugs such as ecstasy, GHB, roofie, or Special K	4.0									
oral arage cach as sectast, error residents	1.3									10.44
Synthetic drugs such as K2, bath salts, Spice	6.6		Data are wand 15-19,					lation estir	mates for age groups	10-14

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

NODAWAY COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 147 23,370 23,468



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	260	230	260
Mother Reported Drinking while Pregnant 1		0	0
Mother Reported Smoking while Pregnant	40	50	47
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	3
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	189	174	193
Suicides	2	5	3
Self-inflicted Injuries	7	10	16
Homicides	0	0	1
Assault Injuries	33	31	32
Alcohol Induced Deaths	0	1	1
Drug Induced Deaths	0	0	1
Smoking Induced Deaths	31	29	32
•		-	
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	106	104	112
Direct Hospitalizations	40	33	40
Emergency Room Hospitalizations	16	21	24
Emergency Room Outpatient	50	50	48
Drug RelatedTotal	87	87	95
Direct Hospitalizations	38	36	48
Emergency Room Hospitalizations	14	16	14
Emergency Room Outpatient	35	35	33
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	21	27	23
Fatal Crashes	1	4	1
Injury Crashes	12	12	13
Property Damage Crashes	8	11	9
Crash Fatalities	1	3	2
Crash Injuries	25	22	18
Drug Involved CrashesTotal	1	1	2
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	1	0	2
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	11,859	11,965	12,783
Employed	11,059	11,171	11,967
Unemployed	800	794	816
Unemployment Rate	6.7%	6.6%	6.4%
BETAIL ALCOHOL OUTLETS	2011	2010	2000
RETAIL ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses			2009
	28	27	29
Alcohol Package Carry-out Licenses	19	17	17

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	867	900	958
Drop-outs	16	14	19
Drop-out Rate	1.8%	1.6%	2.0%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	2	0
Drug Incidents	3	1	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	181	166	213
Liquor Law Arrests	311	231	321
Drug Arrests	155	80	53
Methamphetamine Lab Incidents	0	4	0
Violent Offenses	36	42	47
Property Offenses	327	383	451
Domestic Violence Reports	62	46	50
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	51	60	59
Violent Offenses	10	7	6
Alcohol Offenses	5	9	8
Drug Offenses	2	3	2
Status OffensesTotal	102	86	97
Truancy	21	19	15
Beyond Parental Control	58	46	48
Habitually Absent from Home	1	2	1
Injurious Behavior	21	19	33
Abuse/Neglect/CustodyTotal	139	107	71
Abuse	10	17	21
Neglect	125	90	48
Custody Disputes	4	0	2
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	32	21	19
Parental Alcohol Use Related	4	1	1
Parental Drug Use Related	9	3	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	19	17	15
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	6	11	9
Probation/Parole AdmissionsTotal	159	93	110
Probation/Parole AdmissionsDrug	74	23	31
Probation/Parole AdmissionsDWI	11	10	13
Prison AdmissionsTotal	71	63	67
Prison AdmissionsDrug	25	15	18
Prison AdmissionsDWI	8	10	9

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

NODAWAY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	8	7	8
CSTAR Women and Children	0	*	*
CSTAR General Adult	*	*	*
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	8	11	10
Primary Recovery Treatment	51	57	48
Clinical SATOP (CIP, YCIP, SROP)	11	5	7
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	150	218	237
- Adolescent Diversion Education Program	59	89	110
- Offender Education Program	39	72	86
- Weekend Intervention Program	27	25	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	0	0
- Compulsive Gambling	0	*	0
- Recovery Supports	*	*	*
- Early Intervention	46	8	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	49	52	50	Never Married	39	38	41
Female	22	21	19	Married / Cohabitating	9	18	13
		-1	10	Previously Married	23	17	15
AGE				•	20	• •	.0
Under 18	7	6	7	PRIMARY DRUG PROBLEM			
18 to 24	27	24	19	Alcohol	25	31	34
25 to 29	11	7	12	Marijuana / Hashish	25	21	17
30 to 34	7	10	8	Cocaine (total)	*	*	0
35 to 39	*	6	*	- Crack	*	*	0
40 to 44	6	6	6	Stimulant (total)	14	15	12
45 to 54	9	11	9	- Methamphetamine	14	14	12
55 and Over	0	*	*	Heroin	0	*	*
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	69	71	66	- Non-Prescription Methadone	0	0	0
African American	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan		0		Tranquilizer	0	0	0
Asian / Pacific Islander	0	0	0	Inhalant	*	0	*
	0	*	*	Sedative	0	0	0
Hispanic	0	*	*	Other Medication or Illicit Drug	*	0	0
Other Race / Two or More Races	0			Average Age at First Use of Drug	16.5	17.6	16.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	15	15	16	Any Injection Use at Admission	9	7	8
High School Graduate or G.E.D.	38	40	38	- Daily Injection Use	*	0	0
Associate Degree or Some College	16	15	13	- Weekly Injection Use	0	*	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	5	*	7
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	33	29	40	Self / Family / Friend	9	7	*
Unemployed	24	25	20	School	0	0	0
Not in Labor Force	14	19	9	Mental Health Provider	*	*	0
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	52	50	55
Independent Living	62	64	54	Other Referral Source	6	10	6
Dependent Living	7	7	11	005044 00044 474040			
Homeless	0	*	*	SPECIAL POPULATIONS		*	
LIFETIME DI II / DIA" A DOCUM				Pregnant when Admitted to any Episode		*	*
LIFETIME DUI / DWI ARRESTS		4.5	0.5	Military Veteran	*	*	*
0	38	43	39	Special Education Services Needed	*		*
1 or 2	21	18	20	Co-Occurring Psychological Problem	27	24	16
3 or More	12	12	10	Co-Occurring Developmental Problem	0	*	*

NODAWAY COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 1
CENSUS 2010 23,370
2011 POP. ESTIMATE 23,468

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 5 **Anxiety Disorder** 27 36 31 Dementia 0 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 16 17 16 **Mood Disorder** 70 81 70 Personality Disorder **Psychotic Disorder** 17 18 21 Sexual Disorder 0 0 0

9

13

11

9

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

Total	NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
- Male	Total	123	131	135	Hearing Impaired	10	9	6
AGE	Male							
Mage	Female	68	75	78	HOUSING / LIVING ARRANGEMENT			
Marcian Marc						33	*	*
Homeless	AGE				•		*	0
10 11 11 11 11 11 11 11	Under 6	*	*	*	•	_	0	
10 to 13	6 to 9	10	11	11		_	_	
14 to 17 8 8 14 18 to 24 8 13 19 EMPLOYMENT 25 to 29 12 13 18 Employed 5 0 0 30 to 34 9 13 11 Unemployed 28 * * 35 to 39 10 9 9 Not in Labor Force 0 0 0 40 to 44 * * * 5 Employment Status Unknown 90 129 134 50 to 54 15 14 10 ARRESTS Arrested in Past 12 Months * * 0 0 0 60 and Over 11 12 10 Not Arrested in Past 12 Months * * * 0 0 60 and Over 11 12 10 Not Arrested in Past 12 Months * * * * * 0 0 Not Arrested in Past 12 Months * * * * * * * * <t< th=""><th>10 to 13</th><th>13</th><th>11</th><th>8</th><th></th><th>_</th><th></th><th></th></t<>	10 to 13	13	11	8		_		
25 to 29	14 to 17	8	8	14	riodoling criticiowi	30	125	134
30 to 34 9 13 111 Unemployed 28 * * * * * 35 to 39 10 9 9 Not in Labor Force 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	18 to 24	8	13	19	EMPLOYMENT			
35 to 39	25 to 29	12	13	18	Employed	5	0	0
40 to 44	30 to 34	9	13	11	Unemployed	28	*	*
45 to 49 45 to 49 50 to 54 50 to 54 50 to 59 7 9 9 Not Arrested in Past 12 Months 28 5 60 and Over 11 12 10 Arrest Status Unknown 30 125 134 41 62 63 arrest Status Unknown 31 125 136 63 arrest Status Unknown 42 41 41 41 41 41 41 41 41 41 41 41 41 41	35 to 39	10	9	9	Not in Labor Force	0	0	0
So to 54	40 to 44	*	*	5	Employment Status Unknown	90	129	134
15	45 to 49	15	13	10	4.005070			
S5 to 59	50 to 54	15	14	10				
## RACE / ETHNICITY Caucasian	55 to 59	7	9	9				0
RACE / ETHNICITY Caucasian 121 129 131 Self / Family / Friend 42 41 41 African American * <td>60 and Over</td> <td>11</td> <td>12</td> <td>10</td> <th></th> <td></td> <td></td> <td>*</td>	60 and Over	11	12	10				*
Caucasian 121 129 131 TREATMENT REFERRAL SOURCE African American * * * * * * * * * * * * * * * * * * *					Arrest Status Unknown	91	125	134
Caucasian 121 129 131 Self / Family / Friend 42 41 41 African American *	RACE / ETHNICITY				TREATMENT RECERDAL SOURCE			
African American / Native American / Alaskan * * * * * * * * * * * * * * * * * * *	Caucasian	121	129	131		42	11	11
Native American / Alaskan 0 0 0 Mental Health Provider 29 28 25 Asian / Pacific Islander 0 0 0 Mental Health Provider 17 26 35 Hispanic * * * * Court / Criminal Justice 10 11 8 Other Race 0 0 * Other 21 21 21 22 Race/Ethnicity Unknown 0 0 0 Referral Source Unknown 0 0 0 0 EDUCATION TYPE OF COMMITMENT Less than High School Diploma 10 0 Voluntary 122 127 132 High School Grad or G.E.D. 11 0 0 Civil 0 * * A.A. Degree or Some College 10 * * Criminal * * * * Bachelor or Advanced Degree * 0 0 Sexual Predatory 0 0 0 0	African American	*	*	*	•			
Asian / Pacific Islander 0 0 0 0 Health Care Provider 17 26 35 Other Race 0 0 * Court / Criminal Justice 10 11 8 Race/Ethnicity Unknown 0 0 0 Other 21 21 21 22 Referral Source Unknown 0 <t< th=""><th>Native American / Alaskan</th><th>0</th><th>0</th><th>0</th><th></th><th></th><th></th><th></th></t<>	Native American / Alaskan	0	0	0				
Hispanic	Asian / Pacific Islander	0	0	0		_		
Other Race 0 0 * Other Race/Ethnicity Unknown 21 21 21 22 Referral Source Unknown 0 0 0 0 EDUCATION TYPE OF COMMITMENT Less than High School Diploma 10 0 0 Voluntary 122 127 132 High School Grad or G.E.D. 11 0 0 Civil 0 * * A.A. Degree or Some College 10 * * Criminal * * * Bachelor or Advanced Degree * 0 0 Sexual Predatory 0 0 0	Hispanic	*	*	*			_	
Race/Ethnicity Unknown 0 0 0 Referral Source Unknown 0 0 0 0 EDUCATION TYPE OF COMMITMENT Less than High School Diploma 10 0 0 Voluntary 122 127 132 High School Grad or G.E.D. 11 0 0 Civil 0 * * A.A. Degree or Some College 10 * * Criminal * * * * Bachelor or Advanced Degree * 0 0 Sexual Predatory 0 0 0 0	Other Race	0	0	*		-		
EDUCATION TYPE OF COMMITMENT Less than High School Diploma 10 0 Voluntary 122 127 132 High School Grad or G.E.D. 11 0 0 Civil 0 * * A.A. Degree or Some College 10 * * Criminal * * * Bachelor or Advanced Degree * 0 0 Sexual Predatory 0 0 0	Race/Ethnicity Unknown	0	0	0				
Less than High School Diploma 10 0 0 Voluntary 122 127 132 High School Grad or G.E.D. 11 0 0 Civil 0 * * A.A. Degree or Some College 10 * * Criminal * * * Bachelor or Advanced Degree * 0 0 Sexual Predatory 0 0 0					Referral Source Unknown	0	0	0
High School Grad or G.E.D. 11 0 0 Civil 0 * * A.A. Degree or Some College 10 * * Criminal *<	EDUCATION				TYPE OF COMMITMENT			
A.A. Degree or Some College 10 * * Criminal *	Less than High School Diploma	10	0	0	Voluntary	122	127	132
Bachelor or Advanced Degree * 0 0 Sexual Predatory 0 0 0	High School Grad or G.E.D.	11	0	0	Civil	0	*	*
	A.A. Degree or Some College	10	*	*	Criminal	*	*	*
Education Level Unknown 90 129 134 Commitment Type Unknown 0 0 0	Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
	Education Level Unknown	90	129	134	Commitment Type Unknown	0	0	0

NODAWAY COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	S	SUICIDE Percent (of studeni	ts who. in	the past	12 months	::	(%)
Were very sad		17.0				ered atte	-		•	6.4
Were grouchy, irritable, or in a bad mood		23.2			_			attempt su	uicide	4.7
Felt hopeless about the future		10.1			ted suicid		oj noula	anompt of	410140	2.1
Felt like not eating or eating more than usual		12.6					t resulted	in injury o	r overdose that had to	0.7
Slept a lot more or a lot less than usual		18.5				doctor or			. Ovorabbo mat maa to	0
Had difficulty concentrating on school work		22.4			·					
The same of the sa			F	REBELLIC						
FIGHTING						ts who ag				
Percent of students who, in the past 12 months:						s that get				25.0
Were in a physical fight		14.1		-			_		nake people mad	19.0
Were in a fight and had to be treated by a doctor or nurse		1.7			-		-	permissio	n	7.2
Were threatened or injured with a weapon on school proper	ty	3.6				okay to ch				27.4
BULLYING VICTIM				It is oka	ay to beat	up peopl	e if they s	start a fight	t	43.9
Percent of students who, in the past 3 months:				CHOOL	DEI ATI	7A/S				
Were shoved, slapped, hit, or kicked in a serious manner		22.3					ree with t	he followin	na:	
Were victims of mean rumors or lies spread at school		43.8				_		tudent's g	-	73.2
Had embarrassing or hurtful pictures/text of them posted on	internet	11.7						_	ive student performanc	
Had embarrassing or hurtful pictures/text of them sent by ce		16.8			-	student fo	-	-	, , , , , , , , , , , , , , , , , , ,	59.6
Were made fun of by others	p	63.5			are enforc					55.6
							ethnicities	s are treate	ed equally	86.4
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:				PARENT						
Shoved, slapped, hit, or kicked a student in a serious manne	er	15.5				-		he followin	-	
Spread mean rumors or lies about other kids at school		26.7						ident's god		87.6
Posted on internet embarrassing or hurtful pictures/text of so		10.2						amily decis		72.0
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	10.4						_	dless of consequences	
Made fun of other people		63.2		Studen	t could as	sk narent i	for heln v	iith a narce	onal problem	85.3
• •				Student	it could as	ж рагони	ioi ricip v	nui a perse	onai probicin	
				Studen	it could as	эк рагонг	ioi ricip v	nui a perso	onar problem	-
SUBSTANCE USE AND BELIEFS	<									
	Who									
SUBSTANCE USE AND BELIEFS	Who hav									
SUBSTANCE USE AND BELIEFS	Who have ev									
SUBSTANCE USE AND BELIEFS	Who have ever u									
SUBSTANCE USE AND BELIEFS	Who have ever used									
SUBSTANCE USE AND BELIEFS	Who have ever used sul									
SUBSTANCE USE AND BELIEFS	Who have ever used substa									
SUBSTANCE USE AND BELIEFS	Who have ever used substance		Whose closest friends have use the past 12 months	Who say it would be easy to get	Who believe they themselves if they					
SUBSTANCE USE AND BELIEFS	Who have ever used substance	Who have used in the past 30 days	T				Who feel it would be wrong to use			
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:		Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes	23.8	Who have used in the past 30 days 10.7	Whose closest friends have use the past 12 months						Among students who have ever used substance, average age w first used	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	23.8 16.2	Who have used in the past 30 days 10.7 9.1	Whose closest friends have used in the past 12 months	Who say it would be easy to get 61.7	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 77.8	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when 13.	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	23.8	Who have used in the past 30 days 10.7 9.1 20.1	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	23.8 16.2 46.8	Who have used in the past 30 days 10.7 9.1 20.1 11.3	Whose closest friends have used in the past 12 months 35.5	Who say it would be easy to get 61.7	Who believe they risk harming themselves if they use 80.3	Who say parents would disapprove if they use 88.1	Who feel it would be wrong to use 77.8 54.5	Who think kids in their neighborhood would be caught by police for using 18.6	Among students who have ever used substance, average age when 13.68	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	23.8 16.2 46.8	Who have used in the past 30 days 10.7 9.1 11.3 4.5	Whose closest friends have used in the past 12 months	Who say it would be easy to get 61.7	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 77.8	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when 13.47	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	23.8 16.2 46.8	Who have used in the past 30 days 10.7 9.1 20.1 11.3	Whose closest friends have used in the past 12 months 35.5	Who say it would be easy to get 61.7 67.1 35.6	Who believe they risk harming themselves if they use 80.2	they use 88.1 95.4	Who feel it would be wrong to use 77.8 54.5	would be caught by police for using 18.6 24.7	Among students who have ever used substance, average age when 13.68	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	23.8 16.2 46.8 10.0 3.0	Who have used in the past 30 days 10.7 9.1 20.1 11.3 4.5 1.1	Whose closest friends have used in the past 12 months 35.5	Who say it would be easy to get 61.7 67.1 35.6	Who believe they risk harming themselves if they use 80.2 63.3 72.9	they use 88.1 95.4 98.1	Who feel it would be wrong to use 77.8 54.5 85.2 96.1	Who think kids in their neighborhood would be caught by police for using 18.6	Among students who have ever used substance, average age when 13.47	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	23.8 16.2 46.8 10.0 3.0	Who have used in the past 30 days 10.7 9.1 20.1 11.3 4.5 1.1	Whose closest friends have used in the past 12 months 35.5	Who say it would be easy to get 61.7 67.1 35.6 14.4 59.4	Who believe they risk harming themselves if they use 80.2 63.3 72.9 93.6 83.9	they use they use 88.1 71.9 95.4 98.1 95.1	Who feel it would be wrong to use 77.8 54.5 85.2 96.1 90.3	would be caught by police for using 18.6 24.7	Among students who have ever used substance, average age when 13.47	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	23.8 16.2 46.8 10.0 3.0 4.7 7.4	Who have used in the past 30 days 10.7 9.1 20.1 11.3 4.5 1.1	Whose closest friends have used in the past 12 months 35.5	Who say it would be easy to get 61.7 67.1 35.6	Who believe they risk harming themselves if they use 80.2 63.3 72.9	they use 88.1 95.4 98.1	Who feel it would be wrong to use 77.8 54.5 85.2 96.1	would be caught by police for using 18.6 24.7	Among students who have ever used substance, average age when 13.47	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	23.8 16.2 46.8 10.0 3.0 4.7 7.4 0.4	Who have used in the past 30 days 10.7 9.1 20.1 11.3 4.5 1.1	Whose closest friends have used in the past 12 months 35.5	Who say it would be easy to get 61.7 67.1 35.6 14.4 59.4	Who believe they risk harming themselves if they use 80.2 63.3 72.9 93.6 83.9	they use they use 88.1 71.9 95.4 98.1 95.1	Who feel it would be wrong to use 77.8 54.5 85.2 96.1 90.3	would be caught by police for using 18.6 24.7	Among students who have ever used substance, average age when 13.47	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	23.8 16.2 46.8 10.0 3.0 4.7 7.4 0.4 0.6	Who have used in the past 30 days 10.7 9.1 20.1 11.3 4.5 1.1	Whose closest friends have used in the past 12 months 35.5	Who say it would be easy to get 61.7 67.1 35.6 14.4 59.4	Who believe they risk harming themselves if they use 80.2 63.3 72.9 93.6 83.9	they use they use 88.1 71.9 95.4 98.1 95.1	Who feel it would be wrong to use 77.8 54.5 85.2 96.1 90.3	would be caught by police for using 18.6 24.7	Among students who have ever used substance, average age when 13.47	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	23.8 16.2 46.8 10.0 3.0 4.7 7.4 0.4 0.6 0.9	Who have used in the past 30 days 10.7 9.1 20.1 11.3 4.5 1.1	Whose closest friends have used in the past 12 months 35.5	Who say it would be easy to get 61.7 67.1 35.6 14.4 59.4	Who believe they risk harming themselves if they use 80.2 63.3 72.9 93.6 83.9	they use they use 88.1 71.9 95.4 98.1 95.1	Who feel it would be wrong to use 77.8 54.5 85.2 96.1 90.3	would be caught by police for using 18.6 24.7	Among students who have ever used substance, average age when 13.47	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	23.8 16.2 46.8 10.0 3.0 4.7 7.4 0.4 0.6 0.9 2.8	Who have used in the past 30 days 10.7 9.1 20.1 11.3 4.5 1.1	Whose closest friends have used in the past 12 months 35.5	Who say it would be easy to get 61.7 67.1 35.6 14.4 59.4	Who believe they risk harming themselves if they use 80.2 63.3 72.9 93.6 83.9	they use they use 88.1 71.9 95.4 98.1 95.1	Who feel it would be wrong to use 77.8 54.5 85.2 96.1 90.3	would be caught by police for using 18.6 24.7	Among students who have ever used substance, average age when 13.47	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	23.8 16.2 46.8 10.0 3.0 4.7 7.4 0.4 0.6 0.9	Who have used in the past 30 days 10.7 9.1 20.1 11.3 4.5 1.1	Whose closest friends have used in 35.5 57.3 28.8 10.0	Who say it would be easy to get 61.7 67.1 35.6 14.4 25.8	themselves if they use 80.2 63.3 72.9 93.6 83.9 88.4	Who say parents would disapprove if 88.1 71.9 95.4 95.5	Who feel it would be wrong to use 77.8 54.5 85.2 96.1 90.3 92.8	would be caught by police for using 18.6 24.7 36.9 44.8	Among students who have ever used substance, average age when 13.47	

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:


Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

OREGON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 18 149 10,881 11,017



	2010	2000	2000
BIRTH RISK FACTORS Resident BirthsTotal	2010 132	2009 118	2008 117
Mother Reported Drinking while Pregnant ¹	132	0	117
Mother Reported Smoking while Pregnant	41	33	31
Mother Reported Officially Wille Freguent	41	33	31
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	1
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	1
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	131	142	139
Suicides	2	2	1
Self-inflicted Injuries	16	18	13
Homicides	1	0	1
Assault Injuries	14	25	26
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	0	0
Smoking Induced Deaths	26	20	24
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	89	93	125
Direct Hospitalizations	43	17	9
Emergency Room Hospitalizations	8	52	40
Emergency Room Outpatient	38	24	76
Drug RelatedTotal	105	83	79
Direct Hospitalizations	48	13	16
Emergency Room Hospitalizations	18	46	32
Emergency Room Outpatient	39	24	31
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	17	21	30
Fatal Crashes	0	0	4
Injury Crashes	9	11	14
Property Damage Crashes	8	10	12
Crash Fatalities	0	0	4
Crash Injuries	11	15	16
Drug Involved CrashesTotal	3	0	1
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	2	0	1
Crash Fatalities	0	0	0
Crash Injuries	1	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	4,556	4,560	4,630
Employed	4,159	4,133	4,204
Unemployed	397	427	426
Unemployment Rate	8.7%	9.4%	9.2%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	7	6	10
Alcohol Package Carry-out Licenses	11	10	13

■ Female	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	695	774	734
Drop-outs	3	5	19
Drop-out Rate	0.4%	0.6%	2.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	1	0
Drug Incidents	3	4	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	47	60	54
Liquor Law Arrests	24	19	12
Drug Arrests	48	25	40
Methamphetamine Lab Incidents	3	3	2
Violent Offenses	19	27	28
Property Offenses	92	79	63
Domestic Violence Reports	22	14	23
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	30	18	40
Violent Offenses	6	0	12
Alcohol Offenses	0	0	1
Drug Offenses	0	0	1
Status OffensesTotal	53	54	89
Truancy	15	19	30
Beyond Parental Control	9	12	20
Habitually Absent from Home	3	1	3
Injurious Behavior	20	19	30
Abuse/Neglect/CustodyTotal	23	10	19
Abuse	0	0	1
Neglect	20	6	13
Custody Disputes	3	4	5
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	7	4	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	0	1
Parental Alcohol and Drug Use	0	2	0
Child Removed for Other Reason	5	2	3
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	29	48	48
Probation/Parole AdmissionsDrug	3	10	7
Probation/Parole AdmissionsDWI	2	5	7
Prison AdmissionsTotal	20	18	35
Prison AdmissionsDrug	3	4	6
Prison AdmissionsDWI	1	1	4

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

OREGON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	6	5
CSTAR General Adult	10	7	5
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	10	9	13
Primary Recovery Treatment	22	29	24
Clinical SATOP (CIP, YCIP, SROP)	6	5	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	24	28	14
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	8	11	7
- Weekend Intervention Program	5	8	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	*
- Recovery Supports	0	8	*
- Early Intervention	0	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	27	32	26	Never Married	17	24	14
Female	13	14	12	Married / Cohabitating	11	13	13
				Previously Married	12	9	11
AGE	*	*	*				
Under 18				PRIMARY DRUG PROBLEM	0.4	0.4	0.4
18 to 24	6	10	8	Alcohol	21	21	21
25 to 29	9	7	5 *	Marijuana / Hashish	9	8	11
30 to 34				Cocaine (total)	0	0	0
35 to 39	5	6	5	- Crack	0	0	0
40 to 44		5	6	Stimulant (total)	5	5	*
45 to 54	8	10	9	- Methamphetamine	5		*
55 and Over	5	*	*	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	5	10	*
Caucasian	40	45	36	- Non-Prescription Methadone	0	0	*
African American	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	*	*	Tranquilizer	0	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	*	0
Hispanic	0	0	*	Sedative	0	0	0
Other Race / Two or More Races	0	0	0	Other Medication or Illicit Drug	0	0	0
	· ·	ŭ	Ŭ	Average Age at First Use of Drug	16.8	17.8	16.1
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	12	17	16	Any Injection Use at Admission	5	7	*
High School Graduate or G.E.D.	23	23	17	- Daily Injection Use	*	*	0
Associate Degree or Some College	*	*	*	- Weekly Injection Use	*	5	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	*	*	0
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	5	5	6	Self / Family / Friend	7	8	13
Unemployed	24	20	17	School	0	0	0
Not in Labor Force	11	21	15	Mental Health Provider	*	*	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	25	30	17
Independent Living	37	41	33	Other Referral Source	*	*	*
Dependent Living	*	*	*	005044 00044 474040			
Homeless	*	*	*	SPECIAL POPULATIONS	0	0	
LIEFTIME DILL / DIA/LA DDECTO				Pregnant when Admitted to any Episode	0	0	
LIFETIME DUI / DWI ARRESTS	4-7	05	47	Military Veteran		*	· -
0	17	25 46	17	Special Education Services Needed	0		5
1 or 2	17	16	13	Co-Occurring Psychological Problem	12	19	11
3 or More	6	5	8	Co-Occurring Developmental Problem	*	0	0

OREGON COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 18
CENSUS 2010 10,881
2011 POP. ESTIMATE 11,017

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 14 **Anxiety Disorder** 36 34 34 Dementia 0 0 **Developmental Disorder** Impulse Control Disorder 18 16 15 **Mood Disorder** 71 70 84 Personality Disorder **Psychotic Disorder** 5 Sexual Disorder 0 0 Other Diagnosis 9 7 Diagnosis Unknown 9

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	123	126	145	Hearing Impaired	9	7	8
Male	50	59	67	Past or Current Military Service	*	*	*
Female	73	67	78	•			
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	39	26	26
Under 6	*	*	5	Dependent Living	0	12	5
6 to 9	10	*	*	Homeless		0	
10 to 13	7	5	*	Other	0	0	0
14 to 17	8	9	9	Housing Unknown	80	88	113
18 to 24	13	17	21	EMPLOYMENT			
25 to 29	8	16	13	Employed	*	*	*
30 to 34	12	14	16	Unemployed	42	24	25
35 to 39	11	9	18	Not in Labor Force	0	*	*
40 to 44	14	11	21	Employment Status Unknown	80	100	118
45 to 49	22	19	16	455555			
50 to 54	8	9	12	ARRESTS	•	_	
55 to 59	6	6	7	Arrested in Past 12 Months	6	5	
60 and Over	*	*	*	Not Arrested in Past 12 Months Arrest Status Unknown	37 80	33 88	28 113
				Arrest Status Unknown	80	88	113
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	118	121	140	TREATMENT REFERRAL SOURCE	0.4	44	20
African American	*	*	*	Self / Family / Friend School	34	41	39
Native American / Alaskan	*	*	*		0	0	4.5
Asian / Pacific Islander	*	*	0	Mental Health Provider		15	15
Hispanic	*	*	*	Health Care Provider	46	35	39
Other Race	*	*	*	Court / Criminal Justice		5	10
Race/Ethnicity Unknown	0	0	0	Other Referral Source Unknown	36	30	41
				Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	10	6	8	Voluntary	123	123	142
High School Grad or G.E.D.	24	15	15	Civil	0	*	*
A.A. Degree or Some College	8	*	*	Criminal	0	0	0
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	0	0	0
Education Level Unknown	80	100	118	Commitment Type Unknown	0	0	0

OREGON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:	(%)	SUICIDE Percent of students who, in the past 12 months:	(%)
Were very sad	20.2	Seriously considered attempting suicide	12.7
Were very sad Were grouchy, irritable, or in a bad mood	24.3	Made a plan about how they would attempt suicide	9.9
Felt hopeless about the future	11.0	Attempted suicide	5.7
Felt like not eating or eating more than usual	16.8	Had a suicide attempt that resulted in injury or overdose that had to	1.7
Slept a lot more or a lot less than usual	20.8	be treated by doctor or nurse	1.7
Had difficulty concentrating on school work	23.3	, ,	
Trad difficulty concentrating on school work	20.0	REBELLIOUSNESS	
FIGHTING		Percent of students who agree that:	
Percent of students who, in the past 12 months:		They ignore rules that get in their way	20.7
Were in a physical fight	17.4	They do the opposite of what they're told to make people mad	12.2
Were in a fight and had to be treated by a doctor or nurse	2.9	It is okay to take something without permission	4.0
Were threatened or injured with a weapon on school property	7.5	Sometimes it is okay to cheat at school	22.0
		It is okay to beat up people if they start a fight	47.1
BULLYING VICTIM Persont of students who in the next 3 months:			
Percent of students who, in the past 3 months:	26.7	SCHOOL RELATIONS	
Were shoved, slapped, hit, or kicked in a serious manner	52.6	Percent of students who agree with the following:	79.1
Were victims of mean rumors or lies spread at school		Teachers notice and comment on student's good work	-
Had embarrassing or hurtful pictures/text of them posted on internet	14.5	School provides feedback to parents on positive student performance	46.8
Had embarrassing or hurtful pictures/text of them sent by cell phone	18.6	Teachers praise student for hard work	58.6
Were made fun of by others	65.5	Rules are enforced fairly	66.5
BULLYING PERPRETRATOR		Students of all races and ethnicities are treated equally	83.2
Percent of students who, in the past 3 months:		PARENT RELATIONS	
Shoved, slapped, hit, or kicked a student in a serious manner	19.7	Percent of students who agree with the following:	
Spread mean rumors or lies about other kids at school	23.8	Parents notice and comment on student's good work	85.5
Posted on internet embarrassing or hurtful pictures/text of someone	6.9	Parents involve student in making family decisions	74.3
Sent by cell phone embarrassing or hurtful pictures/text of someone	7.6	It is important to be honest with parents regardless of consequences	88.4
Made fun of other people	60.1	Student could ask parent for help with a personal problem	77.3
SUBSTANCE USE AND BELIEFS			
Regarding the substances listed below, percent of students:	Who hav	Among su used sui first used first used first use who this would be who say they use who say themselved themselved the past the p	
o na	o ha	Among su used sul first use first use who thin would be who say they use who say the mselv the mselv the past the past whose of the past w	

Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used
Cigarettes	31.2	14.5	44.5	52.9	80.3	91.3	82.1	19.2	12.71
Chewing Tobacco	23.1	12.1							
Alcohol	37.6	12.1	45.9	50.3	78.0	83.1	70.2	28.1	12.60
Binge Alcohol (5+ drinks on one occasion in past 30 days)		8.0)						
Marijuana	12.7	5.8	3 22.2	31.6	81.4	94.7	88.5	42.8	13.51
Inhalants	5.8	2.3	3						11.79
Illicit drugs such as cocaine, LSD, meth, club drugs			11.6	17.5	93.0	98.8	95.9	47.4	
Over-the-counter medications for non-medical use	8.1	5.2	2	50.3	85.5	96.5	91.3		
Prescription drugs not prescribed for student	12.6	5.7	7	33.5	86.5	92.9	90.7		
Heroin	1.2								
Cocaine	1.8								
Methamphetamine	1.8								
Hallucinogens	3.5								
Club drugs such as ecstasy, GHB, roofie, or Special K	1.7								
Synthetic drugs such as K2, bath salts, Spice	10.3		Data are wa and 15-19,					ılation estii	mates for age
Steroids not prescribed for student	1.7		Percentage					ined answ	er choices.

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

e groups 10-14

Percentages on some items are based on combined answer choices. Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

OSAGE COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 11 FIPS COUNTY CODE 151 CENSUS 2010 13,878 2011 POP. ESTIMATE 13,915

2011 POPULATION PROFILE BY AGE GROUP 400 200

2010	2009	2008
151	177	151
	0	1
24	36	26
2010	2009	2008
0	0	0
0	0	0
0	0	0
2010	2009	2008
119	117	138
4	5	2
15	7	13
_	0	0
-	-	25
		2
_	_	0
20	14	24
2010	2009	2008
		90
		18
	-	51
		21
	_	= :
		50
		13
		24
25	13	13
2010	2009	2008
15	19	22
2	0	0
6	9	11
7	10	11
2	0	0
10	10	14
3	2	1
0	0	0
2	1	0
1	1	1
0	0	0
2	1	0
2011	2010	2009
7,409	7,295	7,328
6,939	6,795	6,829
470	500	499
6.3%	6.9%	6.8%
2011	2010	2009
24	23	22
14	12	16
	151 24 2010 0 0 0 2010 119 4 15 0 30 0 2 20 2010 88 17 38 33 67 24 18 25 2010 15 2 6 7 2 10 3 0 2 2 11 7,409 6,939 470 6.3% 2011 24	151 177 0 24 36 2010 2009 0 0 0 0 0 0 0 0 0 2010 2009 119 117 4 5 15 7 0 0 0 30 22 0 2 2 2 0 20 20 14 2010 2009 88 81 17 20 38 43 33 18 67 49 24 14 18 22 25 13 2010 2009 15 19 2 0 6 9 7 10 2 0 10 10 10 3 2 0 10 10 3 2 0 2 1 1 1 0 0 2 1 2011 2010 7,409 7,295 6,939 6,795 470 500 6.3% 6.9% 2011 2010 24 23

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	652	705	677
Drop-outs	6	5	15
Drop-out Rate	0.9%	0.7%	2.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	1
Drug Incidents	1	1	1
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	48	58	56
Liquor Law Arrests	53	12	10
Drug Arrests	23	20	10
Methamphetamine Lab Incidents	2	0	0
Violent Offenses	23	12	11
Property Offenses	143	119	182
Domestic Violence Reports	7	5	28
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	26	17	31
Violent Offenses	7	6	12
Alcohol Offenses	1	2	3
Drug Offenses	0	4	1
Status OffensesTotal	55	27	33
Truancy	20	6	5
Beyond Parental Control	1	1	2
Habitually Absent from Home	0	0	0
Injurious Behavior	32	20	14
Abuse/Neglect/CustodyTotal	8	0	5
Abuse	0	0	0
Neglect	8	0	4
Custody Disputes	0	0	1
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	6	0	7
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	4	0	7
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	17	8	0
Probation/Parole AdmissionsTotal	30	43	35
Probation/Parole AdmissionsDrug	7	5	6
Probation/Parole AdmissionsDWI	6	6	2
Prison AdmissionsTotal	16	18	23
Prison AdmissionsDrug	4	2	6
Prison AdmissionsDWI	0	3	1
* An asterisk in a data cell indicates the co	ount was fewer t		ppressed

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

OSAGE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	5
CSTAR Women and Children	5	9	6
CSTAR General Adult	38	6	*
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	8	*	7
Primary Recovery Treatment	11	33	40
Clinical SATOP (CIP, YCIP, SROP)	8	10	*
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	47	32	68
- Adolescent Diversion Education Program	*	*	9
- Offender Education Program	20	12	30
- Weekend Intervention Program	7	8	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	5	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	*	0
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	40	40	37	Never Married	34	35	30
Female	17	21	18	Married / Cohabitating	15	14	15
				Previously Married	8	12	10
AGE	*	*	*	DD###DV DD## DD0D# 5##			
Under 18				PRIMARY DRUG PROBLEM	00	07	
18 to 24	12	11	12	Alcohol	30	27	22
25 to 29	9	17	13	Marijuana / Hashish	10	16	20
30 to 34	12	10	8	Cocaine (total)	*	*	•
35 to 39	6	7	6	- Crack			
40 to 44		5	7	Stimulant (total)	9	9	6
45 to 54	9	9	5	- Methamphetamine	9	8	6
55 and Over	Î	•	0	Heroin	•		_
RACE / ETHNICITY				Analgesic except Heroin	^	5	^
Caucasian	57	59	54	- Non-Prescription Methadone	0	0	0
African American	0	*	*	PCP, LSD, other Hallucinogen		0	0
Native American / Alaskan	0	*	0	Tranquilizer	0		0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	0	0	Sedative	0	0	0
Other Race / Two or More Races	0	0	0	Other Medication or Illicit Drug	0	0	
				Average Age at First Use of Drug	16.5	17.2	15.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	12	22	20	Any Injection Use at Admission	5	6	*
High School Graduate or G.E.D.	29	26	23	- Daily Injection Use	*	*	0
Associate Degree or Some College	15	12	11	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	19	16	23	Self / Family / Friend	19	14	14
Unemployed	22	32	19	School	*	0	0
Not in Labor Force	16	13	13	Mental Health Provider	*	0	*
				Health Care Provider	*	*	0
LIVING ARRANGEMENT				Court / Criminal Justice	29	45	36
Independent Living	47	57	51	Other Referral Source	6	*	*
Dependent Living	7	*	*	005044 00044 474040			
Homeless	*	*	0	SPECIAL POPULATIONS	_	*	
LIFETIME DUL / DUL ADDECTO				Pregnant when Admitted to any Episode	0	*	*
LIFETIME DUI / DWI ARRESTS	07	00	0.4	Military Veteran			· -
0	27	32	31	Special Education Services Needed	5	5	7
1 or 2	15	16	20	Co-Occurring Psychological Problem	20	31	22
3 or More	15	13	*	Co-Occurring Developmental Problem	*	*	*

OSAGE COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 11 13,878 2011 POP. ESTIMATE 13,915

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 5 **Anxiety Disorder** 23 19 19 Dementia 0 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 7 8 **Mood Disorder** 21 33 29 Personality Disorder 9 8 8 **Psychotic Disorder** 21 18 20 Sexual Disorder 0 0 0 Other Diagnosis 7 10 9 Diagnosis Unknown 6

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	61	58	66	Hearing Impaired	0	*	0
Male	35	32	36	Past or Current Military Service	*	*	5
Female	26	26	30	HOUSING / LIVING ARRANGEMENT			-
405				Independent Living	21	*	*
AGE	*	*	*	Dependent Living	17	8	0
Under 6	*	*	*	Homeless	0	0	0
6 to 9	*			Other	0	0	0
10 to 13	6	*	*	Housing Unknown	23	46	64
14 to 17	*	*	5	•			
18 to 24	*	*	*	EMPLOYMENT			
25 to 29	10	8	*	Employed	*	0	*
30 to 34	*	*	6	Unemployed	34	7	*
35 to 39	*	*	5	Not in Labor Force	*	0	0
40 to 44	5	7	12	Employment Status Unknown	23	51	64
45 to 49	9	7	9	4005070			
50 to 54	*	7	6	ARRESTS	*		
55 to 59	7	*	5	Arrested in Past 12 Months		0	0
60 and Over	5	5	5	Not Arrested in Past 12 Months	37	12	
				Arrest Status Unknown	23	46	64
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	58	53	63	Self / Family / Friend	28	23	27
African American	*	*	*	School	∠o *	23	
Native American / Alaskan	0	0	0		40		0
Asian / Pacific Islander	0	0	0	Mental Health Provider	12	14	10
Hispanic	0	*	0	Health Care Provider	7	*	7
Other Race	0	0	0	Court / Criminal Justice			11
Race/Ethnicity Unknown	0	0	0	Other	12	15	11
•	-			Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	8	*	*	Voluntary	61	56	55
High School Grad or G.E.D.	20	5	*	Civil	0	*	11
A.A. Degree or Some College	7	*	0	Criminal	0	0	0
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	25	51	64	Commitment Type Unknown	0	0	0

OSAGE COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)		UICIDE				40		(%)
Percent of students who, in the past 30 days:				Percent of students who, in the past 12 months: Seriously considered attempting suicide						
Were very sad		19.6			-				atatata.	12.4
Were grouchy, irritable, or in a bad mood		22.6			•		ey would	attempt su	ricide	10.2
Felt like not eating or eating more than your		14.8		Attempted suicide Had a suicide attempt that resulted in injury or overdose that had to					r avardosa that had to	3.8
Felt like not eating or eating more than usual		24.3		be treated by doctor or nurse					r overdose mai nad to	1.7
Slept a lot more or a lot less than usual		23.1 25.6		be treated by doctor of hurse						
Had difficulty concentrating on school work		25.0		EBELLIC	OUSNES.	s				
FIGHTING				Percent of	of student	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		18.1
Were in a physical fight		21.4		They do	the opp	osite of w	hat they'r	e told to m	iake people mad	10.9
Were in a fight and had to be treated by a doctor or nurse		3.8		It is oka	y to take	somethin	g without	permissio	n	2.5
Were threatened or injured with a weapon on school proper	rty	3.8		Someti	mes it is o	okay to ch	eat at scl	hool		18.1
DULL VINO MOTIN				It is oka	y to beat	up people	e if they s	start a fight	t e	37.1
BULLYING VICTIM Percent of students who, in the past 3 months:				20000	DE (4 T//	24/0				
Were shoved, slapped, hit, or kicked in a serious manner		25.3		CHOOL . Percent i			roo with t	he followin	na·	
Were victims of mean rumors or lies spread at school		52.3				_		tudent's go	-	73.8
Had embarrassing or hurtful pictures/text of them posted on	internet	13.2						•	ive student performance	39.8
Had embarrassing or hurtful pictures/text of them sent by ce		17.7			-	student fo	-	-	Stadont ponormande	60.0
Were made fun of by others	on priorio	65.1			re enforc		or mara w	OIK .		67.2
Word made fail of by dators		00.1				-	ethnicities	are treate	ed equally	84.3
BULLYING PERPRETRATOR				Oludon		iooo ana t		o aro around	ou oquany	0
Percent of students who, in the past 3 months:				ARENT						
Shoved, slapped, hit, or kicked a student in a serious mann	er	15.6				-		he followin	-	
Spread mean rumors or lies about other kids at school		18.7						ident's god		82.3
Posted on internet embarrassing or hurtful pictures/text of s		5.1						amily deci		68.4
Sent by cell phone embarrassing or hurtful pictures/text of s	someone		8.1 It is important to be honest with parents regardless of consequences					•	91.6	
Made fun of other people		62.9		Studen	t could as	sk parent i	or help w	ith a perso	onal problem	73.5
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	<	<	= <	<	⇔ <	⇔ <	<	> >	⇒ c >	
	₹	₹	hos ne p	₹	eg 75	ĕ /5	8	<u>6</u> 7	mor sed	
	Who have ever used substance	Who have used in the past 30 da	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	say	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age what first used	
	eev	SU	ose 12 m	≓	es #	pare	₹	22 K	lude	
	<u> </u>	<u>e</u>	ont st fr	틟	ਜ਼ੵਜ਼	ents	읎	ght in	ints	
	<u>se</u>	n #	hs fenc	ᇛ	y ris	W	e	by the	who	
	ISI.	е 9	ts h	eas	e デ	듄	WIC	polic ir	o ha Fag	
	osta	ast	ave	ž to	<u> </u>	disa	ğ	eg eg	ve e	
	nce	30 d	use	ge	3	흏	6	or no	ever Je w	
		ays	ä. ≅	-		Who say parents would disapprove if they use	Se Se	sing	hen	
						===				
Cigarettes								17.7	13.12	
	22.3	10.1	42.6	59.3	82.8	89.4	81.4	17.7		
Chewing Tobacco	17.7	10.9								
Alcohol		10.9 24.9	42.6 60.3	59.3 63.0	82.8 62.3	89.4 69.9	81.4 54.9	21.1	12.81	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	17.7 47.9	10.9 24.9 12.2	60.3	63.0	62.3	69.9	54.9	21.1	12.81	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	17.7 47.9 5.5	10.9 24.9 12.2 3.0							12.81 14.18	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	17.7 47.9	10.9 24.9 12.2	60.3	63.0	62.3 83.5	69.9 97.0	54.9 92.0	21.1	12.81	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	17.7 47.9 5.5 3.8	10.9 24.9 12.2 3.0 2.1	60.3	63.0 30.6 22.3	62.3 83.5 91.9	69.9 97.0 98.7	54.9 92.0 97.1	21.1	12.81 14.18	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	17.7 47.9 5.5 3.8	10.9 24.9 12.2 3.0 2.1	60.3	63.0 30.6 22.3 56.6	62.3 83.5 91.9 79.4	69.9 97.0 98.7 96.6	54.9 92.0 97.1 89.7	21.1	12.81 14.18	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	17.7 47.9 5.5 3.8 5.1 9.7	10.9 24.9 12.2 3.0 2.1	60.3	63.0 30.6 22.3	62.3 83.5 91.9	69.9 97.0 98.7	54.9 92.0 97.1	21.1	12.81 14.18	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	17.7 47.9 5.5 3.8 5.1 9.7 0.0	10.9 24.9 12.2 3.0 2.1	60.3	63.0 30.6 22.3 56.6	62.3 83.5 91.9 79.4	69.9 97.0 98.7 96.6	54.9 92.0 97.1 89.7	21.1	12.81 14.18	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	17.7 47.9 5.5 3.8 5.1 9.7 0.0	10.9 24.9 12.2 3.0 2.1	60.3	63.0 30.6 22.3 56.6	62.3 83.5 91.9 79.4	69.9 97.0 98.7 96.6	54.9 92.0 97.1 89.7	21.1	12.81 14.18	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	17.7 47.9 5.5 3.8 5.1 9.7 0.0 0.8 0.0	10.9 24.9 12.2 3.0 2.1	60.3	63.0 30.6 22.3 56.6	62.3 83.5 91.9 79.4	69.9 97.0 98.7 96.6	54.9 92.0 97.1 89.7	21.1	12.81 14.18	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	17.7 47.9 5.5 3.8 5.1 9.7 0.0 0.8 0.0	10.9 24.9 12.2 3.0 2.1	60.3	63.0 30.6 22.3 56.6	62.3 83.5 91.9 79.4	69.9 97.0 98.7 96.6	54.9 92.0 97.1 89.7	21.1	12.81 14.18	
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	17.7 47.9 5.5 3.8 5.1 9.7 0.0 0.8 0.0 0.8	10.9 24.9 12.2 3.0 2.1 3.4 4.6	60.3 20.7 12.9	63.0 30.6 22.3 56.6 29.8	62.3 83.5 91.9 79.4 88.6	69.9 97.0 98.7 96.6 93.2	54.9 92.0 97.1 89.7 92.8	21.1 33.5 38.2	12.81 14.18 12.16	,, I
Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	17.7 47.9 5.5 3.8 5.1 9.7 0.0 0.8 0.0	10.9 24.9 12.2 3.0 2.1 3.4 4.6	60.3 20.7 12.9	63.0 30.6 22.3 56.6 29.8	62.3 83.5 91.9 79.4 88.6	97.0 98.7 96.6 93.2	54.9 92.0 97.1 89.7 92.8	21.1 33.5 38.2	12.81 14.18	-14

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

OZARK COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 18 153 9,723 9,595



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	84	93	102
Mother Reported Drinking while Pregnant ¹		1	0
Mother Reported Smoking while Pregnant	23	27	26
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	2	0
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	114	132	133
Suicides	2	4	4
Self-inflicted Injuries	4	15	7
Homicides	0	0	2
Assault Injuries	11	9	9
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	4	2	4
Smoking Induced Deaths	25	26	24
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	88	56	63
Direct Hospitalizations	44	11	10
Emergency Room Hospitalizations	15	34	24
Emergency Room Outpatient	29	11	29
Drug RelatedTotal	59	83	58
Direct Hospitalizations	29	24	8
Emergency Room Hospitalizations	12	38	25
Emergency Room Outpatient	18	21	25
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	20	21	21
Fatal Crashes	0	1	1
Injury Crashes	9	8	7
Property Damage Crashes	11	12	13
Crash Fatalities	0	1	1
Crash Injuries	16	9	9
Drug Involved CrashesTotal	3	1	4
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	2	1	3
Crash Fatalities	0	0	0
Crash Injuries	3	0	1
EMPLOYMENT	2011	2010	2009
Labor Force	4,388	4,342	4,488
Employed	3,968	3,944	4,123
Unemployed	420	398	365
Unemployment Rate	9.6%	9.2%	8.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	14	15	18
Alcohol Package Carry-out Licenses	20	21	19
•			

■ Female	¥్ఢ్డ్ ■Male	કું જ જ	Å,
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	533	536	560
Drop-outs	5	3	13
Drop-out Rate	0.9%	0.6%	2.3%
School Suspensions, 10 or More Days			
Alcohol Incidents	3	0	0
Drug Incidents	6	1	5
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	48	37	48
Liquor Law Arrests	21	15	12
Drug Arrests	47	24	20
Methamphetamine Lab Incidents	3	1	7
Violent Offenses	22	16	43
Property Offenses	128	116	160
Domestic Violence Reports	32	32	9
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	25	8	27
Violent Offenses	9	1	8
Alcohol Offenses	0	1	0
Drug Offenses	3	2	1
Status OffensesTotal	12	4	6
Truancy	2	1	2
Beyond Parental Control	8	3	4
Habitually Absent from Home	1	0	0
Injurious Behavior	1	0	0
Abuse/Neglect/CustodyTotal	11	11	7
Abuse	1	1	1
Neglect	6	10	6
Custody Disputes	4	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	10	10	6
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	2	0	0
Parental Alcohol and Drug Use	0	2	0
Child Removed for Other Reason	7	8	6
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	9	13	14
Probation/Parole AdmissionsTotal	37	37	47
Probation/Parole AdmissionsDrug	9	8	11
Probation/Parole AdmissionsDWI	2	3	5
Prison AdmissionsTotal	28	18	20
Prison AdmissionsDrug	6	5	2
Prison AdmissionsDWI	1	1	2
An actorial in a data call indicates the co	•	•	_

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	0
CSTAR Women and Children	0	*	*
CSTAR General Adult	*	11	8
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	10	6	5
Primary Recovery Treatment	33	18	23
Clinical SATOP (CIP, YCIP, SROP)	9	8	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	37	32	38
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	12	11	8
- Weekend Intervention Program	5	6	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	*	0
- Recovery Supports	*	*	*
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	35	28	30	Never Married	18	21	13
Female	16	16	7	Married / Cohabitating	11	8	12
				Previously Married	22	15	12
AGE							
Under 18	*	*	0	PRIMARY DRUG PROBLEM			
18 to 24	9	11	7	Alcohol	30	20	26
25 to 29	7	6	6	Marijuana / Hashish	7	12	
30 to 34	5	7		Cocaine (total)	0	0	0
35 to 39	8	6	*	- Crack	0	0	0
40 to 44	6	6	5	Stimulant (total)	6	5	6
45 to 54	9	5	11	- Methamphetamine	6	5	6
55 and Over	*	*	*	Heroin	*	0	0
RACE / ETHNICITY				Analgesic except Heroin	7	7	*
Caucasian	48	43	36	- Non-Prescription Methadone	0	0	0
African American	*	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	0	0	0
Asian / Pacific Islander	0	*	0	Inhalant	0	0	0
Hispanic	*	0	0	Sedative	0	0	0
Other Race / Two or More Races	*	0	*	Other Medication or Illicit Drug	0	0	0
		Ŭ		Average Age at First Use of Drug	16.8	18.8	15.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	19	15	17	Any Injection Use at Admission	7	*	*
High School Graduate or G.E.D.	23	24	12	- Daily Injection Use	*	*	*
Associate Degree or Some College	9	*	8	- Weekly Injection Use	*	*	0
Bachelor or Advanced Degree	0	*	0	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	8	*	5	Self / Family / Friend	10	11	13
Unemployed	30	23	18	School	0	0	0
Not in Labor Force	13	18	14	Mental Health Provider	*	*	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	36	23	19
Independent Living	47	42	34	Other Referral Source	0	6	*
Dependent Living	*	*	*	005044 00044 474040			
Homeless	*	0	*	SPECIAL POPULATIONS	^	^	•
LIFETIME DUI / DIMI A DDECTO				Pregnant when Admitted to any Episode	0	0	0
LIFETIME DUI / DWI ARRESTS	00	00	4.4	Military Veteran		*	· .
0	20	23	14	Special Education Services Needed	0		
1 or 2	16	12	10	Co-Occurring Psychological Problem	10	13	9
3 or More	15	9	13	Co-Occurring Developmental Problem	0	0	0

OZARK COUNTY



ADA/CPS REGION Southeast
CPS SERVICE AREA 18
CENSUS 2010 9,723
2011 POP. ESTIMATE 9,595

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 6 **Anxiety Disorder** 24 18 30 **Dementia** 0 0 **Developmental Disorder** 0 0 Impulse Control Disorder 6 **Mood Disorder** 49 49 47 Personality Disorder 0 0 **Psychotic Disorder** 8 8 Sexual Disorder 0 0 Other Diagnosis 0 0 0

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	74	81	92	Hearing Impaired	*	*	5
Male	30	38	45	Past or Current Military Service	*	*	*
Female	44	43	47	Tast of Current Mintary Colvido			
Tomaio	44	43	41	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	24	14	19
Under 6	0	0	*	Dependent Living	0	*	*
6 to 9	0	0	*	Homeless	*	*	*
10 to 13	*	*	5	Other	0	0	0
14 to 17	*	5	6	Housing Unknown	49	63	71
18 to 24	6	12	14	EMPLOYMENT			
25 to 29	9	11	10	Employed	0	*	*
30 to 34	7	10	6	Unemployed	25	14	18
35 to 39	5	8	9	Not in Labor Force	0	0	10
40 to 44	12	9	13	Employment Status Unknown	49	65	72
45 to 49	13	-	13	Employment Status Offichiown	49	65	12
		8		ARRESTS			
50 to 54	10	8	8	Arrested in Past 12 Months	*	*	*
55 to 59	6	6	*	Not Arrested in Past 12 Months	21	15	20
60 and Over	0	_		Arrest Status Unknown	49	63	71
RACE / ETHNICITY				TREATMENT REFERRAL COURSE			
Caucasian	72	77	89	TREATMENT REFERRAL SOURCE	0.4	40	0.4
African American	0	0	0	Self / Family / Friend	24	19	31
Native American / Alaskan	0	0	0	School Manual Hardin Bassidas	0	0	0
Asian / Pacific Islander	0	0	0	Mental Health Provider		9	11
Hispanic	*	*	*	Health Care Provider	24	21	22
Other Race	*	*	*	Court / Criminal Justice		11	10
Race/Ethnicity Unknown	0	0	0	Other	18	21	18
•				Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	7	6	5	Voluntary	73	77	89
High School Grad or G.E.D.	15	6	10	Civil	*	*	*
A.A. Degree or Some College	*	*	*	Criminal	0	*	*
Bachelor or Advanced Degree	0	0	*	Sexual Predatory	0	0	0
Education Level Unknown	49	65	72	Commitment Type Unknown	0	0	0

12

OZARK COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		CUICIDE Percent	of ctuden	tswho in	tha nact	12 months	••		(%)
Were very sad						lered atter			•		9.0
Were grouchy, irritable, or in a bad mood		20.3 25.8			_		-		ulcido		6.1
Felt hopeless about the future		9.0		Made a plan about how they would attempt suicide Attempted suicide						3.1	
Felt like not eating or eating more than usual		12.8		Had a suicide attempt that resulted in injury or overdose that had to					at had to	3.1	
Slept a lot more or a lot less than usual		18.8		be treated by doctor or nurse				at nau to	0.1		
Had difficulty concentrating on school work		20.9		be action by action of hurse							
Tidd difficulty concentrating on school work		20.0	R	PEBELLIC	OUSNES.	s					
FIGHTING						ts who agi					
Percent of students who, in the past 12 months:						s that get		-			25.6
Were in a physical fight		22.0		-			-		nake people m	nad	11.5
Were in a fight and had to be treated by a doctor or nurse		3.1			-		-	permissio	n		3.0
Were threatened or injured with a weapon on school propert	ty	10.6				okay to ch					27.8
BULLYING VICTIM				It is oka	y to beat	t up peopl	e if they s	start a fight	t		55.3
Percent of students who, in the past 3 months:			S	CHOOL	REI ATIO	2//5					
Were shoved, slapped, hit, or kicked in a serious manner		30.1					ree with t	he followin	ıa:		
Were victims of mean rumors or lies spread at school		52.6				_		tudent's go	-		76.7
Had embarrassing or hurtful pictures/text of them posted on	internet	11.3						•	ive student pe	erformance	35.9
Had embarrassing or hurtful pictures/text of them sent by ce		15.3			-	student fo	-	-	•		63.9
Were made fun of by others	•	60.2			re enforc						56.4
•						-	ethnicities	are treate	ed equally		85.7
BULLYING PERPRETRATOR											
Percent of students who, in the past 3 months:		04.4		ARENT							
Shoved, slapped, hit, or kicked a student in a serious manne	er	21.1				-		he followin	-		70.0
Spread mean rumors or lies about other kids at school		28.0	· · · · · · · · · · · · · · · · · · ·						78.8		
Deated on Internet ambamasing or builting platings (built of a						_4		والمرام المراز والمسرما			64.7
Posted on internet embarrassing or hurtful pictures/text of so		9.8						-			
Posted on internet embarrassing or hurtful pictures/text of so Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people		9.8 6.9 56.4		It is imp	ortant to	be hones	t with par	ents regar	sions dless of cons onal problem	equences	83.5 71.8
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS		6.9		It is imp	ortant to	be hones	t with par	ents regar	dless of cons	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people	omeone	6.9 56.4	the	It is imp Studen	oortant to t could as	be hones sk parent f	t with par or help w	ents regar vith a perso	dless of consonal problem	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS	omeone	6.9 56.4	Whose the pa	It is imp Studen	oortant to t could as	be hones sk parent f	t with par or help w	ents regar vith a perso	dless of consonal problem	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS	omeone	6.9 56.4	Whose clothe past 1	It is imp Studen	oortant to t could as	be hones sk parent f	t with par or help w	ents regar vith a perso	dless of consonal problem	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS	omeone	6.9 56.4	Whose closes the past 12 m	It is imp Studen	oortant to t could as	be hones sk parent f	t with par or help w	ents regar vith a perso	dless of consonal problem	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS	omeone	6.9 56.4	Whose closest frie the past 12 month	It is imp Studen	oortant to t could as	be hones sk parent f	t with par or help w	ents regar vith a perso	dless of consonal problem	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS	omeone	6.9 56.4	Whose closest friends the past 12 months	It is imp Studen	oortant to t could as	be hones sk parent f	t with par or help w	ents regar vith a perso	dless of consonal problem	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS	omeone	6.9 56.4	Whose closest friends ha the past 12 months	It is imp Studen	oortant to t could as	be hones sk parent f	t with par or help w	ents regar vith a perso	dless of consonal problem	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS	omeone	6.9 56.4	Whose closest friends have u the past 12 months	It is imp Studen	oortant to t could as	be hones sk parent f	t with par or help w	ents regar vith a perso	dless of consonal problem	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS		6.9 56.4	ids have used	It is imp	oortant to t could as	be hones sk parent f	t with par for help w Who feel it would be wrong to us	ents a Who think kids in their neighbort would be caught by police for us	Among students who have ever used substance, average age with first used	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS	omeone	6.9	Whose closest friends have used in the past 12 months	It is imp Studen	oortant to t could as	be hones sk parent f	t with par or help w	ents regar vith a perso	dless of consonal problem	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	omeone	6.9 56.4		It is imp Studen	oortant to t could as	be hones	t with par for help w Who feel it would be wrong to us	ents a Who think kids in their neighbort would be caught by police for us	Among students who have ever used substance, average age with first used	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes	Who have ever used substance	9 4 Who have used in the past 30 days	5	It is important to the student who say it would be easy to get	Who believe they risk harming themselves if they use	be hones would disapprove if they use	t with par for help w Who feel it would be wrong to use	ents a would be caught by police for using	Among students who have ever used substance, average age when first used	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	Who have ever used substance	6.0 7.6	45.5	It is imp Studen Who say it would be easy to get 57.1	Who believe they risk harming themselves if they use	be hones sk parent Who say parents would disapprove if 94.7	t with par for help w Who feel it would be wrong to use	ents a per solution would be caught by police for using 11.4	dless of consonal problem Among students who have ever used substance, average age when 12.16	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	Who have ever used substance 20.3 16.5	6.0 7.6 8.3	5	It is important to the student who say it would be easy to get	who believe they risk harming themselves if they use	be hones would disapprove if they use	t with par for help w Who feel it would be wrong to use	ents a would be caught by police for using	Among students who have ever used substance, average age when first used	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	Who have ever used substance 20.3 16.5	6.0 7.6	45.5	It is imp Studen Who say it would be easy to get 57.1	who believe they risk harming themselves if they use	be hones sk parent Who say parents would disapprove if 94.7	t with par for help w Who feel it would be wrong to use	ents a per solution would be caught by police for using 11.4	dless of consonal problem Among students who have ever used substance, average age when 12.16	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	Who have ever used substance 20.3 16.5 33.8	6.9 56.4 Who have used in the past 30 days 6.0 7.6 8.3 5.3	45.5	Who say it would be easy to get 57.1	who believe they risk harming themselves if they use 80.5	be hones sk parent (Who say parents would disapprove if 94.7	t with par for help w Who feel it would be wrong to use 78.9	would be caught by police for using	dless of consonal problem Among students who have ever used substance, average age when 12.16	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	Who have ever used substance 20.3 16.5 33.8	6.9 56.4 Who have used in the past 30 days 6.0 7.6 8.3 7.5	45.5	Who say it would be easy to get 57.1	who believe they risk harming themselves if they use 80.5	be hones sk parent (Who say parents would disapprove if 94.7	t with par for help w Who feel it would be wrong to use 78.9	would be caught by police for using	dless of consonal problem Among students who have ever used substance, average age when 12.16	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	Who have ever used substance 20.3 16.5 33.8	6.9 56.4 Who have used in the past 30 days 6.0 7.6 8.3 7.5	45.5 50.4 35.3	Who say it would be easy to get 57.1 61.1 36.2	who believe they risk harming Who believe they risk harming 80.5 66.9 68.4	be hones sk parent to Who say parents would disapprove if 94.7 87.0	t with part for help w Who feel it would be wrong to use 78.9 55.4 81.2	would be caught by police for using 11.4 17.7 35.3	dless of consonal problem Among students who have ever used substance, average age when 12.16	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	Who have ever used substance 20.3 16.5 33.8 16.5 3.0	6.9 56.4 Who have used in the past 30 days 6.0 7.6 8.3 7.5 1.5	45.5 50.4 35.3	Who say it would be easy to get 57.1 61.1 36.2	who believe they risk harming themselves if they use 80.5 66.9 68.4 92.3	be hones sk parent to Who say parents would disapprove if 94.7 87.0 94.5 98.5	t with part or help w Who feel it would be wrong to use 78.9 55.4 81.2	would be caught by police for using 11.4 17.7 35.3	dless of consonal problem Among students who have ever used substance, average age when 12.16	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	Who have ever used substance 20.3 16.5 33.8 16.5 3.0	6.9 56.4 Who have used in the past 30 days 6.0 7.6 8.3 7.5 1.5	45.5 50.4 35.3	Uho say it would be easy to get 57.1 61.1 36.2 15.9 48.9	who believe they risk harming themselves if they use 80.5 66.9 68.4 92.3 80.3	be hones sk parent to Who say parents would disapprove if 94.7 87.0 94.5 98.5 93.1	t with part for help who feel it would be wrong to use 78.9 55.4 81.2 94.7 86.4	would be caught by police for using 11.4 17.7 35.3	dless of consonal problem Among students who have ever used substance, average age when 12.16	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	Who have ever used substance 20.3 16.5 33.8 16.5 3.0 5.3 4.5	6.9 56.4 Who have used in the past 30 days 6.0 7.6 8.3 7.5 1.5	45.5 50.4 35.3	Uho say it would be easy to get 57.1 61.1 36.2 15.9 48.9	who believe they risk harming themselves if they use 80.5 66.9 68.4 92.3 80.3	be hones sk parent to Who say parents would disapprove if 94.7 87.0 94.5 98.5 93.1	t with part for help who feel it would be wrong to use 78.9 55.4 81.2 94.7 86.4	would be caught by police for using 11.4 17.7 35.3	dless of consonal problem Among students who have ever used substance, average age when 12.16	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	Who have ever used substance 20.3 16.5 33.8 16.5 3.0 5.3 4.5 0.0	6.9 56.4 Who have used in the past 30 days 6.0 7.6 8.3 7.5 1.5	45.5 50.4 35.3	Uho say it would be easy to get 57.1 61.1 36.2 15.9 48.9	who believe they risk harming themselves if they use 80.5 66.9 68.4 92.3 80.3	be hones sk parent to Who say parents would disapprove if 94.7 87.0 94.5 98.5 93.1	t with part for help we would be wrong to use 78.9 55.4 81.2 94.7 86.4	would be caught by police for using 11.4 17.7 35.3	dless of consonal problem Among students who have ever used substance, average age when 12.16	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	Who have ever used substance 20.3 16.5 33.8 16.5 3.0 0.0 0.0 0.0	6.9 56.4 Who have used in the past 30 days 6.0 7.6 8.3 7.5 1.5	45.5 50.4 35.3	Uho say it would be easy to get 57.1 61.1 36.2 15.9 48.9	who believe they risk harming themselves if they use 80.5 66.9 68.4 92.3 80.3	be hones sk parent to Who say parents would disapprove if 94.7 87.0 94.5 98.5 93.1	t with part for help we would be wrong to use 78.9 55.4 81.2 94.7 86.4	would be caught by police for using 11.4 17.7 35.3	dless of consonal problem Among students who have ever used substance, average age when 12.16	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	20.3 16.5 33.8 16.5 3.0 0.0 0.0	6.9 56.4 Who have used in the past 30 days 6.0 7.6 8.3 7.5 1.5	45.5 50.4 35.3	Uho say it would be easy to get 57.1 61.1 36.2 15.9 48.9	who believe they risk harming themselves if they use 80.5 66.9 68.4 92.3 80.3	be hones sk parent to Who say parents would disapprove if 94.7 87.0 94.5 98.5 93.1	t with part for help we would be wrong to use 78.9 55.4 81.2 94.7 86.4	would be caught by police for using 11.4 17.7 35.3	dless of consonal problem Among students who have ever used substance, average age when 12.16	equences	83.5
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	Who have ever used substance 20.3 16.5 33.8 16.5 3.0 0.0 0.0 0.0	6.9 56.4 Who have used in the past 30 days 6.0 7.6 8.3 7.5 1.5	45.5 50.4 35.3 11.3	Who say it would be easy to get 57.1 61.1 36.2 15.9 48.9 30.5	who believe they risk harming 80.5 66.9 68.4 92.3 80.3 86.5	be hones sk parent (Who say parents would disapprove if 94.7 87.0 94.5 98.5 93.1	t with part for help who feel it would be wrong to use 78.9 55.4 81.2 94.7 86.4 90.2	who think kids in their neighborhood would be caught by police for using 11.4 17.7 35.3 35.6	dless of consonal problem Among students who have ever used substance, average age when 12.16		83.5 71.8

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

PEMISCOT COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 20 155 18,296 18,174



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	289	313	296
Mother Reported Drinking while Pregnant ¹		2	3
Mother Reported Smoking while Pregnant	79	91	69
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	4	0
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	218	233	224
Suicides	3	1	1
Self-inflicted Injuries	34	43	66
Homicides	3	0	2
Assault Injuries	121	150	139
Alcohol Induced Deaths	1	2	0
Drug Induced Deaths	11	10	4
Smoking Induced Deaths	43	52	47
Sinolang maassa 2 saans			
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	287	185	307
Direct Hospitalizations	86	45	76
Emergency Room Hospitalizations	63	77	138
Emergency Room Outpatient	138	63	93
Drug RelatedTotal	289	286	318
Direct Hospitalizations	135	78	82
Emergency Room Hospitalizations	79	123	137
Emergency Room Outpatient	75	85	99
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	32	35	34
Fatal Crashes	1	1	2
Injury Crashes	12	12	14
Property Damage Crashes	19	22	18
Crash Fatalities	1	1	2
Crash Injuries	17	15	19
Drug Involved CrashesTotal	19	16	5
Fatal Crashes	1	1	1
Injury Crashes	8	9	4
Property Damage Crashes	10	6	0
Crash Fatalities	1	1	1
Crash Injuries	16	10	4
EMPLOYMENT	2011	2010	2009
Labor Force			
Employed	8,256 7,416	8,303 7,430	8,485 7,476
Unemployed	7,416 840		1,009
Unemployment Rate	840 10.2%	873 10.5%	,
Champioymant Itala	10.2%	10.5%	11.9%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	21	24	32
Alcohol Package Carry-out Licenses	29	30	27

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,046	1,050	1,056
Drop-outs	43	40	88
Drop-out Rate	4.1%	3.8%	8.3%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	1
Drug Incidents	1	4	2
Tobacco Incidents	0	2	C
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	231	191	222
Liquor Law Arrests	51	37	49
Drug Arrests	323	247	288
Methamphetamine Lab Incidents	8	14	;
Violent Offenses	102	154	112
Property Offenses	773	670	65
Domestic Violence Reports	154	135	93
IUVENILE COURT REFERRALS	2010	2009	200
Law Violation OffensesTotal	29	65	8
Violent Offenses	11	28	2
Alcohol Offenses	1	3	;
Drug Offenses	3	6	:
Status OffensesTotal	4	33	3
Truancy	0	0	
Beyond Parental Control	2	14	!
Habitually Absent from Home	0	4	
Injurious Behavior	2	15	1:
Abuse/Neglect/CustodyTotal	40	14	;
Abuse	5	3	
Neglect	35	10	;
Custody Disputes	0	1	(
JUVENILE COURT PLACEMENTS	2010	2009	200
Out-of-Home PlacementsTotal	62	27	2
Parental Alcohol Use Related	4	0	
Parental Drug Use Related	26	5	1
Parental Alcohol and Drug Use	4	0	
Child Removed for Other Reason	28	22	1
CRIMINAL JUSTICE	FY2011	FY2010	FY200
Drug Court Participants	0	0	
Probation/Parole AdmissionsTotal	354	309	37
Probation/Parole AdmissionsDrug	128	111	11
Probation/Parole AdmissionsDWI	22	14	1
Prison AdmissionsTotal	172	226	18
1 110011 7 1211110010110			
Prison AdmissionsDrug	62	75	6

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

PEMISCOT COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	20	14	20
CSTAR Women and Children	35	44	48
CSTAR General Adult	29	32	26
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	58	34	30
Primary Recovery Treatment	263	250	248
Clinical SATOP (CIP, YCIP, SROP)	15	15	12
Other Substance Abuse Treatment	0	*	43

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	79	121	88
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	26	48	40
- Weekend Intervention Program	5	28	22
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	0	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	7	8
- Early Intervention	0	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	241	261	264	Never Married	188	186	205
Female	113	84	82	Married / Cohabitating	88	98	78
				Previously Married	78	61	63
AGE							
Under 18	22	13	21	PRIMARY DRUG PROBLEM			
18 to 24	64	77	76	Alcohol	119	112	129
25 to 29	68	74	60	Marijuana / Hashish	126	130	110
30 to 34	40	33	49	Cocaine (total)	48	49	62
35 to 39	34	34	31	- Crack	35	33	45
40 to 44	40	33	46	Stimulant (total)	25	16	23
45 to 54	61	64	46	- Methamphetamine	25	15	20
55 and Over	25	17	17	Heroin	*	*	0
RACE / ETHNICITY				Analgesic except Heroin	21	21	15
Caucasian	206	181	187	- Non-Prescription Methadone	*	0	0
African American	140	152	151	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	0	0	Tranquilizer	12	13	5
Asian / Pacific Islander	0	0	0	Inhalant	0	*	0
Hispanic	*	*	*	Sedative	0	*	*
Other Race / Two or More Races	5	11	7	Other Medication or Illicit Drug	*	0	*
	J		,	Average Age at First Use of Drug	18.2	18.5	18.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	167	164	171	Any Injection Use at Admission	5	*	6
High School Graduate or G.E.D.	162	152	139	- Daily Injection Use	*	0	*
Associate Degree or Some College	24	27	35	- Weekly Injection Use	0	*	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	90	69	84	Self / Family / Friend	42	44	40
Unemployed	129	153	136	School	0	0	*
Not in Labor Force	135	123	126	Mental Health Provider	*	6	6
				Health Care Provider	10	5	0
LIVING ARRANGEMENT				Court / Criminal Justice	259	257	279
Independent Living	306	303	300	Other Referral Source	41	33	20
Dependent Living	40	34	35				
Homeless	7	*	11	SPECIAL POPULATIONS	_	*	4
				Pregnant when Admitted to any Episode	7		*
LIFETIME DUI / DWI ARRESTS	o= :	05:	076	Military Veteran	5	9	*
0	271	254	272	Special Education Services Needed	30	19	9
1 or 2	51	70	57	Co-Occurring Psychological Problem	75	76 *	48
3 or More	32	21	17	Co-Occurring Developmental Problem	6	*	*

PEMISCOT COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 19 CENSUS 2010 18,296 2011 POP. ESTIMATE 18,174 disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 7 6 **Anxiety Disorder** 16 16 28 Dementia 0 0 0 **Developmental Disorder** 0 Impulse Control Disorder 30 19 11 **Mood Disorder** 79 74 63 Personality Disorder 43 33 39

32

16

10

26

25

23

24

0

21

47

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Psychotic Disorder

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	157	159	160	Hearing Impaired	*	*	*
Male	89	96	87	Past or Current Military Service	*	5	*
Female	68	63	73	•		Ü	
	00	00	10	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	37	18	12
Under 6	*	*	*	Dependent Living	0	*	*
6 to 9	10	5	5	Homeless	0	*	*
10 to 13	25	27	12	Other	*	0	0
14 to 17	6	10	15	Housing Unknown	116	137	145
18 to 24	8	19	16	EMPLOYMENT			
25 to 29	21	15	22	Employed	*	0	0
30 to 34	18	17	21	Unemployed	40	20	12
35 to 39	18	19	15	Not in Labor Force	0	0	*
40 to 44	12	15	11	Employment Status Unknown	116	139	147
45 to 49	14	11	17		110	100	1-77
50 to 54	7	5	13	ARRESTS			
55 to 59	9	8	7	Arrested in Past 12 Months	*	*	*
60 and Over	8	6	*	Not Arrested in Past 12 Months	40	19	14
oo ana ovor	0	U		Arrest Status Unknown	116	137	145
RACE / ETHNICITY							
Caucasian	86	95	103	TREATMENT REFERRAL SOURCE	00	07	00
African American	70	61	51	Self / Family / Friend	26	27	38
Native American / Alaskan	0	0	*	School Manual Hardin Bassidas	13	16	
Asian / Pacific Islander	0	0	0	Mental Health Provider	21	32	33
Hispanic	0	0	0	Health Care Provider	24	13	15
Other Race	*	*	5	Court / Criminal Justice	58	56	44
Race/Ethnicity Unknown	0	0	0	Other	15	12	15
•				Referral Source Unknown	0	*	12
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	16	7	7	Voluntary	149	140	133
High School Grad or G.E.D.	19	11	5	Civil	*	13	15
A.A. Degree or Some College	6	*	*	Criminal	*	*	0
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	*	*	0
Education Level Unknown	116	139	147	Commitment Type Unknown	0	*	12

PEMISCOT COUNTY

2012 MISSOURI STUDENT SURVEY

EPRESSION Percent of students who, in the past 30 days:		(%)	S	SUICIDE Percent (of studen	ts who, in	the past	12 months	:	(
Were very sad		19.1					-			1:
Were grouchy, irritable, or in a bad mood		32.8		Seriously considered attempting suicide Made a plan about how they would attempt suicide					1.	
Felt hopeless about the future		8.6			ted suicio					-
Felt like not eating or eating more than usual		20.3	Had a suicide attempt that resulted in injury or overdose that had to					2		
Slept a lot more or a lot less than usual		22.4	be treated by doctor or nurse							
Had difficulty concentrating on school work		23.9								
•			A	REBELLIC						
IGHTING						ts who ag				_
Percent of students who, in the past 12 months:						s that get		-		22
Were in a physical fight									iake people mad	18
Were in a fight and had to be treated by a doctor or nurse		3.8 It is okay to take something without permission 6.7 Sometimes it is okay to cheat at school								
Were threatened or injured with a weapon on school proper	ty	6.7				-				28
ULLYING VICTIM				IT IS OK	ay to bear	up peopi	e if they s	start a fight		52
Percent of students who, in the past 3 months:			.5	CHOOL	RFI ATIO	วพร				
Were shoved, slapped, hit, or kicked in a serious manner		29.4					ree with t	he followin	ıg:	
Were victims of mean rumors or lies spread at school		58.3				_		tudent's go	-	68
Had embarrassing or hurtful pictures/text of them posted on	internet	14.4	· · · · · · · · · · · · · · · · · · ·						ce 40	
Had embarrassing or hurtful pictures/text of them sent by ce		17.6							53	
Were made fun of by others	•	61.0		Rules a	re enforc	ed fairly				5
•				Studen	ts of all ra	aces and	ethnicities	s are treate	ed equally	6
ULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		05.0		PARENT				sh a fallanda		
Shoved, slapped, hit, or kicked a student in a serious manne	er	25.3 27.6		Percent of students who agree with the following:						0,
Spread mean rumors or lies about other kids at school			· · · · · · · · · · · · · · · · · · ·						83	
Posted on internet embarrassing or hurtful pictures/text of someone		11.5	• •						67 s 88	
Sent by cell phone embarrassing or hurtful pictures/text of someon Made fun of other people		 14.4 It is important to be honest with parents regardless of consequences 67.2 Student could ask parent for help with a personal problem 							s o	
made fair of other people		07.2		Student	t could u.	ok parent	ioi iicip i	nui a poi se	mai probicini	
UBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	8	8	\$ €	8	‡ €	₽ €	8	w V	fi us Ar	
	Who h	Who h	Whose the pa	Whos	Who t	Who s they u	Who f	Who t	Amon used s	
	Who have	Who have	Whose cluthe past 1	Who say i	Who belie themselve	Who say posterior they use	Who feel I	Who think would be	Among stused subs	
	Who have eve	Who have use	Whose closes the past 12 m	Who say it wo	Who believe themselves if	Who say pare they use	Who feel it wo	Who think kid: would be caug	Among studer used substand first used	
	Who have ever us	Who have used in	Whose closest fri the past 12 month	Who say it would	Who believe they themselves if they	Who say parents they use	Who feel it would	Who think kids in would be caught !	Among students vused substance, a	
	Who have ever used	Who have used in the	Whose closest friends the past 12 months	Who say it would be e	Who believe they risk themselves if they us	Who say parents wou they use	Who feel it would be v	Who think kids in thei would be caught by p	Among students who used substance, aver first used	
	Who have ever used sub	Who have used in the pa	Whose closest friends ha the past 12 months	Who say it would be easy	Who believe they risk har themselves if they use	Who say parents would d they use	Who feel it would be wron	Who think kids in their ne would be caught by police	Among students who hav used substance, average first used	
	Who have ever used substan	Who have used in the past 3	Whose closest friends have uthe past 12 months	Who say it would be easy to	Who believe they risk harmin themselves if they use	Who say parents would disap they use	Who feel it would be wrong to	Who think kids in their neight would be caught by police for	Among students who have evused substance, average age	
	Who have ever used substance	Who have used in the past 30 da	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disappro they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	tudents who have ever stance, average age wi	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Regarding the substances listed below, percent of students:			<u>=</u>			Who say parents would disapprove if they use		ng od	nen	
Regarding the substances listed below, percent of students: Cigarettes	30.8	12.4	Whose closest friends have used in the past 12 months	Who say it would be easy to get 60.3	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 80.5	Who think kids in their neighborhood would be caught by police for using 21.8	Among students who have ever used substance, average age when first used	
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	30.8 11.7	12.4 5.4	52.2	60.3	85.4	90.7	80.5	21.8	12.02	
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	30.8	12.4 5.4 17.8	<u>=</u>			-		ng od	nen	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	30.8 11.7 44.1	12.4 5.4 17.8 12.4	52.2 57.6	60.3	85.4 79.3	90.7	80.5	21.8 27.9	12.02 12.85	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	30.8 11.7 44.1 15.3	12.4 5.4 17.8 12.4 5.7	52.2	60.3	85.4	90.7	80.5	21.8	12.02 12.85 14.02	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	30.8 11.7 44.1	12.4 5.4 17.8 12.4	52.2 57.6 36.5	60.3 59.6 46.9	85.4 79.3 77.1	90.7 85.0 95.8	80.5 66.7 84.3	21.8 27.9 39.5	12.02 12.85	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	30.8 11.7 44.1 15.3 5.7	12.4 5.4 17.8 12.4 5.7 1.6	52.2 57.6	60.3 59.6 46.9 25.0	85.4 79.3 77.1 92.3	90.7 85.0 95.8 98.1	80.5 66.7 84.3 95.8	21.8 27.9	12.02 12.85 14.02	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	30.8 11.7 44.1 15.3 5.7	12.4 5.4 17.8 12.4 5.7 1.6	52.2 57.6 36.5	60.3 59.6 46.9 25.0 58.5	85.4 79.3 77.1 92.3 78.2	90.7 85.0 95.8 98.1 92.6	80.5 66.7 84.3 95.8 88.2	21.8 27.9 39.5	12.02 12.85 14.02	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	30.8 11.7 44.1 15.3 5.7 8.0 14.6	12.4 5.4 17.8 12.4 5.7 1.6	52.2 57.6 36.5	60.3 59.6 46.9 25.0	85.4 79.3 77.1 92.3	90.7 85.0 95.8 98.1	80.5 66.7 84.3 95.8	21.8 27.9 39.5	12.02 12.85 14.02	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	30.8 11.7 44.1 15.3 5.7 8.0 14.6 1.0	12.4 5.4 17.8 12.4 5.7 1.6	52.2 57.6 36.5	60.3 59.6 46.9 25.0 58.5	85.4 79.3 77.1 92.3 78.2	90.7 85.0 95.8 98.1 92.6	80.5 66.7 84.3 95.8 88.2	21.8 27.9 39.5	12.02 12.85 14.02	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	30.8 11.7 44.1 15.3 5.7 8.0 14.6 1.0	12.4 5.4 17.8 12.4 5.7 1.6	52.2 57.6 36.5	60.3 59.6 46.9 25.0 58.5	85.4 79.3 77.1 92.3 78.2	90.7 85.0 95.8 98.1 92.6	80.5 66.7 84.3 95.8 88.2	21.8 27.9 39.5	12.02 12.85 14.02	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	30.8 11.7 44.1 15.3 5.7 8.0 14.6 1.0 1.3	12.4 5.4 17.8 12.4 5.7 1.6	52.2 57.6 36.5	60.3 59.6 46.9 25.0 58.5	85.4 79.3 77.1 92.3 78.2	90.7 85.0 95.8 98.1 92.6	80.5 66.7 84.3 95.8 88.2	21.8 27.9 39.5	12.02 12.85 14.02	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	30.8 11.7 44.1 15.3 5.7 8.0 14.6 1.0 1.3 1.3	12.4 5.4 17.8 12.4 5.7 1.6	52.2 57.6 36.5	60.3 59.6 46.9 25.0 58.5	85.4 79.3 77.1 92.3 78.2	90.7 85.0 95.8 98.1 92.6	80.5 66.7 84.3 95.8 88.2	21.8 27.9 39.5	12.02 12.85 14.02	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	30.8 11.7 44.1 15.3 5.7 8.0 14.6 1.0 1.3	12.4 5.4 17.8 12.4 5.7 1.6 3.5 8.6	52.2 57.6 36.5 11.8	60.3 59.6 46.9 25.0 58.5 45.2	85.4 79.3 77.1 92.3 78.2 83.8	90.7 85.0 95.8 98.1 92.6 90.7	80.5 66.7 84.3 95.8 88.2 87.9	21.8 27.9 39.5 50.0	12.02 12.85 14.02	10-14

Data source:

Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

2012 Status Report on Missouri's Substance Abuse and Mental Health Problems


Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

PERRY COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Southeast 21 157 18,971 19,041



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	251	204	259
Mother Reported Drinking while Pregnant ¹		1	4
Mother Reported Smoking while Pregnant	47	35	54
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	0	1
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	203	220	204
Suicides	6	3	3
Self-inflicted Injuries	15	16	22
Homicides	0	2	0
Assault Injuries	55	69	76
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	1	2	1
Smoking Induced Deaths	44	34	35
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	122	133	132
Direct Hospitalizations	43	55	38
Emergency Room Hospitalizations	13	25	22
Emergency Room Outpatient	66	53	72
Drug RelatedTotal	127	67	63
Direct Hospitalizations	44	30	32
Emergency Room Hospitalizations	10	7	10
Emergency Room Outpatient	73	30	21
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	27	29	29
Fatal Crashes	2	0	0
Injury Crashes	12	11	10
Property Damage Crashes	13	18	19
Crash Fatalities	2	0	0
Crash Injuries	15	14	15
Drug Involved CrashesTotal	1	2	1
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	10,663	10,524	10,580
Employed	10,007	9,831	9,823
Unemployed	656	693	757
Unemployment Rate	6.2%	6.6%	7.2%
	2011	2010	2009
RETAIL ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses			
	33	31	36
Alcohol Package Carry-out Licenses	21	19	21

■ Female ■ Male						
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009			
Enrollment Grades 9-12	764	750	738			
Drop-outs	20	32	51			
Drop-out Rate	2.6%	4.3%	6.9%			
School Suspensions, 10 or More Days						
Alcohol Incidents	0	1	1			
Drug Incidents	8	12	3			
Tobacco Incidents	0	0	0			
POLICE REPORTS	2010	2009	2008			
DUI Arrests, DWI Tracking System	126	108	140			
Liquor Law Arrests	17	15	64			
Drug Arrests	109	103	114			
Methamphetamine Lab Incidents	1	0	9			
Violent Offenses	50	22	13			
Property Offenses	330	337	276			
Domestic Violence Reports	81	84	60			
JUVENILE COURT REFERRALS	2010	2009	2008			
Law Violation OffensesTotal	166	133	127			
Violent Offenses	31	29	26			
Alcohol Offenses	8	11	12			
Drug Offenses	6	10	6			
Status OffensesTotal	40	37	26			
Truancy	2	2	0			
Beyond Parental Control	30	19	13			
Habitually Absent from Home	4	14	12			
Injurious Behavior	4	2	12			
Abuse/Neglect/CustodyTotal	90	46	59			
Abuse	90	10	13			
Neglect	9 80	36	46			
Custody Disputes	80 1	36 0	_			
		•	0			
JUVENILE COURT PLACEMENTS	2010	2009	2008			
Out-of-Home PlacementsTotal	32	24	30			
Parental Alcohol Use Related	0	1	1			
Parental Drug Use Related	8	4	9			
Parental Alcohol and Drug Use	0	0	1			
Child Removed for Other Reason	24	19	19			
CRIMINAL JUSTICE	FY2011	FY2010	FY2009			
Drug Court Participants	10	13	18			
Probation/Parole AdmissionsTotal	134	138	147			
Probation/Parole AdmissionsDrug	40	28	45			
Probation/Parole AdmissionsDWI	9	8	10			
Prison AdmissionsTotal	64	64	55			
Prison AdmissionsDrug	13	23	19			
Prison AdmissionsDWI	2	4	4			
* An asterisk in a data cell indicates the count was fewer than 5 and suppressed						

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

PERRY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	5	5	6
CSTAR Women and Children	*	6	7
CSTAR General Adult	25	10	8
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	14	8	6
Primary Recovery Treatment	48	72	126
Clinical SATOP (CIP, YCIP, SROP)	9	6	14
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	89	105	117
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	56	57	48
- Weekend Intervention Program	23	20	41
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	16	*	*
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	73	66	114	Never Married	62	56	88
Female	26	28	44	Married / Cohabitating	20	22	37
· omais	20	20		Previously Married	17	16	33
AGE				•	• • •	10	00
Under 18	6	6	8	PRIMARY DRUG PROBLEM			
18 to 24	30	27	41	Alcohol	43	44	77
25 to 29	21	12	34	Marijuana / Hashish	28	24	56
30 to 34	11	17	17	Cocaine (total)	*	*	5
35 to 39	8	6	12	- Crack	*	*	*
40 to 44	12	10	20	Stimulant (total)	7	6	9
45 to 54	8	10	20	- Methamphetamine	7	6	9
55 and Over	*	6	6	Heroin	9	*	*
RACE / ETHNICITY				Analgesic except Heroin	6	11	8
Caucasian	90	91	154	- Non-Prescription Methadone	0	0	0
African American	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan		0	0	Tranquilizer	*	*	*
Asian / Pacific Islander	0	0	0 0	Inhalant	*	0	0
	0	0	*	Sedative	0	0	0
Hispanic	-	*	*	Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races	6			Average Age at First Use of Drug	16.5	17.4	16.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	40	38	61	Any Injection Use at Admission	10	8	5
High School Graduate or G.E.D.	48	42	77	- Daily Injection Use	*	*	0
Associate Degree or Some College	11	14	19	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	0	0	*	- Less than Weekly Injection Use	5	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	26	23	57	Self / Family / Friend	15	14	29
Unemployed	47	45	56	School	0	0	0
Not in Labor Force	26	26	45	Mental Health Provider	*	*	*
				Health Care Provider	*	*	5
LIVING ARRANGEMENT				Court / Criminal Justice	70	72	117
Independent Living	86	80	146	Other Referral Source	8	*	*
Dependent Living	11	12	12	ODEOLAL DODUKATIONS			
Homeless	0	*	0	SPECIAL POPULATIONS	*	*	
LIFETIME DI II / DIA!! A BRESTO				Pregnant when Admitted to any Episode		*	40
LIFETIME DUI / DWI ARRESTS 0	40	E4	70	Military Veteran	5		10
1 or 2	49	51	73 55	Special Education Services Needed	6	12	5
	26	24	55	Co-Occurring Psychological Problem	45	48	62
3 or More	24	19	30	Co-Occurring Developmental Problem	*	7	6

PERRY COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA CENSUS 2010 18,971 2011 POP. ESTIMATE 19,041

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 5 13 **Anxiety Disorder** 50 35 19 Dementia 0 0 0 **Developmental Disorder** 0 0 Impulse Control Disorder 57 48 27 **Mood Disorder** 142 223 81 Personality Disorder 14 15 14 **Psychotic Disorder** 22 18 14 Sexual Disorder 0 0 0 Other Diagnosis 12 8 11 Diagnosis Unknown

26

73

FY2011 FY2010 FY2009

149

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

FY2011 FY2010 FY2009

Total 370 302 279 Hearing Impaired 22 15 23 Maile 155 131 107 Past or Current Military Service 6 5 7 Female 215 171 172 HOUSING/ LIVING ARRANGEMENT Independent Living 84 62 59 Under 6 0 5 15 Homeless 0 0 0 6 to 9 23 25 15 Other 0 0 0 10 to 13 34 36 24 Housing Unknown 279 211 216 18 to 24 30 31 31 EMPLOYMENT 2 2 11 216 18 to 24 30 31 31 EMPLOYMENT 2 2 11 2 2 11 2 2 11 2 2 11 2 2 2 2 2 2 2 2 2 2 2 2	NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Pemale	Total	370	302	279	Hearing Impaired	22	15	23
AGE Under 6 0 0 5 Dependent Living 5 28 6 to 9 10 to 13 14 to 17 13 to 24 13 to 24 13 to 24 25 to 29 38 32 30 18 EMPLOYMENT 25 to 29 30 18 32 30 18 Employed 30 47 4 57 40 to 44 30 30 18 24 40 to 44 45 to 49 50 to 54 45 to 49 50 to 54 45 to 49 50 to 54 55 to 59 17 10 11 56 to 6 and Over TREATMENT REFERRAL SOURCE Causaisian Arrican American / Alaskan 0 0 0 0 Mental Health Provider 13 14 20 Hispanic 27 30 6 Health Care Provider 18 12 11 11 Asian / Pacific Islander 19 0 0 0 Mental Health Provider 19 0 0 0 Referral Source Unknown 10 0 0 0 0 Referral Source Unknown 10 0 0 0 0 Referral Source Unknown 10 0 0 0 0 0 Referral Source Unknown 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Male	155	131	107	Past or Current Military Service	6	5	7
Number 6	Female	215	171	172		0.4	00	
Homeless	AGE							59
Company	Under 6	0	5	*	•	_	_	*
10 to 13	6 to 9	23	25	15			_	
14 to 17 32 31 16 18 to 24 30 31 31 EMPLOYMENT 25 to 29 38 32 33 Employed 9 7 11 30 to 34 38 25 33 Unemployed 74 57 49 35 to 39 30 18 24 Not in Labor Force 6 5 * 40 to 44 37 26 25 Employment Status Unknown 281 233 216 45 to 49 30 30 31 ARRESTS Arrested in Past 12 Months 15 14 11 15 5 to 59 17 10 11 Not Arrested in Past 12 Months 15 14 11 11 Not Arrested in Past 12 Months 15 14 11 11 Not Arrested in Past 12 Months 15 14 11 11 Not Arrested in Past 12 Months 15 14 11 11 Not Arrest Status Unknown 279 212 217 217 24 11	10 to 13	34	36	24				-
25 to 29	14 to 17	32	31	16	Housing Unknown	279	211	216
30 to 34 38 25 33 Unemployed 74 57 49	18 to 24	30	31	31	EMPLOYMENT			
35 to 39	25 to 29	38	32	33	Employed	9	7	11
40 to 44 37 26 25 Employment Status Unknown 281 233 216 45 to 49 30 30 30 31 50 to 54 42 21 17 55 to 59 17 10 11 Not Arrested in Past 12 Months 76 76 51 60 and Over 19 12 16 Not Arrested in Past 12 Months 76 76 51 Arrest Status Unknown 279 212 217 RACE / ETHNICITY Caucasian 326 259 258 Self / Family / Friend 272 214 190 Asian / Pacific Islander 0 0 0 0 Mental Health Provider 13 14 14 Asian / Pacific Islander 0 0 0 Mental Health Provider 34 20 23 Hispanic 27 30 6 Court / Criminal Justice 6 14 20 Other Race 12 11 11 Other 42 34 29 Race/Ethnicity Unknown 0 0 0 Referral Source Unknown 0 0 0 ** EDUCATION Less than High School Diploma 36 36 28 Voluntary 370 294 270 High School Grad or G.E.D. 45 27 24 Civil 0 0 8 7 A.A. Degree or Some College 7 6 9 Criminal Backler or Advanced Degree 0 0 0 ** Sexual Predatory 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	30 to 34	38	25	33	Unemployed	74	57	49
AF to 49 30 30 31 ARRESTS	35 to 39	30	18	24	Not in Labor Force	6	5	*
So to 54	40 to 44	37	26	25	Employment Status Unknown	281	233	216
Solit	45 to 49	30	30	31	ADDECTE			
17 10 11 Not Arrested in Past 12 Months 76 76 51	50 to 54	42	21	17		4.5	4.4	44
## Arrest Status Unknown 279 212 217 ## Arrest Status Unknown ## Arrest Status Unknown ## Arrest Status Unknown ## Arrest Status Unknown ## TREATMENT REFERRAL SOURCE **Self / Family / Friend 272 214 190 ## Mental Health Provider 13 14 14 ## Mental Health Provider 13 14 14 ## Health Care Provider 34 20 23 ## Health Care Provider 34 20 23 ## Court / Criminal Justice 6 14 20 ## Court / Criminal Justice 6 14 20 ## Other 24 34 29 ## Referral Source Unknown 0 0 0 ** ## EDUCATION **Less than High School Diploma 36 36 28 Voluntary 370 294 270 ## High School Grad or G.E.D. 45 27 24 Civil 0 8 7 ## A.A. Degree or Some College 7 6 9 Criminal 0 0 0 0 ## Bachelor or Advanced Degree 0 0 0 ** **Sexual Predatory 0 0 0 0 0	55 to 59	17	10	11		_		
RACE / ETHNICITY Caucasian 326 259 258 Self / Family / Friend 272 214 190 African American 5 * * School * 6 * Native American / Alaskan 0 0 Mental Health Provider 13 14 14 Asian / Pacific Islander 0 0 Health Care Provider 34 20 23 Hispanic 27 30 6 Court / Criminal Justice 6 14 20 Other Race 12 11 11 Other 42 34 29 Race/Ethnicity Unknown 0 0 0 Referral Source Unknown 0 0 * EDUCATION TYPE OF COMMITMENT Less than High School Diploma 36 36 28 Voluntary 370 294 270 High School Grad or G.E.D. 45 27 24 Civil 0 8 7 A.A. Degree or Some College	60 and Over	19	12	16			_	
Caucasian 326 259 258 TREATMENT REFERRAL SOURCE African American 5 * * Self / Family / Friend 272 214 190 Native American / Alaskan 0 0 0 Mental Health Provider 13 14 14 Asian / Pacific Islander 0 0 0 Mental Health Provider 13 14 14 Hispanic 27 30 6 Court / Criminal Justice 6 14 20 Other Race 12 11 11 Other 42 34 29 Race/Ethnicity Unknown 0 0 0 TYPE OF COMMITMENT 0 0 * Less than High School Diploma 36 36 28 Voluntary 370 294 270 High School Grad or G.E.D. 45 27 24 Civil 0 8 7 A.A. Degree or Some College 7 6 9 Criminal 0 0 0 0 </th <th></th> <th></th> <th></th> <th></th> <th>Allest Status Olikilowii</th> <th>219</th> <th>212</th> <th>217</th>					Allest Status Olikilowii	219	212	217
Caucasian 326 259 258 Self / Family / Friend 272 214 190 African American 5 * * * School * 6 * Native American / Alaskan 0 0 0 Mental Health Provider 13 14 14 Asian / Pacific Islander 0 0 0 Health Care Provider 34 20 23 Hispanic 27 30 6 Court / Criminal Justice 6 14 20 Other Race 12 11 11 Other 42 34 29 Race/Ethnicity Unknown 0 0 0 TYPE OF COMMITMENT 42 34 29 EDUCATION TYPE OF COMMITMENT Less than High School Diploma 36 36 28 Voluntary 370 294 270 High School Grad or G.E.D. 45 27 24 Civil 0 8 7 A.A. Degree or Some College	RACE / ETHNICITY				TREATMENT RECEDEAL SOURCE			
African American 5 * * School * 6 * Native American / Alaskan 0 0 0 0 Mental Health Provider 13 14 14 Asian / Pacific Islander 0 0 0 Health Care Provider 34 20 23 Hispanic 27 30 6 Court / Criminal Justice 6 14 20 Other Race 12 11 11 Other 42 34 29 Race/Ethnicity Unknown 0 0 0 0 Referral Source Unknown 0 0 * EDUCATION TYPE OF COMMITMENT Less than High School Diploma 36 36 28 Voluntary 370 294 270 High School Grad or G.E.D. 45 27 24 Civil 0 8 7 A.A. Degree or Some College 7 6 9 Criminal 0 0 0 0 Bachelor or Ad	Caucasian	326	259	258		272	21/	100
Native American / Alaskan 0 0 0 0 Mental Health Provider 13 14 14 Asian / Pacific Islander 0 0 0 0 Health Care Provider 34 20 23 Hispanic 27 30 6 Court / Criminal Justice 6 14 20 Other Race 12 11 11 Other 42 34 29 Race/Ethnicity Unknown 0 0 0 0 Referral Source Unknown 0 0 * EDUCATION TYPE OF COMMITMENT Less than High School Diploma 36 36 28 Voluntary 370 294 270 High School Grad or G.E.D. 45 27 24 Civil 0 8 7 A.A. Degree or Some College 7 6 9 Criminal 0 0 0 Bachelor or Advanced Degree 0 0 * Sexual Predatory 0 0 0	African American	5	*	*	·			*
Asian / Pacific Islander	Native American / Alaskan	0	0	0		13		14
Hispanic 27 30 6 Court / Criminal Justice 6 14 20	Asian / Pacific Islander	0	0	0		_		
Other Race 12 11 11 Other Race/Ethnicity Unknown 12 11 11 Other Race/Ethnicity Unknown 42 34 29 EDUCATION TYPE OF COMMITMENT Less than High School Diploma 36 36 28 Voluntary 370 294 270 High School Grad or G.E.D. 45 27 24 Civil 0 8 7 A.A. Degree or Some College 7 6 9 Criminal 0 0 0 Bachelor or Advanced Degree 0 0 * Sexual Predatory 0 0 0	Hispanic	27	30	6				
Race/Ethnicity Unknown 0 0 0 Referral Source Unknown 0 0 * EDUCATION TYPE OF COMMITMENT Less than High School Diploma 36 36 28 Voluntary 370 294 270 High School Grad or G.E.D. 45 27 24 Civil 0 8 7 A.A. Degree or Some College 7 6 9 Criminal 0 0 0 Bachelor or Advanced Degree 0 0 * Sexual Predatory 0 0 0 0	Other Race	12	11	11		_		_
EDUCATION TYPE OF COMMITMENT Less than High School Diploma 36 36 28 Voluntary 370 294 270 High School Grad or G.E.D. 45 27 24 Civil 0 8 7 A.A. Degree or Some College 7 6 9 Criminal 0 0 0 Bachelor or Advanced Degree 0 0 * Sexual Predatory 0 0 0	Race/Ethnicity Unknown	0	0	0				
Less than High School Diploma 36 36 28 Voluntary 370 294 270 High School Grad or G.E.D. 45 27 24 Civil 0 8 7 A.A. Degree or Some College 7 6 9 Criminal 0 0 0 Bachelor or Advanced Degree 0 0 * Sexual Predatory 0 0 0						· ·	· ·	
High School Grad or G.E.D. 45 27 24 Civil 0 8 7 A.A. Degree or Some College 7 6 9 Criminal 0 0 0 Bachelor or Advanced Degree 0 0 * Sexual Predatory 0 0 0								
A.A. Degree or Some College 7 6 9 Criminal 0 0 0 Bachelor or Advanced Degree 0 0 * Sexual Predatory 0 0 0					•			
Bachelor or Advanced Degree 0 0 * Sexual Predatory 0 0 0		_				_	_	
·				-			-	
Education Level Unknown 282 233 216 Commitment Type Unknown 0 0 *	· · · · · · · · · · · · · · · · · · ·	_	_		•	_	-	0
	Education Level Unknown	282	233	216	Commitment Type Unknown	0	0	*

PERRY COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who in the past 20 days.		(%)		CUICIDE	of atudan	to who in	the neet	12 mantha		(%)
Percent of students who, In the past 30 days: Were very sad				Percent of students who, In the past 12 months: Seriously considered attempting suicide					12.4	
Were grouchy, irritable, or in a bad mood	18.5 24.7		Made a plan about how they would attempt suicide					iicido	7.5	
Felt hopeless about the future					ted suicid		cy would	attempt 30	aicide	6.0
Felt like not eating or eating more than usual		12.2 19.9					resulted	in injury o	r overdose that had to	2.7
Slept a lot more or a lot less than usual						doctor or		iii iiijui y O	i overdose triat riad to	2.1
Had difficulty concentrating on school work		21.2 20.3			,					
riad difficulty concentrating off school work		20.5		REBELLIC	OUSNES	S				
FIGHTING				Percent of	of studen	ts who agi	ree that:			
Percent of students who, in the past 12 months:						s that get				27.9
Were in a physical fight		16.9		•					nake people mad	19.9
Were in a fight and had to be treated by a doctor or nurse		3.7			•		•	permissio	n	7.8
Were threatened or injured with a weapon on school proper	ty	6.0		Someti	mes it is	okay to ch	eat at sc	hool		31.9
D. H. J. W. O. J. (1971)				It is oka	y to beat	up people	e if they s	start a fight	l .	46.2
BULLYING VICTIM Percent of students who, in the past 3 months:			_							
Were shoved, slapped, hit, or kicked in a serious manner		27.1		CHOOL I			oo with t	he followin	na:	
Were victims of mean rumors or lies spread at school		53.5				_		tudent's g	-	63.5
Had embarrassing or hurtful pictures/text of them posted on	internet	13.0							ive student performance	34.2
Had embarrassing or hurtful pictures/text of them sent by ce		18.8			-	student fo	-	-	ive student periorniance	48.5
Were made fun of by others	ii piione	58.6			ire enforc		n naru w	UIK		50.0
were made full of by others		36.0				-	thnicitios	are treate	ad oqually	64.1
BULLYING PERPRETRATOR				Studen	is or all re	aces and e	ou ii ii Ciule:	are ireaic	su equally	04.1
Percent of students who, in the past 3 months:			F	PARENT	RELATIC	DNS				
Shoved, slapped, hit, or kicked a student in a serious mann	er	19.1		Percent of	of studen	ts who agi	ree with t	he followin	g:	
Spread mean rumors or lies about other kids at school		30.4						ident's god		76.1
Posted on internet embarrassing or hurtful pictures/text of someone		8.1						amily decis		67.0
Sent by cell phone embarrassing or hurtful pictures/text of someon									00.0	
Sent by cen priorite embarrassing of nurtrui pictures/text of s	omeone	11.1		It is imp	ortant to	be hones	t with par	ents regar	dless of consequences	80.9
Sent by cell phone embarrassing or nurtrul pictures/text of s Made fun of other people	omeone	11.1 53.2		-				_	dless of consequences onal problem	75.3
Made fun of other people	omeone			-				_		
Made fun of other people SUBSTANCE USE AND BELIEFS		53.2		Studen	t could as	sk parent f	or help w	vith a perso	onal problem	
Made fun of other people		53.2		Studen	t could as	sk parent f	or help w	vith a perso	onal problem	
Made fun of other people SUBSTANCE USE AND BELIEFS		53.2		Studen	t could as	sk parent f	or help w	vith a perso	onal problem	
Made fun of other people SUBSTANCE USE AND BELIEFS		53.2		Studen	t could as	sk parent f	or help w	vith a perso	onal problem	
Made fun of other people SUBSTANCE USE AND BELIEFS		53.2		Studen	t could as	sk parent f	or help w	vith a perso	onal problem	
Made fun of other people SUBSTANCE USE AND BELIEFS		53.2		Studen	t could as	sk parent f	or help w	vith a perso	onal problem	
Made fun of other people SUBSTANCE USE AND BELIEFS		53.2		Studen	t could as	sk parent f	or help w	vith a perso	onal problem	
Made fun of other people SUBSTANCE USE AND BELIEFS		53.2		Studen	t could as	sk parent f	or help w	vith a perso	onal problem	
Made fun of other people SUBSTANCE USE AND BELIEFS		53.2		Studen	t could as	sk parent f	or help w	vith a perso	onal problem	
Made fun of other people SUBSTANCE USE AND BELIEFS	Who have ever used substance	53.2	Whose closest friends have used the past 12 months	-	t could as	Who say parents would disapprocess they use		who think kids in their neighbort a would be caught by police for us	Among students who have ever used substance, average age who first used	
Made fun of other people SUBSTANCE USE AND BELIEFS				Studen	t could as	sk parent f	or help w	vith a perso	onal problem	
Made fun of other people SUBSTANCE USE AND BELIEFS		53.2	Whose closest friends have used the past 12 months	Studen	t could as	Who say parents would disapprocess they use	or help w	who think kids in their neighbort a would be caught by police for us	Among students who have ever used substance, average age who first used	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood a would be caught by police for using	Among students who have ever used substance, average age when first used	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes	Who have ever used substance 27.8	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood a would be caught by police for using	Among students who have ever used substance, average age when first used	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	Who have ever used substance 27.8	53.2 Who have used in the past 30 days 11.7 8.7	Whose closest friends have used in the past 12 months 43.	Who say it would be easy to get 50.8	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	would be caught by police for using 28.	Among students who have ever used substance, average age when 12.	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	Who have ever used substance 27.8	53.2 Who have used in the past 30 days 11.7 8.7 23.1	Whose closest friends have used in the past 12 months 43.	Who say it would be easy to get 50.8	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	would be caught by police for using 28.	Among students who have ever used substance, average age when 12.	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	Who have ever used substance 27.8 17.7 44.1	53.2 Who have used in the past 30 days 11.7 8.7 23.1 15.7	Whose closest friends have used in the past 12 months 4.9	Who say it would be easy to get 50.8	Who believe they risk harming themselves if they use 75.6	who say parents would disapprove if 88.9	Who feel it would be wrong to use	would be caught by police for using 28.5	Among students who have ever used substance, average age when 12.51	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	Who have ever used substance 27.8 17.7 44.1	53.2 Who have used in the past 30 days 11.7 8.7 23.1 15.7 7.3	Whose closest friends have used in the past 12 months 4.9	Who say it would be easy to get 50.8	Who believe they risk harming themselves if they use 75.6	who say parents would disapprove if 88.9	Who feel it would be wrong to use	would be caught by police for using 28.5	Among students who have ever used substance, average age when 12.54 12.51	
Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	Who have ever used substance 27.8 17.7 44.1	53.2 Who have used in the past 30 days 11.7 8.7 23.1 15.7 7.3	Whose closest friends have used in the past 12 months 43.1	Who say it would be easy to get 50.8 57.2	t could as themselves if they risk harming 75.6 62.4 76.1	they use Who say parents would disapprove if 88.9 94.5	Who feel it would be wrong to use 79.7 54.5	would be caught by police for using 28.2 28.5	Among students who have ever used substance, average age when 12.54 12.51	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	Who have ever used substance 27.8 17.7 44.1 12.7 4.0	53.2 Who have used in the past 30 days 11.7 8.7 23.1 15.7 7.3 2.0	Whose closest friends have used in the past 12 months 43.1	Who say it would be easy to get 50.8 57.2 34.7	t could as themselves if they use 75.6 62.4 76.1 89.0	sk parent f they use Who say parents would disapprove if 88.9 71.6 94.5	Who feel it would be wrong to use 79.7 54.5 84.6 94.9	would be caught by police for using 28.2 28.5	Among students who have ever used substance, average age when 12.54 12.51	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	Who have ever used substance 27.8 17.7 44.1 12.7 4.0 5.0 5.4 0.7	53.2 Who have used in the past 30 days 11.7 8.7 23.1 15.7 7.3 2.0	Whose closest friends have used in the past 12 months 43.1	Who say it would be easy to get 50.8 57.2 34.7 14.9 46.8	t could as themselves if they use 75.6 62.4 76.1 89.0 78.0	sk parent f Who say parents would disapprove if 88.9 71.6 94.5 96.2 94.9	Who feel it would be wrong to use 79.7 54.5 84.6 94.9 92.8	would be caught by police for using 28.2 28.5	Among students who have ever used substance, average age when 12.54 12.51	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	Who have ever used substance 27.8 17.7 44.1 12.7 4.0 5.0 5.4	53.2 Who have used in the past 30 days 11.7 8.7 23.1 15.7 7.3 2.0	Whose closest friends have used in the past 12 months 43.1	Who say it would be easy to get 50.8 57.2 34.7 14.9 46.8	t could as themselves if they use 75.6 62.4 76.1 89.0 78.0	sk parent f Who say parents would disapprove if 88.9 71.6 94.5 96.2 94.9	Who feel it would be wrong to use 79.7 54.5 84.6 94.9 92.8	would be caught by police for using 28.2 28.5	Among students who have ever used substance, average age when 12.54 12.51	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	Who have ever used substance 27.8 17.7 44.1 12.7 4.0 5.0 5.4 0.7	53.2 Who have used in the past 30 days 11.7 8.7 23.1 15.7 7.3 2.0	Whose closest friends have used in the past 12 months 43.1	Who say it would be easy to get 50.8 57.2 34.7 14.9 46.8	t could as themselves if they use 75.6 62.4 76.1 89.0 78.0	sk parent f Who say parents would disapprove if 88.9 71.6 94.5 96.2 94.9	Who feel it would be wrong to use 79.7 54.5 84.6 94.9 92.8	would be caught by police for using 28.2 28.5	Among students who have ever used substance, average age when 12.54 12.51	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	Who have ever used substance 27.8 17.7 44.1 12.7 4.0 5.0 5.4 0.7 1.4	53.2 Who have used in the past 30 days 11.7 8.7 23.1 15.7 7.3 2.0	Whose closest friends have used in the past 12 months 43.1	Who say it would be easy to get 50.8 57.2 34.7 14.9 46.8	t could as themselves if they use 75.6 62.4 76.1 89.0 78.0	sk parent f Who say parents would disapprove if 88.9 71.6 94.5 96.2 94.9	Who feel it would be wrong to use 79.7 54.5 84.6 94.9 92.8	would be caught by police for using 28.2 28.5	Among students who have ever used substance, average age when 12.54 12.51	

Synthetic drugs such as K2, bath salts, Spice

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Steroids not prescribed for student

Data source:

5.7

Data are weighted in comparison to county population estimates for age groups 10-14

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Percentages on some items are based on combined answer choices.

and 15-19, gender, race, and Hispanic origin.

PETTIS COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Central 159 42,201 42,178



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	601	598	643
Mother Reported Drinking while Pregnant ¹		2	1
Mother Reported Smoking while Pregnant	132	128	152
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	1
IDU and MSM ²	0	0	1
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	401	388	406
Suicides	1	5	3
Self-inflicted Injuries	51	48	60
Homicides	2	3	3
Assault Injuries	140	140	173
Alcohol Induced Deaths	2	2	0
Drug Induced Deaths	4	4	4
Smoking Induced Deaths	73	68	78
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	578	455	469
Direct Hospitalizations	101	96	133
Emergency Room Hospitalizations	194	161	185
Emergency Room Outpatient	283	198	151
Drug RelatedTotal	528	373	248
Direct Hospitalizations	113	84	80
Emergency Room Hospitalizations	123	76	63
Emergency Room Outpatient	292	213	105
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	60	82	68
Fatal Crashes	2	3	1
Injury Crashes	27	34	29
Property Damage Crashes	31	45	38
Crash Fatalities	2	3	1
Crash Injuries	39	38	37
Drug Involved CrashesTotal	11	9	10
Fatal Crashes	1	0	0
Injury Crashes	5	6	7
Property Damage Crashes	5	3	3
Crash Fatalities	1	0	0
Crash Injuries	9	7	9
EMPLOYMENT	2011	2010	2009
Labor Force	20,006	20,055	20,647
Employed	18,337	18,268	18,830
Unemployed	1,669	1,787	1,817
Unemployment Rate	8.3%	8.9%	8.8%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	53	43	63
Alcohol Package Carry-out Licenses	41	38	38

, , , , , , , , , , , , , , , , , , ,	■ Male		~
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,803	1,806	1,752
Drop-outs	22	16	28
Drop-out Rate	1.2%	0.9%	1.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	2	3	1
Tobacco Incidents	0	2	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	251	315	279
Liquor Law Arrests	51	55	125
Drug Arrests	252	232	259
Methamphetamine Lab Incidents	18	18	27
Violent Offenses	177	218	199
Property Offenses	1,621	1,685	1,805
Domestic Violence Reports	527	518	424
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	272	304	425
Violent Offenses	90	83	97
Alcohol Offenses	5	10	17
Drug Offenses	22	29	19
Status OffensesTotal	187	137	131
Truancy	10	4	5
Beyond Parental Control	51	37	21
Habitually Absent from Home	37	36	65
Injurious Behavior	83	60	39
Abuse/Neglect/CustodyTotal	23	35	29
Abuse	4	1	4
Neglect	6	2	1
Custody Disputes	13	32	24
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	26	45	25
Parental Alcohol Use Related	0	0	3
Parental Drug Use Related	9	15	8
Parental Alcohol and Drug Use	0	2	0
Child Removed for Other Reason	17	28	14
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	22	25	24
Probation/Parole AdmissionsTotal	260	275	255
Probation/Parole AdmissionsDrug	100	93	87
Probation/Parole AdmissionsDWI	25	22	12
Prison AdmissionsTotal	212	168	186
Prison AdmissionsDrug	88	60	64
Prison AdmissionsDWI	16	26	10
* An actorick in a data call indicates the ac	unt was fawar t		

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

PETTIS COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	21	12	12
CSTAR Women and Children	8	6	5
CSTAR General Adult	156	226	251
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	22	30	27
Primary Recovery Treatment	73	143	105
Clinical SATOP (CIP, YCIP, SROP)	27	19	19
Other Substance Abuse Treatment	*	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	151	169	210
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	44	67	84
- Weekend Intervention Program	56	53	73
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	12	10	*
- Compulsive Gambling	5	*	*
- Recovery Supports	117	126	52
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	178	243	265	Never Married	133	183	191
Female	102	119	114	Married / Cohabitating	80	82	91
				Previously Married	67	97	97
AGE							
Under 18	23	14	13	PRIMARY DRUG PROBLEM			
18 to 24	57	72	87	Alcohol	111	154	167
25 to 29	44	76	75	Marijuana / Hashish	80	111	131
30 to 34	41	56	52	Cocaine (total)	15	26	16
35 to 39	36	42	40	- Crack	5	17	12
40 to 44	30	30	35	Stimulant (total)	58	55	51
45 to 54	40	62	65	- Methamphetamine	55	54	49
55 and Over	9	10	12	Heroin	*	0	0
RACE / ETHNICITY				Analgesic except Heroin	12	12	11
Caucasian	242	313	339	- Non-Prescription Methadone	0	0	0
African American	15	31	22	PCP, LSD, other Hallucinogen	0	*	*
Native American / Alaskan	*	*	*	Tranquilizer	*	*	*
Asian / Pacific Islander	0	*	*	Inhalant	0	*	0
Hispanic	11	10	10	Sedative	0	0	0
Other Race / Two or More Races	13	10	7	Other Medication or Illicit Drug	0	0	0
Carlot Nacco / Two of Moro Nacco	13	10	,	Average Age at First Use of Drug	17.2	17.4	16.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	98	109	116	Any Injection Use at Admission	26	28	23
High School Graduate or G.E.D.	108	177	206	- Daily Injection Use	*	6	*
Associate Degree or Some College	64	72	53	- Weekly Injection Use	5	8	5
Bachelor or Advanced Degree	10	*	*	- Less than Weekly Injection Use	18	14	16
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	79	81	103	Self / Family / Friend	79	98	104
Unemployed	110	193	207	School	0	0	*
Not in Labor Force	91	88	69	Mental Health Provider	5	9	*
				Health Care Provider	7	8	7
LIVING ARRANGEMENT				Court / Criminal Justice	167	213	228
Independent Living	246	306	324	Other Referral Source	22	33	35
Dependent Living	26	38	36				
Homeless	*	7	6	SPECIAL POPULATIONS	*	_	_
LIFETIME DUI / DUI / DOCTO				Pregnant when Admitted to any Episode		6	5
LIFETIME DUI / DWI ARRESTS	45-	400	004	Military Veteran	14	19	12
0	157	193	221	Special Education Services Needed	12	23	11
1 or 2	83	109	92	Co-Occurring Psychological Problem	88	148	109
3 or More	40	60	66	Co-Occurring Developmental Problem	*	9	*

PETTIS COUNTY



ADA/CPS REGION Central CPS SERVICE AREA CENSUS 2010 42,201 **2011 POP. ESTIMATE** 42,178

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009				
Adjustment Disorder	*	*	24				
Anxiety Disorder	215	198	147				
Dementia	*	0	*				
Developmental Disorder	*	0	0				
Impulse Control Disorder	57	39	37				
Mood Disorder	351	315	300				
Personality Disorder	23	17	29				
Psychotic Disorder	82	64	73				
Sexual Disorder	0	*	0				
Other Diagnosis	25	14	23				
Diagnosis Unknown	59	65	86				

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	525	473	489	Hearing Impaired	14	10	7
Male	213	188	200	Past or Current Military Service	9	14	14
Female	312	285	289				
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	230	161	148
Under 6	*	0	*	Dependent Living	30	35	28
6 to 9	5	6	11	Homeless	*	*	0
10 to 13	16	11	11	Other	7	*	
14 to 17	23	19	23	Housing Unknown	255	273	309
18 to 24	54	51	53	EMPLOYMENT			
25 to 29	59	54	60	Employed	39	34	20
30 to 34	67	63	42	Unemployed	217	152	154
35 to 39	59	47	48	Not in Labor Force	14	*	*
40 to 44	71	62	68	Employment Status Unknown	255	283	312
45 to 49	66	68	65				
50 to 54	49	50	51	ARRESTS			4.0
55 to 59	37	29	38	Arrested in Past 12 Months	39	28	19
60 and Over	18	13	15	Not Arrested in Past 12 Months	227	170	161
				Arrest Status Unknown	259	275	309
RACE / ETHNICITY				TD54TM5NT D555DD44 004D05			
Caucasian	468	428	457	TREATMENT REFERRAL SOURCE	000	000	00.4
African American	29	25	17	Self / Family / Friend	336	339	294
Native American / Alaskan	*	*	*	School Mantal Haalth Provides			0
Asian / Pacific Islander	0	0	0	Mental Health Provider	81	45	44
Hispanic	10	7	5	Health Care Provider	38	13	42
Other Race	17	12	9	Court / Criminal Justice	25	22	58
Race/Ethnicity Unknown	0	0	0	Other	44	52	49
				Referral Source Unknown	0	•	Î
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	89	61	59	Voluntary	516	463	429
High School Grad or G.E.D.	121	78	74	Civil	*	*	53
A.A. Degree or Some College	53	44	38	Criminal	*	5	5
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	*	0	0
Education Level Unknown	259	286	314	Commitment Type Unknown	0	*	*

PETTIS COUNTY

2012 MISSOURI STUDENT SURVEY

20	12 MIS	SOUR	I STUI	DENT :	SURV	EY				
DEPRESSION			ع	SUICIDE						
Percent of students who, in the past 30 days:		(%)		Percent of	of studen	ts who, in	the past	12 months	s:	(%)
Were very sad		19.4		Serious	sly consid	lered atter	mpting su	iicide		11.4
Were grouchy, irritable, or in a bad mood		24.8		Made a	a plan abo	out how th	ey would	l attempt s	ulcide	8.9
Felt hopeless about the future		12.6		Attemp	ted suicio	de				4.9
Felt like not eating or eating more than usual		16.3		Had a	suicide at	tempt that	t resulted	l in injury o	or overdose that had to	1.5
Slept a lot more or a lot less than usual		20.1		be t	reated by	doctor or	nurse			
Had difficulty concentrating on school work		21.1	_							
FIGUERA			,	REBELLIC Parcent		'S ts who ag	raa that:			
FIGHTING Percent of students who, in the past 12 months:						is who ay: es that get		vav		22.2
Were in a physical fight		21.7			•	•		•	nake people mad	13.7
Were in a fight and had to be treated by a doctor or nurse		3.3						t permissio		6.2
Were threatened or injured with a weapon on school proper	tu.	6.2			-	okay to ch	-	-	ות	23.5
were threatened of injured with a weapon on school proper	ıy	0.2				•		start a figh	+	48.2
BULLYING VICTIM				IL IS UK	ay to beat	ı up peopi	e ii uiey :	siari a rigir	ı	40.2
Percent of students who, in the past 3 months:			٤	CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		28.0					ree with t	the followii	ng:	
Were victims of mean rumors or lies spread at school		49.6		Teache	ers notice	and com	ment on s	student's g	jood work	69.1
Had embarrassing or hurtful pictures/text of them posted on	internet	12.8		School provides feedback to parents on positive student performance						e 37.0
Had embarrassing or hurtful pictures/text of them sent by cell phone				Teachers praise student for hard work					55.7	
Were made fun of by others		61.1	Rules are enforced fairly					60.7		
				Studen	ts of all ra	aces and	ethnicitie	s are treat	ed equally	74.6
BULLYING PERPRETRATOR Descent of chulents who in the next 3 menths:										
Percent of students who, in the past 3 months:	or.	20.0		PARENT			roo with	tha fallawi	n <i>a.</i>	
Shoved, slapped, hit, or kicked a student in a serious manne	2 1	20.8 27.7				•		the followii	•	84.6
Spread mean rumors or lies about other kids at school		8.7						udent's go		66.4
Posted on internet embarrassing or hurtful pictures/text of se		9.9						family deci		
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	61.2		-				_	rdless of consequences	76.9
Made fun of other people		01.2		Studen	it could as	sk рагени	ioi neip v	viiii a pers	onal problem	70.9
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	\$	\$	∓ ≤	S	∓ ≤	∓ ≤	\$	8 \$	∌ ⊊ ≻	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
	hav	hav	e d	say	selv be⊪	say se	<u>e</u>	동	sub sed	
	9 9	e us	ose 12 n	₩ 🗮	es e	par	≓ ≤	원 종	tude	
	/er c	ĕ	non st fi	2	# #	ente	2	를 많	ents nce,	
	sec	Ē	ts eg	d be	y ris	W W	胺	\$ ₹	ave wh	
	IS D	ਰ ਰ	ds h	ea	Se K	ᇤ	¥	B를 바	o ha	
	bsta	ast	ave	SÝ to	m m	g	ğ	<u>e</u> <u>e</u>	e a	
	ince	30	SI	ge	g	폏	ġ.		ever ge v	
		lays	<u>≅</u>	-		ove	<u>se</u>	sing	her	
		•	_			===		- 8		
Cigarettes	24.0	11.7	40.8	49.9	78.2	91.9	81.1	26.7	12.64	
Chewing Tobacco	11.6	7.2								
Alcohol	39.6	18.9	49.3	52.7	67.9	80.2	58.9	30.0	12.49	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		11.5								
B. B. and C. and and	40.5	0.0	044	0	740	~~ ~	000	40.0	40.00	

Steroids not prescribed for student

Marijuana

Inhalants

Heroin

Cocaine Methamphetamine

Hallucinogens

Data source: Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Illicit drugs such as cocaine, LSD, meth, club drugs

Over-the-counter medications for non-medical use

Club drugs such as ecstasy, GHB, roofie, or Special K

Prescription drugs not prescribed for student

Synthetic drugs such as K2, bath salts, Spice

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

16.5

6.5

6.9

10.9

0.7 2.6

1.6 2.6

2.8

7.4

1.5

8.0

3.4

3.0

5.0

34.4

15.8

35.5

15.8

51.0

28.4

71.3

93.5

79.5

84.0

93.2

98.8

96.6

95.4

80.6

95.5

88.5

90.2

42.0

51.8


13.80

11.40

PHELPS COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 17 161 45,156 45,020



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	551	517	528
Mother Reported Drinking while Pregnant ¹		2	2
Mother Reported Smoking while Pregnant	116	102	118
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	1	0
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	414	400	492
Suicides	7	6	5
Self-inflicted Injuries	85	84	67
Homicides	2	1	2
Assault Injuries	227	164	140
Alcohol Induced Deaths	0	3	3
Drug Induced Deaths	12	6	5
Smoking Induced Deaths	64	70	92
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	455	357	357
Direct Hospitalizations	107	87	78
Emergency Room Hospitalizations	135	116	139
Emergency Room Outpatient	213	154	140
Drug RelatedTotal	537	399	336
Direct Hospitalizations	157	135	87
Emergency Room Hospitalizations	151	120	150
Emergency Room Outpatient	229	144	99
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	49	74	69
Fatal Crashes	1	1	2
Injury Crashes	21	32	39
Property Damage Crashes	27	41	28
Crash Fatalities	1	1	3
Crash Injuries	29	38	47
Drug Involved CrashesTotal	23	22	20
Fatal Crashes	0	0	1
Injury Crashes	8	14	7
Property Damage Crashes	15	8	
Crash Fatalities	0	0	12 1
Crash Injuries	10	17	11
Crash injunes	10	17	11
EMPLOYMENT	2011	2010	2009
Labor Force	21,854	21,743	22,068
Employed	20,175	20,076	20,457
Unemployed	1,679	1,667	1,611
Unemployment Rate	7.7%	7.7%	7.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	50	48	45
Alcohol Package Carry-out Licenses	41	40	37

■ Lemale	■ Male	કું જ લ	Å,
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	2,033	2,019	2,124
Drop-outs	67	58	77
Drop-out Rate	3.3%	2.9%	3.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	8	6	5
Drug Incidents	15	27	1
Tobacco Incidents	0	2	2
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	320	387	365
Liquor Law Arrests	45	42	63
Drug Arrests	244	243	262
Methamphetamine Lab Incidents	35	11	3
Violent Offenses	171	120	125
Property Offenses	1,570	1,560	1,569
Domestic Violence Reports	162	171	153
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	236	191	252
Violent Offenses	107	84	76
Alcohol Offenses	7	3	4
Drug Offenses	17	24	17
Status OffensesTotal	357	272	184
Truancy	203	135	77
Beyond Parental Control	31	30	43
Habitually Absent from Home	12	37	47
Injurious Behavior	111	66	16
Abuse/Neglect/CustodyTotal	600	443	253
Abuse	234	183	82
Neglect	355	239	143
Custody Disputes	11	21	28
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	60	45	70
Parental Alcohol Use Related	0	0	6
Parental Drug Use Related	7	18	1
Parental Alcohol and Drug Use	5	5	3
Child Removed for Other Reason	48	22	60
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	24	26	27
Probation/Parole AdmissionsTotal	262	256	300
Probation/Parole AdmissionsDrug	87	96	101
Probation/Parole AdmissionsDWI	10	2	3
Prison AdmissionsTotal	116	116	119
Prison AdmissionsDrug	41	31	35

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

PHELPS COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	27	36	29
CSTAR Women and Children	11	20	25
CSTAR General Adult	132	58	58
CSTAR Opioid	*	0	0
Primary Recovery Detoxification	47	27	26
Primary Recovery Treatment	265	235	324
Clinical SATOP (CIP, YCIP, SROP)	29	38	29
Other Substance Abuse Treatment	0	0	30

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	201	220	235
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	90	89	97
- Weekend Intervention Program	65	53	85
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	5	12	6
- Compulsive Gambling	0	*	0
- Recovery Supports	*	5	19
- Early Intervention	7	8	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	282	253	279	Never Married	233	204	227
Female	155	121	163	Married / Cohabitating	118	98	135
· omaio	100	121	100	Previously Married	86	72	80
AGE				·	00		00
Under 18	30	37	31	PRIMARY DRUG PROBLEM			
18 to 24	107	92	108	Alcohol	121	126	149
25 to 29	89	78	87	Marijuana / Hashish	143	120	142
30 to 34	69	54	70	Cocaine (total)	5	7	10
35 to 39	32	26	42	- Crack	*	5	5
40 to 44	41	37	37	Stimulant (total)	52	45	81
45 to 54	60	41	59	- Methamphetamine	51	45	79
55 and Over	9	9	8	Heroin	31	13	7
RACE / ETHNICITY				Analgesic except Heroin	78	57	45
Caucasian	395	356	413	- Non-Prescription Methadone	*	0	0
African American	21	330	_	PCP, LSD, other Hallucinogen	0	0	*
Native American / Alaskan	∠ I *	o *	17	Tranquilizer	6	5	*
Asian / Pacific Islander	*	*	0	Inhalant	0	*	0
	8	*	*	Sedative	0	0	0
Hispanic Other Race / Two or More Races	-	7		Other Medication or Illicit Drug	*	0	*
Other Race / Two or More Races	9	7	8	Average Age at First Use of Drug	17.7	17.0	17.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	183	132	158	Any Injection Use at Admission	59	49	59
High School Graduate or G.E.D.	176	184	218	- Daily Injection Use	13	12	13
Associate Degree or Some College	69	54	60	- Weekly Injection Use	20	9	8
Bachelor or Advanced Degree	9	*	6	- Less than Weekly Injection Use	26	28	38
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	121	98	140	Self / Family / Friend	82	64	84
Unemployed	164	155	168	School	0	0	0
Not in Labor Force	152	121	134	Mental Health Provider	*	6	8
				Health Care Provider	21	9	25
LIVING ARRANGEMENT				Court / Criminal Justice	302	258	295
Independent Living	377	321	397	Other Referral Source	30	37	30
Dependent Living	48	49	39	005044 00044 47/040			
Homeless	12	*	*	SPECIAL POPULATIONS	*	40	6
LIFETIME DIII / DIA". A DDECTO				Pregnant when Admitted to any Episode		10	8
LIFETIME DUI / DWI ARRESTS		000	075	Military Veteran	21	20	31
0	277	223	275	Special Education Services Needed	71	46	67
1 or 2	108	85	117	Co-Occurring Psychological Problem	142	186	206
3 or More	52	66	50	Co-Occurring Developmental Problem	22	20	21

PHELPS COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 17A CENSUS 2010 45,156 **2011 POP. ESTIMATE** 45,020

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 6 8 **Anxiety Disorder** 139 198 172 Dementia 0 **Developmental Disorder** 10 10 11 Impulse Control Disorder 72 57 60 **Mood Disorder** 302 278 258 Personality Disorder 46 50 44 **Psychotic Disorder** 61 62 66 Sexual Disorder 0 0 0 Other Diagnosis

47

18

38

45

FY2011 FY2010 FY2009

38

93

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

FY2011 FY2010 FY2009

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	434	430	472	Hearing Impaired	15	17	13
Male	184	177	197	Past or Current Military Service	7	7	11
Female	250	253	275	HOUSING / LIVING ARRANGEMENT	4.40		22
AGE				Independent Living	142	71	32
Under 6	*	*	*	Dependent Living	18	34	15
6 to 9	16	15	17	Homeless		*	*
10 to 13	18	18	37	Other	6		
14 to 17	38	40	47	Housing Unknown	267	319	420
18 to 24	53	57	55	EMPLOYMENT			
25 to 29	47	47	49	Employed	14	12	13
30 to 34	41	32	34	Unemployed	142	66	26
35 to 39	30	37	45	Not in Labor Force	11	7	0
40 to 44	36	35	36	Employment Status Unknown	267	345	433
45 to 49	56	58	49	4005070			
50 to 54	38	31	36	ARRESTS Arrested in Past 12 Months	0.4	•	4.4
55 to 59	31	33	35	Not Arrested in Past 12 Months	24	9	11
60 and Over	28	25	29	Arrest Status Unknown	143 267	102 319	41 420
				Ariest Status Officiowif	207	319	420
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	401	404	435	Self / Family / Friend	241	237	266
African American	22	17	21	School	∠4 I *	6	200 7
Native American / Alaskan	0	0	0	Mental Health Provider	7	9	, 18
Asian / Pacific Islander	0	0	*	Health Care Provider	46	34	34
Hispanic	5	6	8	Court / Criminal Justice	20	21	3 4 17
Other Race	6	*	6	Other	118	121	124
Race/Ethnicity Unknown	0	0	*	Referral Source Unknown	0	121	124
				Relettal Source Officiowit	U		0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	48	34	14	Voluntary	424	413	448
High School Grad or G.E.D.	82	37	14	Civil	*	10	11
A.A. Degree or Some College	32	10	9	Criminal	6	5	7
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	0	0	0
Education Level Unknown	268	345	433	Commitment Type Unknown	0	*	6

PHELPS COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Person to first dente who in the next 20 days.		(%)	3	SUICIDE	of atudon	towho in	the neet	12 mantha		(%)
Percent of students who, In the past 30 days: Were very sad		17.0		Percent of students who, in the past 12 months: Seriously considered attempting suicide					•	11.3
-				Made a plan about how they would attempt suicide						8.3
Were grouchy, irritable, or in a bad mood Felt hopeless about the future		21.8 10.9		Made a pian about now they would attempt suicide Attempted suicide						3.9
Felt like not eating or eating more than usual		17.3					rocultod	in injuny o	r overdose that had to	2.0
Slept a lot more or a lot less than usual		20.8				doctor or		iii iiijui y oi	i overdose iliai liad to	2.0
•		23.7			.ou.ou by	400.0.	u.oo			
Had difficulty concentrating on school work		23.1	,	REBELLIC	OUSNES	s				
FIGHTING				Percent	of studen	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	jnore rule	s that get	in their w	ay		20.8
Were in a physical fight		19.4		They d	o the opp	osite of w	hat they'r	e told to m	ake people mad	12.0
Were in a fight and had to be treated by a doctor or nurse		3.6		It is ok	ay to take	somethin	g without	permissio	n	4.5
Were threatened or injured with a weapon on school proper	ty	5.8		Someti	mes it is	okay to ch	eat at sc	hool		20.9
DULLIANO MOTINA				It is ok	ay to beat	up peopl	e if they s	start a fight		49.7
BULLYING VICTIM Percent of students who, in the past 3 months:				2011001	DEL 471	24/0				
Were shoved, slapped, hit, or kicked in a serious manner		24.1	3	SCHOOL Percent			roo with t	he followin	na·	
Were victims of mean rumors or lies spread at school		48.1				_		tudent's go	-	71.4
Had embarrassing or hurtful pictures/text of them posted on	internet	14.8						•	ve student performance	48.7
Had embarrassing or hurtful pictures/text of them sent by ce		15.1			•	student fo		•	To station ponomiano	58.4
Were made fun of by others	p	59.1			are enforc		, u	•		62.3
troio made idii oi by caiolo		00				_	ethnicities	s are treate	ed equally	78.7
BULLYING PERPRETRATOR				Cladon		2000 4114 1		o aro around	a oquany	
Percent of students who, in the past 3 months:			,	PARENT						
Shoved, slapped, hit, or kicked a student in a serious manne	er	16.6				-		he followin	-	
Spread mean rumors or lies about other kids at school		28.4	· · · · · · · · · · · · · · · · · · ·							84.5
Posted on internet embarrassing or hurtful pictures/text of so		9.2					_	amily decis		71.1
Sent by cell phone embarrassing or hurtful pictures/text of som		10.4	It is important to be honest with parents regardless of consequences					· ·	88.4	
Made fun of other people		63.2		Studen	it could as	sk parent i	for help w	ith a perso	onal problem	75.2
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	<	<	≠ ≤	<	≠ ≤	≠ <	<	> >	⇒ c ⊳	
	Who have ever used substance	₹	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disappro they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usi	Among students who have ever used substance, average age wh	
	hav	hav	se d	say	beli Selv	say	<u>ē</u>	thin be	pasi g S Bu	
	9 9	e us	ose 12 n	≓ ≶	es e	par	≓ ≶	S 중	tude	
	er L	<u>8</u>	nont st fr	OLIC C	t te	ents		get st	ents ints	
	ISec		E E	be	y ris	W	be	\$ ₽	who	
	IS I	б	ds h	ea	Se SE	ᇤ	W	<u> </u>	o ha	
	bsta	ast	lave	sy to	arm	dis	ong	은 <u>를</u>	le ag	
	ince	30 0	SI	ge	g		ð	마	evei ge v	
		Who have used in the past 30 days	in M	-		ove if	<u>S</u>	hood	hen	
Cigarettes	24.6	12.3	42.9	51.1	81.9	91.4	80.7	25.2	12.55	
Chewing Tobacco	16.8	9.8	- 4 -		00.4	70.4	50.0	00.0	10.00	
Alcohol	41.0	20.5	54.5	56.7	69.4	78.4	58.6	28.8	12.88	
Binge Alcohol (5+ drinks on one occasion in past 30 days)	457	12.3	24.0	20.7	75.7	00.0	00.7	40.4	40.07	
Marijuana Inhalants	15.7	8.5 2.1	34.2	32.7	75.7	93.9	80.7	42.4	13.87	
	4.5	2.1	14.1	17.0	04.0	98.4	95.7	49.8	12.58	
Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	5.9	4.1	14.1	17.0 54.5	94.9 84.2	96.8	90.1	49.0		
Prescription drugs not prescribed for student	8.7	5.4		32.8	89.5	95.6	92.2			
Heroin	0.9	5.4		32.0	03.3	93.0	32.2			
Cocaine	1.7									
Methamphetamine	1.0									
Hallucinogens	2.5									
	2.0									

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofle, or Special K

Synthetic drugs such as K2, bath salts, Spice Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

1.9

6.1

PIKE COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 15 FIPS COUNTY CODE 163 CENSUS 2010 18,516 2011 POP. ESTIMATE 18,572

2	011 POPULATION PROFILE BY AGE GROUP
	1,000
	800
	600
	400
_	200
	0
	2
	■ Female ■ Male

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	221	238	240
Mother Reported Drinking while Pregnant ¹		1	1
Mother Reported Smoking while Pregnant	56	69	65
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	179	198	185
Suicides	3	2	3
Self-inflicted Injuries	48	18	35
Homicides	0	1	1
Assault Injuries	54	73	58
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	0	1
Smoking Induced Deaths	39	35	35
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	177	188	169
Direct Hospitalizations	58	44	56
Emergency Room Hospitalizations	31	58	45
Emergency Room Outpatient	88	86	68
Drug RelatedTotal	134	133	178
Direct Hospitalizations	47	33	50
Emergency Room Hospitalizations	25	28	31
Emergency Room Outpatient	62	72	97
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	11	12	24
Fatal Crashes	2	0	3
Injury Crashes	3	11	13
Property Damage Crashes	6	1	8
Crash Fatalities	2	0	3
Crash Injuries	3	13	15
Drug Involved CrashesTotal	4	0	5
Fatal Crashes	2	0	2
Injury Crashes	2	0	2
Property Damage Crashes	0	0	1
Crash Fatalities	2	0	2
Crash Injuries	3	0	2
EMPLOYMENT	2011	2010	2009
Labor Force	9,023	9,022	9,300
Employed	8,291	8,176	8,452
Unemployed	732	846	848
Unemployment Rate	8.1%	9.4%	9.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	25	26	29
Alcohol Package Carry-out Licenses	22	20	25

■ Female ■ Male						
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009			
Enrollment Grades 9-12	842	902	910			
Drop-outs	31	27	18			
Drop-out Rate	3.7%	3.0%	2.0%			
School Suspensions, 10 or More Days						
Alcohol Incidents	0	1	0			
Drug Incidents	11	1	0			
Tobacco Incidents	0	1	0			
POLICE REPORTS	2010	2009	2008			
DUI Arrests, DWI Tracking System	112	111	128			
Liquor Law Arrests	35	68	66			
Drug Arrests	77	80	35			
Methamphetamine Lab Incidents	0	6	4			
Violent Offenses	45	40	26			
Property Offenses	255	208	284			
Domestic Violence Reports	138	143	114			
JUVENILE COURT REFERRALS	2010	2009	2008			
Law Violation OffensesTotal	82	94	95			
Violent Offenses	33	38	27			
Alcohol Offenses	6	5	13			
Drug Offenses	6	1	4			
Status OffensesTotal	47	39	28			
Truancy	19	15	5			
Beyond Parental Control	6	8	2			
Habitually Absent from Home	10	10	9			
Injurious Behavior	11	6	12			
Abuse/Neglect/CustodyTotal	50	59	54			
Abuse	3	10	6			
Neglect	45	40	41			
Custody Disputes	2	9	7			
JUVENILE COURT PLACEMENTS	2010	2009	2008			
Out-of-Home PlacementsTotal	17	29	30			
Parental Alcohol Use Related	0	0	2			
Parental Drug Use Related	3	3	3			
Parental Alcohol and Drug Use	0	0	2			
Child Removed for Other Reason	14	26	23			
CRIMINAL JUSTICE	FY2011	FY2010	FY2009			
Drug Court Participants	0	0	0			
Probation/Parole AdmissionsTotal	150	156	142			
Probation/Parole AdmissionsDrug	53	41	48			
Probation/Parole AdmissionsDWI	6	3	2			
Prison AdmissionsTotal	90	64	95			
Prison AdmissionsDrug	28	14	32			
Prison AdmissionsDWI	1	2	2			
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed			

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	10	9	12
CSTAR Women and Children	26	19	18
CSTAR General Adult	17	*	*
CSTAR Opioid	*	0	0
Primary Recovery Detoxification	22	16	19
Primary Recovery Treatment	53	66	87
Clinical SATOP (CIP, YCIP, SROP)	17	20	13
Other Substance Abuse Treatment	0	0	15

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	78	91	108
- Adolescent Diversion Education Program	6	7	*
- Offender Education Program	29	29	31
- Weekend Intervention Program	17	18	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	5	*
- Early Intervention	7	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	72	85	103	Never Married	63	65	86
Female	43	33	40	Married / Cohabitating	29	32	32
	40	00	40	Previously Married	23	21	25
AGE				•	20		20
Under 18	7	8	11	PRIMARY DRUG PROBLEM			
18 to 24	26	25	36	Alcohol	51	66	64
25 to 29	26	23	25	Marijuana / Hashish	34	30	47
30 to 34	18	14	16	Cocaine (total)	*	8	14
35 to 39	7	7	20	- Crack	*	*	5
40 to 44	9	13	9	Stimulant (total)	5	*	11
45 to 54	19	23	23	- Methamphetamine	5	*	11
55 and Over	*	5	*	Heroin	16	5	*
RACE / ETHNICITY				Analgesic except Heroin	*	5	0
Caucasian	102	102	123	- Non-Prescription Methadone	0	0	0
African American	8	13		PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan		0	16	Tranquilizer	0	0	*
Asian / Pacific Islander	0	_	0 0	Inhalant	0	0	0
	-	0	-	Sedative	*	0	0
Hispanic	0	*	0	Other Medication or Illicit Drug	0	*	*
Other Race / Two or More Races	5			Average Age at First Use of Drug	16.6	16.5	16.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	48	41	51	Any Injection Use at Admission	19	7	8
High School Graduate or G.E.D.	45	58	70	- Daily Injection Use	8	*	*
Associate Degree or Some College	20	17	20	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	7	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	29	42	51	Self / Family / Friend	23	18	23
Unemployed	62	49	53	School	*	0	0
Not in Labor Force	24	27	38	Mental Health Provider	0	*	*
				Health Care Provider	*	5	*
LIVING ARRANGEMENT				Court / Criminal Justice	77	85	106
Independent Living	103	99	119	Other Referral Source	12	9	9
Dependent Living	10	14	17	ODEOLAL DODUKATIONS			
Homeless	0	*	*	SPECIAL POPULATIONS	*	_	
LIFETIME DUI / DIA/LA DRECTO				Pregnant when Admitted to any Episode	*	0	· .
LIFETIME DUI / DWI ARRESTS		40	0.7	Military Veteran		5	4-7
0	55	48	67	Special Education Services Needed	21	18	17
1 or 2	41	45	48	Co-Occurring Psychological Problem	40	35	43
3 or More	19	25	28	Co-Occurring Developmental Problem	9	10	9

PIKE COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 15 CENSUS 2010 18,516 2011 POP. ESTIMATE 18,572 disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 6 10 12 **Anxiety Disorder** 17 19 16 Dementia 0 0 **Developmental Disorder** Impulse Control Disorder 23 24 35 **Mood Disorder** 109 124 131 Personality Disorder 9 7 **Psychotic Disorder** 20 21 16 Sexual Disorder 0 0 0 Other Diagnosis 6 6 Diagnosis Unknown 25 39

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	169	207	230	Hearing Impaired	*	*	*
Male	78	94	110	Past or Current Military Service	7	9	10
Female	91	113	120	HOUSING / LIVING ARRANGEMENT			
405				Independent Living	60	33	26
AGE		0	*	Dependent Living	15	22	17
Under 6	0	0		Homeless	*	0	0
6 to 9	10	13	11	Other	*	0	0
10 to 13	11	6	17	Housing Unknown	92	152	187
14 to 17	20	23	23				
18 to 24	13	24	19	EMPLOYMENT			
25 to 29	11	22	23	Employed	11	*	*
30 to 34	25	22	18	Unemployed	61	36	30
35 to 39	8	16	24	Not in Labor Force	5	6	7
40 to 44	17	19	17	Employment Status Unknown	92	162	190
45 to 49	16	20	19	ARRESTS			
50 to 54	21	20	29	Arrested in Past 12 Months	10	*	*
55 to 59	7	11	13	Not Arrested in Past 12 Months	67	51	39
60 and Over	10	11	14	Arrest Status Unknown	92	152	187
RACE / ETHNICITY				TDE 4 THE 1 T DE FEDRAL 00 1 DO F			
Caucasian	156	188	212	TREATMENT REFERRAL SOURCE		4.40	4.5-7
African American	9	15	15	Self / Family / Friend	99	146	157
Native American / Alaskan	0	0	0	School	6	5	5
Asian / Pacific Islander	0	0	0	Mental Health Provider	14	7	7
Hispanic	*	*	0	Health Care Provider	10	6	8
Other Race	*	*	*	Court / Criminal Justice	*	17	14
Race/Ethnicity Unknown	0	0	0	Other	36	26	31
,	Ü	Ü	Ü	Referral Source Unknown	*	0	8
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	25	14	13	Voluntary	167	189	205
High School Grad or G.E.D.	37	24	18	Civil	*	18	17
A.A. Degree or Some College	15	7	8	Criminal	0	0	0
Bachelor or Advanced Degree	0	0	*	Sexual Predatory	0	0	0
Education Level Unknown	92	162	190	Commitment Type Unknown	*	0	8

PIKE COUNTY

Data source:

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)	S	UICIDE				10		(%)
Percent of students who, in the past 30 days:		-					-	12 months	•	
Were very sad		18.6			_	lered atter				10.2
Were grouchy, irritable, or in a bad mood		23.7			•		ey would	attempt su	licide	8.4
Felt hopeless about the future		11.0			ted suicio			to to to one or		6.2
Felt like not eating or eating more than usual		15.0				tempt that doctor or		in injury o	r overdose that had to	2.2
Slept a lot more or a lot less than usual		15.3		De i	realed by	doctor or	Hurse			
Had difficulty concentrating on school work		22.0) 5	PERFILIO	OUSNES	S				
FIGHTING			•			ts who agi	ree that:			
Percent of students who, in the past 12 months:						s that get		ay		26.6
Were in a physical fight		27.4	ı						ake people mad	16.2
Were in a fight and had to be treated by a doctor or nurse		5.1						permissio		8.4
Were threatened or injured with a weapon on school proper	tv	11.0)		•	okay to ch	•	•		27.4
, , , , , , , , , , , , , , , , , , , ,	•					-		tart a fight		55.2
BULLYING VICTIM							, -	3		
Percent of students who, in the past 3 months:					RELATIO					
Were shoved, slapped, hit, or kicked in a serious manner		29.2				_		he followin	-	
Were victims of mean rumors or lies spread at school		50.9						tudent's go		62.4
Had embarrassing or hurtful pictures/text of them posted on		15.4			-		-	-	ve student performance	33.6
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	19.0			-	student fo	or hard w	ork		53.8
Were made fun of by others		59.6	6		are enforc	•				55.7
BULLYING PERPRETRATOR				Studen	ts of all ra	aces and o	ethnicities	are treate	ed equally	73.6
Percent of students who, in the past 3 months:			_	ADENIT	RELATIC	DA/S				
Shoved, slapped, hit, or kicked a student in a serious manne	er	26.6					ree with t	he followin	a:	
Spread mean rumors or lies about other kids at school		30.9				•		dent's god	•	83.6
Posted on internet embarrassing or hurtful pictures/text of so	omeone		8.0 Parents involve student in making family decisions							71.7
Sent by cell phone embarrassing or hurtful pictures/text of s									84.1	
Made fun of other people		64.6 Student could ask parent for help with a personal problem							·	76.4
						•	•	•	•	
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≨	¥	# Ee	≨	# E	tte ≰	≨	§ §	Am	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have use the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age wifirst used	
	We	We	112	ŋ i	lve die	e y	<u>e</u>	e j	apst str	
	eve	use	sest	WO	e #	arer	W	kids	den	
	SI .	d in	nth:	ם	hey ley	ıts v	튭	E in	e, ay	
	e s	the	s nds	e e	risk.	<u>o</u>	e ≤	heir y pc	ho h	
	übs	pas	ha	asy	Than I	<u>d</u>	9	ice nei	nave	
	tan	it 30	/e u	to c	릙	sap	g to	of g	e ev	
	8	da	sed	et	•	prov	LS.	usir or	w h er	
		S	□			e ≕		g g	hen	
Cigarettes	24.0	14.0	47.3	52.6	71.1	90.4	75.2	18.5	12.00	
Chewing Tobacco	17.8	9.1								
Alcohol	50.0	24.8	59.5	57.5	62.7	73.8	52.9	25.2	12.12	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		17.5								
Marijuana	14.5	8.0	27.0	29.7	70.4	94.1	84.7	41.6	13.07	
Inhalants	8.4	2.9							11.09	
Illicit drugs such as cocaine, LSD, meth, club drugs			10.9	18.8	88.6	96.3	92.6	45.4		
Over-the-counter medications for non-medical use	8.0	5.1		51.5	74.3	93.7	86.8			
Prescription drugs not prescribed for student	9.1	7.7		26.7	79.6	93.8	88.0			
Heroin	2.2									
Cocaine	2.6									
Methamphetamine	3.0									
Hallucinogens	3.3									
Club drugs such as ecstasy, GHB, roofle, or Special K	3.3									
Synthetic drugs such as K2, bath salts, Spice	8.8							lation estir	mates for age groups 10-	14
J		2	nd 15 10	~~~~~	aco and	Hispanic (origin			
Steroids not prescribed for student	3.7							ned answ	er choices.	


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

PLATTE COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 165 89,322 90,903



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	1,157	1,091	1,088
Mother Reported Drinking while Pregnant 1		5	7
Mother Reported Smoking while Pregnant	128	115	125
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	5	5	5
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	575	551	529
Suicides	9	14	11
Self-inflicted Injuries	113	107	111
Homicides	4	1	3
Assault Injuries	185	225	225
Alcohol Induced Deaths	3	6	5
Drug Induced Deaths	11	10	11
Smoking Induced Deaths	101	109	91
•			
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	786	704	758
Direct Hospitalizations	259	163	161
Emergency Room Hospitalizations	186	223	234
Emergency Room Outpatient	341	318	363
Drug RelatedTotal	614	479	505
Direct Hospitalizations	259	157	172
Emergency Room Hospitalizations	134	154	154
Emergency Room Outpatient	221	168	179
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	83	82	105
Fatal Crashes	6	2	2
Injury Crashes	27	29	45
Property Damage Crashes	50	51	58
Crash Fatalities	6	2	2
Crash Injuries	35	31	44
Drug Involved CrashesTotal	14	10	8
Fatal Crashes	2	1	0
Injury Crashes	1	5	3
Property Damage Crashes	11	4	5
Crash Fatalities	2	0	0
Crash Injuries	2	4	2
EMPLOYMENT	2011	2010	2009
Labor Force	50,849	49,214	48,777
Employed	47,191	45,217	44,996
Unemployed	3,658	3,997	3,781
Unemployment Rate	7.2%	8.1%	7.8%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	131	122	133
Alcohol Package Carry-out Licenses	59	55	63
ashage sarry out Electron	33	55	03

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	4,690	4,596	4,620
Drop-outs	76	129	176
Drop-out Rate	1.6%	2.8%	3.8%
School Suspensions, 10 or More Days			
Alcohol Incidents	13	4	17
Drug Incidents	35	69	48
Tobacco Incidents	0	1	2
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	412	506	607
Liquor Law Arrests	145	169	101
Drug Arrests	349	270	198
Methamphetamine Lab Incidents	2	2	2
Violent Offenses	69	77	85
Property Offenses	1,031	905	1,041
Domestic Violence Reports	150	205	153
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	208	245	283
Violent Offenses	48	50	54
Alcohol Offenses	6	8	16
Drug Offenses	19	30	48
Status OffensesTotal	36	56	48
Truancy	11	19	18
Beyond Parental Control	17	26	19
Habitually Absent from Home	0	1	6
Injurious Behavior	8	10	5
Abuse/Neglect/CustodyTotal	16	11	14
Abuse	6	2	1
Neglect	8	7	12
Custody Disputes	2	2	1
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	14	11	13
Parental Alcohol Use Related	0	6	1
Parental Drug Use Related	2	0	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	12	5	11
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	13	0	0
Probation/Parole AdmissionsTotal	297	269	300
Probation/Parole AdmissionsDrug	61	69	74
Probation/Parole AdmissionsDWI	47	31	20
Prison AdmissionsTotal	147	132	129
Prison AdmissionsDrug	22	20	31
Prison AdmissionsDWI	10	14	16
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	uppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

PLATTE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	14	8	12
CSTAR Women and Children	17	*	22
CSTAR General Adult	167	96	78
CSTAR Opioid	*	*	*
Primary Recovery Detoxification	34	47	48
Primary Recovery Treatment	28	77	75
Clinical SATOP (CIP, YCIP, SROP)	49	57	48
Other Substance Abuse Treatment	*	*	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	305	393	454
- Adolescent Diversion Education Program	*	8	11
- Offender Education Program	122	182	208
- Weekend Intervention Program	85	117	149
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	7	*	8
- Compulsive Gambling	12	7	6
- Recovery Supports	*	24	20
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	175	171	161	Never Married	161	141	136
Female	108	70	79	Married / Cohabitating	52	47	45
				Previously Married	70	53	59
AGE							
Under 18	12	14	11	PRIMARY DRUG PROBLEM			
18 to 24	56	50	50	Alcohol	151	139	134
25 to 29	44	44	41	Marijuana / Hashish	54	49	41
30 to 34	42	33	35	Cocaine (total)	16	17	22
35 to 39	33	24	26	- Crack	10	11	14
40 to 44	35	19	24	Stimulant (total)	34	14	22
45 to 54	51	49	44	- Methamphetamine	31	14	20
55 and Over	10	8	9	Heroin	6	6	5
RACE / ETHNICITY				Analgesic except Heroin	16	11	13
Caucasian	244	214	216	- Non-Prescription Methadone	0	0	*
African American	20	14	8	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	*	*	*	Tranquilizer	*	*	*
Asian / Pacific Islander	0	*	*	Inhalant	0	0	0
Hispanic	16	*	10	Sedative	0	0	0
Other Race / Two or More Races	7	6	5	Other Medication or Illicit Drug	0	*	0
Cities Nade / Two of More Nades	,	O	3	Average Age at First Use of Drug	17.8	16.8	17.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	58	52	59	Any Injection Use at Admission	18	9	21
High School Graduate or G.E.D.	135	127	116	- Daily Injection Use	5	*	7
Associate Degree or Some College	75	56	54	- Weekly Injection Use	6	*	8
Bachelor or Advanced Degree	15	6	11	- Less than Weekly Injection Use	7	*	6
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	92	84	82	Self / Family / Friend	71	59	77
Unemployed	123	97	88	School	0	0	0
Not in Labor Force	68	60	70	Mental Health Provider	37	22	11
				Health Care Provider	10	7	12
LIVING ARRANGEMENT				Court / Criminal Justice	145	131	123
Independent Living	244	205	201	Other Referral Source	20	22	17
Dependent Living	21	19	21				
Homeless	11	8	13	SPECIAL POPULATIONS	_	*	_
				Pregnant when Admitted to any Episode	5		5
LIFETIME DUI / DWI ARRESTS	465	0.0	40=	Military Veteran	19	14	9
0	122	90	107	Special Education Services Needed	5		*
1 or 2	99	77	64	Co-Occurring Psychological Problem	114	75 *	82
3 or More	62	74	69	Co-Occurring Developmental Problem	5	*	*

PLATTE COUNTY



ADA/CPS REGION Northwest CPS SERVICE AREA 6 89,322 2011 POP. ESTIMATE 90,903 disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 22 20 18 **Anxiety Disorder** 226 214 224 Dementia 5 **Developmental Disorder** 7 8 11 Impulse Control Disorder 103 97 81 **Mood Disorder** 372 396 398 Personality Disorder 47 41 58 **Psychotic Disorder** 78 79 87 Sexual Disorder 0 0

40

34

202

42

170

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	640	725	674	Hearing Impaired	10	10	13
Male	242	275	273	Past or Current Military Service	6	8	14
Female	398	450	401	·	· ·	· ·	
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	52	31	15
Under 6	*	5	0	Dependent Living	21	26	*
6 to 9	20	22	16	Homeless	*	*	*
10 to 13	28	38	25	Other			*
14 to 17	44	62	47	Housing Unknown	565	664	651
18 to 24	66	89	86	EMPLOYMENT			
25 to 29	78	79	78	Employed	12	7	*
30 to 34	63	77	71	Unemployed	61	35	17
35 to 39	64	71	67	Not in Labor Force	*	*	*
40 to 44	65	71	77	Employment Status Unknown	565	682	651
45 to 49	70	71	75	4005070			
50 to 54	53	60	57	ARRESTS	_	-	
55 to 59	44	31	26	Arrested in Past 12 Months	5	7	40
60 and Over	42	49	49	Not Arrested in Past 12 Months	70	54	19
				Arrest Status Unknown	565	664	651
RACE / ETHNICITY				TREATMENT RECERDAL COURSE			
Caucasian	552	623	597	TREATMENT REFERRAL SOURCE Self / Family / Friend		004	500
African American	44	53	35	School	555 *	631	568
Native American / Alaskan	*	*	0	Mental Health Provider	23	24	25
Asian / Pacific Islander	5	6	5	Health Care Provider	_		25
Hispanic	16	14	15	Court / Criminal Justice	24 6	28 7	32 13
Other Race	20	25	22	Other	-	=	-
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	23	27 7	25 10
				Referral Source Offichiown	6	7	10
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	16	13	6	Voluntary	630	714	648
High School Grad or G.E.D.	44	19	9	Civil	0	*	9
A.A. Degree or Some College	10	11	5	Criminal	*	*	6
Bachelor or Advanced Degree	*	0	*	Sexual Predatory	*	0	0
Education Level Unknown	566	682	651	Commitment Type Unknown	7	8	11

PLATTE COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		CUICIDE Percent o	of studen	ts who. in	the past	12 months	•	(%)
Were very sad		16.9				lered atter	-			11.6
Were grouchy, irritable, or in a bad mood		22.7			-			attempt su	ılcide	9.3
Felt hopeless about the future		11.2			ted suicio		•	•		5.3
Felt like not eating or eating more than usual		17.8		Had a s	uicide at	tempt that	resulted	in injury o	r overdose that had to	2.0
Slept a lot more or a lot less than usual		23.5				doctor or		,,		
Had difficulty concentrating on school work		23.9								
,				PEBELLIC						
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get		-		25.1
Were in a physical fight		13.5		-					ake people mad	15.0
Were in a fight and had to be treated by a doctor or nurse		2.6			-		-	permissio	n	7.3
Were threatened or injured with a weapon on school proper	ty	5.3		Sometimes it is okay to cheat at school						21.4
BULLYING VICTIM				It is oka	y to beat	t up peopl	e if they s	start a fight		45.5
Percent of students who, in the past 3 months:				CHOOL I	DEI ATIO	ONE				
Were shoved, slapped, hit, or kicked in a serious manner		19.4					ree with t	he followin	α:	
Were victims of mean rumors or lies spread at school		42.2				_		tudent's go	-	73.0
Had embarrassing or hurtful pictures/text of them posted on	internet	13.5						•	ve student performance	39.4
Had embarrassing or hurtful pictures/text of them sent by ce		15.8			•	student fo	•	•	To clausin pointinance	61.0
Were made fun of by others		56.3			•	ced fairly				63.9
						-	ethnicities	s are treate	ed equally	75.6
BULLYING PERPRETRATOR Percent of students who, in the past 3 months: Shoved, slapped, hit, or kicked a student in a serious manner Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of someone Sent by cell phone embarrassing or hurtful pictures/text of someone Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Who have ever used substance				Parents Parents It is imp Studen	of students notice a involve cortant to t could as	ts who againd common student in be hones sk parent f	ent on stu making f t with par for help w	ith a perso	d work sions dless of consequences anal problem	82.6 70.2 83.4 78.1
	used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cigarettes	used substance	ed in the past 30 days &		would be easy to get 53.2	e they risk harming if they use	ents would disapprove if 92.2	vould be wrong to use 82.4	ds in their neighborhood 27.3	ents who have ever nce, average age when 13.16	
Cigarettes Chewing Tobacco			₹.		harming	ve ∺	Ф	ng od	e	
	19.3	8.8	₹.		harming	ve ∺	Ф	ng od	e	
Chewing Tobacco	19.3 7.4	8.8 4.0	39.6	53.2	harming 83.3	92.2	82.4	27.3	13.16	
Chewing Tobacco Alcohol	19.3 7.4	8.8 4.0 18.0	39.6	53.2	harming 83.3	92.2	82.4	27.3	13.16	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	19.3 7.4 37.1	8.8 4.0 18.0 10.3	39.6 54.5	53.2	83.3 70.6	92.2	82.4 60.6	27.3	13.16 13.13	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	19.3 7.4 37.1 17.9	8.8 4.0 18.0 10.3 10.2	39.6 54.5	53.2	83.3 70.6	92.2	82.4 60.6	27.3	13.16 13.13 13.80	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	19.3 7.4 37.1 17.9	8.8 4.0 18.0 10.3 10.2	39.6 54.5 45.8	53.2 64.1 45.4	83.3 70.6 65.8	92.2	82.4 60.6 77.0	27.3 29.0 39.7	13.16 13.13 13.80	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	19.3 7.4 37.1 17.9 4.3 6.5 8.3	8.8 4.0 18.0 10.3 10.2 2.0	39.6 54.5 45.8	53.2 64.1 45.4 19.5	83.3 70.6 65.8 93.1	92.2 79.7 92.9 98.0	82.4 60.6 77.0 93.7	27.3 29.0 39.7	13.16 13.13 13.80	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	19.3 7.4 37.1 17.9 4.3	8.8 4.0 18.0 10.3 10.2 2.0	39.6 54.5 45.8	53.2 64.1 45.4 19.5 64.6	83.3 70.6 65.8 93.1 80.2	92.2 79.7 92.9 98.0 95.6	82.4 60.6 77.0 93.7 86.2	27.3 29.0 39.7	13.16 13.13 13.80	

Data source:

Methamphetamine

Hallucinogens

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofle, or Special K

Synthetic drugs such as K2, bath salts, Spice Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

1.3

3.6


2.5

5.8

POLK COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 10 167 31,137 31,170



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	342	398	401
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	93	77	92
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	3	1	0
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	351	378	296
Suicides	4	6	4
Self-inflicted Injuries	57	60	32
Homicides	1	1	1
Assault Injuries	91	93	85
Alcohol Induced Deaths	2	2	0
Drug Induced Deaths	10	12	5
Smoking Induced Deaths	71	60	53
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	231	264	196
Direct Hospitalizations	67	76	56
Emergency Room Hospitalizations	55	67	65
Emergency Room Outpatient	109	121	75
Drug RelatedTotal	395	303	236
Direct Hospitalizations	136	92	88
Emergency Room Hospitalizations	89	55	65
Emergency Room Outpatient	170	156	83
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	27	28	29
Fatal Crashes	1	0	0
Injury Crashes	17	18	17
Property Damage Crashes	9	10	12
Crash Fatalities	1	0	0
Crash Injuries	20	20	16
Drug Involved CrashesTotal	11	8	1
Fatal Crashes	2	0	0
Injury Crashes	5	6	0
Property Damage Crashes	4	2	1
Crash Fatalities	3	0	0
Crash Injuries	8	6	0
EMPLOYMENT	2011	2010	2009
Labor Force	14,524	14,115	14,207
Employed	13,227	12,724	12,778
Unemployed	1,297	1,391	1,429
Unemployment Rate	8.9%	9.9%	1,429
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	15	14	14
Alcohol Package Carry-out Licenses	24	25	27

■ Female ■ Male							
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009				
Enrollment Grades 9-12	1,706	1,675	1,665				
Drop-outs	30	21	53				
Drop-out Rate	1.8%	1.3%	3.2%				
School Suspensions, 10 or More Days							
Alcohol Incidents	1	1	2				
Drug Incidents	12	8	13				
Tobacco Incidents	0	0	0				
POLICE REPORTS	2010	2009	2008				
DUI Arrests, DWI Tracking System	116	89	123				
Liquor Law Arrests	46	22	25				
Drug Arrests	219	125	73				
Methamphetamine Lab Incidents	5	5	0				
Violent Offenses	104	144	146				
Property Offenses	758	684	687				
Domestic Violence Reports	243	234	176				
JUVENILE COURT REFERRALS	2010	2009	2008				
Law Violation OffensesTotal	171	201	218				
Violent Offenses	46	60	46				
Alcohol Offenses	13	8	10				
Drug Offenses	19	13	17				
Status OffensesTotal	76	67	74				
Truancy	9	3	1				
Beyond Parental Control	23	16	11				
Habitually Absent from Home	27	33	37				
Injurious Behavior	17	15	25				
Abuse/Neglect/CustodyTotal	212	115	169				
Abuse	58	44	74				
Neglect	154	69	95				
Custody Disputes	0	2	0				
JUVENILE COURT PLACEMENTS	2010	2009	2008				
Out-of-Home PlacementsTotal	40	26	19				
Parental Alcohol Use Related	1	0	0				
Parental Drug Use Related	18	2	3				
Parental Alcohol and Drug Use	2	0	0				
Child Removed for Other Reason	19	24	16				
CRIMINAL JUSTICE	FY2011	FY2010	FY2009				
Drug Court Participants	17	23	26				
Probation/Parole AdmissionsTotal	196	189	179				
Probation/Parole AdmissionsDrug	55	73	60				
Probation/Parole AdmissionsDWI	6	10	15				
Prison AdmissionsTotal	92	84	91				
Prison AdmissionsDrug	29	41	34				
Prison AdmissionsDWI	4	3	8				
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	ppressed				

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	11	12	7
CSTAR Women and Children	6	8	18
CSTAR General Adult	69	69	19
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	32	22	22
Primary Recovery Treatment	34	46	85
Clinical SATOP (CIP, YCIP, SROP)	11	16	5
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	78	93	97
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	35	41	39
- Weekend Intervention Program	16	21	37
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	6	8
- Compulsive Gambling	0	0	0
- Recovery Supports	*	12	26
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	86	99	86	Never Married	69	70	56
Female	46	42	37	Married / Cohabitating	31	37	34
				Previously Married	32	34	33
AGE							
Under 18	11	12	7	PRIMARY DRUG PROBLEM			
18 to 24	39	23	32	Alcohol	48	71	49
25 to 29	34	29	26	Marijuana / Hashish	34	28	38
30 to 34	13	22	15	Cocaine (total)	*		*
35 to 39	9	13	11	- Crack		*	
40 to 44	7	15	12	Stimulant (total)	19	14	15
45 to 54	16	25	16	- Methamphetamine	19	13	15
55 and Over	*	*	*	Heroin	*	0	0
RACE / ETHNICITY				Analgesic except Heroin	25	20	18
Caucasian	126	138	119	- Non-Prescription Methadone	0	*	0
African American	*	*	*	PCP, LSD, other Hallucinogen	*	*	0
Native American / Alaskan	0	0	0	Tranquilizer	0	0	*
Asian / Pacific Islander	0	*	0	Inhalant	0	*	0
Hispanic	*	0	*	Sedative	0	*	0
Other Race / Two or More Races	*	*	0	Other Medication or Illicit Drug	0	0	0
			•	Average Age at First Use of Drug	16.1	16.9	16.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	56	57	51	Any Injection Use at Admission	29	23	19
High School Graduate or G.E.D.	59	67	64	- Daily Injection Use	8	5	8
Associate Degree or Some College	16	16	6	- Weekly Injection Use	8	8	6
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	13	10	5
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	25	37	34	Self / Family / Friend	42	34	36
Unemployed	63	54	47	School	0	0	*
Not in Labor Force	44	50	42	Mental Health Provider	*	*	7
				Health Care Provider	*	6	*
LIVING ARRANGEMENT				Court / Criminal Justice	82	92	72
Independent Living	112	118	103	Other Referral Source	*	7	5
Dependent Living	16	19	14	CDECIAL DODULATIONS			
Homeless	*	*	5	SPECIAL POPULATIONS Pregnant when Admitted to any Episode	*	*	*
LIFETIME DUI / DWI ARRESTS				Military Veteran	*	*	5
0	71	70	66	Special Education Services Needed	19	8	ວ 11
1 or 2	40	39	33	Co-Occurring Psychological Problem	44	39	36
3 or More	21	32	33 24	Co-Occurring Developmental Problem	*	39 *	*
3 OF MICHE	21	32	24	00-000uning Developmental Froblem			

POLK COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 10
CENSUS 2010 31,137
2011 POP. ESTIMATE 31,170

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 14 11 **Anxiety Disorder** 77 56 31 Dementia **Developmental Disorder** 6 5 Impulse Control Disorder 41 23 13 **Mood Disorder** 126 170 76 Personality Disorder 46 44 38 **Psychotic Disorder** 71 76 57

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	306	279	206	Hearing Impaired	*	5	5
Male	165	150	102	Past or Current Military Service	8	7	6
Female	141	129	104	·	-	•	_
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	47	15	9
Under 6	5	7	*	Dependent Living	54	17	16
6 to 9	10	14	6	Homeless	*	0	0
10 to 13	25	25	14	Other	*	*	0
14 to 17	30	26	21	Housing Unknown	201	246	181
18 to 24	32	29	14	EMPLOYMENT			
25 to 29	21	17	19	Employed	5	*	*
30 to 34	23	15	14	Unemployed	91	17	17
35 to 39	23	24	25	Not in Labor Force	9	*	*
40 to 44	32	25	20	Employment Status Unknown	201	256	183
45 to 49	25	24	14				
50 to 54	29	31	24	ARRESTS		_	
55 to 59	28	19	15	Arrested in Past 12 Months	12	8	*
60 and Over	23	23	19	Not Arrested in Past 12 Months	93	25	21
				Arrest Status Unknown	201	246	181
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	281	253	183	TREATMENT REFERRAL SOURCE	000	405	400
African American	*	*	*	Self / Family / Friend	202	185	102
Native American / Alaskan	*	0	0	School Mantal Haalth Provides	0		0
Asian / Pacific Islander	0	0	0	Mental Health Provider	9	13	20
Hispanic	*	*	*	Health Care Provider	20	11	6
Other Race	17	22	17	Court / Criminal Justice	14	8	9
Race/Ethnicity Unknown	0	0	0	Other	58	59	68
				Referral Source Unknown		-	
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	23	8	6	Voluntary	293	272	198
High School Grad or G.E.D.	64	10	12	Civil	7	*	*
A.A. Degree or Some College	14	5	*	Criminal	*	*	5
Bachelor or Advanced Degree	*	0	*	Sexual Predatory	0	0	0
Education Level Unknown	203	256	183	Commitment Type Unknown	*	*	*

0

15

69

30

15

65

POLK COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)	s	SUICIDE						(%)
Percent of students who, in the past 30 days:								12 months.	:	
Were very sad		20.0			_	ered atter	-			10.8
Were grouchy, irritable, or in a bad mood		25.8		Made a	a plan abo	out how th	ey would	attempt su	ılcide	9.2
Felt hopeless about the future		12.5			ted suicid					7.0
Felt like not eating or eating more than usual		17.6						in injury o	r overdose that had to	1.7
Slept a lot more or a lot less than usual		19.5		be t	reated by	doctor or	nurse			
Had difficulty concentrating on school work		20.6		.===		_				
TIQUETU Q			*	REBELLIC Darcant		s ts who agi	raa that:			
FIGHTING Percent of students who in the past 12 menths:						s that get		201		18.8
Percent of students who, in the past 12 months:		21.6						-	aka naanla mad	17.9
Were in a physical fight		4.6					-		ake people mad	4.5
Were in a fight and had to be treated by a doctor or nurse	. .				-		-	permissio	II.	23.7
Were threatened or injured with a weapon on school proper	ıy	5.8				okay to ch				_
BULLYING VICTIM				IT IS OK	ay to beat	up peopi	e ir tney s	tart a fight		58.0
Percent of students who, in the past 3 months:			.5	CHOOL	RFI ATIC	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		23.9					ree with t	he followin	g:	
Were victims of mean rumors or lies spread at school		53.1				_		tudent's go	-	71.0
Had embarrassing or hurtful pictures/text of them posted on	internet	14.2						_	ve student performance	41.8
Had embarrassing or hurtful pictures/text of them sent by ce		16.0			-	student fo	-	-		55.3
Were made fun of by others		64.7			are enforc					59.9
		•				-	ethnicities	are treate	ed equally	77.1
BULLYING PERPRETRATOR				0.000						
Percent of students who, in the past 3 months:			F	PARENT						
Shoved, slapped, hit, or kicked a student in a serious manne	er	19.8				-		he followin	-	
Spread mean rumors or lies about other kids at school		29.3						ident's goo		80.1
Posted on internet embarrassing or hurtful pictures/text of so		6.3						amily decis		64.5
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	8.9		It is imp	portant to	be hones	t with par	ents regard	dless of consequences	86.6
Made fun of other people		67.2		Studen	t could as	sk parent f	for help w	ith a perso	onal problem	69.8
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:										
, regarding the case and a secon, personner case and	νhc	Mg	he ≥	Ν	hen M	hey	Mg		Among st used sub first used	
	ha	ਡੂ	ose o	Sa) be	use use	ĕ	₽ #	ing:	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age where	
	ě	se	mor	2	# #	<u>re</u>	No.	를 당	ent	
	use	₹.	nt fier	ם	ey ri	N S	ם	ë ii	s wh	
	S p	E	g	99	sk t	잍	e €	<u> 등</u> 략	no h	
	ubst	pas	hav	asy	am	햾	<u>.</u>	le <u>ne</u>	ave ge a	
	anc	30	e E	g of	jj	ğ	o f	현	eve	
	æ	day	<u>ë</u>	프		VOV	use	함	whe	
		S	₹.			e∺		ing	en en	
Cigarettes	29.0	12.2	38.9	57.2	79.3	87.5	80.5	17.9	12.27	
Chewing Tobacco	18.8	11.2								
Alcohol	36.5	18.0	45.7	52.6	72.4	80.8	67.2	24.1	12.35	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		11.8								
Marijuana	10.6	5.3	28.0	28.6	74.8	92.6	84.1	37.8	13.30	
Inhalants	8.7	2.7							11.43	
Illicit drugs such as cocaine, LSD, meth, club drugs	9.1		11.1	14.0	92.5	98.3	95.5	45.1		
Over-the-counter medications for non-medical use	5.8	4.3		52.8	79.6	95.6	90.1			
Prescription drugs not prescribed for student	9.5	6.5		29.9	82.5	93.4	88.1			
Heroin	0.8	3.0		20.0	02.0	55.7	00.1			
Cocaine	1.0									
Methamphetamine	2.2									
Hallucinogens										
Tallucinogens										
Club druge such as acetasy. CUP, roofin, or Special V	3.0									
Club drugs such as ecstasy, GHB, roofle, or Special K Synthetic drugs such as K2, bath salts, Spice	2.2 4.8	Da	ata are w	eighted in	comparis	son to cou	ınty popu	lation estin	nates for age groups 10	-14

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Steroids not prescribed for student

and 15-19, gender, race, and Hispanic origin. Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

PULASKI COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 11 FIPS COUNTY CODE 169 CENSUS 2010 52,274 2011 POP. ESTIMATE 53,175

2011 PO	PULATION PROFILE BY AGE GROUP
6,000	
4,000)
2,000	
0	
	2
	■ Female ■ Male

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	918	868	786
Mother Reported Drinking while Pregnant ¹		2	3
Mother Reported Smoking while Pregnant	156	170	130
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	2	0	1
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	262	270	296
Suicides	11	7	7
Self-inflicted Injuries	30	57	44
Homicides	0	1	4
Assault Injuries	111	107	110
Alcohol Induced Deaths	1	3	1
Drug Induced Deaths	6	7	9
Smoking Induced Deaths	46	54	54
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	302	238	270
Direct Hospitalizations	121	96	83
Emergency Room Hospitalizations	80	63	93
Emergency Room Outpatient	101	79	94
Drug RelatedTotal	344	295	235
Direct Hospitalizations	118	108	84
Emergency Room Hospitalizations	87	78	64
Emergency Room Outpatient	139	109	87
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	58	78	68
Fatal Crashes	0	3	1
Injury Crashes	21	30	33
Property Damage Crashes	37	45	34
Crash Fatalities	0	2	1
Crash Injuries	26	40	46
Drug Involved CrashesTotal	12	10	8
Fatal Crashes	0	0	0
Injury Crashes	3	5	3
Property Damage Crashes	9	5	5
Crash Fatalities	0	0	0
Crash Injuries	3	7	3
EMPLOYMENT	2011	2010	2009
Labor Force	20,982	20,870	20,915
Employed	19,154	19,221	19,436
Unemployed	1,828	1,649	1,479
Unemployment Rate	8.7%	7.9%	7.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	55	54	60
Alcohol Package Carry-out Licenses	40	37	39

■ Female ■	Male		•
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	2,619	2,615	2,532
Drop-outs	51	58	59
Drop-out Rate	1.9%	2.2%	2.3%
School Suspensions, 10 or More Days			
Alcohol Incidents	6	5	5
Drug Incidents	21	37	17
Tobacco Incidents	0	1	2
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	354	340	243
Liquor Law Arrests	90	123	84
Drug Arrests	276	180	163
Methamphetamine Lab Incidents	27	12	1
Violent Offenses	136	179	204
Property Offenses	966	1,042	935
Domestic Violence Reports	282	337	252
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	219	288	267
Violent Offenses	68	114	84
Alcohol Offenses	10	12	9
Drug Offenses	17	33	17
Status OffensesTotal	558	472	409
Truancy	270	240	185
Beyond Parental Control	12	12	12
Habitually Absent from Home	21	13	19
Injurious Behavior	255	207	193
Abuse/Neglect/CustodyTotal	562	382	365
Abuse	298	248	185
Neglect	257	132	170
Custody Disputes	7	2	10
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	66	70	70
Parental Alcohol Use Related	1	6	2
Parental Drug Use Related	23	9	22
Parental Alcohol and Drug Use	0	9	4
Child Removed for Other Reason	42	46	42
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	11	1	0
Probation/Parole AdmissionsTotal	193	190	231
Probation/Parole AdmissionsDrug	66	56	62
Probation/Parole AdmissionsDWI	2	2	9
Prison AdmissionsTotal	92	98	98
Prison AdmissionsDrug	24	23	25

^{*} An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

PULASKI COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	8	12	8
CSTAR Women and Children	15	23	17
CSTAR General Adult	34	21	9
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	21	20	19
Primary Recovery Treatment	40	68	101
Clinical SATOP (CIP, YCIP, SROP)	29	28	21
Other Substance Abuse Treatment	0	0	33

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	219	241	203
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	106	101	98
- Weekend Intervention Program	41	60	57
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	9	8	5
- Compulsive Gambling	0	0	0
- Recovery Supports	*	7	10
- Early Intervention	0	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	83	92	122	Never Married	64	80	85
Female	43	56	55	Married / Cohabitating	32	38	53
				Previously Married	30	29	39
AGE							
Under 18	8	12	8	PRIMARY DRUG PROBLEM			
18 to 24	17	27	48	Alcohol	54	60	73
25 to 29	28	40	42	Marijuana / Hashish	13	26	37
30 to 34	27	25	21	Cocaine (total)	*	7	6
35 to 39	11	18	19	- Crack	*	*	
40 to 44	6	8	11	Stimulant (total)	17	17	15
45 to 54	22	16	20	- Methamphetamine	16	16	14
55 and Over	7	*	8	Heroin	21	23	30
RACE / ETHNICITY				Analgesic except Heroin	15	13	13
Caucasian	109	124	148	- Non-Prescription Methadone	*	0	0
African American	7	14	14	PCP, LSD, other Hallucinogen	*	0	*
Native American / Alaskan	0	0	0	Tranquilizer	*	*	0
Asian / Pacific Islander	0	*	*	Inhalant	0	*	0
Hispanic	*	*	5	Sedative	0	0	*
Other Race / Two or More Races	8	7	12	Other Medication or Illicit Drug	0	0	0
Calci Nacci Nicio Nacci	· ·	,	12	Average Age at First Use of Drug	19.2	17.8	17.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	31	53	58	Any Injection Use at Admission	26	34	33
High School Graduate or G.E.D.	68	68	76	- Daily Injection Use	12	11	14
Associate Degree or Some College	25	26	40	- Weekly Injection Use	9	13	8
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	5	10	11
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	35	45	51	Self / Family / Friend	35	41	44
Unemployed	43	56	79	School	*	0	0
Not in Labor Force	48	47	47	Mental Health Provider	*	*	5
				Health Care Provider	6	*	7
LIVING ARRANGEMENT				Court / Criminal Justice	68	84	113
Independent Living	103	126	159	Other Referral Source	14	16	8
Dependent Living	16	18	12				
Homeless	5	*	6	SPECIAL POPULATIONS	*	*	_
				Pregnant when Admitted to any Episode			6
LIFETIME DUI / DWI ARRESTS				Military Veteran	15	11	8
0	56	84	107	Special Education Services Needed	10	11	23
1 or 2	42	42	47	Co-Occurring Psychological Problem	35	53	46
3 or More	28	22	23	Co-Occurring Developmental Problem	*	8	14

PULASKI COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 11 52,274 2011 POP. ESTIMATE 53,175

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 5 7 **Anxiety Disorder** 81 85 61 Dementia 0 0 **Developmental Disorder** Impulse Control Disorder 32 34 23 **Mood Disorder** 187 172 138 Personality Disorder 6 17 15 **Psychotic Disorder** 22 31 25 Sexual Disorder 0 Other Diagnosis 34 33 23

26

42

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	276	278	233	Hearing Impaired	15	17	6
Male	114	118	96	Past or Current Military Service	7	6	5
Female	162	160	137	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	70	61	6
Under 6	*	*	*	Dependent Living	5	31	*
6 to 9	13	13	8	Homeless	0	0	0
10 to 13	33	26	19	Other	0	*	*
14 to 17	31	29	30	Housing Unknown	201	183	222
18 to 24	26	31	21	EMPLOYMENT			
25 to 29	20	23	17	Employed	*	9	*
30 to 34	20	26	19	Unemployed	70	57	7
35 to 39	23	17	18	Not in Labor Force	*	*	0
40 to 44	15	19	22	Employment Status Unknown	201	210	225
45 to 49	32	31	19	Employment Status Officiown	201	210	223
50 to 54	26	24	16	ARRESTS			
55 to 59	20	17	22	Arrested in Past 12 Months	8	9	*
60 and Over	15	17	22	Not Arrested in Past 12 Months	67	86	9
oo and over	15	19	21	Arrest Status Unknown	201	183	222
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	238	245	207	Self / Family / Friend	188	166	134
African American	15	19	14	School	100	100	134
Native American / Alaskan	*	0	0	Mental Health Provider	21	21	21
Asian / Pacific Islander	*	*	*	Health Care Provider			
Hispanic	5	*	*	Court / Criminal Justice	29 6	32	22 20
Other Race	12	8	7	Other	-	24	_
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	30 0	33	34
				Referral Source Offichiown	U	U	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	30	27	*	Voluntary	273	257	212
High School Grad or G.E.D.	28	28	*	Civil	*	20	20
A.A. Degree or Some College	11	10	*	Criminal	0	*	*
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	0	0	0
Education Level Unknown	203	210	225	Commitment Type Unknown	0	0	0

PULASKI COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	<i>S</i>	SUICIDE Percent	of studen	ts who in	the nact	12 months	·•	(%)
Were very sad		23.7	,	Percent of students who, in the past 12 months: Seriously considered attempting suicide						13.6
Were grouchy, irritable, or in a bad mood		30.5			_				uicide	10.0
Felt hopeless about the future	12.9		Made a plan about how they would attempt suicide Attempted suicide						7.2	
Felt like not eating or eating more than usual	22.4 Had a suicide attempt that resulted in injury or overdose that had to									
Slept a lot more or a lot less than usual		24.5	5			doctor or		, ,		
Had difficulty concentrating on school work		30.3	3							
			F		OUSNES					
FIGHTING						ts who ag				00.0
Percent of students who, in the past 12 months:		00.0				s that get		-		33.2
Were in a physical fight		29.2		_			_		nake people mad	19.8
Were in a fight and had to be treated by a doctor or nurse		6.8			-		-	permissio	n	13.5
Were threatened or injured with a weapon on school proper	ту	10.2	<u>′</u>			okay to ch			•	35.0
BULLYING VICTIM				IL IS OK	ay to beat	up peopi	e ii iney s	start a fight		59.4
Percent of students who, in the past 3 months:			S	CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		29.4					ree with t	he followin	ng:	
Were victims of mean rumors or lies spread at school		54.9)	Teache	ers notice	and com	ment on s	student's g	ood work	59.4
Had embarrassing or hurtful pictures/text of them posted on	internet	18.4	ļ	School	provides	feedback	to paren	ts on posit	ive student perform	ance 31.4
Had embarrassing or hurtful pictures/text of them sent by ce	ell phone	20.0)	Teache	ers praise	student fo	or hard w	ork		43.5
Were made fun of by others		59.0)	Rules	are enforc	ed fairly				49.3
DUI / //NO DEDDDETD / TOD				Studen	ts of all ra	aces and	ethnicities	s are treate	ed equally	72.9
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:			_	140 <i>5</i> 1/ 5	DE: 47:0	24/0				
Shoved, slapped, hit, or kicked a student in a serious mann	or	28.0			RELATIC of studen		roo with t	he followin	aa.	
Spread mean rumors or lies about other kids at school	CI .	26.9				_			-	74.4
Posted on internet embarrassing or hurtful pictures/text of someone			3	Parents notice and comment on student's good work Parents involve student in making family decisions						
Sent by cell phone embarrassing or hurtful pictures/text of someone			3					-		65.4 ces 81.2
Made fun of other people				It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem						70.7
Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cigarettes	36.9	18.9	60.6	65.9	76.8	84.8	69.2	15.6	12.47	
Chewing Tobacco	24.7	12.5								
Alcohol	55.2	25.9	64.5	64.4	62.0	70.5	47.9	18.7	12.43	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		16.9								
Marijuana	22.7	12.5	44.1	51.0	65.6	87.9	72.9	29.3	13.32	
Inhalants	7.7	3.9							12.40	
Illicit drugs such as cocaine, LSD, meth, club drugs			23.1	29.3	91.6	96.3	89.7	37.9		
Over-the-counter medications for non-medical use	13.3	10.5		60.1	74.5	92.9	83.3			
Prescription drugs not prescribed for student	15.2	8.5		40.4	81.4	93.3	84.7			
Heroin	4.2									
Cocaine	4.4									
Methamphetamine	2.0									
Hallucinogens	3.5									
Club drugs such as ecstasy, GHB, roofle, or Special K	5.7		\	alabe to						- 40 44
Synthetic drugs such as K2, bath salts, Spice	9.4		ata are w	eianted in	comparis	son to cou	unty popu	liation estir	mates for age group	S 1U-14
Steroids not prescribed for student	2.6		nd 15-19,							

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

PUTNAM COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 13 171 4,979 4,978



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	57	55	53
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	13	20	12
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	0	0
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	56	51	80
Suicides	2	1	0
Self-inflicted Injuries	0	0	2
Homicides	0	0	1
Assault Injuries	8	8	1
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	0	0
Smoking Induced Deaths	9	10	13
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	33	13	21
Direct Hospitalizations	14	5	10
Emergency Room Hospitalizations	4	6	4
Emergency Room Outpatient	15	2	7
Drug RelatedTotal	28	15	24
Direct Hospitalizations	12	3	9
Emergency Room Hospitalizations	6	2	3
Emergency Room Outpatient	10	10	12
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	2	4	5
Fatal Crashes	0	0	0
Injury Crashes	1	2	5
Property Damage Crashes	1	2	0
Crash Fatalities	0	0	0
Crash Injuries	2	1	6
Drug Involved CrashesTotal	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	2,385	2,390	2,492
Employed	2,224	2,209	2,304
Unemployed	161	181	188
Unemployment Rate	6.8%	7.6%	7.5%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	3	2	2
Alcohol Package Carry-out Licenses	8	7	8
- · ·	-		-

■ Female	■ Male	822	8
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	228	231	232
Drop-outs	3	4	2
Drop-out Rate	1.3%	1.7%	0.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	1	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	23	6	17
Liquor Law Arrests	5	3	0
Drug Arrests	7	7	6
Methamphetamine Lab Incidents	1	1	0
Violent Offenses	8	1	3
Property Offenses	22	20	28
Domestic Violence Reports	13	1	3
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	11	10	18
Violent Offenses	6	3	1
Alcohol Offenses	1	0	0
Drug Offenses	0	0	0
Status OffensesTotal	8	11	8
Truancy	3	2	0
Beyond Parental Control	1	1	6
Habitually Absent from Home	0	2	0
Injurious Behavior	4	6	2
Abuse/Neglect/CustodyTotal	36	23	24
Abuse	19	9	12
Neglect	17	14	12
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	9	5	5
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	0	2	0
Parental Alcohol and Drug Use	0	2	0
Child Removed for Other Reason	8	1	5
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	8	10	9
Probation/Parole AdmissionsTotal	36	34	40
Probation/Parole AdmissionsDrug	8	7	10
Probation/Parole AdmissionsDWI	1	2	7
Prison AdmissionsTotal	23	21	14
Prison AdmissionsDrug	1	5	2
Prison AdmissionsDWI	1	1	3

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

PUTNAM COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	31	14	11
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	*	*
Primary Recovery Treatment	*	24	26
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	13	11	18
- Adolescent Diversion Education Program	*	0	5
- Offender Education Program	*	*	5
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	*	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	7	*
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	20	28	31	Never Married	21	22	20
Female	17	11	13	Married / Cohabitating	7	11	8
				Previously Married	9	6	16
AGE	*	*	*				
Under 18				PRIMARY DRUG PROBLEM	4-		0.4
18 to 24	13	14	9	Alcohol	17	22	24
25 to 29		7	5	Marijuana / Hashish	10	11	12
30 to 34	6	*	5 *	Cocaine (total)	0		*
35 to 39	*	*		- Crack	0	0	0
40 to 44			8	Stimulant (total)	6		5
45 to 54	6	6	8	- Methamphetamine	5	*	5
55 and Over	*	*	*	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	*	0
Caucasian	36	37	42	- Non-Prescription Methadone	0	0	0
African American	0	*	*	PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan	0	0	0	Tranquilizer	*	*	0
Asian / Pacific Islander	*	0	0	Inhalant	0	0	0
Hispanic	0	0	0	Sedative	0	0	*
Other Race / Two or More Races	0	*	*	Other Medication or Illicit Drug	0	0	*
	ŭ			Average Age at First Use of Drug	15.7	17.1	15.8
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	17	11	10	Any Injection Use at Admission	*	*	*
High School Graduate or G.E.D.	16	24	26	- Daily Injection Use	*	0	0
Associate Degree or Some College	*	*	7	- Weekly Injection Use	*	0	0
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	10	13	14	Self / Family / Friend	12	*	5
Unemployed	15	20	21	School	0	0	0
Not in Labor Force	12	6	9	Mental Health Provider	*	*	*
				Health Care Provider	0	0	0
LIVING ARRANGEMENT				Court / Criminal Justice	16	32	29
Independent Living	33	37	37	Other Referral Source	7	*	8
Dependent Living	*	*	5				
Homeless	0	*	0	SPECIAL POPULATIONS	_	_	_
				Pregnant when Admitted to any Episode	0	0	0
LIFETIME DUI / DWI ARRESTS				Military Veteran	*	*	*
0	24	28	16	Special Education Services Needed	*		*
1 or 2	11	7	18	Co-Occurring Psychological Problem	9	10	9
3 or More	*	*	10	Co-Occurring Developmental Problem	*	0	0

PUTNAM COUNTY



ADA/CPS REGION Northwest CPS SERVICE AREA 13 **CENSUS 2010** 4,979 **2011 POP. ESTIMATE** 4,978

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder **Anxiety Disorder** 20 15 33 Dementia 0 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 5 6 5 **Mood Disorder** 27 29 34 Personality Disorder 7 9 10 **Psychotic Disorder** 9 8 9 Sexual Disorder 0

0

0

10

8

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	45	49	60	Hearing Impaired	*	0	0
Male	22	23	23	Past or Current Military Service	*	*	*
Female	23	26	37				
				HOUSING / LIVING ARRANGEMENT			_
AGE				Independent Living	23	16	7
Under 6	0	0	0	Dependent Living	*	*	*
6 to 9	*	*	*	Homeless	0	0	0
10 to 13	*	*	*	Other	0	0	0
14 to 17	*	*	*	Housing Unknown	21	31	52
18 to 24	*	6	6	EMPLOYMENT			
25 to 29	5	6	8	Employed	*	*	*
30 to 34	6	9	11	Unemployed	19	14	5
35 to 39	*	*	6	Not in Labor Force	*	*	0
40 to 44	6	*	5	Employment Status Unknown	21	32	53
45 to 49	*	6	9	4005070			
50 to 54	6	*	*	ARRESTS Arrested in Past 12 Months	_	*	
55 to 59	5	*	0		5		
60 and Over	*	*	5	Not Arrested in Past 12 Months Arrest Status Unknown	19	15	7
				Arrest Status Unknown	21	31	52
RACE / ETHNICITY				TOTATMENT DECEDDAL COURSE			
Caucasian	44	47	58	TREATMENT REFERRAL SOURCE Self / Family / Friend	40	04	04
African American	0	0	0	School	18	21	21
Native American / Alaskan	0	0	0	Mental Health Provider	0 10	0	0 13
Asian / Pacific Islander	0	0	0	Health Care Provider	7	13	
Hispanic	0	*	*	Court / Criminal Justice	, 5	7	17
Other Race	*	*	*	Other	3 *	*	-
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	*	*	5 *
				Relettal Source Officiowit			
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	*	*	*	Voluntary	43	48	59
High School Grad or G.E.D.	15	11	*	Civil	0	0	0
A.A. Degree or Some College	*	*	*	Criminal	*	0	0
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	0	0	0
Education Level Unknown	21	32	53	Commitment Type Unknown	*	*	*

PUTNAM COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Parcant i	of ctudon	tswho in	tha nact	12 months		(%)
Were very sad		31.4				ered atter	-		•	17.1
Were grouchy, irritable, or in a bad mood		33.3			•				uleldo	15.9
Felt hopeless about the future	15.9		Made a plan about how they would attempt suicide Attempted suicide						5.8	
Felt like not eating or eating more than usual		28.6		Attempted suicide Had a suicide attempt that resulted in injury or overdose that had to						0.0
		36.2				doctor or		iii iiijui y oi	overdose mai nad to	0.0
Slept a lot more or a lot less than usual				DC ti	calca by	doctor or	iiuisc			
Had difficulty concentrating on school work		32.9	R	EBELLIC	OUSNES	s				
FIGHTING				Percent of	of studen	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		50.7
Were in a physical fight		21.4							ake people mad	30.9
Were in a fight and had to be treated by a doctor or nurse		4.3		-			-	permissio		8.6
Were threatened or injured with a weapon on school proper	tv	8.7			-	okay to ch	-	-		37.7
, , , , , , , , , , , , , , , , , , , ,	•					-		tart a fight		75.4
BULLYING VICTIM					•		•			
Percent of students who, in the past 3 months:				CHOOL .						
Were shoved, slapped, hit, or kicked in a serious manner		42.9				_		he followin	-	
Were victims of mean rumors or lies spread at school		54.3						tudent's go		68.6
Had embarrassing or hurtful pictures/text of them posted on	internet	26.1		School	provides	feedback	to parent	s on positi	ve student performance	34.8
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	33.3		Teache	rs praise	student fo	or hard w	ork		55.1
Were made fun of by others		60.0		Rules a	ire enforc	ed fairly				52.9
				Studen	ts of all ra	aces and e	ethnicities	are treate	ed equally	94.1
BULLYING PERPRETRATOR			_							
Percent of students who, in the past 3 months:	_	20.0		ARENT				h a fallanda		
Shoved, slapped, hit, or kicked a student in a serious manne	ei .	38.6 26.1				-		he followin	-	70.0
Spread mean rumors or lies about other kids at school			Parents notice and comment on student's good work							78.3
Posted on internet embarrassing or hurtful pictures/text of someone			Parents involve student in making family decisions							51.4
Sent by cell phone embarrassing or hurtful pictures/text of someone			It is important to be honest with parents regardless of consequences						74.3 62.3	
Made fun of other people		58.0	Student could ask parent for help with a personal problem							
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	_	_		_			_		3 C >	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Nho	\$	교	\$	hen N	hey	\$	실	Among st used sub: first used	
	ha	ha	se c	Sa	bel Sel	sa) use	æ	g ≢	ng :	
	/e e	/e u	12		es ie	pa / pa	₹	SS X	stud bsta	
	Ver	Se l	<u>≅</u> 8				2	'은 <u>약</u>	ent	
	_	0	= =	<u>S</u>	# #	<u>e</u>	2	→ "		
	l SE	i i	frier	would b	Who believe they rithemselves if they	ents w	ould b	ht by	e, av	
	used s	d in the	Whose closest friends the past 12 months	would be ea	they risk I If they use	ents would	ould be w	s in their ht by po	s who h	
	used subs	d in the pas	: friends hav	would be easy	they risk harr If they use	ents would di:	ould be wron	s in their neight by police	s who have	
	used substanc	d in the past 30	: friends have us onths	would be easy to g	they risk harming if they use	ents would disapp	ould be wrong to	s in their neighbo ht by police for	s who have evo	
	Who have ever used substance	Who have used in the past 30 day	nds have used	Who say it would be easy to get	Who believe they risk harming themselves if they use	ents would disapprov	ould be wrong to use	Who think kids in their neighborho would be caught by police for usir	Among students who have ever used substance, average age who first used	
	used substance	d in the past 30 days	friends have used in onths	would be easy to get	they risk harming if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	s in their neighborhood ht by police for using	s who have ever	
Cigarettes	used substance	d in the past 30 days	•	would be easy to get	they risk harming 48.6	ents would disapprove if 80.9	ould be wrong to use	hood	s who have ever average age when 12.00	
Cigarettes Chewing Tobacco	38.6	15.9	<u>p</u>		isk harming use	==		ht by police for using	hen	
Chewing Tobacco	38.6 22.9	15.9 22.9	78.6	88.2	isk harming 48.6	80.9	62.3	7.2	12.00	
Chewing Tobacco Alcohol	38.6	15.9 22.9 24.3	<u>p</u>		isk harming use	==		hood	hen	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	38.6 22.9 61.4	15.9 22.9 24.3 14.3	78.6	88.2	tsk harming 48.6	80.9	62.3	7.2 14.3	12.00 11.77	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	38.6 22.9 61.4	15.9 22.9 24.3 14.3 4.3	78.6	88.2	isk harming 48.6	80.9	62.3	7.2	12.00 11.77 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	38.6 22.9 61.4	15.9 22.9 24.3 14.3	78.6 84.3 50.7	88.2 77.9 63.8	48.6 56.5 59.4	80.9 66.7 91.4	62.3 37.7 78.3	7.2 14.3 27.1	12.00 11.77	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	38.6 22.9 61.4 11.4 10.0	15.9 22.9 24.3 14.3 4.3 2.9	78.6	88.2 77.9 63.8 39.7	48.6 56.5 59.4 81.2	80.9 66.7 91.4 92.6	62.3 37.7 78.3 87.0	7.2 14.3	12.00 11.77 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	38.6 22.9 61.4 11.4 10.0	15.9 22.9 24.3 14.3 4.3 2.9	78.6 84.3 50.7	88.2 77.9 63.8 39.7 66.2	48.6 56.5 59.4 81.2 67.1	80.9 66.7 91.4 92.6 95.6	62.3 37.7 78.3 87.0 80.3	7.2 14.3 27.1	12.00 11.77 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	38.6 22.9 61.4 11.4 10.0 14.5 24.6	15.9 22.9 24.3 14.3 4.3 2.9	78.6 84.3 50.7	88.2 77.9 63.8 39.7	48.6 56.5 59.4 81.2	80.9 66.7 91.4 92.6	62.3 37.7 78.3 87.0	7.2 14.3 27.1	12.00 11.77 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	38.6 22.9 61.4 11.4 10.0 14.5 24.6 1.4	15.9 22.9 24.3 14.3 4.3 2.9	78.6 84.3 50.7	88.2 77.9 63.8 39.7 66.2	48.6 56.5 59.4 81.2 67.1	80.9 66.7 91.4 92.6 95.6	62.3 37.7 78.3 87.0 80.3	7.2 14.3 27.1	12.00 11.77 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	38.6 22.9 61.4 11.4 10.0 14.5 24.6 1.4	15.9 22.9 24.3 14.3 4.3 2.9	78.6 84.3 50.7	88.2 77.9 63.8 39.7 66.2	48.6 56.5 59.4 81.2 67.1	80.9 66.7 91.4 92.6 95.6	62.3 37.7 78.3 87.0 80.3	7.2 14.3 27.1	12.00 11.77 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	38.6 22.9 61.4 11.4 10.0 14.5 24.6 1.4 1.5	15.9 22.9 24.3 14.3 4.3 2.9	78.6 84.3 50.7	88.2 77.9 63.8 39.7 66.2	48.6 56.5 59.4 81.2 67.1	80.9 66.7 91.4 92.6 95.6	62.3 37.7 78.3 87.0 80.3	7.2 14.3 27.1	12.00 11.77 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	38.6 22.9 61.4 11.4 10.0 14.5 24.6 1.4 1.5 1.4	15.9 22.9 24.3 14.3 4.3 2.9	78.6 84.3 50.7	88.2 77.9 63.8 39.7 66.2	48.6 56.5 59.4 81.2 67.1	80.9 66.7 91.4 92.6 95.6	62.3 37.7 78.3 87.0 80.3	7.2 14.3 27.1	12.00 11.77 13.27	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	38.6 22.9 61.4 11.4 10.0 14.5 24.6 1.4 1.5 1.4 5.9	15.9 22.9 24.3 14.3 4.3 2.9 12.9 14.5	78.6 84.3 50.7 26.1	88.2 77.9 63.8 39.7 66.2 42.6	48.6 56.5 59.4 81.2 67.1 72.5	80.9 66.7 91.4 92.6 95.6 92.8	62.3 37.7 78.3 87.0 80.3 85.5	7.2 14.3 27.1 37.1	12.00 11.77 13.27 13.05	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	38.6 22.9 61.4 11.4 10.0 14.5 24.6 1.4 1.5 1.4	15.9 22.9 24.3 14.3 4.3 2.9 12.9 14.5	78.6 84.3 50.7 26.1	88.2 77.9 63.8 39.7 66.2 42.6	48.6 56.5 59.4 81.2 67.1 72.5	80.9 66.7 91.4 92.6 95.6 92.8	62.3 37.7 78.3 87.0 80.3 85.5	7.2 14.3 27.1 37.1	12.00 11.77 13.27	14

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

RALLS COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 15 FIPS COUNTY CODE 173 CENSUS 2010 10,167 2011 POP. ESTIMATE 10,281

2011 POPULATION PROFILE BY AGE GROUP 500 400 300 200 100

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	101	105	116
Mother Reported Drinking while Pregnant 1		1	0
Mother Reported Smoking while Pregnant	20	25	23
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	78	77	98
Suicides	2	0	2
Self-inflicted Injuries	10	5	13
Homicides	0	1	0
Assault Injuries	10	11	21
Alcohol Induced Deaths	4	1	0
Drug Induced Deaths	1	0	0
Smoking Induced Deaths	15	15	14
•			
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	60	44	59
Direct Hospitalizations	28	15	9
Emergency Room Hospitalizations	20	21	29
Emergency Room Outpatient	12	8	21
Drug RelatedTotal	30	33	35
Direct Hospitalizations	15	9	6
Emergency Room Hospitalizations	10	19	20
Emergency Room Outpatient	5	5	9
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	16	14	19
Fatal Crashes	0	0	1
Injury Crashes	6	7	14
Property Damage Crashes	10	7	4
Crash Fatalities	0	0	1
Crash Injuries	8	8	23
Drug Involved CrashesTotal	0	1	2
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	1	1
EMPLOYMENT	2011	2010	2009
Labor Force	5,725	5,576	5,723
Employed	5,303	5,111	5,225
Unemployed	422	465	498
Unemployment Rate	7.4%	8.3%	8.7%
	,•		
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	14	15	15
Alcohol Package Carry-out Licenses	20	19	22

SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	247	256	278
Drop-outs	11	3	4
Drop-out Rate	4.5%	1.2%	1.4%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	3
Drug Incidents	1	0	C
Tobacco Incidents	0	0	C
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	36	34	31
Liquor Law Arrests	2	1	2
Drug Arrests	10	9	4
Methamphetamine Lab Incidents	23	14	25
Violent Offenses	11	21	30
Property Offenses	186	136	165
Domestic Violence Reports	46	40	23
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	47	37	23
Violent Offenses	10	5	4
Alcohol Offenses	2	2	1
Drug Offenses	1	1	2
Status OffensesTotal	35	30	15
Truancy	10	13	7
Beyond Parental Control	0	0	0
Habitually Absent from Home	2	3	2
Injurious Behavior	23	14	6
Abuse/Neglect/CustodyTotal	17	14	1
Abuse	3	1	1
Neglect	14	13	0
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	5	5	5
Parental Alcohol Use Related	0	3	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	5	2	5
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	38	41	38
Probation/Parole AdmissionsDrug	11	9	14
Probation/Parole AdmissionsDWI	3	1	3
Prison AdmissionsTotal	28	19	28
Prison AdmissionsDrug	10	4	10
Prison AdmissionsDWI	1	0	2

- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	8	6	9
CSTAR Women and Children	*	*	7
CSTAR General Adult	*	*	6
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	7	8	11
Primary Recovery Treatment	34	30	43
Clinical SATOP (CIP, YCIP, SROP)	*	10	*
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	31	34	28
- Adolescent Diversion Education Program	6	5	*
- Offender Education Program	12	10	*
- Weekend Intervention Program	10	5	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	6	*
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	42	39	46	Never Married	28	33	39
Female	7	16	18	Married / Cohabitating	12	9	14
				Previously Married	9	13	11
AGE							
Under 18	9	8	14	PRIMARY DRUG PROBLEM			
18 to 24	11	16	11	Alcohol	20	22	31
25 to 29	7	9	13	Marijuana / Hashish	17	23	27
30 to 34	7	7	6	Cocaine (total)			*
35 to 39	*	6	*	- Crack	*	0	0
40 to 44	*		6	Stimulant (total)	5	*	*
45 to 54	8	6	11	- Methamphetamine	5	*	*
55 and Over	*	*	*	Heroin	*	*	0
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	45	53	62	- Non-Prescription Methadone	0	0	0
African American	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	*	*	0
Asian / Pacific Islander	0	0	0	Inhalant	*	0	0
Hispanic	*	0	*	Sedative	0	0	0
Other Race / Two or More Races	0	0	0	Other Medication or Illicit Drug	0	*	0
				Average Age at First Use of Drug	15.7	16.3	15.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	21	19	21	Any Injection Use at Admission	*	*	0
High School Graduate or G.E.D.	23	30	40	- Daily Injection Use	0	0	0
Associate Degree or Some College	*	5	*	- Weekly Injection Use	*	*	0
Bachelor or Advanced Degree	*	*	0	- Less than Weekly Injection Use	*	*	0
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	12	20	20	Self / Family / Friend	10	6	7
Unemployed	21	19	16	School	0	0	*
Not in Labor Force	16	16	28	Mental Health Provider	0	0	0
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	31	48	50
Independent Living	38	40	46	Other Referral Source	7	0	5
Dependent Living	11	14	15	CDECIAL DODULATIONS			
Homeless	0	*	*	SPECIAL POPULATIONS Prognant when Admitted to any Enjands	*	*	0
LIFETIME DUI / DWI ARRESTS				Pregnant when Admitted to any Episode Military Veteran	*	*	0
0	23	33	34	Special Education Services Needed	5	11	7
1 or 2	23 16	33 16	3 4 16	Co-Occurring Psychological Problem	5 15	18	7 17
3 or More			_		15	18	1 <i>1</i>
3 OF MOTO	10	6	14	Co-Occurring Developmental Problem			

RALLS COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 15 **CENSUS 2010** 10,167 **2011 POP. ESTIMATE** 10,281

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 **Anxiety Disorder** 9 10 6 Dementia 0 0 0 **Developmental Disorder** 0 Impulse Control Disorder 15 9 9 **Mood Disorder** 40 47 48 Personality Disorder 5 **Psychotic Disorder** 13 15 12 Sexual Disorder 0 0 0 Other Diagnosis 6 0 Diagnosis Unknown

15

19

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	79	88	93	Hearing Impaired	*	*	*
Male	41	40	44	Past or Current Military Service	*	*	*
Female	38	48	49	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	24	24	15
Under 6	*	*	0	Dependent Living	10	14	13
6 to 9		*	0	Homeless	0	*	0
10 to 13	5	*	*	Other	*	*	0
	8			Housing Unknown	43	48	65
14 to 17		6	6	EMBL OVMENT			
18 to 24	8	8	14	EMPLOYMENT	_	_	
25 to 29	9	15	7	Employed	7	5	6
30 to 34	8	10	19	Unemployed	24	32	20
35 to 39	5	7	5	Not in Labor Force	5	*	*
40 to 44	10	10	8	Employment Status Unknown	43	49	66
45 to 49	13	12	11	ARRESTS			
50 to 54	*	8	9	Arrested in Past 12 Months	*	7	5
55 to 59	*	*	*	Not Arrested in Past 12 Months	33	33	23
60 and Over	*	5	5	Arrest Status Unknown	43	48	65
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	78	82	90	Self / Family / Friend	20	44	
African American	*	*	*	School	28		55
Native American / Alaskan	0	0	0			0	0
Asian / Pacific Islander	0	0	0	Mental Health Provider	9	9	8
Hispanic	0	0	0	Health Care Provider	*	*	
Other Race	0	*	*	Court / Criminal Justice			6
Race/Ethnicity Unknown	0	0	0	Other	35	27	21
·				Referral Source Unknown	*	*	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	10	13	9	Voluntary	77	84	87
High School Grad or G.E.D.	20	20	13	Civil	0	*	5
A.A. Degree or Some College	5	6	6	Criminal	*	0	*
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	43	49	65	Commitment Type Unknown	*	*	0

RANDOLPH COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 12 FIPS COUNTY CODE 175 CENSUS 2010 25,414 2011 POP. ESTIMATE

25,346

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	323	320	318
Mother Reported Drinking while Pregnant ¹		1	3
Mother Reported Smoking while Pregnant	102	87	87
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	257	247	282
Suicides	3	5	4
Self-inflicted Injuries	28	46	41
Homicides	1	0	0
Assault Injuries	97	122	132
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	1	5	4
Smoking Induced Deaths	47	36	43
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	248	230	194
Direct Hospitalizations	69	64	39
Emergency Room Hospitalizations	68	69	64
Emergency Room Outpatient	111	97	91
Drug RelatedTotal	221	213	187
Direct Hospitalizations	62	56	51
Emergency Room Hospitalizations	49	57	43
Emergency Room Outpatient	110	100	93
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	20	28	40
Fatal Crashes	0	1	1
Injury Crashes	10	18	19
Property Damage Crashes	10	9	20
Crash Fatalities	0	1	1
Crash Injuries	10	19	24
Drug Involved CrashesTotal	7	9	7
Fatal Crashes	0	0	0
Injury Crashes	3	5	4
Property Damage Crashes	4	4	3
Crash Fatalities	0	0	0
Crash Injuries	5	7	3
EMPLOYMENT	2011	2010	2009
Labor Force	12,640	12,660	13,216
Employed	11,459	11,400	11,802
Unemployed	1,181	1,260	1,414
Unemployment Rate	9.3%	10.0%	10.7%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	33	30	28
Alcohol Package Carry-out Licenses	23	24	24

2	011 POPU	LATION PROFILE	BY AG	E GROU	JP —		
	1,200 -				-		
	900 -		ΗН	ш	100		
	600 -	4444	н	н			
_	300 -		НН				n.t
	0 -		-	-			
		4 4 4 5 4 6 5 4 6 5 4 6 5 6 6 6 6 6 6 6	8, 8, 8, 8, 8, 8, 8, 8, 8, 8, 8, 8, 8, 8	2 6 6 F	5 6 5 6 5 6 5 6 6		\$ 55°
ı			■ Fe	male 🔳	Male		
S	CHOOL	REPORTS			2010-2011	2009-2010	2008-2009
	Enrollmen	t Grades 9-12			1,211	1,164	1,182
	Drop-ou	ts			21	21	40

SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,211	1,164	1,182
Drop-outs	21	21	40
Drop-out Rate	1.7%	1.8%	3.4%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	C
Drug Incidents	6	12	8
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	181	205	238
Liquor Law Arrests	44	73	1
Drug Arrests	129	113	19
Methamphetamine Lab Incidents	8	8	C
Violent Offenses	34	35	7
Property Offenses	704	661	91
Domestic Violence Reports	170	145	16
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	336	402	359
Violent Offenses	75	77	98
Alcohol Offenses	9	5	8
Drug Offenses	12	16	7
Status OffensesTotal	389	363	369
Truancy	140	97	137
Beyond Parental Control	46	52	46
Habitually Absent from Home	33	27	36
Injurious Behavior	170	187	150
Abuse/Neglect/CustodyTotal	135	161	201
Abuse	56	50	61
Neglect	79	109	139
Custody Disputes	0	2	1
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	42	62	40
Parental Alcohol Use Related	1	0	C
Parental Drug Use Related	9	15	7
Parental Alcohol and Drug Use	0	0	2
Child Removed for Other Reason	32	47	31
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	30	22	24
Probation/Parole AdmissionsTotal	325	314	362
Probation/Parole AdmissionsDrug	95	94	103
Probation/Parole AdmissionsDWI	29	29	26
Prison AdmissionsTotal	180	177	219
Prison AdmissionsDrug	53	69	65
Prison AdmissionsDWI	15	16	23

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

RANDOLPH COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	29	24	29
CSTAR Women and Children	17	14	22
CSTAR General Adult	92	129	109
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	22	26	16
Primary Recovery Treatment	141	192	221
Clinical SATOP (CIP, YCIP, SROP)	23	23	26
Other Substance Abuse Treatment	0	*	23

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	117	165	171
- Adolescent Diversion Education Program	*	5	*
- Offender Education Program	36	69	57
- Weekend Intervention Program	25	42	51
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	5	9	*
- Compulsive Gambling	0	0	0
- Recovery Supports	16	68	31
- Early Intervention	11	10	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	201	264	285	Never Married	162	190	226
Female	80	91	101	Married / Cohabitating	59	82	77
	00	01	101	Previously Married	60	83	83
AGE				•	00	00	00
Under 18	35	23	29	PRIMARY DRUG PROBLEM			
18 to 24	58	75	91	Alcohol	101	144	168
25 to 29	51	84	73	Marijuana / Hashish	116	143	133
30 to 34	39	57	56	Cocaine (total)	17	26	40
35 to 39	31	33	41	- Crack	9	14	24
40 to 44	26	39	39	Stimulant (total)	29	23	18
45 to 54	35	33	48	- Methamphetamine	29	22	18
55 and Over	6	11	9	Heroin	0	*	*
RACE / ETHNICITY				Analgesic except Heroin	7	12	12
Caucasian	237	302	329	- Non-Prescription Methadone	0	0	0
African American	28	36	43	PCP, LSD, other Hallucinogen	6	0	0
Native American / Alaskan	0	*	0	Tranquilizer	*	*	5
Asian / Pacific Islander	*	0	*	Inhalant	*	*	*
Hispanic	7	9	9	Sedative	*	0	*
Other Race / Two or More Races	12	15	10	Other Medication or Illicit Drug	*	0	7
Other Nace / Two of More Naces	12	13	10	Average Age at First Use of Drug	16.2	15.8	16.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	131	124	149	Any Injection Use at Admission	10	18	14
High School Graduate or G.E.D.	116	179	184	- Daily Injection Use	*	*	0
Associate Degree or Some College	29	49	51	- Weekly Injection Use	0	7	*
Bachelor or Advanced Degree	5	*	*	- Less than Weekly Injection Use	7	8	12
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	73	122	128	Self / Family / Friend	53	52	40
Unemployed	120	144	161	School	0	*	0
Not in Labor Force	88	89	97	Mental Health Provider	*	*	5
				Health Care Provider	*	*	6
LIVING ARRANGEMENT				Court / Criminal Justice	199	284	304
Independent Living	198	301	326	Other Referral Source	26	15	30
Dependent Living	69	38	40	0050141 000111 4710110			
Homeless	5	*	*	SPECIAL POPULATIONS	*	*	
LIFETIME DI II / DI II / DD				Pregnant when Admitted to any Episode			6
LIFETIME DUI / DWI ARRESTS		400	40.4	Military Veteran	7	10	14
0	143	180	184	Special Education Services Needed	37	65	48
1 or 2	84	110	131	Co-Occurring Psychological Problem	103	113	106
3 or More	54	65	71	Co-Occurring Developmental Problem	13	15	14

RANDOLPH COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 12 CENSUS 2010 25,414 2011 POP. ESTIMATE 25,346

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 20 8 **Anxiety Disorder** 104 71 64 Dementia **Developmental Disorder** Impulse Control Disorder 28 19 28 **Mood Disorder** 176 124 161 Personality Disorder 17 30 11 **Psychotic Disorder** 45 39 45 Sexual Disorder 0 Other Diagnosis 8 12 11 Diagnosis Unknown 28 126

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	314	243	376	Hearing Impaired	6	*	9
Male	134	103	184	Past or Current Military Service	8	5	9
Female	180	140	192	·	•	_	_
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	133	49	23
Under 6	*	0	5	Dependent Living	29	37	15
6 to 9	13	7	28	Homeless	*	*	0
10 to 13	22	13	38	Other	7	*	0
14 to 17	24	27	54	Housing Unknown	144	153	338
18 to 24	44	20	31	EMPLOYMENT			
25 to 29	30	26	31	Employed	21	5	*
30 to 34	23	21	31	Unemployed	133	57	30
35 to 39	23	17	23	Not in Labor Force	16	*	*
40 to 44	19	19	23	Employment Status Unknown	144	179	343
45 to 49	44	35	38	4005050			
50 to 54	29	21	29	ARRESTS	00	40	4.4
55 to 59	21	14	21	Arrested in Past 12 Months	38	18	11
60 and Over	21	23	24	Not Arrested in Past 12 Months	132	70	27
				Arrest Status Unknown	144	155	338
RACE / ETHNICITY				TOGATMENT DESERVAL COURSE			
Caucasian	276	216	336	TREATMENT REFERRAL SOURCE	000	400	044
African American	22	17	22	Self / Family / Friend School	206	163	211
Native American / Alaskan	*	*	0	Mental Health Provider	0		40
Asian / Pacific Islander	0	0	0		29	35	40
Hispanic	*	0	*	Health Care Provider Court / Criminal Justice	37 25	13	35 62
Other Race	13	9	16	Other		16	_
Race/Ethnicity Unknown	0	0	*	Referral Source Unknown	17	14	25
				Referral Source Offichiown	0		
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	44	22	11	Voluntary	311	239	307
High School Grad or G.E.D.	94	33	20	Civil	*	*	67
A.A. Degree or Some College	25	6	*	Criminal	0	0	0
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	*	*	0
Education Level Unknown	150	180	343	Commitment Type Unknown	*	*	*

RANDOLPH COUNTY

2012 MISSOURI STUDENT SURVEY

Were very and of students who, in the plast 30 days: Were grounchy, Intaleb, or in a bad mood Felt hopeies about the future Felt high end eating or eating more than usual Felt like not eating or eating more than usual Had difficulty concentrating on school work Parcent of students who, in the past 12 months: Were will and had be breated by a doctor or murse Were will and had to be breated by a doctor or murse Were in a physical fight Were sin and play and had to be breated by a doctor or murse Were will and had to be breated by a doctor or murse Were will and had to be breated by a doctor or murse Were will and had to be breated by a doctor or murse Were will and had to be breated by a doctor or murse Were will make the past 31 months: Were showed, shapped, hit or incided in a serious manner Were victims of mean numors or like signed all school Were victims of mean numors or like signed all school Were will make the past 31 months: Were showed, shapped, hit or incided in a serious manner Were victims of mean numors or like signed all school Were will make the past 31 months: Were showed, shapped, hit or incided in a serious manner Were withins of nean numors or like signed all school Were made fun of by others BULLYING INCIDENT I	DEPRESSION		(%)	ક	SUICIDE						(%)
Were groutly, inflable, or in a bad mood 28.8 Made a plan about how they would attempt suicide 9.1 Fell the not eating or eating more than usual 18.8 Sept a licensor or a lot less than usual 21.2 Had difficulty concentrating on school work 24.9 Facent of students who, in the past 12 months: 24.2 Were in a right and had to be treated by a doctor or nurse 4.6 Were in a right and had to be treated by a doctor or nurse 4.6 Were the physical fight 24.2 Were	Percent of students who, in the past 30 days:			reicent of students who, in the past 12 months.						:	
Pet His not or along or eating more han usual 1.9					-		-			_	
For time not eating or eating nore than usual 21.2 bit and difficulty concentrating on school work 24.9 FIGHTIMG Were in a physical fight Were in a fight and had to be treated by a doctor or nurse Were stated by doctor or nurse Were stated by doctor or fight with a weapon on school property 7.8 Sometimes it is okely to cheat at school 22.2 It is okay to beat up people if they start a fight Solved NUCYIM Were fight on the past 3 months: Were stowed, slapped, lit, or kicked in a serious manner Were victime from ean nurners or lies sould only provide feetback to parents on positive student performance 43.4 Had embarrassing or hurtiful pictures/text of them posted on internet Had embarrassing or hurtiful pictures/text of someone Wore made fun of by others Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious manner Showed, slapped, lit, or kicked a student in a serious mann				•					uicide		
Select all more or a fall cless than usual Had difficulty concentrating on school work. ### ### ### ### ### ### ### ### ### #	•										
### REPELLOUSNESS Facement of students who, in the past 12 months: Were in a physical fight Were in a physical flight Were were defined that were presented of students Were solve in the past 3 months: Sent by cell phone embarrasing or hurtful pictures/reard of them sent by cell phone Were made fun of students who in the past 3 months: Showed, slipped, flit, or kized a student in a serious manner Spread mean rumors or lies about other idds at school Posted on internet embarrasing or hurtful pictures/fleat of sameone Were made fun of propile Were made fun of students who in the past 3 months: Sent by cell phone embarrasing or hurtful pictures/fleat of sameone Spread mean rumors or lies about other idds at school Posted on internet embarrasing or hurtful pictures/fleat of sameone Were made fun makes graphed flight Were of the past graphed fligh	Felt like not eating or eating more than usual	not eating or eating more than usual 16							in injury o	r overdose that had to	1.9
### REPLICUSINESS Percent of students who, in the past 12 months: Were in a fight and had to be treated by a doctor or nurse Were plant a fight and had to be treated by a doctor or nurse 4.6 It is okay to bate something without permission 6.2 Were threathened or injured with a weapon on school property 7.8 Sometimes it is okay to teach at school Percent of students who, in the past 3 months: ### SCHOOL RELATIONS	Slept a lot more or a lot less than usual		21.2	2 be treated by doctor or nurse							
Percent of students who, as the past 12 months: Percent of students who, is the past 12 months: Percent of students who, is the past 12 months: They do the opposite of what they're told to make people med 18.6	Had difficulty concentrating on school work		24.9								
Precond of Students who, in the past 12 months: Were in a physical flight Were introduced with a weapon on school properly It is keyl to be a possible with a physical flight Were introduced with a weapon on school properly It is keyl to be a physical flight Were introduced with a weapon on school properly It is keyl to be a physical flight Were introduced with in the past 3 months: School provides feetback to parents on positive student performance 4.1 School provides feetback to parents on budient's pod own's School provides feetback to parents on positive student performance 4.5 School provides feetback to parents on budient's pod own's Rules are enforced fairly School provides feetback to parents on positive student for hard work School provides feetback to parents on positive student for hard work School provides feetback to paren	TIQUE IN C			*				raa that:			
Were in a physical fight Were in a fight and had to be treated by a doctor or nurse Were threatened or injured with a weapon on school property 7.8 Sometimes It is okay to chear at school 22.2 BILLYING VICTIM Percent of students who, in the past 3 months: Were wichins of many nursor or lies spread at school Had embarrassing or hurtful pictures/lext of them posted on internet Had embarrassing or hurtful pictures/lext of them posted on internet Had embarrassing or hurtful pictures/lext of them posted on internet Had embarrassing or hurtful pictures/lext of them sent by cell phone Were made fun of by others BULLYING PERPERTRATOR Percent of students who, in the past 3 months: SULYING PERPERTRATOR Percent of students who, in the past 3 months: SULYING PERPERTRATOR Percent of students who, in the past 3 months: SULYING PERPERTRATOR Percent of students who, in the past 3 months: SULD YING PERPERTRATOR Percent of students who, in the past 3 months: SULYING PERPERTRATOR Percent of students who, in the past 3 months: SULYING PERPERTRATOR Percent of students who, in the past 3 months: SULYING PERPERTRATOR Percent of students who, in the past 3 months: SULYING PERPERTRATOR Percent of students who, in the past 3 months: SULYING PERPERTRATOR Percent of students who, in the past 3 months: SULD YING PERPERTRATOR Percent of students who, in the past 3 months: SULD YING PERPERTRATOR Percent of students who, in the past 3 months: SULD YING PERPERTRATOR Percent of students who, in the past 3 months: SULD YING PERPERTRATOR Percent of students who agree with the following: 23.7 Percent of students who agree with the following: 23.7 Percent of students who agree with the following: 23.8 Percent of students who agree with the following: 33.9 Percent of students who agree with the following: 34.8 Table Percent of students who agree with the following: 35.1 Students of all races and ethnicities are treated equally 35.1 Students of all races and ethnicities are treated equally 36.1 Students of all races and et							-		1014		10.6
Were threatened or injured with a weapon on school property ### Percent of Students who, in the past 3 months: Were victims of mean rumors or less spread at school Had embarrassing or hurtful pictureshed of them sent by cell phone Were witch of by others ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed on internet embarrassing or hurtful picturestext of someone ### Made fun of other people ### Bhatter Showed, slapped, hit, or kicked a sudient in a serious manner ### Showed on internet embarrassing or hurtful picturestext of someone ### Made fun of other people ### Bhatter Showed, slapped, hit, or kicked a sudient in a serious manner ### Bhatter Showed, slapped, hit, or kicked a sudient in a serious manner ### Bhatter Showed, slapped, hit, or kicked a sudient in a serious manner ### Bhatte	·		04.0						-	alia maanla mad	
Were showed, slapped, hit, or kicked in a serious manner Were victims of mean rumors or lies spread at school Had embarrassing or hurturity pictureshear of them posted on internet Had embarrassing or hurturity pictureshear of them posted on internet Had embarrassing or hurturity pictureshear of them posted on internet Had embarrassing or hurturity pictureshear of them posted on internet Had embarrassing or hurturity pictureshear of them posted on internet Had embarrassing or hurturity pictureshear of them posted on internet Had embarrassing or hurturity pictureshear of them sent by cell phone Had embarrassing or hurturity pictureshear of them sent by cell phone Had embarrassing or hurturity pictureshear of them sent by cell phone Had embarrassing or hurturity pictureshear of them sent by cell phone Had embarrassing or hurturity pictureshear of them sent by cell phone Had embarrassing or hurturity pictureshear of them sent by cell phone Had embarrassing or hurturity pictureshear of them sent by cell phone Had embarrassing or hurturity pictureshear of them sent by cell phone Had embarrassing or hurturity pictureshear of someone Had embarrassing or hurturity pictures					_			-			
BULLYNO VICTIM Percent of Students who, in the past 3 months: Were showed, slapped, hil, or kicked a serious manner Were wheths of mean rumors or lies spread at school Had embarrassing or hurtful pictures/text of them posted on internet Had embarrassing or hurtful pictures/text of them posted on internet Had embarrassing or hurtful pictures/text of them posted on internet Had embarrassing or hurtful pictures/text of them posted on internet Had embarrassing or hurtful pictures/text of them posted on internet Had embarrassing or hurtful pictures/text of them sent by cell phone Were made fun of by others BULLYNO PERFETTATOR Percent of Students who, in the past 3 months: Showed, slapped, hil, or kicked a student in a senious manner Spread mean rumors or lies about other kids at school Neet by cell phone embarrassing or hurtful pictures/text of someone Sent by cell phone embarrassing or hurtful pictures/text of someone Made fun of other people SUBSTANCE USE AND BELLEFS Regarding the substances isleed below, percent of students: Who have been been substances isleed below, percent of students Who have been substances isleed below, percent of students Who have been substances isleed below, percent of students Who have been substances isleed below, percent of students Who have been substances isleed below, percent of students Who have been substances is lead below, percent of students Who have been substances is lead below, percent of students Who have been substances is lead below, percent of students Who have been substances is lead below, percent of students Who have been substances is lead below, percent of students Who have been substances is lead below, percent of students Who have been substances is lead below, percent of students Who have been substances is lead below, percent of students Who have been substances is lead below in the following: Cigarettes Cigarettes 25.2 11.5 48.9 54.8 74.1 90.5 78.8 26.8 11.84 Chewing Tobacco 75.3 55.9 9.0 71.6 94.9 80.9 45.4 13.21 Inihalants Neet above	-					-		-	-	n	
### SCHOOL RELATIONS Were showed, slapped, hil, or kicked in a serious manner Were veitims of mean runners or lies spread at school Had embarrassing or huriful pictures/text of them posted on internet Had embarrassing or huriful pictures/text of them posted on internet Had embarrassing or huriful pictures/text of them posted on internet Had embarrassing or huriful pictures/text of them sent by cell phone ### School provides feedback to parents on positive student performance ### School provides feedback to parents on positive student performance ### School provides feedback to parents on positive student performance ### School provides feedback to parents on positive student performance ### School provides feedback to parents on positive student performance ### School provides feedback to parents on positive student performance ### School provides feedback to parents on positive student performance ### School provides feedback to parents on positive student performance ### School provides feedback to parents on positive student performance ### School provides feedback to parents on positive student performance ### School provides feedback to parents on positive student performance ### School provides feedback to parents on positive student performance ### School provides feedback to parents on positive student for hard work ### School provides feedback to parents on positive students for parents students for parents and ethnicities are treated equally ### Parents Indivolve Medical students of all races and ethnicities are treated equally ### Parents Indivolve Medical students of all races and ethnicities are treated equally ### Parents Indivolve Medical students on parents regardless of consequences ### Parents Indivolve Medical students on parents regardless of consequences ### Parents Indivolve Medical students on parents regardless of consequences ### Parents Indivolve Medical students on parents regardless of consequences ### Parents Indivolve Medical students ### Parents Indivol	were threatened or injured with a weapon on school proper	ty	7.8				-				
Percent of students who, in the past 3 months: Were showed, stapped, hit, or kicked in a serious manner 30.2	BULLYING VICTIM				It IS OK	ay to beat	up peopl	e if they s	itart a fight		52.8
Were victims of mean rumors or lies spread at school Had embarrassing or hurtful pictures/text of them posted on internet Had embarrassing or hurtful pictures/text of them posted on internet Had embarrassing or hurtful pictures/text of them sent by cell phone Were made fun of by others BULLYWA PERRETRATOR Percent of students who, in the past 3 months: Shoved, slapped, hil, or kicked a student in a serious manner Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of someone Sent by cell phone embarrassing or hurtful pictures/text of someone Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Who have been been been below, percent of students: Who have been been been been been been been be					CHOOL	DEI ATI	28/5				
Were victims of mean rumors or lies spread at school Had embarrassing or hurtful pictures/text of them posted on internet Had embarrassing or hurtful pictures/text of them sent by cell phone Were made fun of by others ### MULLYING PERPRETRATOR ### Percent of students who, in the past 3 months: Shoved, stapped, hit, or kicked a student in a serious manner Spread mean rumors or lies about other lids at school Posted on internet embarrassing or hurtful pictures/text of someone Made fun of by others ### SUBSTANCE USE AND BELIEFS *## Regarding the substances listed below, percent of students: ### Will be past 3 months: ### Parents involves attend the following: ### Parents involves student in making the decisions ### Bull James are involved with the following: ### Parents involves student in making the decisions ### Bull James are involved with the following: ### Parents involves student in making the decisions ### Bull James are involved with the following: ### Parents involves student in making the decisions ### Bull James are involved with the following: ### Parents involves student in making the decisions ### Bull James are involved with the following: ### Parents involves student in the followi	•		30.2					ree with t	he followin	a:	
Had embarrassing or hurtful pictures/text of them posted on internet Had embarrassing or hurtful pictures/text of them sent by cell phone Were made fun of by others 65.3 Rules are enforced fairly 60.6 Students of all races and ethnicities are treated equally 73.2 BULLYING PERPRETRATOR Percent of students who, in the past 3 months: Shoved, slaped, hit, or kicked a student in a serious manner Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of someone Made fun of other people 828.2 Parents notice and comment on students good work 80.4 Parents involve student in making family decisions 65.1 It is important to be honest with parents regardless of consequences 84.8 828STANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Who had been been been been been been been bee							_			-	64.1
Had embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Sent by cell phone embarrassing or hurful pictures/text of someone Students with parents regardless of consequences Student could ask parent for help with a personal problem 75.3 **SUBSTANCE USE AND BELIEFS** **Regarding the substances listed below, percent of students** **Regarding the substances listed below, percent of students** **Prescription diversity of the prescribed for student of the prescribed for stude	•	internet							_		-
Were made fun of by others 865.3 Rules are enforced fairly 806.6 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 73.2 Subustinis of all races and ethnicities are treated equally 74.2						•		•	•	ve stadent performance	
Students of all races and ethnicities are treated equally 73.2 Percent of students who, in the past 3 months: Shoved, stapped, hit, or kicked a student in a serious manner 23.7 Spread mean rumors or lies about other kids at school 28.2 Parents notice and comment on student's good work 80.4 Posted on internet embarrassing or hurtful pictures/text of someone 10.8 Made fun of other people 64.6 Student could ask parent for help with a personal problem 75.3 SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Who have been substances liste		ii piione				•		Ji ilalu w	JIK		
### PARENT RELATIONS PARENT RELATIONS Shoved, slapped, hit, or kicked a student in a serious manner Spread mean rumors or lies about other kdds at school Posted on internet embarrassing or hurtiful pictures/text of someone Sent by cell phone embarrassing or hurtiful pictures/text of someone Made fun of other people ###################################	were made full of by officers		05.5				_	athololtica	oro trooto	od ogually	
Shoved, slapped, hilt, or kicked a student in a serious manner Spread mean rumors or lies about other kids at school 28.2 Parents notice and comment on student's good work 80.4 Posted on internet embarrassing or hurtiful pictures/text of someone 10.8 Sent by cell phone embarrassing or hurtiful pictures/text of someone Made fun of other people 84.8 SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Who have used in the most of the people substances listed below, percent of students: Who have used in the most of the people substances listed below, percent of students: Who have used in the post of the people substances listed below, percent of students: Who have used in the post of the people substances listed below, percent of students: Who have used in the post of the people substances listed below, percent of students: Who have used in the post of the people substances listed below, percent of students: Who have used in the post of the people substances listed below, percent of students: Who have used in the post of the people substances listed below, percent of students: Who have used in the list who only used substances listed below, percent of students: Who have used in the list who only used substances listed below, percent of students: Who have used in the list who only used substances listed below, percent of students: Used to the people substances listed below, percent of students: Who have used in the list who only used substances listed below, percent of students who have used in the list who only used substances listed below, percent of students who have used in the list who only used substances listed substances listed below, percent of students who only used substances listed below, percent of students who only used substances listed below, percent of students who only used substances listed below, percent of students who only used substances listed below, percent of students who only used substances listed below, percent of students who only used subs	BULLYING PERPRETRATOR				Sidueii	is or all re	aces and t	sumulues	ale lieale	eu equally	13.2
Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of someone Sent by cell phone embarrassing or hurtful pictures/text of someone Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Who have level used in in the past 12 months of the past 13 months of the past 13 months of the past 13 months of the past 14 months of the past 14 months of the past 14 months of the past 15 months of t	Percent of students who, in the past 3 months:			F	PARENT	RELATIC	DNS				
Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of someone Sent by cell phone embarrassing or hurtful pictures/text of someone Made fun of other people SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Who have level used in in the past 12 months of the past 13 months of the past 13 months of the past 13 months of the past 14 months of the past 14 months of the past 14 months of the past 15 months of t	Shoved, slapped, hit, or kicked a student in a serious manne	er	23.7		Percent (of student	ts who agi	ree with t	he followin	g:	
Sent by cell phone embarrassing or hurtful pictures/text of someone Made fun of other people 64.6 Student could ask parent for help with a personal problem 75.3 SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Who have used in the people				Parents notice and comment on student's good work							80.4
Sent by cell phone embarrassing or hurtful pictures/text of someone Made fun of other people 64.6 Student could ask parent for help with a personal problem 75.3 SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Who have used in the people	•			Parents involve student in making family decisions							65.1
Made fun of other people 64.6 Student could ask parent for help with a personal problem 75.3 SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Who have used in the past 12 mould be substances in the post of the past 12 mould be substances in the past 12 mould be word girl used in the past 12 mould be word girl used in the past 13 mould be word girl used in the past 1				It is important to be honest with parents regardless of consequences							84.8
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Windown the substances listed below, percent who below is the substances listed below, percent who below is the substance listed below, percent who below is the substance listed below, percent who below is the substances listed below, percent who below is the substance listed below, percent who below is the substance, are listed below, percent who below is the substance listed below, percent who below is the substance listed below, percent w			64.6	Student could ask parent for help with a personal problem							75.3
Cigarettes							·	•	•	·	
The late											
Cigarettes 25.2 11.5 48.9 54.8 74.1 90.5 78.8 26.8 11.84	Regarding the substances listed below, percent of students:	≨	≨	≢ ≨	≤	# ≦	≢ ≨	≤	§ ≤	fit so An	
Cigarettes		<u> </u>	5	pa	S 01	a dol	no s	5	돌	su s be	
Cigarettes		ave	ave	st 1:	ay	elie	se ay	<u>#</u>	윤호	ed ubs	
Cigarettes 25.2 11.5 48.9 54.8 74.1 90.5 78.8 26.8 11.84		eve	use	ses 2 m	W T	ve t	are	8	ie si	uder tanc	
Cigarettes 25.2 11.5 48.9 54.8 74.1 90.5 78.8 26.8 11.84		5	<u> </u>		튭	they	nts	ᇤ	e in	nts v	
Cigarettes 25.2 11.5 48.9 54.8 74.1 90.5 78.8 26.8 11.84		ĕ	₹	rs end	e	동	₩OL	e	y #	who	
Cigarettes 25.2 11.5 48.9 54.8 74.1 90.5 78.8 26.8 11.84		Sub	8	<u>چ</u>	eas	e ਜ਼ਿ	큡	MO		hav age	
Cigarettes 25.2 11.5 48.9 54.8 74.1 90.5 78.8 26.8 11.84		sta	IST 3	We	y to	₫.	disa	g	e jij	/e e	
Cigarettes 25.2 11.5 48.9 54.8 74.1 90.5 78.8 26.8 11.84		nce	0	use	get	ಹ		0		e w	
Cigarettes			ays	= □			ove .	8	ji o	hen	
Chewing Tobacco											
Alcohol 37.8 14.0 51.9 56.9 64.9 78.7 61.8 28.8 11.82 Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana 13.4 7.2 35.5 39.0 71.6 94.9 80.9 45.4 13.21 Inhalants 8.3 3.2 11.21 Illicit drugs such as cocaine, LSD, meth, club drugs 15.9 20.4 89.5 96.5 92.7 49.2 Over-the-counter medications for non-medical use 8.0 4.8 52.8 76.5 93.3 86.3 Prescription drugs not prescribed for student 9.4 5.1 34.5 81.5 92.4 88.6 Heroin 0.5 Cocaine 1.6 Methamphetamine 1.6 Hallucinogens 2.7 Club drugs such as ecstasy, GHB, roofie, or Special K Synthetic drugs such as K2 bath salts. Spice 5.9 Data are weighted in comparison to county population estimates for age groups 10-14				48.9	54.8	74.1	90.5	78.8	26.8	11.84	
Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana 13.4 7.2 35.5 39.0 71.6 94.9 80.9 45.4 13.21 Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin O.5 Cocaine I.6 Methamphetamine Hallucinogens 2.7 Club drugs such as ecstasy, GHB, roofle, or Special K Synthetic drugs such as K2 hath salts. Spice 9.7 Data are weighted in comparison to county population estimates for age groups 10-14											
Marijuana		37.8	14.0	51.9	56.9	64.9	78.7	61.8	28.8	11.82	
Inhalants 8.3 3.2 11.21 Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use 8.0 4.8 52.8 76.5 93.3 86.3 Prescription drugs not prescribed for student 9.4 5.1 34.5 81.5 92.4 88.6 Heroin O.5 Cocaine 1.6 Methamphetamine 1.6 Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K Synthetic drugs such as K2 hath salts. Spice Data are weighted in comparison to county population estimates for age groups 10-14	Binge Alcohol (5+ drinks on one occasion in past 30 days)		9.7								
Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use 8.0 4.8 52.8 76.5 93.3 86.3 Prescription drugs not prescribed for student 9.4 5.1 34.5 81.5 92.4 88.6 Heroin 0.5 Cocaine 1.6 Methamphetamine 1.6 Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K Synthetic drugs such as K2 bath salts. Spice Data are weighted in comparison to county population estimates for age groups 10-14	*			35.5	39.0	71.6	94.9	80.9	45.4		
Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K Synthetic drugs such as K2 hath salts. Spice 8.0 4.8 52.8 76.5 93.3 86.3 9.4 5.1 34.5 81.5 92.4 88.6 1.6 4.8 Data are weighted in comparison to county population estimates for age groups 10-14	Inhalants	8.3	3.2							11.21	
Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K Synthetic drugs such as K2 hath salts. Spice 9.4 5.1 34.5 81.5 92.4 88.6 0.5 2.7 Club are weighted in comparison to county population estimates for age groups 10-14	· · ·			15.9	20.4	89.5	96.5	92.7	49.2		
Heroin 0.5 Cocaine 1.6 Methamphetamine 1.6 Hallucinogens 2.7 Club drugs such as ecstasy, GHB, roofie, or Special K Synthetic drugs such as K2 hath salts. Spice 5.9 Data are weighted in comparison to county population estimates for age groups 10-14	Over-the-counter medications for non-medical use	8.0	4.8		52.8	76.5	93.3	86.3			
Cocaine 1.6 Methamphetamine 1.6 Hallucinogens 2.7 Club drugs such as ecstasy, GHB, roofle, or Special K Synthetic drugs such as K2 hath salts. Spice 5.9 Data are weighted in comparison to county population estimates for age groups 10-14	Prescription drugs not prescribed for student	9.4	5.1		34.5	81.5	92.4	88.6			
Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K Synthetic drugs such as K2 hath salts. Spice Data are weighted in comparison to county population estimates for age groups 10-14	Heroin	0.5									
Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K Synthetic drugs such as K2 hath salts. Spice Data are weighted in comparison to county population estimates for age groups 10-14	Cocaine	1.6									
Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K Synthetic drugs such as K2 hath salts. Spice Data are weighted in comparison to county population estimates for age groups 10-14											
Club drugs such as ecstasy, GHB, roofle, or Special K Synthetic drugs such as K2, bath salts, Spice 5,9 Data are weighted in comparison to county population estimates for age groups 10-14											
Synthetic drugs such as K2 hath salts. Spice 5.9 Data are weighted in comparison to county population estimates for age groups 10-14											
									lation estin	mates for age groups 10-	14

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Steroids not prescribed for student


and 15-19, gender, race, and Hispanic origin. Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

RAY COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 177 23,494 23,230



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	263	301	276
Mother Reported Drinking while Pregnant ¹		1	1
Mother Reported Smoking while Pregnant	75	75	78
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	0
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	241	259	269
Suicides	6	5	10
Self-inflicted Injuries	40	23	50
Homicides	0	0	0
Assault Injuries	71	63	58
Alcohol Induced Deaths	4	1	2
Drug Induced Deaths	0	8	5
Smoking Induced Deaths	48	53	54
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	209	139	186
Direct Hospitalizations	67	39	52
Emergency Room Hospitalizations	62	43	48
Emergency Room Outpatient	80	57	86
Drug RelatedTotal	181	145	147
Direct Hospitalizations	84	59	55
Emergency Room Hospitalizations	53	38	35
Emergency Room Outpatient	44	48	57
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	24	25	27
Fatal Crashes	0	4	1
Injury Crashes	12	11	14
Property Damage Crashes	12	10	12
Crash Fatalities	0	4	3
Crash Injuries	16	16	26
Drug Involved CrashesTotal	3	10	6
Fatal Crashes	0	0	0
Injury Crashes	1	6	4
Property Damage Crashes	2	4	2
Crash Fatalities	0	0	0
Crash Injuries	1	6	4
EMPLOYMENT	2011	2010	2009
Labor Force	11,571	11,035	11,436
Employed	10,426	9,783	10,316
Unemployed	1,145	1,252	1,120
Unemployment Rate	9.9%	11.3%	9.8%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	16	17	18
Alcohol Package Carry-out Licenses	19	19	19

■ Female	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,094	1,142	1,197
Drop-outs	10	20	39
Drop-out Rate	0.9%	1.8%	3.3%
School Suspensions, 10 or More Days			
Alcohol Incidents	2	0	0
Drug Incidents	9	15	9
Tobacco Incidents	0	0	1
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	184	108	134
Liquor Law Arrests	61	85	102
Drug Arrests	58	71	96
Methamphetamine Lab Incidents	0	1	0
Violent Offenses	42	49	41
Property Offenses	452	447	404
Domestic Violence Reports	182	208	151
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	162	216	261
Violent Offenses	60	103	87
Alcohol Offenses	17	16	24
Drug Offenses	15	28	26
Status OffensesTotal	84	57	75
Truancy	15	14	13
Beyond Parental Control	27	12	16
Habitually Absent from Home	16	13	24
Injurious Behavior	26	18	22
Abuse/Neglect/CustodyTotal	36	35	28
Abuse	30	26	20
Neglect	5	9	8
Custody Disputes	1	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	14	4	1
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	13	4	1
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	39	33	30
Probation/Parole AdmissionsTotal	197	241	238
Probation/Parole AdmissionsDrug	52	60	56
Probation/Parole AdmissionsDWI	11	16	7
Prison AdmissionsTotal	135	130	127
Prison AdmissionsDrug	37	31	36
Prison AdmissionsDWI	7	7	8

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	7	13	6
CSTAR Women and Children	0	*	*
CSTAR General Adult	95	35	8
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	16	14	12
Primary Recovery Treatment	8	113	73
Clinical SATOP (CIP, YCIP, SROP)	11	15	13
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	72	108	103
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	25	38	39
- Weekend Intervention Program	27	28	31
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	8	0
- Compulsive Gambling	*	*	0
- Recovery Supports	6	19	15
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	80	117	83	Never Married	73	81	53
Female	43	46	24	Married / Cohabitating	32	37	24
· Sinalo	40	40	27	Previously Married	18	45	30
AGE				•	10	10	00
Under 18	11	11	5	PRIMARY DRUG PROBLEM			
18 to 24	38	35	24	Alcohol	49	70	51
25 to 29	13	21	15	Marijuana / Hashish	47	52	32
30 to 34	17	19	17	Cocaine (total)	0	*	*
35 to 39	19	26	14	- Crack	0	*	*
40 to 44	7	14	15	Stimulant (total)	19	31	17
45 to 54	15	30	12	- Methamphetamine	18	31	17
55 and Over	*	7	5	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	5	*
Caucasian	118	159	95	- Non-Prescription Methadone	0	0	0
African American	*	*	8	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	o *	Tranquilizer	*	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	*	*	Sedative	0	*	0
Other Race / Two or More Races	*	0	*	Other Medication or Illicit Drug	*	0	0
Other Race / Two or More Races		U		Average Age at First Use of Drug	16.1	16.4	16.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	37	49	39	Any Injection Use at Admission	9	11	9
High School Graduate or G.E.D.	66	88	51	- Daily Injection Use	*	0	*
Associate Degree or Some College	20	23	17	- Weekly Injection Use	*	*	0
Bachelor or Advanced Degree	0	*	0	- Less than Weekly Injection Use	*	8	8
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	42	40	49	Self / Family / Friend	34	36	30
Unemployed	45	75	31	School	0	0	0
Not in Labor Force	36	48	27	Mental Health Provider	7	*	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	70	115	65
Independent Living	107	138	95	Other Referral Source	11	7	6
Dependent Living	13	21	10	ODEOLAL DODUKATIONS			
Homeless	*	*	*	SPECIAL POPULATIONS	*	^	*
LIESTIME DI II / DIVII A DDECTO				Pregnant when Admitted to any Episode	*	0	•
LIFETIME DUI / DWI ARRESTS	00	00	- 4	Military Veteran	*	14	
0	62	90	54	Special Education Services Needed		8	11
1 or 2	43	43	29	Co-Occurring Psychological Problem	54	64	39
3 or More	18	30	24	Co-Occurring Developmental Problem	*	*	5

RAY COUNTY



CENSUS 2010 23,494

2011 POP. ESTIMATE 23,230

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 7 7 7 **Anxiety Disorder** 95 84 84 Dementia 0 0 0 **Developmental Disorder** Impulse Control Disorder 39 36 44 **Mood Disorder** 161 153 154 Personality Disorder 20 22 18 **Psychotic Disorder** 31 26 35 Sexual Disorder Other Diagnosis 28 19 34 Diagnosis Unknown 72 103

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

	7 *	11	7
Male 117 147 133 Past or Current Military Service		5	5
Female 140 162 145 HOUSING / LIVING ARRANGEMENT			
AGE Independent Living 2	5	15	6
Under 6 * * * 0	0	8	*
	0	*	0
Other 10 to 13 10 14 18	*	*	0
14 to 17	1	281	270
18 to 24 35 35 26 EMPLOYMENT			
** ** = = = = ***	0	*	0
2. 0. 20	2	18	5
35 to 39 31 39 35 Not in Labor Force	*	0	*
40 to 44 25 30 32 Employment Status Unknown 23	1	290	272
45 to 49 30 29 34	•	230	212
50 to 54 21 21 18 ARRESTS			
55 to 59 13 14 14 Arrested in Past 12 Months	*	8	*
60 and Over 16 14 13 Not Arrested in Past 12 Months 2	2	20	*
Arrest Status Unknown 23	1	281	270
RACE / ETHNICITY TREATMENT REFERRAL SOURCE			
Caucasian 243 289 260 Self / Family / Friend 22	0	258	239
African American 6 7 7	.9	236	239
Native American / Alaskan * * * *	6	6	6
Asian / Pacific Islander 0 0 0	5	14	11
Hispanic * * * Court / Criminal Justice	*	9	5
Other Race 6 9 8	4	20	_
Race/Ethnicity Unknown 0 * 0 Referral Source Unknown	1	20 *	11 5
Notified Source Strategies			3
EDUCATION TYPE OF COMMITMENT			
Less than High School Diploma 12 8 * Voluntary 25	2	302	271
High School Grad or G.E.D. 9 8 * Civil	*	*	*
A.A. Degree or Some College 5 * 0 Criminal	*	*	*
Bachelor or Advanced Degree 0 * 0 Sexual Predatory	0	*	0
Education Level Unknown 231 290 272 Commitment Type Unknown	*	*	*

RAY COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, In the past 30 days:		(%)		UICIDE Percent	of studen	is who in	the nact	12 months		(%)
Were very sad	22.3	Percent of students who, In the past 12 months: Seriously considered attempting suicide						•	14.6	
Were grouchy, irritable, or in a bad mood		27.1 Made a plan about how they would attempt suicide				iicida	11.5			
Felt hopeless about the future		14.0	Attempted suicide					alciuc	4.5	
Felt like not eating or eating more than usual		20.8					resulted	in injury o	r overdose that had to	2.7
Slept a lot more or a lot less than usual		21.3				doctor or		iii iiijui y oi	overdose mai nad to	2.1
•		25.9			outou by	400.0.				
Had difficulty concentrating on school work		25.9	R	EBELLIC	OUSNES.	s				
FIGHTING				Percent e	of student	's who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		18.5
Were in a physical fight		20.7		They d	the opp	osite of w	hat they'r	e told to m	ake people mad	17.1
Were in a fight and had to be treated by a doctor or nurse		1.7		It is oka	y to take	somethin	g without	permissio	n	6.0
Were threatened or injured with a weapon on school proper	ty	7.2		Someti	mes it is o	kay to ch	eat at scl	nool		22.6
	•					-		tart a fight		52.8
BULLYING VICTIM					-			_		
Percent of students who, in the past 3 months:					RELATIC					
Were shoved, slapped, hit, or kicked in a serious manner		23.8				_		he followin	-	00.0
Were victims of mean rumors or lies spread at school		51.2						tudent's go		68.3
Had embarrassing or hurtful pictures/text of them posted on		13.5			-		-	-	ve student performance	36.7
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	18.7				student fo	or hard w	ork		50.6
Were made fun of by others		61.2			re enforc	•				63.1
BULLYING PERPRETRATOR				Studen	ts of all ra	ices and e	ethnicities	are treate	ed equally	81.5
Percent of students who, in the past 3 months:			۵	APENT	RELATIC	MS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	17.4					ree with t	he followin	a:	
Spread mean rumors or lies about other kids at school		21.9				-			-	77.8
Posted on internet embarrassing or hurtful pictures/text of so	6.9	Parents notice and comment on student's good work Parents involve student in making family decisions						65.7		
Sent by cell phone embarrassing or hurtful pictures/text of someone 10.2 It is important to be honest with parents regardless of consequences.							83.7			
Made fun of other people		62.4						_	onal problem	72.2
								а ролос		
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≤	×	# ≤	×	₽	₽	M	¥ ≥	ffr US An	
	<u> </u>	ᅙ	nos pa	S 0L	Sur q o	no s	ŏ	를 걸	Among st used sub: first used	
	ave	ave	st 1	<u>a</u>	elie	se ay	<u> </u>	윤	g stu ed	
	Who have ever used substance	Who have used in the past 30 d	Whose closest friends have use the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborh would be caught by police for us	Among students who have ever used substance, average age wifirst used	
	5	<u> </u>		둡	they they	nts	틆	e s	nts v	
	ĕ	. ₹	s end	be	risk I	δ	8	y p be	who	
	Sub	þa	s he	eas	e ਜ਼ਿ	큡	MO	e r	hav age	
	star	St 3	We	4		isa i	<u>a</u>	e jij	/e e	
	nce	9	use	get	ය	뮻	9	r bort	e w	
		ays	<u> </u>			2	õ	sing hood	hen	
		Š	=			<u> </u>				
Cinosotto	07.4			<i>FF</i> 0	02.0	==	70.0		10.70	
Cigarettes Charles Tabassa	27.1	14.3	50.1	55.0	83.8	90.4	78.2	18.6	12.70	
Chewing Tobacco	17.3	14.3 9.5	50.1			90.4		18.6		
Chewing Tobacco Alcohol		14.3 9.5 16.2		55.0 57.9	83.8	==	78.2 60.9		12.70 12.50	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	17.3 41.3	14.3 9.5 16.2 11.0	50.1 57.5	57.9	72.1	90.4	60.9	18.6 22.1	12.50	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	17.3 41.3 15.0	14.3 9.5 16.2 11.0 7.1	50.1			90.4		18.6	12.50 13.37	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	17.3 41.3	14.3 9.5 16.2 11.0	50.1 57.5 35.8	57.9 31.9	72.1 78.2	90.4 79.1 94.2	60.9 84.4	18.6 22.1 33.7	12.50	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	17.3 41.3 15.0	14.3 9.5 16.2 11.0 7.1 2.4	50.1 57.5	57.9 31.9 14.6	72.1 78.2 94.7	90.4 79.1 94.2 97.6	60.9 84.4 94.0	18.6 22.1	12.50 13.37	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	17.3 41.3 15.0 7.4	14.3 9.5 16.2 11.0 7.1 2.4	50.1 57.5 35.8	57.9 31.9 14.6 56.9	72.1 78.2 94.7 83.4	90.4 79.1 94.2 97.6 95.2	60.9 84.4 94.0 87.6	18.6 22.1 33.7	12.50 13.37	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	17.3 41.3 15.0 7.4 8.6 12.1	14.3 9.5 16.2 11.0 7.1 2.4	50.1 57.5 35.8	57.9 31.9 14.6	72.1 78.2 94.7	90.4 79.1 94.2 97.6	60.9 84.4 94.0	18.6 22.1 33.7	12.50 13.37	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	17.3 41.3 15.0 7.4 8.6 12.1 1.7	14.3 9.5 16.2 11.0 7.1 2.4	50.1 57.5 35.8	57.9 31.9 14.6 56.9	72.1 78.2 94.7 83.4	90.4 79.1 94.2 97.6 95.2	60.9 84.4 94.0 87.6	18.6 22.1 33.7	12.50 13.37	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	17.3 41.3 15.0 7.4 8.6 12.1 1.7 3.6	14.3 9.5 16.2 11.0 7.1 2.4	50.1 57.5 35.8	57.9 31.9 14.6 56.9	72.1 78.2 94.7 83.4	90.4 79.1 94.2 97.6 95.2	60.9 84.4 94.0 87.6	18.6 22.1 33.7	12.50 13.37	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	17.3 41.3 15.0 7.4 8.6 12.1 1.7 3.6 2.4	14.3 9.5 16.2 11.0 7.1 2.4	50.1 57.5 35.8	57.9 31.9 14.6 56.9	72.1 78.2 94.7 83.4	90.4 79.1 94.2 97.6 95.2	60.9 84.4 94.0 87.6	18.6 22.1 33.7	12.50 13.37	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	17.3 41.3 15.0 7.4 8.6 12.1 1.7 3.6	14.3 9.5 16.2 11.0 7.1 2.4	50.1 57.5 35.8	57.9 31.9 14.6 56.9	72.1 78.2 94.7 83.4	90.4 79.1 94.2 97.6 95.2	60.9 84.4 94.0 87.6	18.6 22.1 33.7	12.50 13.37	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	17.3 41.3 15.0 7.4 8.6 12.1 1.7 3.6 2.4	14.3 9.5 16.2 11.0 7.1 2.4 5.7 6.9	50.1 57.5 35.8 14.3	57.9 31.9 14.6 56.9 36.3	72.1 78.2 94.7 83.4 88.1	90.4 79.1 94.2 97.6 95.2 93.7	60.9 84.4 94.0 87.6 89.0	18.6 22.1 33.7 47.1	12.50 13.37 12.25	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	17.3 41.3 15.0 7.4 8.6 12.1 1.7 3.6 2.4 4.3	14.3 9.5 16.2 11.0 7.1 2.4 5.7 6.9	50.1 57.5 35.8 14.3	57.9 31.9 14.6 56.9 36.3	72.1 78.2 94.7 83.4 88.1	90.4 79.1 94.2 97.6 95.2 93.7	60.9 84.4 94.0 87.6 89.0	18.6 22.1 33.7 47.1	12.50 13.37	14

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

REYNOLDS COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Southeast 19 179 6,696 6,588



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	74	66	53
Mother Reported Drinking while Pregnant ¹		1	0
Mother Reported Smoking while Pregnant	25	20	15
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
	2010	2009	2008
DEATHS and INJURIES Resident DeathsTotal		2009 76	
Suicides	83		77
	1	0	4
Self-inflicted Injuries	8	10	7
Homicides	0	0	0
Assault Injuries	17	26	26
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	1	1
Smoking Induced Deaths	17	18	14
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	75	62	73
Direct Hospitalizations	25	26	17
Emergency Room Hospitalizations	12	13	13
Emergency Room Outpatient	38	23	43
Drug RelatedTotal	58	53	34
Direct Hospitalizations	15	29	10
Emergency Room Hospitalizations	7	5	6
Emergency Room Outpatient	36	19	18
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	10	11	29
Fatal Crashes	0	1	2
Injury Crashes	8	5	17
Property Damage Crashes	2	5	10
Crash Fatalities	0	1	2
Crash Injuries	8	6	20
Drug Involved CrashesTotal	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
ENDLOYMENT	2011	2010	2000
EMPLOYMENT	2011	2010	2009
Labor Force Employed	2,393	2,524	2,764
Unemployed	2,085	2,182	2,390
	308	342	374
Unemployment Rate	12.9%	13.5%	13.5%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	7	7	7
Alcohol Package Carry-out Licenses	10	10	12

SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	317	329	342
Drop-outs	2	6	8
Drop-out Rate	0.6%	1.8%	2.3%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	C
Drug Incidents	0	0	3
Tobacco Incidents	0	0	C
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	28	15	29
Liquor Law Arrests	4	59	16
Drug Arrests	41	23	14
Methamphetamine Lab Incidents	9	0	10
Violent Offenses	14	16	11
Property Offenses	71	45	52
Domestic Violence Reports	9	20	11
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	10	13	45
Violent Offenses	2	4	15
Alcohol Offenses	1	0	1
Drug Offenses	1	0	2
Status OffensesTotal	18	9	9
Truancy	2	2	2
Beyond Parental Control	10	5	4
Habitually Absent from Home	0	0	(
Injurious Behavior	2	2	3
Abuse/Neglect/CustodyTotal	41	35	2
Abuse	6	3	1
Neglect	35	32	1
Custody Disputes	0	0	(
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	9	10	4
Parental Alcohol Use Related	0	1	(
Parental Drug Use Related	0	0	(
Parental Alcohol and Drug Use	3	1	(
Child Removed for Other Reason	6	8	2
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	9	0	(
Probation/Parole AdmissionsTotal	41	24	39
Probation/Parole AdmissionsDrug	13	2	8
Probation/Parole AdmissionsDWI	0	2	(
Prison AdmissionsTotal	20	23	13
Prison AdmissionsDrug	4	2	1
Prison AdmissionsDWI	0	2	(

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

REYNOLDS COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	10	10	7
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	5	*
Primary Recovery Treatment	17	14	21
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	8	17	22
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	12	5
- Weekend Intervention Program	*	*	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	0	*
- Early Intervention	0	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	10	17	29	Never Married	9	13	17
Female	15	12	12	Married / Cohabitating	11	10	11
	.0			Previously Married	5	6	13
AGE				•	ŭ	· ·	
Under 18	0	*	*	PRIMARY DRUG PROBLEM			
18 to 24	8	7	9	Alcohol	8	9	14
25 to 29	7	7	9	Marijuana / Hashish	*	11	14
30 to 34	*	5	5	Cocaine (total)	0	0	0
35 to 39	*	*	6	- Crack	0	0	0
40 to 44	0	*	*	Stimulant (total)	6	*	*
45 to 54	5	*	8	- Methamphetamine	5	*	*
55 and Over	0	0	*	Heroin	0	0	*
RACE / ETHNICITY				Analgesic except Heroin	7	7	10
Caucasian	25	29	41	- Non-Prescription Methadone	0	0	*
African American	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	*	0	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	0	0	Sedative	0	0	0
Other Race / Two or More Races	0	0	0	Other Medication or Illicit Drug	0	0	0
Other Nace / Two or More Naces	U	U	U	Average Age at First Use of Drug	18.8	18.6	18.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	11	14	20	Any Injection Use at Admission	*	*	*
High School Graduate or G.E.D.	10	11	16	- Daily Injection Use	0	*	0
Associate Degree or Some College	*	*	5	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	0	*	0	- Less than Weekly Injection Use	0	0	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	*	5	12	Self / Family / Friend	11	*	8
Unemployed	15	14	18	School	0	0	0
Not in Labor Force	6	10	11	Mental Health Provider	0	*	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	7	16	25
Independent Living	25	26	38	Other Referral Source	5	5	*
Dependent Living	0	*	*				
Homeless	0	*	*	SPECIAL POPULATIONS		*	
/ IEEE DI / DI / DI / DE / DE / DE / DE				Pregnant when Admitted to any Episode	*		*
LIFETIME DUI / DWI ARRESTS		o.,	0.	Military Veteran	*	0	*
0	16	21	24	Special Education Services Needed			*
1 or 2	6	6	13	Co-Occurring Psychological Problem	12	11	13
3 or More	*	*	*	Co-Occurring Developmental Problem	6	*	5

REYNOLDS COUNTY



2011 POP. ESTIMATE 6,588

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 0 **Anxiety Disorder** 9 7 13 Dementia 0 0 0 **Developmental Disorder** 0 0 Impulse Control Disorder 5 **Mood Disorder** 20 28 28 Personality Disorder 11 7 5 **Psychotic Disorder** 8 8 Sexual Disorder 0 0 Other Diagnosis Diagnosis Unknown 13

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	27	43	54	Hearing Impaired	*	5	*
Male	16	25	27	Past or Current Military Service	*	*	*
Female	11	18	27	r act of Carrent Williamy Colvido			
Tomaio		10	21	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	8	5	*
Under 6	0	0	0	Dependent Living	*	*	0
6 to 9	0	0	0	Homeless	0	0	0
10 to 13	*	*	*	Other	0	0	0
14 to 17	*	*	*	Housing Unknown	18	36	51
		*	*	EMBI OVMENT			
18 to 24		*	*	EMPLOYMENT	0		0
25 to 29	0	*		Employed	0	0	0
30 to 34	·		8	Unemployed	7	5	
35 to 39	_	9	*	Not in Labor Force		0	0
40 to 44	5			Employment Status Unknown	18	38	51
45 to 49	6	7	10	ARRESTS			
50 to 54	*	5	8	Arrested in Past 12 Months	0	*	0
55 to 59	*	7	5	Not Arrested in Past 12 Months	9	6	*
60 and Over	*	*	*	Arrest Status Unknown	18	36	51
RACE / ETHNICITY							
	00	40	- 1	TREATMENT REFERRAL SOURCE			
Caucasian African American	26	43	54	Self / Family / Friend	10	21	30
	0	0	0	School	0	0	0
Native American / Alaskan	0	0	0	Mental Health Provider	6	6	6
Asian / Pacific Islander	0	0	0	Health Care Provider	6	10	6
Hispanic	0	0	0	Court / Criminal Justice	*	5	6
Other Race	*	0	0	Other	*	*	6
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	*	*	*	Voluntary	25	39	48
High School Grad or G.E.D.	7	*	0	Civil	*	*	6
A.A. Degree or Some College	*	0	0	Criminal	0	0	0
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	*	*	0
Education Level Unknown	18	38	51	Commitment Type Unknown	0	0	0
Eddadon Edvor Onknown	10	50	51	Communication Type Officional	U	U	U

REYNOLDS COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)		UICIDE						(%)
Percent of students who, in the past 30 days:							-	12 months	:	• •
Were very sad		8.0			•		mpting su			5.4
Were grouchy, irritable, or in a bad mood		8.9			•		ey would	attempt su	uicide	4.4
Felt hopeless about the future		6.3			ted suicio					6.4
Felt like not eating or eating more than usual		12.6				tempt tna doctor o		in injury o	r overdose that had to	5.8
Slept a lot more or a lot less than usual		17.7		De ti	calcu by	uocioi oi	iiui 36			
Had difficulty concentrating on school work		10.7		EBELLIC	OUSNES	s				
FIGHTING				Percent of	of studen	ts who ag	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		7.1
Were in a physical fight		8.0		They do	o the opp	osite of w	hat they'r	e told to m	nake people mad	6.2
Were in a fight and had to be treated by a doctor or nurse	0.0 It is okay to take something without permission				n	0.0				
Were threatened or injured with a weapon on school proper	ty	0.0		Someti	mes it is (okay to ch	eat at scl	nool		8.0
BUILDING MOTH				It is oka	y to beat	up peopl	e if they s	tart a fight	İ .	34.8
BULLYING VICTIM Percent of students who, in the past 3 months:			_		551 451	24.0				
Were shoved, slapped, hit, or kicked in a serious manner		10.6		CHOOL . Percent i			roo with t	he followin	na·	
Were victims of mean rumors or lies spread at school		34.5				_		tudent's go	-	83.6
Had embarrassing or hurtful pictures/text of them posted on	internet	6.2						_	ive student performance	
Had embarrassing or hurtful pictures/text of them sent by ce		9.8			-		or hard w	-	Stadont portornidrio	73.0
Were made fun of by others	iii piioiio	39.3			re enforc		or mara w	OTK .		83.5
Total made run of by anions		00.0				•	ethnicities	are treate	ed equally	91.9
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:				ARENT						
Shoved, slapped, hit, or kicked a student in a serious manne	er	8.8 10.7				-		he followin	-	
Spread mean rumors or lies about other kids at school				Parents notice and comment on student's good work						89.4
Posted on internet embarrassing or hurtful pictures/text of someone			Parents involve student in making family decisions						83.9	
Sent by cell phone embarrassing or hurtful pictures/text of someone			It is important to be honest with parents regardless of consequences						95.6	
Made fun of other people		46.3	.3 Student could ask parent for help with a personal problem							87.2
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	\$	5	≓ ≤	5	5 ≤	≠ ≤	\$	₹ ≤	₹ 5. ≥	
	<u>8</u>	<u>8</u>	e p	₹ .	요 글	ੂ ਰੋ	8	일광	St & ≅	
				00	ᇙᇛ	- 10	_	□ →	등 유 용	
	₩	ave	e cla ast 1	say	o belie nselve	say	<u>fe</u>	d be	Among st used subs first used	
	ave eve	lave use	se closes ast 12 m	o say it wo	o believe t nselves if	say pare	feel it wo	think kid d be cau	ong stude d substan used	
	ave ever us	lave used ir	se closest fri ast 12 month	say it would	o believe they nselves if they	say parents use	feel it would	think kids in d be caught I	ong students v d substance, a	
	ave ever used	ave used in the	Whose closest friend the past 12 months	say it would be	Who believe they risk themselves if they us	say parents wou use	feel it would be	think kids in thei d be caught by p	ong students who d substance, aver	
	ave ever used sub	ave used in the par	se closest friends ha ast 12 months	say it would be easy	o believe they risk har nselves if they use	say parents would duse	feel it would be wron	think kids in their ne d be caught by police	ong students who hav d substance, average used	
	ave ever used substan	ave used in the past 30	se closest friends have u ast 12 months	say it would be easy to	o believe they risk harmin nselves if they use	say parents would disap use	feel it would be wrong to	think kids in their neight d be caught by police for	ong students who have evid substance, average age	
	Who have ever used substance	Who have used in the past 30 da	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	say parents would disapprouse	feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	udents who have ever stance, average age w	
	ave ever used substance	ave used in the past 30 days	se closest friends have used in ast 12 months	say it would be easy to get	o believe they risk harming mselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	think kids in their neighborhood d be caught by police for using	ong students who have ever d substance, average age when used	
Cinarettes		ays	₽		isk harming use	≕		boor	udents who have ever stance, average age when	
Cigarettes Chewing Tobacco	17.0	0.0	•	say it would be easy to get 37.5	nselves if they use 71.4	say parents would disapprove if 5.5.	feel it would be wrong to use	think kids in their neighborhood 6. 8. 6.	udents who have ever stance, average age w	
Chewing Tobacco	17.0 8.0	0.0 5.4	12.4	37.5	isk harming 71.4	95.5	88.4	28.6	stance, average age when	
Chewing Tobacco Alcohol	17.0	0.0 5.4 3.6	₽		isk harming use	≕		boor	udents who have ever stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	17.0 8.0 17.0	0.0 5.4 3.6 1.8	12.4	37.5	rsk harming 71.4	95.5 89.7	88.4 75.9	28.6 35.5	stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	17.0 8.0 17.0	0.0 5.4 3.6 1.8 0.0	12.4	37.5	isk harming 71.4	95.5	88.4	28.6	stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	17.0 8.0 17.0	0.0 5.4 3.6 1.8	12.4 14.2 6.3	37.5 33.9 8.0	71.4 82.1 88.4	95.5 89.7	88.4 75.9 95.6	28.6 35.5 50.0	stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	17.0 8.0 17.0 0.0 1.8	0.0 5.4 3.6 1.8 0.0 1.8	12.4	37.5 33.9 8.0 3.7	71.4 82.1 88.4 95.5	95.5 89.7 100.0 98.2	88.4 75.9 95.6 100.0	28.6 35.5	stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	17.0 8.0 17.0 0.0 1.8	0.0 5.4 3.6 1.8 0.0	12.4 14.2 6.3	37.5 33.9 8.0 3.7 31.9	71.4 82.1 88.4 95.5 84.8	95.5 89.7 100.0 98.2 99.1	88.4 75.9 95.6 100.0 95.5	28.6 35.5 50.0	stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	17.0 8.0 17.0 0.0 1.8 1.8	0.0 5.4 3.6 1.8 0.0 1.8	12.4 14.2 6.3	37.5 33.9 8.0 3.7	71.4 82.1 88.4 95.5	95.5 89.7 100.0 98.2	88.4 75.9 95.6 100.0	28.6 35.5 50.0	stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	17.0 8.0 17.0 0.0 1.8 1.8 0.0	0.0 5.4 3.6 1.8 0.0 1.8	12.4 14.2 6.3	37.5 33.9 8.0 3.7 31.9	71.4 82.1 88.4 95.5 84.8	95.5 89.7 100.0 98.2 99.1	88.4 75.9 95.6 100.0 95.5	28.6 35.5 50.0	stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	17.0 8.0 17.0 0.0 1.8 1.8	0.0 5.4 3.6 1.8 0.0 1.8	12.4 14.2 6.3	37.5 33.9 8.0 3.7 31.9	71.4 82.1 88.4 95.5 84.8	95.5 89.7 100.0 98.2 99.1	88.4 75.9 95.6 100.0 95.5	28.6 35.5 50.0	stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	17.0 8.0 17.0 0.0 1.8 1.8 0.0 0.0	0.0 5.4 3.6 1.8 0.0 1.8	12.4 14.2 6.3	37.5 33.9 8.0 3.7 31.9	71.4 82.1 88.4 95.5 84.8	95.5 89.7 100.0 98.2 99.1	88.4 75.9 95.6 100.0 95.5	28.6 35.5 50.0	stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	17.0 8.0 17.0 0.0 1.8 1.8 0.0 0.0 0.0	0.0 5.4 3.6 1.8 0.0 1.8	12.4 14.2 6.3	37.5 33.9 8.0 3.7 31.9	71.4 82.1 88.4 95.5 84.8	95.5 89.7 100.0 98.2 99.1	88.4 75.9 95.6 100.0 95.5	28.6 35.5 50.0	stance, average age when	•
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K	17.0 8.0 17.0 0.0 1.8 1.8 1.8 0.0 0.0 0.0 0.0	0.0 5.4 3.6 1.8 0.0 1.8 1.8	12.4 14.2 6.3 1.8	37.5 33.9 8.0 3.7 31.9 13.6	71.4 82.1 88.4 95.5 84.8 81.3	95.5 89.7 100.0 98.2 99.1 98.2	88.4 75.9 95.6 100.0 95.5 96.4	28.6 35.5 50.0 61.6	stance, average age when)-14
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	17.0 8.0 17.0 0.0 1.8 1.8 0.0 0.0 0.0	0.0 5.4 3.6 1.8 0.0 1.8 1.8	12.4 14.2 6.3 1.8	37.5 33.9 8.0 3.7 31.9 13.6	71.4 82.1 88.4 95.5 84.8 81.3 comparisace, and	95.5 89.7 100.0 98.2 99.1 98.2	88.4 75.9 95.6 100.0 95.5 96.4	28.6 35.5 50.0 61.6	stance, average age when 12.39 13.88)-14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

RIPLEY COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 19 181 14,100 14,143



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	201	203	181
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	66	66	61
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	1
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	182	201	196
Suicides	3	0	2
Self-inflicted Injuries	41	37	30
Homicides	4	1	1
Assault Injuries	70	58	64
Alcohol Induced Deaths	0	1	2
Drug Induced Deaths	4	3	2
Smoking Induced Deaths	41	50	36
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	131	112	126
Direct Hospitalizations	42	22	34
Emergency Room Hospitalizations	24	34	47
Emergency Room Outpatient	65	56	45
Drug RelatedTotal	155	149	135
Direct Hospitalizations	52	41	43
Emergency Room Hospitalizations	34	77	39
Emergency Room Outpatient	69	31	53
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	24	39	28
Fatal Crashes	2	4	20
Injury Crashes	13	17	16
Property Damage Crashes	9	18	10
Crash Fatalities	2	7	3
Crash Injuries	16	19	20
Drug Involved CrashesTotal	7	4	6
Fatal Crashes	0	0	0
Injury Crashes	6	1	4
Property Damage Crashes	1	3	2
Crash Fatalities	0	0	0
Crash Injuries	7	0	4
•			
EMPLOYMENT	2011	2010	2009
Labor Force	6,672	6,618	6,680
Employed	6,020	5,960	6,036
Unemployed	652	658	644
Unemployment Rate	9.8%	9.9%	9.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	13	13	15
Alcohol Package Carry-out Licenses	17	15	18

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	598	594	606
Drop-outs	17	32	27
Drop-out Rate	2.8%	5.4%	4.5%
School Suspensions, 10 or More Days			
Alcohol Incidents	2	0	0
Drug Incidents	5	9	10
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	70	61	63
Liquor Law Arrests	25	34	22
Drug Arrests	58	45	74
Methamphetamine Lab Incidents	6	38	62
Violent Offenses	21	27	27
Property Offenses	311	293	354
Domestic Violence Reports	92	58	113
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	71	87	87
Violent Offenses	34	41	27
Alcohol Offenses	0	4	0
Drug Offenses	6	6	7
Status OffensesTotal	60	41	30
Truancy	34	3	4
Beyond Parental Control	12	25	18
Habitually Absent from Home	11	6	3
Injurious Behavior	2	5	0
Abuse/Neglect/CustodyTotal	30	40	33
Abuse	5	9	22
Neglect	25	25	11
Custody Disputes	0	6	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	31	26	10
Parental Alcohol Use Related	12	0	2
Parental Drug Use Related	2	5	0
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	16	21	8
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	15	10	10
Probation/Parole AdmissionsTotal	61	76	78
Probation/Parole AdmissionsDrug	15	27	25
Probation/Parole AdmissionsDWI	2	5	3
Prison AdmissionsTotal	33	46	55
Prison AdmissionsDrug	11	14	14
Prison AdmissionsDWI	1	2	2
* An asterisk in a data cell indicates the co	o <mark>unt was fewer t</mark>	than 5 and su	ppressed

<sup>to avoid disclosure of identifying information.
Reporting of this information on the birth long form was discontinued in 2010.
IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.</sup>

RIPLEY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	6	*	6
CSTAR General Adult	29	15	18
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	15	5	9
Primary Recovery Treatment	40	49	54
Clinical SATOP (CIP, YCIP, SROP)	9	9	8
Other Substance Abuse Treatment	0	0	11

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	36	41	33
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	7	9	11
- Weekend Intervention Program	13	16	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	5	*	*
- Compulsive Gambling	*	0	*
- Recovery Supports	7	*	*
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	59	45	64	Never Married	28	25	46
Female	35	28	30	Married / Cohabitating	44	30	27
	00	20	00	Previously Married	22	18	20
AGE				•			20
Under 18	*	*	7	PRIMARY DRUG PROBLEM			
18 to 24	22	16	26	Alcohol	23	27	30
25 to 29	21	22	18	Marijuana / Hashish	22	22	35
30 to 34	14	9	13	Cocaine (total)	*	*	0
35 to 39	11	*	9	- Crack	*	*	0
40 to 44	7	11	8	Stimulant (total)	18	12	12
45 to 54	14	6	12	- Methamphetamine	17	11	12
55 and Over	*	*	*	Heroin	*	*	*
RACE / ETHNICITY				Analgesic except Heroin	20	8	12
Caucasian	91	70	94	- Non-Prescription Methadone	0	0	0
African American	91 *	/ U *	-	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	*	0	Tranquilizer	5	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	0	0	0	Sedative	0	0	0
Hispanic		*		Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races	0		0	Average Age at First Use of Drug	18.2	17.1	16.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	48	33	43	Any Injection Use at Admission	15	6	6
High School Graduate or G.E.D.	35	25	40	- Daily Injection Use	8	0	0
Associate Degree or Some College	10	15	11	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	0	0	- Less than Weekly Injection Use	5	*	5
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	19	21	23	Self / Family / Friend	27	14	10
Unemployed	44	15	40	School	*	0	0
Not in Labor Force	31	37	31	Mental Health Provider	*	*	8
				Health Care Provider	6	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	48	46	62
Independent Living	76	62	83	Other Referral Source	10	9	10
Dependent Living	14	8	9				
Homeless	*	*	*	SPECIAL POPULATIONS	*	*	
				Pregnant when Admitted to any Episode	*	*	_
LIFETIME DUI / DWI ARRESTS				Military Veteran			5
0	60	41	59	Special Education Services Needed	16	5	15
1 or 2	27	22	26	Co-Occurring Psychological Problem	39	32	31
3 or More	7	10	9	Co-Occurring Developmental Problem	*	5	0

RIPLEY COUNTY



ADA/CPS REGION Southeast
CPS SERVICE AREA 19
CENSUS 2010 14,100
2011 POP. ESTIMATE 14,143

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 5 10 **Anxiety Disorder** 32 51 45 Dementia 0 0 **Developmental Disorder** Impulse Control Disorder 7 14 19 **Mood Disorder** 103 81 128 Personality Disorder 13 16 12 **Psychotic Disorder** 17 20 21 Sexual Disorder Other Diagnosis 14 14

34

84

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	104	170	257	Hearing Impaired	9	7	10
Male	40	74	102	Past or Current Military Service	*	6	9
Female	64	96	155	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	38	19	7
Under 6	0	*	*	Dependent Living	8	7	*
6 to 9	*	*	*	Homeless	0	0	0
10 to 13	*	9	14	Other	0	*	0
14 to 17	*	16	26	Housing Unknown	58	143	246
18 to 24	11	20	28	EMPLOYMENT			
25 to 29	10	13	26 27	Employed	*	0	0
30 to 34	12	20	22	Unemployed	44	23	
35 to 39	7		16	Not in Labor Force	*	23 *	10
		11	_				0.40
40 to 44	15	18	30	Employment Status Unknown	58	146	246
45 to 49	13	22	34	ARRESTS			
50 to 54	11	8	17	Arrested in Past 12 Months	*	*	*
55 to 59	7	10	11	Not Arrested in Past 12 Months	43	25	10
60 and Over	11	19	27	Arrest Status Unknown	58	143	246
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	102	164	250	Self / Family / Friend	34	87	130
African American	*	*	5	School	0	0	*
Native American / Alaskan	0	0	0	Mental Health Provider	17	31	34
Asian / Pacific Islander	0	0	0	Health Care Provider	29	21	37
Hispanic	0	*	*	Court / Criminal Justice	29 12	7	37 13
Other Race	*	*	*			=	_
Race/Ethnicity Unknown	0	0	0	Other Referral Source Unknown	12 0	24 0	41 *
					U	U	
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	22	14	7	Voluntary	101	170	252
High School Grad or G.E.D.	21	9	*	Civil	*	0	*
A.A. Degree or Some College	*	*	0	Criminal	*	0	*
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	58	146	246	Commitment Type Unknown	0	0	*

RIPLEY COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Rescont of ctudents who in the past 20 days:		(%)	_	UICIDE Percent	of ctudon	tawha In	the nect	12 months		(%)
Percent of students who, in the past 30 days:		23.7				ered atter	-	12 months	ï	6.4
Were very sad Were grouchy, irritable, or in a bad mood		21.8			•			attempt su	uleido	4.8
Felt hopeless about the future		6.5			ted suicid		ey would	attempt st	aicide	1.6
Felt like not eating or eating more than usual		15.8					resulted	in injury o	r overdose that had to	0.4
Slept a lot more or a lot less than usual		13.0				doctor or		iii iiijui y oi	overdose that had to	0.4
Had difficulty concentrating on school work		18.7			,					
riad difficulty concentrating on school work		10.7	R	EBELLIC	OUSNES.	s				
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get				15.4
Were in a physical fight		25.0		-			-		ake people mad	15.5
Were in a fight and had to be treated by a doctor or nurse		8.0			-		-	permissio	n	4.3
Were threatened or injured with a weapon on school property						okay to ch				32.9
BULLYING VICTIM				It is oka	y to beat	up peopl	e if they s	start a fight		55.3
Percent of students who, in the past 3 months:			S	CHOOL	RELATIC	DA/S				
Were shoved, slapped, hit, or kicked in a serious manner		19.8					ree with t	he followin	a:	
Were victims of mean rumors or lies spread at school		55.2				_		tudent's go	-	60.7
Had embarrassing or hurtful pictures/text of them posted on	internet	11.5						•	ve student performance	e 41.5
Had embarrassing or hurtful pictures/text of them sent by ce		16.0			-	student fo	-	-	•	52.2
Were made fun of by others	•	62.6			re enforc					59.3
•				Studen	ts of all ra	aces and o	ethnicities	s are treate	ed equally	83.3
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		04.0			RELATIC			h a fallanda		
Shoved, slapped, hit, or kicked a student in a serious manner	er	21.3 26.1				-		he followin	-	76.6
Spread mean rumors or lies about other kids at school			Parents notice and comment on student's good work Parents involve student in making family decisions							76.6 68.3
Posted on internet embarrassing or hurtful pictures/text of someone							_	-		
Sent by cell phone embarrassing or hurtful pictures/text of someone			 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 						80.2	
Made fun of other people		66.9		Siddell	t could as	ж рагени	or ricip v	nui a perse	mai problem	00.2
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	€	€	∌ €	€	∌ €	∌ €	€	§ §	∄ 5. ≥	
	ᅙ	ᅙ	e pa	ਨ	ems to t	bo s	ਣ੍ਰ	팔	Among st used sub: first used	
	lave	lave	e clo	ě	elie	se <u>ay</u>	<u>&</u>	윤	g st subs	
	eve	SI	2			8	₹	Ca Ka	uder	
	<u></u>		3 %	# WC	s# et	ᆱ	<u> </u>			
	<u> </u>	8	est fri mont	it would	ve they s if the	rents	bluo	ght sin	e is	
	used	ed in th	Whose closest friend the past 12 months	it would be	Who believe they rish themselves if they us	rents wou	ould be	s in the ght by p	its who	
	used sub	ed in the pa	est friends ha months	it would be eas	ve they risk ha	rents would c	ould be wro	s in their ne ght by polic	its who have, average	
	used substar	ed in the past 3	est friends have months	it would be easy to	ve they risk harmir s if they use	rents would disa	ould be wrong t	s in their neigh ght by police fo	ts who have e	
	Who have ever used substance	Who have used in the past 30 da	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	rents would disappro	ould be wrong to us	Who think kids in their neighbort would be caught by police for us	Among students who have ever used substance, average age wifirst used	
	used substance	ed in the past 30 days	est friends have used in months	it would be easy to get	ve they risk harming s if they use	Who say parents would disapprove i they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	ts who have ever	
Ciacatta		ays	<u>p</u>		isk harming use	=======================================		ing	hen	
Cigarettes Chauder Theore	22.2	11.9	•	it would be easy to get 54.8	ve they risk harming 90.1	rents would disapprove if 92.1	ould be wrong to use 86.1	s in their neighborhood 9.9 th by police for using	ts who have ever e, average age when	
Chewing Tobacco	22.2 17.5	11.9 10.7	42.5	54.8	isk harming 90.1	92.1	86.1	20.9	11.73	
Chewing Tobacco Alcohol	22.2	11.9 10.7 13.1	<u>p</u>		isk harming use	===		ing	hen	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	22.2 17.5 41.7	11.9 10.7 13.1 7.5	42.5	54.8	90.1 73.0	92.1	86.1	20.9	11.73	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	22.2 17.5 41.7	11.9 10.7 13.1 7.5 11.5	42.5	54.8	isk harming 90.1	92.1	86.1	20.9	11.73 12.96	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	22.2 17.5 41.7	11.9 10.7 13.1 7.5	42.5 48.4 35.5	54.8 50.2 42.3	90.1 73.0 80.6	92.1 79.8 95.5	86.1 61.1 87.7	20.9 20.6 32.1	11.73	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	22.2 17.5 41.7 15.5 4.0	11.9 10.7 13.1 7.5 11.5 0.0	42.5	54.8 50.2 42.3 14.3	90.1 73.0 80.6 98.8	92.1 79.8 95.5 98.4	86.1 61.1 87.7 96.4	20.9	11.73 12.96	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	22.2 17.5 41.7 15.5 4.0	11.9 10.7 13.1 7.5 11.5 0.0	42.5 48.4 35.5	54.8 50.2 42.3 14.3 54.9	90.1 73.0 80.6 98.8 82.9	92.1 79.8 95.5 98.4 90.9	86.1 61.1 87.7 96.4 88.9	20.9 20.6 32.1	11.73 12.96	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	22.2 17.5 41.7 15.5 4.0 10.7 11.1	11.9 10.7 13.1 7.5 11.5 0.0	42.5 48.4 35.5	54.8 50.2 42.3 14.3	90.1 73.0 80.6 98.8	92.1 79.8 95.5 98.4	86.1 61.1 87.7 96.4	20.9 20.6 32.1	11.73 12.96	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	22.2 17.5 41.7 15.5 4.0 10.7 11.1 0.8	11.9 10.7 13.1 7.5 11.5 0.0	42.5 48.4 35.5	54.8 50.2 42.3 14.3 54.9	90.1 73.0 80.6 98.8 82.9	92.1 79.8 95.5 98.4 90.9	86.1 61.1 87.7 96.4 88.9	20.9 20.6 32.1	11.73 12.96	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	22.2 17.5 41.7 15.5 4.0 10.7 11.1 0.8 3.2	11.9 10.7 13.1 7.5 11.5 0.0	42.5 48.4 35.5	54.8 50.2 42.3 14.3 54.9	90.1 73.0 80.6 98.8 82.9	92.1 79.8 95.5 98.4 90.9	86.1 61.1 87.7 96.4 88.9	20.9 20.6 32.1	11.73 12.96	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	22.2 17.5 41.7 15.5 4.0 10.7 11.1 0.8 3.2 1.6	11.9 10.7 13.1 7.5 11.5 0.0	42.5 48.4 35.5	54.8 50.2 42.3 14.3 54.9	90.1 73.0 80.6 98.8 82.9	92.1 79.8 95.5 98.4 90.9	86.1 61.1 87.7 96.4 88.9	20.9 20.6 32.1	11.73 12.96	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	22.2 17.5 41.7 15.5 4.0 10.7 11.1 0.8 3.2 1.6 2.4	11.9 10.7 13.1 7.5 11.5 0.0	42.5 48.4 35.5	54.8 50.2 42.3 14.3 54.9	90.1 73.0 80.6 98.8 82.9	92.1 79.8 95.5 98.4 90.9	86.1 61.1 87.7 96.4 88.9	20.9 20.6 32.1	11.73 12.96	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K	22.2 17.5 41.7 15.5 4.0 10.7 11.1 0.8 3.2 1.6 2.4 2.4	11.9 10.7 13.1 7.5 11.5 0.0 5.6 4.3	42.5 48.4 35.5 7.9	54.8 50.2 42.3 14.3 54.9 35.4	90.1 73.0 80.6 98.8 82.9 93.2	92.1 79.8 95.5 98.4 90.9 95.9	86.1 61.1 87.7 96.4 88.9 91.7	20.9 20.6 32.1 31.3	11.73 12.96 13.46 13.83	0.14
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	22.2 17.5 41.7 15.5 4.0 10.7 11.1 0.8 3.2 1.6 2.4	11.9 10.7 13.1 7.5 11.5 0.0 5.6 4.3	42.5 48.4 35.5 7.9	54.8 50.2 42.3 14.3 54.9 35.4	90.1 73.0 80.6 98.8 82.9 93.2 comparisace, and	92.1 79.8 95.5 98.4 90.9 95.9	86.1 61.1 87.7 96.4 88.9 91.7	20.9 20.6 32.1 31.3	11.73 12.96	0-14

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


SAINT CHARLES COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Eastern 16 183 360,485 365,151

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	4,596	4,657	4,747
Mother Reported Drinking while Pregnant ¹		23	18
Mother Reported Smoking while Pregnant	510	417	471
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	15	18	8
IDU and MSM ²	*	*	1
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	2,292	2,096	2,095
Suicides	41	47	37
Self-inflicted Injuries	360	318	374
Homicides	9	7	6
Assault Injuries	773	738	782
Alcohol Induced Deaths	9	15	19
Drug Induced Deaths	50	37	39
Smoking Induced Deaths	386	375	385
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	2,799	2,686	2,788
Direct Hospitalizations	1,009	661	673
Emergency Room Hospitalizations	880	1,183	1,333
Emergency Room Outpatient	910	842	782
Drug RelatedTotal	2,927	2,263	1,931
Direct Hospitalizations	956	669	575
Emergency Room Hospitalizations	668	776	832
Emergency Room Outpatient	1,303	818	524
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	388	348	435
Fatal Crashes	8	9	7
Injury Crashes	120	133	141
Property Damage Crashes	260	206	287
Crash Fatalities	8	7	8
Crash Injuries	174	162	161
Drug Involved CrashesTotal	57	50	48
Fatal Crashes	4	3	1
Injury Crashes	18	18	15
Property Damage Crashes	35	29	32
Crash Fatalities	4	3	1
Crash Injuries	20	22	14
EMPLOYMENT	2011	2010	2009
Labor Force	201,253	195,009	193,641
Employed	186,556	178,111	176,991
Unemployed	14,697	16,898	16,650
Unemployment Rate	7.3%	8.7%	8.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	454	443	481

Alcohol Package Carry-out Licenses



Enrollment Grades 9-12 17,320 17,558 17,409 Drop-outs 316 325 495	■ Female	■ Male		
Drop-outs 316 325 49€ Drop-out Rate 1.8% 1.9% 2.89 School Suspensions, 10 or More Days Alcohol Incidents 41 52 43 Drug Incidents 228 190 255 Tobacco Incidents 2 6 3 POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 2,013 2,288 2,531 Liquor Law Arrests 688 721 626 Drug Arrests 1,730 1,754 1,845 Methamphetamine Lab Incidents 90 64 118 Violent Offenses 548 584 676 Property Offenses 6,774 7,037 7,969 Domestic Violence Reports 1,307 1,545 1,779 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses—Total 1,567 1,752 1,920 Violent Offenses 358 347 334 Alcohol Offenses 108 <th>SCHOOL REPORTS</th> <th>2010-2011</th> <th>2009-2010</th> <th>2008-2009</th>	SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Drop-out Rate 1.8% 1.9% 2.89 School Suspensions, 10 or More Days Alcohol Incidents 41 52 43 Drug Incidents 228 190 255 Tobacco Incidents 2 6 3 3 3 3 3 3 3 3 3	Enrollment Grades 9-12	17,320	17,558	17,409
School Suspensions, 10 or More Days Alcohol Incidents 41 52 43 Drug Incidents 228 190 255 Tobacco Incidents 2 6 3 3 3 3 3 3 3 3 3	Drop-outs	316	325	495
Alcohol Incidents	Drop-out Rate	1.8%	1.9%	2.8%
Drug Incidents	School Suspensions, 10 or More Days			
Tobacco Incidents 2 6 3 POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 2,013 2,288 2,531 Liquor Law Arrests 688 721 626 Drug Arrests 1,730 1,754 1,845 Methamphetamine Lab Incidents 90 64 118 Violent Offenses 548 584 676 Property Offenses 548 584 676 Property Offenses 6,774 7,037 7,968 Domestic Violence Reports 1,307 1,545 1,779 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses—Total 1,567 1,752 1,920 Violent Offenses 358 347 334 Alcohol Offenses 108 115 134 Drug Offenses 163 249 223 Status Offenses—Total 451 427 468 Truancy 136 112 117	Alcohol Incidents	41	52	43
POLICE REPORTS 2010 2009 2008 2010 2011 2013 2,288 2,531 2,288 2,531 2,288 2,531 2,288 2,531 2,288 2,531 2,288 2,531 2,288 2,531 2,288 2,531 2,288 2,531 2,231 2,288 2,531 2,231 2,232 2,331 2,232 2,331 2,332 2,334 2	Drug Incidents	228	190	255
DUI Arrests, DWI Tracking System 2,013 2,288 2,531 Liquor Law Arrests 688 721 626 Drug Arrests 1,730 1,754 1,845 Methamphetamine Lab Incidents 90 64 119 Violent Offenses 548 584 676 Property Offenses 6,774 7,037 7,968 Domestic Violence Reports 1,307 1,545 1,778 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses—Total 1,567 1,752 1,920 Violent Offenses 358 347 334 Alcohol Offenses 108 115 134 Drug Offenses 163 249 223 Status Offenses—Total 451 427 468 Truancy 136 112 117 Beyond Parental Control 4 11 2 Habitually Absent from Home 262 253 311 Injurious Behavior 48 49 <td>Tobacco Incidents</td> <td>2</td> <td>6</td> <td>3</td>	Tobacco Incidents	2	6	3
Liquor Law Arrests 688 721 626	POLICE REPORTS	2010	2009	2008
Drug Arrests 1,730 1,754 1,845 Methamphetamine Lab Incidents 90 64 119 Violent Offenses 548 584 676 Property Offenses 6,774 7,037 7,968 Domestic Violence Reports 1,307 1,545 1,779 JUVENILE COURT REFERRALS 2010 2009 2006 Law Violation Offenses—Total 1,567 1,752 1,920 Violent Offenses 358 347 33 Alcohol Offenses 108 115 13 Drug Offenses 163 249 223 Status Offenses—Total 451 427 466 Truancy 136 112 117 Beyond Parental Control 4 11 2 Habitually Absent from Home 262 253 31* Injurious Behavior 48 49 36 Abuse 21 10 22 Neglect 132 117 115 Custody	DUI Arrests, DWI Tracking System	2,013	2,288	2,531
Methamphetamine Lab Incidents 90 64 119 Violent Offenses 548 584 676 Property Offenses 6,774 7,037 7,968 Domestic Violence Reports 1,307 1,545 1,779 JUVENILE COURT REFERRALS 2010 2009 2006 Law Violation Offenses 358 347 33 Alcohol Offenses 108 115 13 Drug Offenses 163 249 223 Status Offenses—Total 451 427 468 Truancy 136 112 117 Beyond Parental Control 4 11 2 Habitually Absent from Home 262 253 311 Injurious Behavior 48 49 38 Abuse/Neglect/Custody—Total 172 149 153 Abuse 21 10 22 Neglect 132 117 119 Custody Disputes 19 22 12 JUVENILE COUR	Liquor Law Arrests	688	721	626
Violent Offenses 548 584 676 Property Offenses 6,774 7,037 7,968 Domestic Violence Reports 1,307 1,545 1,779 JUVENILE COURT REFERRALS 2010 2009 2000 Law Violation OffensesTotal 1,567 1,752 1,920 Violent Offenses 358 347 334 Alcohol Offenses 108 115 134 Drug Offenses 163 249 223 Status OffensesTotal 451 427 469 Truancy 136 112 117 Beyond Parental Control 4 11 22 Habitually Absent from Home 262 253 31* Injurious Behavior 48 49 38 Abuse/Neglect/CustodyTotal 172 149 153 Abuse 21 10 22 Neglect 132 117 115 Custody Disputes 19 22 12 JUVENI	Drug Arrests	1,730	1,754	1,845
Property Offenses 6,774 7,037 7,965	Methamphetamine Lab Incidents	90	64	119
Domestic Violence Reports	Violent Offenses	548	584	676
JUVENILE COURT REFERRALS 2010 2009 2000 2	Property Offenses	6,774	7,037	7,969
Law Violation OffensesTotal 1,567 1,752 1,920 Violent Offenses 358 347 334 Alcohol Offenses 108 115 134 Drug Offenses 163 249 223 Status OffensesTotal 451 427 468 Truancy 136 112 117 Beyond Parental Control 4 11 2 Habitually Absent from Home 262 253 311 Injurious Behavior 48 49 38 Abuse/Neglect/CustodyTotal 172 149 153 Abuse 21 10 22 Neglect 132 117 115 Custody Disputes 19 22 12 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 105 99 124 Parental Alcohol Use Related 6 9 9 Parental Drug Use Related 2 4 0 Parenta	Domestic Violence Reports	1,307	1,545	1,779
Violent Offenses 358 347 334 Alcohol Offenses 108 115 134 Drug Offenses 163 249 223 Status OffensesTotal 451 427 468 Truancy 136 112 117 Beyond Parental Control 4 11 2 Habitually Absent from Home 262 253 31 Injurious Behavior 48 49 38 Abuse/Neglect/CustodyTotal 172 149 153 Abuse 21 10 22 Neglect 132 117 115 Custody Disputes 19 22 12 JUVENILE COURT PLACEMENTS 2010 2009 2000 Out-of-Home PlacementsTotal 105 99 124 Parental Alcohol Use Related 6 9 9 Parental Alcohol and Drug Use 2 4 0 Child Removed for Other Reason 69 62 93 CRIMINAL JUS	JUVENILE COURT REFERRALS	2010	2009	200
Alcohol Offenses 108	Law Violation OffensesTotal	1,567	1,752	1,920
Drug Offenses 163 249 223 Status OffensesTotal 451 427 463 Truancy 136 112 117 Beyond Parental Control 4 11 2 Habitually Absent from Home 262 253 31 Injurious Behavior 48 49 36 Abuse/Neglect/CustodyTotal 172 149 153 Abuse 21 10 22 Neglect 132 117 119 Custody Disputes 19 22 12 JUVENILE COURT PLACEMENTS 2010 2009 2006 Out-of-Home PlacementsTotal 105 99 124 Parental Alcohol Use Related 6 9 9 Parental Drug Use Related 28 24 18 Parental Alcohol and Drug Use 2 4 6 Child Removed for Other Reason 69 62 97 CRIMINAL JUSTICE FY2011 FY2010 FY2000 <	Violent Offenses	358	347	334
Status OffensesTotal 451 427 468 Truancy 136 112 117 Beyond Parental Control 4 11 2 Habitually Absent from Home 262 253 31° Injurious Behavior 48 49 38 Abuse/Neglect/CustodyTotal 172 149 15° Abuse 21 10 22° Neglect 132 117 11° Custody Disputes 19 22 12° JUVENILE COURT PLACEMENTS 2010 2009 2006 Out-of-Home PlacementsTotal 105 99 12° Parental Alcohol Use Related 6 9 9 Parental Drug Use Related 28 24 18 Parental Alcohol and Drug Use 2 4 6 Child Removed for Other Reason 69 62 9° CRIMINAL JUSTICE FY2011 FY2010 FY2000 Probation/Parole AdmissionsTotal 1,609 1,524 1,619 <td>Alcohol Offenses</td> <td>108</td> <td>115</td> <td>134</td>	Alcohol Offenses	108	115	134
Truancy 136 112 117 Beyond Parental Control 4 11 2 Habitually Absent from Home 262 253 31 Injurious Behavior 48 49 38 Abuse/Neglect/CustodyTotal 172 149 15 Abuse 21 10 22 Neglect 132 117 115 Custody Disputes 19 22 12 JUVENILE COURT PLACEMENTS 2010 2009 2006 Out-of-Home PlacementsTotal 105 99 124 Parental Alcohol Use Related 6 9 9 Parental Drug Use Related 28 24 18 Parental Alcohol and Drug Use 2 4 6 Child Removed for Other Reason 69 62 97 CRIMINAL JUSTICE FY2011 FY2010 FY2000 Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,619	Drug Offenses	163	249	223
Beyond Parental Control	Status OffensesTotal	451	427	469
Habitually Absent from Home	Truancy	136	112	117
Injurious Behavior	Beyond Parental Control	4	11	2
Abuse/Neglect/CustodyTotal 172 149 153 Abuse 21 10 22 Neglect 132 117 113 Custody Disputes 19 22 12 JUVENILE COURT PLACEMENTS 2010 2009 2000 Out-of-Home PlacementsTotal 105 99 124 Parental Alcohol Use Related 6 9 6 Parental Drug Use Related 28 24 18 Parental Alcohol and Drug Use 2 4 0 Child Removed for Other Reason 69 62 97 CRIMINAL JUSTICE FY2011 FY2010 FY2000 Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,619 Probation/Parole AdmissionsDrug 473 421 475 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	Habitually Absent from Home	262	253	311
Abuse 21 10 22 Neglect 132 117 115 Custody Disputes 19 22 12 JUVENILE COURT PLACEMENTS 2010 2009 2000 Out-of-Home PlacementsTotal 105 99 124 Parental Alcohol Use Related 6 9 8 Parental Drug Use Related 28 24 18 Parental Alcohol and Drug Use 2 4 0 Child Removed for Other Reason 69 62 97 CRIMINAL JUSTICE FY2011 FY2010 FY2000 Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,619 Probation/Parole AdmissionsDrug 473 421 475 Probation/Parole AdmissionsDWI 151 164 121 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	Injurious Behavior	48	49	38
Neglect 132 117 119 Custody Disputes 19 22 12 JUVENILE COURT PLACEMENTS 2010 2009 2000 Out-of-Home PlacementsTotal 105 99 124 Parental Alcohol Use Related 6 9 9 Parental Drug Use Related 28 24 18 Parental Alcohol and Drug Use 2 4 0 Child Removed for Other Reason 69 62 9 CRIMINAL JUSTICE FY2011 FY2010 FY2000 Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,619 Probation/Parole AdmissionsDrug 473 421 479 Probation/Parole AdmissionsDWI 151 164 12 Prison AdmissionsTotal 656 689 700 Prison AdmissionsDrug 219 210 190	Abuse/Neglect/CustodyTotal	172	149	153
Custody Disputes 19 22 12 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 105 99 124 Parental Alcohol Use Related 6 9 9 Parental Drug Use Related 28 24 18 Parental Alcohol and Drug Use 2 4 0 Child Removed for Other Reason 69 62 97 CRIMINAL JUSTICE FY2011 FY2010 FY2000 Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,618 Probation/Parole AdmissionsDrug 473 421 475 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	Abuse	21	10	22
JUVENILE COURT PLACEMENTS 2010 2009 2000 Out-of-Home PlacementsTotal 105 99 124 Parental Alcohol Use Related 6 9 9 Parental Drug Use Related 28 24 18 Parental Alcohol and Drug Use 2 4 0 Child Removed for Other Reason 69 62 97 CRIMINAL JUSTICE FY2011 FY2010 FY2000 Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,619 Probation/Parole AdmissionsDrug 473 421 475 Probation/Parole AdmissionsDWI 151 164 122 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	Neglect	132	117	119
Out-of-Home PlacementsTotal 105 99 124 Parental Alcohol Use Related 6 9 9 Parental Drug Use Related 28 24 18 Parental Alcohol and Drug Use 2 4 0 Child Removed for Other Reason 69 62 97 CRIMINAL JUSTICE FY2011 FY2010 FY2000 Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,619 Probation/Parole AdmissionsDrug 473 421 475 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 190	Custody Disputes	19	22	12
Parental Alcohol Use Related 6 9 5 Parental Drug Use Related 28 24 18 Parental Alcohol and Drug Use 2 4 0 Child Removed for Other Reason 69 62 97 CRIMINAL JUSTICE FY2011 FY2010 FY2000 Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,619 Probation/Parole AdmissionsDrug 473 421 475 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	JUVENILE COURT PLACEMENTS	2010	2009	2008
Parental Drug Use Related 28 24 18 Parental Alcohol and Drug Use 2 4 0 Child Removed for Other Reason 69 62 97 CRIMINAL JUSTICE FY2011 FY2010 FY2000 Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,619 Probation/Parole AdmissionsDrug 473 421 475 Probation/Parole AdmissionsDWI 151 164 12 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	Out-of-Home PlacementsTotal	105	99	124
Parental Alcohol and Drug Use 2 4 0 Child Removed for Other Reason 69 62 97 CRIMINAL JUSTICE FY2011 FY2010 FY2000 Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,619 Probation/Parole AdmissionsDrug 473 421 475 Probation/Parole AdmissionsDWI 151 164 127 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 190	Parental Alcohol Use Related	6	9	9
Child Removed for Other Reason 69 62 97 CRIMINAL JUSTICE FY2011 FY2010 FY2000 Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,619 Probation/Parole AdmissionsDrug 473 421 475 Probation/Parole AdmissionsDWI 151 164 122 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	Parental Drug Use Related	28	24	18
CRIMINAL JUSTICE FY2011 FY2010 FY2000 Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,619 Probation/Parole AdmissionsDrug 473 421 475 Probation/Parole AdmissionsDWI 151 164 122 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	Parental Alcohol and Drug Use	2	4	(
Drug Court Participants 413 415 348 Probation/Parole AdmissionsTotal 1,609 1,524 1,619 Probation/Parole AdmissionsDrug 473 421 475 Probation/Parole AdmissionsDWI 151 164 121 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	Child Removed for Other Reason	69	62	97
Probation/Parole AdmissionsTotal 1,609 1,524 1,618 Probation/Parole AdmissionsDrug 473 421 475 Probation/Parole AdmissionsDWI 151 164 12 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	CRIMINAL JUSTICE	FY2011	FY2010	FY200
Probation/Parole AdmissionsDrug 473 421 475 Probation/Parole AdmissionsDWI 151 164 127 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	Drug Court Participants	413	415	348
Probation/Parole AdmissionsDWI 151 164 127 Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	Probation/Parole AdmissionsTotal	1,609	1,524	1,619
Prison AdmissionsTotal 656 689 706 Prison AdmissionsDrug 219 210 196	Probation/Parole AdmissionsDrug	473	421	475
Prison AdmissionsDrug 219 210 190	Probation/Parole AdmissionsDWI	151	164	121
	Prison AdmissionsTotal	656	689	706
Prison AdmissionsDWI 59 63 66	Prison AdmissionsDrug	219	210	190
	Prison AdmissionsDWI	59	63	66

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

217

207

218

SAINT CHARLES COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	75	92	83
CSTAR Women and Children	151	170	145
CSTAR General Adult	101	38	23
CSTAR Opioid	52	42	41
Primary Recovery Detoxification	128	107	105
Primary Recovery Treatment	297	591	445
Clinical SATOP (CIP, YCIP, SROP)	425	460	411
Other Substance Abuse Treatment	*	5	17

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	1,828	2,304	2,347
- Adolescent Diversion Education Program	48	196	218
- Offender Education Program	693	859	845
- Weekend Intervention Program	385	494	536
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	25	18	27
- Compulsive Gambling	27	32	12
- Recovery Supports	*	44	92
- Early Intervention	11	7	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	703	876	788	Never Married	695	883	707
Female	355	449	340	Married / Cohabitating	187	205	200
				Previously Married	176	236	220
AGE							
Under 18	76	109	96	PRIMARY DRUG PROBLEM			
18 to 24	280	374	277	Alcohol	561	712	635
25 to 29	211	263	213	Marijuana / Hashish	148	217	204
30 to 34	154	156	128	Cocaine (total)	24	51	42
35 to 39	88	139	137	- Crack	17	31	28
40 to 44	76	91	92	Stimulant (total)	29	35	21
45 to 54	133	152	143	- Methamphetamine	22	29	19
55 and Over	40	41	42	Heroin	243	245	171
RACE / ETHNICITY				Analgesic except Heroin	35	46	38
Caucasian	977	1,231	1,040	- Non-Prescription Methadone	*	*	*
African American	48	55	45	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	*	*	*	Tranquilizer	10	14	8
Asian / Pacific Islander	*	5	6	Inhalant	*	*	*
Hispanic	10	15	16	Sedative	*	*	*
Other Race / Two or More Races	22	23	23	Other Medication or Illicit Drug	*	*	*
		20	20	Average Age at First Use of Drug	17.6	17.2	17.1
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	245	339	316	Any Injection Use at Admission	215	229	150
High School Graduate or G.E.D.	428	566	484	- Daily Injection Use	86	93	76
Associate Degree or Some College	313	357	263	- Weekly Injection Use	75	84	36
Bachelor or Advanced Degree	72	63	65	- Less than Weekly Injection Use	54	52	38
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	405	478	459	Self / Family / Friend	305	372	329
Unemployed	383	493	400	School	*	*	7
Not in Labor Force	270	354	269	Mental Health Provider	11	16	17
				Health Care Provider	34	28	25
LIVING ARRANGEMENT				Court / Criminal Justice	635	820	664
Independent Living	897	1,102	892	Other Referral Source	69	85	85
Dependent Living	104	150	153				
Homeless	39	43	39	SPECIAL POPULATIONS			
				Pregnant when Admitted to any Episode	37	28	25
LIFETIME DUI / DWI ARRESTS				Military Veteran	48	46	30
0	419	549	468	Special Education Services Needed	53	52	47
1 or 2	440	523	430	Co-Occurring Psychological Problem	339	401	344
3 or More	199	253	230	Co-Occurring Developmental Problem	11	27	16

SAINT CHARLES COUNTY



ADA/CPS REGION Eastern
CPS SERVICE AREA 16
CENSUS 2010 360,485
2011 POP. ESTIMATE 365,151

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 25 31 46 **Anxiety Disorder** 726 555 486 Dementia 10 5 7 **Developmental Disorder** 56 45 38 Impulse Control Disorder 467 367 304 **Mood Disorder** 914 1,351 1,021 Personality Disorder 246 252 245 **Psychotic Disorder** 274 260 257 Sexual Disorder 5 Other Diagnosis 143 153 145

142

167

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,901	1,564	1,444	Hearing Impaired	30	21	19
Male	918	785	723	Past or Current Military Service	31	32	33
Female	983	779	721	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	929	598	384
Under 6	7	11	8	Dependent Living	37	230	108
6 to 9	142	99	71	Homeless	18	7	15
10 to 13	168	148	135	Other	6	12	9
14 to 17	197	158	142	Housing Unknown	911	717	928
18 to 24	198	165	151	EMPLOYMENT			
25 to 29	178	143	125	Employed	158	118	95
30 to 34	139	114	117	Unemployed	776	490	311
35 to 39	123	108	101	Not in Labor Force	54	38	24
40 to 44	152	145	150	Employment Status Unknown	913	918	1,014
45 to 49	205	164	139				.,
50 to 54	181	150	156	ARRESTS			
55 to 59	120	81	77	Arrested in Past 12 Months	158	121	89
60 and Over	91	78	72	Not Arrested in Past 12 Months	832	726	426
	-			Arrest Status Unknown	911	717	929
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	1,645	1,336	1,257	Self / Family / Friend	241	271	264
African American	159	140	117	School	174	196	179
Native American / Alaskan	*	*	*	Mental Health Provider	257	281	283
Asian / Pacific Islander	*	*	5	Health Care Provider	139	114	127
Hispanic	19	20	18	Court / Criminal Justice	43	51	46
Other Race	72	62	46	Other	1,034	639	530
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	1,034	12	15
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	260	186	119	Voluntary	1,856	1,498	1,375
High School Grad or G.E.D.	386	261	179	Civil	13	37	37
A.A. Degree or Some College	272	159	103	Criminal	18	16	17
Bachelor or Advanced Degree	75	39	29	Sexual Predatory	*	*	0
Education Level Unknown	908	919	1,014	Commitment Type Unknown	13	12	15
	300	0.0	.,		.0		. 0

160

SAINT CHARLES COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%	s	SUICIDE						(%)
Percent of students who, in the past 30 days:		-						12 months	:	
Were very sad		15.			-	ered atter				9.6
Were grouchy, irritable, or in a bad mood		19.			•		ey would	attempt si	uicide	7.2
Felt hopeless about the future		10.	-		ited suicio					4.2
Felt like not eating or eating more than usual		14.						in injury o	r overdose that had to	1.5
Slept a lot more or a lot less than usual		18.		be t	reated by	doctor or	nurse			
Had difficulty concentrating on school work		24.		REBELLIC	OUSNES	s				
FIGHTING				Percent	of studen	ts who ag	ree that:			
Percent of students who, in the past 12 months:				They iq	gnore rule	s that get	in their v	<i>ı</i> ay		19.9
Were in a physical fight		15.	4	They d	o the opp	osite of w	hat they'	e told to m	nake people mad	12.8
Were in a fight and had to be treated by a doctor or nurse		2.9	9	It is ok	ay to take	somethin	g withou	permissio	n	6.5
Were threatened or injured with a weapon on school proper	ty	5.3	2	Somet	imes it is	okay to ch	eat at sc	hool		18.8
	•			It is ok	ay to beat	up peopl	e if they :	start a fight	t	42.9
BULLYING VICTIM					•					
Percent of students who, in the past 3 months:				SCHOOL						
Were shoved, slapped, hit, or kicked in a serious manner		21.				_		he followin	-	
Were victims of mean rumors or lies spread at school		41.						tudent's g		65.0
Had embarrassing or hurtful pictures/text of them posted on		13.			-		•	-	ive student performance	37.1
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	15.				student fo	or hard w	ork		53.4
Were made fun of by others		58.	7		are enforc	-				67.7
DULL VINO DEDDETOATOR				Studer	its of all ra	aces and	ethnicitie	s are treate	ed equally	75.3
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:				DADENT.	DEL ATIC	24/6				
Shoved, slapped, hit, or kicked a student in a serious manner	or .	14.		PARENT Percent			ree with i	he followin	na·	
Spread mean rumors or lies about other kids at school	21	29.				-				84.2
Posted on internet embarrassing or hurtful pictures/text of so	nmenne	8.8	· · · · · · · · · · · · · · · · · · ·							69.3
Sent by cell phone embarrassing or hurtful pictures/text of s			9.4 It is important to be honest with parents regardless of consequences							85.3
Made fun of other people	omeone	58.								78.6
Made fail of other people		00.	_	Studen	it could a.	sk parent	or neip t	nui a perse	onal problem	70.0
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	€	\{	∌ €	8	₹ ≤	₹ ≤	€	§ §	∄ 5. ≥	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usi	Among students who have ever used substance, average age what first used	
	lave	ave	e do st 1	ay i	elve	se a	<u>&</u>	B 를	g st subs	
	eve	Sus)Ses 2 m	t wo	ye t	oare	Ť WC	Cauc	uder	
	막	8	ont fri	ᇤ	the	äts	ᇤ	ght sin	nts ce,	
	sed		ns end	be	y us	WO	용	₹ ‡	who	
	Sub	e p	Sh	eas	ਲ ਦੇ	듑	WTO		ha	
	sta	ISI 3	ave	y to	3.	disa	g	e fo	ve e	
	псе	õ	use	get	3	뒁	0	us bor	e w	
		ays	a ii			ove	Se Se	hood	hen	
Cigarettes	14.6	7.1		46.3	86.3	94.6	87.4	31.7	12.86	
Chewing Tobacco	3.9	2.1		10.0	55.0	5 1.0	31.7	51.7		
Alcohol	32.1	14.5		57.5	70.2	82.6	66.1	33.1	12.84	
Binge Alcohol (5+ drinks on one occasion in past 30 days)	JZ. I	7.8		31.3	10.2	02.0	00.1	JJ. I	12.04	
	11.9	6.7		33.6	76.5	95.5	84.6	47.6	13.75	
Marijuana Inhalants	4.5	2.0		33.0	76.5	95.5	04.0	47.0	11.14	
	4.5	2.0		110	05.0	00.0	06.5	62.6	11.14	
Illicit drugs such as cocaine, LSD, meth, club drugs	r 7	2.0	16.2	14.2	95.2	98.9	96.5	63.6		
Over-the-counter medications for non-medical use	5.7	3.6		56.1	83.3	96.7	90.0			
Prescription drugs not prescribed for student	7.0	3.8)	28.9	89.5	96.6	92.1			
Heroin	0.6									
Cocaine	1.2									
Methamphetamine	0.9									
Hallucinogens	2.0									
Club drugs such as ecstasy, GHB, roofle, or Special K	1.7		Data aro w	eighted in	Compari	son to co	inty none	lation octiv	mates for age groups 10-	.14
Synthetic drugs such as K2, bath salts, Spice	5.2		and 15-19,					nauon coll	nates for age groups 10-	. 4
Steroids not prescribed for student	0.9							ined answ	er choices.	

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

SAINT CLAIR COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 185 9,805 9,641



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	115	71	120
Mother Reported Drinking while Pregnant ¹		0	1
Mother Reported Smoking while Pregnant	36	21	37
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	0
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	139	143	125
Suicides	2	2	1
Self-inflicted Injuries	8	- 15	11
Homicides	1	0	0
Assault Injuries	26	42	31
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	1	0	0
Smoking Induced Deaths	28	31	23
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	71	85	75
Direct Hospitalizations	24	35	37
Emergency Room Hospitalizations	13	11	11
Emergency Room Outpatient	34	39	27
Drug RelatedTotal	80	76	48
Direct Hospitalizations	39	31	22
Emergency Room Hospitalizations	10	12	9
Emergency Room Outpatient	31	33	17
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	15	7	11
Fatal Crashes	1	2	3
Injury Crashes	11	2	3
Property Damage Crashes	3	3	5
Crash Fatalities	1	4	3
Crash Injuries	21	5	5
Drug Involved CrashesTotal	2	1	0
Fatal Crashes	0	1	0
Injury Crashes	2	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	3	0
Crash Injuries	2	2	0
EMPLOYMENT	2011	2010	2009
Labor Force	4,005	4,041	4,234
Employed	3,593	3,599	3,814
Unemployed	412	442	420
Unemployment Rate	10.3%	10.9%	9.9%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	6	5	5
Alcohol Package Carry-out Licenses	17	16	14
• •			

■ Female ■ Male						
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009			
Enrollment Grades 9-12	427	467	479			
Drop-outs	15	22	28			
Drop-out Rate	3.5%	4.7%	5.8%			
School Suspensions, 10 or More Days						
Alcohol Incidents	1	0	2			
Drug Incidents	0	5	2			
Tobacco Incidents	0	0	0			
POLICE REPORTS	2010	2009	2008			
DUI Arrests, DWI Tracking System	34	18	36			
Liquor Law Arrests	1	3	4			
Drug Arrests	18	30	28			
Methamphetamine Lab Incidents	7	9	11			
Violent Offenses	19	18	14			
Property Offenses	156	161	225			
Domestic Violence Reports	22	30	38			
JUVENILE COURT REFERRALS	2010	2009	2008			
Law Violation OffensesTotal	23	20	42			
Violent Offenses	12	7	16			
Alcohol Offenses	4	2	7			
Drug Offenses	1	1	4			
Status OffensesTotal	19	24	30			
Truancy	8	8	3			
Beyond Parental Control	7	5	7			
Habitually Absent from Home	0	2	4			
Injurious Behavior	4	9	16			
Abuse/Neglect/CustodyTotal	48	36	32			
Abuse	12	7	6			
Neglect	26	17	13			
Custody Disputes	10	12	13			
JUVENILE COURT PLACEMENTS	2010	2009	2008			
Out-of-Home PlacementsTotal	24	15	6			
Parental Alcohol Use Related	0	2	0			
Parental Drug Use Related	15	3	4			
Parental Alcohol and Drug Use	0	0	0			
Child Removed for Other Reason	9	10	2			
CRIMINAL JUSTICE	FY2011	FY2010	FY2009			
Drug Court Participants	5	4	0			
Probation/Parole AdmissionsTotal	60	46	52			
Probation/Parole AdmissionsDrug	14	12	7			
Probation/Parole AdmissionsDWI	5	2	5			
Prison AdmissionsTotal	31	33	28			
Prison AdmissionsDrug	8	6	3			
Prison AdmissionsDWI	1	2	2			
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	ppressed			

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

SAINT CLAIR COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	0
CSTAR General Adult	45	48	37
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	14	10	7
Primary Recovery Treatment	14	33	35
Clinical SATOP (CIP, YCIP, SROP)	7	6	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	20	41	32
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	7	16	11
- Weekend Intervention Program	*	11	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	0
- Compulsive Gambling	0	0	0
- Recovery Supports	7	13	11
- Early Intervention	0	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	52	54	54	Never Married	38	35	36
Female	27	23	22	Married / Cohabitating	25	27	25
				Previously Married	16	15	15
AGE	*	*	*				
Under 18				PRIMARY DRUG PROBLEM	0.4		0.4
18 to 24	13	11	18	Alcohol	31	28	34
25 to 29	20	17	10	Marijuana / Hashish	16	20	19
30 to 34	6	10	10	Cocaine (total)	*	0	0
35 to 39	16	13	12	- Crack		0	0
40 to 44	8	8	7	Stimulant (total)	25	18	18
45 to 54	11	13	13	- Methamphetamine	24	18	17
55 and Over	*	*	*	Heroin	0	5	*
RACE / ETHNICITY				Analgesic except Heroin	*	6	*
Caucasian	71	73	71	- Non-Prescription Methadone	0	0	0
African American	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	0	0	Tranquilizer	0	0	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	*	0	*	Sedative	0	0	0
Other Race / Two or More Races	*	*	*	Other Medication or Illicit Drug	0	0	0
				Average Age at First Use of Drug	18.1	17.4	15.9
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	29	30	34	Any Injection Use at Admission	10	14	5
High School Graduate or G.E.D.	37	40	33	- Daily Injection Use	*	*	*
Associate Degree or Some College	11	5	7	- Weekly Injection Use	*	6	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	5	6	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	19	20	29	Self / Family / Friend	25	28	21
Unemployed	37	39	35	School	0	0	0
Not in Labor Force	23	18	12	Mental Health Provider	0	0	*
				Health Care Provider	*	*	0
LIVING ARRANGEMENT				Court / Criminal Justice	50	45	51
Independent Living	68	67	67	Other Referral Source	*	*	*
Dependent Living	*	7	8				
Homeless	6	*	0	SPECIAL POPULATIONS		_	
				Pregnant when Admitted to any Episode	*	0	*
LIFETIME DUI / DWI ARRESTS				Military Veteran	*	0	0
0	47	44	49	Special Education Services Needed			*
1 or 2	19	18	18	Co-Occurring Psychological Problem	19	27	20
3 or More	13	15	9	Co-Occurring Developmental Problem	0	0	0

SAINT CLAIR COUNTY



2011 POP. ESTIMATE 9,641

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009				
Adjustment Disorder	7	6	*				
Anxiety Disorder	27	30	18				
Dementia	0	0	*				
Developmental Disorder	*	*	0				
Impulse Control Disorder	17	21	18				
Mood Disorder	61	54	42				
Personality Disorder	*	6	*				
Psychotic Disorder	12	10	11				
Sexual Disorder	0	0	*				
Other Diagnosis	11	11	9				
Diagnosis Unknown	10	20	35				

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	102	100	99	Hearing Impaired	*	*	*
Male	46	52	51	Past or Current Military Service	*	*	*
Female	56	48	48	·			
				HOUSING / LIVING ARRANGEMENT	40	0.4	
AGE				Independent Living	42	34	14
Under 6	*	*	0	Dependent Living	0	*	*
6 to 9	9	8	13	Homeless		*	0
10 to 13	5	10	7	Other	0		0
14 to 17	7	8	9	Housing Unknown	59	59	84
18 to 24	8	9	11	EMPLOYMENT			
25 to 29	11	5	8	Employed	5	5	0
30 to 34	6	9	8	Unemployed	37	32	13
35 to 39	6	9	7	Not in Labor Force	*	0	*
40 to 44	12	14	12	Employment Status Unknown	59	63	85
45 to 49	15	10	13	400000			
50 to 54	15	9	6	ARRESTS	_	_	
55 to 59	5	5	*	Arrested in Past 12 Months	5	7	
60 and Over	*	*	*	Not Arrested in Past 12 Months	38	34	14
				Arrest Status Unknown	59	59	84
RACE / ETHNICITY				TOTATMENT DESERBAL COURSE			
Caucasian	99	95	94	TREATMENT REFERRAL SOURCE Self / Family / Friend	74	72	04
African American	*	*	*	School	71		61
Native American / Alaskan	0	0	0	Mental Health Provider	0	0	0
Asian / Pacific Islander	0	0	*		6		5
Hispanic	0	*	*	Health Care Provider Court / Criminal Justice	9	5 7	_
Other Race	*	*	*			=	5
Race/Ethnicity Unknown	0	0	0	Other	12	12	23
				Referral Source Unknown			
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	21	15	5	Voluntary	96	94	95
High School Grad or G.E.D.	17	17	9	Civil	*	*	*
A.A. Degree or Some College	*	5	0	Criminal	*	*	*
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	59	63	85	Commitment Type Unknown	*	*	*

SAINT CLAIR COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	ક	SUICIDE Percent i	of studen	ts who in	the nast	12 months		(%)
Were very sad		15.4				ered atter	-		•	2.7
Were grouchy, irritable, or in a bad mood		19.5			-			attempt su	uicide	2.7
Felt hopeless about the future		1.3			ted suicid		- J			2.7
Felt like not eating or eating more than usual		9.4					resulted	in injury o	r overdose that had to	0.8
Slept a lot more or a lot less than usual		22.8				doctor or			ovoraboo anat maa to	0.0
Had difficulty concentrating on school work		22.4			·					
The same state of the same sta			F	REBELLIC						
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get				14.8
Were in a physical fight		24.8		-					iake people mad	6.0
Were in a fight and had to be treated by a doctor or nurse		1.3			-		-	permissio	n	5.4
Were threatened or injured with a weapon on school proper	ty	5.4				okay to ch				32.0
BULLYING VICTIM				It is oka	ay to beat	up peopl	e if they s	start a fight	İ	44.3
Percent of students who, in the past 3 months:				CHOOL	DEL ATI	OME				
Were shoved, slapped, hit, or kicked in a serious manner		24.3					ree with t	he followin	na·	
Were victims of mean rumors or lies spread at school		28.2				_		tudent's go	-	84.6
Had embarrassing or hurtful pictures/text of them posted on	internet	10.1						•	ive student performanc	
Had embarrassing or hurtful pictures/text of them sent by ce		12.2			-	student fo	-	-	To stadont portormano	75.0
Were made fun of by others	pilolio	67.3			are enforc		or mara w	OI K		60.8
Word made fail of by earlies		01.0					ethnicities	s are treate	ed equally	88.5
BULLYING PERPRETRATOR				Otadon		2000 4114		outo a outo	od oddan)	00.0
Percent of students who, in the past 3 months:				PARENT						
Shoved, slapped, hit, or kicked a student in a serious manne	er	23.5				_		he followin	-	
Spread mean rumors or lies about other kids at school		17.4						ıdent's god		87.9
Posted on internet embarrassing or hurtful pictures/text of some		8.1					_	amily decis		83.8
Sent by cell phone embarrassing or hurtful pictures/text of some		12.1						_	dless of consequences	87.2
Made fun of other people		48.3		Studen	t could as	sk parent i	for help w	ith a perso	onal problem	74.3
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:										
		_	= <	_	= <	= <	_	< <	⇒c >	
	Who	Who	Who:	Who	Who	Who	Who	Who	Amoi used first u	
	Who hav	Who hav	Whose c the past	Who say	Who beli themselv	Who say they use	Who feel	Who thin would be	Among s used sub first used	
	Who have ev	Who have us	Whose close the past 12 r	Who say it w	Who believe themselves i	Who say par they use	Who feel it w	Who think ki	Among stude used substar first used	
	Who have ever u	Who have used	Whose closest for the past 12 mon	Who say it would	Who believe the themselves if the	Who say parents they use	Who feel it would	Who think kids in would be caught	Among students used substance, first used	
	Who have ever used	Who have used in the	Whose closest friend the past 12 months	Who say it would be	Who believe they ris themselves if they u	Who say parents wo they use	Who feel it would be	Who think kids in the would be caught by	Among students who used substance, aver first used	
	Who have ever used su	Who have used in the p	Whose closest friends h the past 12 months	Who say it would be eas	Who believe they risk hat themselves if they use	Who say parents would they use	Who feel it would be wro	Who think kids in their n would be caught by poli	Among students who hat used substance, average first used	
	Who have ever used substa	Who have used in the past	Whose closest friends have the past 12 months	Who say it would be easy to	Who believe they risk harmithemselves if they use	Who say parents would disathey use	Who feel it would be wrong	Who think kids in their neight would be caught by police for	Among students who have used substance, average ag	
	Who have ever used substance	Who have used in the past 30 d	Whose closest friends have use the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprithey use	Who feel it would be wrong to u	Who think kids in their neighbor would be caught by police for us	Among students who have ever used substance, average age w first used	
	Who have ever used substance	Who have used in the past 30 days	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborhoo would be caught by police for using	udents who have ever stance, average age w	
			ij			Who say parents would disapprove if they use		Who think kids in their neighborhood would be caught by police for using	udents who have ever stance, average age when	
Cigarettes	32.9	20.8	Whose closest friends have used in the past 12 months 71.8	Who say it would be easy to get 63.1	Who believe they risk harming 6. themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 81.9	Who think kids in their neighborhood would be caught by police for using 20.1	udents who have ever stance, average age w	
Chewing Tobacco			ij						stance, average age when	
Chewing Tobacco Alcohol	32.9	20.8	ij						udents who have ever stance, average age when	
Chewing Tobacco	32.9 12.8	20.8	71.8	63.1	90.6	93.3	81.9	20.1	stance, average age when 11.51 12.60	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	32.9 12.8 73.8	20.8 6.7 34.9 13.4 6.7	71.8	63.1	90.6	93.3	81.9	20.1	stance, average age when 11.51 12.60	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	32.9 12.8 73.8	20.8 6.7 34.9 13.4	71.8 78.7 53.7	63.1	90.6	93.3 79.2	81.9 25.5	20.1	stance, average age when 11.51 12.60	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	32.9 12.8 73.8	20.8 6.7 34.9 13.4 6.7 0.7	71.8	63.1 89.9 45.0 18.8	90.6 50.3 67.1 96.0	93.3 79.2 96.0 96.7	81.9 25.5 82.6 96.0	20.1	stance, average age when 11.51 12.60	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	32.9 12.8 73.8	20.8 6.7 34.9 13.4 6.7 0.7	71.8 78.7 53.7	63.1 89.9 45.0 18.8 84.5	90.6 50.3 67.1	93.3 79.2 96.0 96.7 94.0	81.9 25.5 82.6	20.1 20.1 38.0	stance, average age when 11.51 12.60	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	32.9 12.8 73.8 28.2 6.0 3.4 6.0	20.8 6.7 34.9 13.4 6.7 0.7	71.8 78.7 53.7	63.1 89.9 45.0 18.8	90.6 50.3 67.1 96.0	93.3 79.2 96.0 96.7	81.9 25.5 82.6 96.0	20.1 20.1 38.0	stance, average age when 11.51 12.60	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	32.9 12.8 73.8 28.2 6.0 3.4 6.0 0.7	20.8 6.7 34.9 13.4 6.7 0.7	71.8 78.7 53.7	63.1 89.9 45.0 18.8 84.5	90.6 50.3 67.1 96.0 87.3	93.3 79.2 96.0 96.7 94.0	81.9 25.5 82.6 96.0 72.0	20.1 20.1 38.0	stance, average age when 11.51 12.60	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	32.9 12.8 73.8 28.2 6.0 3.4 6.0 0.7 0.7	20.8 6.7 34.9 13.4 6.7 0.7	71.8 78.7 53.7	63.1 89.9 45.0 18.8 84.5	90.6 50.3 67.1 96.0 87.3	93.3 79.2 96.0 96.7 94.0	81.9 25.5 82.6 96.0 72.0	20.1 20.1 38.0	stance, average age when 11.51 12.60	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	32.9 12.8 73.8 28.2 6.0 3.4 6.0 0.7 0.7 2.0	20.8 6.7 34.9 13.4 6.7 0.7	71.8 78.7 53.7	63.1 89.9 45.0 18.8 84.5	90.6 50.3 67.1 96.0 87.3	93.3 79.2 96.0 96.7 94.0	81.9 25.5 82.6 96.0 72.0	20.1 20.1 38.0	stance, average age when 11.51 12.60	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	32.9 12.8 73.8 28.2 6.0 3.4 6.0 0.7 0.7 2.0	20.8 6.7 34.9 13.4 6.7 0.7	71.8 78.7 53.7	63.1 89.9 45.0 18.8 84.5	90.6 50.3 67.1 96.0 87.3	93.3 79.2 96.0 96.7 94.0	81.9 25.5 82.6 96.0 72.0	20.1 20.1 38.0	stance, average age when 11.51 12.60	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	32.9 12.8 73.8 28.2 6.0 3.4 6.0 0.7 0.7 2.0 0.7	20.8 6.7 34.9 13.4 6.7 0.7	71.8 78.7 53.7 12.1	63.1 89.9 45.0 18.8 84.5 37.6	90.6 50.3 67.1 96.0 87.3 89.3	93.3 79.2 96.0 96.7 94.0 94.6	81.9 25.5 82.6 96.0 72.0 89.3	20.1 20.1 38.0 38.9	stance, average age when 11.51 12.60 13.11 14.06	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	32.9 12.8 73.8 28.2 6.0 3.4 6.0 0.7 0.7 2.0	20.8 6.7 34.9 13.4 6.7 0.7	71.8 78.7 53.7 12.1	63.1 89.9 45.0 18.8 84.5 37.6	90.6 50.3 67.1 96.0 87.3 89.3	93.3 79.2 96.0 96.7 94.0 94.6	81.9 25.5 82.6 96.0 72.0 89.3	20.1 20.1 38.0 38.9	stance, average age when 11.51 12.60)-14

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:

Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

SAINTE GENEVIEVE COUNTY



Labor Force

Employed

Unemployed


Unemployment Rate


RETAIL ALCOHOL OUTLETS

Alcohol On-Premise Drink Licenses

Alcohol Package Carry-out Licenses

ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 21 186 18,145 18,124





SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	673	722	700
Drop-outs	11	19	36
Drop-out Rate	1.6%	2.6%	5.1%
School Suspensions, 10 or More Days			
Alcohol Incidents	5	0	0
Drug Incidents	8	5	C
Tobacco Incidents	0	1	4
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	144	154	143
Liquor Law Arrests	30	38	16
Drug Arrests	104	142	94
Methamphetamine Lab Incidents	12	13	12
Violent Offenses	35	68	32
Property Offenses	224	218	203
Domestic Violence Reports	92	76	81
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	94	83	136
Violent Offenses	27	29	43
Alcohol Offenses	8	2	8
Drug Offenses	6	5	20
Status OffensesTotal	68	43	77
Truancy	24	10	22
Beyond Parental Control	4	4	7
Habitually Absent from Home	4	0	2
Injurious Behavior	2	2	1
Abuse/Neglect/CustodyTotal	6	17	3
Abuse	1	11	2
Neglect	2	5	C
Custody Disputes	3	1	1
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	4	11	2
Parental Alcohol Use Related	0	0	C
Parental Drug Use Related	0	0	C
Parental Alcohol and Drug Use	1	0	C
Child Removed for Other Reason	3	11	2
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	13	12	10
Probation/Parole AdmissionsTotal	139	93	95
Probation/Parole AdmissionsDrug	66	34	39
Probation/Parole AdmissionsDWI	20	10	13
Prison AdmissionsTotal	70	41	44
Prison AdmissionsDrug	19	22	15
Prison AdmissionsDWI	10	3	9

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information.
- Reporting of this information on the birth long form was discontinued in 2010.
 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

9,775

8,918

857

8.8%

2011

43

19

9,787

8,852

935

9.6%

2010

40

21

10,139

9,176

963

9.5%

2009

39

25

SAINTE GENEVIEVE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	6	6	10
CSTAR Women and Children	*	*	*
CSTAR General Adult	22	7	7
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	11	12	11
Primary Recovery Treatment	90	73	100
Clinical SATOP (CIP, YCIP, SROP)	16	13	9
Other Substance Abuse Treatment	*	0	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	83	102	95
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	44	44	40
- Weekend Intervention Program	22	27	29
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	9
- Compulsive Gambling	0	0	0
- Recovery Supports	*	*	8
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	102	72	103	Never Married	80	50	74
Female	31	28	29	Married / Cohabitating	25	30	30
	0.	20		Previously Married	28	20	28
AGE				•	20	20	20
Under 18	7	5	11	PRIMARY DRUG PROBLEM			
18 to 24	28	19	30	Alcohol	54	55	66
25 to 29	30	19	23	Marijuana / Hashish	34	17	34
30 to 34	17	13	16	Cocaine (total)	*	*	5
35 to 39	14	10	9	- Crack	*	*	*
40 to 44	6	13	13	Stimulant (total)	11	7	12
45 to 54	29	17	27	- Methamphetamine	10	6	11
55 and Over	*	*	*	Heroin	21	14	6
RACE / ETHNICITY				Analgesic except Heroin	6	5	7
Caucasian	125	94	124	- Non-Prescription Methadone	0	*	*
African American	8	5		PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	6 0	Tranquilizer	*	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	*
	*	-	*	Sedative	0	0	0
Hispanic		0	*	Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races	0			Average Age at First Use of Drug	17.5	17.4	16.8
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	41	28	45	Any Injection Use at Admission	20	12	9
High School Graduate or G.E.D.	71	48	72	- Daily Injection Use	6	*	*
Associate Degree or Some College	20	23	14	- Weekly Injection Use	6	*	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	8	5	5
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	32	35	52	Self / Family / Friend	26	17	30
Unemployed	82	43	51	School	*	*	*
Not in Labor Force	19	22	29	Mental Health Provider	0	*	*
				Health Care Provider	*	5	*
LIVING ARRANGEMENT				Court / Criminal Justice	96	65	90
Independent Living	115	88	112	Other Referral Source	8	9	6
Dependent Living	14	7	19	ODEOLAL DODUKATIONO			
Homeless	*	*	0	SPECIAL POPULATIONS	^	*	
LIFETIME DUI / DIA/LA DEFECTO				Pregnant when Admitted to any Episode	0		· -
LIFETIME DUI / DWI ARRESTS	70	40	00	Military Veteran	6	6	7
0	76	46	60	Special Education Services Needed	20	7	5
1 or 2	22	33	39	Co-Occurring Psychological Problem	44	25	45
3 or More	35	21	33	Co-Occurring Developmental Problem	8	6	5

SAINTE GENEVIEVE COUNTY



disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 7 11 10 **Anxiety Disorder** 45 32 15 Dementia 0 0 0 **Developmental Disorder** 0 Impulse Control Disorder 36 36 16 **Mood Disorder** 108 163 72 Personality Disorder 18 14 16

44

0

6

39

0

11

78

30

0

18

119

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Psychotic Disorder

Diagnosis Unknown

Sexual Disorder

Other Diagnosis


NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	290	286	259	Hearing Impaired	16	16	14
Male	151	157	133	Past or Current Military Service	14	16	12
Female	139	129	126	,			
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	60	41	35
Under 6	0	*	*	Dependent Living	28	27	37
6 to 9	17	17	11	Homeless	*	0	0
10 to 13	11	17	13	Other	*	0	0
14 to 17	8	18	22	Housing Unknown	200	218	187
18 to 24	34	44	30	EMPLOYMENT			
25 to 29	17	12	19	Employed	6	*	5
30 to 34	27	19	32	Unemployed	68	46	52
35 to 39	24	25	21	Not in Labor Force	16	12	15
40 to 44	23	32	26	Employment Status Unknown	200	224	187
45 to 49	48	30	27				
50 to 54	30	25	21	ARRESTS	_	_	
55 to 59	26	19	14	Arrested in Past 12 Months	5	7	*
60 and Over	25	26	22	Not Arrested in Past 12 Months	84	61	67
				Arrest Status Unknown	201	218	188
RACE / ETHNICITY				TD5 4 TH5 NT D5 5 TD 44 00 UD0 5			
Caucasian	258	254	234	TREATMENT REFERRAL SOURCE	400	4.50	454
African American	12	13	9	Self / Family / Friend	168	158	154
Native American / Alaskan	0	0	0	School Magdal Haalth Branidan			
Asian / Pacific Islander	0	0	*	Mental Health Provider	18	12	18
Hispanic	13	9	9	Health Care Provider	36	35	35
Other Race	7	10	6	Court / Criminal Justice	9	13	10
Race/Ethnicity Unknown	0	0	0	Other	55	64	40
				Referral Source Unknown	-	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	27	26	34	Voluntary	285	277	250
High School Grad or G.E.D.	45	29	28	Civil	*	7	8
A.A. Degree or Some College	11	5	6	Criminal	*	*	*
Bachelor or Advanced Degree	5	*	*	Sexual Predatory	*	0	0
Education Level Unknown	202	224	187	Commitment Type Unknown	0	0	0

SAINT FRANCOIS COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 17 187 65,359 65,577

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	751	806	848
Mother Reported Drinking while Pregnant ¹		3	0
Mother Reported Smoking while Pregnant	231	221	234
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	1	2
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	1
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	674	727	745
Suicides	9	8	10
Self-inflicted Injuries	-	-	_
• • • • • • • • • • • • • • • • • • •	172	136	102
Homicides	5	1	3
Assault Injuries	296	324	332
Alcohol Induced Deaths	2	6	2
Drug Induced Deaths	14	21	12
Smoking Induced Deaths	131	144	149
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	746	664	583
Direct Hospitalizations	274	155	146
Emergency Room Hospitalizations	148	199	163
Emergency Room Outpatient	324	310	274
Drug RelatedTotal	1,194	875	759
Direct Hospitalizations	407	191	163
Emergency Room Hospitalizations	141	234	171
Emergency Room Outpatient	646	450	425
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	543	68	84
Fatal Crashes	6	2	2
Injury Crashes	26	29	39
Property Damage Crashes	25	37	43
Crash Fatalities	6	4	1
Crash Injuries	34	40	46
Drug Involved CrashesTotal	2	12	16
Fatal Crashes	0	0	0
Injury Crashes	0	4	6
Property Damage Crashes	2	8	10
Crash Fatalities	0	0	0
Crash Injuries	0	3	8
•	-	-	
EMPLOYMENT	2011	2010	2009
Labor Force	29,261	29,675	30,509
Employed	26,197	26,310	27,133
Unemployed	3,064	3,365	3,376
Unemployment Rate	10.5%	11.3%	11.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	66	62	74
Alcohol Package Carry-out Licenses	55	52	56



■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	3,199	3,364	3,448
Drop-outs	50	68	88
Drop-out Rate	1.6%	2.0%	2.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	3	2	2
Drug Incidents	12	10	16
Tobacco Incidents	0	0	1
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	427	415	542
Liquor Law Arrests	112	153	236
Drug Arrests	392	372	402
Methamphetamine Lab Incidents	88	73	70
Violent Offenses	137	138	188
Property Offenses	1,355	2,346	1,726
Domestic Violence Reports	161	278	297
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	382	442	530
Violent Offenses	188	215	264
Alcohol Offenses	17	16	27
Drug Offenses	23	16	22
Status OffensesTotal	228	170	151
Truancy	108	53	44
Beyond Parental Control	68	73	69
Habitually Absent from Home	8	8	4
Injurious Behavior	26	20	20
Abuse/Neglect/CustodyTotal	54	38	46
Abuse	6	4	6
Neglect	25	26	14
Custody Disputes	23	8	26
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	59	40	24
Parental Alcohol Use Related	0	4	3
Parental Drug Use Related	19	14	5
Parental Alcohol and Drug Use	4	0	4
Child Removed for Other Reason	36	22	12
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	30	23	20
Probation/Parole AdmissionsTotal	556	477	466
Probation/Parole AdmissionsDrug	168	166	159
Probation/Parole AdmissionsDWI	26	27	26
Prison AdmissionsTotal	267	296	251
Prison AdmissionsDrug	96	109	84
Prison AdmissionsDWI	8	12	11

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

SAINT FRANCOIS COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	18	43	74
CSTAR Women and Children	24	20	26
CSTAR General Adult	232	169	140
CSTAR Opioid	*	5	*
Primary Recovery Detoxification	81	117	62
Primary Recovery Treatment	526	612	547
Clinical SATOP (CIP, YCIP, SROP)	57	67	39
Other Substance Abuse Treatment	*	*	47

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	363	419	379
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	181	179	158
- Weekend Intervention Program	101	105	132
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	33	41
- Compulsive Gambling	*	*	*
- Recovery Supports	*	15	32
- Early Intervention	*	18	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	527	586	498	Never Married	417	467	408
Female	274	262	256	Married / Cohabitating	213	189	164
	217	202	200	Previously Married	171	192	181
AGE				•		.02	.0.
Under 18	22	45	73	PRIMARY DRUG PROBLEM			
18 to 24	153	191	140	Alcohol	228	291	277
25 to 29	167	188	153	Marijuana / Hashish	237	211	218
30 to 34	151	110	95	Cocaine (total)	16	20	27
35 to 39	90	100	88	- Crack	8	12	16
40 to 44	84	79	76	Stimulant (total)	119	101	71
45 to 54	113	108	112	- Methamphetamine	115	96	68
55 and Over	21	27	17	Heroin	58	99	38
RACE / ETHNICITY				Analgesic except Heroin	123	114	100
Caucasian	761	804	712	- Non-Prescription Methadone	*	*	0
African American	32	36	35	PCP, LSD, other Hallucinogen	0	*	*
Native American / Alaskan	3∠ *	30 *	33 *	Tranquilizer	17	10	16
Asian / Pacific Islander	0	*	0	Inhalant	*	0	*
Hispanic	-		*	Sedative	*	0	*
Other Race / Two or More Races	8 5	7	*	Other Medication or Illicit Drug	*	*	*
Other Race / Two or More Races	5			Average Age at First Use of Drug	18.3	18.0	17.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	285	335	309	Any Injection Use at Admission	98	136	73
High School Graduate or G.E.D.	399	410	341	- Daily Injection Use	29	44	19
Associate Degree or Some College	112	95	98	- Weekly Injection Use	29	33	18
Bachelor or Advanced Degree	5	8	6	- Less than Weekly Injection Use	40	59	36
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	198	189	182	Self / Family / Friend	212	182	190
Unemployed	442	463	348	School	*	*	*
Not in Labor Force	161	196	224	Mental Health Provider	10	36	33
				Health Care Provider	16	36	26
LIVING ARRANGEMENT				Court / Criminal Justice	482	512	431
Independent Living	692	695	595	Other Referral Source	80	80	70
Dependent Living	96	120	129	ODEOLAL DODUKATIONS			
Homeless	12	24	22	SPECIAL POPULATIONS	40	4.4	0
LIFETIME DUI / DIA/LA DRECTO				Pregnant when Admitted to any Episode	12	11	6
LIFETIME DUI / DWI ARRESTS	500	- 4-	475	Military Veteran	37	49	25
0	528	545	475	Special Education Services Needed	90	97	77
1 or 2	175	215	188	Co-Occurring Psychological Problem	250	263	256
3 or More	98	88	91	Co-Occurring Developmental Problem	77	68	45

SAINT FRANCOIS COUNTY



ADA/CPS REGION Southeast
CPS SERVICE AREA 17B
CENSUS 2010 65,359
2011 POP. ESTIMATE 65,577

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 33 67 65 **Anxiety Disorder** 252 273 257 Dementia 16 21 15 **Developmental Disorder** 33 37 30 Impulse Control Disorder 181 172 166 **Mood Disorder** 848 792 739 Personality Disorder 377 483 484 **Psychotic Disorder** 443 487 438 Sexual Disorder 68 55 60

143

165

237

222

226

262

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,562	1,779	1,769	Hearing Impaired	68	82	80
Male	946	1,069	1,032	Past or Current Military Service	110	149	137
Female	616	710	737	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	329	229	236
Under 6	*	*	8	Dependent Living	165	177	170
6 to 9	43	29	28	Homeless	8	10	*
10 to 13	70	57	55	Other	12	*	6
14 to 17	96	73	101	Housing Unknown	1,048	1,362	1,354
18 to 24	128	191	161	EMPLOYMENT			
25 to 29	108	156	152	Employed	23	17	24
30 to 34	125	143	143	Unemployed	477	340	356
35 to 39	125	151	170	Not in Labor Force	14	13	18
40 to 44	134	157	158	Employment Status Unknown	1,048	1,409	1,371
45 to 49	186	238	241		•	•	·
50 to 54	205	211	211	ARRESTS			
55 to 59	151	163	140	Arrested in Past 12 Months	64	39	40
60 and Over	189	207	201	Not Arrested in Past 12 Months	450	378	374
				Arrest Status Unknown	1,048	1,362	1,355
RACE / ETHNICITY				TOTATMENT DESERBAL COURSE			
Caucasian	1,389	1,599	1,603	TREATMENT REFERRAL SOURCE	504	0.44	000
African American	132	133	126	Self / Family / Friend School	504	641	666
Native American / Alaskan	*	5	*	Mental Health Provider	16	6	202
Asian / Pacific Islander	*	*	*	Health Care Provider	221	217	203
Hispanic	19	17	10	Court / Criminal Justice	134 341	166	134 343
Other Race	17	20	20	Other	-	369	
Race/Ethnicity Unknown	0	*	6	Referral Source Unknown	335 11	368	403 16
				Releital Source Offictiowif	11	12	16
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	205	151	163	Voluntary	1,277	1,415	1,436
High School Grad or G.E.D.	236	168	174	Civil	19	95	80
A.A. Degree or Some College	63	42	48	Criminal	139	133	91
Bachelor or Advanced Degree	8	9	13	Sexual Predatory	126	134	155
Education Level Unknown	1,050	1,409	1,371	Commitment Type Unknown	*	*	7

SAINT FRANCOIS COUNTY

2012 MISSOURI STUDENT SURVEY

20	IZ WIIS	SOUR	1310	DENI	SURVI	= T				
DEPRESSION		(9/)	5	SUICIDE						(9/)
Percent of students who, in the past 30 days:		(%)						12 months	5:	(%)
Were very sad		21.9			sly consid					15.2
Were grouchy, irritable, or in a bad mood		30.2		Made	a plan abo	ut how th	ey would	attempt s	uicide	11.9
Felt hopeless about the future		13.0			ited suicid					7.3
Felt like not eating or eating more than usual		19.3						in injury o	or overdose that had to	2.2
Slept a lot more or a lot less than usual		22.1		be	reated by	doctor or	nurse			
Had difficulty concentrating on school work		28.2		DEDE	0,,0,,50	_				
FIGUETING			,		OUSNES. of student		oo that			
FIGHTING Percent of students who, in the past 12 months:					nore rule	_		uavi		25.1
Were in a physical fight		21.4						-	nake people mad	18.2
Were in a physical light Were in a fight and had to be treated by a doctor or nurse		3.7		-				t permissio		7.7
Were threatened or injured with a weapon on school properly	hv	5.0			imes it is o		•	•	лі	27.2
were uneatened or injured with a weapon on school proper	ıy	3.0				•		start a figh	•	55.2
BULLYING VICTIM				It is ok	ay to beat	up peopi	on they.	start a rigir		55.2
Percent of students who, in the past 3 months:				SCHOOL	RELATIC	DNS				
Were shoved, slapped, hit, or kicked in a serious manner		24.8		Percent	of student	's who agi	ee with t	he followii	ng:	
Were victims of mean rumors or lies spread at school		48.8						student's g		63.5
Had embarrassing or hurtful pictures/text of them posted on	internet	13.0		Schoo	provides	feedback	to paren	ts on posi	tive student performance	31.7
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	17.1		Teach	ers praise	student fo	r hard w	ork		50.3
Were made fun of by others		58.3		Rules	are enforc	ed fairly				59.4
				Studer	its of all ra	ices and e	thnicitie	s are treat	ed equally	72.3
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:										
Shoved, slapped, hit, or kicked a student in a serious manner	or.	20.7	,		RELATIC of student		oo with i	he followii	na.	
Spread mean rumors or lies about other kids at school	71	23.4						udent's go		79.1
Posted on internet embarrassing or hurtful pictures/text of so	moono	8.4						family deci		65.0
Sent by cell phone embarrassing or hurtful pictures/text of so		11.1					•	•	rdless of consequences	85.9
Made fun of other people	onieone	61.9						•	onal problem	74.0
wade full of other people		01.5		Siduei	it could as	k parent i	oi iicip v	viui a pers	onar problem	74.0
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	\$	5	# ≤	\$	# ≤	# ≤	\$	₹ ≶	≢ 5 ≥	
	<u>6</u>	<u>5</u>	Whose closest frier the past 12 months	ъ	Who believe they risk I themselves if they use	Who say they use	₹		Among st used sub first used	
	nave	าลผ	e cl	say	elve	say	<u>e</u>	e in	ig st subs	
	ev	Su	ose 12 m	# *	es #	par	₩ €	을 <u>숙</u>	ude	
	ᅋ	<u>e</u>	ont st	blic	the	shts	뜶	ght in	nts ce,	
	sed		bs eg	be	y nisi	W	8	by₽	who	
	Sub	e pg	S d S	eas	ਲੇਂ ਜ਼ਿੰ	튭	WTO	oli n	hay	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborhoo would be caught by police for using	Among students who have ever used substance, average age when first used	
	nce	0	use	get	ಡ	뮻	0 110	bort	e w	
		ays	Б)Ve	ŏ	Who think kids in their neighborhood would be caught by police for using	1en	
Cigarettes	30.0	15.8	50.1	57.1	78.0	88.0	75.0	24.4	12.23	
								•		

58.9

40.3

17.1

58.7

38.8

18.1

56.6

36.0

	ed substance	the past 30 days
Cigarettes	30.0	15.8
Chewing Tobacco	20.3	10.0
Alcohol	44.5	21.3
Binge Alcohol (5+ drinks on one occasion in past 30 days)		14.4
Marijuana	19.0	11.7
Inhalants	7.7	3.9
Illicit drugs such as cocaine, LSD, meth, club drugs		
Over-the-counter medications for non-medical use	8.0	5.0
Prescription drugs not prescribed for student	11.8	7.4
Heroin	1.5	
Cocaine	2.3	
Methamphetamine	1.4	
Hallucinogens	3.8	
Club drugs such as ecstasy, GHB, roofie, or Special K	2.6	

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

70.6

70.5

94.2

81.8

88.3

74.9

92.3

98.0

95.3

95.0

54.0

77.7

94.9

86.3

89.4

26.5

40.0

49.6

12.37

13.49

12.20

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Synthetic drugs such as K2, bath salts, Spice


Steroids not prescribed for student

7.4

SAINT LOUIS COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Eastern SL 189 998,954 998,692



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	11,643	11,785	12,175
Mother Reported Drinking while Pregnant ¹		84	63
Mother Reported Smoking while Pregnant	1,145	973	1,023
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	127	99	104
IDU and MSM ²	*	*	5
IDU without MSM ²	*	*	1
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	9,251	9,069	9,467
Suicides	120	130	104
Self-inflicted Injuries	901	911	940
Homicides	80	84	85
Assault Injuries	3,638	3,736	3,804
Alcohol Induced Deaths	59	37	42
Drug Induced Deaths	151	133	114
Smoking Induced Deaths	1,415	1,446	1,550
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	8,995	8,785	8,767
Direct Hospitalizations	2,687	2,137	2,175
Emergency Room Hospitalizations	3,235	3,762	3,674
Emergency Room Outpatient	3,073	2,886	2,918
Drug RelatedTotal	8,217	7,415	6,916
Direct Hospitalizations	2,595	2,205	2,051
Emergency Room Hospitalizations	2,722	3,047	2,788
Emergency Room Outpatient	2,900	2,163	2,077
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	314	803	894
Fatal Crashes	10	5	12
Injury Crashes	286	275	322
Property Damage Crashes	511	523	560
Crash Fatalities	10	4	12
Crash Injuries	425	259	303
Drug Involved CrashesTotal	135	111	104
Fatal Crashes	5	4	4
Injury Crashes	61	44	46
Property Damage Crashes	69	63	54
Crash Fatalities	5	4	4
Crash Injuries	100	48	47
EMPLOYMENT	2011	2010	2009
Labor Force	526,884	513,532	516,618
Employed	483,704	465,387	470,077
Unemployed	43,180	48,145	46,541
Unemployment Rate	8.2%	9.4%	9.0%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	1,264	1,232	1,346
Alcohol Package Carry-out Licenses	658	662	639

2010-2011 48,348	2009-2010	2008-2009
,		
	49,708	50,359
1,230	1,562	1,515
2.5%	3.1%	3.0%
89	60	94
485	392	426
15	21	14
2010	2009	2008
5,238	6,091	5,868
1,200	1,347	1,308
7,489	6,314	5,465
74	30	27
3,294	3,204	3,550
30,409	30,507	35,878
5,185	4,593	4,343
2010	2009	2008
6,005	6,647	7,240
1,696	1,832	1,623
116	187	136
468	503	473
1,587	1,538	1,929
312	273	313
184	180	200
992	966	1,310
61	57	50
1,324	1,553	1,219
488	543	394
684	819	670
152	191	155
2010	2009	2008
429	539	445
14	13	5
66	66	75
9	16	3
340	444	362
FY2011	FY2010	FY2009
222	239	217
4,253	4,419	4,254
833	995	999
185	98	71
1,494	1,577	1,637
304	313	386
109	70	38
	485 15 2010 5,238 1,200 7,489 74 3,294 30,409 5,185 2010 6,005 1,696 116 468 1,587 312 184 992 61 1,324 488 684 152 2010 429 14 66 9 340 FY2011 222 4,253 833 185 1,494 304	485 392 15 21 2010 2009 5,238 6,091 1,200 1,347 7,489 6,314 74 30 3,294 3,204 30,409 30,507 5,185 4,593 2010 2009 6,005 6,647 1,696 1,832 116 187 468 503 1,587 1,538 312 273 184 180 992 966 61 57 1,324 1,553 488 543 684 819 152 191 2010 2009 429 539 14 13 66 66 9 16 340 444 FY2011 FY2010 222 239 4,253 4,419 833 995 185 98 1,494 1,577 304 313

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

SAINT LOUIS COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	134	152	175
CSTAR Women and Children	389	397	346
CSTAR General Adult	569	206	233
CSTAR Opioid	207	154	150
Primary Recovery Detoxification	467	445	373
Primary Recovery Treatment	610	1,402	1,337
Clinical SATOP (CIP, YCIP, SROP)	849	832	749
Other Substance Abuse Treatment	185	193	206

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	4,157	4,934	4,818
- Adolescent Diversion Education Program	190	361	381
- Offender Education Program	1,753	1,943	1,996
- Weekend Intervention Program	884	1,100	1,109
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	56	61	50
- Compulsive Gambling	37	58	42
- Recovery Supports	111	791	891
- Early Intervention	31	41	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	2,099	2,458	2,319	Never Married	2,028	2,264	2,093
Female	834	881	823	Married / Cohabitating	464	565	545
				Previously Married	441	508	501
AGE				•			
Under 18	149	148	166	PRIMARY DRUG PROBLEM			
18 to 24	518	621	580	Alcohol	1,265	1,408	1,339
25 to 29	517	623	567	Marijuana / Hashish	496	691	694
30 to 34	444	474	375	Cocaine (total)	292	361	367
35 to 39	327	339	334	- Crack	250	289	307
40 to 44	296	387	393	Stimulant (total)	39	46	40
45 to 54	505	568	572	- Methamphetamine	35	39	35
55 and Over	177	179	155	Heroin	746	723	592
RACE / ETHNICITY				Analgesic except Heroin	66	80	73
Caucasian	1,756	1,886	1,806	- Non-Prescription Methadone	5	*	5
African American	1,099	1,358	1,241	PCP, LSD, other Hallucinogen	12	15	14
Native American / Alaskan	1,033	*	*	Tranquilizer	9	7	11
Asian / Pacific Islander	*	8	5	Inhalant	*	*	*
Hispanic	30	34	41	Sedative	*	*	5
Other Race / Two or More Races	47	63	68	Other Medication or Illicit Drug	*	6	5
Other Nace / Two of More Naces	41	03	00	Average Age at First Use of Drug	18.9	18.5	18.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	853	945	996	Any Injection Use at Admission	476	429	370
High School Graduate or G.E.D.	1,219	1,499	1,339	- Daily Injection Use	254	221	177
Associate Degree or Some College	713	732	689	- Weekly Injection Use	117	95	83
Bachelor or Advanced Degree	148	163	118	- Less than Weekly Injection Use	105	113	110
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	841	1,036	974	Self / Family / Friend	967	951	939
Unemployed	1,131	1,306	1,190	School	*	6	11
Not in Labor Force	961	997	978	Mental Health Provider	31	32	40
				Health Care Provider	49	99	76
LIVING ARRANGEMENT				Court / Criminal Justice	1,683	2,024	1,853
Independent Living	2,382	2,778	2,561	Other Referral Source	199	227	222
Dependent Living	247	321	371				
Homeless	187	144	120	SPECIAL POPULATIONS			
				Pregnant when Admitted to any Episode	53	61	52
LIFETIME DUI / DWI ARRESTS		4.55	4.6=-	Military Veteran	122	103	58
0	1,683	1,924	1,873	Special Education Services Needed	137	141	145
1 or 2	873	1,010	874	Co-Occurring Psychological Problem	702	789	741
3 or More	377	405	395	Co-Occurring Developmental Problem	51	91	71

SAINT LOUIS COUNTY



 ADA/CPS REGION
 Eastern

 CPS SERVICE AREA
 23

 CENSUS 2010
 998,954

 2011 POP. ESTIMATE
 998,692

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 71 78 70 **Anxiety Disorder** 808 706 742 Dementia 12 17 **Developmental Disorder** 86 101 86 Impulse Control Disorder 642 497 428 **Mood Disorder** 2,618 2,435 2,290 Personality Disorder 593 690 710 **Psychotic Disorder** 1,662 1,638 1,567 Sexual Disorder 10 9 8

265

333

308

551

332

820

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	4,847	4,736	4,730	Hearing Impaired	114	80	78
Male	2,395	2,389	2,426	Past or Current Military Service	103	113	116
Female	2,452	2,347	2,304	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	1,417	568	535
Under 6	6	9	6	Dependent Living	147	166	115
6 to 9	124	90	89	Homeless	33	24	27
10 to 13	235	175	184	Other	41	23	25
14 to 17	409	385	389	Housing Unknown	3,209	3,955	4,028
18 to 24	409	484	473	EMPLOYMENT			
25 to 29	408	415	411	Employed	207	89	117
30 to 34	394	403	372	Unemployed	1,396	559	515
35 to 39	374	398	399	Not in Labor Force	34	27	24
40 to 44	417	444	445	Employment Status Unknown	3,210	4,061	4,074
45 to 49	576	591	611	Employment Status Shikhown	3,210	4,001	4,074
50 to 54	557	539	542	ARRESTS			
55 to 59	421	387	396	Arrested in Past 12 Months	210	134	128
60 and Over	450	416	413	Not Arrested in Past 12 Months	1,428	645	573
oo and over	430	410	413	Arrest Status Unknown	3,209	3,957	4,029
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	2,308	2,243	2,302	Self / Family / Friend	1,295	1,413	1,460
African American	2,319	2,295	2,235	School	1,295	72	1,460
Native American / Alaskan	*	*	*	Mental Health Provider	960	1,003	1,059
Asian / Pacific Islander	14	18	17	Health Care Provider	487	443	422
Hispanic	53	44	50	Court / Criminal Justice	295	391	373
Other Race	149	130	112	Other	1,722	1,408	1,332
Race/Ethnicity Unknown	0	*	10	Referral Source Unknown	5	1,406	1,332
				Rolonal Couloc Chichown	3	U	17
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	439	190	200	Voluntary	4,736	4,495	4,463
High School Grad or G.E.D.	670	263	257	Civil	35	167	163
A.A. Degree or Some College	378	164	150	Criminal	71	70	89
Bachelor or Advanced Degree	142	54	46	Sexual Predatory	5	*	*
Education Level Unknown	3,218	4,065	4,077	Commitment Type Unknown	0	*	14

SAINT LOUIS COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	_	UICIDE Parcent	of ctudon	te who in	the nact	12 months		(%)
Were very sad		17.8				ered atter	-		•	12.3
Were grouchy, irritable, or in a bad mood		23.4			•			attempt su	ilcido	8.4
Felt hopeless about the future		10.8			ted suicid		cy would	attempt 30	alciuc	5.6
Felt like not eating or eating more than usual		15.4					resulted	in injury o	r overdose that had to	2.0
Slept a lot more or a lot less than usual		19.8	,,,,,,,,					overdose that had to	2.0	
		24.4			outou by	400.0.				
Had difficulty concentrating on school work		24.4	R	EBELLIC	OUSNES.	s				
FIGHTING				Percent o	of student	s who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		23.0
Were in a physical fight		20.3							ake people mad	14.6
Were in a fight and had to be treated by a doctor or nurse		3.6		-			-	permissio		7.8
Were threatened or injured with a weapon on school proper	tv	5.8			-	kay to ch	-	-		22.1
, , , , , , , , , , , , , , , , , , ,	9					-		tart a fight		45.0
BULLYING VICTIM					,	ah haab.	. , .			
Percent of students who, in the past 3 months:					RELATIC					
Were shoved, slapped, hit, or kicked in a serious manner		22.7				_		he followin	-	
Were victims of mean rumors or lies spread at school		43.9		Teache	rs notice	and comr	nent on s	tudent's go	ood work	73.6
Had embarrassing or hurtful pictures/text of them posted on	internet	13.7		School	provides	feedback	to parent	s on positi	ve student performance	43.1
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	14.9		Teache	rs praise	student fo	or hard w	ork		62.4
Were made fun of by others		59.6		Rules a	ire enforc	ed fairly				66.7
				Studen	ts of all ra	ices and e	ethnicities	are treate	ed equally	69.3
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		40.4			RELATIC					
Shoved, slapped, hit, or kicked a student in a serious manne	er	19.4				_		he followin	-	
Spread mean rumors or lies about other kids at school		29.7 10.7						dent's god		83.7
Posted on internet embarrassing or hurtful pictures/text of someone			Parents involve student in making family decisions							71.2 83.4
Sent by cell phone embarrassing or hurtful pictures/text of someone 12				12.1 It is important to be honest with parents regardless of consequences64.8 Student could ask parent for help with a personal problem						
Made fun of other people		64.8		Studen	t could as	k parent f	or help w	ith a perso	onal problem	77.2
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≨	≨	the ≸h	≨	the ≸h	the Mh	≨	¥ M	Am first	
	<u>ي</u>	유	- O				0	늘 ○		
		ᅐ	as se	32.0	o be	SS (S	ਰੰ	≒ ≠	ns p ong	
	ave .	nave	se clo ast 12	o say it	o believ	say p	feel it	think	Among stu used subst first used	
	ave eve	nave use	se closest ast 12 mo	o say it wo	o believe th	say parer	feel it wo	think kids	ong studen d substanc used	
	ave ever us	have used in	se closest frie ast 12 month	o say it would	o believe they mselves if they	say parents i	feel it would	think kids in die caught be	ong students v d substance, a	
	ave ever used	nave used in the	Whose closest friends the past 12 months	o say it would be e	Who believe they risk themselves if they use	say parents wou use	feel it would be v	think kids in thei	ong students who d substance, aver	
	ave ever used sub	nave used in the par	se closest friends ha ast 12 months	o say it would be easy	o believe they risk har mselves if they use	say parents would d	feel it would be wron	think kids in their ne	ong students who hav d substance, average used	
	ave ever used substar	have used in the past 3	se closest friends have uast 12 months	o say it would be easy to	o believe they risk harmin mselves if they use	say parents would disap use	feel it would be wrong t	think kids in their neighl	ong students who have end substance, average ago	
	Who have ever used substance	Who have used in the past 30 da	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	say parents would disappro	feel it would be wrong to us	Who think kids in their neighbort would be caught by police for us	udents who have ever stance, average age w	
	ave ever used substance	nave used in the past 30 days	se closest friends have used in ast 12 months	o say it would be easy to get	o believe they risk harming mselves if they use	Who say parents would disapprove I they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	ong students who have ever d substance, average age when used	
Cigarettes		ays	□		isk harming use	===		hood	udents who have ever stance, average age when	
Cigarettes Chewing Tobacco	19.0	8.8	<u> </u>	o say it would be easy to get 50.8	o believe they risk harming 9.30.	o say parents would disapprove if 92.1	feel it would be wrong to use	think kids in their neighborhood be caught by police for using 30.8	udents who have ever stance, average age w	
Chewing Tobacco	19.0 4.4	8.8 2.2	38.8	50.8	isk harming use	92.1	83.7	30.8	udents who have ever 5. stance, average age when 13.	
Chewing Tobacco Alcohol	19.0	8.8 2.2 18.0	□		isk harming use	===		hood	udents who have ever stance, average age when	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	19.0 4.4 36.9	8.8 2.2 18.0 10.7	38.8	50.8	tsk harming 83.9	92.1	83.7	30.8 34.3	udents who have ever stance, average age when 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	19.0 4.4 36.9	8.8 2.2 18.0 10.7 11.2	38.8	50.8	isk harming use	92.1	83.7	30.8	stance, average age when 13.01 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	19.0 4.4 36.9	8.8 2.2 18.0 10.7	38.8 50.6 41.5	50.8 60.4 42.9	83.9 70.8 68.9	92.1 80.6 92.1	83.7 61.5 76.8	30.8 34.3 45.5	udents who have ever stance, average age when 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	19.0 4.4 36.9 19.7 4.4	8.8 2.2 18.0 10.7 11.2 1.9	38.8	50.8 60.4 42.9 17.8	sk harming 83.9 70.8 68.9 92.9	92.1 80.6 92.1 97.6	83.7 61.5 76.8 94.6	30.8 34.3	stance, average age when 13.01 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	19.0 4.4 36.9 19.7 4.4	8.8 2.2 18.0 10.7 11.2 1.9	38.8 50.6 41.5	50.8 60.4 42.9 17.8 56.9	83.9 70.8 68.9 92.9 81.3	92.1 80.6 92.1 97.6 95.6	83.7 61.5 76.8 94.6 87.8	30.8 34.3 45.5	stance, average age when 13.01 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	19.0 4.4 36.9 19.7 4.4 5.3 8.1	8.8 2.2 18.0 10.7 11.2 1.9	38.8 50.6 41.5	50.8 60.4 42.9 17.8	sk harming 83.9 70.8 68.9 92.9	92.1 80.6 92.1 97.6	83.7 61.5 76.8 94.6	30.8 34.3 45.5	stance, average age when 13.01 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	19.0 4.4 36.9 19.7 4.4 5.3 8.1 0.9	8.8 2.2 18.0 10.7 11.2 1.9	38.8 50.6 41.5	50.8 60.4 42.9 17.8 56.9	83.9 70.8 68.9 92.9 81.3	92.1 80.6 92.1 97.6 95.6	83.7 61.5 76.8 94.6 87.8	30.8 34.3 45.5	stance, average age when 13.01 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	19.0 4.4 36.9 19.7 4.4 5.3 8.1 0.9 1.8	8.8 2.2 18.0 10.7 11.2 1.9	38.8 50.6 41.5	50.8 60.4 42.9 17.8 56.9	83.9 70.8 68.9 92.9 81.3	92.1 80.6 92.1 97.6 95.6	83.7 61.5 76.8 94.6 87.8	30.8 34.3 45.5	stance, average age when 13.01 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	19.0 4.4 36.9 19.7 4.4 5.3 8.1 0.9 1.8 1.0	8.8 2.2 18.0 10.7 11.2 1.9	38.8 50.6 41.5	50.8 60.4 42.9 17.8 56.9	83.9 70.8 68.9 92.9 81.3	92.1 80.6 92.1 97.6 95.6	83.7 61.5 76.8 94.6 87.8	30.8 34.3 45.5	stance, average age when 13.01 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	19.0 4.4 36.9 19.7 4.4 5.3 8.1 0.9 1.8	8.8 2.2 18.0 10.7 11.2 1.9	38.8 50.6 41.5	50.8 60.4 42.9 17.8 56.9	83.9 70.8 68.9 92.9 81.3	92.1 80.6 92.1 97.6 95.6	83.7 61.5 76.8 94.6 87.8	30.8 34.3 45.5	stance, average age when 13.01 13.09	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	19.0 4.4 36.9 19.7 4.4 5.3 8.1 0.9 1.8 1.0	8.8 2.2 18.0 10.7 11.2 1.9 3.2 4.6	38.8 50.6 41.5 15.6	50.8 60.4 42.9 17.8 56.9 30.0	83.9 70.8 68.9 92.9 81.3 86.6	92.1 80.6 92.1 97.6 95.6 95.2	83.7 61.5 76.8 94.6 87.8 89.8	30.8 34.3 45.5 65.2	stance, average age when 13.01 13.09 11.77	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	19.0 4.4 36.9 19.7 4.4 5.3 8.1 0.9 1.8 1.0	8.8 2.2 18.0 10.7 11.2 1.9 3.2 4.6	38.8 50.6 41.5 15.6	50.8 60.4 42.9 17.8 56.9 30.0	83.9 70.8 68.9 92.9 81.3 86.6	92.1 80.6 92.1 97.6 95.6 95.2	83.7 61.5 76.8 94.6 87.8 89.8	30.8 34.3 45.5 65.2	stance, average age when 13.01 13.09	14

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

SALINE COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 12 FIPS COUNTY CODE 195 **CENSUS 2010** 23,370 2011 POP. ESTIMATE 23,280

2011 POPULATION PROFILE BY AGE GROUP 1,000 800 600 400 200

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	307	294	320
Mother Reported Drinking while Pregnant ¹		0	2
Mother Reported Smoking while Pregnant	79	70	85
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	0	0
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	227	254	262
Suicides	0	1	1
Self-inflicted Injuries	48	23	37
Homicides	0	1	0
Assault Injuries	82	76	97
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	4	3	2
Smoking Induced Deaths	34	46	48
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	208	209	200
Direct Hospitalizations	80	85	93
Emergency Room Hospitalizations	24	21	38
Emergency Room Outpatient	104	103	69
Drug RelatedTotal	188	145	113
Direct Hospitalizations	99	64	62
Emergency Room Hospitalizations	25	20	12
Emergency Room Outpatient	64	61	39
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	25	19	29
Fatal Crashes	0	1	0
Injury Crashes	14	11	14
Property Damage Crashes	11	7	15
Crash Fatalities	0	1	0
Crash Injuries	17	12	15
Drug Involved CrashesTotal	2	2	3
Fatal Crashes	0	1	0
Injury Crashes	1	1	1
Property Damage Crashes	1	0	2
Crash Islanta	0	1	0
Crash Injuries	1	2	1
EMPLOYMENT	2011	2010	2009
Labor Force	11,457	11,318	11,907
Employed	10,564	10,377	10,982
Unemployed	893	941	925
Unemployment Rate	7.8%	8.3%	7.8%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	25	23	23
Alcohol Package Carry-out Licenses	30	29	29

Female	■ Male	• • •	~
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,103	1,178	1,177
Drop-outs	13	28	49
Drop-out Rate	1.2%	2.4%	4.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	6
Tobacco Incidents	0	0	7
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	150	109	140
Liquor Law Arrests	60	41	36
Drug Arrests	173	119	113
Methamphetamine Lab Incidents	0	0	1
Violent Offenses	41	38	43
Property Offenses	470	557	582
Domestic Violence Reports	104	108	179
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	170	197	211
Violent Offenses	41	56	60
Alcohol Offenses	17	0	1
Drug Offenses	4	11	8
Status OffensesTotal	41	68	82
Truancy	5	14	8
Beyond Parental Control	27	34	44
Habitually Absent from Home	4	12	18
Injurious Behavior	5	8	12
Abuse/Neglect/CustodyTotal	7	8	19
Abuse	0	0	0
Neglect	0	0	0
Custody Disputes	7	8	19
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	15	8	26
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	2	1	4
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	12	7	22
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	23	23	20
Probation/Parole AdmissionsTotal	247	242	233
Probation/Parole AdmissionsDrug	86	79	64
Probation/Parole AdmissionsDWI	20	10	12
Prison AdmissionsTotal	165	166	160
		40	
Prison AdmissionsDrug	54	46	55

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

SALINE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	6	*	*
CSTAR Women and Children	*	9	5
CSTAR General Adult	63	56	16
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	12	9	15
Primary Recovery Treatment	87	120	147
Clinical SATOP (CIP, YCIP, SROP)	9	12	7
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	86	100	106
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	47	51	51
- Weekend Intervention Program	17	30	34
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	5	*
- Compulsive Gambling	0	0	0
- Recovery Supports	60	52	13
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	118	131	125	Never Married	75	79	80
Female	42	41	54	Married / Cohabitating	50	55	63
				Previously Married	35	38	36
AGE							
Under 18	5	*	*	PRIMARY DRUG PROBLEM			
18 to 24	26	27	34	Alcohol	68	80	87
25 to 29	24	32	30	Marijuana / Hashish	51	45	48
30 to 34	28	29	27	Cocaine (total)	*	9	6
35 to 39	16	31	27	- Crack	*	*	
40 to 44	20	19	19	Stimulant (total)	26	29	26
45 to 54	29	25	35	- Methamphetamine	26	28	26
55 and Over	12	6	5	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	8	8	10
Caucasian	129	139	145	- Non-Prescription Methadone	0	0	0
African American	24	25	26	PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan	0	0	0	Tranquilizer	*	*	*
Asian / Pacific Islander	*	*	*	Inhalant	0	0	0
Hispanic	*	7	6	Sedative	*	0	0
Other Race / Two or More Races	*	*	*	Other Medication or Illicit Drug	0	0	0
Cities reader 1 Wo of World Reades				Average Age at First Use of Drug	17.1	17.8	17.8
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	46	48	44	Any Injection Use at Admission	9	12	12
High School Graduate or G.E.D.	80	95	113	- Daily Injection Use	0	0	*
Associate Degree or Some College	30	25	20	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	8	9	9
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	47	64	39	Self / Family / Friend	37	30	49
Unemployed	74	72	96	School	0	0	0
Not in Labor Force	39	36	44	Mental Health Provider	0	*	*
				Health Care Provider	9	9	*
LIVING ARRANGEMENT				Court / Criminal Justice	106	127	118
Independent Living	145	156	162	Other Referral Source	8	*	5
Dependent Living	9	6	8				
Homeless	*	*	*	SPECIAL POPULATIONS	_		_
				Pregnant when Admitted to any Episode	*	*	*
LIFETIME DUI / DWI ARRESTS				Military Veteran	9	*	10
0	101	99	103	Special Education Services Needed	13	6	5
1 or 2	39	44	52	Co-Occurring Psychological Problem	61	54	53
3 or More	20	29	24	Co-Occurring Developmental Problem	10	5	5

SALINE COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 12 23,370 2011 POP. ESTIMATE 23,280

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 9 **Anxiety Disorder** 54 38 30 Dementia **Developmental Disorder** 0 Impulse Control Disorder 20 11 9 **Mood Disorder** 109 77 82 Personality Disorder 24 11 16 **Psychotic Disorder** 49 44 41 Sexual Disorder 0 0 0 Other Diagnosis 5 6 Diagnosis Unknown 66 26

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	207	169	202	Hearing Impaired	12	6	*
Male	102	76	104	Past or Current Military Service	8	6	5
Female	105	93	98	HOUSING / LIVING ARRANGEMENT			-
AGE				Independent Living	56	29	6
Under 6	*	*	*	Dependent Living	21	6	5
6 to 9	0	*	*	Homeless	*	0	0
10 to 13	8	6	7	Other	*	*	0
14 to 17	11	9	20	Housing Unknown	127	133	191
18 to 24	18	15	22	EMPLOYMENT			
25 to 29	15	13	14	Employed	9	7	*
30 to 34	23	18	17	Unemployed	65	28	0
35 to 39	23	16	17	Not in Labor Force	6		9
		_	_		_	0	0
40 to 44	22	17	15	Employment Status Unknown	127	134	191
45 to 49	28	21	25	ARRESTS			
50 to 54	24	18	17	Arrested in Past 12 Months	10	10	*
55 to 59	15	13	17	Not Arrested in Past 12 Months	69	26	9
60 and Over	20	21	26	Arrest Status Unknown	128	133	191
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	176	143	180	Self / Family / Friend	95	80	102
African American	18	14	14	School	0	0	0
Native American / Alaskan	0	0	0	Mental Health Provider	45	28	32
Asian / Pacific Islander	*	*	0	Health Care Provider	34	16	25
Hispanic	5	6	*	Court / Criminal Justice	14	31	32
Other Race	7	*	5	Other		_	_
Race/Ethnicity Unknown	0	*	0	Referral Source Unknown	19 0	14 0	10
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	24	14	8	Voluntary	176	145	169
High School Grad or G.E.D.	40	17	*	Civil	0	*	28
A.A. Degree or Some College	12	*	0	Criminal	31	20	*
Bachelor or Advanced Degree	1Z *	*	0	Sexual Predatory	0	0	0
Education Level Unknown	130	134	191	Commitment Type Unknown	0	0	*
Eddoddoll Edvol Olikilowii	130	134	191	Communicity type Officiown	U	U	

SALINE COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of chudente who in the pact 20 days:		(%)	٤	BUICIDE	of ctudon	towho in	the nect	12 months	.,	(%)
Percent of students who, in the past 30 days: Were very sad		19.6		Percent of students who, in the past 12 months: Seriously considered attempting suicide					8.2	
Were grouchy, irritable, or in a bad mood		29.1			_			attempt si	ulcido	5.2
Felt hopeless about the future		9.4			ted suicio		cy would	attempt 3	uiciuc	6.3
Felt like not eating or eating more than usual		16.9					t resulted	in injury o	r overdose that had to	
Slept a lot more or a lot less than usual		18.6				doctor or		ju. y o	. ovoruoso marmau to	
Had difficulty concentrating on school work		16.3								
rias amount concomisming on concomism				REBELLIC						
FIGHTING						ts who ag				
Percent of students who, in the past 12 months:						s that get		-		17.1
Were in a physical fight		34.8		-			_		nake people mad	12.0
Were in a fight and had to be treated by a doctor or nurse		2.7			-		-	permissio	n	7.3
Were threatened or injured with a weapon on school proper	ty	3.6	6 Sometimes it is okay to cheat at school It is okay to beat up people if they start a fight						23.3	
BULLYING VICTIM				It is oka	ay to beat	t up peopl	e if they s	start a fight	t	43.8
Percent of students who, in the past 3 months:				CHOOL	RFI ATIO	วพร				
Were shoved, slapped, hit, or kicked in a serious manner		22.0					ree with t	he followin	ng:	
Were victims of mean rumors or lies spread at school		47.3	3			_		student's g	-	73.6
Had embarrassing or hurtful pictures/text of them posted on	internet	21.2	<u> </u>					_	ive student performand	ce 69.6
Had embarrassing or hurtful pictures/text of them sent by ce		25.5	5		-	student fo	-	-	·	63.9
Were made fun of by others	•	64.7 Rules are enforced fairly					54.6			
		Students of all races and ethnicities are treated equally						86.7		
BULLYING PERPRETRATOR Persont of students who in the past 3 months:										
Percent of students who, in the past 3 months:	0.5	20.4		PARENT			raa uulla l	ha fallawin	· ~.	
Shoved, slapped, hit, or kicked a student in a serious mann-	EI	29.1 42.1				_		he followin	-	84.9
Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of someone			Parents notice and comment on student's good work Parents involve student in making family decisions						71.1	
Sent by cell phone embarrassing or hurtful pictures/text of someone			5 -							
Made fun of other people			Student could ask parent for help with a personal problem						71.6	
Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cigarettes	18.8	9.8	39.6	49.9	72.6	95.8	85.3	19.0	12.13	
Chewing Tobacco	15.5	11.4								
Alcohol	35.6	16.4	48.4	54.5	68.2	83.9	72.4	21.5	11.26	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		6.8								
Marijuana	8.7	1.6	21.8	27.4	83.6	95.6	90.5	41.0	13.44	
Inhalants	1.6	0.0							10.00	
Illicit drugs such as cocaine, LSD, meth, club drugs			4.1	9.8	91.3	96.4	98.4	48.4		
Over-the-counter medications for non-medical use	2.2	2.2		37.9	79.1	92.4	93.9			
Prescription drugs not prescribed for student	5.7	5.7		25.1	83.3	91.7	95.3			
Heroin	0.0									
Cocaine	2.2									
Methamphetamine	2.2									
Hallucinogens	0.0									
Club drugs such as ecstasy, GHB, roofle, or Special K	0.5		\ata ==	alakt- L		non 4-	undo :	latic - C	mataa fa	10.14
Synthetic drugs such as K2, bath salts, Spice	0.5		oata are w nd 15-19,					nauon estir	mates for age groups	10-14
Steroids not prescribed for student	0.5	P		es on som	ie items a	are based	on comb		er choices.	

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

SCHUYLER COUNTY



ADA/CPS REGION Central ADA SERVICE AREA FIPS COUNTY CODE 197 CENSUS 2010 4,431 2011 POP. ESTIMATE 4,381

2011 PO	PULATION PROFILE BY AGE GROUP						
200							
150	the state of the s						
100	***************						
50							
0							
	■ Female ■ Male						

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	67	44	47
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	12	8	9
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	60	44	58
Suicides	0	0	1
Self-inflicted Injuries	6	6	2
Homicides	0	0	0
Assault Injuries	3	12	6
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	0	0
Smoking Induced Deaths	12	10	11
•		-	2000
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	25	20	20
Direct Hospitalizations	14	7	7
Emergency Room Hospitalizations	5	6	4
Emergency Room Outpatient	6	7	9
Drug RelatedTotal	6	14	5
Direct Hospitalizations	4	5	2
Emergency Room Hospitalizations	1	3	2
Emergency Room Outpatient	1	6	1
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	3	5	10
Fatal Crashes	0	0	0
Injury Crashes	3	1	9
Property Damage Crashes	0	4	1
Crash Fatalities	0	0	0
Crash Injuries	6	1	14
Drug Involved CrashesTotal	1	1	0
Fatal Crashes	0	0	0
Injury Crashes	1	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	1	0
EMPLOYMENT	2011	2010	2009
Labor Force	2,080	2,063	2,169
Employed	1,925	1,882	1,994
Unemployed	155	181	175
Unemployment Rate	7.5%	8.8%	8.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	6	5	7
Alcohol Package Carry-out Licenses	9	7	7
Allocator i donage Carry-Out Liverises	9	,	/

■ Lemale	ఈ స్త్రీ ■Male	<i>ઉર</i> ઇ	
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	216	216	228
Drop-outs	1	6	11
Drop-out Rate	0.5%	2.8%	4.8%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	26	19	30
Liquor Law Arrests	3	16	21
Drug Arrests	9	3	8
Methamphetamine Lab Incidents	1	0	0
Violent Offenses	6	3	5
Property Offenses	22	18	15
Domestic Violence Reports	1	1	1
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	7	18	2
Violent Offenses	3	10	1
Alcohol Offenses	0	2	0
Drug Offenses	0	0	0
Status OffensesTotal	28	30	11
Truancy	7	7	2
Beyond Parental Control	9	4	4
Habitually Absent from Home	0	1	0
Injurious Behavior	12	18	5
Abuse/Neglect/CustodyTotal	36	50	83
Abuse	20	13	40
Neglect	16	37	43
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	7	0	3
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	2	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	4	0	3
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	12	15	13
Probation/Parole AdmissionsDrug	3	1	2
Probation/Parole AdmissionsDWI	1	0	4
Prison AdmissionsTotal	1	5	7
Prison AdmissionsDrug	0	0	2

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

SCHUYLER COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	14	22	13
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0

Offender Management Unit 23 15 23 - Adolescent Diversion Education Program 5 8 8 - Offender Education Program * 0 10 - Weekend Intervention Program 6 * (See also Clinical SATOP at left)
- Offender Education Program * 0 10 - Weekend Intervention Program 6 * (See also Clinical SATOP at left)
- Weekend Intervention Program 6 * (See also Clinical SATOP at left)
(See also Clinical SATOP at left)
, ,
OTHER SERVICES PROVIDED
- Co-Dependency 0 0
- Compulsive Gambling 0 0
- Recovery Supports 0 * (
- Early Intervention * 0

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	17	23	16	Never Married	11	16	12
Female	*	5	*	Married / Cohabitating	5	6	*
				Previously Married	*	5	7
AGE				•			
Under 18	*	*	0	PRIMARY DRUG PROBLEM			
18 to 24	7	9	*	Alcohol	15	16	16
25 to 29	*	*	*	Marijuana / Hashish	5	11	*
30 to 34	0	7	*	Cocaine (total)	0	0	0
35 to 39	*	0	*	- Crack	0	0	0
40 to 44	*	*	*	Stimulant (total)	0	*	*
45 to 54	*	*	*	- Methamphetamine	0	*	*
55 and Over	*	*	*	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	0	0	*
Caucasian	20	28	20	- Non-Prescription Methadone	0	0	0
African American	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	0	0	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	0	0	Sedative	0	0	0
Other Race / Two or More Races	0	0	0	Other Medication or Illicit Drug	0	0	*
Other Nace / Two of More Naces	U	U	U	Average Age at First Use of Drug	14.4	14.8	17.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	*	5	5	Any Injection Use at Admission	0	*	0
High School Graduate or G.E.D.	14	17	9	- Daily Injection Use	0	0	0
Associate Degree or Some College	*	6	5	- Weekly Injection Use	0	0	0
Bachelor or Advanced Degree	0	0	*	- Less than Weekly Injection Use	0	*	0
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	12	16	10	Self / Family / Friend	6	6	*
Unemployed	5	6	*	School	0	0	0
Not in Labor Force	*	6	7	Mental Health Provider	0	0	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	11	18	16
Independent Living	17	27	19	Other Referral Source	*	*	0
Dependent Living	*	*	*				
Homeless	0	0	0	SPECIAL POPULATIONS		_	_
				Pregnant when Admitted to any Episode	0	0	0
LIFETIME DUI / DWI ARRESTS			_	Military Veteran	*	*	*
0	11	15	6	Special Education Services Needed	*		*
1 or 2	6	7	9	Co-Occurring Psychological Problem	5	11	5
3 or More	*	6	5	Co-Occurring Developmental Problem	*	0	0

SCHUYLER COUNTY



ADA/CPS REGION Central
CPS SERVICE AREA 14
CENSUS 2010 4,431
2011 POP. ESTIMATE 4,381

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.					
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009		
Adjustment Disorder	6	*	9		
Anxiety Disorder	8	9	7		
Dementia	0	0	0		
Developmental Disorder	0	0	0		
Impulse Control Disorder	9	8	10		
Mood Disorder	14	10	10		
Personality Disorder	*	*	*		
Psychotic Disorder	*	*	*		
Sexual Disorder	0	0	0		
Other Diagnosis	*	*	*		
Diagnosis Unknown	7	8	5		

Individuals who received CPS services had the following types of


The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	41	34	38	Hearing Impaired	0	0	0
Male	24	19	22	Past or Current Military Service	*	0	0
Female	17	15	16	•		· ·	· ·
		10		HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	14	6	*
Under 6	*	0	*	Dependent Living	0	11	*
6 to 9	5	*	*	Homeless	0	0	0
10 to 13	8	7	8	Other	0	0	0
14 to 17	6	*	7	Housing Unknown	27	17	32
18 to 24	*	5	*	EMPLOYMENT			
25 to 29	*	*	*	Employed	*	0	0
30 to 34	*	*	*	Unemployed	12	7	*
35 to 39	*	*	7	Not in Labor Force	0	0	0
40 to 44	5	*	*	Employment Status Unknown	27	27	34
45 to 49	*	*	*				
50 to 54	*	*	*	ARRESTS			
55 to 59	0	0	0	Arrested in Past 12 Months	*	*	*
60 and Over	*	*	*	Not Arrested in Past 12 Months	13	14	5
				Arrest Status Unknown	27	17	32
RACE / ETHNICITY							
Caucasian	41	34	38	TREATMENT REFERRAL SOURCE	*	_	_
African American	0	0	0	Self / Family / Friend		5	5
Native American / Alaskan	0	0	0	School	0	0	0
Asian / Pacific Islander	0	0	0	Mental Health Provider		*	*
Hispanic	0	0	0	Health Care Provider	5	*	_
Other Race	0	0	0	Court / Criminal Justice			5
Race/Ethnicity Unknown	0	0	0	Other	29	22	25
				Referral Source Unknown	0	*	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	*	*	0	Voluntary	40	33	35
High School Grad or G.E.D.	8	5	*	Civil	*	0	*
A.A. Degree or Some College	*	0	0	Criminal	0	0	0
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	27	27	34	Commitment Type Unknown	0	*	0

SCOTLAND COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 14 FIPS COUNTY CODE 199 CENSUS 2010 4,843 2011 POP. ESTIMATE 4,828



	2040	2000	2000
BIRTH RISK FACTORS Resident BirthsTotal	2010 73	2009 70	2008 65
Mother Reported Drinking while Pregnant ¹	13	0	03
Mother Reported Smoking while Pregnant	8	8	4
Mother Reported Officially Wille Freghant	O	O	4
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	64	48	50
Suicides	0	1	1
Self-inflicted Injuries	3	4	7
Homicides	0	0	0
Assault Injuries	7	5	7
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	1	0
Smoking Induced Deaths	7	8	9
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	19	20	18
Direct Hospitalizations	8	3	6
Emergency Room Hospitalizations	4	7	5
Emergency Room Outpatient	7	10	7
Drug RelatedTotal	, 11	10	9
Direct Hospitalizations	5	4	2
Emergency Room Hospitalizations	3	1	1
Emergency Room Outpatient	3	5	6
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	3	6	4
Fatal Crashes	0	0	0
Injury Crashes	3	3	2
Property Damage Crashes	0	3	2
Crash Fatalities	0	0	0
Crash Injuries	4	3	3
Drug Involved CrashesTotal	0	2	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	2	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
EMPLOYMENT	2011	2010	2009
EMPLOYMENT Labor Force			
Employed	2,423	2,396 2,211	2,482 2,281
Unemployed	2,268 155		
Unemployment Rate	100	185 7.7%	201 8.1%
Chemployment Itale	6 40/		() 1 7/0
	6.4%	1.170	0.170
RETAIL ALCOHOL OUTLETS	6.4% 2011	2010	2009
Alcohol On-Premise Drink Licenses			
	2011	2010	2009

■ Female I	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	186	189	192
Drop-outs	4	2	5
Drop-out Rate	2.2%	1.1%	2.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	(
Drug Incidents	0	0	(
Tobacco Incidents	0	0	C
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	15	20	6
Liquor Law Arrests	4	12	4
Drug Arrests	6	15	11
Methamphetamine Lab Incidents	1	3	(
Violent Offenses	5	16	4
Property Offenses	59	45	51
Domestic Violence Reports	11	12	12
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	28	14	23
Violent Offenses	6	3	3
Alcohol Offenses	1	0	(
Drug Offenses	1	1	(
Status OffensesTotal	42	22	37
Truancy	0	0	1
Beyond Parental Control	6	4	4
Habitually Absent from Home	0	0	•
Injurious Behavior	36	18	3′
Abuse/Neglect/CustodyTotal	68	72	6′
Abuse	5	17	15
Neglect	63	55	46
Custody Disputes	0	0	(
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	5	0	4
Parental Alcohol Use Related	0	0	(
Parental Drug Use Related	0	0	(
Parental Alcohol and Drug Use	1	0	(
Child Removed for Other Reason	4	0	4
CRIMINAL JUSTICE	FY2011	FY2010	FY200
Drug Court Participants	5	10	8
Probation/Parole AdmissionsTotal	32	29	24
Probation/Parole AdmissionsDrug	10	10	į
Probation/Parole AdmissionsDWI	2	4	;
Prison AdmissionsTotal	10	19	18
Prison AdmissionsDrug	4	8	
•	•		
Prison AdmissionsDWI	1	1	2

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

SCOTLAND COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	0	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	10	6	7
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	0	0
Primary Recovery Treatment	9	11	5
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	24	26	19
- Adolescent Diversion Education Program	8	6	6
- Offender Education Program	7	6	*
- Weekend Intervention Program	*	8	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	*	0
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	20	15	12	Never Married	13	10	6
Female	*	5	*	Married / Cohabitating	8	7	5
		Ü		Previously Married	*	*	*
AGE				. ronously mamou			
Under 18	*	0	*	PRIMARY DRUG PROBLEM			
18 to 24	5	6	*	Alcohol	12	14	8
25 to 29	5	*	*	Marijuana / Hashish	*	*	*
30 to 34	*	*	*	Cocaine (total)	*	0	0
35 to 39	*	*	*	- Crack	0	0	0
40 to 44	*	*	*	Stimulant (total)	*	*	*
45 to 54	*	*	*	- Methamphetamine	*	0	*
55 and Over	*	*	*	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	*	*	*
Caucasian	21	20	15	- Non-Prescription Methadone	0	0	0
African American		0		PCP, LSD, other Hallucinogen	0	0	0
	0	_	0	Tranquilizer	0	0	*
Native American / Alaskan	0	0	0	Inhalant	0	0	0
Asian / Pacific Islander	0	0	0	Sedative	0	0	0
Hispanic	0	0	0	Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races	_	0	0	Average Age at First Use of Drug	18.7	17.5	17.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	6	6	5	Any Injection Use at Admission	*	0	*
High School Graduate or G.E.D.	11	10	7	- Daily Injection Use	0	0	*
Associate Degree or Some College	5	*	*	- Weekly Injection Use	0	0	0
Bachelor or Advanced Degree	0	*	0	- Less than Weekly Injection Use	*	0	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	14	13	8	Self / Family / Friend	*	*	*
Unemployed	5	*	*	School	0	0	0
Not in Labor Force	*	*	*	Mental Health Provider	0	*	0
				Health Care Provider	0	*	0
LIVING ARRANGEMENT				Court / Criminal Justice	18	15	12
Independent Living	19	17	12	Other Referral Source	0	*	*
Dependent Living	*	*	*	CDECIAL DORUM ATIONS			
Homeless	0	0	0	SPECIAL POPULATIONS Prognest when Admitted to any Enjage	^	*	•
LIFETIME DUI / DW// ADDECTO				Pregnant when Admitted to any Episode	0	*	0
LIFETIME DUI / DWI ARRESTS 0	4.4	14	0	Military Veteran	*	*	*
	11	11	9	Special Education Services Needed			*
1 or 2	6	6	*	Co-Occurring Psychological Problem	6	8	
3 or More	5	*	*	Co-Occurring Developmental Problem	0	*	0

SCOTLAND COUNTY



 ADA/CPS REGION
 Central

 CPS SERVICE AREA
 14

 CENSUS 2010
 4,843

 2011 POP. ESTIMATE
 4,828

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009				
Adjustment Disorder	*	0	*				
Anxiety Disorder	8	5	*				
Dementia	0	0	0				
Developmental Disorder	0	0	0				
Impulse Control Disorder	12	6	*				
Mood Disorder	20	19	18				
Personality Disorder	0	*	*				
Psychotic Disorder	*	*	*				
Sexual Disorder	0	0	0				
Other Diagnosis	5	*	*				
Diagnosis Unknown	*	5	11				

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	37	33	39	Hearing Impaired	0	0	0
Male	20	20	22	Past or Current Military Service	0	0	0
Female	17	13	17	HOUSING / LIVING ARRANGEMENT			-
AGE				Independent Living	10	9	*
Under 6	0	0	*	Dependent Living	0	6	*
6 to 9	5	*	*	Homeless	0	0	0
10 to 13	*	*	6	Other	0	0	0
14 to 17	7	5	9	Housing Unknown	27	18	35
18 to 24	6	6	5	EMPLOYMENT			
25 to 29	6	*	*	Employed	*	*	0
30 to 34	*	*	*	Unemployed	9	10	*
35 to 39	*	*	*	Not in Labor Force	0	0	0
40 to 44	*	*	*	Employment Status Unknown	27	22	36
45 to 49	5	5	*				
50 to 54	*	*	*	ARRESTS			
55 to 59	0	0	0	Arrested in Past 12 Months	0	*	0
60 and Over	0	0	0	Not Arrested in Past 12 Months	10	13	*
	· ·	· ·	ŭ	Arrest Status Unknown	27	18	35
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	37	33	39	Self / Family / Friend	7	9	7
African American	0	0	0	School	0	0	0
Native American / Alaskan	0	0	0	Mental Health Provider	*	*	0
Asian / Pacific Islander	0	0	0	Health Care Provider	5	5	8
Hispanic	0	0	0	Court / Criminal Justice	0	*	*
Other Race	0	0	0	Other	24	17	21
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	*	*	*	Voluntary	37	32	37
High School Grad or G.E.D.	5	7	*	Civil	0	*	*
A.A. Degree or Some College	*	*	0	Criminal	0	0	0
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	27	22	36	Commitment Type Unknown	0	0	0

SCOTLAND COUNTY

2012 MISSOURI STUDENT SURVEY

Percent of students who, in the past 30 days:		(%)	_	UICIDE Porcont	of ctudon	tcwho in	the nact	12 months	·i	(%
Were very sad		16.3				ered atte			•	10.5
Were grouchy, irritable, or in a bad mood		22.1			,			attempt su	ıicide	10.5
Felt hopeless about the future		8.2			ted suicio		oj woulu	uttompt of	alordo	7.0
Felt like not eating or eating more than usual		12.8					resulted	in injury o	r overdose that had	
Slept a lot more or a lot less than usual		22.1				doctor or		ju. y o	. ovoracoo anarmaa	
Had difficulty concentrating on school work		24.4								
					DUSNES	-				
FIGHTING						ts who ag				
Percent of students who, in the past 12 months:						s that get				20.9
Were in a physical fight		15.3		-			•		nake people mad	10.6
Were in a fight and had to be treated by a doctor or nurse		3.5			-		-	permissio	n	5.8
Were threatened or injured with a weapon on school propert	у	4.7				okay to ch				22.4
BULLYING VICTIM				It is oka	ay to beat	up peopl	e if they s	start a fight		36.0
Percent of students who, in the past 3 months:			s	CHOOL	RELATIC	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		24.7					ree with t	he followin	ıg:	
Were victims of mean rumors or lies spread at school		47.7				_		tudent's go	-	62.4
Had embarrassing or hurtful pictures/text of them posted on	internet	12.8		School	provides	feedback	to paren	ts on positi	ive student performa	nce 37.6
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	18.6		Teache	ers praise	student fo	or hard w	ork		57.0
Were made fun of by others		62.4		Rules a	are enforc	ed fairly				54.7
				Studen	ts of all ra	aces and	ethnicities	s are treate	ed equally	85.9
BULLYING PERPRETRATOR Percent of students who, in the past 3 months:			_							
Shoved, slapped, hit, or kicked a student in a serious manner	ır.	9.4			RELATIC of studen		roo with t	he followin	na:	
Spread mean rumors or lies about other kids at school	•1	21.2				-		ident's god	-	85.9
•	menne	3.5						amily decis		64.7
Posted on internet embarrassing or hurtful pictures/text of someone Sent by cell phone embarrassing or hurtful pictures/text of someone		5.9						-	dless of consequent	
Made fun of other people	miconc	57.0							onal problem	76.5
						- п				
CURRENANCE LICE AND DELIEFO										
SUBSTANCE USE AND BELIEFS										
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	W	¥	the	W ₁	the	the	W	Wo	Arr use firs	
	Who h	Who h	Whose the pas	Who sa	Who by themse	Who sa	Who fe	Who th	Among used s first us	
	Who have	Who have	Whose clo the past 12	Who say it	Who believe themselves	Who say p they use	Who feel it	Who think would be c	Among stu used subst	
	Who have eve	Who have use	Whose closest the past 12 mc	Who say it wor	Who believe the themselves if themselves if the themselves if the themselves if the themselves if the themselves if the themselves in the the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the themselves in the theorem in the theorem in the theorem in the theorem in the theorem in the theorem in the theorem in the theorem in the theorem in the theorem in the theorem in the the theorem in the theorem in the theorem in the theorem in the the theorem in the theorem in the theorem in the theorem in the t	Who say parer they use	Who feel it wo	Who think kids would be caug	Among studen used substanc first used	
	Who have ever us	Who have used in	Whose closest frie the past 12 month	Who say it would I	Who believe they themselves if they	Who say parents withey use	Who feel it would	Who think kids in two would be caught b	Among students w used substance, a first used	
	Who have ever used s	Who have used in the	Whose closest friends the past 12 months	Who say it would be e	Who believe they risk themselves if they use	Who say parents woul they use	Who feel it would be w	Who think kids in their would be caught by po	Among students who lused substance, avera	
	Who have ever used subs	Who have used in the pas	Whose closest friends have the past 12 months	Who say it would be easy	Who believe they risk han themselves if they use	Who say parents would di they use	Who feel it would be wron	Who think kids in their nei would be caught by police	Among students who have used substance, average first used	
	Who have ever used substant	Who have used in the past 30	Whose closest friends have u the past 12 months	Who say it would be easy to g	Who believe they risk harming themselves if they use	Who say parents would disap they use	Who feel it would be wrong to	Who think kids in their neighb would be caught by police for	Among students who have ev used substance, average age first used	
	Who have ever used substance	Who have used in the past 30 day	nds have used	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborho would be caught by police for using	udents who have ever stance, average age w	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Regarding the substances listed below, percent of students:	Who have ever used substance	Who have used in the past 30 days 9	•	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 75.3	Who think kids in their neighborhood would be caught by police for using	udents who have ever stance, average age w	
Regarding the substances listed below, percent of students: Cigarettes		ays	<u>p</u>		isk harming use	==		nood bood	udents who have ever stance, average age when	
Regarding the substances listed below, percent of students:	22.1	12.9	<u>p</u>		isk harming use	==		nood bood	stance, average age when	
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	22.1 11.6	12.9 5.8 16.5	44.7	54.1	isk harming 70.6	91.8	75.3	15.5	udents who have ever stance, average age when	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	22.1 11.6 36.5	12.9 5.8	44.7	54.1	isk harming 70.6	91.8	75.3	15.5	stance, average age when	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	22.1 11.6 36.5	12.9 5.8 16.5 12.9 1.2	44.7	54.1 55.8	rsk harming 70.6	91.8	75.3 55.8	15.5 21.4	stance, average age when 11.94	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	22.1 11.6 36.5	12.9 5.8 16.5 12.9	44.7	54.1 55.8	rsk harming 70.6	91.8	75.3 55.8	15.5 21.4	stance, average age when 11.94	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	22.1 11.6 36.5 5.8 3.5	12.9 5.8 16.5 12.9 1.2	44.7 49.4 15.1	54.1 55.8 23.5 12.0	70.6 68.6 79.1 91.8	91.8 80.0 96.4 97.7	75.3 55.8 89.4 98.8	15.5 21.4 44.0	stance, average age when 11.94	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	22.1 11.6 36.5	12.9 5.8 16.5 12.9 1.2	44.7 49.4 15.1	54.1 55.8 23.5	70.6 68.6 79.1	91.8 80.0 96.4	75.3 55.8 89.4	15.5 21.4 44.0	stance, average age when 11.94	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	22.1 11.6 36.5 5.8 3.5	12.9 5.8 16.5 12.9 1.2 1.2	44.7 49.4 15.1	54.1 55.8 23.5 12.0 58.8	70.6 68.6 79.1 91.8 81.0	91.8 80.0 96.4 97.7 96.5	75.3 55.8 89.4 98.8 92.9	15.5 21.4 44.0	stance, average age when 11.94	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	22.1 11.6 36.5 5.8 3.5 3.5 7.0	12.9 5.8 16.5 12.9 1.2 1.2	44.7 49.4 15.1	54.1 55.8 23.5 12.0 58.8	70.6 68.6 79.1 91.8 81.0	91.8 80.0 96.4 97.7 96.5	75.3 55.8 89.4 98.8 92.9	15.5 21.4 44.0	stance, average age when 11.94	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	22.1 11.6 36.5 5.8 3.5 7.0 2.4	12.9 5.8 16.5 12.9 1.2 1.2	44.7 49.4 15.1	54.1 55.8 23.5 12.0 58.8	70.6 68.6 79.1 91.8 81.0	91.8 80.0 96.4 97.7 96.5	75.3 55.8 89.4 98.8 92.9	15.5 21.4 44.0	stance, average age when 11.94	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	22.1 11.6 36.5 5.8 3.5 7.0 2.4 1.2	12.9 5.8 16.5 12.9 1.2 1.2	44.7 49.4 15.1	54.1 55.8 23.5 12.0 58.8	70.6 68.6 79.1 91.8 81.0	91.8 80.0 96.4 97.7 96.5	75.3 55.8 89.4 98.8 92.9	15.5 21.4 44.0	stance, average age when 11.94	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	22.1 11.6 36.5 5.8 3.5 7.0 2.4 1.2 1.2 2.4	12.9 5.8 16.5 12.9 1.2 1.2	44.7 49.4 15.1	54.1 55.8 23.5 12.0 58.8	70.6 68.6 79.1 91.8 81.0	91.8 80.0 96.4 97.7 96.5	75.3 55.8 89.4 98.8 92.9	15.5 21.4 44.0	stance, average age when 11.94	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	22.1 11.6 36.5 5.8 3.5 7.0 2.4 1.2	12.9 5.8 16.5 12.9 1.2 1.2 2.3 3.5	44.7 49.4 15.1 7.1	54.1 55.8 23.5 12.0 58.8 33.7	70.6 68.6 79.1 91.8 81.0 84.7	91.8 80.0 96.4 97.7 96.5 97.6	75.3 55.8 89.4 98.8 92.9 91.8	15.5 21.4 44.0 40.5	stance, average age when 11.94	s 10-14

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

SCOTT COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 21 201 39,191 39,136



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	550	582	585
Mother Reported Drinking while Pregnant ¹	000	1	1
Mother Reported Smoking while Pregnant	173	168	166
	-		
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	1
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	413	443	417
Suicides	5	8	5
Self-inflicted Injuries	83	107	82
Homicides	0	3	0
Assault Injuries	187	169	204
Alcohol Induced Deaths	3	5	2
Drug Induced Deaths	5	3	3
Smoking Induced Deaths	75	98	75
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	442	365	414
Direct Hospitalizations	144	84	91
Emergency Room Hospitalizations	106	146	144
Emergency Room Outpatient	192	135	179
Drug RelatedTotal	445	360	347
Direct Hospitalizations	216	125	101
Emergency Room Hospitalizations	94	133	115
Emergency Room Outpatient	135	102	131
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	44	42	48
Fatal Crashes	0	3	2
Injury Crashes	20	16	19
Property Damage Crashes	24	23	27
Crash Fatalities	0	4	2
Crash Injuries	23	21	22
Drug Involved CrashesTotal	11	18	18
Fatal Crashes	0	0	0
Injury Crashes	3	10	5
Property Damage Crashes	8	8	13
Crash Fatalities	0	0	0
Crash Injuries	4	10	6
EMPLOYMENT	2011	2010	2009
Labor Force	20,071	19,581	20,306
Employed	18,351	17,769	18,486
Unemployed	1,720	1,812	1,820
Unemployment Rate	8.6%	9.3%	9.0%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	44	47	58
Alcohol Package Carry-out Licenses	41	42	41
• •	31.3		• •

■ Female ■ Male							
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009				
Enrollment Grades 9-12	2,079	2,102	2,150				
Drop-outs	18	34	54				
Drop-out Rate	0.9%	1.6%	2.5%				
School Suspensions, 10 or More Days							
Alcohol Incidents	3	7	5				
Drug Incidents	32	32	11				
Tobacco Incidents	4	2	13				
POLICE REPORTS	2010	2009	2008				
DUI Arrests, DWI Tracking System	247	216	322				
Liquor Law Arrests	100	98	136				
Drug Arrests	393	449	271				
Methamphetamine Lab Incidents	64	22	9				
Violent Offenses	320	334	280				
Property Offenses	1,300	1,182	1,316				
Domestic Violence Reports	594	617	530				
JUVENILE COURT REFERRALS	2010	2009	2008				
Law Violation OffensesTotal	330	280	404				
Violent Offenses	105	72	111				
Alcohol Offenses	20	19	36				
Drug Offenses	21	22	24				
Status OffensesTotal	188	220	195				
Truancy	84	73	43				
Beyond Parental Control	23	19	19				
Habitually Absent from Home	35	28	66				
Injurious Behavior	45	92	66				
Abuse/Neglect/CustodyTotal	125	140	69				
Abuse	8	8	13				
Neglect	108	129	51				
Custody Disputes	9	3	5				
JUVENILE COURT PLACEMENTS	2010	2009	2008				
Out-of-Home PlacementsTotal	58	51	28				
Parental Alcohol Use Related	5	2	0				
Parental Drug Use Related	21	14	3				
Parental Alcohol and Drug Use	0	0	0				
Child Removed for Other Reason	32	35	25				
CRIMINAL JUSTICE	FY2011	FY2010	FY2009				
Drug Court Participants	79	82	68				
Probation/Parole AdmissionsTotal	443	461	444				
Probation/Parole AdmissionsDrug	199	207	185				
Probation/Parole AdmissionsDWI	16	9	16				
Prison AdmissionsTotal	205	214	208				
Prison AdmissionsDrug	95	89	87				
Prison AdmissionsDWI	5	8	5				
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	uppressed				

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

SCOTT COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	31	23	25
CSTAR Women and Children	44	61	29
CSTAR General Adult	82	53	23
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	52	53	47
Primary Recovery Treatment	194	335	436
Clinical SATOP (CIP, YCIP, SROP)	26	34	21
Other Substance Abuse Treatment	*	*	42

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	196	258	269
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	96	122	134
- Weekend Intervention Program	52	70	89
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	0	5
- Compulsive Gambling	*	0	0
- Recovery Supports	163	138	96
- Early Intervention	7	5	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	291	350	436	Never Married	208	229	268
Female	115	119	99	Married / Cohabitating	116	123	130
				Previously Married	82	117	137
AGE							
Under 18	33	22	23	PRIMARY DRUG PROBLEM			
18 to 24	83	100	110	Alcohol	130	164	221
25 to 29	75	94	98	Marijuana / Hashish	142	159	182
30 to 34	60	63	70	Cocaine (total)	41	52	61
35 to 39	44	51	65	- Crack	21	35	40
40 to 44	34	40	63	Stimulant (total)	44	35	21
45 to 54	62	76	87	- Methamphetamine	41	34	19
55 and Over	15	23	19	Heroin	7	6	6
RACE / ETHNICITY				Analgesic except Heroin	29	31	28
Caucasian	282	319	368	- Non-Prescription Methadone	0	*	0
African American	114	139	159	PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan	*	0	*	Tranquilizer	6	18	12
Asian / Pacific Islander	0	0	0	Inhalant	*	0	*
Hispanic	*	*	*	Sedative	*	*	*
Other Race / Two or More Races	7	9	5	Other Medication or Illicit Drug	0	0	0
	,	J	Ü	Average Age at First Use of Drug	17.9	17.9	17.5
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	152	189	219	Any Injection Use at Admission	27	24	21
High School Graduate or G.E.D.	191	219	252	- Daily Injection Use	*	*	*
Associate Degree or Some College	57	57	59	- Weekly Injection Use	6	9	*
Bachelor or Advanced Degree	6	*	5	- Less than Weekly Injection Use	18	14	16
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	122	119	178	Self / Family / Friend	71	76	80
Unemployed	151	200	219	School	0	*	0
Not in Labor Force	133	150	138	Mental Health Provider	8	7	9
				Health Care Provider	7	9	9
LIVING ARRANGEMENT				Court / Criminal Justice	290	325	397
Independent Living	302	342	409	Other Referral Source	30	50	40
Dependent Living	95	111	107				
Homeless	6	9	12	SPECIAL POPULATIONS	4.0	_	4
LIFETIME DUI / DUI / A DOCUM				Pregnant when Admitted to any Episode	10	6	*
LIFETIME DUI / DWI ARRESTS	00.4	00.1	005	Military Veteran	19	31	29
0	234	264	285	Special Education Services Needed	29	50	35
1 or 2	108	141	161	Co-Occurring Psychological Problem	91	104	110
3 or More	64	64	89	Co-Occurring Developmental Problem	9	19	14

SCOTT COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA CENSUS 2010 39,191 2011 POP. ESTIMATE 39,136

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

Individuals who received CPS services had the following types of

DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
22.0	00	400	440
Adjustment Disorder	89	106	110
Anxiety Disorder	133	133	135
Dementia	*	*	*
Developmental Disorder	5	8	9
Impulse Control Disorder	122	135	145
Mood Disorder	431	389	442
Personality Disorder	69	64	80
Psychotic Disorder	115	109	115
Sexual Disorder	0	*	*
Other Diagnosis	53	73	82
Diagnosis Unknown	89	168	207

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	908	960	1,071	Hearing Impaired	31	32	27
Male	422	465	505	Past or Current Military Service	17	15	25
Female	486	495	566	HOUSING / LIVING ARRANGEMENT			
				Independent Living	143	130	74
AGE				•	_		74
Under 6	22	30	22	Dependent Living Homeless	18	61	25
6 to 9	69	82	78	Other		0	0
10 to 13	88	98	110		0		0
14 to 17	123	146	155	Housing Unknown	746	766	972
18 to 24	74	82	95	EMPLOYMENT			
25 to 29	58	62	82	Employed	8	8	5
30 to 34	70	59	75	Unemployed	152	131	74
35 to 39	47	51	62	Not in Labor Force	*	*	*
40 to 44	54	44	60	Employment Status Unknown	746	818	991
45 to 49	88	105	120	455555			
50 to 54	94	80	87	ARRESTS	04	0.5	4.5
55 to 59	51	51	52	Arrested in Past 12 Months	21	35	15
60 and Over	70	70	73	Not Arrested in Past 12 Months	141	159	84
				Arrest Status Unknown	746	766	972
RACE / ETHNICITY				TOTATMENT DESERVAL COURSE			
Caucasian	704	731	838	TREATMENT REFERRAL SOURCE	200	200	450
African American	156	182	198	Self / Family / Friend	398	390	450
Native American / Alaskan	*	*	*	School	27	40	34
Asian / Pacific Islander	*	*	*	Mental Health Provider Health Care Provider	103	122	152
Hispanic	20	20	12	Court / Criminal Justice	96	116	142
Other Race	24	24	19		47	77	72
Race/Ethnicity Unknown	0	0	0	Other	235	212	217
				Referral Source Unknown	•	^	Î
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	67	71	39	Voluntary	896	934	1,046
High School Grad or G.E.D.	73	52	32	Civil	8	20	16
A.A. Degree or Some College	16	17	8	Criminal	*	*	*
Bachelor or Advanced Degree	5	*	*	Sexual Predatory	*	*	*
Education Level Unknown	747	818	991	Commitment Type Unknown	*	*	*

SCOTT COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)	5	SUICIDE						(%)
Percent of students who, in the past 30 days:							-	12 months.	;	
Were very sad		22.6			-	lered atter				12.5
Were grouchy, irritable, or in a bad mood		27.1			•		ey would	attempt su	ıicide	7.2
Felt hopeless about the future		9.2			ted suicio					5.3
Felt like not eating or eating more than usual		22.2						in injury o	r overdose that had to	0.9
Slept a lot more or a lot less than usual		23.4		be t	reated by	doctor or	nurse			
Had difficulty concentrating on school work		25.0	,	DEDELL #	OLICNICO	c				
FIGUTING				REBELLIO Percent		s ts who agi	ree that			
FIGHTING Percent of students who, in the past 12 months:						s that get		ıav		18.3
Were in a physical fight		23.0				-		-	ake people mad	13.0
Were in a fight and had to be treated by a doctor or nurse		2.3		-				permission		5.2
Were threatened or injured with a weapon on school proper	hv	5.5			-	okay to ch	_	-		23.4
were threatened or injured with a weapon on school proper	ij	0.0				-		start a fight		48.7
BULLYING VICTIM				IL IS UK	ay to bea	up peopi	e ii uiey s	nari a ngin		40.7
Percent of students who, in the past 3 months:			٤	CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		28.3		Percent :	of studen	ts who agi	ree with t	he followin	g:	
Were victims of mean rumors or lies spread at school		53.1		Teache	ers notice	and comr	nent on s	tudent's go	ood work	70.5
Had embarrassing or hurtful pictures/text of them posted on	internet	12.7		School	provides	feedback	to parent	ts on positi	ve student performance	32.0
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	15.0		Teach	ers praise	student fo	or hard w	ork		43.4
Were made fun of by others		63.3		Rules a	are enforc	ed fairly				62.8
				Studen	its of all ra	aces and e	ethnicities	s are treate	ed equally	80.8
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		20.0		PARENT				h a fallanda		
Shoved, slapped, hit, or kicked a student in a serious manne	er	22.3				-		he followin	-	00.0
•	Spread mean rumors or lies about other kids at school 35.6 Parents notice and comment on student's good work Posted on internet embarrassing or hurtful pictures/text of someone 9.2 Parents involve student in making family decisions						83.0			
Posted on internet embarrassing or hurtful pictures/text of so		9.2					-	•		70.9
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	10.5							dless of consequences	88.0
Made fun of other people		61.0		Studen	it could as	sk parent i	or neip w	ntn a perso	onal problem	75.2
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	5	\$	∓ ≤	\$; ≤	∓ ≤	\$	\$ \$	∌ ⊊ >	
	7	8	le pa	8	먪	ey (8	일	sed mor	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disappro they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age wh first used	
	9 6	SII	ose 12 n	₩ €	es e	par	≓ ≶	원 <u>중</u>	lude	
	er	<u> </u>	nont	잂	it the	ents	잍	ght sir	ints	
	Ised	=	te de la company	be	y ris	WO	be	<u>\$</u>	who	
	ISI	ਰ ਦ	ds h	eas	Se Se	ᇤ	¥	B 바 n	o ha	
	bsta	<u>8</u>	ave	sy to	m m	dis	ong	e eg	e ag	
	ınce	30 c	SS	ge	g	흏	ð		ever ge w	
		lays	Σ			ove if	<u>8</u>	hood	/hen	
Cigarettes	29.0	15.7	42.4	51.6	73.9	87.1	76.5	22.7	11.27	
Chewing Tobacco	16.8	10.6								
Alcohol	37.8	13.5	53.7	58.1	72.4	77.2	62.1	35.6	12.21	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		6.0								
Marijuana	7.7	4.8	25.9	31.2	77.3	89.5	86.1	51.3	13.32	
Inhalants	9.0	0.8							10.75	
Illicit drugs such as cocaine, LSD, meth, club drugs			10.7	17.1	95.1	92.6	96.1	66.7		
Over-the-counter medications for non-medical use	5.3	3.3		42.7	84.3	91.7	90.0			
Prescription drugs not prescribed for student	7.2	3.3		24.6	87.9	91.6	95.7			
Heroin	0.0									
Cocaine	2.0									
Methamphetamine	0.7									
Hallucinogens	1.9									
0111 1 1 0110 0 0 1114										

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofie, or Special K

Synthetic drugs such as K2, bath salts, Spice Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

1.2


5.8

0.9

SHANNON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Southeast 18 203 8,441 8,432



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	111	105	99
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	40	34	26
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	83	82	93
Suicides	1	1	2
Self-inflicted Injuries	24	3	5
Homicides	1	0	1
Assault Injuries	33	23	19
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	2	2	1
Smoking Induced Deaths	18	18	24
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	53	81	72
Direct Hospitalizations	23	24	14
Emergency Room Hospitalizations	3	18	24
Emergency Room Outpatient	27	39	34
Drug RelatedTotal	102	47	56
Direct Hospitalizations	43	10	14
Emergency Room Hospitalizations	16	17	22
Emergency Room Outpatient	43	20	20
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	18	16	10
Fatal Crashes	2	0	0
Injury Crashes	14	10	8
Property Damage Crashes	2	6	2
Crash Fatalities	2	0	0
Crash Injuries	26	10	14
Drug Involved CrashesTotal	1	1	1
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	2
EMPLOYMENT	2011	2010	2009
Labor Force	3,131	3,263	3,755
Employed	2,728	2,806	3,296
Unemployed	403	457	459
Unemployment Rate	12.9%	14.0%	12.2%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	9	8	11
Alcohol Package Carry-out Licenses	14	16	17

= Female	■ Male	\$ \$ \$	କ ି
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	258	266	278
Drop-outs	0	4	0
Drop-out Rate	0.0%	1.5%	0.0%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	49	49	48
Liquor Law Arrests	38	103	79
Drug Arrests	205	263	285
Methamphetamine Lab Incidents	3	1	19
Violent Offenses	23	13	16
Property Offenses	158	103	80
Domestic Violence Reports	6	11	15
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	22	22	16
Violent Offenses	3	6	3
Alcohol Offenses	6	4	3
Drug Offenses	3	1	3
Status OffensesTotal	23	26	38
Truancy	5	4	24
Beyond Parental Control	1	10	6
Habitually Absent from Home	4	0	1
Injurious Behavior	4	7	5
Abuse/Neglect/CustodyTotal	5	2	0
Abuse	1	1	0
Neglect	4	1	0
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	0	0	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	0	0	0
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	35	34	48
Probation/Parole AdmissionsDrug	16	19	30
Probation/Parole AdmissionsDWI	3	0	0
Prison AdmissionsTotal	22	16	16
Prison AdmissionsDrug	10	5	5
Prison AdmissionsDWI	2	0	1

^{*} An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

SHANNON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT FY2011 FY2010 FY2	2009
CSTAR Adolescent * *	*
CSTAR Women and Children 5 *	*
CSTAR General Adult 8 10	*
CSTAR Opioid 0 0	0
Primary Recovery Detoxification 12 8	6
Primary Recovery Treatment 16 24	27
Clinical SATOP (CIP, YCIP, SROP) 7 6	5
Other Substance Abuse Treatment 0 0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	25	25	31
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	7	11	12
- Weekend Intervention Program	*	*	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	*	0
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	28	29	25	Never Married	16	21	18
Female	16	14	12	Married / Cohabitating	13	5	10
				Previously Married	15	17	9
AGE							
Under 18	*	*	*	PRIMARY DRUG PROBLEM			
18 to 24	7	9	10	Alcohol	16	17	13
25 to 29	10	10	7	Marijuana / Hashish	12	9	14
30 to 34	8	5		Cocaine (total)	0	0	0
35 to 39	5	6	6	- Crack	0	0	0
40 to 44	5			Stimulant (total)	5	8	5
45 to 54	5	6	6	- Methamphetamine	*	8	5
55 and Over	*	*	*	Heroin	0	*	0
RACE / ETHNICITY				Analgesic except Heroin	11	7	*
Caucasian	42	41	36	- Non-Prescription Methadone	0	0	0
African American	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	0	*	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	*
Hispanic	*	0	0	Sedative	0	0	0
Other Race / Two or More Races	0	*	*	Other Medication or Illicit Drug	0	0	0
	· ·			Average Age at First Use of Drug	16.9	17.1	15.9
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	22	19	20	Any Injection Use at Admission	9	7	7
High School Graduate or G.E.D.	18	19	13	- Daily Injection Use	6	0	*
Associate Degree or Some College	*	5	*	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	0	0	0	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	*	6	10	Self / Family / Friend	14	10	9
Unemployed	25	23	15	School	0	0	0
Not in Labor Force	16	14	12	Mental Health Provider	0	*	*
				Health Care Provider	0	*	0
LIVING ARRANGEMENT				Court / Criminal Justice	26	29	26
Independent Living	39	40	31	Other Referral Source	*	*	*
Dependent Living	5	*	*				
Homeless	0	*	*	SPECIAL POPULATIONS	_		_
/ IEEE N. I. D. II. D. III.			Pregnant when Admitted to any Episode	0	*	0	
LIFETIME DUI / DWI ARRESTS				Military Veteran		*	0
0	25	25	23	Special Education Services Needed	0		
1 or 2	12	10	7	Co-Occurring Psychological Problem	9	12	9
3 or More	7	8	7	Co-Occurring Developmental Problem	0	0	0

SHANNON COUNTY



ADA/CPS REGION Southeast
CPS SERVICE AREA 18
CENSUS 2010 8,441
2011 POP. ESTIMATE 8,432

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 **Anxiety Disorder** 19 14 12 Dementia 0 0 0 **Developmental Disorder** Impulse Control Disorder 9 8 **Mood Disorder** 32 38 45 Personality Disorder 5 5 **Psychotic Disorder** 6 6 8 Sexual Disorder 0 0 0 Other Diagnosis Diagnosis Unknown

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	56	61	71	Hearing Impaired	8	9	6
Male	26	28	30	Past or Current Military Service	*	*	*
Female	30	33	41	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	14	13	8
Under 6	0	0	*	Dependent Living	*	6	5
6 to 9	0	*	*	Homeless	*	*	0
10 to 13	9	6	*	Other	0	0	0
14 to 17	5	*	*	Housing Unknown	40	41	58
18 to 24	ى *	0	0	EMPL OVMENT			
25 to 29		9	6	EMPLOYMENT	*	*	•
		5	12	Employed			
30 to 34	*	5	5	Unemployed	12	13	8
35 to 39		6	8	Not in Labor Force		0	0
40 to 44	7	7	8	Employment Status Unknown	40	47	61
45 to 49	14	10	13	ARRESTS			
50 to 54	*	7	*	Arrested in Past 12 Months	*	*	*
55 to 59	*	0	*	Not Arrested in Past 12 Months	15	17	11
60 and Over	*	*	6	Arrest Status Unknown	40	41	59
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	55	60	68	Self / Family / Friend	15	17	19
African American	0	0	0	School			
Native American / Alaskan	0	0	*	Mental Health Provider	0	0	0
Asian / Pacific Islander	0	0	0			6	9
Hispanic	*	0	*	Health Care Provider	26	24	21
Other Race	0	*	0	Court / Criminal Justice	0		
Race/Ethnicity Unknown	0	0	0	Other	12	11	18
-				Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	7	6	*	Voluntary	56	58	69
High School Grad or G.E.D.	6	6	5	Civil	0	*	*
A.A. Degree or Some College	*	*	*	Criminal	0	0	*
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	0	0	0
Education Level Unknown	40	47	62	Commitment Type Unknown	0	0	0

SHANNON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	S	SUICIDE Percent i	nf studen	ts who in	the nast	12 months		(%)
Were very sad		31.2		Percent of students who, in the past 12 months: Seriously considered attempting suicide						17.7
Were grouchy, irritable, or in a bad mood		33.1			-				uicide	12.2
Felt hopeless about the future		19.1		Made a plan about how they would attempt suicide Attempted suicide						8.5
Felt like not eating or eating more than usual		32.6					t resulted	in injury o	r overdose that had to	0.0
Slept a lot more or a lot less than usual		26.2				doctor or				
Had difficulty concentrating on school work		24.1			•					
amoung concommuning on conscious			F	REBELLIC						
FIGHTING						ts who ag				
Percent of students who, in the past 12 months:						s that get		•		26.2
Were in a physical fight		20.6		•			•		nake people mad	18.0
Were in a fight and had to be treated by a doctor or nurse		0.0						permissio	n	2.1
Were threatened or injured with a weapon on school proper	ty	4.3				okay to ch				19.9
PULL VINC VICTIM				It is oka	ay to beat	t up peop	le if they s	start a fight		72.9
BULLYING VICTIM Percent of students who, in the past 3 months:				SCHOOL	DEL ATI	OMC				
Were shoved, slapped, hit, or kicked in a serious manner		22.0		SCHOOL . Percent i			ree with t	he followin	na·	
Were victims of mean rumors or lies spread at school		58.9				_		tudent's g	-	83.7
Had embarrassing or hurtful pictures/text of them posted on	internet	16.3						_	ive student performance	
Had embarrassing or hurtful pictures/text of them sent by ce		17.7			-	student f	-	-	ive student performance	56.7
Were made fun of by others	ii prioric	70.9			re enforc		or riard w	OIK		61.7
were made full of by officers		70.5				•	othnicitio	s are treate	od ogually	70.9
BULLYING PERPRETRATOR				Studen	is or all re	aces and	eumicide.	s are ireaid	su equally	70.5
Percent of students who, in the past 3 months:			,	PARENT	RELATIC	ONS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	29.8		Percent of	of studen	ts who ag	ree with t	he followin	g:	
Spread mean rumors or lies about other kids at school		24.8		Parents	s notice a	ind comm	ent on stu	ident's god	od work	83.0
Posted on internet embarrassing or hurtful pictures/text of so	omeone	10.0		Parents	s involve	student in	making f	amily deci	sions	73.0
Sent by cell phone embarrassing or hurtful pictures/text of se	omeone	12.8		It is imp	ortant to	be hones	st with par	ents regar	dless of consequences	87.2
Made fun of other people		59.6		Studen	t could as	sk parent	for help v	ith a perso	onal problem	75.9
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	<	<	= <	<	= <	= <	<	< <	⇒ c >	
	Who have ever used substance	Who have used in the past 30 da	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprovithey use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age whe first used	
	hav	hav	se c	say	bell Selv	say use	fee	g ∰	ng s sub	
	9	e .	lose	≓	es eye	pa	≓	22 8	tud	
	Ver	sed	mon Stf	<u> </u>	# # # # # # # # # # # # # # # # # # #	ent	<u> </u>	를 않	ents	
	use	⋽	ths rie	g b	ey t	S W	<u> </u>	t n de de	, av	
	d St	ᇎ	중	89	se sk	ᇣ	€	<u>₽</u> ₽	o h eraç	
	ıbst	oast	hav	ışy	am	dis	ong	ice neig	ave ge a	
	anc	30	E	9	jjg	ğ	to g	현	eve	
	Ф	day	<u>e</u>	œ		VO.	use	함하	whe whe	
		ys	⋾			ve if		9 8	9	
Cigarettes	46.1	22.7	70.9	70.9	75.2	87.9	68.1	14.9	11.77	
Chewing Tobacco	31.2	14.9								
Alcohol	61.0	26.2	74.5	71.6	78.7	81.6	49.6	27.0	12.13	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		18.4								
Marijuana	17.0	8.5	38.6	36.9	77.0	97.9	83.0	48.6	13.27	
Inhalants	9.2	4.3							13.46	
Illicit drugs such as cocaine, LSD, meth, club drugs			11.3	20.9	98.6	97.9	100.0	44.0		
Over-the-counter medications for non-medical use	6.4	5.7		63.1	74.8	96.4	84.4			
Prescription drugs not prescribed for student	21.3	17.0		39.7	94.2	94.0	93.5			
Heroin	0.0									
Cocaine	0.0									
Methamphetamine	0.0									
11-0	0.0									

Data source:

Hallucinogens

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofle, or Special K

Synthetic drugs such as K2, bath salts, Spice
Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

2.8

1.4

9.3

SHELBY COUNTY



ADA/CPS REGION Central ADA SERVICE AREA 14 FIPS COUNTY CODE 205 **CENSUS 2010** 6,373 2011 POP. ESTIMATE 6,280

2011 POPULATION PROFILE BY AGE GROUP 300 200 100

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	70	87	87
Mother Reported Drinking while Pregnant ¹ Mother Reported Smoking while Pregnant	40	0	1
Mother Reported Smoking while Pregnant	18	16	22
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	84	70	95
Suicides	1	0	1
Self-inflicted Injuries	8	2	5
Homicides	0	0	0
Assault Injuries	5	7	12
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	1	0
Smoking Induced Deaths	12	12	16
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	50	35	54
Direct Hospitalizations	22	10	16
Emergency Room Hospitalizations	18	16	24
Emergency Room Outpatient	10	9	14
Drug RelatedTotal	12	19	28
Direct Hospitalizations	5	7	10
Emergency Room Hospitalizations	4	6	14
Emergency Room Outpatient	3	6	4
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	5	8	3
Fatal Crashes	1	0	0
Injury Crashes	3	5	2
Property Damage Crashes	1	3	1
Crash Fatalities	1	0	0
Crash Injuries	3	5	1
Drug Involved CrashesTotal	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	3,162	3,174	3,306
Employed	2,927	2,897	3,009
Unemployed	235	277	297
Unemployment Rate	7.4%	8.7%	9.0%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	6	10	9
Alcohol Package Carry-out Licenses	8	8	8

= Female	្សាស្ត្រ ■Male	\$ \$ \$	& `
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	347	339	380
Drop-outs	6	10	16
Drop-out Rate	1.7%	2.9%	4.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	3
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	48	39	16
Liquor Law Arrests	5	5	5
Drug Arrests	41	30	17
Methamphetamine Lab Incidents	3	15	3
Violent Offenses	4	8	0
Property Offenses	93	83	90
Domestic Violence Reports	33	12	19
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	16	31	41
Violent Offenses	3	12	7
Alcohol Offenses	0	2	2
Drug Offenses	1	0	0
Status OffensesTotal	39	44	28
Truancy	3	6	4
Beyond Parental Control	16	13	11
Habitually Absent from Home	2	0	1
Injurious Behavior	18	25	11
Abuse/Neglect/CustodyTotal	75	64	46
Abuse	28	25	12
Neglect	45	39	34
Custody Disputes	2	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	11	18	8
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	0	1	1
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	10	17	6
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	0	0	0
Probation/Parole AdmissionsTotal	41	52	30
Probation/Parole AdmissionsDrug	14	14	12
Probation/Parole AdmissionsDWI	2	9	3
Prison AdmissionsTotal	14	28	17
Prison AdmissionsDrug	7	8	4
Prison AdmissionsDWI	0	2	1
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	ppressed

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

SHELBY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	5
CSTAR Women and Children	6	*	0
CSTAR General Adult	5	17	18
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	5	*	*
Primary Recovery Treatment	27	17	23
Clinical SATOP (CIP, YCIP, SROP)	8	5	5
Other Substance Abuse Treatment	0	0	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	29	38	28
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	10	11	*
- Weekend Intervention Program	6	18	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	0	*
- Compulsive Gambling	0	0	0
- Recovery Supports	0	*	0
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	27	25	33	Never Married	22	19	25
Female	16	12	18	Married / Cohabitating	14	11	18
	10	12	10	Previously Married	7	7	8
AGE				•	•	•	Ü
Under 18	*	*	8	PRIMARY DRUG PROBLEM			
18 to 24	10	10	11	Alcohol	27	15	23
25 to 29	8	*	9	Marijuana / Hashish	11	15	20
30 to 34	10	*	6	Cocaine (total)	0	*	0
35 to 39	*	6	5	- Crack	0	0	0
40 to 44	*	*	*	Stimulant (total)	*	*	7
45 to 54	5	*	8	- Methamphetamine	0	*	7
55 and Over	*	*	*	Heroin	0	*	0
RACE / ETHNICITY				Analgesic except Heroin	*	0	*
Caucasian	43	35	48	- Non-Prescription Methadone	0	0	0
African American	0	*	*	PCP, LSD, other Hallucinogen	0	*	0
Native American / Alaskan	0	0	0	Tranquilizer	0	0	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	0	0	Sedative	0	0	0
Other Race / Two or More Races	0	0	0	Other Medication or Illicit Drug	0	0	0
Other Race / Two of More Races	U	U	U	Average Age at First Use of Drug	16.7	15.6	15.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	*	14	20	Any Injection Use at Admission	0	*	*
High School Graduate or G.E.D.	33	19	24	- Daily Injection Use	0	0	*
Associate Degree or Some College	6	*	7	- Weekly Injection Use	0	0	*
Bachelor or Advanced Degree	0	0	0	- Less than Weekly Injection Use	0	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	16	10	21	Self / Family / Friend	5	*	5
Unemployed	18	19	9	School	0	0	0
Not in Labor Force	9	8	21	Mental Health Provider	0	*	0
				Health Care Provider	*	0	0
LIVING ARRANGEMENT				Court / Criminal Justice	34	31	35
Independent Living	38	32	40	Other Referral Source	*	*	11
Dependent Living	*	*	10	005044 00044 474040			
Homeless	0	0	0	SPECIAL POPULATIONS		•	
LIFETIME DUI / DIA" 4 DO 50 TO				Pregnant when Admitted to any Episode	0	0	*
LIFETIME DUI / DWI ARRESTS			0.4	Military Veteran	5	*	*
0	15	18	34	Special Education Services Needed	7		9
1 or 2	21	12	9	Co-Occurring Psychological Problem	10	8	14
3 or More	7	7	8	Co-Occurring Developmental Problem	*	*	*

SHELBY COUNTY



ADA/CPS REGION Central CPS SERVICE AREA 14
CENSUS 2010 6,373
2011 POP. ESTIMATE 6,280

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 **Anxiety Disorder** 8 11 10 Dementia 0 **Developmental Disorder** 0 Impulse Control Disorder 6 5 5 **Mood Disorder** 20 30 25 Personality Disorder **Psychotic Disorder** 6 10 8 Sexual Disorder 0 0 0 Other Diagnosis 6 Diagnosis Unknown 10 13

Individuals who received CPS services had the following types of


The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	43	60	58	Hearing Impaired	*	*	0
Male	24	25	23	Past or Current Military Service	*	*	0
Female	19	35	35	HOUSING / LIVING ARRANGEMENT			· ·
				Independent Living	20	14	6
AGE				Dependent Living	*	*	*
Under 6	0	0	0	Homeless	0	0	*
6 to 9	*	*	*	Other	0	0	0
10 to 13	5	7	5		0		0
14 to 17	5	8	5	Housing Unknown	21	44	50
18 to 24	6	9	10	EMPLOYMENT			
25 to 29	0	5	6	Employed	*	*	0
30 to 34	*	*	*	Unemployed	21	12	8
35 to 39	*	*	*	Not in Labor Force	0	0	0
40 to 44	*	6	*	Employment Status Unknown	21	46	50
45 to 49	6	6	7				
50 to 54	*	*	*	ARRESTS			
55 to 59	0	0	*	Arrested in Past 12 Months	*	*	*
60 and Over	*	8	6	Not Arrested in Past 12 Months	20	14	6
			•	Arrest Status Unknown	21	44	50
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	41	58	56	Self / Family / Friend	11	10	16
African American	*	*	*	School	*	13	16
Native American / Alaskan	0	0	0		*	*	0
Asian / Pacific Islander	0	0	0	Mental Health Provider	*		
Hispanic	0	0	0	Health Care Provider		5	5
Other Race	*	*	*	Court / Criminal Justice	0	8	
Race/Ethnicity Unknown	0	0	0	Other	24	30	29
				Referral Source Unknown	*	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	11	6	*	Voluntary	42	51	54
High School Grad or G.E.D.	8	6	*	Civil	0	6	*
A.A. Degree or Some College	*	*	0	Criminal	0	0	0
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	0	*	0
Education Level Unknown	21	46	50	Commitment Type Unknown	*	*	*

STODDARD COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 19 207 29,968 29,807



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	347	317	368
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	122	95	104
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	2	0	0
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	363	362	391
Suicides	2	4	2
Self-inflicted Injuries	70	56	69
Homicides	1	0	1
Assault Injuries	96	95	98
Alcohol Induced Deaths	1	2	3
Drug Induced Deaths	1	2	4
Smoking Induced Deaths	82	83	84
Chicking madoca Boarno			_
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	206	231	202
Direct Hospitalizations	57	56	42
Emergency Room Hospitalizations	63	101	76
Emergency Room Outpatient	86	74	84
Drug RelatedTotal	242	203	215
Direct Hospitalizations	86	56	66
Emergency Room Hospitalizations	70	85	76
Emergency Room Outpatient	86	62	73
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	28	51	39
Fatal Crashes	1	3	1
Injury Crashes	14	25	12
Property Damage Crashes	13	23	26
Crash Fatalities	1	2	1
Crash Injuries	23	35	13
Drug Involved CrashesTotal	11	13	12
Fatal Crashes	0	1	1
Injury Crashes	3	6	4
Property Damage Crashes	8	6	7
Crash Fatalities	0	1	1
Crash Injuries	6	9	4
<i>EMPLOYMENT</i>	2011	2010	2009
Labor Force			
Employed	15,283 13,909	14,972 13,608	15,056 13,582
Unemployed		•	1,474
Unemployment Rate	1,374	1,364	
Chemployment Itale	9.0%	9.1%	9.8%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	32	28	28
Alcohol Package Carry-out Licenses	26	25	28

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,484	1,512	1,527
Drop-outs	34	44	45
Drop-out Rate	2.3%	2.9%	2.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	3	3	2
Tobacco Incidents	2	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	228	210	176
Liquor Law Arrests	37	57	45
Drug Arrests	140	109	114
Methamphetamine Lab Incidents	8	13	11
Violent Offenses	63	62	49
Property Offenses	591	417	471
Domestic Violence Reports	105	90	65
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	164	191	237
Violent Offenses	51	55	65
Alcohol Offenses	10	17	21
Drug Offenses	12	18	15
Status OffensesTotal	138	100	127
Truancy	63	42	45
Beyond Parental Control	16	18	20
Habitually Absent from Home	9	8	10
Injurious Behavior	11	13	5
Abuse/Neglect/CustodyTotal	396	412	401
Abuse	52	87	107
Neglect	146	145	180
Custody Disputes	198	180	114
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	184	172	119
Parental Alcohol Use Related	5	7	3
Parental Drug Use Related	85	84	61
Parental Alcohol and Drug Use	2	6	2
Child Removed for Other Reason	92	75	53
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	30	33	28
Probation/Parole AdmissionsTotal	235	245	274
Probation/Parole AdmissionsDrug	89	92	108
Probation/Parole AdmissionsDWI	24	17	22
Prison AdmissionsTotal	161	147	126
Prison AdmissionsDrug	51	53	46
Prison AdmissionsDWI	19	9	13

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

STODDARD COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	29	23	21
CSTAR Women and Children	12	17	16
CSTAR General Adult	98	72	56
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	32	38	25
Primary Recovery Treatment	221	239	211
Clinical SATOP (CIP, YCIP, SROP)	26	24	9
Other Substance Abuse Treatment	0	0	21

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	128	155	140
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	33	54	64
- Weekend Intervention Program	39	43	45
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	*
- Recovery Supports	46	14	10
- Early Intervention	23	23	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	242	224	212	Never Married	152	145	118
Female	138	127	99	Married / Cohabitating	120	107	102
				Previously Married	108	99	91
AGE							
Under 18	32	23	25	PRIMARY DRUG PROBLEM			
18 to 24	71	78	58	Alcohol	131	144	137
25 to 29	70	60	42	Marijuana / Hashish	114	113	94
30 to 34	64	61	55	Cocaine (total)	5	6	9
35 to 39	48	42	40	- Crack			6
40 to 44	40	31	41	Stimulant (total)	49	36	26
45 to 54	40	41	39	- Methamphetamine	48	36	26
55 and Over	15	15	11	Heroin	6	*	0
RACE / ETHNICITY				Analgesic except Heroin	59	38	37
Caucasian	369	341	306	- Non-Prescription Methadone	*	0	0
African American	5	*	*	PCP, LSD, other Hallucinogen	0	*	*
Native American / Alaskan	0	*	*	Tranquilizer	11	9	6
Asian / Pacific Islander	0	0	0	Inhalant	*	*	0
Hispanic	*	*	0	Sedative	*	0	*
Other Race / Two or More Races	5	5	0	Other Medication or Illicit Drug	*	*	0
	-			Average Age at First Use of Drug	18.0	17.5	17.1
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	156	142	140	Any Injection Use at Admission	22	18	15
High School Graduate or G.E.D.	183	170	128	- Daily Injection Use	*	*	*
Associate Degree or Some College	41	36	43	- Weekly Injection Use	8	*	*
Bachelor or Advanced Degree	0	*	0	- Less than Weekly Injection Use	12	13	11
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	127	109	87	Self / Family / Friend	69	40	36
Unemployed	141	129	141	School	0	0	0
Not in Labor Force	112	113	83	Mental Health Provider	*	0	9
				Health Care Provider	10	7	5
LIVING ARRANGEMENT				Court / Criminal Justice	203	221	204
Independent Living	335	310	274	Other Referral Source	97	83	57
Dependent Living	41	36	34	SPECIAL POPULATIONS			
Homeless	*	*	*	SPECIAL POPULATIONS Pregnant when Admitted to any Episode	E	*	*
LIFETIME DUI / DWI ARRESTS				Military Veteran	5 19	23	18
0	211	183	156	Special Education Services Needed	42	34	42
1 or 2	98	103	92	Co-Occurring Psychological Problem	103	34 97	42 84
3 or More			-			_	_
3 OF MOTE	71	64	63	Co-Occurring Developmental Problem	29	23	19

STODDARD COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 20 CENSUS 2010 29,968 2011 POP. ESTIMATE 29,807 disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 52 52 45 **Anxiety Disorder** 76 66 58 Dementia 0 **Developmental Disorder** Impulse Control Disorder 27 43 44 **Mood Disorder** 239 265 264 Personality Disorder 47 48 38 **Psychotic Disorder** 48 43 52

0

10

0

17

73

22

86

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	446	443	510	Hearing Impaired	6	8	8
Male	180	182	225	Past or Current Military Service	*	6	10
Female	266	261	285	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	92	86	63
Under 6	6	*	7	Dependent Living	11	22	7
6 to 9	20	20	20	Homeless	*	0	0
10 to 13	34	39	41	Other	*	*	0
14 to 17	52	49	60	Housing Unknown	340	334	440
18 to 24	40	42	38	EMPLOYMENT			
25 to 29	26	25	39	Employed	6	7	8
30 to 34	39	37	42	Unemployed	99	83	58
35 to 39	24	34	47	Not in Labor Force	*	*	0
40 to 44	43	43	43	Employment Status Unknown	340	351	444
45 to 49	54	41	53	Employment States States with	340	331	777
50 to 54	41	46	55 55	ARRESTS			
55 to 59	33	26	31	Arrested in Past 12 Months	12	14	9
60 and Over	34	37	34	Not Arrested in Past 12 Months	94	95	61
oo and over	34	31	34	Arrest Status Unknown	340	334	440
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	431	431	495	Self / Family / Friend	183	164	185
African American	7	8	9	School	6	*	*
Native American / Alaskan	0	0	0	Mental Health Provider	84	95	112
Asian / Pacific Islander	0	0	*	Health Care Provider	81	82	101
Hispanic	*	*	*	Court / Criminal Justice	33	39	38
Other Race	7	*	*	Other	58	57	65
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	*	*	6
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	40	38	23	Voluntary	443	431	493
High School Grad or G.E.D.	49	36	35	Civil	0	7	10
A.A. Degree or Some College	13	15	7	Criminal	*	*	*
Bachelor or Advanced Degree	*	*	*	Sexual Predatory	*	*	0
Education Level Unknown	340	351	444	Commitment Type Unknown	*	*	6

STODDARD COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	`	UICIDE Percent (of studen	ts who, in	the past	12 months:		(9
Were very sad			l	Seriously considered attempting suicide						10
Were grouchy, irritable, or in a bad mood			7	Made a plan about how they would attempt suicide						5
Felt hopeless about the future		13.4	1	Attemp	ted suicio	le				5
Felt like not eating or eating more than usual		20.4	1	Had a suicide attempt that resulted in injury or overdose that had to					overdose that had to	2
Slept a lot more or a lot less than usual			3	be t	reated by	doctor or	nurse			
Had difficulty concentrating on school work		24.3								
				EBELLIC Doroont		-	oo that			
FIGHTING Person of chudents who in the next 12 menths:						ts who agr				15
Percent of students who, in the past 12 months:		27.2	,			s that get		-	aka naanla mad	15 11
Were in a fight and had to be treated by a dester or purse.		6.1		_					ake people mad	4
Were threatened as is used with a weapon on school property		5.9			-		-	permission	I	21
Were threatened or injured with a weapon on school propert	у	5.8	9			okay to ch				49
BULLYING VICTIM				IL IS UK	iy to beat	up people	e ii uiey s	start a fight		49
Percent of students who, in the past 3 months:			s	CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		27.9					ee with t	he following	g:	
Were victims of mean rumors or lies spread at school		58.6	3	Teache	rs notice	and comn	nent on s	tudent's go	od work	73
Had embarrassing or hurtful pictures/text of them posted on	internet	10.3	3	School	provides	feedback	to paren	ts on positi	ve student performance	44
Had embarrassing or hurtful pictures/text of them sent by ce	l phone	19.5	5	Teache	rs praise	student fo	or hard w	ork		55
Were made fun of by others		61.6	6	Rules a	re enforc	ed fairly				60
				Studen	ts of all ra	aces and e	ethnicities	are treate	d equally	82
BULLYING PERPRETRATOR Descent of students who in the next 3 menths:										
Percent of students who, in the past 3 months: Shoved, slapped, hit, or kicked a student in a serious manner.	\ r	20.1		ARENT I			roo with t	he following	~·	
	4									86
Spread mean rumors or lies about other kids at school Posted on internet embarrassing or hurtful pictures/text of someone Sent by cell phone embarrassing or hurtful pictures/text of someone		25.4 Parents notice and comment on student's good work							72	
			5.0 Parents involve student in making family decisions8.4 It is important to be honest with parents regardless of consequences						88	
Made fun of other people	лпеопе	58.2							nal problem	79
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	\$	8	∄ ≶	8	# ≥	∓ ≤	5	\$ \$	₹ % ≥	
	ho hav	ho ha	hose o	ho say	ho bel emsel	ho say	ho fee	ho thi	Among st used sub first used	
	/e e	/e u	dos 12		के छ	, b	7	o k	stud	
	6			<	<u>∞</u> ∂			= 0		
		ĕ	est fi mon	would	/e the s if th	rent	<u>2</u>	g s	ents	
	r usec	ied in the	Whose closest friend the past 12 months	would be	e they ris s if they u	rents wo	ould be	ls in the	ents who	
	r used su	sed in the p	est friends h months	would be eas	Who believe they risk hathemselves if they use	rents would	ould be wro	ls in their n ght by poli	ents who ha	
	r used substa	sed in the past	est friends have months	would be easy to	/e they risk harmi s if they use	rents would disa	ould be wrong	s in their neigh	ents who have ence, average ag	
	Who have ever used substance	sed in the past 30 d	est friends have use months	would be easy to get	Who believe they risk harming themselves if they use	rents would disappr	ould be wrong to u	ls in their neighbor ght by police for us	nts who have ever	
	r used substance	Who have used in the past 30 days	ds have used	Who say it would be easy to get	ve they risk harming s if they use	rents would disapprove	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Cinarettes			ij			Who say parents would disapprove if they use		nood boon	ne ne	
Cigarettes Chewing Tobacco	37.8	21.1	63.8	would be easy to get 9.6	ve they risk harming 75.3	rents would disapprove if 91.8	rould be wrong to use	s in their neighborhood 8.4 ght by police for using	nce, average age when	
Chewing Tobacco	37.8 18.7	21.1 10.7	63.8	69.6	75.3	91.8	72.2	18.4	12.10	
Chewing Tobacco Alcohol	37.8	21.1 10.7 23.8	63.8			==		nood boon	ne ne	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	37.8 18.7 49.4	21.1 10.7 23.8 14.5	63.8 69.4	69.6	75.3 71.2	91.8	72.2 54.8	18.4	12.10 12.33	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	37.8 18.7 49.4	21.1 10.7 23.8 14.5 3.8	63.8 69.4 37.0	69.6	75.3	91.8	72.2	18.4	12.10 12.33 12.98	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	37.8 18.7 49.4	21.1 10.7 23.8 14.5	63.8 69.4 37.0	69.6 66.3 37.2	75.3 71.2 69.6	91.8 83.0 97.7	72.2 54.8 83.9	18.4 29.2 45.2	12.10 12.33	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	37.8 18.7 49.4 16.0 6.1	21.1 10.7 23.8 14.5 3.8 2.1	63.8 69.4 37.0	69.6 66.3 37.2 19.3	75.3 71.2 69.6 93.6	91.8 83.0 97.7	72.2 54.8 83.9 96.4	18.4	12.10 12.33 12.98	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	37.8 18.7 49.4 16.0 6.1	21.1 10.7 23.8 14.5 3.8 2.1	63.8 69.4 37.0 15.0	69.6 66.3 37.2 19.3 59.2	75.3 71.2 69.6 93.6 86.0	91.8 83.0 97.7 100.0 98.1	72.2 54.8 83.9 96.4 93.2	18.4 29.2 45.2	12.10 12.33 12.98	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	37.8 18.7 49.4 16.0 6.1 9.7 12.2	21.1 10.7 23.8 14.5 3.8 2.1	63.8 69.4 37.0 15.0	69.6 66.3 37.2 19.3	75.3 71.2 69.6 93.6	91.8 83.0 97.7	72.2 54.8 83.9 96.4	18.4 29.2 45.2	12.10 12.33 12.98	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	37.8 18.7 49.4 16.0 6.1 9.7 12.2 0.6	21.1 10.7 23.8 14.5 3.8 2.1	63.8 69.4 37.0 15.0	69.6 66.3 37.2 19.3 59.2	75.3 71.2 69.6 93.6 86.0	91.8 83.0 97.7 100.0 98.1	72.2 54.8 83.9 96.4 93.2	18.4 29.2 45.2	12.10 12.33 12.98	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	37.8 18.7 49.4 16.0 6.1 9.7 12.2 0.6 3.6	21.1 10.7 23.8 14.5 3.8 2.1	63.8 69.4 37.0 15.0	69.6 66.3 37.2 19.3 59.2	75.3 71.2 69.6 93.6 86.0	91.8 83.0 97.7 100.0 98.1	72.2 54.8 83.9 96.4 93.2	18.4 29.2 45.2	12.10 12.33 12.98	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	37.8 18.7 49.4 16.0 6.1 9.7 12.2 0.6 3.6 1.3	21.1 10.7 23.8 14.5 3.8 2.1	63.8 69.4 37.0 15.0	69.6 66.3 37.2 19.3 59.2	75.3 71.2 69.6 93.6 86.0	91.8 83.0 97.7 100.0 98.1	72.2 54.8 83.9 96.4 93.2	18.4 29.2 45.2	12.10 12.33 12.98	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	37.8 18.7 49.4 16.0 6.1 9.7 12.2 0.6 3.6 1.3	21.1 10.7 23.8 14.5 3.8 2.1	63.8 69.4 37.0 15.0	69.6 66.3 37.2 19.3 59.2	75.3 71.2 69.6 93.6 86.0	91.8 83.0 97.7 100.0 98.1	72.2 54.8 83.9 96.4 93.2	18.4 29.2 45.2	12.10 12.33 12.98	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	37.8 18.7 49.4 16.0 6.1 9.7 12.2 0.6 3.6 1.3	21.1 10.7 23.8 14.5 3.8 2.1 4.2 5.7	63.8 69.4 37.0 15.0	69.6 66.3 37.2 19.3 59.2 40.8	75.3 71.2 69.6 93.6 86.0 90.8	91.8 83.0 97.7 100.0 98.1 96.8	72.2 54.8 83.9 96.4 93.2 93.7	18.4 29.2 45.2 50.4	12.10 12.33 12.98	114

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:


Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

STONE COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 10 209 32,202 32,263



DIDTH DIOK FACTORS	0040	0000	0000
BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	288	265	323
Mother Reported Drinking while Pregnant 1	04	2	3
Mother Reported Smoking while Pregnant	91	63	90
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	1
IDU and MSM ²	0	0	1
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	326	330	328
Suicides	3	4	4
Self-inflicted Injuries	31	33	30
Homicides	1	0	1
Assault Injuries	39	49	41
Alcohol Induced Deaths	3	1	2
Drug Induced Deaths	6	5	4
Smoking Induced Deaths	60	68	72
LICODITAL / EMEDOENOV DOOM	0040	0000	2000
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal Direct Hospitalizations	258	254 45	258
•	56 05	45 114	50 110
Emergency Room Hospitalizations	95 107		
Emergency Room Outpatient Drug RelatedTotal	107 239	95 243	98 200
Direct Hospitalizations			200 48
Emergency Room Hospitalizations	64 82	60 88	46 68
Emergency Room Prospitalizations Emergency Room Outpatient	93	95	84
Emergency Room Outpatient	93	95	04
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	47	47	51
Fatal Crashes	4	2	2
Injury Crashes	26	22	18
Property Damage Crashes	17	23	31
Crash Fatalities	4	2	2
Crash Injuries	32	25	19
Drug Involved CrashesTotal	10	11	6
Fatal Crashes	2	1	0
Injury Crashes	6	3	2
Property Damage Crashes	2	7	4
Crash Fatalities	2	1	0
Crash Injuries	9	4	2
EMPLOYMENT	2011	2010	2009
Labor Force	15,116	15,527	16,285
Employed	13,330	13,604	14,339
Unemployed	1,786	1,923	1,946
Unemployment Rate	11.8%	12.4%	11.9%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	42	42	42
Alcohol Package Carry-out Licenses	47	45	50

■ Female		જ જ જ	କ ୍
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,321	1,384	1,382
Drop-outs	35	32	27
Drop-out Rate	2.6%	2.3%	2.0%
School Suspensions, 10 or More Days			
Alcohol Incidents	9	4	1
Drug Incidents	40	29	14
Tobacco Incidents	0	1	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	157	185	174
Liquor Law Arrests	38	39	43
Drug Arrests	141	145	160
Methamphetamine Lab Incidents	1	4	2
Violent Offenses	93	129	126
Property Offenses	698	663	737
Domestic Violence Reports	391	392	320
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	132	123	177
Violent Offenses	29	32	43
Alcohol Offenses	18	14	23
Drug Offenses	17	10	16
Status OffensesTotal	32	33	60
Truancy	0	1	0
Beyond Parental Control	3	8	9
Habitually Absent from Home	16	20	36
Injurious Behavior	13	4	14
Abuse/Neglect/CustodyTotal	97	88	86
Abuse	10	10	14
Neglect	57	57	57
Custody Disputes	30	21	15
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	31	23	33
Parental Alcohol Use Related	4	1	0
Parental Drug Use Related	11	11	5
Parental Alcohol and Drug Use	4	0	0
Child Removed for Other Reason	12	11	28
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	96	74	73
Probation/Parole AdmissionsTotal	246	236	232
Probation/Parole AdmissionsDrug	90	78	84
Probation/Parole AdmissionsDWI	16	8	12
Prison AdmissionsTotal	107	120	108
Prison AdmissionsDrug	36	38	32
Prison AdmissionsDWI	3	6	3

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.
- IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

STONE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	8	*	7
CSTAR Women and Children	*	5	12
CSTAR General Adult	32	20	8
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	44	59	50
Primary Recovery Treatment	67	95	101
Clinical SATOP (CIP, YCIP, SROP)	7	22	11
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	103	119	139
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	42	45	49
- Weekend Intervention Program	26	36	42
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	5
- Compulsive Gambling	0	0	0
- Recovery Supports	6	48	30
- Early Intervention	*	7	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	108	118	127	Never Married	73	75	84
Female	44	52	45	Married / Cohabitating	37	46	40
				Previously Married	42	49	48
AGE							
Under 18	9	5	8	PRIMARY DRUG PROBLEM			
18 to 24	36	35	34	Alcohol	70	89	83
25 to 29	20	34	41	Marijuana / Hashish	29	32	24
30 to 34	15	18	17	Cocaine (total)	*	0	*
35 to 39	19	17	21	- Crack	*	0	0
40 to 44	14	16	16	Stimulant (total)	23	18	26
45 to 54	30	36	27	- Methamphetamine	23	18	26
55 and Over	9	9	8	Heroin	*	*	6
RACE / ETHNICITY				Analgesic except Heroin	22	21	29
Caucasian	150	169	165	- Non-Prescription Methadone	*	0	0
African American	0	0	*	PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan	*	0	*	Tranquilizer	*	7	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	*	*	Sedative	0	0	0
Other Race / Two or More Races	*	*	*	Other Medication or Illicit Drug	0	0	*
Cities Rade / Two of More Rades				Average Age at First Use of Drug	16.6	16.3	16.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	51	50	57	Any Injection Use at Admission	25	15	28
High School Graduate or G.E.D.	72	86	83	- Daily Injection Use	6	7	6
Associate Degree or Some College	27	32	25	- Weekly Injection Use	5	*	6
Bachelor or Advanced Degree	*	*	7	- Less than Weekly Injection Use	14	5	16
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	37	54	54	Self / Family / Friend	72	74	71
Unemployed	70	81	74	School	0	0	0
Not in Labor Force	45	35	44	Mental Health Provider	0	*	*
				Health Care Provider	*	6	*
LIVING ARRANGEMENT				Court / Criminal Justice	70	88	93
Independent Living	128	152	147	Other Referral Source	6	*	*
Dependent Living	20	15	21				
Homeless	*	*	*	SPECIAL POPULATIONS	*	*	4
				Pregnant when Admitted to any Episode			*
LIFETIME DUI / DWI ARRESTS			0.0	Military Veteran	10	8	6
0	79	78	90	Special Education Services Needed	7		7
1 or 2	44	59	51	Co-Occurring Psychological Problem	28	37	27
3 or More	29	33	31	Co-Occurring Developmental Problem	*	*	*

STONE COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 10
CENSUS 2010 32,202
2011 POP. ESTIMATE 32,263

DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
Adjustment Disorder	12	*	7
Anxiety Disorder	25	14	18
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	10	*	6
Mood Disorder	88	61	56
Personality Disorder	22	14	17
Psychotic Disorder	41	28	28
Sexual Disorder	0	0	0
Other Diagnosis	10	7	5
Diagnosis Unknown	19	50	52

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	162	144	144	Hearing Impaired	*	*	*
Male	87	68	62	Past or Current Military Service	*	*	*
Female	75	76	82	•			
			02	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	30	5	*
Under 6	*	6	*	Dependent Living	18	7	5
6 to 9	8	8	*	Homeless	*	0	0
10 to 13	17	13	8	Other	0	0	*
14 to 17	8	12	12	Housing Unknown	113	132	134
18 to 24	8	9	11	EMPLOYMENT			
25 to 29	11	11	12	Employed	5	*	0
30 to 34	18	11	8	Unemployed	37	6	8
35 to 39	10	14	7	Not in Labor Force	7	0	*
40 to 44	20	16	22	Employment Status Unknown	113	135	134
45 to 49	24	19	21	Employment Status Similarini	113	100	104
50 to 54	20	11	19	ARRESTS			
55 to 59	5	5	5	Arrested in Past 12 Months	8	0	*
60 and Over	10	9	12	Not Arrested in Past 12 Months	41	12	9
oo and over	10	9	12	Arrest Status Unknown	113	132	134
RACE / ETHNICITY				TREATMENT REFERRAL COURSE			
Caucasian	151	134	134	TREATMENT REFERRAL SOURCE	405		
African American	*	0	0	Self / Family / Friend	105	96	71
Native American / Alaskan	0	0	0	School		0	
Asian / Pacific Islander	*	*	*	Mental Health Provider	6	7	13
Hispanic	*	*	*	Health Care Provider	21	8	13
Other Race	6	6	6	Court / Criminal Justice	5		5
Race/Ethnicity Unknown	0	0	0	Other	24	30	40
•				Referral Source Unknown	0	0	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	20	*	*	Voluntary	158	142	140
High School Grad or G.E.D.	20	*	5	Civil	*	*	*
A.A. Degree or Some College	*	*	*	Criminal	*	0	0
Bachelor or Advanced Degree	*	0	0	Sexual Predatory	0	0	0
Education Level Unknown	115	135	134	Commitment Type Unknown	0	0	*

STONE COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)	3	SUICIDE Percent	of studen	ts who. in	the past	12 months	v	(%)
Were very sad		20.3				lered atter	-			9.4
Were grouchy, irritable, or in a bad mood		26.7			-			attempt s	uicide	7.6
Felt hopeless about the future		11.3			ted suicio		.,			4.7
Felt like not eating or eating more than usual		15.2					resulted	in injury o	r overdose that had to	2.3
Slept a lot more or a lot less than usual		19.8				doctor or		• • •		
Had difficulty concentrating on school work		24.6								
, ,			,	REBELLIC		-				
FIGHTING						ts who ag				04.0
Percent of students who, in the past 12 months:		40.4				s that get				21.9
Were in a physical fight		19.4							nake people mad	14.4
Were in a fight and had to be treated by a doctor or nurse		3.9			•		•	permissio	n	5.9
Were threatened or injured with a weapon on school propert	y	7.1				okay to ch				23.0
BULLYING VICTIM				IT IS OK	ay to bear	t up peopi	e ir tney s	start a fight		50.4
Percent of students who, in the past 3 months:				SCHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		23.7					ree with t	he followin	ng:	
Were victims of mean rumors or lies spread at school		53.1				_		tudent's g	-	54.8
Had embarrassing or hurtful pictures/text of them posted on	internet	12.7		School	provides	feedback	to paren	ts on posit	ive student performance	31.6
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	16.7		Teache	ers praise	student fo	or hard w	ork	•	46.5
Were made fun of by others		61.7		Rules a	are enforc	ced fairly				48.2
•				Studen	ts of all ra	aces and	ethnicities	s are treate	ed equally	77.0
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		47.0		PARENT				u		
Shoved, slapped, hit, or kicked a student in a serious manne	er	17.2				_		he followin	-	00.4
Spread mean rumors or lies about other kids at school		25.5						udent's god		83.1
Posted on internet embarrassing or hurtful pictures/text of so		3.2					_	amily deci		70.8
Sent by cell phone embarrassing or hurtful pictures/text of so Made fun of other people	omeone	8.6 60.6							rdless of consequences onal problem	91.1 81.3
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	Who hav	Who hav	Whose cl	Who say	Who beli themselv	Who say they use	Who feel	Who think kids in would be caught	Among st used sub first used	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	their neighborhood by police for using	tudents who have ever stance, average age when	
Cigarettes	23.2	10.5	41.8	55.0	84.6	91.2	80.4	17.8	12.60	
Chewing Tobacco	22.7	12.7								
Alcohol	40.2	16.6	51.1	54.0	74.8	83.2	67.0	23.6	12.48	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		11.0	00-	00.5		0= 0	0	06 =	10.00	
Marijuana	14.2	8.1	26.7	33.0	79.2	95.3	85.7	39.7	13.39	
Inhalants	6.1	3.9	4	40.5	0= 1	00.0	0= -	46.4	13.18	
Illicit drugs such as cocaine, LSD, meth, club drugs			11.8	16.6	95.1	98.8	95.8	49.4		

Data source:

Heroin

Cocaine Methamphetamine

Hallucinogens

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Over-the-counter medications for non-medical use

Club drugs such as ecstasy, GHB, roofle, or Special K

Synthetic drugs such as K2, bath salts, Spice

Steroids not prescribed for student

Prescription drugs not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

93.8

93.1

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

6.9

9.5

2.13.3

2.9

4.1

7.8

2.3

3.2

4.2

48.3

28.6

85.7

90.9


96.3

94.6

SULLIVAN COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 13 211 6,714 6,659



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	90	96	85
Mother Reported Drinking while Pregnant 1		0	0
Mother Reported Smoking while Pregnant	22	18	12
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	0	1
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	81	79	71
Suicides	4	1	2
Self-inflicted Injuries	11	10	6
Homicides	0	0	0
Assault Injuries	16	17	20
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	1	0	1
Smoking Induced Deaths	16	16	10
•		-	_
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	47	46	45
Direct Hospitalizations	21	10	6
Emergency Room Hospitalizations	5	12	13
Emergency Room Outpatient	21	24	26
Drug RelatedTotal	51	40	40
Direct Hospitalizations	13	14	11
Emergency Room Hospitalizations	1	6	12
Emergency Room Outpatient	37	20	17
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	9	18	12
Fatal Crashes	0	1	0
Injury Crashes	5	11	8
Property Damage Crashes	4	6	4
Crash Fatalities	0	1	0
Crash Injuries	7	14	9
Drug Involved CrashesTotal	0	2	2
Fatal Crashes	0	0	0
Injury Crashes	0	2	1
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	1	1
EMPLOYMENT	2011	2010	2009
Labor Force	3,451	3,586	3,596
Employed	3,431	3,333	3,354
Unemployed	235	253	242
Unemployment Rate	6.8%	7.1%	6.7%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	8	8	10
Alcohol Package Carry-out Licenses	8	5	6

■ Female	■ Iviaie		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	340	332	348
Drop-outs	12	6	10
Drop-out Rate	3.5%	1.8%	2.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	2	4	1
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	33	47	44
Liquor Law Arrests	11	5	9
Drug Arrests	8	11	12
Methamphetamine Lab Incidents	1	0	0
Violent Offenses	20	14	14
Property Offenses	71	91	100
Domestic Violence Reports	46	51	38
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	21	37	50
Violent Offenses	7	8	2
Alcohol Offenses	2	3	9
Drug Offenses	1	3	8
Status OffensesTotal	96	70	92
Truancy	55	42	49
Beyond Parental Control	8	13	17
Habitually Absent from Home	0	1	1
Injurious Behavior	33	14	25
Abuse/Neglect/CustodyTotal	38	25	16
Abuse	5	5	7
Neglect	33	19	9
Custody Disputes	0	1	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	11	11	10
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	3	1
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	7	8	8
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	12	15	15
Probation/Parole AdmissionsTotal	44	48	53
Probation/Parole AdmissionsDrug	13	18	13
Probation/Parole AdmissionsDWI	5	8	6
Prison AdmissionsTotal	25	26	30
Prison AdmissionsDrug	8	10	12
Prison AdmissionsDWI	1	3	4

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

SULLIVAN COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	7
CSTAR Women and Children	*	*	*
CSTAR General Adult	42	24	20
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	*	5	*
Primary Recovery Treatment	*	35	42
Clinical SATOP (CIP, YCIP, SROP)	10	6	6
Other Substance Abuse Treatment	0	0	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	42	30	30
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	11	12	9
- Weekend Intervention Program	6	*	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	*	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	6	*
- Early Intervention	11	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	46	55	54	Never Married	29	39	37
Female	15	14	20	Married / Cohabitating	12	14	18
				Previously Married	20	16	19
AGE	*	*	•				
Under 18			8	PRIMARY DRUG PROBLEM	00		40
18 to 24	14	18	15	Alcohol	26	36	42
25 to 29	16	15	14	Marijuana / Hashish	14	16	15
30 to 34	10	8	9	Cocaine (total)		*	*
35 to 39	9	8	10	- Crack	0		0
40 to 44		5	6	Stimulant (total)	7	5	*
45 to 54	6	11	10	- Methamphetamine	7	5	*
55 and Over	0	0	*	Heroin		*	0
RACE / ETHNICITY				Analgesic except Heroin	5	9	7
Caucasian	54	63	69	- Non-Prescription Methadone	0	0	0
African American	*	*	*	PCP, LSD, other Hallucinogen	0	0	*
Native American / Alaskan	0	0	0	Tranquilizer	*	*	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	5	*	6	Sedative	0	0	*
Other Race / Two or More Races	0	*	0	Other Medication or Illicit Drug	5	0	*
	ŭ		· ·	Average Age at First Use of Drug	17.1	17.3	16.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	20	20	28	Any Injection Use at Admission	6	6	6
High School Graduate or G.E.D.	34	45	39	- Daily Injection Use	*	*	*
Associate Degree or Some College	7	*	6	- Weekly Injection Use	0	*	*
Bachelor or Advanced Degree	0	0	*	- Less than Weekly Injection Use	*	*	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	29	15	26	Self / Family / Friend	9	17	7
Unemployed	22	34	27	School	*	0	0
Not in Labor Force	10	20	21	Mental Health Provider	0	0	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	46	44	55
Independent Living	57	60	57	Other Referral Source	*	5	10
Dependent Living	*	6	10				
Homeless	0	*	*	SPECIAL POPULATIONS		-	•
LIFETIME DUI / DUI ADDECTO				Pregnant when Admitted to any Episode	*	0	0
LIFETIME DUI / DWI ARRESTS	67	40	00	Military Veteran	* -		
0	37	42	38	Special Education Services Needed	5	5	6
1 or 2	15	18	24	Co-Occurring Psychological Problem	14	17	14
3 or More	9	9	12	Co-Occurring Developmental Problem	0	*	*

SULLIVAN COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 13
CENSUS 2010 6,714
2011 POP. ESTIMATE 6,659

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 DIAGNOSIS CATEGORY Adjustment Disorder 5 6 10 **Anxiety Disorder** 25 27 25 Dementia 0 0 0 **Developmental Disorder** Impulse Control Disorder 10 8 14 **Mood Disorder** 37 35 50 Personality Disorder 5 7 **Psychotic Disorder** 7 5 Sexual Disorder 0 0 0 Other Diagnosis 8 9 14 Diagnosis Unknown 16

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	68	80	89	Hearing Impaired	*	*	*
Male	32	42	46	Past or Current Military Service	*	*	*
Female	36	38	43				
				HOUSING / LIVING ARRANGEMENT			_
AGE				Independent Living	29	22	9
Under 6	*	*	0	Dependent Living	*	*	0
6 to 9	5	5	9	Homeless	0	0	*
10 to 13	7	*	5	Other	0	0	0
14 to 17	*	7	12	Housing Unknown	38	55	79
18 to 24	6	10	8	EMPLOYMENT			
25 to 29	7	9	7	Employed	*	*	0
30 to 34	8	6	*	Unemployed	26	20	10
35 to 39	*	*	11	Not in Labor Force	*	0	0
40 to 44	10	10	13	Employment Status Unknown	38	58	79
45 to 49	7	11	6	4005050			
50 to 54	7	5	6	ARRESTS		*	
55 to 59	5	*	*	Arrested in Past 12 Months	6		
60 and Over	*	5	6	Not Arrested in Past 12 Months	24	21	8
				Arrest Status Unknown	38	55	79
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	63	75	81	TREATMENT REFERRAL SOURCE	00	00	0.4
African American	*	*	0	Self / Family / Friend	28	33	31
Native American / Alaskan	0	0	0	School Mental Health Provider	0	0	0
Asian / Pacific Islander	0	0	0	Health Care Provider	13	16	15
Hispanic	*	*	7	Court / Criminal Justice	13	9	16
Other Race	0	0	*	Other			6
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	10	17	19
				Releital Source Officiowif	0		
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	9	*	*	Voluntary	67	79	86
High School Grad or G.E.D.	14	13	7	Civil	0	0	*
A.A. Degree or Some College	7	7	0	Criminal	*	0	0
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	0	0	0
Education Level Unknown	38	58	79	Commitment Type Unknown	0	*	*

SULLIVAN COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE	of ctudon	te who in	the nact	12 months		(%)
•		18.3				ered atter			•	8.3
Were grouphy imitable, or in a had mood					•				iloldo	
Were grouchy, irritable, or in a bad mood		27.5			•		ey would	attempt su	licide	8.3
Felt hopeless about the future		9.2			ted suicid		rooultod	In Inlum.	r avardosa that had to	3.7 1.9
Felt like not eating or eating more than usual		13.0				doctor or		in injury or	r overdose that had to	1.9
Slept a lot more or a lot less than usual		16.7		DC ti	calcu by	doctor or	nuise			
Had difficulty concentrating on school work		17.4	R	EBELLIC	USNES	s				
FIGHTING						ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		22.9
Were in a physical fight		26.4						-	ake people mad	14.7
Were in a fight and had to be treated by a doctor or nurse		4.6		-			-	permissio		8.3
Were threatened or injured with a weapon on school proper	tv	7.3			-	okay to ch	-	-		24.8
, , , , , , , , , , , , , , , , , , ,	9					-		start a fight		55.0
BULLYING VICTIM					,	op poop.	·	.		
Percent of students who, in the past 3 months:				CHOOL .						
Were shoved, slapped, hit, or kicked in a serious manner		23.1				_		he followin	-	
Were victims of mean rumors or lies spread at school		50.5						tudent's go		70.4
Had embarrassing or hurtful pictures/text of them posted on		9.3			-		-	-	ve student performance	45.9
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	14.8		Teache	rs praise	student fo	or hard w	ork		54.1
Were made fun of by others		56.9		Rules a	ire enforc	ed fairly				55.5
				Studen	ts of all ra	aces and e	ethnicities	s are treate	ed equally	70.4
BULLYING PERPRETRATOR			_							
Percent of students who, in the past 3 months:		26.0		ARENT I			raa wiith t	ha fallawin	· 	
Shoved, slapped, hit, or kicked a student in a serious manner	31	26.9				-		he followin	•	00.6
Spread mean rumors or lies about other kids at school		23.9						ident's god		82.6
Posted on internet embarrassing or hurtful pictures/text of so		6.5						amily decis		70.6
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	7.4						_	dless of consequences	86.4
Made fun of other people		58.3		Studen	t could as	sk parent i	or neip w	ith a perso	onal problem	82.6
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	<	<	= <	<	≠ <	= <	<	s <	⇒ c >	
	₽	₹	Whose closest frier the past 12 months	₹	Who believe they themselves if they	ਦੂ ਨੂੰ	₽	을 둘	Among st used sub: first used	
	hav	hav	se c	say	bell Selv	say use	fee	gert	sut some	
	9	e E	lose	≓	eye	pa	₩.	8 K	tud	
	ξ	<u>se</u>	non est	<u> </u>	###	ent	<u> </u>	를 S	ents	
	use	⋽	∌ ≓		ا عث ہ	S I	d b	t by	a) <u>&</u>	
	<u>.</u>		ᄧᄬ	8	≥ ∃.	S				
	~ ~	┲	s sbne	d be ea	risk h y use	Vould	e M	<u> 등</u>	ho h: /erae	
	subst	he past	ends hav	d be easy l	risk harm y use	vould dis	e wrong	eir neig police	no have verage a	
	substanc	he past 30	ends have us	d be easy to g	Who believe they risk harming themselves if they use	vould disapp	e wrong to	eir neighbo police for u	no have eve verage age	
	Who have ever used substance	Who have used in the past 30 day	nds have used	Who say it would be easy to get	risk harming y use	vould disapprov	e wrong to use	Who think kids in their neighborho would be caught by police for usin	Among students who have ever used substance, average age whe first used	
	substance	he past 30 days	ends have used in	d be easy to get	risk harming y use	Who say parents would disapprove if they use	Who feel it would be wrong to use	eir neighborhood police for using	no have ever verage age when	
Cigarettes	substance 38.5	he past 30 days	•	d be easy to get 59.6	risk harming y use 69.7	vould disapprove if 83.3	e wrong to use 66.4	eir neighborhood police for using 14.7	rerage age when 13.33	
Cigarettes Chewing Tobacco	38.5	19.1	<u>p</u>		isk harming use	===		ing	hen	
Chewing Tobacco	38.5 20.9	19.1 12.7	56.0	59.6	isk harming use 69.7	83.3	66.4	14.7	13.33	
Chewing Tobacco Alcohol	38.5	19.1 12.7 20.0	<u>p</u>		isk harming use	===		ing	hen	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	38.5 20.9 55.5	19.1 12.7 20.0 11.9	56.0	59.6	tsk harming 69.7	83.3	66.4	14.7 19.4	13.33 12.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	38.5 20.9 55.5	19.1 12.7 20.0 11.9 8.3	56.0	59.6	isk harming use 69.7	83.3	66.4	14.7	13.33 12.58 13.69	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	38.5 20.9 55.5	19.1 12.7 20.0 11.9	56.0 58.7 32.1	59.6 60.6 36.4	69.7 64.5 65.1	83.3 70.8 90.8	66.4 49.1 77.8	14.7 19.4 38.3	13.33 12.58	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	38.5 20.9 55.5 17.4 5.5	19.1 12.7 20.0 11.9 8.3 1.8	56.0	59.6 60.6 36.4 14.7	sk harming 69.7 64.5 65.1 90.9	83.3 70.8 90.8 98.1	66.4 49.1 77.8 96.3	14.7 19.4	13.33 12.58 13.69	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	38.5 20.9 55.5 17.4 5.5	19.1 12.7 20.0 11.9 8.3 1.8	56.0 58.7 32.1	59.6 60.6 36.4 14.7 48.6	69.7 64.5 65.1 90.9 78.7	83.3 70.8 90.8 98.1 97.3	66.4 49.1 77.8 96.3 89.7	14.7 19.4 38.3	13.33 12.58 13.69	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	38.5 20.9 55.5 17.4 5.5 5.5 8.3	19.1 12.7 20.0 11.9 8.3 1.8	56.0 58.7 32.1	59.6 60.6 36.4 14.7	sk harming 69.7 64.5 65.1 90.9	83.3 70.8 90.8 98.1	66.4 49.1 77.8 96.3	14.7 19.4 38.3	13.33 12.58 13.69	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	38.5 20.9 55.5 17.4 5.5 5.5 8.3 0.0	19.1 12.7 20.0 11.9 8.3 1.8	56.0 58.7 32.1	59.6 60.6 36.4 14.7 48.6	69.7 64.5 65.1 90.9 78.7	83.3 70.8 90.8 98.1 97.3	66.4 49.1 77.8 96.3 89.7	14.7 19.4 38.3	13.33 12.58 13.69	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	38.5 20.9 55.5 17.4 5.5 5.5 8.3 0.0 1.9	19.1 12.7 20.0 11.9 8.3 1.8	56.0 58.7 32.1	59.6 60.6 36.4 14.7 48.6	69.7 64.5 65.1 90.9 78.7	83.3 70.8 90.8 98.1 97.3	66.4 49.1 77.8 96.3 89.7	14.7 19.4 38.3	13.33 12.58 13.69	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	38.5 20.9 55.5 17.4 5.5 5.5 8.3 0.0 1.9	19.1 12.7 20.0 11.9 8.3 1.8	56.0 58.7 32.1	59.6 60.6 36.4 14.7 48.6	69.7 64.5 65.1 90.9 78.7	83.3 70.8 90.8 98.1 97.3	66.4 49.1 77.8 96.3 89.7	14.7 19.4 38.3	13.33 12.58 13.69	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	38.5 20.9 55.5 17.4 5.5 5.5 8.3 0.0 1.9 0.0 2.8	19.1 12.7 20.0 11.9 8.3 1.8	56.0 58.7 32.1	59.6 60.6 36.4 14.7 48.6	69.7 64.5 65.1 90.9 78.7	83.3 70.8 90.8 98.1 97.3	66.4 49.1 77.8 96.3 89.7	14.7 19.4 38.3	13.33 12.58 13.69	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	38.5 20.9 55.5 17.4 5.5 5.5 8.3 0.0 1.9 0.0 2.8 2.8	19.1 12.7 20.0 11.9 8.3 1.8 3.7 4.6	56.0 58.7 32.1 9.1	59.6 60.6 36.4 14.7 48.6 31.8	69.7 64.5 65.1 90.9 78.7 81.1	83.3 70.8 90.8 98.1 97.3 97.2	66.4 49.1 77.8 96.3 89.7 89.8	14.7 19.4 38.3 36.7	13.33 12.58 13.69 12.84	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	38.5 20.9 55.5 17.4 5.5 5.5 8.3 0.0 1.9 0.0 2.8	19.1 12.7 20.0 11.9 8.3 1.8 3.7 4.6	56.0 58.7 32.1 9.1	59.6 60.6 36.4 14.7 48.6 31.8	69.7 64.5 65.1 90.9 78.7 81.1	83.3 70.8 90.8 98.1 97.3 97.2	66.4 49.1 77.8 96.3 89.7 89.8	14.7 19.4 38.3 36.7	13.33 12.58 13.69	-14

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Data source:

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

TANEY COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 10 213 51,675 52,736



DIDTU DIOK FACTORO	0040	0000	0000
BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	609	700	682
Mother Reported Drinking while Pregnant 1	400	1	4
Mother Reported Smoking while Pregnant	163	174	190
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	6	3	1
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	461	434	464
Suicides	8	9	4
Self-inflicted Injuries	121	104	92
Homicides	1	0	1
Assault Injuries	172	111	107
Alcohol Induced Deaths	7	3	7
Drug Induced Deaths	5	5	5
Smoking Induced Deaths	91	93	99
•			
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	794	698	624
Direct Hospitalizations	118	119	113
Emergency Room Hospitalizations	241	255	232
Emergency Room Outpatient	435	324	279
Drug RelatedTotal	682	467	483
Direct Hospitalizations	176	133	125
Emergency Room Hospitalizations	201	139	162
Emergency Room Outpatient	305	195	196
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	95	117	92
Fatal Crashes	3	1	1
Injury Crashes	47	62	42
Property Damage Crashes	45	54	49
Crash Fatalities	4	1	0
Crash Injuries	66	71	46
Drug Involved CrashesTotal	13	12	5
Fatal Crashes	0	0	0
Injury Crashes	9	10	3
Property Damage Crashes	4	2	2
Crash Fatalities	0	0	0
Crash Injuries	15	10	3
EMPLOYMENT	2011	2010	2009
Labor Force	27,986	27,357	27,938
Employed	24,588	23,899	24,565
Unemployed	3,398	3,458	3,373
Unemployment Rate	12.1%	12.6%	12.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	125	125	138
Alcohol Package Carry-out Licenses	68	63	71
acting carry out Electron	00	03	11

Drop-outs	Female	■ Male		~
Drop-outs 57 40 39 Drop-out Rate 2.4% 1.7% 1.7% School Suspensions, 10 or More Days Alcohol Incidents 6 8 3 Drug Incidents 30 30 24 Tobacco Incidents 0 0 0 POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 302 366 459 Liquor Law Arrests 124 129 100 Drug Arrests 306 252 221 Methamphetamine Lab Incidents 8 5 6 Violent Offenses 257 280 302 Property Offenses 1,887 1,653 1,878 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses—Total 283 289 298 Violent Offenses 88 97 73 Alcohol Offenses 37 19 35 Status Offenses—Total 105 128 93	SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Drop-out Rate 2.4% 1.7% 1.7% School Suspensions, 10 or More Days	Enrollment Grades 9-12	2,359	2,362	2,324
School Suspensions, 10 or More Days Alcohol Incidents 30 30 24 Tobacco Incidents 0 0 0 POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 302 366 459 Liquor Law Arrests 124 129 100 Drug Arrests 306 252 221 Drug Arrests 306 252 221 Methamphetamine Lab Incidents 8 5 6 Violent Offenses 257 280 302 Property Offenses 1,887 1,653 1,878 Domestic Violence Reports 638 562 575 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses 88 97 73 Alcohol Offenses 37 19 35 Drug Offenses 37 19 35 Status OffensesTotal 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse/Neglect/CustodyTotal 135 133 134 Abuse 44 22 17 Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 5 3 3 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsDrug 70 40 62	Drop-outs	57	40	39
Alcohol Incidents 6 8 3 Drug Incidents 30 30 24 Tobacco Incidents 0 0 0 POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 302 366 459 Liquor Law Arrests 124 129 100 Drug Arrests 306 252 221 Methamphetamine Lab Incidents 8 5 6 Violent Offenses 257 280 302 Property Offenses 1,887 1,653 1,878 Domestic Violence Reports 638 562 575 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses—Total 283 289 298 Violent Offenses 22 16 15 Drug Offenses 37 19 35 Status Offenses—Total 105 128 93 Status Offenses—Total 105 128 93 Truanc	Drop-out Rate	2.4%	1.7%	1.7%
Drug Incidents 30 30 24 Tobacco Incidents 0 0 0 POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 302 366 459 Liquor Law Arrests 124 129 100 Drug Arrests 306 252 221 Methamphetamine Lab Incidents 8 5 6 Violent Offenses 257 280 302 Property Offenses 1,887 1,653 1,878 Domestic Violence Reports 638 562 575 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation OffensesTotal 283 289 298 Alcohol Offenses 88 97 73 Alcohol Offenses 22 16 15 Drug Offenses 37 19 35 Status OffensesTotal 105 128 93 Truancy 9 6 2 Beyond Parental Contr	School Suspensions, 10 or More Days			
Drug Incidents 30 30 24 Tobacco Incidents 0 0 0 POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 302 366 459 Liquor Law Arrests 124 129 100 Drug Arrests 306 252 221 Methamphetamine Lab Incidents 8 5 6 Violent Offenses 257 280 302 Property Offenses 1,887 1,653 1,878 Domestic Violence Reports 638 562 575 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses-Total 283 289 298 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses-Total 283 289 298 Alcohol Offenses 32 216 15 Drug Offenses 37 19 35 Status Offenses-Total 105 128 93	Alcohol Incidents	6	8	3
Tobacco Incidents 0 0 0 POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 302 366 459 Liquor Law Arrests 124 129 100 Drug Arrests 306 252 221 Methamphetamine Lab Incidents 8 5 6 Violent Offenses 257 280 302 Property Offenses 1,887 1,653 1,878 Domestic Violence Reports 638 562 575 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses 88 97 73 Alcohol Offenses 88 97 73 Alcohol Offenses 22 16 15 Drug Offenses 37 19 35 Status OffensesTotal 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from	Drug Incidents			
DUI Arrests, DWI Tracking System 302 366 459 Liquor Law Arrests 124 129 100 Drug Arrests 306 252 221 Methamphetamine Lab Incidents 8 5 6 Violent Offenses 257 280 302 Property Offenses 1,887 1,653 1,878 Domestic Violence Reports 638 562 575 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses —Total 283 289 298 Violent Offenses 88 97 73 Alcohol Offenses 22 16 15 Drug Offenses 37 19 35 Status Offenses—Total 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Ab				
Liquor Law Arrests 124 129 100 Drug Arrests 306 252 221 Methamphetamine Lab Incidents 8 5 6 Violent Offenses 257 280 302 Property Offenses 1,887 1,653 1,878 Domestic Violence Reports 638 562 575 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses.—Total 283 289 298 Violent Offenses 88 97 73 Alcohol Offenses 22 16 15 Drug Offenses 37 19 35 Status Offenses.—Total 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse 44 22 17 Neglect 68 <td>POLICE REPORTS</td> <td>2010</td> <td>2009</td> <td>2008</td>	POLICE REPORTS	2010	2009	2008
Drug Arrests 306 252 221 Methamphetamine Lab Incidents 8 5 6 Violent Offenses 257 280 302 Property Offenses 1,887 1,653 1,878 Domestic Violence Reports 638 562 575 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation OffensesTotal 283 289 298 Violent Offenses 88 97 73 Alcohol Offenses 22 16 15 Drug Offenses 37 19 35 Status OffensesTotal 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse/Neglect/CustodyTotal 135 133 134 Abuse 44 22 17 Neglect	DUI Arrests, DWI Tracking System	302	366	459
Methamphetamine Lab Incidents 8 5 6 Violent Offenses 257 280 302 Property Offenses 1,887 1,653 1,878 Domestic Violence Reports 638 562 575 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses-Total 283 289 298 Violent Offenses 88 97 73 Alcohol Offenses 22 16 15 Drug Offenses 37 19 35 Status OffensesTotal 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse/Neglect/CustodyTotal 135 133 134 Abuse 44 22 17 Neglect 68 93 89 Custody Disputes	Liquor Law Arrests	124	129	100
Violent Offenses 257 280 302 Property Offenses 1,887 1,653 1,878 Domestic Violence Reports 638 562 575 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses—Total 283 289 298 Violent Offenses 88 97 73 Alcohol Offenses 22 16 15 Drug Offenses 37 19 35 Status Offenses—Total 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse/Neglect/Custody—Total 135 133 134 Abuse 44 22 17 Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS <td< td=""><td>Drug Arrests</td><td>306</td><td>252</td><td>221</td></td<>	Drug Arrests	306	252	221
Property Offenses 1,887 1,653 1,878	Methamphetamine Lab Incidents	8	5	6
Domestic Violence Reports 638 562 575	Violent Offenses	257	280	302
JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation OffensesTotal 283 289 298 Violent Offenses 88 97 73 Alcohol Offenses 22 16 15 Drug Offenses 37 19 35 Status OffensesTotal 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse/Neglect/CustodyTotal 135 133 134 Abuse 44 22 17 Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other R	Property Offenses	1,887	1,653	1,878
Law Violation OffensesTotal 283 289 298 Violent Offenses 88 97 73 Alcohol Offenses 22 16 15 Drug Offenses 37 19 35 Status OffensesTotal 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse/Neglect/CustodyTotal 135 133 134 Abuse 44 22 17 Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason	Domestic Violence Reports	638	562	575
Violent Offenses 88 97 73 Alcohol Offenses 22 16 15 Drug Offenses 37 19 35 Status OffensesTotal 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse/Neglect/CustodyTotal 135 133 134 Abuse 44 22 17 Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason	JUVENILE COURT REFERRALS	2010	2009	2008
Alcohol Offenses 22 16 15 Drug Offenses 37 19 35 Status OffensesTotal 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse/Neglect/CustodyTotal 135 133 134 Abuse 44 22 17 Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants <td< td=""><td>Law Violation OffensesTotal</td><td>283</td><td>289</td><td>298</td></td<>	Law Violation OffensesTotal	283	289	298
Drug Offenses 37 19 35 Status OffensesTotal 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse/Neglect/CustodyTotal 135 133 134 Abuse 44 22 17 Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court	Violent Offenses	88	97	73
Status OffensesTotal 105 128 93 Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse/Neglect/CustodyTotal 135 133 134 Abuse 44 22 17 Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 P	Alcohol Offenses	22	16	15
Truancy 9 6 2 Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse/Neglect/CustodyTotal 135 133 134 Abuse 44 22 17 Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probatio	Drug Offenses	37	19	35
Beyond Parental Control 45 41 39 Habitually Absent from Home 17 30 21 Injurious Behavior 33 48 25 Abuse/Neglect/CustodyTotal 135 133 134 Abuse 44 22 17 Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104	Status OffensesTotal	105	128	93
Habitually Absent from Home	Truancy	9	6	2
Injurious Behavior 33 48 25	Beyond Parental Control	45	41	39
Abuse/Neglect/CustodyTotal 135 133 134 Abuse 44 22 17 Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104 127 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	Habitually Absent from Home	17	30	21
Abuse 44 22 17 Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104 127 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	Injurious Behavior	33	48	25
Neglect 68 93 89 Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104 127 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	Abuse/Neglect/CustodyTotal	135	133	134
Custody Disputes 23 18 28 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104 127 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	Abuse	44	22	17
JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104 127 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	Neglect	68	93	89
Out-of-Home PlacementsTotal 106 99 98 Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104 127 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	Custody Disputes	23	18	28
Parental Alcohol Use Related 5 3 3 Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104 127 Probation/Parole AdmissionsDWI 11 14 12 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	JUVENILE COURT PLACEMENTS	2010	2009	2008
Parental Drug Use Related 16 16 20 Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104 127 Probation/Parole AdmissionsDWI 11 14 12 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	Out-of-Home PlacementsTotal	106	99	98
Parental Alcohol and Drug Use 7 2 2 Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104 127 Probation/Parole AdmissionsDWI 11 14 12 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	Parental Alcohol Use Related	5	3	3
Child Removed for Other Reason 78 78 73 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104 127 Probation/Parole AdmissionsDWI 11 14 12 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	Parental Drug Use Related	16	16	20
CRIMINAL JUSTICE Drug Court Participants Probation/Parole AdmissionsTotal Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI Prison AdmissionsTotal Prison AdmissionsTotal Prison AdmissionsDrug Prison AdmissionsDrug Prison AdmissionsDrug Prison AdmissionsDrug Prison AdmissionsDrug Prison AdmissionsDrug Prison AdmissionsDrug Prison AdmissionsDrug Prison AdmissionsDrug Prison AdmissionsDrug Prison AdmissionsDrug Prison AdmissionsDrug Prison AdmissionsDrug Prison AdmissionsDrug	Parental Alcohol and Drug Use	7	2	2
Drug Court Participants 27 17 19 Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104 127 Probation/Parole AdmissionsDWI 11 14 12 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	Child Removed for Other Reason	78	78	73
Probation/Parole AdmissionsTotal 414 379 428 Probation/Parole AdmissionsDrug 120 104 127 Probation/Parole AdmissionsDWI 11 14 12 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	CRIMINAL JUSTICE	FY2011	FY2010	
Probation/Parole AdmissionsDrug 120 104 127 Probation/Parole AdmissionsDWI 11 14 12 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	·	- -		_
Probation/Parole AdmissionsDWI 11 14 12 Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62				_
Prison AdmissionsTotal 214 155 208 Prison AdmissionsDrug 70 40 62	Probation/Parole AdmissionsDrug	120	104	127
Prison AdmissionsDrug 70 40 62		11	14	12
	Prison AdmissionsTotal	214	155	208
Prison AdmissionsDWI 9 10 4	Prison AdmissionsDrug	70	40	62
	Prison AdmissionsDWI	9	10	4

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

TANEY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	14	18	11
CSTAR Women and Children	18	38	41
CSTAR General Adult	97	84	37
CSTAR Opioid	*	0	*
Primary Recovery Detoxification	282	267	219
Primary Recovery Treatment	189	279	340
Clinical SATOP (CIP, YCIP, SROP)	31	33	32
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	202	343	350
- Adolescent Diversion Education Program	*	*	6
- Offender Education Program	75	145	142
- Weekend Intervention Program	56	97	103
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	10	8
- Compulsive Gambling	*	0	*
- Recovery Supports	115	297	288
- Early Intervention	15	10	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	276	341	349	Never Married	191	259	214
Female	158	178	148	Married / Cohabitating	102	122	136
	100	170	140	Previously Married	141	138	147
AGE				•		100	
Under 18	15	20	13	PRIMARY DRUG PROBLEM			
18 to 24	91	117	118	Alcohol	195	225	218
25 to 29	70	92	71	Marijuana / Hashish	65	88	116
30 to 34	54	70	64	Cocaine (total)	10	8	7
35 to 39	35	54	56	- Crack	7	*	*
40 to 44	39	53	54	Stimulant (total)	77	85	78
45 to 54	100	96	102	- Methamphetamine	74	84	77
55 and Over	30	17	19	Heroin	18	21	13
RACE / ETHNICITY				Analgesic except Heroin	61	77	56
Caucasian	415	491	472	- Non-Prescription Methadone	*	*	0
African American	7	10	6	PCP, LSD, other Hallucinogen	*	*	0
Native American / Alaskan	*	*	*	Tranquilizer	*	7	6
Asian / Pacific Islander	0	*	*	Inhalant	*	*	*
Hispanic	8	17	12	Sedative	0	*	*
Other Race / Two or More Races	5	7	10	Other Medication or Illicit Drug	*	*	0
Other Race / Two of More Races	5	,	10	Average Age at First Use of Drug	16.2	16.7	16.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	121	180	182	Any Injection Use at Admission	102	107	80
High School Graduate or G.E.D.	199	215	210	- Daily Injection Use	26	36	18
Associate Degree or Some College	106	116	97	- Weekly Injection Use	29	30	19
Bachelor or Advanced Degree	8	8	8	- Less than Weekly Injection Use	47	41	43
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	123	147	145	Self / Family / Friend	255	257	207
Unemployed	204	243	239	School	0	0	*
Not in Labor Force	107	129	113	Mental Health Provider	*	7	*
				Health Care Provider	11	11	18
LIVING ARRANGEMENT				Court / Criminal Justice	150	219	245
Independent Living	312	417	405	Other Referral Source	16	25	22
Dependent Living	59	65	54	005044 00044 474040			
Homeless	56	33	31	SPECIAL POPULATIONS	•	_	
LIFETIME DUI / DIA" A DOCOTO				Pregnant when Admitted to any Episode	6	6	6
LIFETIME DUI / DWI ARRESTS	000	074	054	Military Veteran	37	30	26
0	223	271	251	Special Education Services Needed	19	12	27
1 or 2	143	156	151	Co-Occurring Psychological Problem	100	111	96
3 or More	68	92	95	Co-Occurring Developmental Problem	5	8	9

TANEY COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 10
CENSUS 2010 51,675
2011 POP. ESTIMATE 52,736

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 25 22 9 **Anxiety Disorder** 124 88 61 Dementia **Developmental Disorder** 8 12 Impulse Control Disorder 52 28 19 **Mood Disorder** 226 181 144 Personality Disorder 54 43 54 **Psychotic Disorder** 69 62 57

33

114

45

57

25

131

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	423	413	358	Hearing Impaired	15	10	8
Male	207	212	189	Past or Current Military Service	7	9	7
Female	216	201	169				
				HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	94	24	14
Under 6	8	9	5	Dependent Living	29	43	13
6 to 9	32	40	16	Homeless			0
10 to 13	36	38	23	Other	9	*	0
14 to 17	40	43	32	Housing Unknown	289	341	331
18 to 24	22	30	36	EMPLOYMENT			
25 to 29	39	38	35	Employed	8	9	*
30 to 34	46	34	23	Unemployed	119	26	20
35 to 39	42	29	33	Not in Labor Force	7	*	*
40 to 44	43	33	30	Employment Status Unknown	289	376	332
45 to 49	50	49	49	4005050			
50 to 54	25	35	36	ARRESTS	40	40	
55 to 59	20	16	19	Arrested in Past 12 Months	18	13	
60 and Over	20	19	21	Not Arrested in Past 12 Months	116	60	24
				Arrest Status Unknown	289	340	331
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	389	374	328	TREATMENT REFERRAL SOURCE	200	000	470
African American	7	6	*	Self / Family / Friend School	298	289	178
Native American / Alaskan	0	0	*	Mental Health Provider	19	24	34
Asian / Pacific Islander	*	*	0	Health Care Provider	21		-
Hispanic	6	9	6	Court / Criminal Justice	22	19 16	20 23
Other Race	19	21	21	Other		_	
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	59 *	59 *	94 7
				Referral Source Offictiown			7
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	42	14	11	Voluntary	403	394	331
High School Grad or G.E.D.	62	11	10	Civil	16	11	18
A.A. Degree or Some College	23	9	*	Criminal	*	*	*
Bachelor or Advanced Degree	6	*	*	Sexual Predatory	0	0	0
Education Level Unknown	290	377	332	Commitment Type Unknown	*	*	6

TANEY COUNTY

2012 MISSOURI STUDENT SURVEY

Percent of students who, in the past 30 days:		(%)	_	UICIDE Percent i	nf studen	ts who in	the nast	12 months	·•	(%)
Were very sad		21.2				lered atte	-		•	13.1
Were grouchy, irritable, or in a bad mood		22.7			•			attempt si	uicide	11.0
Felt hopeless about the future					•		cy would	attempt 3	uiciac	6.1
Felt like not eating or eating more than usual		10.6 17.5		Attempted suicide Had a suicide attempt that resulted in injury or overdose that had to			_			
Slept a lot more or a lot less than usual		19.7		be treated by doctor or nurse				0 1.4		
		19.7				400.0. 0.				
Had difficulty concentrating on school work		19.0	R	EBELLIC	OUSNES	s				
FIGHTING				Percent of	of studen	ts who ag	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	<i>i</i> ay		16.5
Were in a physical fight		20.5							nake people mad	14.2
Were in a fight and had to be treated by a doctor or nurse		3.3					-	permissio		7.1
Were threatened or injured with a weapon on school propert	v	7.5			-	okay to ch	-	-		22.1
, , , , , , , , , , , , , , , , , , ,	,					-		start a fight	t	43.8
BULLYING VICTIM					- J	op poop.	·		•	
Percent of students who, in the past 3 months:					RELATIO					
Were shoved, slapped, hit, or kicked in a serious manner		30.4				_		he followin	-	
Were victims of mean rumors or lies spread at school		50.6		Teache	ers notice	and com	ment on s	student's g	ood work	71.2
Had embarrassing or hurtful pictures/text of them posted on	internet	13.1		School	provides	feedback	to paren	ts on posit	ive student performar	nce 45.4
Had embarrassing or hurtful pictures/text of them sent by ce	ll phone	15.8		Teache	ers praise	student fo	or hard w	ork		59.2
Were made fun of by others		59.8		Rules a	are enforc	ed fairly				67.9
				Studen	its of all ra	aces and	ethnicities	s are treate	ed equally	78.7
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		40.4			RELATIC					
Shoved, slapped, hit, or kicked a student in a serious manne	er	18.4				_		he followin	-	
•	Spread mean rumors or lies about other kids at school 25.8 Parents notice and comment on student's good work					86.2				
	osted on Internet embarrassing or hurtful pictures/text of someone 8.6 Parents involve student in making family decisions				72.1					
Sent by cell phone embarrassing or hurtful pictures/text of so	omeone		9.1 It is important to be honest with parents regardless of consequences							
Made fun of other people		57.9		Studen	it could as	sk parent i	for help v	vith a perso	onal problem	77.5
01/20TANOS 1/05 AND 251/5-0										
SIIRS I ANCE LISE AND RELIEFS										
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	_	_		_	~ ~		_		3 C <i>b</i>	
SUBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:	Who	Who	Who the p	Who	Who	Who	Who	Who	Amo used first	
	Who hav	Who hav	Whose of the past	Who say	Who bel themselv	Who say they use	Who fee	Who thir would be	Among sused sulfirst use	
	Who have e	Who have u	Whose clos the past 12	Who say it v	Who believe themselves	Who say pa they use	Who feel it v	Who think k would be ca	Among stud used substa first used	
	Who have ever	Who have used	Whose closest the past 12 mor	Who say it wou	Who believe the themselves if the	Who say parent they use	Who feel it wou	Who think kids would be caugh	Among student used substance first used	
	Who have ever use	Who have used in	Whose closest frienthe past 12 months	Who say it would b	Who believe they rithemselves if they	Who say parents w they use	Who feel it would b	Who think kids in the would be caught by	Among students wi used substance, av first used	
	Who have ever used s	Who have used in the	Whose closest friends the past 12 months	Who say it would be ea	Who believe they risk I themselves if they use	Who say parents would they use	Who feel it would be w	Who think kids in their would be caught by po	Among students who hused substance, avera	
	Who have ever used subs	Who have used in the pas	Whose closest friends have the past 12 months	Who say it would be easy	Who believe they risk harr themselves if they use	Who say parents would ditthey use	Who feel it would be wrong	Who think kids in their neignounced would be caught by police	Among students who have used substance, average affirst used	
	Who have ever used substant	Who have used in the past 30	Whose closest friends have u the past 12 months	Who say it would be easy to g	Who believe they risk harming themselves if they use	Who say parents would disap they use	Who feel it would be wrong to	Who think kids in their neighb would be caught by police for	Among students who have ev used substance, average age first used	
	Who have ever used substance	Who have used in the past 30 day	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborhowould be caught by police for using	udents who have ever stance, average age w	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used in the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age when first used	
Regarding the substances listed below, percent of students:		ays	2		isk harming use	==		bo di	udents who have ever stance, average age when	
Regarding the substances listed below, percent of students: Cigarettes	20.8	8.9	•	Who say it would be easy to get 46.3	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use 83.3	Who think kids in their neighborhood would be caught by police for using 99.	udents who have ever stance, average age w	
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	20.8 8.5	8.9 4.3	39.9	46.3	rsk harming 88.3	95.3	83.3	29.9	udents who have ever stance, average age when 11.	
Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	20.8	8.9 4.3 11.7	2		isk harming use	==		bo di	udents who have ever stance, average age when	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	20.8 8.5 30.5	8.9 4.3 11.7 5.1	39.9	46.3	isk harming 88.3	95.3 86.0	83.3 71.2	29.9 34.6	stance, average age when 11.37	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	20.8 8.5 30.5	8.9 4.3 11.7 5.1 5.3	39.9	46.3	rsk harming 88.3	95.3	83.3	29.9	stance, average age when 11.37 11.62	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	20.8 8.5 30.5	8.9 4.3 11.7 5.1	39.9 42.2 30.0	46.3 47.3 33.1	88.3 79.4 77.8	95.3 86.0 93.5	83.3 71.2 82.8	29.9 34.6 43.7	stance, average age when 11.37	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	20.8 8.5 30.5 12.2 6.1	8.9 4.3 11.7 5.1 5.3 2.2	39.9	46.3 47.3 33.1 17.7	88.3 79.4 77.8 97.0	95.3 86.0 93.5 98.5	83.3 71.2 82.8 94.9	29.9 34.6	stance, average age when 11.37 11.62	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	20.8 8.5 30.5 12.2 6.1	8.9 4.3 11.7 5.1 5.3 2.2	39.9 42.2 30.0	46.3 47.3 33.1 17.7 51.3	88.3 79.4 77.8 97.0 85.5	95.3 86.0 93.5 98.5 97.4	83.3 71.2 82.8 94.9 88.5	29.9 34.6 43.7	stance, average age when 11.37 11.62	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	20.8 8.5 30.5 12.2 6.1 5.7 7.9	8.9 4.3 11.7 5.1 5.3 2.2	39.9 42.2 30.0	46.3 47.3 33.1 17.7	88.3 79.4 77.8 97.0	95.3 86.0 93.5 98.5	83.3 71.2 82.8 94.9	29.9 34.6 43.7	stance, average age when 11.37 11.62	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	20.8 8.5 30.5 12.2 6.1 5.7 7.9 1.3	8.9 4.3 11.7 5.1 5.3 2.2	39.9 42.2 30.0	46.3 47.3 33.1 17.7 51.3	88.3 79.4 77.8 97.0 85.5	95.3 86.0 93.5 98.5 97.4	83.3 71.2 82.8 94.9 88.5	29.9 34.6 43.7	stance, average age when 11.37 11.62	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	20.8 8.5 30.5 12.2 6.1 5.7 7.9	8.9 4.3 11.7 5.1 5.3 2.2	39.9 42.2 30.0	46.3 47.3 33.1 17.7 51.3	88.3 79.4 77.8 97.0 85.5	95.3 86.0 93.5 98.5 97.4	83.3 71.2 82.8 94.9 88.5	29.9 34.6 43.7	stance, average age when 11.37 11.62	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	20.8 8.5 30.5 12.2 6.1 5.7 7.9 1.3	8.9 4.3 11.7 5.1 5.3 2.2	39.9 42.2 30.0	46.3 47.3 33.1 17.7 51.3	88.3 79.4 77.8 97.0 85.5	95.3 86.0 93.5 98.5 97.4	83.3 71.2 82.8 94.9 88.5	29.9 34.6 43.7	stance, average age when 11.37 11.62	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	20.8 8.5 30.5 12.2 6.1 5.7 7.9 1.3 2.0	8.9 4.3 11.7 5.1 5.3 2.2	39.9 42.2 30.0	46.3 47.3 33.1 17.7 51.3	88.3 79.4 77.8 97.0 85.5	95.3 86.0 93.5 98.5 97.4	83.3 71.2 82.8 94.9 88.5	29.9 34.6 43.7	stance, average age when 11.37 11.62	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	20.8 8.5 30.5 12.2 6.1 5.7 7.9 1.3 2.0	8.9 4.3 11.7 5.1 5.3 2.2	39.9 42.2 30.0	46.3 47.3 33.1 17.7 51.3	88.3 79.4 77.8 97.0 85.5	95.3 86.0 93.5 98.5 97.4	83.3 71.2 82.8 94.9 88.5	29.9 34.6 43.7	stance, average age when 11.37 11.62	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	20.8 8.5 30.5 12.2 6.1 5.7 7.9 1.3 2.0 1.3 2.9	8.9 4.3 11.7 5.1 5.3 2.2 4.2 3.8	39.9 42.2 30.0 16.6	46.3 47.3 33.1 17.7 51.3 31.7	88.3 79.4 77.8 97.0 85.5 91.0	95.3 86.0 93.5 98.5 97.4 97.0	83.3 71.2 82.8 94.9 88.5 90.6	29.9 34.6 43.7 56.8	stance, average age when 11.37 11.62	10-14

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

TEXAS COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 18 215 26,008 25,936



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	284	318	319
Mother Reported Drinking while Pregnant ¹		1	3
Mother Reported Smoking while Pregnant	90	84	91
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	283	265	309
Suicides	7	5	3
Self-inflicted Injuries	32	25	25
Homicides	1	3	0
Assault Injuries	22	19	20
Alcohol Induced Deaths	0	2	1
Drug Induced Deaths	1	2	2
Smoking Induced Deaths	66	51	57
· ·		-	
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	156	140	168
Direct Hospitalizations	57	39	44
Emergency Room Hospitalizations	24	38	45
Emergency Room Outpatient	75	63	79
Drug RelatedTotal	154	104	126
Direct Hospitalizations	72	36	49
Emergency Room Hospitalizations	20	25	20
Emergency Room Outpatient	62	43	57
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	38	33	38
Fatal Crashes	1	3	1
Injury Crashes	22	18	19
Property Damage Crashes	15	12	18
Crash Fatalities	1	3	1
Crash Injuries	41	24	25
Drug Involved CrashesTotal	11	7	4
Fatal Crashes	1	2	1
Injury Crashes	7	3	3
Property Damage Crashes	3	2	0
Crash Fatalities	1	1	1
Crash Injuries	11	4	5
EMPLOYMENT	2011	2010	2009
Labor Force	11,168	11,134	11,215
Employed	10,186	10,079	10,177
Unemployed	982	1,055	1,038
Unemployment Rate	8.8%	9.5%	9.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	15	16	16
Alcohol Package Carry-out Licenses	23	19	20

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	1,204	1,213	1,226
Drop-outs	17	24	52
Drop-out Rate	1.4%	2.0%	4.2%
School Suspensions, 10 or More Days			
Alcohol Incidents	5	2	2
Drug Incidents	8	7	4
Tobacco Incidents	2	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	178	97	109
Liquor Law Arrests	71	66	37
Drug Arrests	73	74	89
Methamphetamine Lab Incidents	11	6	12
Violent Offenses	21	30	30
Property Offenses	344	350	358
Domestic Violence Reports	50	62	76
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	136	126	138
Violent Offenses	28	43	41
Alcohol Offenses	8	14	14
Drug Offenses	15	11	9
Status OffensesTotal	448	374	249
Truancy	223	153	65
Beyond Parental Control	35	25	27
Habitually Absent from Home	14	22	20
Injurious Behavior	176	174	137
Abuse/Neglect/CustodyTotal	323	264	150
Abuse	92	84	55
Neglect	208	164	80
Custody Disputes	23	16	15
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	26	49	32
Parental Alcohol Use Related	3	6	0
Parental Drug Use Related	7	13	5
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	16	30	27
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	21	20	19
Probation/Parole AdmissionsTotal	147	151	105
Probation/Parole AdmissionsDrug	35	49	30
Probation/Parole AdmissionsDWI	9	9	3
Prison AdmissionsTotal	84	104	71
Prison AdmissionsDrug	20	27	29
Prison AdmissionsDWI	7	12	2

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

TEXAS COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	11	16	16
CSTAR Women and Children	5	11	9
CSTAR General Adult	44	36	28
CSTAR Opioid	0	0	*
Primary Recovery Detoxification	18	8	16
Primary Recovery Treatment	96	100	108
Clinical SATOP (CIP, YCIP, SROP)	17	12	21
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	112	103	103
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	44	29	34
- Weekend Intervention Program	26	32	31
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	5	*
- Compulsive Gambling	0	0	0
- Recovery Supports	*	5	15
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	105	112	109	Never Married	83	75	90
Female	62	50	64	Married / Cohabitating	45	42	46
				Previously Married	39	45	37
AGE							
Under 18	12	16	18	PRIMARY DRUG PROBLEM			
18 to 24	34	34	39	Alcohol	72	76	80
25 to 29	43	33	33	Marijuana / Hashish	41	41	49
30 to 34	27	18	18	Cocaine (total)	0	0	*
35 to 39	10	16	14	- Crack	0	0	0
40 to 44	14	17	19	Stimulant (total)	15	18	16
45 to 54	23	20	27	- Methamphetamine	15	18	16
55 and Over	*	8	5	Heroin	5	*	*
RACE / ETHNICITY				Analgesic except Heroin	29	21	15
Caucasian	163	153	163	- Non-Prescription Methadone	0	0	0
African American	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	*	0	*
Asian / Pacific Islander	0	0	0	Inhalant	*	*	*
Hispanic	5	*	5	Sedative	*	0	0
Other Race / Two or More Races	0	*	6	Other Medication or Illicit Drug	0	*	0
Cities reader 1 Wo of More reades	U		U	Average Age at First Use of Drug	16.7	16.6	15.9
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	72	77	83	Any Injection Use at Admission	25	23	19
High School Graduate or G.E.D.	71	58	66	- Daily Injection Use	6	*	*
Associate Degree or Some College	23	24	20	- Weekly Injection Use	*	5	*
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	16	17	14
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	46	28	44	Self / Family / Friend	28	27	41
Unemployed	89	81	80	School	0	0	0
Not in Labor Force	32	53	49	Mental Health Provider	0	*	0
				Health Care Provider	5	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	116	113	107
Independent Living	150	143	152	Other Referral Source	18	18	22
Dependent Living	14	18	20				
Homeless	*	*	*	SPECIAL POPULATIONS		*	
				Pregnant when Admitted to any Episode	*		*
LIFETIME DUI / DWI ARRESTS	46.		404	Military Veteran		7	8
0	101	90	101	Special Education Services Needed	16	31	34
1 or 2	51	41	46	Co-Occurring Psychological Problem	42	66	62
3 or More	15	31	26	Co-Occurring Developmental Problem	13	21	16

TEXAS COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 18 CENSUS 2010 26,008 2011 POP. ESTIMATE 25,936 disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 5 5 9 **Anxiety Disorder** 55 51 52 Dementia 0 0 **Developmental Disorder** 0 0 Impulse Control Disorder 16 12 8 **Mood Disorder** 119 117 123 Personality Disorder 6 5 **Psychotic Disorder** 19 19 12 Sexual Disorder 0 0 0

8

17

25

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	180	186	198	Hearing Impaired	0	5	7
Male	91	97	95	Past or Current Military Service	7	6	11
Female	89	89	103	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	55	22	18
Under 6	*	*	*	Dependent Living	*	19	6
6 to 9	8	*	*	Homeless	0	*	0
10 to 13	11	8	9	Other	*	*	0
14 to 17	21	19	14	Housing Unknown	120	143	174
18 to 24	19	21	22	EMPLOYMENT			
25 to 29	21	20	26	Employed	*	*	*
30 to 34	14	15	18	Unemployed	56	26	16
35 to 39		15	15	Not in Labor Force	30 *	∠0 *	10
	11	_			400		470
40 to 44	16	21	33	Employment Status Unknown	120	157	179
45 to 49	18	21	20	ARRESTS			
50 to 54	20	21	21	Arrested in Past 12 Months	*	7	5
55 to 59	14	13	8	Not Arrested in Past 12 Months	56	35	19
60 and Over	6	8	7	Arrest Status Unknown	120	144	174
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	171	176	189	Self / Family / Friend	72	74	61
African American	*	*	*	School	0	0	0
Native American / Alaskan	0	0	*	Mental Health Provider	15	22	39
Asian / Pacific Islander	0	0	0	Health Care Provider	75	58	59
Hispanic	*	*	*	Court / Criminal Justice			59 18
Other Race	*	*	*		8	16	_
Race/Ethnicity Unknown	0	0	0	Other	10	16	21
				Referral Source Unknown	0	0	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	27	12	11	Voluntary	179	179	190
High School Grad or G.E.D.	28	16	7	Civil	0	6	6
A.A. Degree or Some College	*	0	*	Criminal	*	*	*
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	0	0	0
Education Level Unknown	121	158	179	Commitment Type Unknown	0	0	0

TEXAS COUNTY

2012 MISSOURI STUDENT SURVEY

PEPRESSION Percent of students who, in the past 30 days:		(%)		CUICIDE Percent o	of studeni	's who. in	the past	12 months	<i>:</i>	(%)	
Were very sad		15.2				ered atter			•	10.8	
Were grouchy, irritable, or in a bad mood		24.0			_			attempt su	ıicide	7.3	
Felt hopeless about the future		7.3			ted suicid		oj woulu	uttompt of	aloldo	6.7	
Felt like not eating or eating more than usual		17.3					resulted	in injury o	r overdose that had to	1.6	
Slept a lot more or a lot less than usual		22.5				doctor or			ovorabbo marmaa to		
Had difficulty concentrating on school work		17.2			•						
That almostly solloom asing on solloom work			R	PEBELLIC							
<i>IGHTING</i>						's who agi					
Percent of students who, in the past 12 months:						s that get				21.0 15.2	
Were in a physical fight		21.2		They do the opposite of what they're told to make people mad							
Were in a fight and had to be treated by a doctor or nurse		3.6		It is okay to take something without permission							
Were threatened or injured with a weapon on school propert	у	3.9				okay to ch				23.1	
ULLYING VICTIM				It is oka	y to beat	up people	e if they s	start a fight	•	52.5	
Percent of students who, in the past 3 months:			c	CHOOL	DEI ATIO	DA/C					
Were shoved, slapped, hit, or kicked in a serious manner		24.5					ree with t	he followin	a:		
Were victims of mean rumors or lies spread at school		49.1				_		tudent's g	-	71.8	
Had embarrassing or hurtful pictures/text of them posted on	internet	9.1						_	ve student performance	47.3	
Had embarrassing or hurtful pictures/text of them sent by cel		11.1			-	student fo	-	-		57.1	
Were made fun of by others		56.2			re enforc					67.4	
•							ethnicities	s are treate	ed equally	84.5	
ULLYING PERPRETRATOR											
Percent of students who, in the past 3 months:		22.1		ARENT							
Shoved, slapped, hit, or kicked a student in a serious manner						•		he followin	•	79.8	
Spread mean rumors or lies about other kids at school			26.9 Parents notice and comment on student's good work 8.0 Parents involve student in making family decisions								
Posted on internet embarrassing or hurtful pictures/text of so		8.0						-		63.9	
Sent by cell phone embarrassing or hurtful pictures/text of so	omeone	7.3						_	dless of consequences	89.8	
Made fun of other people		59.1		Studen	i coulu as	к рагени	or neib w	nui a persu	onal problem	75.5	
UBSTANCE USE AND BELIEFS											
Regarding the substances listed below, percent of students:	\$	\$	≓ ≶	\$	≓ ≤		\$	₹ ≶	∄ 5 ≥		
	<u>8</u>	<u> </u>	Whose closest frier the past 12 months	5	Who believe they r themselves if they	ey L	ᅙ	E 전	Among st used sub: first used		
	nave	nave	e cl	ä	el el	say Se	<u>8</u>	ਲ ਛੋਂ	g st subs		
	eve	SU (oses 2 m	Ť (e t	pare	₹	Cau	uder		
	5 E	8	의 를	틎	t de	at s	틆	ght Sin	nts v		
	Se	≟	→ @	_		S		₹	2 ∧		
	S		s ä	d be	rist y us	<u> </u>	æ	- P	□ 5 □		
	동	ера	s spui	be eas	risk ha y use	ould o	be wro	eir ne polic	o hav		
	ubsta	e past 3	ends have s	d be easy to	risk harmi y use	ould disa	be wrong t	eir neigh police fo	o have e		
	Who have ever used substance	e past 30 da	nds have use	Who say it would be easy to get	Who believe they risk harming themselves if they use	ould disappro	be wrong to us	eir neighbort police for us	o have ever		
	ubstance	Who have used in the past 30 days	ends have used in	be easy to get	risk harming y use	ould disapprove i	Who feel it would be wrong to use	eir neighborhood police for using	Among students who have ever used substance, average age when first used		
Cigarottos			₽			Who say parents would disapprove if they use		Who think kids in their neighborhood would be caught by police for using	nen .		
Cigarettes Chewing Tobacco	27.3	12.2	ends have used in 44.7	be easy to get 43.9	risk harming 75.6	ould disapprove if 90.3	be wrong to use	eir neighborhood police for using 17.1	o have ever erage age when 11.12		
Chewing Tobacco	27.3 22.7	12.2 12.1	44.7	43.9	75.6	90.3	76.4	17.1	11.12		
Chewing Tobacco Alcohol	27.3	12.2 12.1 13.4	₽						nen .		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	27.3 22.7 36.9	12.2 12.1 13.4 7.8	44.7	43.9	75.6 67.6	90.3	76.4 66.9	17.1 26.4	11.12 11.43		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	27.3 22.7 36.9	12.2 12.1 13.4 7.8 5.4	44.7	43.9	75.6	90.3	76.4	17.1	11.12 11.43 13.46		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	27.3 22.7 36.9	12.2 12.1 13.4 7.8	44.7 44.4 18.8	43.9 44.7 19.3	75.6 67.6 79.9	90.3 77.5 94.7	76.4 66.9 88.6	17.1 26.4 42.3	11.12 11.43		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	27.3 22.7 36.9 8.8 5.9	12.2 12.1 13.4 7.8 5.4 3.1	44.7	43.9 44.7 19.3 11.3	75.6 67.6 79.9 90.8	90.3 77.5 94.7 98.7	76.4 66.9 88.6 95.5	17.1 26.4	11.12 11.43 13.46		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	27.3 22.7 36.9 8.8 5.9	12.2 12.1 13.4 7.8 5.4 3.1	44.7 44.4 18.8	43.9 44.7 19.3 11.3 47.4	75.6 67.6 79.9 90.8 78.9	90.3 77.5 94.7 98.7 96.3	76.4 66.9 88.6 95.5 90.6	17.1 26.4 42.3	11.12 11.43 13.46		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	27.3 22.7 36.9 8.8 5.9 5.2 8.5	12.2 12.1 13.4 7.8 5.4 3.1	44.7 44.4 18.8	43.9 44.7 19.3 11.3	75.6 67.6 79.9 90.8	90.3 77.5 94.7 98.7	76.4 66.9 88.6 95.5	17.1 26.4 42.3	11.12 11.43 13.46		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	27.3 22.7 36.9 8.8 5.9 5.2 8.5 0.3	12.2 12.1 13.4 7.8 5.4 3.1	44.7 44.4 18.8	43.9 44.7 19.3 11.3 47.4	75.6 67.6 79.9 90.8 78.9	90.3 77.5 94.7 98.7 96.3	76.4 66.9 88.6 95.5 90.6	17.1 26.4 42.3	11.12 11.43 13.46		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	27.3 22.7 36.9 8.8 5.9 5.2 8.5 0.3 0.5	12.2 12.1 13.4 7.8 5.4 3.1	44.7 44.4 18.8	43.9 44.7 19.3 11.3 47.4	75.6 67.6 79.9 90.8 78.9	90.3 77.5 94.7 98.7 96.3	76.4 66.9 88.6 95.5 90.6	17.1 26.4 42.3	11.12 11.43 13.46		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	27.3 22.7 36.9 8.8 5.9 5.2 8.5 0.3 0.5 1.1	12.2 12.1 13.4 7.8 5.4 3.1	44.7 44.4 18.8	43.9 44.7 19.3 11.3 47.4	75.6 67.6 79.9 90.8 78.9	90.3 77.5 94.7 98.7 96.3	76.4 66.9 88.6 95.5 90.6	17.1 26.4 42.3	11.12 11.43 13.46		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	27.3 22.7 36.9 8.8 5.9 5.2 8.5 0.3 0.5 1.1	12.2 12.1 13.4 7.8 5.4 3.1	44.7 44.4 18.8	43.9 44.7 19.3 11.3 47.4	75.6 67.6 79.9 90.8 78.9	90.3 77.5 94.7 98.7 96.3	76.4 66.9 88.6 95.5 90.6	17.1 26.4 42.3	11.12 11.43 13.46		
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	27.3 22.7 36.9 8.8 5.9 5.2 8.5 0.3 0.5 1.1 3.1 2.1	12.2 12.1 13.4 7.8 5.4 3.1 2.1 3.9	44.7 44.4 18.8 8.8	43.9 44.7 19.3 11.3 47.4 26.1	75.6 67.6 79.9 90.8 78.9 83.4	90.3 77.5 94.7 98.7 96.3 93.4	76.4 66.9 88.6 95.5 90.6 89.4	17.1 26.4 42.3 40.8	11.12 11.43 13.46	4	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	27.3 22.7 36.9 8.8 5.9 5.2 8.5 0.3 0.5 1.1	12.2 12.1 13.4 7.8 5.4 3.1 2.1 3.9	44.7 44.4 18.8 8.8	43.9 44.7 19.3 11.3 47.4 26.1	75.6 67.6 79.9 90.8 78.9 83.4	90.3 77.5 94.7 98.7 96.3 93.4	76.4 66.9 88.6 95.5 90.6 89.4	17.1 26.4 42.3 40.8	11.12 11.43 13.46 11.04	4	

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.


Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

VERNON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Southwest 217 21,159 20,963



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	218	260	294
Mother Reported Drinking while Pregnant ¹		1	1
Mother Reported Smoking while Pregnant	51	69	75
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	243	221	233
Suicides	7	4	0
Self-inflicted Injuries	45	25	45
Homicides	1	3	0
Assault Injuries	76	90	81
Alcohol Induced Deaths	2	0	2
Drug Induced Deaths	4	1	1
Smoking Induced Deaths	46	35	35
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	217	227	184
Direct Hospitalizations	77	60	64
Emergency Room Hospitalizations	58	87	69
Emergency Room Outpatient	82	80	51
Drug RelatedTotal	231	216	140
Direct Hospitalizations	82	71	64
Emergency Room Hospitalizations	62	78	46
Emergency Room Outpatient	87	67	30
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	13	29	28
Fatal Crashes	1	2	2
Injury Crashes	6	8	12
Property Damage Crashes	6	19	14
Crash Fatalities	1	2	2
Crash Injuries	7	9	14
Drug Involved CrashesTotal	4	1	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	4	1	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	9,669	9,575	9,258
Employed	8,970	8,822	8,519
Unemployed	699	753	739
Unemployment Rate	7.2%	7.9%	8.0%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	18	21	22
Alcohol Package Carry-out Licenses	24	19	21
	4-7	10	

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	980	973	942
Drop-outs	38	34	43
Drop-out Rate	3.9%	3.5%	4.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	4	0	0
Drug Incidents	8	0	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	238	134	145
Liquor Law Arrests	59	33	27
Drug Arrests	107	79	56
Methamphetamine Lab Incidents	2	7	9
Violent Offenses	93	87	68
Property Offenses	738	851	772
Domestic Violence Reports	178	186	162
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	186	242	211
Violent Offenses	68	118	77
Alcohol Offenses	8	17	16
Drug Offenses	10	7	1
Status OffensesTotal	131	136	129
Truancy	62	58	49
Beyond Parental Control	40	50	37
Habitually Absent from Home	21	17	31
Injurious Behavior	8	11	12
Abuse/Neglect/CustodyTotal	149	155	131
Abuse	25	32	22
Neglect	124	120	103
Custody Disputes	0	3	6
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	22	10	17
Parental Alcohol Use Related	0	1	1
Parental Drug Use Related	7	0	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	15	9	14
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	29	32	29
Probation/Parole AdmissionsTotal	131	140	144
Probation/Parole AdmissionsDrug	50	45	47
Probation/Parole AdmissionsDWI	15	11	7
Prison AdmissionsTotal	56	71	69
Prison AdmissionsDrug	14	17	19
Prison AdmissionsDWI	5	3	2
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and si	ppressed

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

VERNON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	10	8
CSTAR Women and Children	*	10	8
CSTAR General Adult	133	118	54
CSTAR Opioid	0	*	0
Primary Recovery Detoxification	11	13	15
Primary Recovery Treatment	48	73	131
Clinical SATOP (CIP, YCIP, SROP)	12	7	14
Other Substance Abuse Treatment	0	0	7

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	102	105	123
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	59	47	48
- Weekend Intervention Program	27	31	44
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	9	12	17
- Compulsive Gambling	0	0	0
- Recovery Supports	6	16	20
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	115	115	141	Never Married	71	91	100
Female	67	57	72	Married / Cohabitating	68	37	56
	0.	O,		Previously Married	43	44	57
AGE				•	10	• • •	O.
Under 18	6	9	8	PRIMARY DRUG PROBLEM			
18 to 24	35	49	51	Alcohol	79	68	99
25 to 29	34	29	47	Marijuana / Hashish	45	54	57
30 to 34	25	27	26	Cocaine (total)	*	*	6
35 to 39	22	13	20	- Crack	0	*	*
40 to 44	25	17	25	Stimulant (total)	33	35	34
45 to 54	30	21	29	- Methamphetamine	33	34	33
55 and Over	5	7	7	Heroin	*	*	*
RACE / ETHNICITY				Analgesic except Heroin	17	10	10
Caucasian	174	167	203	- Non-Prescription Methadone	0	0	0
African American	*	*		PCP, LSD, other Hallucinogen	*	0	0
Native American / Alaskan	*	*	0	Tranquilizer	*	0	*
Asian / Pacific Islander	*	0	*	Inhalant	*	0	*
	*	*	*	Sedative	*	*	0
Hispanic	*	*	7	Other Medication or Illicit Drug	*	0	0
Other Race / Two or More Races			7	Average Age at First Use of Drug	16.6	16.4	15.9
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	62	68	75	Any Injection Use at Admission	16	33	22
High School Graduate or G.E.D.	77	76	102	- Daily Injection Use	*	*	*
Associate Degree or Some College	40	25	33	- Weekly Injection Use	*	13	5
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	12	17	14
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	45	40	70	Self / Family / Friend	66	61	54
Unemployed	56	64	68	School	0	0	0
Not in Labor Force	81	68	75	Mental Health Provider	5	*	7
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	88	89	123
Independent Living	157	149	185	Other Referral Source	19	16	26
Dependent Living	11	16	22	ODEOLAL DODUKATIONS			
Homeless	9	*	6	SPECIAL POPULATIONS	^	*	0
LIFETIME DI II / DIA!! ARRESTO				Pregnant when Admitted to any Episode	0	*	6
LIFETIME DUI / DWI ARRESTS 0	100	100	100	Military Veteran	8		7
1 or 2	108	102	123	Special Education Services Needed	20	11	21
	47	48	62	Co-Occurring Psychological Problem	80	75	96
3 or More	27	22	28	Co-Occurring Developmental Problem	7	5	11

VERNON COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 8B
CENSUS 2010 21,159
2011 POP. ESTIMATE 20,963

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 7 6 **Anxiety Disorder** 77 71 40 Dementia 0 **Developmental Disorder** 5 Impulse Control Disorder 43 33 33 **Mood Disorder** 174 169 134 Personality Disorder 23 29 26 **Psychotic Disorder** 46 44 34 Sexual Disorder Other Diagnosis 25 19 21 Diagnosis Unknown 64

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	266	280	252	Hearing Impaired	7	9	6
Male	117	135	126	Past or Current Military Service	7	9	9
Female	149	145	126	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	91	75	48
Under 6	*	*	*	Dependent Living	12	24	9
6 to 9	15	10	12	Homeless	*	0	0
10 to 13	15	21	19	Other	7	*	0
14 to 17	14	18	18	Housing Unknown	155	177	195
18 to 24	26	30	23	EMPLOYMENT			
25 to 29	32	32	23 27	Employed	10	5	9
30 to 34	26	19	13	Unemployed	93	78	-
35 to 39	26	32	30	Not in Labor Force	83	76 5	43
	_	_			_	_	407
40 to 44	26	27	24	Employment Status Unknown	155	192	197
45 to 49	33	32	36	ARRESTS			
50 to 54	24	22	17	Arrested in Past 12 Months	13	15	6
55 to 59	14	15	15	Not Arrested in Past 12 Months	98	88	51
60 and Over	12	20	16	Arrest Status Unknown	155	177	195
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	257	269	245	Self / Family / Friend	170	167	134
African American	*	5	*	School	*	*	*
Native American / Alaskan	0	0	0	Mental Health Provider	36	47	42
Asian / Pacific Islander	0	0	*	Health Care Provider	23	19	20
Hispanic	*	*	0	Court / Criminal Justice	23 9	13	20 17
Other Race	*	5	5	Other	-	_	
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	25 *	31	35 *
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	33	28	18	Voluntary	253	271	236
High School Grad or G.E.D.	63	42	25	Civil	6	5	9
A.A. Degree or Some College	14	12	10	Criminal	*	*	*
Bachelor or Advanced Degree	*	6	*	Sexual Predatory	*	*	0
Education Level Unknown	155	192	197	Commitment Type Unknown	*	*	*
	100	102	101				

VERNON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)	s	SUICIDE						(%)
Percent of students who, in the past 30 days:								12 months	<i>:</i>	, ,
Were very sad		20.2			-	lered atter				12.5
Were grouchy, irritable, or in a bad mood		31.7			•		ey would	attempt su	uicide	10.5
Felt hopeless about the future		10.6			ted suicio					3.9
Felt like not eating or eating more than usual		21.4						in injury o	r overdose that had to	1.2
Slept a lot more or a lot less than usual		22.1		be t	reated by	doctor or	nurse			
Had difficulty concentrating on school work		26.7		REBELLIC	OLICNES					
FIGHTING			^			s ts who agi	ree that			
Percent of students who, in the past 12 months:						s that get		av		28.7
Were in a physical fight		21.3				-		-	ake people mad	16.9
Were in a fight and had to be treated by a doctor or nurse		2.5		-				permissio		5.9
Were threatened or injured with a weapon on school proper	hv	7.6			-	okay to ch	_	-	··	24.4
Were threatened or injured with a weapon on school proper	•9	7.0				-		start a fight		51.5
BULLYING VICTIM				it is one	ay to bea	t up poopi	o ii uioy s	narr a ngm	•	01.0
Percent of students who, in the past 3 months:			S	CHOOL	RELATIO	ONS				
Were shoved, slapped, hit, or kicked in a serious manner		26.5		Percent of	of studen	ts who agi	ree with t	he followin	g:	
Were victims of mean rumors or lies spread at school		54.9		Teache	ers notice	and comr	nent on s	tudent's go	ood work	64.4
Had embarrassing or hurtful pictures/text of them posted on	internet	16.2		School	provides	feedback	to parent	ts on positi	ve student performance	31.7
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	22.1		Teache	ers praise	student fo	or hard w	ork		50.1
Were made fun of by others		64.3		Rules a	are enforc	ced fairly				52.8
				Studen	its of all ra	aces and e	ethnicities	s are treate	ed equally	72.5
BULLYING PERPRETRATOR Percent of students who in the past 2 months:			_							
Percent of students who, in the past 3 months: Shoved, slapped, hit, or kicked a student in a serious manner.	NP.	23.0		PARENT			roo with t	ha fallawin		
	31	40.3				_		he followin	-	78.4
Spread mean rumors or lies about other kids at school	moono	13.5						ident's god		64.4
Posted on internet embarrassing or hurtful pictures/text of so		17.3					-	amily decis		85.1
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	68.5						_	dless of consequences	74.9
Made fun of other people		00.5		Studen	it could as	sк рагені i	or neip w	nur a perso	onal problem	74.9
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	8	8	₹ ≤	8	∌ ≤	₹ ≤	€	≶ ≷	∄ 5. ≥	
	호	ᅙ	hos pa	bo s	ems hot	ho s ey u	ਰੂ	ᆵ	Among st used sub first used	
	Who have ever used substance	Who have used in the past 30 days	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disappro they use	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usi	Among students who have ever used substance, average age wh	
	eve	SI)Ses 2 m	t w	ye t	bare	<u>*</u>	Ca Ci	uder	
	e e	8		ᇤ	they	äts	ᇤ	ght sin	nts (
	sed	3	as ead	æ	y us	Wo	æ	by #	who	
	Sub	e p	S	eas	ਲ ੇੇ ਜ਼ੋ	듑	WTO		ha	
	sta	ISI (ave	y to	_ 3_	disa	g	e fo	ve e	
	nce	0 d	use	ge	g	형	6	or bor	e w	
		ays	⊒. ⊡			€	æ	sing hood	hen	
Observation .	04.4	40.0	40.0	F7 7	75.0	=======================================	00.0			
Cigarettes Chewing Tobacco	31.4 19.3	18.2 11.2	49.9	57.7	75.8	86.6	68.3	18.2	13.01	
Alcohol	45.9	24.6	58.3	60.8	61.5	73.3	52.2	26.1	12.52	
Binge Alcohol (5+ drinks on one occasion in past 30 days)	45.5	19.8	50.5	00.0	01.5	13.3	32.2	20.1	12.52	
Marijuana	15.7	7.0	29.3	36.9	71.1	94.6	79.2	40.4	13.29	
•	4.5	1.1	29.3	30.9	/ 1.1	94.0	19.2	40.4	13.77	
Inhalants	4.5	1.1	15.2	20.7	01.0	00.6	94.7	43.6	13.11	
Illicit drugs such as cocaine, LSD, meth, club drugs	0.0	4.0	15.2	20.7	91.8	98.6		43.0		
Over-the-counter medications for non-medical use	6.2	4.2		54.1	79.6	96.0	88.8			
Prescription drugs not prescribed for student	10.6	8.7		36.1	84.4	95.1	87.6			
Heroin	0.6									
Cocaine	0.9									
Methamphetamine Hallucinogens	0.9 1.1 2.2									

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofie, or Special K

Synthetic drugs such as K2, bath salts, Spice Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


1.1

11.2

WARREN COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Eastern 16 219 32,513 32,515



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	424	448	428
Mother Reported Drinking while Pregnant ¹		1	1
Mother Reported Smoking while Pregnant	105	103	102
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	1	1
IDU and MSM ²	0	*	0
IDU without MSM ²	0	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	256	268	279
Suicides	230 4	3	9
Self-inflicted Injuries	4	-	54
Homicides	• •	40	1
Assault Injuries	0	3	•
•	97	88	117
Alcohol Induced Deaths	3	1	3
Drug Induced Deaths	3	9	7
Smoking Induced Deaths	47	48	51
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	301	330	305
Direct Hospitalizations	109	79	81
Emergency Room Hospitalizations	104	164	134
Emergency Room Outpatient	88	87	90
Drug RelatedTotal	419	271	301
Direct Hospitalizations	126	91	89
Emergency Room Hospitalizations	94	87	130
Emergency Room Outpatient	199	93	82
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	32	31	46
Fatal Crashes	3	3	3
Injury Crashes	11	17	23
Property Damage Crashes	18	11	20
Crash Fatalities	3	3	3
Crash Injuries	12	22	26
Drug Involved CrashesTotal	5	4	8
Fatal Crashes	0	1	0
Injury Crashes	4	1	1
Property Damage Crashes	1	2	7
Crash Fatalities	0	1	0
Crash Injuries	4	1	1
EMPLOYMENT	2011	2010	2009
EMPLOYMENT			
Labor Force Employed	17,269	16,562 14,738	16,665 14,766
	15,715	•	•
Unemployed	1,554	1,824	1,899
Unemployment Rate	9.0%	11.0%	11.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	36	40	45
Alcohol Package Carry-out Licenses	24	24	23

■ Female	■ Female ■ Male							
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009					
Enrollment Grades 9-12	1,413	1,398	1,429					
Drop-outs	12	43	69					
Drop-out Rate	0.8%	3.1%	4.8%					
School Suspensions, 10 or More Days								
Alcohol Incidents	2	1	2					
Drug Incidents	20	13	14					
Tobacco Incidents	1	1	0					
POLICE REPORTS	2010	2009	2008					
DUI Arrests, DWI Tracking System	225	207	230					
Liquor Law Arrests	45	38	44					
Drug Arrests	204	169	156					
Methamphetamine Lab Incidents	32	26	23					
Violent Offenses	76	103	101					
Property Offenses	678	887	901					
Domestic Violence Reports	334	278	323					
JUVENILE COURT REFERRALS	2010	2009	2008					
Law Violation OffensesTotal	85	131	186					
Violent Offenses	19	32	59					
Alcohol Offenses	9	20	15					
Drug Offenses	7	17	16					
Status OffensesTotal	127	126	163					
Truancy	10	14	55					
Beyond Parental Control	17	20	24					
Habitually Absent from Home	9	26	33					
Injurious Behavior	65	41	19					
Abuse/Neglect/CustodyTotal	63	110	101					
Abuse	26	36	32					
Neglect	35	73	69					
Custody Disputes	2	1	0					
JUVENILE COURT PLACEMENTS	2010	2009	2008					
Out-of-Home PlacementsTotal	30	27	38					
Parental Alcohol Use Related	5	1	2					
Parental Drug Use Related	7	8	17					
Parental Alcohol and Drug Use	2	0	0					
Child Removed for Other Reason	16	18	19					
CRIMINAL JUSTICE	FY2011	FY2010	FY2009					
Drug Court Participants	51	41	36					
Probation/Parole AdmissionsTotal	350	359	362					
Probation/Parole AdmissionsDrug	134	133	112					
Probation/Parole AdmissionsDWI	33	29	30					
Prison AdmissionsTotal	163	153	161					
Prison AdmissionsDrug	68	59	66					
Prison AdmissionsDWI	13	12	17					
* An asterisk in a data cell indicates the co								

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

WARREN COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	20	12	19
CSTAR Women and Children	21	30	39
CSTAR General Adult	24	6	8
CSTAR Opioid	*	*	*
Primary Recovery Detoxification	15	15	20
Primary Recovery Treatment	57	161	145
Clinical SATOP (CIP, YCIP, SROP)	40	51	40
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	186	229	191
- Adolescent Diversion Education Program	*	*	12
- Offender Education Program	76	84	50
- Weekend Intervention Program	32	45	49
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	6	6
- Compulsive Gambling	*	*	*
- Recovery Supports	*	*	7
- Early Intervention	0	12	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	118	169	161	Never Married	89	145	144
Female	44	79	85	Married / Cohabitating	31	56	50
		70	00	Previously Married	42	47	52
AGE				•	'-	••	02
Under 18	18	12	22	PRIMARY DRUG PROBLEM			
18 to 24	30	68	55	Alcohol	59	114	109
25 to 29	36	45	43	Marijuana / Hashish	48	66	75
30 to 34	18	31	32	Cocaine (total)	*	8	15
35 to 39	11	25	25	- Crack	*	7	9
40 to 44	21	23	32	Stimulant (total)	12	30	22
45 to 54	22	36	27	- Methamphetamine	11	30	22
55 and Over	6	8	10	Heroin	29	22	16
RACE / ETHNICITY				Analgesic except Heroin	6	7	7
Caucasian	145	228	226	- Non-Prescription Methadone	0	0	0
African American	143	12	_	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	0	10	Tranquilizer	*	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
	0	*	*	Sedative	*	*	0
Hispanic	5			Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races		7	6	Average Age at First Use of Drug	17.5	16.9	16.5
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	66	99	88	Any Injection Use at Admission	27	24	19
High School Graduate or G.E.D.	65	113	119	- Daily Injection Use	11	*	*
Associate Degree or Some College	27	32	35	- Weekly Injection Use	9	6	6
Bachelor or Advanced Degree	*	*	*	- Less than Weekly Injection Use	7	15	11
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	43	81	90	Self / Family / Friend	32	33	36
Unemployed	65	117	99	School	*	0	*
Not in Labor Force	54	50	57	Mental Health Provider	*	*	*
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	104	188	184
Independent Living	135	223	200	Other Referral Source	19	21	18
Dependent Living	22	13	34				
Homeless	*	*	*	SPECIAL POPULATIONS	*	_	-
				Pregnant when Admitted to any Episode		5	8
LIFETIME DUI / DWI ARRESTS		445	40.4	Military Veteran	6	8	*
0	84	119	124	Special Education Services Needed	16	14	10
1 or 2	56	89	78	Co-Occurring Psychological Problem	55	80	64
3 or More	22	40	44	Co-Occurring Developmental Problem	5	5	*

WARREN COUNTY



 ADA/CPS REGION
 Eastern

 CPS SERVICE AREA
 16

 CENSUS 2010
 32,513

 2011 POP. ESTIMATE
 32,515

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 9 16 11 **Anxiety Disorder** 130 187 154 Dementia 0 **Developmental Disorder** 8 16 11 Impulse Control Disorder 107 86 67 **Mood Disorder** 255 209 311 Personality Disorder 60 56 56 **Psychotic Disorder** 53 43 41 Sexual Disorder Other Diagnosis 32 28 23 Diagnosis Unknown 33 29 24

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
441	359	329	Hearing Impaired	10	11	12
203	171	146	Past or Current Military Service	7	6	*
238	188	183				
				007	4.50	400
			•			128
6	*	*	•			14
29	28	32				*
51	38	40				101
42	30	25	Housing Unknown	194	163	184
37	33	22	EMPLOYMENT			
28	31	28	Employed	23	26	17
44	30	25	Unemployed	212	124	110
35	24	25	Not in Labor Force	12	10	5
34	32	27	Employment Status Unknown	194	199	197
48	32	33	4005070			
43	32	26		00	50	2.4
18	24	25				34
26	21	20				111
			Arrest Status Unknown	195	163	184
			TREATMENT REFERRAL COURSE			
411	332	303		50	00	C 4
16	15	13	· · · · · · · · · · · · · · · · · · ·			64
*	0	0				61 47
0	0	0		_		
5	*	*				26 15
8	9	9			_	
0	0	0				116 0
			Referral Source Officiowif	U	U	U
			TYPE OF COMMITMENT			
97	65	65	Voluntary	435	348	320
95	63	43	Civil	*	9	7
46	25	21	Criminal	*	*	*
9	5	*	Sexual Predatory	*	0	0
194	201	198	Commitment Type Unknown	0	0	0
	441 203 238 6 29 51 42 37 28 44 35 34 48 43 18 26 411 16 * * * * * * * * * * * * * * * * *	441 359 203 171 238 188 6 * 29 28 51 38 42 30 37 33 28 31 44 30 35 24 34 32 48 32 48 32 48 32 48 32 48 32 48 51 6 15 * 0 0 0 5 * 8 9 0 0 97 65 95 63 46 25 9 5	441 359 329 203 171 146 238 188 183 6 * * 29 28 32 51 38 40 42 30 25 37 33 22 28 31 28 44 30 25 35 24 25 34 32 27 48 32 33 43 32 26 18 24 25 26 21 20 411 332 303 16 15 13 * 0 0 0 0 0 5 * * 8 9 9 0 0 0 97 65 65 95 63 43 46 25 21 9 5 *	SPECIAL POPULATION	### SPECIAL POPULATION 441	SPECIAL POPULATION 10

WARREN COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Parcent of students who in the nest 20 days:		(%)		SUICIDE Percent	nf ctudon	tewho in	the nect	12 months		(%)
Percent of students who, In the past 30 days: Were very sad		25.8				is <i>wilo, ill</i> lered atter	-	12 months Icide	•	17.0
Were grouchy, irritable, or in a bad mood		29.4			-			attempt su	uicido	17.0
Felt hopeless about the future		16.5			ted suicio		ey woulu	attempt St	aicide	12.2
Felt like not eating or eating more than usual		30.2					reculted	in injuny o	r overdose that had t	
Slept a lot more or a lot less than usual		29.4				doctor or		iii iiijui y o	i overdose tilat ilad t	.0 5.4
Had difficulty concentrating on school work		29.4			outou by	400.0.				
riad difficulty concentrating of school work		25.0	/	REBELLIC	OUSNES	s				
FIGHTING				Percent of	of studen	ts who agi	ree that:			
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		27.9
Were in a physical fight		22.3		They do	o the opp	osite of w	hat they'r	e told to m	nake people mad	17.3
Were in a fight and had to be treated by a doctor or nurse		3.8						permissio	n	9.5
Were threatened or injured with a weapon on school proper	ty	11.2		Someti	mes it is	okay to ch	eat at scl	nool		29.1
DULL VINO MOTIN				It is oka	ay to beat	t up peopl	e if they s	tart a fight	l .	62.5
BULLYING VICTIM Percent of students who, in the past 3 months:				2011001	DEL 471	24/2				
Were shoved, slapped, hit, or kicked in a serious manner		29.1		SCHOOL . Percent i			roo with t	he followin	na·	
Were victims of mean rumors or lies spread at school		44.8				_		tudent's go	-	54.2
Had embarrassing or hurtful pictures/text of them posted on	internet	14.0						_	ive student performa	
Had embarrassing or hurtful pictures/text of them sent by ce		12.9			-	student fo	-	-	ive stadent periorna	47.4
Were made fun of by others	ii prioric	59.0			re enforc		n nara w	OI K		58.1
Were made fair or by others		00.0				•	ethnicities	are treate	ed equally	79.4
BULLYING PERPRETRATOR				Olddon	to or all re	uoos una (ou mondo	o are areas	ou oquany	70.1
Percent of students who, in the past 3 months:			/	PARENT I						
Shoved, slapped, hit, or kicked a student in a serious manne	er	21.3		Percent of	of studen	ts who agi	ree with ti	he followin	ıg:	
Spread mean rumors or lies about other kids at school		24.2						ident's god		72.5
Posted on internet embarrassing or hurtful pictures/text of so	omeone	12.1		Parents	s involve	student in	making f	amily decis	sions	57.1
Sent by cell phone embarrassing or hurtful pictures/text of se	omeone	10.4					-	_	dless of consequenc	es 77.7
Made fun of other people		63.5		Studen	t could as	sk parent f	or help w	ith a perso	onal problem	64.2
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:										
	₽	\$	<u>ਜ਼ੂ</u> ਨੂੰ	Nho	herr Mo	Mho hey	\$		lrst lmo	
	hay	hay	se c	Sa) be	sa) use	ē	를 하는	Among st used sub first used	
	Who have ever used substance	Who have used in the past 30 day	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove they use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age whe first used	
	Ver	sed	mg est	<u>&</u>	# #	<u>re</u>	ᅙ	면 <u>당</u>	ents	
	use	<u>=</u>	क्त हों	<u> </u>	ey ri	W S	<u> </u>	t n	av	
	S p	le	쭚	e e	sk r	잂	e ≤	<u>8</u> ≅	no h	
	ıbst	bast	hav	ışy	am	dis	ong	neig lice	ave ge a	
	anc	8	SIL	90	ging	a a a	9	of b	eve	
	Ф	day		œ		Ş	use	함	whe	
		ys	⋽			⁄e if		9 8	en	
Cigarettes	32.5	12.9	52.4	62.1	78.5	87.9	76.4	16.2	11.91	
Chewing Tobacco	10.9	6.2								
Alcohol	50.9	22.7	62.8	67.4	61.5	70.4	48.3	17.3	11.85	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		13.4								
Marijuana	24.3	12.6	52.3	46.4	61.5	93.4	73.4	26.7	13.25	
Inhalants	5.5	3.2							11.55	
Illicit drugs such as cocaine, LSD, meth, club drugs			19.9	20.7	95.4	99.0	94.6	45.9		
Over-the-counter medications for non-medical use	10.9	6.0		65.3	77.1	92.6	78.1			
Prescription drugs not prescribed for student	9.8	5.8		35.9	88.0	94.2	87.2			
Heroin	3.0									
Cooping	2.2									

Data source:

Cocaine

Methamphetamine

Hallucinogens

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofie, or Special K

Synthetic drugs such as K2, bath salts, Spice Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

3.3

1.6

4.6


4.2

5.3

WASHINGTON COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 17 221 25,195 25,076



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	304	302	323
Mother Reported Drinking while Pregnant ¹		1	0
Mother Reported Smoking while Pregnant	99	77	95
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	2	1
IDU and MSM ²	*	*	1
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	240	239	280
Suicides	2	0	4
Self-inflicted Injuries	35	16	19
Homicides	1	2	2
Assault Injuries	128	125	122
Alcohol Induced Deaths	0	3	0
Drug Induced Deaths	7	5	7
Smoking Induced Deaths	49	57	58
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	181	175	187
Direct Hospitalizations	57	44	51
Emergency Room Hospitalizations	45	47	58
Emergency Room Outpatient	79	84	78
Drug RelatedTotal	292	163	165
Direct Hospitalizations	97	53	59
Emergency Room Hospitalizations	43	39	33
Emergency Room Outpatient	152	71	73
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	23	25	35
Fatal Crashes	3	7	2
Injury Crashes	15	16	25
Property Damage Crashes	5	2	8
Crash Fatalities	3	7	2
Crash Injuries	33	31	31
Drug Involved CrashesTotal	8	4	5
Fatal Crashes	0	1	1
Injury Crashes	5	1	1
Property Damage Crashes	3	2	3
Crash Fatalities	0	1	1
Crash Injuries	13	6	1
EMPLOYMENT	2011	2010	2009
Labor Force	10,423	10,009	10,180
Employed	9,168	8,599	8,743
Unemployed	1,255	1,410	1,437
Unemployment Rate	12.0%	14.1%	14.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	17	15	22
Alcohol Package Carry-out Licenses	24	28	31
adiago dariy dat biddiddd	4	20	51

■ Female ■ Male							
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009				
Enrollment Grades 9-12	1,093	1,168	1,170				
Drop-outs	20	45	29				
Drop-out Rate	1.8%	3.9%	2.5%				
School Suspensions, 10 or More Days							
Alcohol Incidents	0	1	0				
Drug Incidents	4	5	8				
Tobacco Incidents	0	0	1				
POLICE REPORTS	2010	2009	2008				
DUI Arrests, DWI Tracking System	68	56	71				
Liquor Law Arrests	38	51	29				
Drug Arrests	119	122	74				
Methamphetamine Lab Incidents	103	85	53				
Violent Offenses	49	41	37				
Property Offenses	306	346	319				
Domestic Violence Reports	77	109	61				
JUVENILE COURT REFERRALS	2010	2009	2008				
Law Violation OffensesTotal	111	151	132				
Violent Offenses	66	86	64				
Alcohol Offenses	5	3	7				
Drug Offenses	2	10	5				
Status OffensesTotal	76	71	62				
Truancy	12	10	18				
Beyond Parental Control	20	19	15				
Habitually Absent from Home	5	3	2				
Injurious Behavior	34	25	19				
Abuse/Neglect/CustodyTotal	64	46	50				
Abuse	4	5	1				
Neglect	59	33	16				
Custody Disputes	1	8	33				
JUVENILE COURT PLACEMENTS	2010	2009	2008				
Out-of-Home PlacementsTotal	54	38	45				
Parental Alcohol Use Related	0	0	0				
Parental Drug Use Related	13	14	22				
Parental Alcohol and Drug Use	3	4	4				
Child Removed for Other Reason	38	20	19				
CRIMINAL JUSTICE	FY2011	FY2010	FY2009				
Drug Court Participants	25	24	23				
Probation/Parole AdmissionsTotal	211	192	235				
Probation/Parole AdmissionsDrug	68	62	72				
Probation/Parole AdmissionsDWI	4	4	3				
Prison AdmissionsTotal	105	99	119				
Prison AdmissionsDrug	47	30	32				
Prison AdmissionsDWI	3	1	1				
* An asterisk in a data cell indicates the co	ount was fewer t	han 5 and su	ppressed				

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

WASHINGTON COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	*	*	12
CSTAR Women and Children	*	7	*
CSTAR General Adult	90	60	56
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	11	18	11
Primary Recovery Treatment	162	143	148
Clinical SATOP (CIP, YCIP, SROP)	7	19	15
Other Substance Abuse Treatment	*	0	9

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	62	105	104
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	35	31	41
- Weekend Intervention Program	12	21	30
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	*	11
- Compulsive Gambling	0	0	*
- Recovery Supports	*	*	7
- Early Intervention	*	5	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	147	137	156	Never Married	104	94	109
Female	90	72	81	Married / Cohabitating	74	62	78
	00		0.	Previously Married	59	53	50
AGE				•	00	00	00
Under 18	6	6	13	PRIMARY DRUG PROBLEM			
18 to 24	37	36	35	Alcohol	64	79	85
25 to 29	44	39	50	Marijuana / Hashish	78	60	81
30 to 34	48	41	42	Cocaine (total)	*	*	*
35 to 39	33	28	27	- Crack	*	0	*
40 to 44	30	14	23	Stimulant (total)	43	34	27
45 to 54	31	39	37	- Methamphetamine	42	33	26
55 and Over	8	6	10	Heroin	9	8	8
RACE / ETHNICITY				Analgesic except Heroin	35	24	24
Caucasian	231	206	230	- Non-Prescription Methadone	0	0	*
African American	231 *	200	230 *	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan		0	0	Tranquilizer	*	*	7
Asian / Pacific Islander	0	0	0	Inhalant	*	0	*
	*	0	*	Sedative	0	0	0
Hispanic Other Race / Two or More Races	*	*	*	Other Medication or Illicit Drug	*	0	*
Other Race / Two or More Races				Average Age at First Use of Drug	19.4	19.3	18.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	95	87	102	Any Injection Use at Admission	25	18	27
High School Graduate or G.E.D.	122	102	113	- Daily Injection Use	7	7	6
Associate Degree or Some College	20	20	20	- Weekly Injection Use	8	*	8
Bachelor or Advanced Degree	0	0	*	- Less than Weekly Injection Use	10	9	13
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	58	51	51	Self / Family / Friend	44	45	76
Unemployed	133	123	122	School	0	*	0
Not in Labor Force	46	35	64	Mental Health Provider	*	8	8
				Health Care Provider	10	9	*
LIVING ARRANGEMENT				Court / Criminal Justice	148	118	116
Independent Living	226	195	214	Other Referral Source	33	28	33
Dependent Living	8	11	19	ODEOLAL DODUKATIONS			
Homeless	*	*	*	SPECIAL POPULATIONS	-	•	
LIFETIME DUI / DIA/LA DRECTO				Pregnant when Admitted to any Episode	5	6	4.5
LIFETIME DUI / DWI ARRESTS	454	405	404	Military Veteran	12	11	15
0	154	135	164	Special Education Services Needed	32	17	22
1 or 2	54	46	43	Co-Occurring Psychological Problem	65	46	54
3 or More	29	28	30	Co-Occurring Developmental Problem	13	17	12

WASHINGTON COUNTY



ADA/CPS REGION Southeast
CPS SERVICE AREA 17B
CENSUS 2010 25,195
2011 POP. ESTIMATE 25,076

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 18 16 **Anxiety Disorder** 37 38 40 Dementia **Developmental Disorder** 9 12 13 Impulse Control Disorder 29 38 31 **Mood Disorder** 107 177 163 Personality Disorder 73 71 34 **Psychotic Disorder** 49 56 46 Sexual Disorder 0 Other Diagnosis 24 51 36

28

36

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	211	304	286	Hearing Impaired	6	11	5
Male	107	153	144	Past or Current Military Service	8	18	19
Female	104	151	142	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	31	38	48
Under 6	*	*	0	Dependent Living	7	24	8
6 to 9	10			Homeless	0	*	0
10 to 13	21	8 21	9	Other	0	0	0
14 to 17	14	21 16	12 19	Housing Unknown	173	241	230
		-		EMBL OVMENT			
18 to 24 25 to 29	16	44	33	EMPLOYMENT	*		
	20	27	30	Employed		0	
30 to 34	16	28	23	Unemployed	33	44	49
35 to 39	16	27	21	Not in Labor Force			
40 to 44	13	27	26	Employment Status Unknown	173	258	234
45 to 49	23	28	38	ARRESTS			
50 to 54	24	33	35	Arrested in Past 12 Months	7	7	5
55 to 59	13	18	11	Not Arrested in Past 12 Months	31	56	51
60 and Over	21	24	29	Arrest Status Unknown	173	241	230
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	200	290	273	Self / Family / Friend	69	112	121
African American	6	7	7	School	*	*	1Z1 *
Native American / Alaskan	*	*	*	Mental Health Provider	25	26	29
Asian / Pacific Islander	0	*	*	Health Care Provider	25 15	43	31
Hispanic	*	*	0	Court / Criminal Justice	15 24	43 47	31 31
Other Race	*	*	*				_
Race/Ethnicity Unknown	0	0	*	Other Referral Source Unknown	73 *	73 *	70 *
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	15	25	27	Voluntary	197	255	249
High School Grad or G.E.D.	20	13	16	Civil	7	44	30
A.A. Degree or Some College	*	8	8	Criminal	7	5	*
Bachelor or Advanced Degree	0	0	*	Sexual Predatory	0	0	0
Education Level Unknown	173	258	234	Commitment Type Unknown	0	0	*
	_	_		**	-	-	

WASHINGTON COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)	٤	SUICIDE						(%)
Percent of students who, in the past 30 days:							-	12 months	:	
Were very sad		20.8			•	ered atter				11.5
Were grouchy, irritable, or in a bad mood		27.5			•		ey would	attempt si	uicide	7.6
Felt hopeless about the future	10.9 17.7			ted suicid					5.2	
Felt like not eating or eating more than usual								in injury o	r overdose that had to	1.6
Slept a lot more or a lot less than usual		23.0		be t	reated by	doctor or	nurse			
Had difficulty concentrating on school work		24.2		REBELLIC	OLIGNES	c				
FIGHTING			,			ts who agi	ree that:			
Percent of students who, in the past 12 months:						s that get		av		18.7
Were in a physical fight		19.2				-		-	nake people mad	15.1
Were in a fight and had to be treated by a doctor or nurse		2.1					•	permissio		4.1
Were threatened or injured with a weapon on school proper	tv	6.7			•	okay to ch	-	•		19.5
	9					-		start a fight	i .	46.2
BULLYING VICTIM					•	• • •	•			
Percent of students who, in the past 3 months:			٤	SCHOOL						
Were shoved, slapped, hit, or kicked in a serious manner		23.4				_		he followin	-	74.0
Were victims of mean rumors or lies spread at school		51.4						tudent's g		71.9
Had embarrassing or hurtful pictures/text of them posted on		12.2			-		-	-	ive student performance	36.0
Had embarrassing or hurtful pictures/text of them sent by ce	ell phone	14.8			-	student fo	or hard w	ork		54.9
Were made fun of by others		61.6			are enforc	•			- d 10 -	63.3
BULLYING PERPRETRATOR				Studen	ts of all ra	aces and e	ethnicities	are treate	ed equally	77.8
Percent of students who, in the past 3 months:			F	PARENT	RELATIC	DNS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	20.0		Percent (of student	ts who agi	ree with t	he followin	g:	
Spread mean rumors or lies about other kids at school		21.3		Parent:	s notice a	nd comme	ent on stu	ident's god	od work	82.4
Posted on internet embarrassing or hurtful pictures/text of s	omeone	5.5		Parent:	s involve :	student in	making f	amily deci	sions	66.2
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	7.3		It is im	oortant to	be hones	t with par	ents regar	dless of consequences	86.8
Made fun of other people		55.9		Studen	t could as	sk parent f	or help w	vith a perso	onal problem	76.7
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≤	≤	₹ ≤	≤	# ≤	∄ ≤	≤	ĕ ≦	fir us An	
	Who have ever used substance	Who have used in the past 30 da	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprovithey use	Who feel it would be wrong to use	Who think kids in their neighborhood would be caught by police for using	Among students who have ever used substance, average age wh	
	ave	ave	st 1;	ay≝	elie	se ay	<u>m</u>	B 美	ubs stu	
	eve	use	ses 2 ma	W	ve #	are	⊗	i kids	lden tanc	
	r us	g	on fi	튭	je je	nts v	듄		e, a	
	8	the	Spui	о е	us risk	<u>8</u>	e v	heir y po	/ho	
	subs	pas	ha	asy	Than l	<u>d</u>	ğ	nei olice	have	
	tan	1 30	/e u	to (콾	Sap	g to	of g	e ev age	
	8	da		et	u u	pro	IS	먌	wh er	
		ys	₹.			Ve ≕f		<u> </u>	9	
Cigarettes	22.5	8.6	37.1	44.5	79.7	94.0	85.6	16.8	11.60	
Chewing Tobacco	17.4	9.9								
Alcohol	36.3	15.3	46.1	45.3	74.4	80.2	65.5	21.1	11.92	
Binge Alcohol (5+ drinks on one occasion in past 30 days)		7.8								
Marijuana	11.1	4.7	25.7	23.5	77.3	95.5	88.7	35.5	13.16	
Inhalants	5.2	2.3							11.68	
Illicit drugs such as cocaine, LSD, meth, club drugs			11.0	11.9	93.0	98.1	97.4	40.2		
Over-the-counter medications for non-medical use	6.5	3.9		44.1	82.2	95.5	91.6			
Prescription drugs not prescribed for student	8.5	4.4		27.7	88.8	95.8	94.0			
Heroin	0.8									
Cocaine	0.5									
Methamphetamine	1.3									
Hallucinogens	1.0									
TOTAL TOTAL CONTRACTOR OF THE										

Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Club drugs such as ecstasy, GHB, roofle, or Special K

Synthetic drugs such as K2, bath salts, Spice Steroids not prescribed for student

Data are weighted in comparison to county population estimates for age groups 10-14 and 15-19, gender, race, and Hispanic origin.

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


1.0

5.2

WAYNE COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 19 223 13,521 13,475



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	155	145	136
Mother Reported Drinking while Pregnant ¹		0	1
Mother Reported Smoking while Pregnant	65	49	55
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	176	192	204
Suicides	4	3	1
Self-inflicted Injuries	25	25	20
Homicides	0	0	0
Assault Injuries	33	24	30
Alcohol Induced Deaths	2	1	3
Drug Induced Deaths	1	4	2
Smoking Induced Deaths	40	45	46
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	131	115	93
Direct Hospitalizations	44	35	24
Emergency Room Hospitalizations	45	52	43
Emergency Room Outpatient	42	28	26
Drug RelatedTotal	117	76	90
Direct Hospitalizations	51	19	34
Emergency Room Hospitalizations	31	33	29
Emergency Room Outpatient	35	24	27
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	27	26	33
Fatal Crashes	3	2	2
Injury Crashes	11	13	18
Property Damage Crashes	13	11	13
Crash Fatalities	4	2	2
Crash Injuries	17	13	25
Drug Involved CrashesTotal	7	7	7
Fatal Crashes	1	0	1
Injury Crashes	1	5	1
Property Damage Crashes	5	2	5
Crash Fatalities	1	0	1
Crash Injuries	1	7	2
EMPLOYMENT	2011	2010	2009
Labor Force	5,911	6,005	5,939
Employed	5,346	5,442	5,382
Unemployed	565	563	557
Unemployment Rate	9.6%	9.4%	9.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	18	17	20
Alcohol Package Carry-out Licenses	22	22	20

■ Female ¹	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	523	560	572
Drop-outs	7	20	18
Drop-out Rate	1.3%	3.6%	3.1%
School Suspensions, 10 or More Days			
Alcohol Incidents	1	2	1
Drug Incidents	0	6	3
Tobacco Incidents	1	1	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	84	83	109
Liquor Law Arrests	25	23	50
Drug Arrests	66	75	103
Methamphetamine Lab Incidents	10	8	5
Violent Offenses	15	6	34
Property Offenses	201	158	196
Domestic Violence Reports	25	11	29
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	12	19	11
Violent Offenses	4	1	1
Alcohol Offenses	2	3	4
Drug Offenses	0	2	2
Status OffensesTotal	6	8	9
Truancy	3	2	0
Beyond Parental Control	2	4	6
Habitually Absent from Home	0	0	0
Injurious Behavior	1	2	1
Abuse/Neglect/CustodyTotal	24	9	13
Abuse	1	0	0
Neglect	23	9	13
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	25	5	24
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	8	1	5
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	17	4	18
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	21	24	21
Probation/Parole AdmissionsTotal	79	101	95
Probation/Parole AdmissionsDrug	25	46	46
Probation/Parole AdmissionsDWI	5	5	4
Prison AdmissionsTotal	40	63	51
Prison AdmissionsDrug	16	23	24
Prison AdmissionsDWI	2	4	3
* An asterisk in a data cell indicates the co	ount was fewer t	t <mark>han 5 and s</mark> ı	uppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

WAYNE COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	0	*	5
CSTAR Women and Children	*	*	*
CSTAR General Adult	21	22	11
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	16	14	5
Primary Recovery Treatment	93	79	109
Clinical SATOP (CIP, YCIP, SROP)	17	8	11
Other Substance Abuse Treatment	0	0	17

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	45	38	75
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	13	8	29
- Weekend Intervention Program	5	11	22
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	9	*	*
- Early Intervention	5	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	107	76	101	Never Married	45	40	57
Female	35	35	44	Married / Cohabitating	48	42	42
	00	00		Previously Married	49	29	46
AGE				•	10	20	10
Under 18	*	6	6	PRIMARY DRUG PROBLEM			
18 to 24	29	22	25	Alcohol	61	42	56
25 to 29	21	21	24	Marijuana / Hashish	44	34	46
30 to 34	29	19	19	Cocaine (total)	0	5	5
35 to 39	14	9	23	- Crack	0	*	*
40 to 44	12	13	13	Stimulant (total)	22	13	22
45 to 54	25	14	25	- Methamphetamine	20	12	21
55 and Over	11	7	10	Heroin	5	*	*
RACE / ETHNICITY				Analgesic except Heroin	8	15	10
Caucasian	139	105	140	- Non-Prescription Methadone	0	*	0
African American	*	*	140	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	*	0	0	Tranquilizer	*	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	*
	0	0	*	Sedative	0	0	0
Hispanic	0	*	*	Other Medication or Illicit Drug	0	0	0
Other Race / Two or More Races				Average Age at First Use of Drug	16.4	16.6	16.9
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	63	57	56	Any Injection Use at Admission	8	5	10
High School Graduate or G.E.D.	64	43	69	- Daily Injection Use	*	*	0
Associate Degree or Some College	14	11	20	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	0	0	- Less than Weekly Injection Use	*	*	6
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	45	25	56	Self / Family / Friend	30	16	21
Unemployed	72	32	50	School	0	0	0
Not in Labor Force	25	54	39	Mental Health Provider	*	*	5
				Health Care Provider	*	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	100	83	110
Independent Living	132	96	132	Other Referral Source	9	9	8
Dependent Living	8	13	9	005044 00044 474040			
Homeless	*	0	0	SPECIAL POPULATIONS	*	*	
LIFETIME DUI / DIAM A DRECTO				Pregnant when Admitted to any Episode			40
LIFETIME DUI / DWI ARRESTS			00	Military Veteran	10	9	10
0	75	57	80	Special Education Services Needed	21	19	23
1 or 2	44	39	49	Co-Occurring Psychological Problem	48	47	43
3 or More	23	15	16	Co-Occurring Developmental Problem	10	11	12

WAYNE COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA 19
CENSUS 2010 13,521
2011 POP. ESTIMATE 13,475

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 7 16 20 **Anxiety Disorder** 85 100 63 Dementia 0 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 7 15 27 **Mood Disorder** 151 176 112

16

29

0

10

23

31

0

7

23

32

0

12

62

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Personality Disorder

Psychotic Disorder

Diagnosis Unknown

Sexual Disorder

Other Diagnosis

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	158	233	319	Hearing Impaired	10	10	12
Male	71	98	138	Past or Current Military Service	7	12	10
Female	87	135	181	,	•		
	0.	100	101	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	58	42	30
Under 6	0	0	*	Dependent Living	7	6	*
6 to 9	*	*	7	Homeless	0	0	0
10 to 13	5	10	13	Other	*	0	0
14 to 17	5	9	19	Housing Unknown	92	185	288
18 to 24	7	21	28	EMPLOYMENT			
25 to 29	10	12	18	Employed	5	5	*
30 to 34	10	17	24	Unemployed	61	38	25
35 to 39	12	22	32	Not in Labor Force	0	*	*
40 to 44	15	29	40	Employment Status Unknown	92	189	289
45 to 49	23	26	45		02	.00	200
50 to 54	23	31	34	ARRESTS			
55 to 59	25	29	32	Arrested in Past 12 Months	5	6	6
60 and Over	22	24	26	Not Arrested in Past 12 Months	61	42	25
33 4.14 5.15.	22	2-7	20	Arrest Status Unknown	92	185	288
RACE / ETHNICITY							
Caucasian	154	230	312	TREATMENT REFERRAL SOURCE			
African American	*	*	*	Self / Family / Friend	62	118	179
Native American / Alaskan	0	0	0	School			
Asian / Pacific Islander	0	0	0	Mental Health Provider	32	40	47
Hispanic	*	*	*	Health Care Provider	20	24	30
Other Race	*	*	*	Court / Criminal Justice	19	19	14
Race/Ethnicity Unknown	0	0	0	Other	23	28	46
•				Referral Source Unknown	0	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	26	15	15	Voluntary	156	226	308
High School Grad or G.E.D.	29	21	11	Civil	*	5	8
A.A. Degree or Some College	11	8	*	Criminal	0	*	*
Bachelor or Advanced Degree	0	0	0	Sexual Predatory	0	0	0
Education Level Unknown	92	189	289	Commitment Type Unknown	0	*	*

WAYNE COUNTY

2012 MISSOURI STUDENT SURVEY

EPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Percent (of student	's who. in	the nast	12 months	•		(9
Were very sad		19.4				ered atter	•		•		15
Were grouchy, irritable, or in a bad mood		31.3			•			attempt su	uicide		9
Felt hopeless about the future		10.7			ted suicid		- J				6
Felt like not eating or eating more than usual	· · · · · · · · · · · · · · · · · · ·						resulted	in injury o	r overdose that h	nad to	2
Slept a lot more or a lot less than usual		21.8		Had a suicide attempt that resulted in injury or overdose that had to be treated by doctor or nurse							
Had difficulty concentrating on school work		29.5	•								
The amount concern and on concernon				EBELLIC							
GHTING						's who agi					
Percent of students who, in the past 12 months:						s that get		-			28
Were in a physical fight		31.3		-			-		iake people mad	l	19
Were in a fight and had to be treated by a doctor or nurse		3.9			-		-	t permissio	n		12
Were threatened or injured with a weapon on school property	у	10.6		Someti	mes it is o	kay to ch	eat at sc	hool			43
W LVINO MOTIN				It is oka	y to beat	up peopl	e if they :	start a fight	t		65
JLLYING VICTIM Percent of students who, in the past 3 months:			_	011001	55, 47,						
Were shoved, slapped, hit, or kicked in a serious manner		32.4		CHOOL I Darcant (roo with s	he followin	a.		
Were victims of mean rumors or lies spread at school		56.7				-		student's g	-		62
Had embarrassing or hurtful pictures/text of them posted on	internet	13.3						•	ive student perfo	rmanco	41
		16.9			•		•	•	ive siduelli pello	minance	46
Had embarrassing or hurtful pictures/text of them sent by cel	i priorie	58.1			-	student fo	n naiu W	UIK			46 58
Were made fun of by others		56.1			re enforc	-	a the ministra		برا مستمالي		
JLLYING PERPRETRATOR				Studen	ts of all ra	ices and (ethnicitie	s are treate	ed equally		75
Percent of students who, in the past 3 months:			P	ARENT I	RELATIC	NS					
Shoved, slapped, hit, or kicked a student in a serious manne	r	27.9					ree with t	he followin	ıg:		
Spread mean rumors or lies about other kids at school		31.1		Parents	notice a	nd comme	ent on stu	udent's god	od work		77
Posted on internet embarrassing or hurtful pictures/text of someone				Parents notice and comment on student's good work Parents involve student in making family decisions							65
Sent by cell phone embarrassing or hurtful pictures/text of someone			It is important to be honest with parents regardless of consequences						ioncos	81	
Some by some priorite embarrassing or nurtius pictures/text of st		13.9		IL IS IIIIL	ortant to	be hones	t with pai	rents regar	aless of consequ	uciices	O I
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students:		59.4	Who	Studen	t could as	k parent 1	for help v	vith a perso	onal problem	uences	66
Made fun of other people UBSTANCE USE AND BELIEFS	Who have ever used substance		Whose closest friends have used in the past 12 months			Who say parents would disapprove they use		with a would be caught by police for us		dences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes	Who have ever used substance 39.4	59.4 Who have used in the past 30 days 22.5	•	Studen	t could as	k parent 1	for help v	vith a perso	Among students who have ever used substance, average age with first used	dences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	Who have ever used substance 39.4 28.9	59.4 Who have used in the past 30 days 22.5	<u>=</u>	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	with a would be caught by police for using	Among students who have ever used substance, average age when 11.88	dences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol	Who have ever used substance 39.4	59.4 Who have used in the past 30 days 22.5	<u>=</u>	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	Who feel it would be wrong to use	with would be caught by police for using	Among students who have ever used substance, average age when first used	dences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco	Who have ever used substance 39.4 28.9	59.4 Who have used in the past 30 days 22.5 14.4 18.3 11.1	58.1	Who say it would be easy to get 58.3	t could day who believe they risk harming themselves if they use 72.6	Who say parents would disapprove if they use	for help v Who feel it would be wrong to use 65.6	with a would be caught by police for using	Among students who have ever used substance, average age when 11.88	dences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	Who have ever used substance 39.4 28.9	59.4 Who have used in the past 30 days 22.5 14.4 18.3 11.1 11.7	58.1	Who say it would be easy to get	Who believe they risk harming themselves if they use	Who say parents would disapprove if they use	for help v Who feel it would be wrong to use 65.6	with a would be caught by police for using	Among students who have ever used substance, average age when 11.88	dences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	Who have ever used substance 39.4 28.9 49.7	59.4 Who have used in the past 30 days 22.5 14.4 18.3 11.1	58.1 58.7	Who say it would be easy to get 58.3	t could day who believe they risk harming themselves if they use 72.6	they use Who say parents would disapprove if 85.5	Who feel it would be wrong to use 65.6	with a person with a person with a person with a person would be caught by police for using 13.9	Among students who have ever used substance, average age when 11.88	dences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	Who have ever used substance 39.4 28.9 49.7	59.4 Who have used in the past 30 days 22.5 14.4 18.3 11.1 11.7	58.1 58.7	Who say it would be easy to get 58.3	t could day who believe they risk harming themselves if they use 72.6	they use Who say parents would disapprove if 85.5	Who feel it would be wrong to use 65.6	with a person with a person with a person with a person would be caught by police for using 13.9	Among students who have ever used substance, average age when 11.88	dences	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	Who have ever used substance 39.4 28.9 49.7	59.4 Who have used in the past 30 days 22.5 14.4 18.3 11.1 11.7	58.1 58.7 46.6	Who say it would be easy to get 58.3 60.0	t could as themselves if they risk harming 72.6 70.6 62.6	they use Who say parents would disapprove if 85.5	Who feel it would be wrong to use 65.6 49.7 72.9	with a person would be caught by police for using 13.9 22.9	Among students who have ever used substance, average age when 11.88	dences	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	Who have ever used substance 39.4 28.9 49.7 23.9 7.8	59.4 Who have used in the past 30 days 22.5 14.4 18.3 11.1 11.7 2.2	58.1 58.7 46.6	Who say it would be easy to get 58.3 60.0 44.9	t could as themselves if they use 72.6 70.6 62.6 92.1	they use Who say parents would disapprove if 85.5 71.5 86.0 95.5	Who feel it would be wrong to use 65.6 49.7 72.9 92.1	with a person would be caught by police for using 13.9 22.9	Among students who have ever used substance, average age when 11.88	dences	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	Who have ever used substance 39.4 28.9 49.7 23.9 7.8	59.4 Who have used in the past 30 days 22.5 14.4 18.3 11.1 11.7 2.2	58.1 58.7 46.6	Who say it would be easy to get 58.3 60.0 44.9 23.0 50.3	t could as themselves if they use 72.6 70.6 62.6 92.1 80.9	they use Who say parents would disapprove if 85.5 71.5 86.0 95.5 90.6	Who feel it would be wrong to use 65.6 49.7 72.9 92.1 85.0	with a person would be caught by police for using 13.9 22.9	Among students who have ever used substance, average age when 11.88	dences	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	Who have ever used substance 39.4 28.9 49.7 23.9 7.8 7.2 13.9	59.4 Who have used in the past 30 days 22.5 14.4 18.3 11.1 11.7 2.2	58.1 58.7 46.6	Who say it would be easy to get 58.3 60.0 44.9 23.0 50.3	t could as themselves if they use 72.6 70.6 62.6 92.1 80.9	they use Who say parents would disapprove if 85.5 71.5 86.0 95.5 90.6	Who feel it would be wrong to use 65.6 49.7 72.9 92.1 85.0	with a person would be caught by police for using 13.9 22.9	Among students who have ever used substance, average age when 11.88	dences	
Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	Who have ever used substance 39.4 28.9 49.7 23.9 7.8 7.2 13.9 2.3	59.4 Who have used in the past 30 days 22.5 14.4 18.3 11.1 11.7 2.2	58.1 58.7 46.6	Who say it would be easy to get 58.3 60.0 44.9 23.0 50.3	t could as themselves if they use 72.6 70.6 62.6 92.1 80.9	they use Who say parents would disapprove if 85.5 71.5 86.0 95.5 90.6	Who feel it would be wrong to use 65.6 49.7 72.9 92.1 85.0	with a person would be caught by police for using 13.9 22.9	Among students who have ever used substance, average age when 11.88	dences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	Who have ever used substance 39.4 28.9 49.7 23.9 7.8 7.2 13.9 2.3 4.5 3.4	59.4 Who have used in the past 30 days 22.5 14.4 18.3 11.1 11.7 2.2	58.1 58.7 46.6	Who say it would be easy to get 58.3 60.0 44.9 23.0 50.3	t could as themselves if they use 72.6 70.6 62.6 92.1 80.9	they use Who say parents would disapprove if 85.5 71.5 86.0 95.5 90.6	Who feel it would be wrong to use 65.6 49.7 72.9 92.1 85.0	with a person would be caught by police for using 13.9 22.9	Among students who have ever used substance, average age when 11.88	dences	
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	Who have ever used substance 39.4 28.9 49.7 23.9 7.8 7.2 13.9 2.3 4.5 3.4 7.2	59.4 Who have used in the past 30 days 22.5 14.4 18.3 11.1 11.7 2.2	58.1 58.7 46.6	Who say it would be easy to get 58.3 60.0 44.9 23.0 50.3	t could as themselves if they use 72.6 70.6 62.6 92.1 80.9	they use Who say parents would disapprove if 85.5 71.5 86.0 95.5 90.6	Who feel it would be wrong to use 65.6 49.7 72.9 92.1 85.0	with a person would be caught by police for using 13.9 22.9	Among students who have ever used substance, average age when 11.88		
Made fun of other people UBSTANCE USE AND BELIEFS Regarding the substances listed below, percent of students: Cigarettes Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	Who have ever used substance 39.4 28.9 49.7 23.9 7.8 7.2 13.9 2.3 4.5 3.4	59.4 Who have used in the past 30 days 22.5 14.4 18.3 11.1 11.7 2.2 4.4 8.3	58.1 58.7 46.6 19.0	Studen Who say it would be easy to get 58.3 60.0 44.9 23.0 50.3 39.7	t could as themselves if they use Table 1.6 Ta	they use Who say parents would disapprove if 85.5 71.5 86.0 95.5 90.6 92.1	Who feel it would be wrong to use 65.6 49.7 72.9 92.1 85.0 82.8	with a person would be caught by police for using 13.9 22.9 31.8 40.2	Among students who have ever used substance, average age when 11.88		66

Data source:


Missouri Institute of Mental Health. 2012 Missouri Student Survey.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

WEBSTER COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 10 225 36,202 36,439



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	525	554	557
Mother Reported Drinking while Pregnant 1		2	0
Mother Reported Smoking while Pregnant	88	78	90
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	2	0	0
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	306	314	275
Suicides	9	7	2
Self-inflicted Injuries	48	39	26
Homicides	0	1	1
Assault Injuries	73	64	64
Alcohol Induced Deaths	3	3	2
Drug Induced Deaths	6	7	10
Smoking Induced Deaths	57	57	52
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	208	264	228
Direct Hospitalizations	48	65	36
Emergency Room Hospitalizations	80	118	103
Emergency Room Outpatient	80	81	89
Drug RelatedTotal	286	290	209
Direct Hospitalizations	93	76	50
Emergency Room Hospitalizations	70	119	90
Emergency Room Outpatient	123	95	69
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	39	64	31
Fatal Crashes	3	1	1
Injury Crashes	14	33	13
Property Damage Crashes	22	30	17
Crash Fatalities	3	1	0
Crash Injuries	25	34	14
Drug Involved CrashesTotal	9	14	6
Fatal Crashes	0	0	0
Injury Crashes	3	5	5
Property Damage Crashes	6	9	1
Crash Fatalities	0	0	0
Crash Injuries	3	6	5
EMPLOYMENT	2011	2010	2009
Labor Force	16,724	16,819	16,909
Employed	15,327	15,135	15,278
Unemployed	1,397	1,684	1,631
Unemployment Rate	8.4%	10.0%	9.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	9	9	7
Alcohol Package Carry-out Licenses	29	29	29

■ Female ■ Male						
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009			
Enrollment Grades 9-12	1,449	1,491	1,420			
Drop-outs	30	28	22			
Drop-out Rate	2.1%	1.9%	1.5%			
School Suspensions, 10 or More Days						
Alcohol Incidents	1	1	1			
Drug Incidents	14	6	11			
Tobacco Incidents	0	0	0			
POLICE REPORTS	2010	2009	2008			
DUI Arrests, DWI Tracking System	126	146	121			
Liquor Law Arrests	56	78	73			
Drug Arrests	151	195	102			
Methamphetamine Lab Incidents	4	2	1			
Violent Offenses	39	41	70			
Property Offenses	608	544	550			
Domestic Violence Reports	146	202	190			
JUVENILE COURT REFERRALS	2010	2009	2008			
Law Violation OffensesTotal	209	229	190			
Violent Offenses	61	70	51			
Alcohol Offenses	14	18	12			
Drug Offenses	22	16	24			
Status OffensesTotal	69	96	56			
Truancy	19	19	10			
Beyond Parental Control	32	60	22			
Habitually Absent from Home	14	13	14			
Injurious Behavior	3	4	9			
Abuse/Neglect/CustodyTotal	56	74	105			
Abuse	26	24	36			
Neglect	30	50	69			
Custody Disputes	0	0	0			
JUVENILE COURT PLACEMENTS	2010	2009	2008			
Out-of-Home PlacementsTotal	26	31	26			
Parental Alcohol Use Related	0	2	0			
Parental Drug Use Related	6	8	3			
Parental Alcohol and Drug Use	0	0	0			
Child Removed for Other Reason	20	21	23			
CRIMINAL JUSTICE	FY2011	FY2010	FY2009			
Drug Court Participants	18	23	23			
Probation/Parole AdmissionsTotal	134	160	151			
Probation/Parole AdmissionsDrug	29	43	51			
Probation/Parole AdmissionsDWI	7	6	6			
Prison AdmissionsTotal	102	90	96			
Prison AdmissionsDrug	30	25	38			
Prison AdmissionsDWI	4	4	3			
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	innrassad			

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

WEBSTER COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	19	13	5
CSTAR Women and Children	8	13	14
CSTAR General Adult	39	45	13
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	15	27	12
Primary Recovery Treatment	45	60	86
Clinical SATOP (CIP, YCIP, SROP)	8	24	9
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	76	126	109
- Adolescent Diversion Education Program	5	*	*
- Offender Education Program	25	41	41
- Weekend Intervention Program	23	33	37
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	*	5	0
- Compulsive Gambling	0	0	0
- Recovery Supports	7	14	20
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	78	97	94	Never Married	53	77	56
Female	37	40	41	Married / Cohabitating	32	32	44
				Previously Married	30	28	35
AGE							
Under 18	19	12	5	PRIMARY DRUG PROBLEM			
18 to 24	19	31	32	Alcohol	39	62	58
25 to 29	21	20	25	Marijuana / Hashish	32	38	41
30 to 34	23	23	21	Cocaine (total)	*	*	*
35 to 39	13	15	16	- Crack		*	0
40 to 44	9	12	12	Stimulant (total)	23	23	21
45 to 54	7	19	20	- Methamphetamine	23	21	20
55 and Over	*	5	*	Heroin	*	0	0
RACE / ETHNICITY				Analgesic except Heroin	17	12	9
Caucasian	113	136	132	- Non-Prescription Methadone	*	0	*
African American	*	0	*	PCP, LSD, other Hallucinogen	*	*	0
Native American / Alaskan	0	0	0	Tranquilizer	*	0	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	*
Hispanic	0	0	*	Sedative	0	0	0
Other Race / Two or More Races	0	*	0	Other Medication or Illicit Drug	0	0	0
Cities reader 1 Wo of World Reades	U		O	Average Age at First Use of Drug	16.2	16.4	16.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	55	68	64	Any Injection Use at Admission	19	13	7
High School Graduate or G.E.D.	45	51	53	- Daily Injection Use	*	5	*
Associate Degree or Some College	11	16	18	- Weekly Injection Use	*	*	*
Bachelor or Advanced Degree	*	*	0	- Less than Weekly Injection Use	12	6	*
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	21	36	52	Self / Family / Friend	29	27	31
Unemployed	45	54	45	School	0	0	0
Not in Labor Force	49	47	38	Mental Health Provider	*	*	*
				Health Care Provider	*	5	5
LIVING ARRANGEMENT				Court / Criminal Justice	73	94	90
Independent Living	83	106	108	Other Referral Source	8	9	7
Dependent Living	26	24	19				
Homeless	*	5	6	SPECIAL POPULATIONS	*	*	
				Pregnant when Admitted to any Episode	*	*	_
LIFETIME DUI / DWI ARRESTS	c-			Military Veteran			5
0	67	78	75	Special Education Services Needed	10	6	9
1 or 2	30	33	39	Co-Occurring Psychological Problem	34	40	31
3 or More	18	26	21	Co-Occurring Developmental Problem	*	*	*

WEBSTER COUNTY



ADA/CPS REGION Southwest
CPS SERVICE AREA 10
CENSUS 2010 36,202
2011 POP. ESTIMATE 36,439

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 15 6 **Anxiety Disorder** 51 44 24 Dementia 0 **Developmental Disorder** 12 8 Impulse Control Disorder 38 22 12 **Mood Disorder** 151 117 65 Personality Disorder 22 31 21 **Psychotic Disorder** 31 33 24 Sexual Disorder 0 0 Other Diagnosis 25 16 10 Diagnosis Unknown 69 96

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	303	264	205	Hearing Impaired	14	11	7
Male	140	127	109	Past or Current Military Service	*	*	*
Female	163	137	96	•			
romaio	103	107	30	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	65	25	19
Under 6	20	14	7	Dependent Living	*	23	10
6 to 9	23	22	10	Homeless	0	*	0
10 to 13	33	32	17	Other	0	*	*
14 to 17	41	35	25	Housing Unknown	236	213	175
18 to 24	22	16	11	EMPLOYMENT			
25 to 29	15	13	15	Employed	*	*	*
30 to 34	15	17	17	Unemployed	53	25	18
35 to 39	21	18	17	Not in Labor Force	11	*	*
40 to 44	20	25	23	Employment Status Unknown	236	236	182
45 to 49	29	19	19	Employment Otatas Officiown	230	230	102
50 to 54	25	29	26	ARRESTS			
55 to 59	25 25	12	12	Arrested in Past 12 Months	7	6	8
60 and Over	14	12	6	Not Arrested in Past 12 Months	60	45	21
oo and Over	14	12	б	Arrest Status Unknown	236	213	176
RACE / ETHNICITY							
Caucasian	288	252	190	TREATMENT REFERRAL SOURCE			
African American	*	0	0	Self / Family / Friend	219	216	136
Native American / Alaskan	0	*	0	School	*	0	0
Asian / Pacific Islander	0	0	0	Mental Health Provider	5	*	6
Hispanic	*	*	5	Health Care Provider	24	5	8
Other Race	13	10	10	Court / Criminal Justice	9	6	7
Race/Ethnicity Unknown	0	0	0	Other	43	34	46
, c	· ·	O	O	Referral Source Unknown	*	*	*
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	29	13	9	Voluntary	295	259	197
High School Grad or G.E.D.	24	7	11	Civil	*	*	*
A.A. Degree or Some College	10	5	*	Criminal	5	*	*
Bachelor or Advanced Degree	*	*	0	Sexual Predatory	0	0	0
Education Level Unknown	236	237	182	Commitment Type Unknown	*	*	*

WEBSTER COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION		(%)	s	UICIDE				40		(%)
Percent of students who, in the past 30 days:								12 months	:	• •
Were very sad		20.9			_	lered atter	-		ulalda	14.5
Were grouchy, irritable, or in a bad mood Felt hopeless about the future		25.9 11.2			ted suicio		ey would	attempt su	uicide	9.9 7.3
Felt like not eating or eating more than usual		18.6					reculted	in injury o	r overdose that had to	1.7
Slept a lot more or a lot less than usual		21.8				doctor or		in injury o	i overdose mai nau to	1.7
Had difficulty concentrating on school work		26.2								
riad difficulty concentrating on school work		20.2		REBELLIC	OUSNES	s				
FIGHTING						ts who agi				
Percent of students who, in the past 12 months:						s that get		-		27.6
Were in a physical fight		23.8							nake people mad	23.0
Were in a fight and had to be treated by a doctor or nurse		4.4			•		•	permissio	n	9.1
Were threatened or injured with a weapon on school proper	ty	8.5	5			okay to ch				25.3
BULLYING VICTIM				It is oka	ay to beat	t up peopl	e if they s	start a fight	t	60.4
Percent of students who, in the past 3 months:				CHOOL	REI ATIO	2//5				
Were shoved, slapped, hit, or kicked in a serious manner		28.0					ree with t	he followin	ng:	
Were victims of mean rumors or lies spread at school		56.5	;			_		tudent's go	-	78.2
Had embarrassing or hurtful pictures/text of them posted on	internet	14.7	,					_	ive student performanc	e 34.9
Had embarrassing or hurtful pictures/text of them sent by ce		16.8	3		-	student fo	-	-		57.1
Were made fun of by others	•	68.7	,		are enforc					64.9
•						-	ethnicities	s are treate	ed equally	83.6
BULLYING PERPRETRATOR										
Percent of students who, in the past 3 months:		47.5		PARENT				L - 6-11		
Shoved, slapped, hit, or kicked a student in a serious manne	er	17.5				-		he followin	-	00.0
Spread mean rumors or lies about other kids at school		35.7	· · · · · · · · · · · · · · · · · · ·							82.9 63.7
Posted on internet embarrassing or hurtful pictures/text of s		8.6						-		
Sent by cell phone embarrassing or hurtful pictures/text of s	omeone	9.8 69.3		-			-	_	dless of consequences	80.7 65.3
Made fun of other people		03.5	,	Sidueii	it could as	эк рагени	or neib w	nui a persu	onal problem	00.5
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	€	\{	≠ ≤	€	# ≤	# ≤	8	≨ ≶	₹ 5. ≥	
	<u>5</u>	<u>5</u>	hos e pa	50	en bo	eg i	₹	E 전	Among st used sub first used	
	Who have ever used substance	Who have used in the past 30 da	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	say	Who feel it would be wrong to us	Who think kids in their neighborh would be caught by police for usl	Among students who have ever used substance, average age what first used	
	ev	SI (oses 2 m	₹ (ÿe i	pare	₹		stan ude	
	e =	8		ᇤ	they	äts	ᇤ	gh sin	ce, nts	
	sed		as ead	늄	y us	WOL	æ	byp	who	
	dus	e pa	S HS	eas	ੱ ਜ਼ੇ	듑	WTO	oli ir	hav	
	star	ıst 3	ave .	ð	₫.		g	e fo	/e e	
	931	0	use	get	2		0 15	rus bort	e w	
		SS	Ħ			Who say parents would disapprove if they use	ñ	ij od	l e	
Cigarettes	24.4	10.1	51.0	47.1	84.4	94.7	81.4	19.2	11.54	
Chewing Tobacco	20.9	9.1	31.0	47.1	04.4	34.7	01.4	19.2	11.54	
Alcohol	38.2	14.7	56.5	49.5	70.1	84.5	63.0	26.6	12.53	
Binge Alcohol (5+ drinks on one occasion in past 30 days)	30.2	7.5	30.3	49.5	70.1	04.5	03.0	20.0	12.55	
Marijuana	15.8	6.9	32.4	25.1	68.4	92.6	84.6	33.6	12.13	
Inhalants	9.1	4.2	32.4	23.1	00.4	92.0	04.0	33.0	12.74	
	9.1	4.2	14.5	10.7	02.2	100.0	99.2	47.7	12.74	
Illicit drugs such as cocaine, LSD, meth, club drugs	4.0	1 5	14.5	10.7				47.7		
Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	4.8	1.5 3.7		52.0 29.8	83.7 85.7	98.4 95.8	94.5 91.5			
Heroin	0.0	3.7		29.0	00.7	90.0	91.5			
Cocaine	0.0									
	0.0									
	0.0									
Methamphetamine	0.0									
Methamphetamine Hallucinogens	1.5									
Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofle, or Special K	1.5 0.9	n	oata are w	eighted in	compari	son to co	ınty popu	lation estir	mates for age groups 1	0-14
Methamphetamine Hallucinogens	1.5	a	nd 15-19,	gender, r	ace, and	Hispanic	origin.		mates for age groups 1	0-14

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.


Data source:

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

WORTH COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Northwest 227 2,171 2,150



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	20	17	21
Mother Reported Drinking while Pregnant 1		0	0
Mother Reported Smoking while Pregnant	3	4	7
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	0	0	0
IDU and MSM ²	0	0	0
IDU without MSM ²	0	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	34	27	27
Suicides	1	0	1
Self-inflicted Injuries	4	2	0
Homicides	0	0	0
Assault Injuries	6	5	8
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Induced Deaths	7	7	7
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	9	15	14
Direct Hospitalizations	2	4	3
Emergency Room Hospitalizations	2	3	2
Emergency Room Outpatient	5	8	9
Drug RelatedTotal	6	5	5
Direct Hospitalizations	6	0	1
Emergency Room Hospitalizations	0	2	1
Emergency Room Outpatient	0	3	3
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	0	2	2
Fatal Crashes	0	1	0
Injury Crashes	0	1	1
Property Damage Crashes	0	0	1
Crash Fatalities	0	1	0
Crash Injuries	0	1	4
Drug Involved CrashesTotal	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0
EMPLOYMENT	2011	2010	2009
Labor Force	1,183	1,124	1,145
Employed	1,110	1,045	1,057
Unemployed	73	79	88
Unemployment Rate	6.2%	7.0%	7.7%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	2	2	2
Alcohol Package Carry-out Licenses	4	3	2

■ Female	■ Male		-
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	111	106	117
Drop-outs	1	3	1
Drop-out Rate	0.9%	2.8%	0.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	6	4	9
Liquor Law Arrests	0	0	1
Drug Arrests	0	0	1
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	8	4	4
Property Offenses	30	18	22
Domestic Violence Reports	4	3	2
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	14	10	3
Violent Offenses	0	1	1
Alcohol Offenses	2	1	1
Drug Offenses	0	0	0
Status OffensesTotal	13	29	12
Truancy	2	5	0
Beyond Parental Control	8	11	10
Habitually Absent from Home	0	0	1
Injurious Behavior	3	13	1
Abuse/Neglect/CustodyTotal	10	7	2
Abuse	0	0	1
Neglect	10	7	1
Custody Disputes	0	0	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	4	1	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	3	1	0
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	2	4	5
Probation/Parole AdmissionsTotal	6	10	9
Probation/Parole AdmissionsDrug	0	1	0
Probation/Parole AdmissionsDWI	1	1	0
Prison AdmissionsTotal	5	3	0
Prison AdmissionsDrug	1	0	0
Prison AdmissionsDWI	0	1	0

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

WORTH COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

	FY2011	FY2010	FY2009
SUBSTANCE ABUSE TREATMENT	1 12011	1 12010	
CSTAR Adolescent	0	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	0	0	0
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	0	0	*
Primary Recovery Treatment	*	0	*
Clinical SATOP (CIP, YCIP, SROP)	*	*	0
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	*	10	9
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	0
- Compulsive Gambling	0	0	0
- Recovery Supports	0	*	*
- Early Intervention	*	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	5	*	*	Never Married	*	*	*
Female	0	*	5	Married / Cohabitating	*	0	*
				Previously Married	0	*	*
AGE							
Under 18	*	*	*	PRIMARY DRUG PROBLEM			
18 to 24	*	0	0	Alcohol	*	*	*
25 to 29	0	0	0	Marijuana / Hashish	*		*
30 to 34	*		*	Cocaine (total)	0	0	0
35 to 39	0	0	0	- Crack	0	0	0
40 to 44	*	0	*	Stimulant (total)	0	0	*
45 to 54	0	*	*	- Methamphetamine	0	0	*
55 and Over	0	0	0	Heroin	0	0	0
RACE / ETHNICITY				Analgesic except Heroin	0	0	*
Caucasian	5	*	7	- Non-Prescription Methadone	0	0	0
African American	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	0	Tranquilizer	0	0	0
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	0	0	0	Sedative	0	0	0
Other Race / Two or More Races	0	0	0	Other Medication or Illicit Drug	0	0	0
Cition (Case) Two of More (Cases)	O	O	O	Average Age at First Use of Drug	15.2	13.8	18.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	*	*	*	Any Injection Use at Admission	0	0	*
High School Graduate or G.E.D.	*	*	*	- Daily Injection Use	0	0	0
Associate Degree or Some College	0	0	*	- Weekly Injection Use	0	0	*
Bachelor or Advanced Degree	0	*	0	- Less than Weekly Injection Use	0	0	0
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	*	*	*	Self / Family / Friend	0	0	*
Unemployed	0	*	*	School	*	0	*
Not in Labor Force	*	*	*	Mental Health Provider	0	0	*
				Health Care Provider	0	0	0
LIVING ARRANGEMENT				Court / Criminal Justice	*	*	*
Independent Living	*	*	*	Other Referral Source	*	0	0
Dependent Living	*	*	*	005044 00044 474040			
Homeless	0	0	0	SPECIAL POPULATIONS	0	0	
LIFETIME DUL / DIA/LA DDECTO				Pregnant when Admitted to any Episode	0	0	0
LIFETIME DUI / DWI ARRESTS		*	*	Military Veteran	0	0	
0	· •		*	Special Education Services Needed	0	0	0
1 or 2	· •	0	*	Co-Occurring Psychological Problem	^		^
3 or More	*	*	*	Co-Occurring Developmental Problem	0	0	0

WORTH COUNTY



ADA/CPS REGION Northwest
CPS SERVICE AREA 1
CENSUS 2010 2,171
2011 POP. ESTIMATE 2,150

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 **Anxiety Disorder** 6 9 7 Dementia 0 0 0 **Developmental Disorder** 0 0 0 Impulse Control Disorder 7 8 **Mood Disorder** 10 10 8 Personality Disorder 0 0 **Psychotic Disorder** Sexual Disorder 0 0 0 Other Diagnosis

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown


FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
23	19	19	Hearing Impaired	*	*	0
	7	6	Past or Current Military Service	0	0	0
13	12	13				-
			•		-	0
0	0	*	•			0
6		5		-	-	0
*	*	*		_	-	0
5	*	*	Housing Unknown	19	17	19
*	*	0	EMPLOYMENT			
0	0	0	Employed	0	0	0
0	*	*	Unemployed	*	0	0
*	0	*	Not in Labor Force	0	0	0
*	*	*	Employment Status Unknown	19	19	19
*	*	*	1005070			
*	0	0			•	
*	*	*			_	0
*	*	*		40		0
			Arrest Status Unknown	19	17	19
			TREATMENT REFERRAL COURSE			
22	19	18				0
0	0	0	•			6
0	0	0				0
0	0	0		b *		*
0	0	0		*	*	*
*	0	*				0
0	0	0				8
			Relettal Source Officiowit	U	U	0
			TYPE OF COMMITMENT			
0	0	0	Voluntary	23	19	19
*	0	0	Civil	0	0	0
0	0	0	Criminal	0	0	0
0	0	0	Sexual Predatory	0	0	0
19	19	19	Commitment Type Unknown	0	0	0
	23 10 13 0 6 * 5 * 0 0 0 * * * * * * * * 0 0 0 0 0 0	23	23	SPECIAL POPULATION	SPECIAL POPULATION	SPECIAL POPULATION

0

WRIGHT COUNTY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 18 229 18,815 18,716



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	231	263	262
Mother Reported Drinking while Pregnant ¹		0	0
Mother Reported Smoking while Pregnant	67	72	70
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	1	0	0
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	216	208	200
Suicides	2 10	200	7
Self-inflicted Injuries	29	21	27
Homicides	1	0	6
Assault Injuries	29	29	19
Alcohol Induced Deaths	29	0	0
Drug Induced Deaths	4	1	1
•	•	•	
Smoking Induced Deaths	39	46	35
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	178	197	191
Direct Hospitalizations	55	38	40
Emergency Room Hospitalizations	55	79	72
Emergency Room Outpatient	68	80	79
Drug RelatedTotal	178	112	138
Direct Hospitalizations	69	40	50
Emergency Room Hospitalizations	46	47	56
Emergency Room Outpatient	63	25	32
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	14	17	11
Fatal Crashes	0	1	0
Injury Crashes	7	9	4
Property Damage Crashes	7	7	7
Crash Fatalities	0	1	0
Crash Injuries	8	10	5
Drug Involved CrashesTotal	0	0	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	2
•		-	
EMPLOYMENT	2011	2010	2009
Labor Force	8,189	8,026	8,266
Employed	7,445	7,176	7,412
Unemployed	744	850	854
Unemployment Rate	9.1%	10.6%	10.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	10	9	10
Alcohol Package Carry-out Licenses	14	13	13
- · · · · · · · · · · · · · · · · · · ·		-	-

■ Female	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	977	1,024	1,056
Drop-outs	6	15	8
Drop-out Rate	0.6%	1.5%	0.8%
School Suspensions, 10 or More Days			
Alcohol Incidents	2	0	2
Drug Incidents	12	7	2
Tobacco Incidents	0	0	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	67	87	126
Liquor Law Arrests	14	22	29
Drug Arrests	144	106	91
Methamphetamine Lab Incidents	9	6	1
Violent Offenses	37	58	47
Property Offenses	313	246	302
Domestic Violence Reports	8	35	33
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	71	79	112
Violent Offenses	27	42	37
Alcohol Offenses	1	2	4
Drug Offenses	5	3	10
Status OffensesTotal	49	40	33
Truancy	13	2	1
Beyond Parental Control	35	36	26
Habitually Absent from Home	1	1	5
Injurious Behavior	0	1	1
Abuse/Neglect/CustodyTotal	33	37	29
Abuse	2	6	1
Neglect	25	28	28
Custody Disputes	6	3	0
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	30	33	24
Parental Alcohol Use Related	3	5	4
Parental Drug Use Related	11	2	9
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	16	25	11
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	46	42	52
Probation/Parole AdmissionsTotal	166	114	124
Probation/Parole AdmissionsDrug	52	31	32
Probation/Parole AdmissionsDWI	11	13	11
Prison AdmissionsTotal	81	79	59
Prison AdmissionsDrug	26	18	15
Prison AdmissionsDWI	4	9	5

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

WRIGHT COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	7	*	5
CSTAR Women and Children	*	11	9
CSTAR General Adult	13	17	13
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	15	18	19
Primary Recovery Treatment	43	62	69
Clinical SATOP (CIP, YCIP, SROP)	7	10	5
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	53	76	87
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	14	23	33
- Weekend Intervention Program	16	22	38
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	0	0	5
- Compulsive Gambling	0	0	0
- Recovery Supports	0	*	*
- Early Intervention	*	0	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	55	69	76	Never Married	34	44	60
Female	21	31	37	Married / Cohabitating	23	28	27
				Previously Married	19	28	26
AGE	_	*					
Under 18	7		*	PRIMARY DRUG PROBLEM			
18 to 24	13	17	33	Alcohol	28	44	49
25 to 29	22	22	28	Marijuana / Hashish	16	17	38
30 to 34	7	22	14	Cocaine (total)	0		*
35 to 39	8	7	6	- Crack	0	*	
40 to 44	5	8	13	Stimulant (total)	9	14	15
45 to 54	12	18	15	- Methamphetamine	9	14	15
55 and Over	*	*	*	Heroin	*	*	0
RACE / ETHNICITY				Analgesic except Heroin	16	19	8
Caucasian	74	100	109	- Non-Prescription Methadone	0	0	0
African American	0	0	*	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	0	0	*	Tranquilizer	*	*	*
Asian / Pacific Islander	0	0	0	Inhalant	0	0	0
Hispanic	*	0	0	Sedative	0	0	0
Other Race / Two or More Races	*	0	*	Other Medication or Illicit Drug	*	0	0
Calci Mass / Two St Moto Mass		O		Average Age at First Use of Drug	17.0	17.2	16.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	32	46	52	Any Injection Use at Admission	14	22	12
High School Graduate or G.E.D.	34	44	47	- Daily Injection Use	*	8	*
Associate Degree or Some College	8	8	14	- Weekly Injection Use	5	5	*
Bachelor or Advanced Degree	*	*	0	- Less than Weekly Injection Use	6	9	6
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	12	10	12	Self / Family / Friend	19	18	26
Unemployed	39	53	71	School	0	0	*
Not in Labor Force	25	37	30	Mental Health Provider	*	*	*
				Health Care Provider	5	*	*
LIVING ARRANGEMENT				Court / Criminal Justice	49	70	80
Independent Living	62	93	105	Other Referral Source	*	7	*
Dependent Living	11	5	5				
Homeless	*	*	*	SPECIAL POPULATIONS	_	*	
				Pregnant when Admitted to any Episode	0	*	*
LIFETIME DUI / DWI ARRESTS			- .	Military Veteran			0
0	47	57	74	Special Education Services Needed	7	6	24
1 or 2	19	28	25	Co-Occurring Psychological Problem	23	42	39
3 or More	10	15	14	Co-Occurring Developmental Problem	0	0	*

WRIGHT COUNTY



ADA/CPS REGION Southeast CPS SERVICE AREA **CENSUS 2010** 18,815 2011 POP. ESTIMATE 18,716

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder **Anxiety Disorder** 56 53 53 Dementia 0 0 **Developmental Disorder** Impulse Control Disorder 15 12 **Mood Disorder** 141 129 132 Personality Disorder 6 5 **Psychotic Disorder** 22 17 21 Sexual Disorder 0 0 0 Other Diagnosis 9 6 Diagnosis Unknown

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	203	200	210	Hearing Impaired	5	*	*
Male	88	91	94	Past or Current Military Service	8	*	6
Female	115	109	116	•	-		
				HOUSING / LIVING ARRANGEMENT	00	00	00
AGE				Independent Living	83	29	39
Under 6	0	0	*	Dependent Living	*	8	6
6 to 9	*	*	*	Homeless		0	•
10 to 13	9	7	7	Other	0		
14 to 17	11	9	9	Housing Unknown	118	162	163
18 to 24	25	28	31	EMPLOYMENT			
25 to 29	25	22	26	Employed	*	0	5
30 to 34	15	28	24	Unemployed	78	28	33
35 to 39	19	16	16	Not in Labor Force	*	*	*
40 to 44	23	21	26	Employment Status Unknown	118	170	169
45 to 49	33	27	29				
50 to 54	21	24	24	ARRESTS	_		_
55 to 59	11	11	11	Arrested in Past 12 Months	7	*	5
60 and Over	9	*	*	Not Arrested in Past 12 Months	78	33	42
				Arrest Status Unknown	118	163	163
RACE / ETHNICITY				TREATMENT REFERRAL COURSE			
Caucasian	198	196	202	TREATMENT REFERRAL SOURCE	0.4	07	0.5
African American	*	*	*	Self / Family / Friend	84	97	95
Native American / Alaskan	0	0	0	School Martin Haalth Bravidas	0	0	0
Asian / Pacific Islander	0	0	0	Mental Health Provider	19	25	39
Hispanic	*	*	*	Health Care Provider	77	52	40
Other Race	*	*	*	Court / Criminal Justice	10	13	16
Race/Ethnicity Unknown	0	0	0	Other	13	12	20
				Referral Source Unknown	0	•	0
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	24	11	20	Voluntary	201	196	209
High School Grad or G.E.D.	46	14	14	Civil	*	*	*
A.A. Degree or Some College	12	*	5	Criminal	0	0	0
Bachelor or Advanced Degree	*	0	*	Sexual Predatory	0	0	0
Education Level Unknown	118	171	170	Commitment Type Unknown	0	*	0

19

WRIGHT COUNTY

2012 MISSOURI STUDENT SURVEY

DEPRESSION Percent of students who, in the past 30 days:		(%)		UICIDE Percent (of studeni	's who. in	the past	12 months	·	(%
Were very sad		21.7				ered atter	-			12.
Were grouchy, irritable, or in a bad mood			6		_			attempt su	ılcide	10.
Felt hopeless about the future			ļ.		•		- ,			5.
Felt like not eating or eating more than usual		15.7		Attempted suicide Had a suicide attempt that resulted in injury or overdose that had to					r overdose that had to	1.
Slept a lot more or a lot less than usual		17.3				doctor or		, ,	ovoracco marriagito	
Had difficulty concentrating on school work		24.0			•					
Tidd difficulty correctificating on school work				EBELLIC	OUSNES.	s				
FIGHTING						's who agi				
Percent of students who, in the past 12 months:				They ig	nore rule	s that get	in their w	ay		21.
Were in a physical fight		20.2	2	They d	o the opp	osite of w	hat they'r	e told to m	ake people mad	11.
Were in a fight and had to be treated by a doctor or nurse		1.9)	It is oka	y to take	somethin	g without	permissio	n	5.
Were threatened or injured with a weapon on school propert	ty	5.7	,	Someti	mes it is o	kay to ch	eat at sch	nool		24.
				It is oka	y to beat	up peopl	e if they s	tart a fight		46.
BULLYING VICTIM										
Percent of students who, in the past 3 months:		00.0		CHOOL						
Were shoved, slapped, hit, or kicked in a serious manner		29.3				_		he followin	-	74
Were victims of mean rumors or lies spread at school		50.0						tudent's g		71.
Had embarrassing or hurtful pictures/text of them posted on		11.5			-		-	-	ve student performance	44.
Had embarrassing or hurtful pictures/text of them sent by ce	II phone	15.7			•	student fo	or hard w	ork		57.
Were made fun of by others		58.8	3		ire enforc	•				65.
BULLYING PERPRETRATOR				Studen	ts of all ra	ices and e	ethnicities	are treate	ed equally	82.
Percent of students who, in the past 3 months:			م	ARENT	PEI ATIC	MS				
Shoved, slapped, hit, or kicked a student in a serious manne	er	22.4					ree with t	he followin	a:	
Spread mean rumors or lies about other kids at school		23.0		Percent of students who agree with the following: Parents notice and comment on student's good work						
Posted on internet embarrassing or hurtful pictures/text of so	omeone	9.3	Parents involve student in making family decisions							83. 71.
Sent by cell phone embarrassing or hurtful pictures/text of some		9.6							88.	
Made fun of other people		57.2					-	_	onal problem	78.
								и роло		
SUBSTANCE USE AND BELIEFS										
Regarding the substances listed below, percent of students:	≤	≤	≢ ≦	≤	≢ ≦	≢ ≦	≤	§ ≤	∄ S. A	
	<u> </u>	5	Whose closest frier the past 12 months	S 01	Who believe they r themselves if they	no s	5	돌	Among st used sub: first used	
	ave	ave	St 1:	ay ii	elie	se ay	<u>₩</u>	B Ì	ed ubs	
	eve	use l	ses m	₩	s if	are	W	äid	ider	
	, E	<u>ă</u>		둡	E E	nts	튭	E Si	its v	
	ĕ	₹	s ad	0		5		ا ⇔ ك	≥ ≤	
	Sub	10		e	동동	9	8	- ਰੂ ਦੁ	<u> </u>	
		麔	S 2	e easy	risk hai use	ould o	be wro	neir ne	no hav verage	
	star	past 3	s have	e easy to	lsk harmir use	ould disa	be wrong t	neir neighi police fo	no have e	
	Who have ever used substance	past 30 da	Whose closest friends have used the past 12 months	Who say it would be easy to get	Who believe they risk harming themselves if they use	ould disappro	be wrong to us	neir neighbort police for us	Among students who have ever used substance, average age whether the substance is the substance of the subst	
	stance	Who have used in the past 30 days	s have used in	e easy to get	isk harming use	ould disapprove i	Who feel it would be wrong to use	neir neighborhood police for using	no have ever	
Cigarettes			P.			Who say parents would disapprove if they use		Who think kids in their neighborhood would be caught by police for using	nen .	
Cigarettes Chewing Tobacco	22.3	9.3	s have used in 37.8	e easy to get	lsk harming 78.3	rould disapprove if 92.6	be wrong to use	police for using	no have ever rerage age when 12.36	
Chewing Tobacco	22.3 21.0	9.3 10.9	37.8	47.1	78.3	92.6	85.5	22.7	12.36	
Chewing Tobacco Alcohol	22.3	9.3 10.9 8.6	P.						nen .	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days)	22.3 21.0 30.4	9.3 10.9 8.6 4.2	37.8 43.3	47.1 42.1	78.3 75.1	92.6 84.7	85.5 71.2	22.7 31.5	12.36 12.71	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana	22.3 21.0 30.4	9.3 10.9 8.6 4.2 2.6	37.8	47.1	78.3	92.6	85.5	22.7	12.36 12.71 13.63	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants	22.3 21.0 30.4	9.3 10.9 8.6 4.2	37.8 43.3 19.4	47.1 42.1 20.8	78.3 75.1 81.0	92.6 84.7 96.1	85.5 71.2 89.0	22.7 31.5 49.7	12.36 12.71	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs	22.3 21.0 30.4 8.0 5.4	9.3 10.9 8.6 4.2 2.6 1.3	37.8 43.3	47.1 42.1 20.8 10.0	78.3 75.1 81.0 93.3	92.6 84.7 96.1 98.7	85.5 71.2 89.0 97.4	22.7 31.5	12.36 12.71 13.63	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use	22.3 21.0 30.4 8.0 5.4	9.3 10.9 8.6 4.2 2.6 1.3	37.8 43.3 19.4	47.1 42.1 20.8 10.0 44.4	78.3 75.1 81.0 93.3 81.7	92.6 84.7 96.1 98.7 97.1	85.5 71.2 89.0 97.4 91.7	22.7 31.5 49.7	12.36 12.71 13.63	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student	22.3 21.0 30.4 8.0 5.4 4.8 8.0	9.3 10.9 8.6 4.2 2.6 1.3	37.8 43.3 19.4	47.1 42.1 20.8 10.0	78.3 75.1 81.0 93.3	92.6 84.7 96.1 98.7	85.5 71.2 89.0 97.4	22.7 31.5 49.7	12.36 12.71 13.63	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin	22.3 21.0 30.4 8.0 5.4 4.8 8.0 0.6	9.3 10.9 8.6 4.2 2.6 1.3	37.8 43.3 19.4	47.1 42.1 20.8 10.0 44.4	78.3 75.1 81.0 93.3 81.7	92.6 84.7 96.1 98.7 97.1	85.5 71.2 89.0 97.4 91.7	22.7 31.5 49.7	12.36 12.71 13.63	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine	22.3 21.0 30.4 8.0 5.4 4.8 8.0 0.6 0.6	9.3 10.9 8.6 4.2 2.6 1.3	37.8 43.3 19.4	47.1 42.1 20.8 10.0 44.4	78.3 75.1 81.0 93.3 81.7	92.6 84.7 96.1 98.7 97.1	85.5 71.2 89.0 97.4 91.7	22.7 31.5 49.7	12.36 12.71 13.63	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine	22.3 21.0 30.4 8.0 5.4 4.8 8.0 0.6 0.6	9.3 10.9 8.6 4.2 2.6 1.3	37.8 43.3 19.4	47.1 42.1 20.8 10.0 44.4	78.3 75.1 81.0 93.3 81.7	92.6 84.7 96.1 98.7 97.1	85.5 71.2 89.0 97.4 91.7	22.7 31.5 49.7	12.36 12.71 13.63	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	22.3 21.0 30.4 8.0 5.4 4.8 8.0 0.6 0.6 0.6	9.3 10.9 8.6 4.2 2.6 1.3	37.8 43.3 19.4	47.1 42.1 20.8 10.0 44.4	78.3 75.1 81.0 93.3 81.7	92.6 84.7 96.1 98.7 97.1	85.5 71.2 89.0 97.4 91.7	22.7 31.5 49.7	12.36 12.71 13.63	
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens Club drugs such as ecstasy, GHB, roofie, or Special K	22.3 21.0 30.4 8.0 5.4 4.8 8.0 0.6 0.6 0.6 1.0	9.3 10.9 8.6 4.2 2.6 1.3 3.2 3.2	37.8 43.3 19.4 8.0	47.1 42.1 20.8 10.0 44.4 27.5	78.3 75.1 81.0 93.3 81.7 86.3	92.6 84.7 96.1 98.7 97.1 95.2	85.5 71.2 89.0 97.4 91.7 92.9	22.7 31.5 49.7 45.0	12.36 12.71 13.63 11.91	I/A
Chewing Tobacco Alcohol Binge Alcohol (5+ drinks on one occasion in past 30 days) Marijuana Inhalants Illicit drugs such as cocaine, LSD, meth, club drugs Over-the-counter medications for non-medical use Prescription drugs not prescribed for student Heroin Cocaine Methamphetamine Hallucinogens	22.3 21.0 30.4 8.0 5.4 4.8 8.0 0.6 0.6 0.6	9.3 10.9 8.6 4.2 2.6 1.3 3.2 3.2	37.8 43.3 19.4 8.0	47.1 42.1 20.8 10.0 44.4 27.5	78.3 75.1 81.0 93.3 81.7 86.3	92.6 84.7 96.1 98.7 97.1 95.2	85.5 71.2 89.0 97.4 91.7 92.9	22.7 31.5 49.7 45.0	12.36 12.71 13.63	14

Percentages on some items are based on combined answer choices.

Data from the 2012 survey are not publicly available for the counties of Knox, McDonald, Maries, Ralls, Sainte Genevieve, Schuyler, Shelby and Worth, and the city of Saint Louis.

Data source:


Steroids not prescribed for student

Missouri Institute of Mental Health. 2012 Missouri Student Survey.

SAINT LOUIS CITY



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Eastern SL 510 319,294 318,069



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	4,843	5,121	5,419
Mother Reported Drinking while Pregnant ¹		31	28
Mother Reported Smoking while Pregnant	750	651	748
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	146	127	148
IDU and MSM ²	*	*	3
IDU without MSM ²	*	*	3
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	3,046	3,081	3,286
Suicides	40	49	35
Self-inflicted Injuries	40 457	388	417
Homicides	106	122	126
Assault Injuries			_
Assault injuries Alcohol Induced Deaths	3,100	3,218	3,297
	36	47	32
Drug Induced Deaths	77	77	74
Smoking Induced Deaths	492	480	518
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	6,392	5,822	6,001
Direct Hospitalizations	1,368	1,515	1,490
Emergency Room Hospitalizations	1,933	1,753	1,530
Emergency Room Outpatient	3,091	2,554	2,981
Drug RelatedTotal	7,493	6,022	5,814
Direct Hospitalizations	1,995	2,051	1,896
Emergency Room Hospitalizations	2,117	1,827	1,814
Emergency Room Outpatient	3,381	2,144	2,104
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	193	181	149
Fatal Crashes	7	2	2
Injury Crashes	63	71	59
Property Damage Crashes	123	108	88
Crash Fatalities	8	1	2
Crash Injuries	129	61	47
Drug Involved CrashesTotal	16	12	12
Fatal Crashes	3	0	0
Injury Crashes	7	6	7
Property Damage Crashes	6	6	5
Crash Fatalities	3	0	0
Crash Injuries	13	5	7
ENDLOVATAL	2011	2010	2000
EMPLOYMENT	2011	2010	2009
Labor Force Employed	145,563	158,404	158,061
	128,482	138,966	139,571
Unemployed	17,081	19,438	18,490
Unemployment Rate	11.7%	12.3%	11.7%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	766	770	885
Alcohol Package Carry-out Licenses	172	184	192

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	9,428	9,790	10,261
Drop-outs	1,871	1,629	2,551
Drop-out Rate	19.8%	16.6%	24.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	9	1	0
Drug Incidents	152	145	114
Tobacco Incidents	1	0	2
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	476	644	707
Liquor Law Arrests	307	523	1,017
Drug Arrests	3,046	2,907	3,778
Methamphetamine Lab Incidents	4	8	10
Violent Offenses	6,209	7,356	7,387
Property Offenses	29,737	29,877	33,453
Domestic Violence Reports	2,280	2,623	2,512
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	2,188	2,451	3,075
Violent Offenses	698	756	797
Alcohol Offenses	8	7	3
Drug Offenses	134	121	154
Status OffensesTotal	414	297	358
Truancy	278	191	241
Beyond Parental Control	50	46	40
Habitually Absent from Home	84	60	66
Injurious Behavior	2	0	9
Abuse/Neglect/CustodyTotal	511	472	540
Abuse	68	54	78
Neglect	372	390	429
Custody Disputes	71	28	33
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	235	260	368
Parental Alcohol Use Related	8	3	10
Parental Drug Use Related	60	56	99
Parental Alcohol and Drug Use	1	1	4
Child Removed for Other Reason	166	200	255
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	640	701	749
Probation/Parole AdmissionsTotal	3,309	3,737	4,653
Probation/Parole AdmissionsDrug	1,312	1,561	2,072
Probation/Parole AdmissionsDWI	12	5	1
Prison AdmissionsTotal	1,618	1,666	2,039
Prison AdmissionsDrug	585	619	799
Prison AdmissionsDWI	5	3	2
			-

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

SAINT LOUIS CITY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	193	222	242
CSTAR Women and Children	819	894	916
CSTAR General Adult	933	484	410
CSTAR Opioid	307	179	180
Primary Recovery Detoxification	876	889	829
Primary Recovery Treatment	1,028	1,710	1,699
Clinical SATOP (CIP, YCIP, SROP)	124	157	94
Other Substance Abuse Treatment	498	547	565

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	511	716	651
- Adolescent Diversion Education Program	7	9	17
- Offender Education Program	172	256	272
- Weekend Intervention Program	105	135	133
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	453	334	185
- Compulsive Gambling	9	13	23
- Recovery Supports	225	1,622	1,606
- Early Intervention	34	37	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	2,467	2,790	2,675	Never Married	2,662	2,965	2,928
Female	1.181	1,247	1,325	Married / Cohabitating	521	553	562
	.,	-,	.,	Previously Married	465	520	508
AGE							
Under 18	191	234	252	PRIMARY DRUG PROBLEM			
18 to 24	423	578	565	Alcohol	816	976	907
25 to 29	587	659	664	Marijuana / Hashish	938	1,187	1,154
30 to 34	569	550	491	Cocaine (total)	630	710	864
35 to 39	456	444	482	- Crack	553	642	762
40 to 44	416	461	501	Stimulant (total)	33	36	52
45 to 54	762	879	851	- Methamphetamine	29	32	45
55 and Over	244	233	195	Heroin	1,115	1,020	887
RACE / ETHNICITY				Analgesic except Heroin	77	67	93
Caucasian	929	1,008	955	- Non-Prescription Methadone	5	*	5
African American	2,608	2,917	2,928	PCP, LSD, other Hallucinogen	28	29	27
Native American / Alaskan	*	*	7	Tranquilizer	7	7	14
Asian / Pacific Islander	6	*	*	Inhalant	0	*	0
Hispanic	32	44	39	Sedative	*	*	*
Other Race / Two or More Races	84	87	85	Other Medication or Illicit Drug			*
				Average Age at First Use of Drug	20.0	19.1	19.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	1,709	1,851	1,869	Any Injection Use at Admission	529	495	419
High School Graduate or G.E.D.	1,420	1,590	1,546	- Daily Injection Use	319	275	258
Associate Degree or Some College	490	544	533	- Weekly Injection Use	87	97	57
Bachelor or Advanced Degree	29	53	53	- Less than Weekly Injection Use	123	123	104
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	480	578	536	Self / Family / Friend	1,366	1,354	1,379
Unemployed	1,507	1,740	1,699	School	5	*	16
Not in Labor Force	1,661	1,720	1,766	Mental Health Provider	41	40	51
				Health Care Provider	115	140	89
LIVING ARRANGEMENT				Court / Criminal Justice	1,800	2,175	2,135
Independent Living	2,358	2,721	2,738	Other Referral Source	320	325	331
Dependent Living	628	748	767	CDECIAL DODINATIONS			
Homeless	492	384	351	SPECIAL POPULATIONS Prognant when Admitted to any Enjage	404	0.4	00
LIEETIME DUI / DWI ADDESTS				Pregnant when Admitted to any Episode	121	94	92
LIFETIME DUI / DWI ARRESTS 0	2 4 4 2	2 226	2 400	Military Veteran	139	134	88
1 or 2	3,143	3,336	3,409	Special Education Services Needed	327	346	313
3 or More	376	552	431	Co-Occurring Psychological Problem	887	974	999
3 UI MUTE	129	150	161	Co-Occurring Developmental Problem	131	150	129

SAINT LOUIS CITY



ADA/CPS REGION Eastern
CPS SERVICE AREA 24-25
CENSUS 2010 319,294
2011 POP. ESTIMATE 318,069

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 123 167 88 **Anxiety Disorder** 650 614 644 Dementia 27 21 19 **Developmental Disorder** 57 49 49 Impulse Control Disorder 548 458 478 **Mood Disorder** 2,852 2,832 2,669 Personality Disorder 711 865 898 **Psychotic Disorder** 2,424 2,341 2,132

13

288

664

16

378

1,647

12

428

2,928

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis


Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	6,228	7,117	8,112	Hearing Impaired	137	145	152
Male	3,218	3,683	4,193	Past or Current Military Service	192	231	267
Female	3,010	3,434	3,919	•	.02		_0.
	0,0.0	0, 10 1	0,0.0	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	1,593	777	788
Under 6	15	12	6	Dependent Living	296	255	181
6 to 9	161	115	178	Homeless	107	104	105
10 to 13	223	253	329	Other	58	52	57
14 to 17	294	326	561	Housing Unknown	4,174	5,929	6,981
18 to 24	474	696	796	EMPLOYMENT			
25 to 29	443	616	658	Employed	230	130	162
30 to 34	512	562	631	Unemployed	1,786	911	871
35 to 39	490	634	673	Not in Labor Force	36	41	55
40 to 44	586	729	887	Employment Status Unknown	4,176	6,035	7,024
45 to 49	869	1,006	1,100		•	•	•
50 to 54	921	968	1,039	ARRESTS			
55 to 59	690	660	647	Arrested in Past 12 Months	257	208	165
60 and Over	550	540	607	Not Arrested in Past 12 Months	1,784	978	966
				Arrest Status Unknown	4,187	5,931	6,981
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	1,600	1,808	1,946	Self / Family / Friend	2,474	2,993	3,532
African American	4,370	5,048	5,875	School	2,474	2,993	3,332 76
Native American / Alaskan	*	*	5	Mental Health Provider	976	1,050	1,224
Asian / Pacific Islander	26	27	24	Health Care Provider	517	502	523
Hispanic	42	46	56	Court / Criminal Justice	550	766	871
Other Race	185	181	203	Other	1,667	1,736	1,779
Race/Ethnicity Unknown	*	*	*	Referral Source Unknown	23	30	1,779
				Rolonal Coulce Children	25	30	107
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	825	421	434	Voluntary	5,896	6,590	7,501
High School Grad or G.E.D.	721	375	358	Civil	78	220	255
A.A. Degree or Some College	344	216	219	Criminal	227	274	247
Bachelor or Advanced Degree	125	62	74	Sexual Predatory	6	*	*
Education Level Unknown	4,213	6,043	7,027	Commitment Type Unknown	21	30	108

ADA/CPS NORTHWEST REGION



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 1, JC, 6, 7, 13 Not Applicable 1,457,879 1,465,362



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	19,953	20,744	20,883
Mother Reported Drinking while Pregnant ¹		84	91
Mother Reported Smoking while Pregnant	3,423	3,069	3,338
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	170	175	201
IDU and MSM ²	*	*	5
IDU without MSM ²	*	*	3
	2040	2000	2008
DEATHS and INJURIES Resident DeathsTotal	2010	2009 12,520	
Suicides	12,695		13,167
Self-inflicted Injuries	227	211	222
Homicides	2,247	2,097	2,384 154
Assault Injuries	145	129 7,215	_
Alcohol Induced Deaths	6,799 122	109	7,466 122
Drug Induced Deaths	198		172
Smoking Induced Deaths		197	2,339
Smoking induced Deaths	2,194	2,214	2,339
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	21,471	19,001	19,126
Direct Hospitalizations	5,832	3,506	3,387
Emergency Room Hospitalizations	5,153	6,012	5,849
Emergency Room Outpatient	10,486	9,483	9,890
Drug RelatedTotal	16,944	12,995	13,074
Direct Hospitalizations	6,362	3,772	3,848
Emergency Room Hospitalizations	4,000	4,674	4,591
Emergency Room Outpatient	6,582	4,549	4,635
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	1,494	1,631	1,669
Fatal Crashes	33	58	55
Injury Crashes	619	703	721
Property Damage Crashes	842	870	893
Crash Fatalities	34	57	57
Crash Injuries	882	811	827
Drug Involved CrashesTotal	283	324	246
Fatal Crashes	6	12	4
Injury Crashes	130	162	112
Property Damage Crashes	147	150	130
Crash Fatalities	7	11	3
Crash Injuries	187	166	132
EMPLOYMENT	2011	2010	2009
Labor Force	755,544	744,864	746,148
Employed	689,909	671,159	676,923
Unemployed	65,635	73,705	69,225
Unemployment Rate	8.7%	9.9%	9.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	1,593	1,564	1,722
Alcohol Package Carry-out Licenses	1,111	1,063	1,103

■ Female ■ Male					
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009		
Enrollment Grades 9-12	67,616	69,226	70,296		
Drop-outs	2,345	2,258	2,461		
Drop-out Rate	3.5%	3.3%	3.5%		
School Suspensions, 10 or More Days					
Alcohol Incidents	102	91	111		
Drug Incidents	706	678	475		
Tobacco Incidents	15	12	14		
POLICE REPORTS	2010	2009	2008		
DUI Arrests, DWI Tracking System	7,790	7,592	8,963		
Liquor Law Arrests	2,802	3,359	4,026		
Drug Arrests	7,591	10,150	10,827		
Methamphetamine Lab Incidents	43	56	45		
Violent Offenses	7,961	9,042	9,092		
Property Offenses	58,078	56,001	61,936		
Domestic Violence Reports	12,156	7,664	6,372		
JUVENILE COURT REFERRALS	2010	2009	2008		
Law Violation OffensesTotal	4,436	5,129	6,032		
Violent Offenses	1,310	1,452	1,456		
Alcohol Offenses	199	191	269		
Drug Offenses	371	433	511		
Status OffensesTotal	1,887	1,742	1,918		
Truancy	528	463	539		
Beyond Parental Control	491	470	501		
Habitually Absent from Home	371	357	395		
Injurious Behavior	456	429	451		
Abuse/Neglect/CustodyTotal	2,838	2,478	2,022		
Abuse	405	206	214		
Neglect	1,883	1,954	1,584		
Custody Disputes	550	318	224		
JUVENILE COURT PLACEMENTS	2010	2009	2008		
Out-of-Home PlacementsTotal	1,541	1,254	1,083		
Parental Alcohol Use Related	53	56	38		
Parental Drug Use Related	417	304	297		
Parental Alcohol and Drug Use	58	39	37		
Child Removed for Other Reason	1,013	855	711		
CRIMINAL JUSTICE	FY2011	FY2010	FY2009		
Drug Court Participants	1,373	1,301	1,654		
Probation/Parole AdmissionsTotal	7,466	7,619	8,587		
Probation/Parole AdmissionsDrug	2,421	2,576	3,118		
Probation/Parole AdmissionsDWI	511	487	522		
Prison AdmissionsTotal	4,067	4,061	4,188		
Prison AdmissionsDrug	1,186	1,152	1,294		
Prison AdmissionsDWI	337	287	333		

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

ADA NORTHWEST REGION

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	573	601	613
CSTAR Women and Children	817	803	902
CSTAR General Adult	3,465	1,529	856
CSTAR Opioid	99	74	138
Primary Recovery Detoxification	1,884	2,055	2,100
Primary Recovery Treatment	1,797	4,645	5,007
Clinical SATOP (CIP, YCIP, SROP)	844	914	983
Other Substance Abuse Treatment	525	505	842

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	5,701	6,860	7,655
- Adolescent Diversion Education Program	133	184	213
- Offender Education Program	2,350	2,859	3,391
- Weekend Intervention Program	1,405	1,837	2,212
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	313	357	416
- Compulsive Gambling	69	80	70
- Recovery Supports	1,557	3,401	2,697
- Early Intervention	313	51	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	6,042	6,584	6,704	Never Married	5,165	5,431	5,559
Female	2,723	2,679	2,782	Married / Cohabitating	1,705	1,814	1,803
	2,120	2,010	2,702	Previously Married	1,895	2,016	2,103
AGE					1,000	2,010	2,100
Under 18	593	610	621	PRIMARY DRUG PROBLEM			
18 to 24	1,489	1,602	1,660	Alcohol	3,706	3,974	3,997
25 to 29	1,368	1,496	1,540	Marijuana / Hashish	2,262	2,465	2,384
30 to 34	1,185	1,201	1,154	Cocaine (total)	822	988	1,229
35 to 39	1,024	1,125	1,144	- Crack	643	784	960
40 to 44	1,002	1,004	1,124	Stimulant (total)	1,097	1,046	1,058
45 to 54	1,655	1,781	1,853	- Methamphetamine	1,044	1,004	1,023
55 and Over	449	444	391	Heroin	119	112	130
RACE / ETHNICITY				Analgesic except Heroin	408	367	382
Caucasian	5,994	6,398	6,437	- Non-Prescription Methadone	6	8	8
African American	2,269	2,315	2,545	PCP, LSD, other Hallucinogen	224	199	222
Native American / Alaskan	2,209	2,313	2,343	Tranquilizer	71	78	51
Asian / Pacific Islander	23	26	29 27	Inhalant	6	6	5
Hispanic	311	295	303	Sedative	10	17	13
Other Race / Two or More Races	228	267	243	Other Medication or Illicit Drug	40	11	16
Other Race / Two of More Races	220	201	243	Average Age at First Use of Drug	17.4	17.3	17.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	2,884	3,118	3,322	Any Injection Use at Admission	549	541	552
High School Graduate or G.E.D.	3,884	4,283	4,364	- Daily Injection Use	141	123	129
Associate Degree or Some College	1,830	1,681	1,617	- Weekly Injection Use	149	131	131
Bachelor or Advanced Degree	167	181	184	- Less than Weekly Injection Use	259	286	292
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	2,190	2,209	2,423	Self / Family / Friend	2,896	2,970	3,200
Unemployed	3,986	4,184	4,147	School	36	45	52
Not in Labor Force	2,589	2,869	2,916	Mental Health Provider	252	214	191
				Health Care Provider	420	366	305
LIVING ARRANGEMENT				Court / Criminal Justice	4,426	4,897	4,944
Independent Living	6,386	6,706	6,696	Other Referral Source	733	757	792
Dependent Living	1,326	1,422	1,440	SPECIAL POPULATIONS			
Homeless	830	894	1,009	Pregnant when Admitted to any Episode	112	124	128
LIFETIME DUI / DWI ARRESTS				Military Veteran	469	490	446
0	5,129	5,337	5,463	Special Education Services Needed	451	479	536
1 or 2	2,139	2,196	2,250	Co-Occurring Psychological Problem	3,009	3,148	3,080
3 or More	1,497	1,730	1,774	Co-Occurring Developmental Problem	239	283	287
	.,	.,. 50	.,		_50	_50	

ADA/CPS NORTHWEST REGION



ADA/CPS REGION Northwest

CPS SERVICE AREA 1, 2-5, 6, 7, 13

CENSUS 2010 1,457,879

2011 POP. ESTIMATE 1,465,362

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
Adjustment Disorder	905	932	807
Anxiety Disorder	4,995	4,726	3,820
Dementia	42	55	51
Developmental Disorder	159	168	137
Impulse Control Disorder	3,076	2,977	2,543
Mood Disorder	10,749	10,356	9,297
Personality Disorder	763	777	855
Psychotic Disorder	3,736	3,480	3,269
Sexual Disorder	19	22	19
Other Diagnosis	1,392	1,345	1,252
Diagnosis Unknown	3,817	7,244	8,614

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	21,713	24,656	23,709	Hearing Impaired	456	491	465
Male	10,470	11,965	11,636	Past or Current Military Service	485	560	610
Female	11,243	12,691	12,073	•	.00		0.0
	,	,00.	,	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	3,659	2,843	1,610
Under 6	291	387	237	Dependent Living	564	1,189	399
6 to 9	1,314	1,431	1,213	Homeless	178	200	166
10 to 13	1,652	1,728	1,573	Other	206	396	194
14 to 17	1,865	2,026	2,039	Housing Unknown	17,106	20,028	21,340
18 to 24	1,860	2,409	2,226	EMPLOYMENT			
25 to 29	1,734	2,219	2,216	Employed	481	500	332
30 to 34	1,903	2,140	2,046	Unemployed	3,957	3,075	1,753
35 to 39	1,803	2,167	2,124	Not in Labor Force	165	156	72
40 to 44	1,959	2,243	2,255	Employment Status Unknown	17,110	20,925	21,552
45 to 49	2,295	2,718	2,754		,	*	•
50 to 54	2,222	2,317	2,308	ARRESTS			
55 to 59	1,498	1,520	1,413	Arrested in Past 12 Months	659	918	498
60 and Over	1,317	1,351	1,305	Not Arrested in Past 12 Months	3,934	3,710	1,871
	,	•	,	Arrest Status Unknown	17,120	20,028	21,340
RACE / ETHNICITY				TOTATMENT DEFENDAL COURCE			
Caucasian	13,919	15,585	14,532	TREATMENT REFERRAL SOURCE	40.070	40.470	40 474
African American	5,887	7,062	7,185	Self / Family / Friend	10,972	12,473	12,474
Native American / Alaskan	107	108	79	School	347	395	412
Asian / Pacific Islander	72	73	75	Mental Health Provider Health Care Provider	2,448	2,640	2,438
Hispanic	547	629	637	Court / Criminal Justice	2,473	2,661	2,263
Other Race	1,176	1,193	1,196	Other	1,264	1,727	1,970
Race/Ethnicity Unknown	5	6	5	Referral Source Unknown	4,121	4,630	3,933
				Referral Source Offknown	88	130	219
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	1,432	1,207	754	Voluntary	21,255	24,179	22,873
High School Grad or G.E.D.	2,111	1,638	912	Civil	123	125	402
A.A. Degree or Some College	799	678	336	Criminal	251	244	250
Bachelor or Advanced Degree	236	177	115	Sexual Predatory	15	12	*
Education Level Unknown	17,135	20,956	21,592	Commitment Type Unknown	69	96	180

ADA/CPS CENTRAL REGION



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Central 11, 12, 14, 15 Not Applicable 807,835 811,606

2	011 POPULATION PROFILE BY AGE GROUP
	40,000
	30,000
	20,000
	10,000
	9 3 4 4 4 4 4 4 4 4 8 4 8 8 4 4 4 4 8 4
	■ Female ■ Male

BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	10,055	10,227	10,538
Mother Reported Drinking while Pregnant 1	10,055	,	10,336
Mother Reported Smoking while Pregnant	0.040	55	-
Mother Reported Smoking while Pregnant	2,210	2,213	2,340
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	27	21	25
IDU and MSM ²	*	*	2
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	7,133	6,966	7.372
Suicides	7,133	103	83
Self-inflicted Injuries	947	916	972
Homicides	947 27	26	28
Assault Injuries		_	2,697
Alcohol Induced Deaths	2,507	2,502 47	,
	45 110		41 87
Drug Induced Deaths Smoking Induced Deaths		93	-
Smoking induced Deaths	1,287	1,230	1,336
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	6,996	6,357	6,178
Direct Hospitalizations	1,924	1,638	1,558
Emergency Room Hospitalizations	2,177	2,259	2,218
Emergency Room Outpatient	2,895	2,460	2,402
Drug RelatedTotal	5,613	4,478	4,095
Direct Hospitalizations	1,716	1,387	1,385
Emergency Room Hospitalizations	1,631	1,408	1,209
Emergency Room Outpatient	2,266	1,683	1,501
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	919	1,017	1,061
Fatal Crashes	36	38	41
Injury Crashes	382	430	448
Property Damage Crashes	501	549	572
Crash Fatalities	38	39	41
Crash Injuries	537	516	565
Drug Involved CrashesTotal	132	133	128
Fatal Crashes	5	5	5
Injury Crashes	53	60	64
Property Damage Crashes	74	68	59
Crash Fatalities	5	6	4
Crash Injuries	87	69	69
•			
EMPLOYMENT	2011	2010	2009
Labor Force	405,661	403,047	410,692
Employed	373,975	369,007	376,210
Unemployed	31,686	34,040	34,482
Unemployment Rate	7.8%	8.4%	8.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	1,160	1,151	1,251
Alcohol Package Carry-out Licenses	883	846	911

■ Female	■ Female ■ Male					
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009			
Enrollment Grades 9-12	35,708	36,370	36,633			
Drop-outs	857	928	1,259			
Drop-out Rate	2.4%	2.6%	3.4%			
School Suspensions, 10 or More Days						
Alcohol Incidents	32	42	58			
Drug Incidents	272	273	255			
Tobacco Incidents	19	18	43			
POLICE REPORTS	2010	2009	2008			
DUI Arrests, DWI Tracking System	5,784	5,534	5,781			
Liquor Law Arrests	2,314	2,732	2,470			
Drug Arrests	4,299	3,980	3,967			
Methamphetamine Lab Incidents	280	335	184			
Violent Offenses	2,474	2,408	2,205			
Property Offenses	20,369	19,774	20,720			
Domestic Violence Reports	5,952	5,694	5,238			
JUVENILE COURT REFERRALS	2010	2009	2008			
Law Violation OffensesTotal	4,321	4,942	5,523			
Violent Offenses	1,268	1,458	1,467			
Alcohol Offenses	208	234	274			
Drug Offenses	282	367	326			
Status OffensesTotal	4,374	4,374	4,343			
Truancy	1,037	841	832			
Beyond Parental Control	752	800	936			
Habitually Absent from Home	421	459	511			
Injurious Behavior	2,009	2,025	1,852			
Abuse/Neglect/CustodyTotal	2,425	2,440	2,363			
Abuse	815	870	866			
Neglect	1,539	1,454	1,369			
Custody Disputes	71	116	128			
JUVENILE COURT PLACEMENTS	2010	2009	2008			
Out-of-Home PlacementsTotal	734	730	708			
Parental Alcohol Use Related	31	28	28			
Parental Drug Use Related	164	140	134			
Parental Alcohol and Drug Use	15	27	22			
Child Removed for Other Reason	524	535	524			
CRIMINAL JUSTICE	FY2011	FY2010	FY2009			
Drug Court Participants	743	649	640			
Probation/Parole AdmissionsTotal	5,404	5,563	5,784			
Probation/Parole AdmissionsDrug	1,650	1,639	1,716			
Probation/Parole AdmissionsDWI	474	441	440			
Prison AdmissionsTotal	2,989	2,890	3,131			
Prison AdmissionsDrug	973	927	1,010			
Prison AdmissionsDWI	224	280	258			
* An asterisk in a data cell indicates the co						

^{*} An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

ADA CENTRAL REGION

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	363	345	396
CSTAR Women and Children	577	627	537
CSTAR General Adult	1,796	1,117	930
CSTAR Opioid	7	*	*
Primary Recovery Detoxification	670	694	664
Primary Recovery Treatment	2,330	3,626	4,027
Clinical SATOP (CIP, YCIP, SROP)	674	647	495
Other Substance Abuse Treatment	9	16	174

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	3,859	4,638	4,543
- Adolescent Diversion Education Program	240	330	358
- Offender Education Program	1,479	1,730	1,770
- Weekend Intervention Program	887	1,160	1,270
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	226	219	192
- Compulsive Gambling	12	8	7
- Recovery Supports	255	510	283
- Early Intervention	174	88	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	3,795	4,352	4,547	Never Married	3,049	3,324	3,545
Female	1,632	1,697	1,748	Married / Cohabitating	1,238	1,348	1,364
	,	,	, -	Previously Married	1,140	1,373	1,386
AGE					•	•	•
Under 18	371	357	421	PRIMARY DRUG PROBLEM	0.444	0.000	0.075
18 to 24	1,158	1,301	1,427	Alcohol	2,441	2,808	2,975
25 to 29	980	1,128	1,140	Marijuana / Hashish	1,541	1,799	1,951
30 to 34	825	850	793	Cocaine (total)	338	403	459
35 to 39	550	668	685	- Crack	176	221	255
40 to 44	466	583	656	Stimulant (total)	540	533	448
45 to 54	854	945	976	- Methamphetamine	517	508	434
55 and Over	223	217	197	Heroin	169	131	98
RACE / ETHNICITY				Analgesic except Heroin	283	281	237
Caucasian	4,434	4,907	5,088	- Non-Prescription Methadone			*
African American	744	898	956	PCP, LSD, other Hallucinogen	31	24	23
Native American / Alaskan	13	15	17	Tranquilizer	51	43	46
Asian / Pacific Islander	12	14	17	Inhalant	7	11	7
Hispanic	105	105	116	Sedative	8	*	8
Other Race / Two or More Races	156	160	151	Other Medication or Illicit Drug	18	15	43
				Average Age at First Use of Drug	16.9	16.8	16.5
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	1,862	2,018	2,140	Any Injection Use at Admission	420	431	329
High School Graduate or G.E.D.	2,479	2,837	2,945	- Daily Injection Use	112	95	73
Associate Degree or Some College	971	1,052	1,090	- Weekly Injection Use	110	114	71
Bachelor or Advanced Degree	115	142	120	- Less than Weekly Injection Use	198	222	185
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	1,757	2,035	2,256	Self / Family / Friend	1,461	1,351	1,363
Unemployed	2,047	2,415	2,256	School	10	9	15
Not in Labor Force	1,623	1,599	1,781	Mental Health Provider	55	91	125
				Health Care Provider	140	151	147
LIVING ARRANGEMENT				Court / Criminal Justice	3,343	4,095	4,182
Independent Living	4,501	5,098	5,250	Other Referral Source	416	349	460
Dependent Living	636	682	757	005044 00044 474040			
Homeless	166	141	162	SPECIAL POPULATIONS	00	74	00
LIFETIME DULL / DIAM ADDECTO				Pregnant when Admitted to any Episode	69	71	82
LIFETIME DUI / DWI ARRESTS	0.044	0.405	2.205	Military Veteran	222	282	262
0	2,844	3,165	3,305	Special Education Services Needed	519	640	622
1 or 2	1,708	1,848	1,892	Co-Occurring Psychological Problem	1,749	2,237	2,086
3 or More	875	1,036	1,098	Co-Occurring Developmental Problem	238	289	294

ADA/CPS CENTRAL REGION



ADA/CPS REGION Central CPS SERVICE AREA 11, 12, 14, 15 CENSUS 2010 807,835 **2011 POP. ESTIMATE** 811,606

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

Individuals who received CPS services had the following types of

DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
Adjustment Disorder	241	187	484
Anxiety Disorder	2,320	1,981	1,784
Dementia	32	36	59
Developmental Disorder	57	65	76
Impulse Control Disorder	1,188	1,006	1,088
Mood Disorder	5,000	4,641	4,976
Personality Disorder	501	520	739
Psychotic Disorder	1,438	1,375	1,475
Sexual Disorder	13	14	16
Other Diagnosis	493	430	575
Diagnosis Unknown	694	1,017	1,874


The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Total	NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Male		8.627	8.208	9.799		201	193	216
Pemale	Male	•	,	,		_		
HOUSING JUNING ARRANGEMENT AGE FROMENTAL SUMING ARRANGEMENT Under 6 66 55 68 Dependent Living 3,161 1,093 527 6 to 9 400 347 444 Other 80 524 19 10 to 13 678 584 747 Housing Unknown 4,67 5,078 8,000 14 to 17 743 704 978 Housing Unknown 4,67 5,078 8,000 15 to 24 870 824 1,110 EMPLOYMENT Employed 515 3,35 2,47 30 to 34 768 752 855 Employed 515 3,35 2,47 30 to 34 768 754 800 Unemployed 3,134 1,96 1,281 35 to 59 739 724 851 Not in Labor Force 240 184 117 40 to 44 765 752 857 Employment Status Unknown 4,678 5,703 8,154 <th> Female</th> <th>•</th> <th>-</th> <th>-</th> <th>•</th> <th></th> <th></th> <th>000</th>	Female	•	-	-	•			000
Native American Acide		.,000	.,0	.,000				
Under 6 66 55 68 Dependent Living 650 1,093 527 6 to 9 400 347 444 Homeless 60 24 19 10 to 13 678 584 747 Housing Unknown 4,676 5,078 8,000 18 to 24 870 824 1,110 EMPLOYMENT 5 247 26 to 29 763 752 855 Employed 515 335 247 30 to 34 768 734 800 Unemployed 3,194 1,986 1,281 45 to 49 739 724 851 Not in Labor Force 240 184 117 45 to 49 946 951 1,029 Arrest Status Unknown 4,678 5,703 8,154 55 to 59 552 495 559 Arrest of in Past 12 Months 611 466 2,758 4,757 8,585 Arrest Status Unknown 4,331 4,567 5,137 Affican American 7,466 </th <th>AGF</th> <th></th> <th></th> <th></th> <th>•</th> <th>•</th> <th>•</th> <th></th>	AGF				•	•	•	
Boto 9	=	66	55	68	· · · · · · · · · · · · · · · · · · ·	650	•	-
10 to 13	6 to 9							-
14 to 17						80		
18 to 24	14 to 17				Housing Unknown	4,676	5,078	8,000
Part Part	18 to 24	_	-		EMPLOYMENT			
30 to 34 768 734 800 Unemployed 3,194 1,986 1,281 35 to 39 739 724 851 Not in Labor Force 240 184 117 40 to 44 765 752 857 Employment Status Unknown 4,678 5,703 8,154 45 to 49 946 945 756 860 802 756 860 802 756 860 802 755 859 800	25 to 29			,		515	335	247
35 to 39 739 724 851 Not in Labor Force 240 184 117 117 115 155 to 39 36 to 49 346 351 36 to 49 346 351 36 to 49 346 351 36 to 59 352 355 350 3641 36 to 59 355 350 3641 36 to 49 36 to 59 355 350 3641 36 to 49 36 to 59 355 350 3641 36 to 59 355 350 3641 36 to 59	30 to 34							
40 to 44	35 to 39	739	724		Not in Labor Force		-	
Marke Mark	40 to 44	765	752	857	Employment Status Unknown	4,678	5,703	8,154
So to 54	45 to 49	946	951	1,029		•	*	•
S5 to 59	50 to 54	802	756					
RACE / ETHNICITY Caucasian 7,446 7,176 8,558 African American 786 700 840 Native American / Alaskan 19 14 18 Asian / Pacific Islander 20 21 25 Hispanic 114 92 110 Other Race 242 204 245 Race/Ethnicity Unknown 0 * * * * * * * * * * * * * * * * *	55 to 59	552	495	559		_		
RACE / ETHNICITY Caucasian 7,446 7,176 8,558 TREATMENT REFERRAL SOURCE African American 786 700 840 Self / Family / Friend 4,331 4,567 5,137 Native American / Alaskan 19 14 18 Mental Health Provider 851 818 977 Asian / Pacific Islander 20 21 25 Health Care Provider 937 481 797 Hispanic 114 92 110 Court / Criminal Justice 442 481 1,019 Other Race 242 204 245 Other 2,000 1,783 1,761 Race/Ethnicity Unknown 0 * * * TYPE OF COMMITMENT Less than High School Diploma 1,255 829 549 Voluntary 8,432 7,911 8,745 High School Grad or G.E.D. 1,860 1,162 766 Civil 46 142 839 A.A. Degree or Some College 640 405 263	60 and Over	535	530	641		•	•	
Caucasian 7,446 7,176 8,558 TREATMENT REFERRAL SOURCE African American 786 700 840 Self / Family / Friend 4,331 4,567 5,137 Native American / Alaskan 19 14 18 Mental Health Provider 851 818 977 Asian / Pacific Islander 20 21 25 Health Care Provider 937 481 797 Hispanic 114 92 110 Court / Criminal Justice 442 481 1,019 Other Race 242 204 245 Other 2,000 1,783 1,761 Race/Ethnicity Unknown 0 * * * TYPE OF COMMITMENT Less than High School Diploma 1,255 829 549 Voluntary 8,432 7,911 8,745 High School Grad or G.E.D. 1,860 1,162 766 Civil 46 142 839 A.A. Degree or Some College 640 405 263 Criminal 117 113					Arrest Status Unknown	4,682	5,090	8,001
Caucasian 7,446 7,176 8,558 Self / Family / Friend 4,331 4,567 5,137 African American 786 700 840 School 49 46 55 Native American / Alaskan 19 14 18 Mental Health Provider 851 818 977 Asian / Pacific Islander 20 21 25 Health Care Provider 937 481 797 Hispanic 114 92 110 Court / Criminal Justice 442 481 1,019 Other Race 242 204 245 Other 2,000 1,783 1,761 Race/Ethnicity Unknown 0 * * * * * TYPE OF COMMITMENT Less than High School Diploma 1,255 829 549 Voluntary 8,432 7,911 8,745 High School Grad or G.E.D. 1,860 1,162 766 Civil 46 142 839 A.A. Degree or Some College 640 405 <t< th=""><th>RACE / ETHNICITY</th><th></th><th></th><th></th><th>TREATMENT RECERDAL SOURCE</th><th></th><th></th><th></th></t<>	RACE / ETHNICITY				TREATMENT RECERDAL SOURCE			
African American 786 700 840 School 49 46 55 Native American / Alaskan 19 14 18 Mental Health Provider 851 818 977 Asian / Pacific Islander 20 21 25 Health Care Provider 937 481 797 Hispanic 114 92 110 Court / Criminal Justice 442 481 1,019 Other Race 242 204 245 Other 2,000 1,783 1,761 Race/Ethnicity Unknown 0 * * * Referral Source Unknown 17 32 53 EDUCATION TYPE OF COMMITMENT Less than High School Diploma 1,255 829 549 Voluntary 8,432 7,911 8,745 High School Grad or G.E.D. 1,860 1,162 766 Civil 46 142 839 A.A. Degree or Some College 640 405 263 Criminal 117 113 155	Caucasian	7,446	7,176	8,558		1 221	1 567	E 127
Native American / Alaskan 19 14 18 Mental Health Provider 851 818 977 Asian / Pacific Islander 20 21 25 Health Care Provider 937 481 797 Hispanic 114 92 110 Court / Criminal Justice 442 481 1,019 Other Race 242 204 245 Other 2,000 1,783 1,761 Race/Ethnicity Unknown 0 * * * Referral Source Unknown 17 32 53 EDUCATION TYPE OF COMMITMENT Less than High School Diploma 1,255 829 549 Voluntary 8,432 7,911 8,745 High School Grad or G.E.D. 1,860 1,162 766 Civil 46 142 839 A.A. Degree or Some College 640 405 263 Criminal 117 113 155 Bachelor or Advanced Degree 153 87 66 Sexual Predatory 12 8	African American	786	700	840	•		•	•
Asian / Pacific Islander 20 21 25 Health Care Provider 937 481 797 Hispanic 114 92 110 Court / Criminal Justice 442 481 1,019 Other Race 242 204 245 Other 2,000 1,783 1,761 Race/Ethnicity Unknown 0 * * * Referral Source Unknown 17 32 53 EDUCATION TYPE OF COMMITMENT Less than High School Diploma 1,255 829 549 Voluntary 8,432 7,911 8,745 High School Grad or G.E.D. 1,860 1,162 766 Civil 46 142 839 A.A. Degree or Some College 640 405 263 Criminal 117 113 155 Bachelor or Advanced Degree 153 87 66 Sexual Predatory 12 8 5	Native American / Alaskan	19	14	18			_	
Hispanic 114 92 110 Court / Criminal Justice 442 481 1,019	Asian / Pacific Islander	20	21	25				
Other Race 242 Race/Ethnicity Unknown 242 204 245	Hispanic	114	92	110				-
Race/Ethnicity Unknown 0 * Referral Source Unknown 17 32 53 EDUCATION TYPE OF COMMITMENT Less than High School Diploma 1,255 829 549 Voluntary 8,432 7,911 8,745 High School Grad or G.E.D. 1,860 1,162 766 Civil 46 142 839 A.A. Degree or Some College 640 405 263 Criminal 117 113 155 Bachelor or Advanced Degree 153 87 66 Sexual Predatory 12 8 5	Other Race	242	204	245				•
EDUCATION TYPE OF COMMITMENT Less than High School Diploma 1,255 829 549 Voluntary 8,432 7,911 8,745 High School Grad or G.E.D. 1,860 1,162 766 Civil 46 142 839 A.A. Degree or Some College 640 405 263 Criminal 117 113 155 Bachelor or Advanced Degree 153 87 66 Sexual Predatory 12 8 5	Race/Ethnicity Unknown	0	*	*		•	•	*
Less than High School Diploma 1,255 829 549 Voluntary 8,432 7,911 8,745 High School Grad or G.E.D. 1,860 1,162 766 Civil 46 142 839 A.A. Degree or Some College 640 405 263 Criminal 117 113 155 Bachelor or Advanced Degree 153 87 66 Sexual Predatory 12 8 5					resional ocuros chianomi	17	32	55
High School Grad or G.E.D. 1,860 1,162 766 Civil 46 142 839 A.A. Degree or Some College 640 405 263 Criminal 117 113 155 Bachelor or Advanced Degree 153 87 66 Sexual Predatory 12 8 5	EDUCATION				TYPE OF COMMITMENT			
A.A. Degree or Some College 640 405 263 Criminal 117 113 155 Bachelor or Advanced Degree 153 87 66 Sexual Predatory 12 8 5	· · · · · · · · · · · · · · · · · · ·	•			•	8,432	7,911	8,745
Bachelor or Advanced Degree 153 87 66 Sexual Predatory 12 8 5		1,860	1,162	766		46	142	839
•	•						113	
Education Level Unknown 4,719 5,725 8,155 Commitment Type Unknown 20 34 55	•		_		•			
	Education Level Unknown	4,719	5,725	8,155	Commitment Type Unknown	20	34	55

ADA/CPS EASTERN REGION



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Eastern 16, 22, SL Not Applicable 2,084,037 2,088,921



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	26,266	26,991	27,827
Mother Reported Drinking while Pregnant	1	155	128
Mother Reported Smoking while Pregnant	3,616	3,164	3,367
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	300	259	268
IDU and MSM ²	*	*	9
IDU without MSM ²	*	*	4
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	18,045	17,557	18,321
Suicides	279	287	238
Self-inflicted Injuries	2,242	1,990	2,222
Homicides	210	225	230
Assault Injuries	8,705	8,836	9,040
Alcohol Induced Deaths	119	113	116
Drug Induced Deaths	371	326	290
Smoking Induced Deaths	2,955	2,937	3,138
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	21,733	20,707	21,002
Direct Hospitalizations	6,310	5,343	5,320
Emergency Room Hospitalizations	7,093	7,915	7,722
Emergency Room Outpatient	8,330	7,449	7,960
Drug RelatedTotal	22,848	18,783	17,567
Direct Hospitalizations	7,036	5,958	5,464
Emergency Room Hospitalizations	6,539	6,621	6,333
Emergency Room Outpatient	9,273	6,204	5,770
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	1,810	1,889	2,061
Fatal Crashes	46	43	49
Injury Crashes	645	716	782
Property Damage Crashes	1,119	1,130	1,230
Crash Fatalities	49	37	49
Crash Injuries	975	797	825
Drug Involved CrashesTotal	282	270	240
Fatal Crashes	21	15	10
Injury Crashes	117	99	96
Property Damage Crashes	144	156	134
Crash Fatalities	21	14	11
Crash Injuries	182	121	103
EMPLOYMENT	2011	2010	2009
Labor Force		1,079,494	
Employed	994,782	972,221	977,219
Unemployed	94,706	107,273	105,735
Unemployment Rate	8.7%	9.9%	9.8%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	2,861	2,847	3,161
Alcohol Package Carry-out Licenses	1,351	1,357	1,337

■ Female ■ Male					
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009		
Enrollment Grades 9-12	95,307	97,744	98,754		
Drop-outs	3,882	3,998	5,193		
Drop-out Rate	4.1%	4.1%	5.3%		
School Suspensions, 10 or More Days					
Alcohol Incidents	184	150	169		
Drug Incidents	1,148	940	1,018		
Tobacco Incidents	26	34	25		
POLICE REPORTS	2010	2009	2008		
DUI Arrests, DWI Tracking System	10,700	11,938	12,329		
Liquor Law Arrests	3,155	3,800	3,937		
Drug Arrests	14,923	13,699	13,362		
Methamphetamine Lab Incidents	554	488	522		
Violent Offenses	11,020	12,115	12,720		
Property Offenses	74,598	75,646	87,625		
Domestic Violence Reports	11,271	11,181	10,989		
JUVENILE COURT REFERRALS	2010	2009	2008		
Law Violation OffensesTotal	11,567	12,742	14,672		
Violent Offenses	3,293	3,541	3,396		
Alcohol Offenses	354	408	419		
Drug Offenses	935	1,052	1,076		
Status OffensesTotal	3,527	3,247	3,952		
Truancy	1,179	1,070	1,304		
Beyond Parental Control	343	340	347		
Habitually Absent from Home	1,518	1,442	1,927		
Injurious Behavior	396	292	260		
Abuse/Neglect/CustodyTotal	2,826	3,127	2,980		
Abuse	673	715	609		
Neglect	1,505	1,808	1,849		
Custody Disputes	648	604	522		
JUVENILE COURT PLACEMENTS	2010	2009	2008		
Out-of-Home PlacementsTotal	1,251	1,380	1,366		
Parental Alcohol Use Related	43	49	54		
Parental Drug Use Related	364	355	328		
Parental Alcohol and Drug Use	38	39	15		
Child Removed for Other Reason	806	937	969		
CRIMINAL JUSTICE	FY2011	FY2010	FY2009		
Drug Court Participants	1,597	1,640	1,647		
Probation/Parole AdmissionsTotal	11,344	11,816	12,682		
Probation/Parole AdmissionsDrug	3,318	3,646	4,218		
Probation/Parole AdmissionsDWI	561	434	353		
Prison AdmissionsTotal	4,641	4,811	5,220		
Prison AdmissionsDrug	1,398	1,443	1,648		
Prison AdmissionsDWI	251	221	196		

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

 IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

ADA EASTERN REGION

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	685	694	733
CSTAR Women and Children	1,572	1,678	1,611
CSTAR General Adult	2,375	858	745
CSTAR Opioid	593	404	401
Primary Recovery Detoxification	1,707	1,648	1,541
Primary Recovery Treatment	2,515	5,047	4,721
Clinical SATOP (CIP, YCIP, SROP)	1,827	1,950	1,699
Other Substance Abuse Treatment	693	758	849

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	8,448	10,392	10,229
- Adolescent Diversion Education Program	266	664	732
- Offender Education Program	3,349	3,932	4,050
- Weekend Intervention Program	1,824	2,265	2,319
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	569	458	295
- Compulsive Gambling	82	115	95
- Recovery Supports	347	2,556	2,844
- Early Intervention	205	159	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	6,763	7,785	7,346	Never Married	6,771	7,581	7,072
Female	3,125	3,301	3,113	Married / Cohabitating	1,613	1,806	1,723
	-,	-,	-,	Previously Married	1,504	1,696	1,656
AGE					,	•	•
Under 18	700	721	753	PRIMARY DRUG PROBLEM			
18 to 24	1,705	2,138	1,871	Alcohol	3,511	4,174	3,882
25 to 29	1,706	1,983	1,825	Marijuana / Hashish	2,140	2,652	2,565
30 to 34	1,508	1,489	1,287	Cocaine (total)	1,005	1,192	1,355
35 to 39	1,080	1,170	1,192	- Crack	860	1,010	1,147
40 to 44	967	1,161	1,236	Stimulant (total)	320	354	332
45 to 54	1,687	1,906	1,849	- Methamphetamine	292	327	307
55 and Over	535	519	447	Heroin	2,494	2,321	1,902
RACE / ETHNICITY				Analgesic except Heroin	279	273	281
Caucasian	5,803	6,389	5,878	- Non-Prescription Methadone	13	11	17
African American	3,816	4,399	4,268	PCP, LSD, other Hallucinogen	46	50	49
Native American / Alaskan	14	4,000	14	Tranquilizer	61	42	60
Asian / Pacific Islander	13	17	16	Inhalant	7	9	7
Hispanic	96	113	122	Sedative	12	9	12
Other Race / Two or More Races	182	210	215	Other Medication or Illicit Drug	13	11	15
	102	210	210	Average Age at First Use of Drug	18.9	18.3	18.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	3,722	4,064	4,039	Any Injection Use at Admission	1,649	1,517	1,221
High School Graduate or G.E.D.	4,006	4,725	4,398	- Daily Injection Use	810	698	623
Associate Degree or Some College	1,882	1,985	1,755	- Weekly Injection Use	397	400	240
Bachelor or Advanced Degree	278	313	268	- Less than Weekly Injection Use	442	419	358
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	2,327	2,808	2,612	Self / Family / Friend	3,182	3,229	3,174
Unemployed	3,969	4,479	4,197	School	41	16	45
Not in Labor Force	3,592	3,800	3,651	Mental Health Provider	116	122	127
				Health Care Provider	257	330	236
LIVING ARRANGEMENT				Court / Criminal Justice	5,454	6,474	6,022
Independent Living	7,391	8,573	7,903	Other Referral Source	836	915	853
Dependent Living	1,336	1,529	1,639	SPECIAL POPULATIONS			
Homeless	769	628	572	Pregnant when Admitted to any Episode	245	218	198
LIFETIME DUI / DWI ARRESTS				Military Veteran	394	361	242
0	6,503	7,043	6,886	Special Education Services Needed	680	686	628
1 or 2	2,337	2,851	2,373	Co-Occurring Psychological Problem	2,773	2,958	2,741
3 or More	1,048	1.193	2,373 1,201	Co-Occurring Developmental Problem	2,773	344	2,741
O O. MOTO	1,040	1,133	1,201	55-566thing 5646lopmental Flobietti	203	J 44	۷ ۱

ADA/CPS EASTERN REGION



ADA/CPS REGION Eastern
CPS SERVICE AREA 16, 22, 23, 24-25
CENSUS 2010 2,084,037
2011 POP. ESTIMATE 2,088,921

DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
Adjustment Disorder	291	335	407
Anxiety Disorder	3,929	3,401	3,007
Dementia	60	71	64
Developmental Disorder	353	314	296
Impulse Control Disorder	2,496	2,039	1,858
Mood Disorder	9,854	8,982	8,197
Personality Disorder	2,587	2,776	2,710
Psychotic Disorder	5,013	4,874	4,578
Sexual Disorder	34	36	29
Other Diagnosis	1,050	1,189	1,222
Diagnosis Unknown	1,554	2,719	4,329


The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	17,406	17,412	17,976	Hearing Impaired	323	282	293
Male	8,638	8,799	9,143	Past or Current Military Service	406	449	489
Female	8,768	8,613	8,833	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	5,430	2,798	2,467
Under 6	60	49	38	Dependent Living	623	1,057	622
6 to 9	621	473	521	Homeless	173	144	157
10 to 13	961	857	892	Other	119	104	104
14 to 17	1,274	1,206	1,430	Housing Unknown	11,061	13,309	14,626
18 to 24	1,576	1,763	1,763	EMPLOYMENT			
25 to 29	1,463	1,576	1,524	Employed	816	487	502
30 to 34	1,459	1,421	1,432	Unemployed	5,271	2,750	2,439
35 to 39	1,370	1,509	1,519	Not in Labor Force	250	162	138
40 to 44	1,578	1,703	1,839	Employment Status Unknown	11,069	14,013	14,897
45 to 49	2,136	2,229	2,303	Employmont status sharrown	11,000	14,013	14,007
50 to 54	2,099	2,038	2,095	ARRESTS			
55 to 59	1,475	1,349	1,331	Arrested in Past 12 Months	913	709	584
60 and Over	1,334	1,239	1,289	Not Arrested in Past 12 Months	5,416	3,392	2,764
oo ana over	1,334	1,233	1,209	Arrest Status Unknown	11,077	13,311	14,628
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	9,734	9,152	8,933	Self / Family / Friend	E 227	6 050	6 412
African American	6,965	7,603	8,360	School	5,337 463	6,058 523	6,413
Native American / Alaskan	19	16	20	Mental Health Provider	2,599	2,780	549
Asian / Pacific Islander	52	57	53	Health Care Provider	•	,	3,011
Hispanic	150	137	146	Court / Criminal Justice	1,510	1,329	1,323
Other Race	484	440	411	Other	1,064	1,447	1,509
Race/Ethnicity Unknown	*	7	53	Referral Source Unknown	6,364	5,199	4,956 215
				Referral Source Offichown	69	76	215
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	2,141	1,189	1,111	Voluntary	16,829	16,390	16,820
High School Grad or G.E.D.	2,451	1,316	1,165	Civil	163	555	567
A.A. Degree or Some College	1,291	691	617	Criminal	339	390	375
Bachelor or Advanced Degree	406	189	177	Sexual Predatory	14	6	*
Education Level Unknown	11,117	14,027	14,906	Commitment Type Unknown	61	71	212

ADA/CPS SOUTHWEST REGION



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 8, 9, 10 Not Applicable 926,656 931,565



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	11,757	12,033	12,395
Mother Reported Drinking while Pregnant ¹		55	62
Mother Reported Smoking while Pregnant	2,523	2,405	2,614
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	54	35	48
IDU and MSM ²	*	*	4
IDU without MSM ²	*	*	4
DEATHO IN INDIEO	0040	0000	0000
DEATHS and INJURIES Resident DeathsTotal	2010	2009	2008
	9,143	8,885	9,105
Suicides	137	155	120
Self-inflicted Injuries	1,387	1,371	1,220
Homicides	24	27	35
Assault Injuries	2,947	2,901	2,845
Alcohol Induced Deaths	75	52	73
Drug Induced Deaths	209	162	156
Smoking Induced Deaths	1,683	1,633	1,681
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	10,828	10,594	10,010
Direct Hospitalizations	2,912	2,020	1,714
Emergency Room Hospitalizations	2,893	3,939	4,028
Emergency Room Outpatient	5,023	4,635	4,268
Drug RelatedTotal	10,413	9,301	8,280
Direct Hospitalizations	3,322	2,190	1,969
Emergency Room Hospitalizations	2,502	3,059	3,042
Emergency Room Outpatient	4,589	4,052	3,269
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	1,080	1,302	1,131
Fatal Crashes	44	37	46
Injury Crashes	464	604	522
Property Damage Crashes	572	661	563
Crash Fatalities	47	43	45
Crash Injuries	680	702	639
Drug Involved CrashesTotal	245	254	168
Fatal Crashes	6	10	4
Injury Crashes	113	104	68
Property Damage Crashes	126	140	96
Crash Fatalities	7	12	5
Crash Injuries	159	122	79
	2011		
EMPLOYMENT		2010	2009
Labor Force	459,587	451,577	453,833
Employed	421,240	409,861	412,994
Unemployed	38,347	41,716	40,839
Unemployment Rate	8.3%	9.2%	9.0%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	948	936	1,004
Alcohol Package Carry-out Licenses	936	879	959

■ Female ■ Male					
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009		
Enrollment Grades 9-12	42,439	42,788	41,970		
Drop-outs	973	1,036	1,601		
Drop-out Rate	2.3%	2.4%	3.8%		
School Suspensions, 10 or More Days					
Alcohol Incidents	82	87	94		
Drug Incidents	557	367	370		
Tobacco Incidents	24	29	14		
POLICE REPORTS	2010	2009	2008		
DUI Arrests, DWI Tracking System	6,031	5,868	6,699		
Liquor Law Arrests	1,762	2,095	2,304		
Drug Arrests	4,336	4,367	4,447		
Methamphetamine Lab Incidents	424	372	313		
Violent Offenses	3,635	3,640	3,454		
Property Offenses	36,301	34,652	35,930		
Domestic Violence Reports	8,510	8,500	7,787		
JUVENILE COURT REFERRALS	2010	2009	2008		
Law Violation OffensesTotal	4,644	5,041	5,457		
Violent Offenses	1,458	1,581	1,446		
Alcohol Offenses	279	295	374		
Drug Offenses	418	372	476		
Status OffensesTotal	2,175	2,299	2,286		
Truancy	414	418	325		
Beyond Parental Control	464	544	466		
Habitually Absent from Home	361	450	501		
Injurious Behavior	891	842	930		
Abuse/Neglect/CustodyTotal	3,568	3,255	2,941		
Abuse	572	546	598		
Neglect	2,695	2,422	2,108		
Custody Disputes	301	287	235		
JUVENILE COURT PLACEMENTS	2010	2009	2008		
Out-of-Home PlacementsTotal	1,630	1,290	1,245		
Parental Alcohol Use Related	65	53	47		
Parental Drug Use Related	513	315	329		
Parental Alcohol and Drug Use	75	43	29		
Child Removed for Other Reason	977	879	840		
CRIMINAL JUSTICE	FY2011	FY2010	FY2009		
Drug Court Participants	1,107	915	831		
Probation/Parole AdmissionsTotal	5,614	5,753	5,723		
Probation/Parole AdmissionsDrug	1,768	1,821	1,824		
Probation/Parole AdmissionsDWI	399	411	358		
Prison AdmissionsTotal	2,968	2,821	2,887		
Prison AdmissionsDrug	925	853	844		
Prison AdmissionsDWI	191	187	202		

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

ADA SOUTHWEST REGION

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	402	430	383
CSTAR Women and Children	625	619	684
CSTAR General Adult	2,361	1,784	877
CSTAR Opioid	*	*	*
Primary Recovery Detoxification	1,287	1,280	1,124
Primary Recovery Treatment	1,886	3,373	3,863
Clinical SATOP (CIP, YCIP, SROP)	601	738	445
Other Substance Abuse Treatment	*	6	140

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	3,644	4,634	4,726
- Adolescent Diversion Education Program	115	167	204
- Offender Education Program	1,417	1,833	1,841
- Weekend Intervention Program	758	1,105	1,443
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	246	294	286
- Compulsive Gambling	7	5	25
- Recovery Supports	814	1,396	1,256
- Early Intervention	292	170	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	4,229	4,706	4,567	Never Married	3,096	3,388	3,208
Female	2,134	2,054	1,901	Married / Cohabitating	1,655	1,638	1,582
	, -	,	,	Previously Married	1.613	1.733	1,677
AGE					,	,	,-
Under 18	417	448	406	PRIMARY DRUG PROBLEM			
18 to 24	1,223	1,327	1,325	Alcohol	2,668	2,919	2,750
25 to 29	1,152	1,224	1,176	Marijuana / Hashish	1,454	1,738	1,718
30 to 34	931	948	841	Cocaine (total)	126	160	190
35 to 39	709	761	768	- Crack	73	75	102
40 to 44	633	701	711	Stimulant (total)	1,318	1,183	1,149
45 to 54	1,050	1,082	1,025	- Methamphetamine	1,263	1,151	1,098
55 and Over	249	269	216	Heroin	86	72	64
RACE / ETHNICITY				Analgesic except Heroin	575	551	457
Caucasian	5,767	6,197	5,880	- Non-Prescription Methadone	9	11	6
African American	312	276	280	PCP, LSD, other Hallucinogen	22	17	15
Native American / Alaskan	26	39	37	Tranquilizer	76	93	93
Asian / Pacific Islander	15	23	16	Inhalant	10	7	10
Hispanic	159	152	143	Sedative	9	11	13
Other Race / Two or More Races	136	135	160	Other Medication or Illicit Drug	20	9	9
	100	100	100	Average Age at First Use of Drug	16.9	16.8	16.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	2,391	2,547	2,488	Any Injection Use at Admission	985	893	761
High School Graduate or G.E.D.	2,738	2,939	2,843	- Daily Injection Use	189	195	116
Associate Degree or Some College	1,152	1,175	1,058	- Weekly Injection Use	263	219	195
Bachelor or Advanced Degree	83	99	79	- Less than Weekly Injection Use	533	479	450
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	1,640	1,980	2,059	Self / Family / Friend	2,007	2,099	1,983
Unemployed	2,668	2,760	2,456	School	17	10	8
Not in Labor Force	2,056	2,020	1,953	Mental Health Provider	112	98	103
				Health Care Provider	291	282	227
LIVING ARRANGEMENT				Court / Criminal Justice	3,370	3,768	3,724
Independent Living	5,099	5,440	5,210	Other Referral Source	566	503	421
Dependent Living	800	942	913	CDECIAL DODINATIONS			
Homeless	350	258	269	SPECIAL POPULATIONS Pregnant when Admitted to any Episode	97	102	88
LIFETIME DUI / DWI ARRESTS				Military Veteran	324	329	294
0	3,304	3,462	3,368	Special Education Services Needed	524 511	420	438
1 or 2	1,956	1,970	1,889	Co-Occurring Psychological Problem	2,177	2,029	1,785
3 or More	1,104	1,328	1,211	Co-Occurring Developmental Problem	146	153	1,765
C C. Moro	1,104	1,020	1,411	23 Southing Sortstophiomar Frontill	140	100	123

ADA/CPS SOUTHWEST REGION



ADA/CPS REGION Southwest
CPS SERVICE AREA 8A, 8B, 9, 10
CENSUS 2010 926,656
2011 POP. ESTIMATE 931,565

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
Adjustment Disorder	822	641	672
Anxiety Disorder	3,829	3,109	2,557
Dementia	33	79	39
Developmental Disorder	208	171	141
Impulse Control Disorder	1,973	1,536	1,363
Mood Disorder	6,457	5,450	4,747
Personality Disorder	1,854	1,692	1,692
Psychotic Disorder	1,696	1,524	1,390
Sexual Disorder	29	29	32
Other Diagnosis	970	806	677
Diagnosis Unknown	1,252	3,166	3,331


The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	11,673	11,862	11,042	Hearing Impaired	264	246	232
Male	5,442	5,505	5,124	Past or Current Military Service	235	241	260
Female	6,231	6,357	5,918	•			
	0,20.	0,00.	0,0.0	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	2,595	1,313	878
Under 6	273	311	180	Dependent Living	431	763	352
6 to 9	808	811	647	Homeless	97	62	24
10 to 13	941	983	856	Other	72	65	34
14 to 17	993	966	959	Housing Unknown	8,478	9,659	9,754
18 to 24	993	1,021	975	EMPLOYMENT			
25 to 29	889	937	965	Employed	294	186	129
30 to 34	1,019	978	908	Unemployed	2,731	1,362	888
35 to 39	1,024	1,037	1,008	Not in Labor Force	170	82	59
40 to 44	1,038	1,082	1,099	Employment Status Unknown	8,478	10,232	9,966
45 to 49	1,272	1,286	1,188		•	·	•
50 to 54	1,121	1,112	1,054	ARRESTS			
55 to 59	685	627	623	Arrested in Past 12 Months	434	285	156
60 and Over	617	711	580	Not Arrested in Past 12 Months	2,757	1,915	1,129
				Arrest Status Unknown	8,482	9,662	9,757
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	10,819	11,012	10,289	TREATMENT REFERRAL SOURCE Self / Family / Friend	0.205	0.220	C 0E 4
African American	214	202	178	School	8,305 51	8,329 35	6,854
Native American / Alaskan	36	49	51	Mental Health Provider	616	35 747	43
Asian / Pacific Islander	25	30	26	Health Care Provider	706	529	759 652
Hispanic	194	187	129	Court / Criminal Justice	491	578	649
Other Race	384	381	369	Other	1,438	1,569	1,978
Race/Ethnicity Unknown	*	*	0	Referral Source Unknown	1,436	75	1,978
				Relettal Source Offictiowit	00	75	107
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	1,014	574	346	Voluntary	11,197	11,406	10,533
High School Grad or G.E.D.	1,484	708	483	Civil	332	301	303
A.A. Degree or Some College	542	294	192	Criminal	64	71	92
Bachelor or Advanced Degree	144	48	54	Sexual Predatory	8	*	*
Education Level Unknown	8,489	10,238	9,967	Commitment Type Unknown	72	81	112

ADA/CPS SOUTHEAST REGION



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 17, 18, 19, 20, 21 Not Applicable 712,520 713,234



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	8,687	8,853	9,300
Mother Reported Drinking while Pregnant ¹		29	33
Mother Reported Smoking while Pregnant	2,563	2,381	2,552
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	15	20	22
IDU and MSM ²	*	*	1
IDU without MSM ²	*	*	3
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	8,031	8,136	8,313
Suicides	113	101	112
Self-inflicted Injuries	1,363	1,234	1,117
Homicides	32	33	39
Assault Injuries	2,782	2,649	2,652
Alcohol Induced Deaths	35	51	35
Drug Induced Deaths	131	123	99
Smoking Induced Deaths	1,568	1,642	1,579
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	6,874	5,980	6,468
Direct Hospitalizations	2,351	1,387	1,440
Emergency Room Hospitalizations	1,536	2,301	2,237
Emergency Room Outpatient	2,987	2,292	2,791
Drug RelatedTotal	7,916	5,964	5,600
Direct Hospitalizations	3,066	1,609	1,508
Emergency Room Hospitalizations	1,584	2,237	1,884
Emergency Room Outpatient	3,266	2,118	2,208
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	873	993	1,033
Fatal Crashes	38	45	37
Injury Crashes	440	463	511
Property Damage Crashes	395	485	485
Crash Fatalities	39	50	38
Crash Injuries	651	600	657
Drug Involved CrashesTotal	231	226	220
Fatal Crashes	15	6	11
Injury Crashes	103	112	86
Property Damage Crashes	113	108	123
Crash Fatalities	15	5	10
Crash Injuries	158	134	114
EMPLOYMENT	2011	2010	2009
Labor Force	336,023	335,336	343,006
Employed	305,890	303,283	310,426
Unemployed	30,133	32,053	32,580
Unemployment Rate	9.0%	9.6%	9.5%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	810	795	915
Alcohol Package Carry-out Licenses	755	735	774

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	32,707	33,499	33,924
Drop-outs	764	954	1,299
Drop-out Rate	2.3%	2.8%	3.8%
School Suspensions, 10 or More Days			
Alcohol Incidents	78	58	48
Drug Incidents	267	296	226
Tobacco Incidents	17	23	36
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	4,754	4,611	5,165
Liquor Law Arrests	1,465	1,740	1,932
Drug Arrests	4,859	4,727	4,305
Methamphetamine Lab Incidents	659	523	423
Violent Offenses	2,269	2,251	2,098
Property Offenses	18,117	17,938	18,157
Domestic Violence Reports	3,766	3,904	3,491
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	4,060	4,338	5,120
Violent Offenses	1,243	1,324	1,418
Alcohol Offenses	208	233	267
Drug Offenses	267	299	300
Status OffensesTotal	2,983	2,817	2,921
Truancy	1,126	916	897
Beyond Parental Control	602	615	658
Habitually Absent from Home	291	339	453
Injurious Behavior	770	768	641
Abuse/Neglect/CustodyTotal	3,381	3,186	2,651
Abuse	857	889	749
Neglect	2,096	1,934	1,586
Custody Disputes	428	363	316
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	1,080	966	855
Parental Alcohol Use Related	50	33	38
Parental Drug Use Related	395	304	270
Parental Alcohol and Drug Use	50	38	28
Child Removed for Other Reason	585	591	519
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	675	711	666
Probation/Parole AdmissionsTotal	5,743	5,581	5,749
Probation/Parole AdmissionsDrug	1,987	1,942	1,930
Probation/Parole AdmissionsDWI	371	296	331
Prison AdmissionsTotal	2,974	3,096	3,027
Prison AdmissionsDrug	1,026	1,014	957
Prison AdmissionsDWI	173	215	198

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

ADA SOUTHEAST REGION

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	398	421	467
CSTAR Women and Children	424	553	488
CSTAR General Adult	1,524	1,110	910
CSTAR Opioid	7	11	12
Primary Recovery Detoxification	872	789	668
Primary Recovery Treatment	4,017	4,486	5,001
Clinical SATOP (CIP, YCIP, SROP)	476	518	382
Other Substance Abuse Treatment	9	11	465

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	2,859	3,585	3,596
- Adolescent Diversion Education Program	6	17	21
- Offender Education Program	1,245	1,497	1,544
- Weekend Intervention Program	715	894	1,148
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	58	108	116
- Compulsive Gambling	8	10	12
- Recovery Supports	529	435	396
- Early Intervention	96	93	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	4,568	4.637	5,014	Never Married	3,299	3,288	3,512
Female	2,179	2,078	2,061	Married / Cohabitating	1,888	1,837	1,936
	_,	_,0.0	_,00.	Previously Married	1,560	1,589	1,625
AGE					.,000	.,000	.,020
Under 18	428	433	486	PRIMARY DRUG PROBLEM			
18 to 24	1,364	1,428	1,515	Alcohol	2,314	2,561	2,800
25 to 29	1,339	1,310	1,300	Marijuana / Hashish	2,068	2,034	2,283
30 to 34	1,060	933	952	Cocaine (total)	279	293	390
35 to 39	711	754	801	- Crack	182	202	270
40 to 44	624	652	755	Stimulant (total)	875	759	735
45 to 54	965	946	1,035	- Methamphetamine	847	739	715
55 and Over	256	259	231	Heroin	230	210	135
RACE / ETHNICITY				Analgesic except Heroin	786	713	565
Caucasian	5,878	5,836	6,123	- Non-Prescription Methadone	6	10	9
African American	714	725	799	PCP, LSD, other Hallucinogen	12	6	10
Native American / Alaskan	13	13	11	Tranquilizer	135	105	114
Asian / Pacific Islander	6	6	*	Inhalant	15	16	15
Hispanic	89	65	74	Sedative	13	11	13
Other Race / Two or More Races	86	96	104	Other Medication or Illicit Drug	20	7	15
Other Race / Two of More Races	00	96	104	Average Age at First Use of Drug	17.7	17.5	17.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	2,789	2,809	2,913	Any Injection Use at Admission	652	626	525
High School Graduate or G.E.D.	3,078	3,070	3,218	- Daily Injection Use	157	147	102
Associate Degree or Some College	822	761	877	- Weekly Injection Use	170	145	119
Bachelor or Advanced Degree	58	75	67	- Less than Weekly Injection Use	325	333	304
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	1,713	1,555	2,019	Self / Family / Friend	1,385	1,226	1,373
Unemployed	3,088	2,942	2,931	School	11	17	10
Not in Labor Force	1,946	2,218	2,125	Mental Health Provider	66	163	165
				Health Care Provider	211	161	165
LIVING ARRANGEMENT				Court / Criminal Justice	4,387	4,460	4,777
Independent Living	5,649	5,588	5,961	Other Referral Source	687	687	584
Dependent Living	922	936	884	005044 00044 474040			
Homeless	133	130	128	SPECIAL POPULATIONS	67	00	00
LIFETIME DUI / DUI / DOCTO				Pregnant when Admitted to any Episode	87	98	88
LIFETIME DUI / DWI ARRESTS	4.400	0.046	4.644	Military Veteran	269	319	350
0	4,183	3,916	4,241	Special Education Services Needed	704	673	735
1 or 2	1,683	1,855	1,826	Co-Occurring Psychological Problem	1,962	2,106	2,083
3 or More	881	944	1,008	Co-Occurring Developmental Problem	367	366	303

ADA/CPS SOUTHEAST REGION



ADA/CPS REGION Southeast

CPS SERVICE AREA 17A, 17B, 18, 19, 20, 21

CENSUS 2010 712,520

2011 POP. ESTIMATE 713,234

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
Adjustment Disorder	559	559	615
Anxiety Disorder	2,253	2,170	2,100
Dementia	30	40	32
Developmental Disorder	105	107	114
Impulse Control Disorder	1,228	1,312	1,097
Mood Disorder	6,082	5,790	5,600
Personality Disorder	1,007	1,244	1,280
Psychotic Disorder	1,656	1,660	1,613
Sexual Disorder	65	75	78
Other Diagnosis	579	810	775
Diagnosis Unknown	797	1,784	2,975

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	10,543	11,210	12,157	Hearing Impaired	434	451	475
Male	4,972	5,480	5,685	Past or Current Military Service	331	416	441
Female	5,571	5,729	6,472	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	2,515	1,640	1,387
Under 6	68	129	118	Dependent Living	566	903	575
6 to 9	447	486	443	Homeless	62	44	29
10 to 13	662	788	714	Other	41	24	21
14 to 17	774	869	924	Housing Unknown	7,359	8,599	10,145
18 to 24	1,008	1,236	1,257	EMPLOYMENT			
25 to 29	917	992	1,123	Employed	192	146	157
30 to 34	968	920	1,074	Unemployed	2,826	1,859	1,598
35 to 39	857	943	1,077	Not in Labor Force	162	116	112
40 to 44	979	991	1,144	Employment Status Unknown	7,363	9.089	10,290
45 to 49	1,218	1,288	1,491		.,	-,	,
50 to 54	1,080	1,039	1,155	ARRESTS			
55 to 59	770	754	785	Arrested in Past 12 Months	319	308	226
60 and Over	795	775	852	Not Arrested in Past 12 Months	2,861	2,301	1,779
				Arrest Status Unknown	7,363	8,601	10,152
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	9,310	9,898	10,901	Self / Family / Friend	4,769	5.089	5,647
African American	770	838	875	School	4,709	140	114
Native American / Alaskan	14	19	23	Mental Health Provider	1,127	1,252	1,406
Asian / Pacific Islander	9	11	13	Health Care Provider	1,519	1,350	1,480
Hispanic	260	246	147	Court / Criminal Justice	922	1,118	1,480
Other Race	180	193	183	Other	2,045	2,148	2,249
Race/Ethnicity Unknown	0	5	15	Referral Source Unknown	2,043	113	2,249
				Nototial Godiso Chilliowi	44	113	223
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	1,174	891	768	Voluntary	10,084	10,388	11,265
High School Grad or G.E.D.	1,543	926	808	Civil	91	385	357
A.A. Degree or Some College	367	242	227	Criminal	205	199	170
Bachelor or Advanced Degree	78	59	59	Sexual Predatory	136	142	157
Education Level Unknown	7,381	9,092	10,295	Commitment Type Unknown	27	96	208



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest Not Applicable 183,003 183,205



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	2,270	2,381	2,281
Mother Reported Drinking while Pregnant 1	, -	3	3
Mother Reported Smoking while Pregnant	516	503	541
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	5	9	11
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	1,897	1,846	1,982
Suicides	30	27	33
Self-inflicted Injuries	243	185	231
Homicides	9	4	5
Assault Injuries	681	660	705
Alcohol Induced Deaths	16	9	12
Drug Induced Deaths	7	18	17
Smoking Induced Deaths	352	348	374
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	2,032	1,619	1,585
Direct Hospitalizations	620	328	322
Emergency Room Hospitalizations	554	638	566
Emergency Room Outpatient	858	653	697
Drug RelatedTotal	1,569	1,164	1,310
Direct Hospitalizations	601	326	383
Emergency Room Hospitalizations	397	456	487
Emergency Room Outpatient	571	382	440
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	196	240	245
Fatal Crashes	6	11	6
Injury Crashes	87	106	103
Property Damage Crashes	103	123	136
Crash Fatalities	6	10	6
Crash Injuries	130	131	118
Drug Involved CrashesTotal	34	25	24
Fatal Crashes	1	1	0
Injury Crashes	17	12	9
Property Damage Crashes	16	12	15
Crash Fatalities	1	1	0
Crash Injuries	22	14	9
EMPLOYMENT	2011	2010	2009
Labor Force	100,397	95,998	98,792
Employed	92,882	87,821	90,703
Unemployed	7,515	8,177	8,089
Unemployment Rate	7.5%	8.5%	8.2%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	215	212	233
Alcohol Package Carry-out Licenses	173	166	174

= Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	7,999	8,178	8,376
Drop-outs	152	157	220
Drop-out Rate	1.9%	1.9%	2.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	6	7	10
Drug Incidents	23	23	17
Tobacco Incidents	0	0	1
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	1,073	1,121	1,172
Liquor Law Arrests	683	579	675
Drug Arrests	1,306	1,305	1,214
Methamphetamine Lab Incidents	7	13	14
Violent Offenses	483	594	529
Property Offenses	5,276	5,492	5,408
Domestic Violence Reports	1,429	1,390	1,226
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	925	824	916
Violent Offenses	218	184	176
Alcohol Offenses	27	48	41
Drug Offenses	59	63	51
Status OffensesTotal	643	557	511
Truancy	207	136	109
Beyond Parental Control	181	206	190
Habitually Absent from Home	150	125	157
Injurious Behavior	85	82	49
Abuse/Neglect/CustodyTotal	317	230	186
Abuse	43	30	39
Neglect	267	196	144
Custody Disputes	7	4	3
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	124	76	79
Parental Alcohol Use Related	5	4	5
Parental Drug Use Related	32	12	18
Parental Alcohol and Drug Use	1	1	2
Child Removed for Other Reason	86	59	54
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	220	211	202
Probation/Parole AdmissionsTotal	1,517	1,490	1,433
Probation/Parole AdmissionsDrug	554	465	497
Probation/Parole AdmissionsDWI	114	127	111
Prison AdmissionsTotal	961	944	847
		-	_
Prison AdmissionsDrug	348	344	319

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	117	144	150
CSTAR Women and Children	5	10	27
CSTAR General Adult	195	85	46
CSTAR Opioid	0	*	6
Primary Recovery Detoxification	235	269	288
Primary Recovery Treatment	460	675	772
Clinical SATOP (CIP, YCIP, SROP)	73	50	68
Other Substance Abuse Treatment	*	0	67


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	725	928	1,037
- Adolescent Diversion Education Program	78	125	150
- Offender Education Program	313	412	482
- Weekend Intervention Program	152	211	229
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	8	*	11
- Compulsive Gambling	*	*	*
- Recovery Supports	5	109	103
- Early Intervention	186	28	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	672	764	893	Never Married	573	638	706
Female	289	314	334	Married / Cohabitating	161	194	228
· omais	200	014	004	Previously Married	227	245	293
AGE				•		2.0	200
Under 18	122	148	145	PRIMARY DRUG PROBLEM			
18 to 24	192	207	227	Alcohol	397	413	513
25 to 29	155	173	207	Marijuana / Hashish	273	370	351
30 to 34	93	119	148	Cocaine (total)	58	56	71
35 to 39	110	120	126	- Crack	38	35	55
40 to 44	102	95	112	Stimulant (total)	119	120	176
45 to 54	148	173	213	- Methamphetamine	117	117	173
55 and Over	39	43	49	Heroin	9	5	5
RACE / ETHNICITY				Analgesic except Heroin	90	88	91
Caucasian	827	932	1,068	- Non-Prescription Methadone	*	*	*
African American	93	96	112	PCP, LSD, other Hallucinogen	*	*	8
Native American / Alaskan	*	*	*	Tranquilizer	7	15	7
Asian / Pacific Islander	*	*	*	Inhalant	*	*	*
Hispanic	23	27	26	Sedative	0	*	*
Other Race / Two or More Races	19	27	22	Other Medication or Illicit Drug	*	*	*
Cities (Nade / 1 We of Midre (Nades)	19	21	22	Average Age at First Use of Drug	17.2	17.2	17.2
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	328	372	434	Any Injection Use at Admission	103	80	113
High School Graduate or G.E.D.	451	521	585	- Daily Injection Use	41	23	27
Associate Degree or Some College	155	163	193	- Weekly Injection Use	16	17	19
Bachelor or Advanced Degree	27	22	15	- Less than Weekly Injection Use	46	40	67
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	313	295	429	Self / Family / Friend	257	252	300
Unemployed	411	434	506	School	*	*	8
Not in Labor Force	237	348	292	Mental Health Provider	9	8	13
				Health Care Provider	48	65	41
LIVING ARRANGEMENT				Court / Criminal Justice	590	671	783
Independent Living	696	776	888	Other Referral Source	53	74	82
Dependent Living	187	231	230	ODEOLAL DORUMATIONS			
Homeless	62	65	96	SPECIAL POPULATIONS	^	40	4.4
LIFETIME DI II / DIA!! A BRESTO				Pregnant when Admitted to any Episode	6	10	14
LIFETIME DUI / DWI ARRESTS 0	F00	600	700	Military Veteran	44	62	77 57
1 or 2	599	690	722	Special Education Services Needed	21	31	57 251
	226	230	302	Co-Occurring Psychological Problem	221	219	251
3 or More	136	158	203	Co-Occurring Developmental Problem	15	13	17

ADA SERVICE AREAS 2-5 (JC)



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest Not Applicable 674,158 676,360



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	9,763	10,348	10,474
Mother Reported Drinking while Pregnant 1		54	52
Mother Reported Smoking while Pregnant	1,529	1,324	1,479
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	129	139	158
IDU and MSM ²	*	*	4
IDU without MSM ²	*	*	2
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	5,883	5,903	6,124
Suicides	93	98	106
Self-inflicted Injuries	1,133	1,127	1,229
Homicides	121	111	136
Assault Injuries	4,370	4,770	4,954
Alcohol Induced Deaths	72	67	76
Drug Induced Deaths	123	111	90
Smoking Induced Deaths	942	958	1,030
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	13,485	12,202	12,176
Direct Hospitalizations	3,297	1,901	1,656
Emergency Room Hospitalizations	3,213	3,771	3,770
Emergency Room Outpatient	6,975	6,530	6,750
Drug RelatedTotal	10,668	8,010	7,919
Direct Hospitalizations	3,955	2,157	2,047
Emergency Room Hospitalizations	2,605	3,052	3,050
Emergency Room Outpatient	4,108	2,801	2,822
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	716	754	748
Fatal Crashes	9	23	23
Injury Crashes	289	329	332
Property Damage Crashes	418	402	393
Crash Fatalities	9	25	24
Crash Injuries	428	350	373
Drug Involved CrashesTotal	165	200	133
Fatal Crashes	2	7	3
Injury Crashes	79	101	61
Property Damage Crashes	84	92	69
Crash Fatalities	2	7	3
Crash Injuries	109	104	78
EMPLOYMENT	2011	2010	2009
Labor Force	339,740	340,863	336,424
Employed	307,179	303,463	301,975
Unemployed	32,561	37,400	34,449
Unemployment Rate	9.6%	11.0%	10.2%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	784	766	842
Alcohol Package Carry-out Licenses	445	434	450

■ Female	■ Male		_
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	29,317	29,642	29,950
Drop-outs	1,592	1,338	1,327
Drop-out Rate	5.4%	4.5%	4.4%
School Suspensions, 10 or More Days			
Alcohol Incidents	56	43	57
Drug Incidents	406	369	280
Tobacco Incidents	12	8	10
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	3,522	3,177	3,863
Liquor Law Arrests	892	1,289	1,482
Drug Arrests	3,800	6,377	7,145
Methamphetamine Lab Incidents	24	21	16
Violent Offenses	6,712	7,690	7,728
Property Offenses	43,841	41,841	47,153
Domestic Violence Reports	7,709	3,179	2,854
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	1,210	1,582	1,790
Violent Offenses	505	554	520
Alcohol Offenses	19	17	27
Drug Offenses	79	123	141
Status OffensesTotal	83	22	60
Truancy	21	1	3
Beyond Parental Control	22	2	18
Habitually Absent from Home	18	1	1
Injurious Behavior	11	17	23
Abuse/Neglect/CustodyTotal	1,581	1,441	1,160
Abuse	197	7	77
Neglect	991	1,202	936
Custody Disputes	393	232	147
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	1,084	935	782
Parental Alcohol Use Related	27	32	26
Parental Drug Use Related	303	249	241
Parental Alcohol and Drug Use	41	34	32
Child Removed for Other Reason	713	620	483
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	870	809	1,219
Probation/Parole AdmissionsTotal	2,969	3,156	4,021
Probation/Parole AdmissionsDrug	995	1,228	1,688
Probation/Parole AdmissionsDWI	147	146	201
Prison AdmissionsTotal	1,357	1,417	1,634
Prison AdmissionsDrug	320	364	498
Prison AdmissionsDWI	106	73	103

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

ADA SERVICE AREAS 2-5 (JC)

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.


SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	284	314	307
CSTAR Women and Children	733	717	772
CSTAR General Adult	1,442	448	273
CSTAR Opioid	83	58	117
Primary Recovery Detoxification	1,392	1,399	1,425
Primary Recovery Treatment	1,092	2,458	2,697
Clinical SATOP (CIP, YCIP, SROP)	379	441	478
Other Substance Abuse Treatment	515	491	719

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	2,650	3,142	3,500
- Adolescent Diversion Education Program	21	28	20
- Offender Education Program	1,125	1,323	1,569
- Weekend Intervention Program	639	833	1,002
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	228	259	328
- Compulsive Gambling	31	41	43
- Recovery Supports	1,284	2,864	2,282
- Early Intervention	26	5	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	3,495	3.675	3,809	Never Married	3,057	3,134	3,313
Female	1,522	1,489	1,572	Married / Cohabitating	884	910	916
	.,	.,	.,	Previously Married	1,076	1,120	1,136
AGE				•	,-	, -	,
Under 18	290	311	313	PRIMARY DRUG PROBLEM			
18 to 24	706	714	803	Alcohol	1,991	2,073	2,027
25 to 29	763	776	820	Marijuana / Hashish	1,270	1,313	1,346
30 to 34	680	688	655	Cocaine (total)	690	815	1,000
35 to 39	602	645	660	- Crack	562	683	811
40 to 44	594	610	707	Stimulant (total)	564	520	527
45 to 54	1,080	1,136	1,170	- Methamphetamine	541	488	503
55 and Over	302	284	254	Heroin	79	79	98
RACE / ETHNICITY				Analgesic except Heroin	163	125	147
Caucasian	2,629	2,734	2,749	- Non-Prescription Methadone	5	*	*
African American	2,051	2,071	2,288	PCP, LSD, other Hallucinogen	205	193	199
Native American / Alaskan	23	27	19	Tranquilizer	36	33	23
Asian / Pacific Islander	15	14	14	Inhalant	*	*	*
Hispanic	206	186	199	Sedative	9	9	5
Other Race / Two or More Races	153	176	172	Other Medication or Illicit Drug	6	*	7
Circi Naco, File of More Nacos	100	170	172	Average Age at First Use of Drug	17.7	17.6	18.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	1,737	1,866	2,035	Any Injection Use at Admission	257	261	256
High School Graduate or G.E.D.	2,147	2,234	2,329	- Daily Injection Use	58	67	66
Associate Degree or Some College	1,054	973	936	- Weekly Injection Use	78	66	72
Bachelor or Advanced Degree	79	91	82	- Less than Weekly Injection Use	121	127	118
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	964	928	968	Self / Family / Friend	1,772	1,861	2,031
Unemployed	2,449	2,430	2,485	School	27	40	41
Not in Labor Force	1,604	1,806	1,929	Mental Health Provider	102	94	106
				Health Care Provider	281	235	203
LIVING ARRANGEMENT				Court / Criminal Justice	2,392	2,483	2,550
Independent Living	3,288	3,354	3,401	Other Referral Source	441	446	449
Dependent Living	892	903	895	005044 00044 474040			
Homeless	686	752	836	SPECIAL POPULATIONS	70	00	00
LIFETIME DUI / DUI A DEFOTO				Pregnant when Admitted to any Episode	78	83	68
LIFETIME DUI / DWI ARRESTS	0.000	0.400	0.004	Military Veteran	288	287	265
0	3,068	3,130	3,281	Special Education Services Needed	307	341	336
1 or 2	1,138	1,172	1,169	Co-Occurring Psychological Problem	1,884	2,001	1,934
3 or More	811	862	932	Co-Occurring Developmental Problem	153	217	194



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest Not Applicable 334,755 339,294



DIDTU DIOV FACTORS	0040		0000
BIRTH RISK FACTORS Resident BirthsTotal	2010	2009	2008
Mother Reported Drinking while Pregnant ¹	4,556	4,598	4,709
Mother Reported Smoking while Pregnant	653	19 586	21 628
Mother Reported Smoking while Pregnant	003	300	020
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	26	17	20
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	1
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	2,358	2,296	2,394
Suicides	51	52	49
Self-inflicted Injuries	544	479	566
Homicides	9	9	7
Assault Injuries	1,014	1,123	1,095
Alcohol Induced Deaths	23	23	24
Drug Induced Deaths	36	44	43
Smoking Induced Deaths	451	441	453
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	3,776	3.307	3,512
Direct Hospitalizations	1,063	717	841
Emergency Room Hospitalizations	972	1,106	1,059
Emergency Room Outpatient	1,741	1,484	1,612
Drug RelatedTotal	2,926	2,359	2.437
Direct Hospitalizations	1,048	727	882
Emergency Room Hospitalizations	735	830	739
Emergency Room Outpatient	1,143	802	816
	2010		
TRAFFIC IMPAIRED DRIVER Alcohol Involved CrashesTotal		2009	2008
Fatal Crashes	320 13	310 13	359
			9
Injury Crashes	126 181	117	151 199
Property Damage Crashes Crash Fatalities		180	
Crash Injuries	13 170	12 141	12 168
Drug Involved CrashesTotal	43	52	35
Fatal Crashes	43	32	0
Injury Crashes	13	24	17
Property Damage Crashes	28	25	18
Crash Fatalities	20	2	0
Crash Injuries	19	23	15
EMPLOYMENT	2011	2010	2009
Labor Force	183,595	179,297	177,910
Employed	169,407	163,551	163,040
Unemployed	14,188	15,746	14,870
Unemployment Rate	7.7%	8.8%	8.4%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	336	327	357
Alcohol Package Carry-out Licenses	228	223	234

■ Female	■ Male		_
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	17,109	17,930	18,402
Drop-outs	379	475	551
Drop-out Rate	2.2%	2.6%	3.0%
School Suspensions, 10 or More Days			
Alcohol Incidents	24	15	27
Drug Incidents	151	165	116
Tobacco Incidents	0	3	3
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	1,625	1,615	1,919
Liquor Law Arrests	464	690	674
Drug Arrests	1,154	1,092	944
Methamphetamine Lab Incidents	6	11	4
Violent Offenses	321	355	381
Property Offenses	3,856	3,461	4,002
Domestic Violence Reports	1,097	1,266	793
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	1,106	1,443	1,699
Violent Offenses	278	357	360
Alcohol Offenses	50	72	107
Drug Offenses	147	150	193
Status OffensesTotal	183	170	180
Truancy	43	45	52
Beyond Parental Control	54	56	53
Habitually Absent from Home	45	40	43
Injurious Behavior	37	29	31
Abuse/Neglect/CustodyTotal	241	261	283
Abuse	41	46	33
Neglect	189	202	221
Custody Disputes	11	13	29
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	75	68	54
Parental Alcohol Use Related	5	11	4
Parental Drug Use Related	16	16	11
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	54	40	39
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	109	94	72
Probation/Parole AdmissionsTotal	1,222	1,210	1,296
Probation/Parole AdmissionsDrug	329	326	354
Probation/Parole AdmissionsDWI	109	97	95
Prison AdmissionsTotal	699	699	664
Prison AdmissionsDrug	183	156	159
Prison AdmissionsDWI	50	57	65

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.
- IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.


SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	69	68	60
CSTAR Women and Children	50	43	67
CSTAR General Adult	809	487	342
CSTAR Opioid	15	11	12
Primary Recovery Detoxification	140	215	211
Primary Recovery Treatment	88	491	415
Clinical SATOP (CIP, YCIP, SROP)	216	246	208
Other Substance Abuse Treatment	7	7	21

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	1,285	1,565	1,711
- Adolescent Diversion Education Program	16	20	26
- Offender Education Program	485	635	735
- Weekend Intervention Program	390	465	561
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	25	36	38
- Compulsive Gambling	32	34	23
- Recovery Supports	30	124	96
- Early Intervention	13	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	856	934	799	Never Married	729	775	646
Female	409	418	371	Married / Cohabitating	271	269	236
	400	710	071	Previously Married	265	307	283
AGE				•	200	001	200
Under 18	72	71	57	PRIMARY DRUG PROBLEM			
18 to 24	265	277	229	Alcohol	636	703	608
25 to 29	180	234	209	Marijuana / Hashish	303	300	233
30 to 34	193	170	156	Cocaine (total)	48	72	95
35 to 39	145	169	142	- Crack	30	46	61
40 to 44	135	147	135	Stimulant (total)	163	169	136
45 to 54	222	225	207	- Methamphetamine	154	168	134
55 and Over	53	59	35	Heroin	19	16	15
RACE / ETHNICITY				Analgesic except Heroin	72	70	63
Caucasian	1,136	1,213	1,052	- Non-Prescription Methadone	0	*	*
African American	1,130	1,213	62	PCP, LSD, other Hallucinogen	7	*	10
Native American / Alaskan	% *		5	Tranquilizer	14	12	9
Asian / Pacific Islander	*	6 7	6	Inhalant	0	*	0
Hispanic		7 46	6 41	Sedative	0	5	*
Other Race / Two or More Races	49	_		Other Medication or Illicit Drug	*	*	0
Other Race / Two or More Races	29	26	19	Average Age at First Use of Drug	17.3	17.0	17.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	318	361	310	Any Injection Use at Admission	81	75	75
High School Graduate or G.E.D.	583	679	581	- Daily Injection Use	29	12	16
Associate Degree or Some College	322	279	234	- Weekly Injection Use	24	27	21
Bachelor or Advanced Degree	42	33	45	- Less than Weekly Injection Use	28	36	38
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	406	433	409	Self / Family / Friend	301	324	333
Unemployed	571	572	443	School	0	0	0
Not in Labor Force	288	347	318	Mental Health Provider	121	94	58
				Health Care Provider	48	34	35
LIVING ARRANGEMENT				Court / Criminal Justice	695	789	655
Independent Living	1,092	1,139	986	Other Referral Source	100	110	89
Dependent Living	109	121	108	ODEOLAL DODUKATIONO			
Homeless	48	54	49	SPECIAL POPULATIONS	4.4	40	40
LIFETIME DUI / DIAM A DDECTO				Pregnant when Admitted to any Episode	11	12	19
LIFETIME DUI / DWI ARRESTS	F70	040	550	Military Veteran	60	60	38
0	573	616	559	Special Education Services Needed	35	48	48
1 or 2	397	370	310	Co-Occurring Psychological Problem	468	471	405
3 or More	295	366	301	Co-Occurring Developmental Problem	30	22	33



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest Not Applicable 185,454 186,700



DIDTU DIOK FACTORS	2040	2000	2000
BIRTH RISK FACTORS Resident BirthsTotal	2010 2,414	2009 2,405	2008 2,446
Mother Reported Drinking while Pregnant ¹	2,414	2,403	2,440
Mother Reported Smoking while Pregnant	490	411	444
Motion Reported Smoking Wille Freguenc		411	444
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	7	7	9
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	1,592	1,503	1,610
Suicides	32	21	23
Self-inflicted Injuries	226	217	260
Homicides	4	4	4
Assault Injuries	550	471	515
Alcohol Induced Deaths	10	6	7
Drug Induced Deaths	19	15	19
Smoking Induced Deaths	271	282	290
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	1,580	1.327	1,285
Direct Hospitalizations	601	355	354
Emergency Room Hospitalizations	328	379	347
Emergency Room Outpatient	651	593	584
Drug RelatedTotal	1.242	991	955
Direct Hospitalizations	528	346	366
Emergency Room Hospitalizations	200	267	224
Emergency Room Outpatient	514	378	365
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	186	224	221
Fatal Crashes	5	5	8
Injury Crashes	79	92	93
Property Damage Crashes	102	127	120
Crash Fatalities	6	4	7
Crash Injuries	104	115	113
Drug Involved CrashesTotal	34	34	41
Fatal Crashes	1	1	0
Injury Crashes	18	15	20
Property Damage Crashes	15	18	21
Crash Fatalities	2	1	0
Crash Injuries	33	15	20
EMPLOYMENT	2011	2010	2009
Labor Force	93,610	90,868	93,445
Employed	85,394	81,826	84,897
Unemployed	8,216	9,042	8,548
Unemployment Rate	8.8%	10.0%	9.1%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	171	168	186
Alcohol Package Carry-out Licenses	161	154	153
			.00

Terriare	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	9,387	9,567	9,584
Drop-outs	144	212	246
Drop-out Rate	1.5%	2.2%	2.6%
School Suspensions, 10 or More Days			
Alcohol Incidents	13	24	16
Drug Incidents	115	103	49
Tobacco Incidents	0	0	C
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	1,145	1,208	1,495
Liquor Law Arrests	562	591	981
Drug Arrests	938	974	1,116
Methamphetamine Lab Incidents	1	8	ç
Violent Offenses	287	265	283
Property Offenses	3,912	3,968	4,04
Domestic Violence Reports	1,444	1,358	1,082
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	911	957	1,209
Violent Offenses	232	257	295
Alcohol Offenses	60	40	57
Drug Offenses	66	76	105
Status OffensesTotal	585	551	661
Truancy	68	68	65
Beyond Parental Control	168	130	169
Habitually Absent from Home	127	141	153
Injurious Behavior	220	211	273
Abuse/Neglect/CustodyTotal	417	313	246
Abuse	42	49	-
Neglect	237	198	195
Custody Disputes	138	66	44
JUVENILE COURT PLACEMENTS	2010	2009	200
Out-of-Home PlacementsTotal	182	97	98
Parental Alcohol Use Related	12	6	(
Parental Drug Use Related	51	18	13
Parental Alcohol and Drug Use	15	0	
Child Removed for Other Reason	104	73	84
CRIMINAL JUSTICE	FY2011	FY2010	FY200
Drug Court Participants	84	87	68
Probation/Parole AdmissionsTotal	1,116	1,135	1,173
Probation/Parole AdmissionsDrug	348	369	38
Probation/Parole AdmissionsDWI	103	74	68
Prison AdmissionsTotal	636	593	634
Prison AdmissionsDrug	205	163	192

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.


SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	84	44	47
CSTAR Women and Children	16	29	21
CSTAR General Adult	574	374	66
CSTAR Opioid	*	*	*
Primary Recovery Detoxification	83	102	127
Primary Recovery Treatment	102	647	678
Clinical SATOP (CIP, YCIP, SROP)	121	146	179
Other Substance Abuse Treatment	0	6	13

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	764	928	1,066
- Adolescent Diversion Education Program	8	6	*
- Offender Education Program	322	373	481
- Weekend Intervention Program	177	250	314
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	45	54	32
- Compulsive Gambling	*	0	*
- Recovery Supports	234	200	180
- Early Intervention	41	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	643	820	749	Never Married	523	587	554
Female	329	297	293	Married / Cohabitating	259	298	260
	020	201	200	Previously Married	190	232	228
AGE				•	100	202	220
Under 18	86	49	53	PRIMARY DRUG PROBLEM			
18 to 24	209	268	256	Alcohol	438	539	519
25 to 29	172	197	188	Marijuana / Hashish	272	316	279
30 to 34	126	147	112	Cocaine (total)	20	36	42
35 to 39	104	131	136	- Crack	11	14	27
40 to 44	102	104	105	Stimulant (total)	168	168	153
45 to 54	132	178	163	- Methamphetamine	156	164	148
55 and Over	41	43	29	Heroin	*	7	*
RACE / ETHNICITY				Analgesic except Heroin	45	38	33
Caucasian	888	1,007	941	- Non-Prescription Methadone	0	0	0
African American	44	62	64	PCP, LSD, other Hallucinogen	7	*	*
Native American / Alaskan	5	· *	*	Tranquilizer	7	10	9
Asian / Pacific Islander	*	*	*	Inhalant	*	0	0
Hispanic	23	24	23	Sedative	*	0	*
Other Race / Two or More Races	19	28	20	Other Medication or Illicit Drug	9	*	0
Other Nace / Two of More Naces	19	20	20	Average Age at First Use of Drug	16.6	16.7	16.9
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	309	352	316	Any Injection Use at Admission	63	85	56
High School Graduate or G.E.D.	431	535	505	- Daily Injection Use	*	11	10
Associate Degree or Some College	216	203	193	- Weekly Injection Use	24	15	12
Bachelor or Advanced Degree	16	27	28	- Less than Weekly Injection Use	36	59	34
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	303	393	393	Self / Family / Friend	438	408	394
Unemployed	313	466	425	School	*	*	*
Not in Labor Force	356	258	223	Mental Health Provider	17	13	8
				Health Care Provider	25	23	17
LIVING ARRANGEMENT				Court / Criminal Justice	412	616	553
Independent Living	813	945	867	Other Referral Source	78	53	67
Dependent Living	104	118	135	005044 00044 474040			
Homeless	22	17	19	SPECIAL POPULATIONS		4-	40
LIFETIME DUI / DUI A DEFOTO				Pregnant when Admitted to any Episode	14	17	12
LIFETIME DUI / DWI ARRESTS	500		E 40	Military Veteran	55	59	45
0	532	557	542	Special Education Services Needed	44	39	53
1 or 2	253	313	276	Co-Occurring Psychological Problem	291	348	330
3 or More	187	247	224	Co-Occurring Developmental Problem	27	22	33



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest Not Applicable 112,950 112,522



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	1,227	1,177	1,281
Mother Reported Drinking while Pregnant ¹		3	6
Mother Reported Smoking while Pregnant	347	323	354
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	2	4	1
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	1
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	1,501	1,437	1,490
Suicides	23	23	19
Self-inflicted Injuries	186	177	175
Homicides	5	6	1/3
Assault Injuries	341	352	327
Alcohol Induced Deaths	7	5	14
Drug Induced Deaths	, 21	8	16
Smoking Induced Deaths	298	281	307
Chicking madood boams	230	201	307
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	1,199	1,120	1,020
Direct Hospitalizations	417	377	361
Emergency Room Hospitalizations	286	326	318
Emergency Room Outpatient	496	417	341
Drug RelatedTotal	1,208	1,009	717
Direct Hospitalizations	420	353	328
Emergency Room Hospitalizations	225	245	168
Emergency Room Outpatient	563	411	221
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	138	143	147
Fatal Crashes	9	8	9
Injury Crashes	70	65	69
Property Damage Crashes	59	70	69
Crash Fatalities	9	11	9
Crash Injuries	111	87	98
Drug Involved CrashesTotal	23	20	7
Fatal Crashes	1	3	0
Injury Crashes	14	10	1
Property Damage Crashes	8	7	6
Crash Fatalities	1	6	0
Crash Injuries	20	17	1
EMPLOYMENT	2011	2010	2009
Labor Force	49,959	49,911	50,345
Employed	45,289	44,906	45,441
Unemployed	4,670	5,005	4,904
Unemployment Rate	9.3%	10.0%	9.7%
			2000
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	137	141	156
Alcohol Package Carry-out Licenses	150	145	158

SCHOOL REPORTS 2010-2011 2009-2010 2008-2009 Enrollment Grades 9-12 5,202 5,226 5,318 Drop-out Rate 2.6% 2.6% 3.9% School Suspensions, 10 or More Days Alcohol Incidents 12 7 11 Drug Incidents 36 33 42 Tobacco Incidents 1 1 1 1 POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 729 603 757 Liquor Law Arrests 219 241 321 Drug Arrests 534 492 340 Methamphetamine Lab Incidents 77 71 70 Violent Offenses 326 343 294 Property Offenses 2,999 2,707 2,743 Domestic Violence Reports 633 557 555 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses—Total 591 665 687 Violent Offenses	■ Female I	Male	- , ,	~
Drop-outs 135 137 207 Drop-out Rate 2.6% 2.6% 3.9% School Suspensions, 10 or More Days Alcohol Incidents 12 7 11 Drug Incidents 36 33 42 Tobacco Incidents 1 1 1 1 POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 729 603 757 Liquor Law Arrests 219 241 321 Drug Arrests 534 492 340 Methamphetamine Lab Incidents 77 71 70 Violent Offenses 326 343 294 Property Offenses 2,999 2,707 2,743 Domestic Violence Reports 633 557 555 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation OffensesTotal 591 665 687 Violent OffensesTotal 591 665 687 Drug OffensesTotal 47	SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Drop-out Rate 2.6% 2.6% 3.9%	Enrollment Grades 9-12	5,202	5,226	5,318
School Suspensions, 10 or More Days Alcohol Incidents 12 7 11	Drop-outs	135	137	207
Alcohol Incidents	Drop-out Rate	2.6%	2.6%	3.9%
Drug Incidents 36 33 42 Tobacco Incidents 1 1 1 POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 729 603 757 Liquor Law Arrests 219 241 321 Drug Arrests 534 492 340 Methamphetamine Lab Incidents 77 71 70 Violent Offenses 326 343 294 Property Offenses 2,999 2,707 2,743 Domestic Violence Reports 633 557 555 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses—Total 591 665 687 Violent Offenses 178 252 184 Alcohol Offenses 52 66 76 Drug Offenses 37 28 43 Status Offenses—Total 473 547 528 Truancy 151 140 124 Beyond Par	School Suspensions, 10 or More Days			
Tobacco Incidents 1 1 1 POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 729 603 757 Liquor Law Arrests 219 241 321 Drug Arrests 534 492 340 Methamphetamine Lab Incidents 77 71 70 Violent Offenses 326 343 294 Property Offenses 2,999 2,707 2,743 Domestic Violence Reports 633 557 555 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses—Total 591 665 687 Violent Offenses 178 252 184 Alcohol Offenses 52 66 76 Drug Offenses 37 28 43 Status Offenses—Total 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 <t< th=""><th>Alcohol Incidents</th><th>12</th><th>7</th><th>11</th></t<>	Alcohol Incidents	12	7	11
POLICE REPORTS 2010 2009 2008 DUI Arrests, DWI Tracking System 729 603 757 Liquor Law Arrests 219 241 321 Drug Arrests 534 492 340 Methamphetamine Lab Incidents 77 71 70 Violent Offenses 326 343 294 Property Offenses 2,999 2,707 2,743 Domestic Violence Reports 633 557 555 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses-Total 591 665 687 Violent Offenses 52 66 76 Drug Offenses 37 28 43 Status Offenses-Total 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165	Drug Incidents	36	33	42
DUI Arrests, DWI Tracking System 729 603 757 Liquor Law Arrests 219 241 321 Drug Arrests 534 492 340 Methamphetamine Lab Incidents 77 71 70 Violent Offenses 326 343 294 Property Offenses 2,999 2,707 2,743 Domestic Violence Reports 633 557 555 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses.—Total 591 665 687 Violent Offenses 178 252 184 Alcohol Offenses 52 66 76 Drug Offenses 37 28 43 Status Offenses—Total 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165	Tobacco Incidents	1	1	1
Liquor Law Arrests 219 241 321 Drug Arrests 534 492 340 Methamphetamine Lab Incidents 77 71 70 Violent Offenses 326 343 294 Property Offenses 2,999 2,707 2,743 Domestic Violence Reports 633 557 555 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation OffensesTotal 591 665 687 Violent Offenses 178 252 184 Alcohol Offenses 52 66 76 Drug Offenses 37 28 43 Status OffensesTotal 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse 130 102 122 Neglect </td <td>POLICE REPORTS</td> <td>2010</td> <td>2009</td> <td>2008</td>	POLICE REPORTS	2010	2009	2008
Drug Arrests 534 492 340 Methamphetamine Lab Incidents 77 71 70 Violent Offenses 326 343 294 Property Offenses 2,999 2,707 2,743 Domestic Violence Reports 633 557 555 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation OffensesTotal 591 665 687 Violent Offenses 178 252 184 Alcohol Offenses 52 66 76 76 Drug Offenses 37 28 43 Status OffensesTotal 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122	DUI Arrests, DWI Tracking System	729	603	757
Methamphetamine Lab Incidents 77 71 70 Violent Offenses 326 343 294 Property Offenses 2,999 2,707 2,743 Domestic Violence Reports 633 557 555 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation OffensesTotal 591 665 687 Violent Offenses 178 252 184 Alcohol Offenses 52 66 76 Drug Offenses 37 28 43 Status OffensesTotal 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLAC	Liquor Law Arrests	219	241	321
Violent Offenses 326 343 294 Property Offenses 2,999 2,707 2,743 Domestic Violence Reports 633 557 555 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation Offenses.—Total 591 665 687 Violent Offenses 178 252 184 Alcohol Offenses 52 66 76 Drug Offenses 37 28 43 Status Offenses.—Total 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse/Neglect/Custody—Total 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLA	Drug Arrests	534	492	340
Property Offenses 2,999 2,707 2,743 Domestic Violence Reports 633 557 555 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation OffensesTotal 591 665 687 Violent Offenses 178 252 184 Alcohol Offenses 52 66 76 Drug Offenses 37 28 43 Status OffensesTotal 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-o	Methamphetamine Lab Incidents	77	71	70
Domestic Violence Reports 633 557 555 JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation OffensesTotal 591 665 687 Violent Offenses 178 252 184 Alcohol Offenses 52 66 76 Drug Offenses 37 28 43 Status OffensesTotal 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 P	Violent Offenses	326	343	294
JUVENILE COURT REFERRALS 2010 2009 2008 Law Violation OffensesTotal 591 665 687 Violent Offenses 178 252 184 Alcohol Offenses 52 66 76 Drug Offenses 37 28 43 Status OffensesTotal 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 51 16 9 Pa	Property Offenses	2,999	2,707	2,743
Law Violation OffensesTotal 591 665 687 Violent Offenses 178 252 184 Alcohol Offenses 52 66 76 Drug Offenses 37 28 43 Status OffensesTotal 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child	Domestic Violence Reports	633	557	555
Violent Offenses 178 252 184 Alcohol Offenses 52 66 76 Drug Offenses 37 28 43 Status OffensesTotal 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL	JUVENILE COURT REFERRALS	2010	2009	2008
Alcohol Offenses 52 66 76 Drug Offenses 37 28 43 Status OffensesTotal 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 <td< td=""><td>Law Violation OffensesTotal</td><td>591</td><td>665</td><td>687</td></td<>	Law Violation OffensesTotal	591	665	687
Drug Offenses 37 28 43 Status OffensesTotal 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009	Violent Offenses	178	252	184
Status OffensesTotal 473 547 528 Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71	Alcohol Offenses	52	66	76
Truancy 151 140 124 Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776	Drug Offenses	37	28	43
Beyond Parental Control 130 157 148 Habitually Absent from Home 51 59 73 Injurious Behavior 129 184 165 Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776 Probation/Parole AdmissionsDrug 202 177<	Status OffensesTotal	473	547	528
Habitually Absent from Home 51 59 73	Truancy	151	140	124
Injurious Behavior 129 184 165 Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776 Probation/Parole AdmissionsDrug 202 177 191	Beyond Parental Control	130	157	148
Abuse/Neglect/CustodyTotal 601 645 535 Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776 Probation/Parole AdmissionsDrug 202 177 191	Habitually Absent from Home	51	59	73
Abuse 130 102 122 Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776 Probation/Parole AdmissionsDrug 202 177 191	Injurious Behavior	129	184	165
Neglect 434 461 366 Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776 Probation/Parole AdmissionsDrug 202 177 191	Abuse/Neglect/CustodyTotal	601	645	535
Custody Disputes 37 82 47 JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776 Probation/Parole AdmissionsDrug 202 177 191	Abuse	130	102	122
JUVENILE COURT PLACEMENTS 2010 2009 2008 Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776 Probation/Parole AdmissionsDrug 202 177 191	Neglect	434	461	366
Out-of-Home PlacementsTotal 160 88 82 Parental Alcohol Use Related 3 12 3 Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776 Probation/Parole AdmissionsDrug 202 177 191	Custody Disputes	37	82	47
Parental Alcohol Use Related 3 12 3 Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776 Probation/Parole AdmissionsDrug 202 177 191	JUVENILE COURT PLACEMENTS	2010	2009	2008
Parental Drug Use Related 51 16 9 Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776 Probation/Parole AdmissionsDrug 202 177 191	Out-of-Home PlacementsTotal	160	88	82
Parental Alcohol and Drug Use 1 0 2 Child Removed for Other Reason 105 60 68 CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776 Probation/Parole AdmissionsDrug 202 177 191	Parental Alcohol Use Related	3	12	3
Child Removed for Other Reason1056068CRIMINAL JUSTICEFY2011FY2010FY2009Drug Court Participants758471Probation/Parole AdmissionsTotal779715776Probation/Parole AdmissionsDrug202177191	Parental Drug Use Related	51	16	9
CRIMINAL JUSTICE FY2011 FY2010 FY2009 Drug Court Participants 75 84 71 Probation/Parole AdmissionsTotal 779 715 776 Probation/Parole AdmissionsDrug 202 177 191	Parental Alcohol and Drug Use	1	0	2
Drug Court Participants758471Probation/Parole AdmissionsTotal779715776Probation/Parole AdmissionsDrug202177191	Child Removed for Other Reason	105	60	68
Probation/Parole AdmissionsTotal779715776Probation/Parole AdmissionsDrug202177191			FY2010	
Probation/Parole AdmissionsDrug 202 177 191				
•		779	715	776
Probation/Parole AdmissionsDWI 54 62 50	•	202	177	191
	Probation/Parole AdmissionsDWI	54	62	50
Prison AdmissionsTotal 393 370 366	Prison AdmissionsTotal	393	370	366
Prison AdmissionsDrug 89 78 83	Prison AdmissionsDrug	89	78	83
Prison AdmissionsDWI 23 26 24	Prison AdmissionsDWI	23	26	24

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.


SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	57	67	71
CSTAR Women and Children	39	42	37
CSTAR General Adult	858	862	733
CSTAR Opioid	*	*	*
Primary Recovery Detoxification	135	146	143
Primary Recovery Treatment	339	571	653
Clinical SATOP (CIP, YCIP, SROP)	106	80	74
Other Substance Abuse Treatment	*	*	15

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	588	714	848
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	215	288	321
- Weekend Intervention Program	158	209	347
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	62	69	43
- Compulsive Gambling	5	5	*
- Recovery Supports	205	284	215
- Early Intervention	10	*	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	919	966	1,067	Never Married	644	686	749
Female	449	431	447	Married / Cohabitating	410	372	382
				Previously Married	314	339	383
AGE				•	.	000	000
Under 18	66	73	79	PRIMARY DRUG PROBLEM			
18 to 24	283	293	332	Alcohol	565	579	688
25 to 29	239	259	290	Marijuana / Hashish	352	401	432
30 to 34	194	213	195	Cocaine (total)	25	44	40
35 to 39	172	141	157	- Crack	12	27	27
40 to 44	140	159	177	Stimulant (total)	298	254	250
45 to 54	215	208	233	- Methamphetamine	290	250	243
55 and Over	59	51	51	Heroin	5	10	8
RACE / ETHNICITY				Analgesic except Heroin	100	87	75
Caucasian	1,290	1,315	1,431	- Non-Prescription Methadone	0	0	*
African American	27	39	30	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	7	*	9	Tranquilizer	11	17	14
Asian / Pacific Islander	*	*	*	Inhalant	*	*	*
Hispanic	28	20	27	Sedative	*	*	*
Other Race / Two or More Races	26	28	27 25	Other Medication or Illicit Drug	5	*	*
Other Race / Two or More Races	20	20	25	Average Age at First Use of Drug	17.1	17.1	16.5
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	482	501	522	Any Injection Use at Admission	162	167	117
High School Graduate or G.E.D.	610	672	770	- Daily Injection Use	21	28	15
Associate Degree or Some College	257	205	211	- Weekly Injection Use	34	45	25
Bachelor or Advanced Degree	19	19	11	- Less than Weekly Injection Use	107	94	77
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	369	319	446	Self / Family / Friend	424	445	444
Unemployed	556	689	681	School	*	*	*
Not in Labor Force	443	389	387	Mental Health Provider	24	23	23
				Health Care Provider	42	26	23
LIVING ARRANGEMENT				Court / Criminal Justice	759	801	867
Independent Living	1,209	1,213	1,289	Other Referral Source	117	100	154
Dependent Living	100	140	179				
Homeless	31	20	20	SPECIAL POPULATIONS			
				Pregnant when Admitted to any Episode	18	22	22
LIFETIME DUI / DWI ARRESTS				Military Veteran	65	52	57
0	748	755	824	Special Education Services Needed	85	97	102
1 or 2	390	402	426	Co-Occurring Psychological Problem	455	533	509
3 or More	230	240	264	Co-Occurring Developmental Problem	34	43	29



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest Not Applicable 285,234 286,095



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	3,864	4,042	4,163
Mother Reported Drinking while Pregnant ¹		8	25
Mother Reported Smoking while Pregnant	885	810	950
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	13	9	14
IDU and MSM ²	*	*	1
IDU without MSM ²	*	*	3
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	2,823	2,748	2,898
Suicides	38	53	38
Self-inflicted Injuries	368	417	347
Homicides	5	7	17
Assault Injuries	895	949	1,012
Alcohol Induced Deaths	14	13	15
Drug Induced Deaths	54	48	32
Smoking Induced Deaths	523	509	524
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	3,529	3,712	3,487
Direct Hospitalizations	1,381	544	569
Emergency Room Hospitalizations	606	1,589	1,476
Emergency Room Outpatient	1,542	1,579	1,442
Drug RelatedTotal	3,391	3,327	2,949
Direct Hospitalizations	1,346	599	601
Emergency Room Hospitalizations	575	1,198	1,136
Emergency Room Outpatient	1,470	1,530	1,212
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	350	400	428
Fatal Crashes	13	14	24
Injury Crashes	156	185	189
Property Damage Crashes	181	201	215
Crash Fatalities	13	17	25
Crash Injuries	225	235	252
Drug Involved CrashesTotal	79	235 91	82
Fatal Crashes	19	2	3
Injury Crashes	31	33	30
Property Damage Crashes	-		
Crash Fatalities	47	56	49
Crash Injuries	1	1	4
Crash injunes	40	46	35
EMPLOYMENT	2011	2010	2009
Labor Force	139,451	137,210	137,782
Employed	128,504	125,258	126,359
Unemployed	10,947	11,952	11,423
Unemployment Rate	7.9%	8.7%	8.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	230	219	248
Alcohol Package Carry-out Licenses	320	296	325
· •			

■ Female ■ Male							
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009				
Enrollment Grades 9-12	13,970	14,064	13,678				
Drop-outs	366	374	625				
Drop-out Rate	2.6%	2.7%	4.6%				
School Suspensions, 10 or More Days							
Alcohol Incidents	13	35	23				
Drug Incidents	177	113	119				
Tobacco Incidents	1	1	3				
POLICE REPORTS	2010	2009	2008				
DUI Arrests, DWI Tracking System	2,468	2,318	2,486				
Liquor Law Arrests	475	652	824				
Drug Arrests	1,345	1,661	1,707				
Methamphetamine Lab Incidents	239	223	174				
Violent Offenses	990	999	1,053				
Property Offenses	9,438	9,831	10,634				
Domestic Violence Reports	2,571	2,774	2,350				
JUVENILE COURT REFERRALS	2010	2009	2008				
Law Violation OffensesTotal	1,445	1,689	1,705				
Violent Offenses	388	426	429				
Alcohol Offenses	79	102	114				
Drug Offenses	115	126	121				
Status OffensesTotal	637	727	631				
Truancy	186	229	156				
Beyond Parental Control	149	160	158				
Habitually Absent from Home	134	183	189				
Injurious Behavior	137	120	91				
Abuse/Neglect/CustodyTotal	1,591	1,569	1,114				
Abuse	165	209	164				
Neglect	1,278	1,250	875				
Custody Disputes	148	110	75				
JUVENILE COURT PLACEMENTS	2010	2009	2008				
Out-of-Home PlacementsTotal	695	639	537				
Parental Alcohol Use Related	27	19	22				
Parental Drug Use Related	206	155	160				
Parental Alcohol and Drug Use	30	17	18				
Child Removed for Other Reason	432	448	337				
CRIMINAL JUSTICE	FY2011	FY2010	FY2009				
Drug Court Participants	152	125	130				
Probation/Parole AdmissionsTotal	1,748	1,693	1,758				
Probation/Parole AdmissionsDrug	571	468	481				
Probation/Parole AdmissionsDWI	158	136	139				
Prison AdmissionsTotal	876	926	904				
Prison AdmissionsDrug	273	258	258				
Prison AdmissionsDWI	86	79	95				

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.
- IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.


SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	114	132	121
CSTAR Women and Children	288	282	265
CSTAR General Adult	816	320	159
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	243	273	260
Primary Recovery Treatment	543	1,274	1,356
Clinical SATOP (CIP, YCIP, SROP)	216	251	176
Other Substance Abuse Treatment	*	0	9

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	1,254	1,503	1,562
- Adolescent Diversion Education Program	69	88	94
- Offender Education Program	476	586	569
- Weekend Intervention Program	196	315	450
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	109	132	134
- Compulsive Gambling	5	*	24
- Recovery Supports	260	168	152
- Early Intervention	43	44	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	1,395	1,510	1,477	Never Married	955	1,061	984
Female	726	740	640	Married / Cohabitating	592	586	543
				Previously Married	574	602	590
AGE							
Under 18	117	138	127	PRIMARY DRUG PROBLEM			
18 to 24	369	424	411	Alcohol	918	990	953
25 to 29	407	421	378	Marijuana / Hashish	452	543	487
30 to 34	329	298	290	Cocaine (total)	30	43	60
35 to 39	259	276	269	- Crack	16	29	37
40 to 44	213	232	238	Stimulant (total)	513	478	449
45 to 54	346	369	326	- Methamphetamine	480	460	412
55 and Over	81	92	78	Heroin	14	6	10
RACE / ETHNICITY				Analgesic except Heroin	157	148	110
Caucasian	1,927	2,045	1,921	- Non-Prescription Methadone	*	*	0
African American	72	65	65	PCP, LSD, other Hallucinogen	*	*	6
Native American / Alaskan	11	24	20	Tranquilizer	25	31	30
Asian / Pacific Islander	9	12	6	Inhalant	*	*	*
Hispanic	71	72	58	Sedative	0	*	6
Other Race / Two or More Races	45	50	61	Other Medication or Illicit Drug	7	*	5
	-10	00	01	Average Age at First Use of Drug	17.3	17.1	17.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	849	846	817	Any Injection Use at Admission	302	293	270
High School Graduate or G.E.D.	893	990	923	- Daily Injection Use	44	52	36
Associate Degree or Some College	359	384	350	- Weekly Injection Use	81	78	69
Bachelor or Advanced Degree	20	30	27	- Less than Weekly Injection Use	177	163	165
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	592	722	731	Self / Family / Friend	612	791	731
Unemployed	887	833	718	School	*	*	*
Not in Labor Force	642	695	668	Mental Health Provider	18	26	31
				Health Care Provider	112	150	114
LIVING ARRANGEMENT				Court / Criminal Justice	1,108	1,048	1,121
Independent Living	1,756	1,763	1,640	Other Referral Source	269	231	116
Dependent Living	238	369	372	005044 00044 474040			
Homeless	89	80	66	SPECIAL POPULATIONS		00	00
LIFETIME DUL / DWL ADDECTO				Pregnant when Admitted to any Episode	30	29	26
LIFETIME DUI / DWI ARRESTS	4.040	4.074	4.046	Military Veteran	92	132	121
0	1,013	1,071	1,019	Special Education Services Needed	223	200	155
1 or 2	685	703	647	Co-Occurring Psychological Problem	865	695	579
3 or More	423	476	451	Co-Occurring Developmental Problem	55	51	36



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southwest 10 Not Applicable 528,472 532,948



DIDTU DIOK FACTORO	0040	0000	0000
BIRTH RISK FACTORS Resident BirthsTotal	2010	2009	2008
Mother Reported Drinking while Pregnant ¹	6,666	6,814 44	6,951
Mother Reported Smoking while Pregnant	1,291	1,272	31
Mother Reported Smoking while Pregnant	1,291	1,212	1,310
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	39	22	33
IDU and MSM ²	*	*	3
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	4,819	4,700	4,717
Suicides	76	79	63
Self-inflicted Injuries	833	777	698
Homicides	14	14	17
Assault Injuries	1,711	1,600	1,506
Alcohol Induced Deaths	54	34	44
Drug Induced Deaths	134	106	108
Smoking Induced Deaths	862	843	849
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	6,100	5,762	5,503
Direct Hospitalizations	1,114	1.099	784
Emergency Room Hospitalizations	2,001	2,024	2,234
Emergency Room Outpatient	2,985	2,639	2,485
Drug RelatedTotal	5,814	4,965	4,614
Direct Hospitalizations	1,556	1,238	1,040
Emergency Room Hospitalizations	1,702	1,616	1,738
Emergency Room Outpatient	2,556	2,111	1,836
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	592	759	556
Fatal Crashes	22	15	13
Injury Crashes	238	354	264
Property Damage Crashes	332	390	279
Crash Fatalities	25	15	11
Crash Injuries	344	380	289
Drug Involved CrashesTotal	143	143	79
Fatal Crashes	4	5	1
Injury Crashes	68	61	37
Property Damage Crashes	71	77	41
Crash Fatalities	5	5	1
Crash Injuries	99	59	43
EMPLOYMENT	2011	2010	2009
Labor Force	270,177	264,456	265,706
Employed	247,447	239,697	241,194
Unemployed	22,730	24,759	24,512
Unemployment Rate	8.4%	9.4%	9.2%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	581	576	600
Alcohol Package Carry-out Licenses	466	438	476
= •			_

■ Female ■ Male				
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009	
Enrollment Grades 9-12	23,267	23,498	22,974	
Drop-outs	472	525	769	
Drop-out Rate	2.0%	2.2%	3.3%	
School Suspensions, 10 or More Days				
Alcohol Incidents	57	45	60	
Drug Incidents	344	221	209	
Tobacco Incidents	22	27	10	
POLICE REPORTS	2010	2009	2008	
DUI Arrests, DWI Tracking System	2,834	2,947	3,456	
Liquor Law Arrests	1,068	1,202	1,159	
Drug Arrests	2,457	2,214	2,400	
Methamphetamine Lab Incidents	108	78	69	
Violent Offenses	2,319	2,298	2,107	
Property Offenses	23,864	22,114	22,553	
Domestic Violence Reports	5,306	5,169	4,882	
JUVENILE COURT REFERRALS	2010	2009	2008	
Law Violation OffensesTotal	2,608	2,687	3,065	
Violent Offenses	892	903	833	
Alcohol Offenses	148	127	184	
Drug Offenses	266	218	312	
Status OffensesTotal	1,065	1,025	1,127	
Truancy	77	49	45	
Beyond Parental Control	185	227	160	
Habitually Absent from Home	176	208	239	
Injurious Behavior	625	538	674	
Abuse/Neglect/CustodyTotal	1,376	1,041	1,292	
Abuse	277	235	312	
Neglect	983	711	867	
Custody Disputes	116	95	113	
JUVENILE COURT PLACEMENTS	2010	2009	2008	
Out-of-Home PlacementsTotal	775	563	626	
Parental Alcohol Use Related	35	22	22	
Parental Drug Use Related	256	144	160	
Parental Alcohol and Drug Use	44	26	9	
Child Removed for Other Reason	440	371	435	
CRIMINAL JUSTICE	FY2011	FY2010	FY2009	
Drug Court Participants	880	706	630	
Probation/Parole AdmissionsTotal	3,087	3,345	3,189	
Probation/Parole AdmissionsDrug	995	1,176	1,152	
Probation/Parole AdmissionsDWI	187	213	169	
Prison AdmissionsTotal	1,699	1,525	1,617	
Prison AdmissionsDrug	563	517	503	
Prison AdmissionsDWI	82	82	83	
* An asterisk in a data cell indicates the co				

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.
- IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	252	243	210
CSTAR Women and Children	314	309	395
CSTAR General Adult	877	845	250
CSTAR Opioid	*	*	*
Primary Recovery Detoxification	943	898	761
Primary Recovery Treatment	1,098	1,711	2,017
Clinical SATOP (CIP, YCIP, SROP)	315	429	215
Other Substance Abuse Treatment	*	6	118


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	2,003	2,659	2,622
- Adolescent Diversion Education Program	44	78	110
- Offender Education Program	794	1,051	1,067
- Weekend Intervention Program	472	661	762
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	100	107	116
- Compulsive Gambling	*	*	*
- Recovery Supports	470	1,074	954
- Early Intervention	240	123	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	2,137	2,511	2,346	Never Married	1,666	1,852	1,710
Female	1,090	1,026	952	Married / Cohabitating	750	782	767
	,,,,,,,	.,		Previously Married	812	903	820
AGE				•			
Under 18	257	252	220	PRIMARY DRUG PROBLEM			
18 to 24	643	696	687	Alcohol	1,329	1,527	1,317
25 to 29	562	635	605	Marijuana / Hashish	749	923	952
30 to 34	459	505	421	Cocaine (total)	86	102	108
35 to 39	328	392	387	- Crack	50	38	51
40 to 44	316	345	335	Stimulant (total)	577	519	514
45 to 54	539	573	539	- Methamphetamine	560	508	505
55 and Over	124	139	104	Heroin	69	56	46
RACE / ETHNICITY				Analgesic except Heroin	338	332	287
Caucasian	2,863	3,211	2,946	- Non-Prescription Methadone	8	9	5
African American	229	203	208	PCP, LSD, other Hallucinogen	18	13	8
Native American / Alaskan	11	13	11	Tranquilizer	43	48	51
Asian / Pacific Islander	5	10	8	Inhalant	6	*	7
Hispanic	72	70	71	Sedative	5	8	6
Other Race / Two or More Races	78	68	81	Other Medication or Illicit Drug	8	5	*
Circi Nacci i incic Nacci	70	00	01	Average Age at First Use of Drug	16.5	16.6	16.5
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	1,187	1,328	1,298	Any Injection Use at Admission	556	471	402
High School Graduate or G.E.D.	1,374	1,486	1,395	- Daily Injection Use	129	126	70
Associate Degree or Some College	612	668	560	- Weekly Injection Use	157	106	107
Bachelor or Advanced Degree	55	55	45	- Less than Weekly Injection Use	270	239	225
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	773	1,032	1,012	Self / Family / Friend	1,081	980	937
Unemployed	1,366	1,461	1,294	School	14	5	5
Not in Labor Force	1,089	1,044	992	Mental Health Provider	76	60	54
				Health Care Provider	147	115	99
LIVING ARRANGEMENT				Court / Criminal Justice	1,703	2,165	2,007
Independent Living	2,447	2,826	2,668	Other Referral Source	207	212	195
Dependent Living	490	476	411	005044 00044 474040			
Homeless	237	166	192	SPECIAL POPULATIONS	5 0	00	47
LIFETIME DUI / DUI A DEFOTO				Pregnant when Admitted to any Episode	53	60	47
LIFETIME DUI / DWI ARRESTS	4 700	4.050	4 704	Military Veteran	183	164	132
0	1,736	1,859	1,784	Special Education Services Needed	221	157	198
1 or 2	984	999	937	Co-Occurring Psychological Problem	973	981	832
3 or More	508	679	577	Co-Occurring Developmental Problem	60	73	63



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE

Central 11 Not Applicable 306,402 307,740



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	3,899	3,860	3,969
Mother Reported Drinking while Pregnant 1	0.40	15	27
Mother Reported Smoking while Pregnant	843	867	846
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	12	5	13
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	2,536	2,524	2,644
Suicides	49	42	40
Self-inflicted Injuries	392	362	360
Homicides	16	7	13
Assault Injuries	1,137	1,083	1,163
Alcohol Induced Deaths	1,137	26	1,103
Drug Induced Deaths	46	35	36
Smoking Induced Deaths	446	463	503
Sinding induced Dodnie		400	000
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	2,467	2,360	2,380
Direct Hospitalizations	656	592	511
Emergency Room Hospitalizations	797	897	985
Emergency Room Outpatient	1,014	871	884
Drug RelatedTotal	2,183	1,774	1,587
Direct Hospitalizations	690	549	513
Emergency Room Hospitalizations	596	561	515
Emergency Room Outpatient	897	664	559
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	332	394	405
Fatal Crashes	15	15	17
Injury Crashes	142	167	165
Property Damage Crashes	175	212	223
Crash Fatalities	16	15	17
Crash Injuries	195	215	215
Drug Involved CrashesTotal	43	52	45
Fatal Crashes	0	1	1
Injury Crashes	17	25	21
Property Damage Crashes	26	26	23
Crash Fatalities	0	2	1
Crash Injuries	22	27	22
EMPLOYMENT	2011	2010	2009
Labor Force	147,253	147,291	150,856
Employed	134,790	134,266	137,917
Unemployed	12,463	13,025	12,939
Unemployment Rate	8.5%	8.8%	8.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	462	462	507
Alcohol Package Carry-out Licenses	354	335	366
÷ •			

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-200
Enrollment Grades 9-12	13,994	14,185	14,28
Drop-outs	391	417	52
Drop-out Rate	2.8%	2.9%	3.7
School Suspensions, 10 or More Days			
Alcohol Incidents	28	22	2
Drug Incidents	153	190	14
Tobacco Incidents	11	13	3
POLICE REPORTS	2010	2009	200
DUI Arrests, DWI Tracking System	2,023	2,246	2,40
Liquor Law Arrests	627	772	84
Drug Arrests	1,424	1,256	1,44
Methamphetamine Lab Incidents	81	93	3
Violent Offenses	1,000	947	90
Property Offenses	7,136	6,600	7,78
Domestic Violence Reports	1,994	1,978	2,20
JUVENILE COURT REFERRALS	2010	2009	200
Law Violation OffensesTotal	1,320	1,744	1,77
Violent Offenses	412	578	53
Alcohol Offenses	71	101	8
Drug Offenses	104	182	14
Status OffensesTotal	1,355	1,199	1,22
Truancy	484	373	35
Beyond Parental Control	126	108	15
Habitually Absent from Home	119	150	15
Injurious Behavior	590	536	50
Abuse/Neglect/CustodyTotal	1,276	1,203	1,14
Abuse	532	572	49
Neglect	725	616	61
Custody Disputes	19	15	2
JUVENILE COURT PLACEMENTS	2010	2009	200
Out-of-Home PlacementsTotal	331	300	28
Parental Alcohol Use Related	10	14	
Parental Drug Use Related	87	55	6
Parental Alcohol and Drug Use	6	17	1
Child Removed for Other Reason	228	214	20
CRIMINAL JUSTICE	FY2011	FY2010	FY200
Drug Court Participants	124	103	10
Probation/Parole AdmissionsTotal	1,769	1,838	1,92
Probation/Parole AdmissionsDrug	564	597	59
Probation/Parole AdmissionsDWI	176	169	16
Prison AdmissionsTotal	958	912	1,01
Prison AdmissionsDrug	304	303	32
Prison AdmissionsDWI	81	106	9

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.
- IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.


SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	111	136	136
CSTAR Women and Children	158	180	156
CSTAR General Adult	754	216	74
CSTAR Opioid	*	*	*
Primary Recovery Detoxification	211	196	200
Primary Recovery Treatment	552	1,230	1,301
Clinical SATOP (CIP, YCIP, SROP)	267	206	159
Other Substance Abuse Treatment	*	8	82

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	1,380	1,705	1,663
- Adolescent Diversion Education Program	48	92	121
- Offender Education Program	544	662	676
- Weekend Intervention Program	323	438	508
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	56	63	51
- Compulsive Gambling	*	6	*
- Recovery Supports	21	91	89
- Early Intervention	46	8	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	1,223	1,363	1,351	Never Married	939	1,002	1,036
Female	498	503	517	Married / Cohabitating	405	430	413
				Previously Married	377	433	419
AGE							
Under 18	117	136	144	PRIMARY DRUG PROBLEM			
18 to 24	357	381	430	Alcohol	806	844	884
25 to 29	315	350	335	Marijuana / Hashish	396	495	522
30 to 34	258	275	227	Cocaine (total)	65	93	113
35 to 39	175	195	201	- Crack	31	48	63
40 to 44	146	183	198	Stimulant (total)	199	210	151
45 to 54	285	283	276	- Methamphetamine	190	197	149
55 and Over	68	63	57	Heroin	98	74	55
RACE / ETHNICITY				Analgesic except Heroin	115	121	100
Caucasian	1,488	1,571	1,564	- Non-Prescription Methadone	*	*	0
African American	165	217	227	PCP, LSD, other Hallucinogen	9	*	9
Native American / Alaskan	*	5	7	Tranquilizer	25	15	17
Asian / Pacific Islander	*	*	5	Inhalant	*	6	*
Hispanic	30	29	29	Sedative	*	*	*
Other Race / Two or More Races	44	52	48	Other Medication or Illicit Drug	5	*	12
				Average Age at First Use of Drug	16.9	16.8	16.5
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	582	680	649	Any Injection Use at Admission	185	200	130
High School Graduate or G.E.D.	790	836	842	- Daily Injection Use	55	54	33
Associate Degree or Some College	323	317	335	- Weekly Injection Use	59	49	33
Bachelor or Advanced Degree	26	33	42	- Less than Weekly Injection Use	71	97	64
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	547	604	670	Self / Family / Friend	441	429	431
Unemployed	648	748	658	School	5	6	9
Not in Labor Force	526	514	540	Mental Health Provider	22	36	47
				Health Care Provider	48	53	57
LIVING ARRANGEMENT				Court / Criminal Justice	1,050	1,232	1,207
Independent Living	1,435	1,551	1,569	Other Referral Source	154	109	116
Dependent Living	204	242	236	CDECIAL DODINATIONS			
Homeless	48	35	38	SPECIAL POPULATIONS Prognant when Admitted to any Enjage	20	20	20
LIFETIME DUI / DWI ARRESTS				Pregnant when Admitted to any Episode Military Veteran	30 88	22 85	22 80
0	839	983	970	Special Education Services Needed	160	85 154	80 184
1 or 2	574	963 563	970 573	Co-Occurring Psychological Problem	579	733	667
3 or More	308	320	325	Co-Occurring Psychological Problem	579 44	733 65	70
3 OF MOLE	308	320	323	00-000uning Developmental Floblem	44	co	70



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Central 12 Not Applicable 319,063 321,794



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	3,975	4,131	4,141
Mother Reported Drinking while Pregnant 1		27	55
Mother Reported Smoking while Pregnant	790	770	861
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	13	12	11
IDU and MSM ²	*	*	2
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	2,613	2,629	2,679
Suicides	23	37	19
Self-inflicted Injuries	320	341	370
Homicides	8	13	11
Assault Injuries	960	975	1,059
Alcohol Induced Deaths	14	13	19
Drug Induced Deaths	40	39	38
Smoking Induced Deaths	457	454	461
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	3,100	2,608	2,424
Direct Hospitalizations	765	703	680
Emergency Room Hospitalizations	1,012	827	753
Emergency Room Outpatient	1,323	1,078	991
Drug RelatedTotal	2.484	1.799	1,522
Direct Hospitalizations	665	551	538
Emergency Room Hospitalizations	768	523	365
Emergency Room Outpatient	1,051	725	619
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	407	409	440
Fatal Crashes	10	14	13
Injury Crashes	168	171	185
Property Damage Crashes	229	224	242
Crash Fatalities	10	14	13
Crash Injuries	235	196	232
Drug Involved CrashesTotal	233 59	56	55
Fatal Crashes	1	2	2
Injury Crashes	28	26	32
Property Damage Crashes	30	28	21
Crash Fatalities	1	20	1
Crash Injuries	45	32	35
Orașii injunes	45	32	33
EMPLOYMENT	2011	2010	2009
Labor Force	167,678	164,924	166,108
Employed	155,590	152,005	153,062
Unemployed	12,088	12,919	13,046
Unemployment Rate	7.2%	7.8%	7.9%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	441	420	459
Alcohol Package Carry-out Licenses	298	298	307
· · · · · · · · · · · · · · · · · · ·			

SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	13,662	13,914	13,942
Drop-outs	281	333	471
Drop-out Rate	2.1%	2.4%	3.4%
School Suspensions, 10 or More Days			
Alcohol Incidents	2	12	14
Drug Incidents	81	67	83
Tobacco Incidents	4	4	7
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	2,575	2,115	2,156
Liquor Law Arrests	1,137	1,344	1,027
Drug Arrests	2,018	1,897	1,825
Methamphetamine Lab Incidents	70	93	56
Violent Offenses	1,046	1,057	908
Property Offenses	9,031	9,174	9,070
Domestic Violence Reports	2,633	2,426	2,076
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	2,254	2,346	2,660
Violent Offenses	655	613	673
Alcohol Offenses	74	81	80
Drug Offenses	141	139	121
Status OffensesTotal	1,806	1,896	2,039
Truancy	310	251	312
Beyond Parental Control	418	489	595
Habitually Absent from Home	237	244	270
Injurious Behavior	814	831	828
Abuse/Neglect/CustodyTotal	457	522	612
Abuse	122	106	139
Neglect	295	335	383
Custody Disputes	40	81	90
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	168	230	223
Parental Alcohol Use Related	4	9	8
Parental Drug Use Related	36	52	40
Parental Alcohol and Drug Use	2	10	6
Child Removed for Other Reason	126	159	169
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	458	379	385
Probation/Parole AdmissionsTotal	2,405	2,432	2,525
Probation/Parole AdmissionsDrug	684	667	695
Probation/Parole AdmissionsDWI	197	162	150
Prison AdmissionsTotal	1,359	1,315	1,446
Prison AdmissionsDrug	436	406	467
Prison AdmissionsDWI	102	125	105

- An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.


SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	100	87	107
CSTAR Women and Children	249	280	239
CSTAR General Adult	470	293	206
CSTAR Opioid	0	*	*
Primary Recovery Detoxification	222	249	243
Primary Recovery Treatment	963	1,400	1,621
Clinical SATOP (CIP, YCIP, SROP)	235	243	169
Other Substance Abuse Treatment	*	*	35

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	1,461	1,643	1,516
- Adolescent Diversion Education Program	64	66	79
- Offender Education Program	632	676	660
- Weekend Intervention Program	307	416	424
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	94	101	97
- Compulsive Gambling	*	0	*
- Recovery Supports	91	162	85
- Early Intervention	25	21	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	1,318	1,570	1,642	Never Married	1,092	1,245	1,345
Female	580	628	653	Married / Cohabitating	428	467	460
				Previously Married	378	486	490
AGE							
Under 18	98	88	110	PRIMARY DRUG PROBLEM	0.50	4 000	4.070
18 to 24	382	450	500	Alcohol	859	1,033	1,073
25 to 29	349	434	428	Marijuana / Hashish	590	672	722
30 to 34	298	305	307	Cocaine (total)	175	216	237
35 to 39	196	267	271	- Crack	107	124	135
40 to 44 45 to 54	184	230	249	Stimulant (total)	124	123	111
55 and Over	310	342	366	- Methamphetamine	118	116	105
55 and Over	81	82	64	Heroin	27	28	26
RACE / ETHNICITY				Analgesic except Heroin	82 0	93 0	82
Caucasian	1,363	1,603	1,659	- Non-Prescription Methadone	_	-	0
African American	430	495	530	PCP, LSD, other Hallucinogen	15	16	8
Native American / Alaskan	7	6	*	Tranquilizer Inhalant	11	11	15
Asian / Pacific Islander	9	7	11	Sedative	*		*
Hispanic	39	46	55	Other Medication or Illicit Drug	7	0	15
Other Race / Two or More Races	66	67	57	Average Age at First Use of Drug	16.8		16.7
				Average Age at First Ose of Drug	10.0	16.8	10.7
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	613	663	724	Any Injection Use at Admission	96	108	99
High School Graduate or G.E.D.	813	1,018	1,046	- Daily Injection Use	22	15	20
Associate Degree or Some College	407	431	465	- Weekly Injection Use	17	29	19
Bachelor or Advanced Degree	65	86	60	- Less than Weekly Injection Use	57	64	60
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	643	820	815	Self / Family / Friend	636	579	602
Unemployed	681	789	850	School	*	*	*
Not in Labor Force	574	589	629	Mental Health Provider	14	30	50
				Health Care Provider	49	57	48
LIVING ARRANGEMENT				Court / Criminal Justice	1,077	1,425	1,445
Independent Living	1,562	1,876	1,913	Other Referral Source	118	104	147
Dependent Living	207	202	245	SPECIAL POPULATIONS			
Homeless	85	73	94	Pregnant when Admitted to any Episode	22	28	39
LIFETIME DUI / DWI ARRESTS				Military Veteran	64	28 99	39 97
0	1,047	1,140	1,220	Special Education Services Needed	167	248	235
1 or 2	570	692	690	Co-Occurring Psychological Problem	621	770	746
3 or More	281	366	385	Co-Occurring Psychological Problem	127	146	141
O OT MICHO	201	300	303	55-Coourning Developmental Frobletti	141	140	141



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Northwest 13 Not Applicable 80,509 79,803



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	950	1,012	973
Mother Reported Drinking while Pregnant ¹		4	6
Mother Reported Smoking while Pregnant	235	245	246
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	3	3	3
IDU and MSM ²	*	*	1
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	965	972	1,057
Suicides	21	13	11
Self-inflicted Injuries	101	89	98
Homicides	2	1	2
Assault Injuries	184	191	197
Alcohol Induced Deaths	1	4	3
Drug Induced Deaths	13	9	3
Smoking Induced Deaths	177	185	193
Sinolang maassa Bsams			
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	598	546	568
Direct Hospitalizations	251	205	214
Emergency Room Hospitalizations	86	118	107
Emergency Room Outpatient	261	223	247
Drug RelatedTotal	539	471	453
Direct Hospitalizations	230	216	170
Emergency Room Hospitalizations	63	69	91
Emergency Room Outpatient	246	186	192
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	76	103	96
Fatal Crashes	0	6	9
Injury Crashes	38	59	42
Property Damage Crashes	38	38	45
Crash Fatalities	0	6	8
Crash Injuries	50	74	55
Drug Involved CrashesTotal	7	13	13
Fatal Crashes	0	0	1
Injury Crashes	3	10	5
Property Damage Crashes	4	3	7
Crash Fatalities	0	0	0
Crash Injuries	4	10	10
EMPLOYMENT	2011	2010	2009
Labor Force	38,202	37,838	39,577
Employed	35,047	34,498	36,308
Unemployed	3,155	3,340	3,269
Unemployment Rate	8.3%	8.8%	8.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	87	91	104
Alcohol Package Carry-out Licenses	104	86	92

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	3,804	3,909	3,984
Drop-outs	78	76	117
Drop-out Rate	2.1%	1.9%	2.9%
School Suspensions, 10 or More Days			
Alcohol Incidents	3	2	1
Drug Incidents	11	18	13
Tobacco Incidents	3	1	0
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	425	471	514
Liquor Law Arrests	201	210	214
Drug Arrests	393	402	408
Methamphetamine Lab Incidents	5	3	2
Violent Offenses	158	138	171
Property Offenses	1,193	1,239	1,328
Domestic Violence Reports	477	471	417
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	284	323	418
Violent Offenses	77	100	105
Alcohol Offenses	43	14	37
Drug Offenses	20	21	21
Status OffensesTotal	393	442	506
Truancy	189	213	310
Beyond Parental Control	66	76	71
Habitually Absent from Home	31	50	41
Injurious Behavior	103	90	75
Abuse/Neglect/CustodyTotal	282	233	147
Abuse	82	74	58
Neglect	199	156	88
Custody Disputes	1	3	1
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	76	78	70
Parental Alcohol Use Related	4	3	3
Parental Drug Use Related	15	9	14
Parental Alcohol and Drug Use	1	3	2
Child Removed for Other Reason	56	63	51
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	90	100	93
Probation/Parole AdmissionsTotal	642	628	664
Probation/Parole AdmissionsDrug	195	188	198
Probation/Parole AdmissionsDWI	38	43	47
Prison AdmissionsTotal	414	408	409
Prison AdmissionsDrug	130	125	126
Prison AdmissionsDWI	35	30	28
* An asterisk in a data cell indicates the co			

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.


SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	19	31	49
CSTAR Women and Children	13	*	15
CSTAR General Adult	445	135	129
CSTAR Opioid	0	0	*
Primary Recovery Detoxification	34	70	49
Primary Recovery Treatment	55	374	445
Clinical SATOP (CIP, YCIP, SROP)	55	31	50
Other Substance Abuse Treatment	*	*	22

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	277	297	341
- Adolescent Diversion Education Program	10	5	15
- Offender Education Program	105	116	124
- Weekend Intervention Program	47	78	106
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	7	*	7
- Compulsive Gambling	*	*	0
- Recovery Supports	*	104	36
- Early Intervention	47	13	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	376	391	454	Never Married	283	297	340
Female	174	161	212	Married / Cohabitating	130	143	163
	17-7	101	212	Previously Married	137	112	163
AGE				•	101		100
Under 18	23	31	53	PRIMARY DRUG PROBLEM			
18 to 24	117	136	145	Alcohol	244	246	330
25 to 29	98	116	116	Marijuana / Hashish	144	166	175
30 to 34	93	77	83	Cocaine (total)	6	9	21
35 to 39	63	60	80	- Crack	*	6	6
40 to 44	69	48	65	Stimulant (total)	83	69	66
45 to 54	73	69	100	- Methamphetamine	76	67	65
55 and Over	14	15	24	Heroin	8	5	8
RACE / ETHNICITY				Analgesic except Heroin	38	46	48
Caucasian	514	512	627	- Non-Prescription Methadone	0	*	*
African American	16	20	19	PCP, LSD, other Hallucinogen	*	0	*
Native American / Alaskan	*	0	*	Tranquilizer	7	8	*
Asian / Pacific Islander	*	0	*	Inhalant	0	0	*
Hispanic	10	12	14	Sedative	0	0	5
Other Race / Two or More Races	8	10	10	Other Medication or Illicit Drug	18	*	6
Other Nace / Two of More Naces	0	10	10	Average Age at First Use of Drug	17.0	16.6	16.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	192	167	227	Any Injection Use at Admission	45	40	52
High School Graduate or G.E.D.	272	314	364	- Daily Injection Use	10	10	10
Associate Degree or Some College	83	63	61	- Weekly Injection Use	7	6	7
Bachelor or Advanced Degree	*	8	14	- Less than Weekly Injection Use	28	24	35
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	204	160	224	Self / Family / Friend	128	125	142
Unemployed	242	282	288	School	*	*	*
Not in Labor Force	104	110	154	Mental Health Provider	*	5	6
				Health Care Provider	18	9	9
LIVING ARRANGEMENT				Court / Criminal Justice	337	338	403
Independent Living	497	492	554	Other Referral Source	61	74	105
Dependent Living	34	49	72	005044 00044 474040			
Homeless	12	6	9	SPECIAL POPULATIONS	*	*	
				Pregnant when Admitted to any Episode			15
LIFETIME DUI / DWI ARRESTS		244	050	Military Veteran	22	22	21
0	357	344	359	Special Education Services Needed	44	20	42
1 or 2	125	111	193	Co-Occurring Psychological Problem	145	109	160
3 or More	68	97	114	Co-Occurring Developmental Problem	14	9	10



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Central 14 Not Applicable 107,082 106,649



BIRTH RISK FACTORS Resident BirthsTotal Mother Reported Drinking while Pregnant ¹ Mother Reported Smoking while Pregnant	2010 1,249 314	2009 1,295 4 297	2008 1,384 3 318
HIV DISEASE RISK FACTORS New HIV/AIDS CasesTotal IDU and MSM ² IDU without MSM ²	2010 2 * *	2009 4 *	2008 0 0
DEATHS and INJURIES Resident DeathsTotal Suicides Self-inflicted Injuries Homicides Assault Injuries Alcohol Induced Deaths Drug Induced Deaths Smoking Induced Deaths	2010 1,181 12 124 3 214 7 12 217	2009 1,011 16 142 3 214 5 14 166	2008 1,211 13 129 3 237 7 4 218
HOSPITAL / EMERGENCY ROOM Alcohol RelatedTotal Direct Hospitalizations Emergency Room Hospitalizations Emergency Room Outpatient Drug RelatedTotal Direct Hospitalizations Emergency Room Hospitalizations Emergency Room Outpatient	2010 838 301 223 314 506 204 143 159	2009 805 186 339 280 525 166 210 149	2008 814 195 314 305 457 151 190
TRAFFIC IMPAIRED DRIVER Alcohol Involved CrashesTotal Fatal Crashes Injury Crashes Property Damage Crashes Crash Fatalities Crash Injuries Drug Involved CrashesTotal Fatal Crashes Injury Crashes Property Damage Crashes Crash Fatalities Crash Injuries	2010 107 4 47 56 4 67 16 1 3 12 1	2009 128 6 52 70 7 54 12 0 3 9 0 3	2008 113 4 51 58 4 58 11 0 5 6
EMPLOYMENT Labor Force Employed Unemployed Unemployment Rate	2011 54,194 50,173 4,021 7.4%	2010 54,606 50,036 4,570 8.4%	2009 56,084 51,366 4,718 8.4%
RETAIL ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses	2011 156 130	2010 166 120	2009 174 129

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	4,847	4,930	4,970
Drop-outs	77	103	175
Drop-out Rate	1.6%	2.1%	3.5%
School Suspensions, 10 or More Days			
Alcohol Incidents	1	0	9
Drug Incidents	16	3	16
Tobacco Incidents	3	0	1
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	750	701	730
Liquor Law Arrests	453	488	460
Drug Arrests	536	492	363
Methamphetamine Lab Incidents	76	100	41
Violent Offenses	262	270	234
Property Offenses	3,027	2,864	2,540
Domestic Violence Reports	773	679	391
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	384	504	668
Violent Offenses	90	163	160
Alcohol Offenses	36	38	65
Drug Offenses	21	33	31
Status OffensesTotal	914	953	761
Truancy	176	157	106
Beyond Parental Control	179	175	170
Habitually Absent from Home	29	31	45
Injurious Behavior	498	514	392
Abuse/Neglect/CustodyTotal	551	524	468
Abuse	118	130	178
Neglect	424	386	288
Custody Disputes	9	8	2
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	173	117	131
Parental Alcohol Use Related	8	0	13
Parental Drug Use Related	30	22	19
Parental Alcohol and Drug Use	7	0	3
Child Removed for Other Reason	128	95	96
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	129	140	128
Probation/Parole AdmissionsTotal	660	710	694
Probation/Parole AdmissionsDrug	218	222	229
Probation/Parole AdmissionsDWI	62	80	80
Prison AdmissionsTotal	366	379	342
Prison AdmissionsDrug	130	130	110
Prison AdmissionsDWI	25	36	27
* An asterisk in a data cell indicates the co	ount was fewer t	than 5 and su	ppressed

<sup>to avoid disclosure of identifying information.
Reporting of this information on the birth long form was discontinued in 2010.
IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.</sup>

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.


SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	69	65	86
CSTAR Women and Children	91	86	65
CSTAR General Adult	316	342	352
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	118	135	109
Primary Recovery Treatment	387	451	492
Clinical SATOP (CIP, YCIP, SROP)	77	100	85
Other Substance Abuse Treatment	*	*	31

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	519	616	643
- Adolescent Diversion Education Program	104	132	127
- Offender Education Program	141	156	175
- Weekend Intervention Program	107	134	133
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	33	28	13
- Compulsive Gambling	0	0	0
- Recovery Supports	14	106	27
- Early Intervention	67	43	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	633	720	735	Never Married	524	554	559
Female	255	268	261	Married / Cohabitating	182	214	223
	200	200	201	Previously Married	182	217	214
AGE				·	102		2
Under 18	72	71	95	PRIMARY DRUG PROBLEM			
18 to 24	234	272	250	Alcohol	389	480	500
25 to 29	162	158	167	Marijuana / Hashish	265	320	318
30 to 34	127	122	113	Cocaine (total)	52	29	43
35 to 39	74	102	100	- Crack	17	10	18
40 to 44	59	84	95	Stimulant (total)	105	98	83
45 to 54	124	142	142	- Methamphetamine	101	95	80
55 and Over	36	37	34	Heroin	16	12	5
RACE / ETHNICITY				Analgesic except Heroin	44	33	25
Caucasian	777	870	881	- Non-Prescription Methadone	0	*	*
African American	71	88	89	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	/ I *	*	*	Tranquilizer	7	8	6
Asian / Pacific Islander	*	*	0	Inhalant	*	*	*
Hispanic	21	17	13	Sedative	*	0	0
Other Race / Two or More Races	24	16	21	Other Medication or Illicit Drug	*	*	10
Other Race / Two or wore Races	24	10	21	Average Age at First Use of Drug	16.8	16.4	16.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	322	334	375	Any Injection Use at Admission	59	54	45
High School Graduate or G.E.D.	469	492	478	- Daily Injection Use	16	11	6
Associate Degree or Some College	93	152	137	- Weekly Injection Use	14	13	9
Bachelor or Advanced Degree	*	10	6	- Less than Weekly Injection Use	29	30	30
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	304	333	398	Self / Family / Friend	166	142	116
Unemployed	319	414	270	School	*	0	*
Not in Labor Force	265	241	328	Mental Health Provider	6	11	15
				Health Care Provider	17	13	17
LIVING ARRANGEMENT				Court / Criminal Justice	617	748	733
Independent Living	727	829	810	Other Referral Source	81	73	114
Dependent Living	114	121	150	ODEOLAL DODUKATIONO			
Homeless	20	17	12	SPECIAL POPULATIONS	•	-	0
LIFETIME DUI / DW// ADDECTS				Pregnant when Admitted to any Episode	6	7	8
LIFETIME DUI / DWI ARRESTS	400	F07	F07	Military Veteran	36	50	40 405
0	482	537	527	Special Education Services Needed	119	126	105
1 or 2	269	272	310	Co-Occurring Psychological Problem	277	381	325
3 or More	137	179	159	Co-Occurring Developmental Problem	43	39	41



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Central 15 Not Applicable 75,288 75,423



BIRTH RISK FACTORS Resident BirthsTotal Mother Reported Drinking while Pregnant ¹ Mother Reported Smoking while Pregnant	2010 932 263	2009 941 9 279	2008 1,044 17 315
HIV DISEASE RISK FACTORS New HIV/AIDS CasesTotal IDU and MSM ²	2010 0 0	2009 0 0	2008 1 0
IDU without MSM ²	0	0	0
DEATHS and INJURIES Resident DeathsTotal Suicides Self-inflicted Injuries Homicides Assault Injuries Alcohol Induced Deaths	2010 803 10 111 0 196 5	2009 802 8 71 3 230 3	2008 838 11 113 1 238 4
Drug Induced Deaths	12	5	9
Smoking Induced Deaths HOSPITAL / EMERGENCY ROOM Alcohol RelatedTotal	168 2010	2009	153 2008
Direct Hospitalizations	591 202	584 157	560 172
Emergency Room Hospitalizations	145	196	166
Emergency Room Outpatient	244	231	222
Drug RelatedTotal	440	380	529
Direct Hospitalizations	157	121	183
Emergency Room Hospitalizations Emergency Room Outpatient	124 159	114 145	139 207
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	73	86	103
Fatal Crashes	7	3	7
Injury Crashes	25	40	47
Property Damage Crashes	41	43	49
Crash Fatalities Crash Injuries	8 40	3 51	7 60
Drug Involved CrashesTotal	14	13	17
Fatal Crashes	3	2	2
Injury Crashes	5	6	6
Property Damage Crashes	6	5	9
Crash Injuries	3	2 7	2
Crash Injuries	16		6
EMPLOYMENT	2011	2010	2009
Labor Force Employed	36,536 33,422	36,226 32,700	37,644 33,865
Unemployed	3,114	3,526	3,779
Unemployment Rate	8.5%	9.7%	10.0%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	101	103	111
Alcohol Package Carry-out Licenses	101	93	109

■ Female ■ Male				
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009	
Enrollment Grades 9-12	3,205	3,342	3,436	
Drop-outs	108	75	89	
Drop-out Rate	3.4%	2.2%	2.6%	
School Suspensions, 10 or More Days				
Alcohol Incidents	1	8	6	
Drug Incidents	22	13	11	
Tobacco Incidents	1	1	0	
POLICE REPORTS	2010	2009	2008	
DUI Arrests, DWI Tracking System	436	472	486	
Liquor Law Arrests	97	128	140	
Drug Arrests	321	335	336	
Methamphetamine Lab Incidents	53	49	57	
Violent Offenses	166	134	161	
Property Offenses	1,175	1,136	1,323	
Domestic Violence Reports	552	611	565	
JUVENILE COURT REFERRALS	2010	2009	2008	
Law Violation OffensesTotal	363	348	419	
Violent Offenses	111	104	104	
Alcohol Offenses	27	14	43	
Drug Offenses	16	13	26	
Status OffensesTotal	299	326	321	
Truancy	67	60	58	
Beyond Parental Control	29	28	21	
Habitually Absent from Home	36	34	46	
Injurious Behavior	107	144	125	
Abuse/Neglect/CustodyTotal	141	191	139	
Abuse	43	62	53	
Neglect	95	117	79	
Custody Disputes	3	12	7	
JUVENILE COURT PLACEMENTS	2010	2009	2008	
Out-of-Home PlacementsTotal	62	83	70	
Parental Alcohol Use Related	9	5	2	
Parental Drug Use Related	11	11	11	
Parental Alcohol and Drug Use	0	0	2	
Child Removed for Other Reason	42	67	55	
CRIMINAL JUSTICE	FY2011	FY2010	FY2009	
Drug Court Participants	32	27	26	
Probation/Parole AdmissionsTotal	570	583	636	
Probation/Parole AdmissionsDrug	184	153	201	
Probation/Parole AdmissionsDWI	39	30	48	
Prison AdmissionsTotal	306	284	333	
Prison AdmissionsDrug	103	88	111	
Prison AdmissionsDWI	16	13	27	

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.
- IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.


SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	62	45	48
CSTAR Women and Children	63	67	64
CSTAR General Adult	66	23	33
CSTAR Opioid	*	*	0
Primary Recovery Detoxification	85	77	72
Primary Recovery Treatment	334	362	450
Clinical SATOP (CIP, YCIP, SROP)	59	76	62
Other Substance Abuse Treatment	*	*	24

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	298	432	415
- Adolescent Diversion Education Program	23	38	29
- Offender Education Program	94	144	143
- Weekend Intervention Program	82	92	89
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	18	13	24
- Compulsive Gambling	*	0	*
- Recovery Supports	8	21	17
- Early Intervention	35	15	

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	399	418	496	Never Married	325	312	370
Female	168	155	179	Married / Cohabitating	126	135	158
	100	100	173	Previously Married	116	126	147
AGE				•	110	120	
Under 18	61	47	52	PRIMARY DRUG PROBLEM			
18 to 24	113	112	142	Alcohol	243	274	310
25 to 29	98	95	113	Marijuana / Hashish	191	183	236
30 to 34	91	80	81	Cocaine (total)	31	36	48
35 to 39	55	56	68	- Crack	16	20	26
40 to 44	41	51	75	Stimulant (total)	42	34	39
45 to 54	85	110	119	- Methamphetamine	41	33	38
55 and Over	23	22	25	Heroin	26	17	12
RACE / ETHNICITY				Analgesic except Heroin	22	18	15
Caucasian	493	489	566	- Non-Prescription Methadone	0	0	0
African American	62	67	87	PCP, LSD, other Hallucinogen	*	0	*
Native American / Alaskan	VZ *	0	*	Tranquilizer	5	6	6
Asian / Pacific Islander	0	0	0	Inhalant	*	*	*
Hispanic	*	*	6	Sedative	*	0	*
Other Race / Two or More Races	9	14	18	Other Medication or Illicit Drug	*	*	6
Other Race / Two of More Races	9	14	10	Average Age at First Use of Drug	16.8	16.8	16.1
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	218	213	243	Any Injection Use at Admission	45	31	27
High School Graduate or G.E.D.	268	282	334	- Daily Injection Use	14	*	9
Associate Degree or Some College	72	70	90	- Weekly Injection Use	11	13	*
Bachelor or Advanced Degree	9	8	8	- Less than Weekly Injection Use	20	14	14
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	169	185	243	Self / Family / Friend	108	84	85
Unemployed	258	241	241	School	*	0	*
Not in Labor Force	140	147	190	Mental Health Provider	7	*	8
				Health Care Provider	16	19	16
LIVING ARRANGEMENT				Court / Criminal Justice	399	444	526
Independent Living	464	480	571	Other Referral Source	36	23	39
Dependent Living	83	74	77	ODEOLAL DODUKATIONS			
Homeless	6	8	9	SPECIAL POPULATIONS	-	_	7
LIFETIME DUI / DIA// A DRECTO				Pregnant when Admitted to any Episode	7	5	7
LIFETIME DUI / DWI ARRESTS	000	000	200	Military Veteran	18	29	29
0	283	282	329	Special Education Services Needed	55 450	78 470	81
1 or 2	192	187	198	Co-Occurring Psychological Problem	156	173	213
3 or More	92	104	148	Co-Occurring Developmental Problem	21	25	39



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Eastern 16 Not Applicable 547,056 552,680



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	7,022	7,226	7,339
Mother Reported Drinking while Pregnant 1	, -	33	29
Mother Reported Smoking while Pregnant	1,108	966	1,035
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	16	26	13
IDU and MSM ²	*	*	1
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	3,925	3,635	3,828
Suicides	82	76	66
Self-inflicted Injuries	624	536	647
Homicides	15	13	11
Assault Injuries	1,404	1,339	1,400
Alcohol Induced Deaths	20	22	30
Drug Induced Deaths	86	69	73
Smoking Induced Deaths	675	648	706
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	4,635	4,500	4,551
Direct Hospitalizations	1,676	1,163	1,100
Emergency Room Hospitalizations	1,301	1,766	1,909
Emergency Room Outpatient	1,658	1,571	1,542
Drug RelatedTotal	5,185	3,832	3,450
Direct Hospitalizations	1,727	1,201	1,043
Emergency Room Hospitalizations	1,132	1,193	1,291
Emergency Room Outpatient	2,326	1,438	1,116
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	589	610	702
Fatal Crashes	21	22	18
Injury Crashes	199	253	272
Property Damage Crashes	369	335	412
Crash Fatalities	23	19	19
Crash Injuries	282	319	322
Drug Involved CrashesTotal	96	104	94
Fatal Crashes	8	6	3
Injury Crashes	38	36	32
Property Damage Crashes	50	62	59
Crash Fatalities	8	5	4
Crash Injuries	47	41	32
EMPLOYMENT	2011	2010	2009
Labor Force	299,241	291,403	291,257
Employed	275,227	263,734	262,983
Unemployed	24,014	27,669	28,274
Unemployment Rate	8.0%	9.5%	9.7%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	657	662	715
Alcohol Package Carry-out Licenses	374	368	361

■ Female	■ Male		_
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	26,654	27,112	27,010
Drop-outs	547	572	849
Drop-out Rate	2.1%	2.1%	3.1%
School Suspensions, 10 or More Days			
Alcohol Incidents	62	79	63
Drug Incidents	401	288	367
Tobacco Incidents	9	11	7
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	3,036	3,148	3,676
Liquor Law Arrests	918	985	884
Drug Arrests	2,814	2,796	2,801
Methamphetamine Lab Incidents	248	223	282
Violent Offenses	948	949	1,154
Property Offenses	10,204	10,759	12,186
Domestic Violence Reports	2,402	2,572	2,888
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	2,263	2,597	2,981
Violent Offenses	522	581	556
Alcohol Offenses	165	171	211
Drug Offenses	220	313	311
Status OffensesTotal	1,082	1,054	1,237
Truancy	352	399	530
Beyond Parental Control	62	70	66
Habitually Absent from Home	349	362	438
Injurious Behavior	268	182	147
Abuse/Neglect/CustodyTotal	487	646	787
Abuse	63	69	92
Neglect	398	549	673
Custody Disputes	26	28	22
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	280	272	267
Parental Alcohol Use Related	12	13	11
Parental Drug Use Related	113	91	70
Parental Alcohol and Drug Use	12	8	1
Child Removed for Other Reason	143	160	185
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	636	616	566
Probation/Parole AdmissionsTotal	2,859	2,813	2,938
Probation/Parole AdmissionsDrug	902	832	890
Probation/Parole AdmissionsDWI	265	259	218
Prison AdmissionsTotal	1,160	1,206	1,236
Prison AdmissionsDrug	404	398	378
Prison AdmissionsDWI	96	106	116

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	196	178	168
CSTAR Women and Children	280	322	278
CSTAR General Adult	282	89	61
CSTAR Opioid	62	54	48
Primary Recovery Detoxification	228	196	203
Primary Recovery Treatment	705	1,257	1,012
Clinical SATOP (CIP, YCIP, SROP)	617	724	612
Other Substance Abuse Treatment	6	6	56


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	2,731	3,393	3,438
- Adolescent Diversion Education Program	58	209	261
- Offender Education Program	1,015	1,263	1,266
- Weekend Intervention Program	601	722	766
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	42	38	47
- Compulsive Gambling	32	35	17
- Recovery Supports	7	73	150
- Early Intervention	15	24	

The demographic and clinical profile data below summarize individuals who were admitted to ADA substance abuse treatment programs, based on their first treatment episode in the fiscal year. Individuals who were admitted only to non-clinical SATOP and non-substance abuse treatment programs are not included below. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	1,371	1,698	1,501	Never Married	1,270	1,577	1,305
Female	671	816	636	Married / Cohabitating	398	463	408
	• • •		-	Previously Married	374	473	421
AGE				•			
Under 18	196	195	179	PRIMARY DRUG PROBLEM			
18 to 24	486	669	521	Alcohol	950	1,257	1,107
25 to 29	395	479	382	Marijuana / Hashish	414	501	452
30 to 34	305	330	262	Cocaine (total)	43	83	78
35 to 39	179	254	242	- Crack	32	55	48
40 to 44	156	197	207	Stimulant (total)	122	174	128
45 to 54	245	305	276	- Methamphetamine	110	162	122
55 and Over	80	85	68	Heroin	392	386	268
RACE / ETHNICITY				Analgesic except Heroin	82	79	65
Caucasian	1,897	2,347	1,991	- Non-Prescription Methadone	*	*	*
African American	84	99	80	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	*	*	*	Tranquilizer	22	20	22
Asian / Pacific Islander	*	6	6	Inhalant	5	*	*
Hispanic	27	25	32	Sedative	5	5	*
Other Race / Two or More Races	38	43	38	Other Medication or Illicit Drug	*	*	7
	00	40	00	Average Age at First Use of Drug	17.5	17.1	16.8
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	674	818	720	Any Injection Use at Admission	384	384	258
High School Graduate or G.E.D.	833	1,090	945	- Daily Injection Use	142	132	110
Associate Degree or Some College	451	525	388	- Weekly Injection Use	121	133	64
Bachelor or Advanced Degree	84	81	84	- Less than Weekly Injection Use	121	119	84
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	668	820	745	Self / Family / Friend	492	608	547
Unemployed	794	1,026	833	School	31	*	10
Not in Labor Force	580	668	559	Mental Health Provider	24	37	31
				Health Care Provider	60	62	46
LIVING ARRANGEMENT				Court / Criminal Justice	1,251	1,609	1,348
Independent Living	1,688	2,119	1,681	Other Referral Source	184	194	154
Dependent Living	260	281	297	ODEOLAL DORUMATIONS			
Homeless	60	56	69	SPECIAL POPULATIONS	. .	50	40
LIFETIME DI II / DIA" A DDECTO				Pregnant when Admitted to any Episode	54	50	43
LIFETIME DUI / DWI ARRESTS	050	4.450	0.57	Military Veteran	83	85	60
0	959	1,159	957	Special Education Services Needed	160	146	114
1 or 2	735	907	746	Co-Occurring Psychological Problem	717	767	600
3 or More	348	448	434	Co-Occurring Developmental Problem	44	63	31



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 17 Not Applicable 211,091 211,144



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	2,418	2,467	2,592
Mother Reported Drinking while Pregnant ¹		8	4
Mother Reported Smoking while Pregnant	704	671	711
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	5	6	5
IDU and MSM ²	*	*	1
IDU without MSM ²	*	*	1
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	2,242	2,294	2,434
Suicides	28	24	32
Self-inflicted Injuries	389	312	277
Homicides	10	8	9
Assault Injuries	894	795	787
Alcohol Induced Deaths	8	13	7
Drug Induced Deaths	55	45	36
Smoking Induced Deaths	419	463	469
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	2.084	1,719	1,620
Direct Hospitalizations	702	449	441
Emergency Room Hospitalizations	500	509	508
Emergency Room Outpatient	882	761	671
Drug RelatedTotal	2,766	1,934	1,709
Direct Hospitalizations	934	534	455
Emergency Room Hospitalizations	488	545	485
Emergency Room Outpatient	1,344	855	769
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	224	294	291
Fatal Crashes	16	12	10
Injury Crashes	110	134	160
Property Damage Crashes	98	148	121
Crash Fatalities	96 16	140	10
Crash Injuries	178	186	198
Drug Involved CrashesTotal	52	57	60
Fatal Crashes	4	2	4
Injury Crashes	20	30	23
Property Damage Crashes	28	25	33
Crash Fatalities	4	25	
Crash Injuries	36	41	3 37
•			
EMPLOYMENT	2011	2010	2009
Labor Force	97,137	97,328	100,355
Employed	87,789	87,165	90,083
Unemployed	9,348	10,163	10,272
Unemployment Rate	9.6%	10.4%	10.2%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	251	234	258
Alcohol Package Carry-out Licenses	210	206	220

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-200
Enrollment Grades 9-12	9,866	10,209	10,440
Drop-outs	248	284	323
Drop-out Rate	2.5%	2.8%	3.19
School Suspensions, 10 or More Days			
Alcohol Incidents	15	22	14
Drug Incidents	58	89	58
Tobacco Incidents	4	5	8
POLICE REPORTS	2010	2009	200
DUI Arrests, DWI Tracking System	1,212	1,297	1,43
Liquor Law Arrests	563	565	60
Drug Arrests	1,338	1,319	1,19
Methamphetamine Lab Incidents	299	232	170
Violent Offenses	523	453	459
Property Offenses	4,911	5,867	4,92
Domestic Violence Reports	847	1,021	88
JUVENILE COURT REFERRALS	2010	2009	200
Law Violation OffensesTotal	1,044	1,144	1,34
Violent Offenses	455	519	54
Alcohol Offenses	55	49	6
Drug Offenses	83	97	7
Status OffensesTotal	877	732	61
Truancy	376	242	18
Beyond Parental Control	170	181	19
Habitually Absent from Home	33	58	6
Injurious Behavior	244	195	13
Abuse/Neglect/CustodyTotal	1,014	811	46
Abuse	353	284	13
Neglect	624	488	24
Custody Disputes	37	39	8
JUVENILE COURT PLACEMENTS	2010	2009	200
Out-of-Home PlacementsTotal	243	199	21
Parental Alcohol Use Related	4	4	1
Parental Drug Use Related	71	70	5
Parental Alcohol and Drug Use	12	16	1
Child Removed for Other Reason	156	109	13
CRIMINAL JUSTICE	FY2011	FY2010	FY200
Drug Court Participants	144	142	13
Probation/Parole AdmissionsTotal	1,620	1,528	1,57
Probation/Parole AdmissionsDrug	549	541	54
Probation/Parole AdmissionsDWI	73	59	7
Prison AdmissionsTotal	763	876	80
Prison AdmissionsDrug	296	281	24
Prison AdmissionsDWI	22	51	3

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	69	116	156
CSTAR Women and Children	56	67	90
CSTAR General Adult	675	424	358
CSTAR Opioid	6	7	6
Primary Recovery Detoxification	195	229	151
Primary Recovery Treatment	1,434	1,548	1,609
Clinical SATOP (CIP, YCIP, SROP)	143	176	124
Other Substance Abuse Treatment	*	5	127


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	878	1,104	1,057
- Adolescent Diversion Education Program	*	5	9
- Offender Education Program	407	424	419
- Weekend Intervention Program	242	265	346
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	10	52	67
- Compulsive Gambling	*	7	5
- Recovery Supports	34	95	104
- Early Intervention	29	44	

The demographic and clinical profile data below summarize individuals who were admitted to ADA substance abuse treatment programs, based on their first treatment episode in the fiscal year. Individuals who were admitted only to non-clinical SATOP and non-substance abuse treatment programs are not included below. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	1,481	1,526	1,502	Never Married	1,098	1,125	1,121
Female	723	684	717	Married / Cohabitating	628	582	616
	0			Previously Married	478	503	481
AGE				•			
Under 18	82	122	162	PRIMARY DRUG PROBLEM			
18 to 24	446	488	474	Alcohol	700	814	819
25 to 29	448	458	433	Marijuana / Hashish	651	596	689
30 to 34	384	306	300	Cocaine (total)	32	40	57
35 to 39	226	244	237	- Crack	15	24	31
40 to 44	224	204	228	Stimulant (total)	322	294	291
45 to 54	324	316	324	- Methamphetamine	313	284	283
55 and Over	70	72	61	Heroin	130	142	76
RACE / ETHNICITY				Analgesic except Heroin	322	289	237
Caucasian	2,099	2,121	2,120	- Non-Prescription Methadone	*	*	*
African American	64	59	62	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	6	*	*	Tranquilizer	31	27	31
Asian / Pacific Islander	5	*	0	Inhalant	*	*	*
Hispanic	27	20	23	Sedative	*	*	*
Other Race / Two or More Races	18	15	23	Other Medication or Illicit Drug	6	*	11
Cition Rador File of Moles Rados	10	10	20	Average Age at First Use of Drug	18.2	17.7	17.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	855	862	892	Any Injection Use at Admission	265	301	223
High School Graduate or G.E.D.	1,034	1,063	1,029	- Daily Injection Use	66	76	49
Associate Degree or Some College	297	261	275	- Weekly Injection Use	70	65	48
Bachelor or Advanced Degree	18	24	23	- Less than Weekly Injection Use	129	160	126
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	590	548	627	Self / Family / Friend	503	431	505
Unemployed	1,076	1,107	967	School	*	5	6
Not in Labor Force	538	555	625	Mental Health Provider	20	73	60
				Health Care Provider	65	75	68
LIVING ARRANGEMENT				Court / Criminal Justice	1,422	1,423	1,387
Independent Living	1,966	1,913	1,909	Other Referral Source	193	202	193
Dependent Living	194	234	249	CDECIAL DODIN ATIONS			
Homeless	39	46	42	SPECIAL POPULATIONS Prograph when Admitted to any Enjands	07	20	20
LIFETIME DUL / DIA/LADDESTS				Pregnant when Admitted to any Episode	27	30	29
LIFETIME DUI / DWI ARRESTS 0	4 207	1 202	1 110	Military Veteran	104	111	112
1 or 2	1,387	1,383	1,410	Special Education Services Needed	259	251	253
3 or More	550	554	532	Co-Occurring Psychological Problem	643	776	800
3 OF INIOPE	267	273	277	Co-Occurring Developmental Problem	169	170	122



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 18 Not Applicable 127,952 127,909



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	1,516	1,587	1,664
Mother Reported Drinking while Pregnant ¹		4	6
Mother Reported Smoking while Pregnant	451	434	461
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	2	4	4
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	2
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	1,419	1,442	1.505
Suicides	24	27	28
Self-inflicted Injuries	207	214	146
Homicides	6	7	13
Assault Injuries	255	262	255
Alcohol Induced Deaths	5	9	9
Drug Induced Deaths	17	18	19
Smoking Induced Deaths	292	273	280
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	1,119	1,062	1,342
Direct Hospitalizations	430	220	206
Emergency Room Hospitalizations	195	448	437
Emergency Room Outpatient	494	394	699
Drug RelatedTotal	1,201	942	978
Direct Hospitalizations	551	244	235
Emergency Room Hospitalizations	181	407	373
Emergency Room Outpatient	469	291	373
TRAFFIC IMPAIRED DRIVER Alcohol Involved CrashesTotal	2010	2009	2008
Fatal Crashes	184	183	185
	4	9	7
Injury Crashes	108	95	91
Property Damage Crashes Crash Fatalities	72	79	87
	4	9	7
Crash Injuries	169	124	123
Drug Involved CrashesTotal Fatal Crashes	35	19	28
	2	2	1
Injury Crashes	16	7	13
Property Damage Crashes Crash Fatalities	17	10	14
	2	1	1
Crash Injuries	23	9	17
EMPLOYMENT	2011	2010	2009
Labor Force	56,689	56,917	58,673
Employed	51,600	51,314	52,996
Unemployed	5,089	5,603	5,677
Unemployment Rate	9.0%	9.8%	9.7%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	91	91	111
Alcohol Package Carry-out Licenses	134	134	140

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	6,013	6,306	6,290
Drop-outs	90	118	175
Drop-out Rate	1.5%	1.9%	2.8%
School Suspensions, 10 or More Days			
Alcohol Incidents	18	15	8
Drug Incidents	59	32	32
Tobacco Incidents	2	2	2
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	697	602	779
Liquor Law Arrests	214	285	297
Drug Arrests	927	756	877
Methamphetamine Lab Incidents	64	29	57
Violent Offenses	270	330	336
Property Offenses	2,684	2,541	2,801
Domestic Violence Reports	380	385	459
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	438	421	559
Violent Offenses	114	132	135
Alcohol Offenses	26	32	33
Drug Offenses	42	30	33
Status OffensesTotal	984	950	951
Truancy	372	369	360
Beyond Parental Control	173	160	171
Habitually Absent from Home	64	77	82
Injurious Behavior	322	295	293
Abuse/Neglect/CustodyTotal	560	458	342
Abuse	116	111	75
Neglect	383	303	233
Custody Disputes	61	44	34
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	114	149	127
Parental Alcohol Use Related	8	12	5
Parental Drug Use Related	30	17	34
Parental Alcohol and Drug Use	5	6	1
Child Removed for Other Reason	71	114	87
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	127	131	129
Probation/Parole AdmissionsTotal	737	673	638
Probation/Parole AdmissionsDrug	211	192	199
Probation/Parole AdmissionsDWI	42	41	40
Prison AdmissionsTotal	412	375	350
Prison AdmissionsDrug	116	91	92
Prison AdmissionsDWI	22	36	23

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010. IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	76	71	71
CSTAR Women and Children	42	79	54
CSTAR General Adult	171	166	111
CSTAR Opioid	0	0	*
Primary Recovery Detoxification	140	113	131
Primary Recovery Treatment	379	439	464
Clinical SATOP (CIP, YCIP, SROP)	80	88	74
Other Substance Abuse Treatment	0	0	13


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	428	518	546
- Adolescent Diversion Education Program	*	7	9
- Offender Education Program	152	187	210
- Weekend Intervention Program	92	124	178
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	14	19	12
- Compulsive Gambling	0	*	*
- Recovery Supports	8	50	36
- Early Intervention	10	*	

The demographic and clinical profile data below summarize individuals who were admitted to ADA substance abuse treatment programs, based on their first treatment episode in the fiscal year. Individuals who were admitted only to non-clinical SATOP and non-substance abuse treatment programs are not included below. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	502	562	537	Never Married	354	375	363
Female	252	254	243	Married / Cohabitating	196	214	225
	202	204	2-10	Previously Married	204	226	192
AGE				•	201	220	102
Under 18	81	69	70	PRIMARY DRUG PROBLEM			
18 to 24	155	171	173	Alcohol	320	369	353
25 to 29	149	147	145	Marijuana / Hashish	181	186	223
30 to 34	92	102	89	Cocaine (total)	*	*	7
35 to 39	77	101	86	- Crack	*	*	*
40 to 44	62	76	78	Stimulant (total)	94	111	112
45 to 54	105	116	118	- Methamphetamine	91	110	110
55 and Over	33	34	21	Heroin	9	8	6
RACE / ETHNICITY				Analgesic except Heroin	124	119	60
Caucasian	731	792	745	- Non-Prescription Methadone	0	*	*
African American	_	792 5	_	PCP, LSD, other Hallucinogen	0	0	0
Native American / Alaskan	5	3 *	5	Tranquilizer	9	7	12
Asian / Pacific Islander	0	*	0	Inhalant	5	8	6
			0	Sedative	*	*	*
Hispanic	17	9	11	Other Medication or Illicit Drug	6	*	0
Other Race / Two or More Races	9	10	19	Average Age at First Use of Drug	16.4	17.1	16.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	318	354	330	Any Injection Use at Admission	113	114	95
High School Graduate or G.E.D.	329	346	332	- Daily Injection Use	32	27	23
Associate Degree or Some College	97	101	108	- Weekly Injection Use	32	31	24
Bachelor or Advanced Degree	10	15	10	- Less than Weekly Injection Use	49	56	48
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	98	81	135	Self / Family / Friend	175	156	199
Unemployed	416	415	374	School	*	*	*
Not in Labor Force	240	320	271	Mental Health Provider	6	18	19
				Health Care Provider	28	22	19
LIVING ARRANGEMENT				Court / Criminal Justice	472	547	472
Independent Living	621	707	670	Other Referral Source	70	70	69
Dependent Living	105	94	88	ODEOLAL DODUKATIONS			
Homeless	20	12	21	SPECIAL POPULATIONS	-	40	0
LIFETIME DUI / DIA// A DRECTO				Pregnant when Admitted to any Episode	7	10	9
LIFETIME DUI / DWI ARRESTS	440	4.40	407	Military Veteran	16	25	26
0	440	448	437	Special Education Services Needed	44	64	108
1 or 2	207	225	212	Co-Occurring Psychological Problem	198	311	279
3 or More	107	143	131	Co-Occurring Developmental Problem	18	24	21



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 19 Not Applicable 113,344 113,460



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	1,378	1,379	1,455
Mother Reported Drinking while Pregnant 1		5	3
Mother Reported Smoking while Pregnant	484	422	462
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	3	2	3
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DE4710 101100	0040	0000	0000
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	1,422	1,467	1,459
Suicides	24	12	18
Self-inflicted Injuries	295	260	231
Homicides	5	3	3
Assault Injuries	535	507	476
Alcohol Induced Deaths	7	9	10
Drug Induced Deaths	18	24	16
Smoking Induced Deaths	300	322	300
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	1,113	1,051	1,031
Direct Hospitalizations	344	239	233
Emergency Room Hospitalizations	307	462	413
Emergency Room Outpatient	462	350	385
Drug RelatedTotal	1,107	1.036	892
Direct Hospitalizations	402	263	235
Emergency Room Hospitalizations	305	488	334
Emergency Room Outpatient	400	285	323
TRAFFIC MARAIDED DRIVER	2040	2000	2000
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	165	203	244
Fatal Crashes	7	14	10
Injury Crashes	82	98	114
Property Damage Crashes	76	91	120
Crash Fatalities	8	16	11
Crash Injuries	107	119	144
Drug Involved CrashesTotal	49	48	60
Fatal Crashes	2	1	3
Injury Crashes	19	28	22
Property Damage Crashes	28	19	35
Crash Fatalities	2	1	3
Crash Injuries	26	33	24
EMPLOYMENT	2011	2010	2009
Labor Force	54,150	53,981	54,740
Employed	49,254	49,042	49,644
Unemployed	4,896	4,939	5,096
Unemployment Rate	9.0%	9.1%	9.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	138	138	157
Alcohol Package Carry-out Licenses	135	127	130
Autonor ackage Carry-Out Licenses	133	121	130

■ Female	■ Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	5,108	5,109	5,224
Drop-outs	180	190	245
Drop-out Rate	3.5%	3.7%	4.7%
School Suspensions, 10 or More Days			
Alcohol Incidents	16	4	6
Drug Incidents	37	63	67
Tobacco Incidents	6	6	5
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	749	678	748
Liquor Law Arrests	187	283	296
Drug Arrests	648	676	629
Methamphetamine Lab Incidents	60	100	118
Violent Offenses	332	303	286
Property Offenses	3,117	2,684	2,980
Domestic Violence Reports	617	614	584
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	681	615	758
Violent Offenses	248	223	233
Alcohol Offenses	35	30	32
Drug Offenses	46	66	48
Status OffensesTotal	375	295	338
Truancy	143	63	65
Beyond Parental Control	92	99	110
Habitually Absent from Home	72	72	77
Injurious Behavior	21	36	27
Abuse/Neglect/CustodyTotal	591	589	574
Abuse	98	146	174
Neglect	294	255	282
Custody Disputes	199	188	118
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	291	269	208
Parental Alcohol Use Related	17	8	8
Parental Drug Use Related	111	104	83
Parental Alcohol and Drug Use	11	10	4
Child Removed for Other Reason	152	147	113
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	126	103	93
Probation/Parole AdmissionsTotal	836	852	904
Probation/Parole AdmissionsDrug	287	324	337
Probation/Parole AdmissionsDWI	52	40	44
Prison AdmissionsTotal	485	485	488
Prison AdmissionsDrug	170	168	162
Prison AdmissionsDWI	28	20	28

- * An asterisk in a data cell indicates the count was fewer than 5 and suppressed
- to avoid disclosure of identifying information.

 Reporting of this information on the birth long form was discontinued in 2010.
- IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	54	51	47
CSTAR Women and Children	46	56	59
CSTAR General Adult	317	272	249
CSTAR Opioid	*	*	*
Primary Recovery Detoxification	162	156	134
Primary Recovery Treatment	697	747	849
Clinical SATOP (CIP, YCIP, SROP)	114	82	62
Other Substance Abuse Treatment	*	*	82


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	388	453	484
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	92	153	183
- Weekend Intervention Program	94	129	163
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	10	6	5
- Compulsive Gambling	*	*	*
- Recovery Supports	137	37	32
- Early Intervention	39	32	

The demographic and clinical profile data below summarize individuals who were admitted to ADA substance abuse treatment programs, based on their first treatment episode in the fiscal year. Individuals who were admitted only to non-clinical SATOP and non-substance abuse treatment programs are not included below. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	833	743	889	Never Married	497	463	545
Female	429	387	379	Married / Cohabitating	402	346	377
· omaio	420	007	010	Previously Married	363	321	345
AGE					000	021	0.10
Under 18	57	56	57	PRIMARY DRUG PROBLEM			
18 to 24	255	234	262	Alcohol	441	437	502
25 to 29	245	215	217	Marijuana / Hashish	364	342	393
30 to 34	200	167	182	Cocaine (total)	28	49	59
35 to 39	149	127	163	- Crack	25	40	48
40 to 44	119	124	137	Stimulant (total)	195	144	138
45 to 54	174	152	200	- Methamphetamine	190	142	137
55 and Over	63	55	50	Heroin	31	14	16
RACE / ETHNICITY				Analgesic except Heroin	164	125	134
Caucasian	1,157	1,030	1,161	- Non-Prescription Methadone	*	*	*
African American	,	74	•	PCP, LSD, other Hallucinogen	0	*	*
Native American / Alaskan	84	/4 *	82	Tranquilizer	33	12	19
Asian / Pacific Islander	0	0	0	Inhalant	*	*	*
Hispanic	_	_	14	Sedative	*	*	*
Other Race / Two or More Races	11	11		Other Medication or Illicit Drug	*	*	*
Other Race / Two or More Races	12	18	18	Average Age at First Use of Drug	17.6	17.2	17.3
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	541	502	524	Any Injection Use at Admission	111	86	80
High School Graduate or G.E.D.	576	504	561	- Daily Injection Use	28	21	7
Associate Degree or Some College	140	117	179	- Weekly Injection Use	28	19	19
Bachelor or Advanced Degree	5	7	*	- Less than Weekly Injection Use	55	46	54
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	361	289	370	Self / Family / Friend	294	197	207
Unemployed	561	373	538	School	*	0	0
Not in Labor Force	340	468	360	Mental Health Provider	13	26	40
				Health Care Provider	47	18	26
LIVING ARRANGEMENT				Court / Criminal Justice	739	715	866
Independent Living	1,093	963	1,103	Other Referral Source	167	174	129
Dependent Living	130	132	114	ODEOLAL DODUKATIONS			
Homeless	31	30	12	SPECIAL POPULATIONS	40	47	40
LIFETIME DUI / DW/ ADDECTO				Pregnant when Admitted to any Episode	18	17	16
LIFETIME DUI / DWI ARRESTS	744	040	70.5	Military Veteran	68	78 454	90
0	741	619	735	Special Education Services Needed	167	151	170
1 or 2	347	347	359	Co-Occurring Psychological Problem	493	405	372
3 or More	174	164	174	Co-Occurring Developmental Problem	107	106	91



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE **CENSUS 2010** 2011 POP. ESTIMATE Southeast Not Applicable 83,563 83,237



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	1,189	1,207	1,217
Mother Reported Drinking while Pregnant 1	,	5	7
Mother Reported Smoking while Pregnant	337	341	357
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	2	8	4
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	1,117	1,122	1,091
Suicides	12	11	11
Self-inflicted Injuries	240	202	216
Homicides	8	5	8
Assault Injuries	489	506	473
Alcohol Induced Deaths	5	6	1
Drug Induced Deaths	16	21	10
Smoking Induced Deaths	216	234	207
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	1,019	824	963
Direct Hospitalizations	347	162	247
Emergency Room Hospitalizations	243	388	383
Emergency Room Outpatient	429	274	333
Drug RelatedTotal	1,335	971	907
Direct Hospitalizations	551	250	277
Emergency Room Hospitalizations	361	431	340
Emergency Room Outpatient	423	290	290
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	114	114	108
Fatal Crashes	7	4	5
Injury Crashes	55	51	53
Property Damage Crashes	52	59	50
Crash Fatalities	7	4	5
Crash Injuries	89	68	64
Drug Involved CrashesTotal	53	54	29
Fatal Crashes	6	1	2
Injury Crashes	25	27	15
Property Damage Crashes	22	26	12
Crash Fatalities	6	1	2
Crash Injuries	44	32	18
EMPLOYMENT	2011	2010	2009
Labor Force	36,892	37,133	37,825
Employed	33,145	33,352	33,861
Unemployed	3,747	3,781	3,964
Unemployment Rate	10.2%	10.2%	10.5%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	74	83	112
Alcohol Package Carry-out Licenses	110	107	116

■ Female ■	Male			
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009	
Enrollment Grades 9-12	4,047	4,054	4,098	
Drop-outs	96	144	233	
Drop-out Rate	2.4%	3.6%	5.7%	
School Suspensions, 10 or More Days				
Alcohol Incidents	3	1	1	
Drug Incidents	33	42	28	
Tobacco Incidents	1	6	2	
POLICE REPORTS	2010	2009	2008	
DUI Arrests, DWI Tracking System	885	779	857	
Liquor Law Arrests	150	184	277	
Drug Arrests	899	823	746	
Methamphetamine Lab Incidents	85	69	28	
Violent Offenses	327	354	324	
Property Offenses	2,136	2,083	2,232	
Domestic Violence Reports	568	582	348	
JUVENILE COURT REFERRALS	2010	2009	2008	
Law Violation OffensesTotal	547	597	691	
Violent Offenses	151	171	163	
Alcohol Offenses	34	57	36	
Drug Offenses	36	36	41	
Status OffensesTotal	208	226	251	
Truancy	44	24	40	
Beyond Parental Control	59	82	99	
Habitually Absent from Home	18	16	25	
Injurious Behavior	82	99	78	
Abuse/Neglect/CustodyTotal	795	917	967	
Abuse	216	250	299	
Neglect	577	664	668	
Custody Disputes	2	3	0	
JUVENILE COURT PLACEMENTS	2010	2009	2008	
Out-of-Home PlacementsTotal	227	159	120	
Parental Alcohol Use Related	10	3	5	
Parental Drug Use Related	108	59	51	
Parental Alcohol and Drug Use	11	5	1	
Child Removed for Other Reason	98	92	63	
CRIMINAL JUSTICE	FY2011	FY2010	FY2009	
Drug Court Participants	78	104	88	
Probation/Parole AdmissionsTotal	1,262	1,265	1,327	
Probation/Parole AdmissionsDrug	397	399	381	
Probation/Parole AdmissionsDWI	94	72	86	
Prison AdmissionsTotal	675	749	726	
Prison AdmissionsDrug	210	236	216	
Prison AdmissionsDWI	54	68	49	
* An asterisk in a data cell indicates the count was fewer than 5 and suppressed				

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	85	78	79
CSTAR Women and Children	104	158	136
CSTAR General Adult	126	117	116
CSTAR Opioid	0	0	0
Primary Recovery Detoxification	212	137	104
Primary Recovery Treatment	793	795	856
Clinical SATOP (CIP, YCIP, SROP)	53	60	23
Other Substance Abuse Treatment	0	*	136


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	327	427	441
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	136	191	220
- Weekend Intervention Program	55	94	130
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	10	9	9
- Compulsive Gambling	0	0	*
- Recovery Supports	66	71	61
- Early Intervention	5	*	

The demographic and clinical profile data below summarize individuals who were admitted to ADA substance abuse treatment programs, based on their first treatment episode in the fiscal year. Individuals who were admitted only to non-clinical SATOP and non-substance abuse treatment programs are not included below. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	797	845	874	Never Married	597	578	622
Female	342	335	315	Married / Cohabitating	301	352	322
	0.2	000	0.0	Previously Married	241	250	245
AGE				•			
Under 18	88	82	79	PRIMARY DRUG PROBLEM			
18 to 24	217	240	261	Alcohol	358	389	419
25 to 29	220	224	214	Marijuana / Hashish	412	453	441
30 to 34	167	164	173	Cocaine (total)	114	110	144
35 to 39	123	136	135	- Crack	80	71	107
40 to 44	98	109	123	Stimulant (total)	126	107	96
45 to 54	177	178	165	- Methamphetamine	121	105	90
55 and Over	49	47	39	Heroin	8	11	10
RACE / ETHNICITY				Analgesic except Heroin	80	82	52
Caucasian	809	818	807	- Non-Prescription Methadone	*	0	0
African American	306	333	362	PCP, LSD, other Hallucinogen	*	0	*
Native American / Alaskan	*	*	0	Tranquilizer	33	23	20
Asian / Pacific Islander	0	*	*	Inhalant	*	*	*
Hispanic	11	8	7	Sedative	*	*	*
Other Race / Two or More Races	16	19	, 15	Other Medication or Illicit Drug	*	0	*
	10	10	10	Average Age at First Use of Drug	17.7	17.6	17.6
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	543	559	543	Any Injection Use at Admission	42	45	47
High School Graduate or G.E.D.	511	525	537	- Daily Injection Use	9	9	10
Associate Degree or Some College	81	85	103	- Weekly Injection Use	11	9	11
Bachelor or Advanced Degree	*	11	6	- Less than Weekly Injection Use	22	27	26
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	268	241	338	Self / Family / Friend	134	174	137
Unemployed	471	492	463	School	*	*	*
Not in Labor Force	400	447	388	Mental Health Provider	11	28	16
				Health Care Provider	32	17	8
LIVING ARRANGEMENT				Court / Criminal Justice	825	844	933
Independent Living	931	958	984	Other Referral Source	133	115	94
Dependent Living	181	184	146	0050141 000111 4710110			
Homeless	18	15	29	SPECIAL POPULATIONS	04	40	40
LIFETIME DI II / DIA" ADDESTO				Pregnant when Admitted to any Episode	21	18	13
LIFETIME DUI / DWI ARRESTS	044	704	704	Military Veteran	22	34	34
0	811	724	791	Special Education Services Needed	103	88	104
1 or 2	212	317	257	Co-Occurring Psychological Problem	215	243	197
3 or More	116	139	141	Co-Occurring Developmental Problem	18	21	24



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Southeast 21 Not Applicable 176,570 177,484



DIDTU DIOV FACTORO	0040	0000	
BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	2,186	2,213	2,372
Mother Reported Drinking while Pregnant 1		7	13
Mother Reported Smoking while Pregnant	587	513	561
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	3	0	6
IDU and MSM ²	*	0	0
IDU without MSM ²	*	0	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	1,831	1.811	1.824
Suicides	25	27	23
Self-inflicted Injuries	232	246	247
Homicides	3	10	6
Assault Injuries	609	579	661
Alcohol Induced Deaths	10	14	8
Drug Induced Deaths	25	15	18
Smoking Induced Deaths	340	350	322
Onloking induced Deaths	340	330	322
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	1,539	1,324	1,512
Direct Hospitalizations	528	317	313
Emergency Room Hospitalizations	291	494	496
Emergency Room Outpatient	720	513	703
Drug RelatedTotal	1,507	1,081	1,114
Direct Hospitalizations	628	318	306
Emergency Room Hospitalizations	249	366	352
Emergency Room Outpatient	630	397	456
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	186	199	205
Fatal Crashes	4	6	5
Injury Crashes	85	85	93
Property Damage Crashes	97	108	107
Crash Fatalities	4	7	5
Crash Injuries	108	103	128
Drug Involved CrashesTotal	42	48	43
Fatal Crashes	1	0	1
Injury Crashes	23	20	13
Property Damage Crashes	18	28	29
Crash Fatalities	1	0	1
Crash Injuries	29	19	18
EMPLOYMENT	2011	2010	2009
Labor Force	91,155	89,977	91,413
Employed	84,102	82,410	83,842
Unemployed	7,053	7,567	7,571
Unemployment Rate	7,033	8.4%	8.3%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	256	249	277
Alcohol Package Carry-out Licenses	166	161	168

■ Female	Male		
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009
Enrollment Grades 9-12	7,673	7,820	7,872
Drop-outs	150	218	323
Drop-out Rate	2.0%	2.8%	4.1%
School Suspensions, 10 or More Days			
Alcohol Incidents	26	16	19
Drug Incidents	80	70	41
Tobacco Incidents	4	4	19
POLICE REPORTS	2010	2009	2008
DUI Arrests, DWI Tracking System	1,211	1,255	1,347
Liquor Law Arrests	351	423	455
Drug Arrests	1,047	1,153	854
Methamphetamine Lab Incidents	151	93	50
Violent Offenses	817	811	693
Property Offenses	5,269	4,763	5,215
Domestic Violence Reports	1,354	1,302	1,214
JUVENILE COURT REFERRALS	2010	2009	2008
Law Violation OffensesTotal	1,350	1,561	1,769
Violent Offenses	275	279	346
Alcohol Offenses	58	65	103
Drug Offenses	60	70	99
Status OffensesTotal	539	614	771
Truancy	191	218	252
Beyond Parental Control	108	93	84
Habitually Absent from Home	104	116	200
Injurious Behavior	101	143	108
Abuse/Neglect/CustodyTotal	421	411	299
Abuse	74	98	67
Neglect	218	224	156
Custody Disputes	129	89	76
JUVENILE COURT PLACEMENTS	2010	2009	2008
Out-of-Home PlacementsTotal	205	190	189
Parental Alcohol Use Related	11	6	5
Parental Drug Use Related	75	54	49
Parental Alcohol and Drug Use	11	1	9
Child Removed for Other Reason	108	129	126
CRIMINAL JUSTICE	FY2011	FY2010	FY2009
Drug Court Participants	200	231	219
Probation/Parole AdmissionsTotal	1,288	1,263	1,302
Probation/Parole AdmissionsDrug	543	486	470
Probation/Parole AdmissionsDWI	110	84	89
Prison AdmissionsTotal	639	611	656
Prison AdmissionsDrug	234	238	243
Prison AdmissionsDWI	47	40	61

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	114	105	114
CSTAR Women and Children	176	193	149
CSTAR General Adult	235	131	76
CSTAR Opioid	0	*	*
Primary Recovery Detoxification	163	154	148
Primary Recovery Treatment	714	957	1,223
Clinical SATOP (CIP, YCIP, SROP)	86	112	99
Other Substance Abuse Treatment	5	*	107


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	838	1,083	1,068
- Adolescent Diversion Education Program	*	5	*
- Offender Education Program	458	542	512
- Weekend Intervention Program	232	282	331
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	14	22	23
- Compulsive Gambling	*	0	*
- Recovery Supports	284	182	163
- Early Intervention	13	12	

The demographic and clinical profile data below summarize individuals who were admitted to ADA substance abuse treatment programs, based on their first treatment episode in the fiscal year. Individuals who were admitted only to non-clinical SATOP and non-substance abuse treatment programs are not included below. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	955	961	1,212	Never Married	753	747	861
Female	433	418	407	Married / Cohabitating	361	343	396
	400	710	401	Previously Married	274	289	362
AGE				•		200	002
Under 18	120	104	118	PRIMARY DRUG PROBLEM			
18 to 24	291	295	345	Alcohol	495	552	707
25 to 29	277	266	291	Marijuana / Hashish	460	457	537
30 to 34	217	194	208	Cocaine (total)	103	90	123
35 to 39	136	146	180	- Crack	61	66	81
40 to 44	121	139	189	Stimulant (total)	138	103	98
45 to 54	185	184	228	- Methamphetamine	132	98	95
55 and Over	41	51	60	Heroin	52	35	27
RACE / ETHNICITY				Analgesic except Heroin	96	98	82
Caucasian	1,082	1,075	1,290	- Non-Prescription Methadone	0	5	*
African American	255	254	288	PCP, LSD, other Hallucinogen	7	*	*
Native American / Alaskan	255	2J4 *	200	Tranquilizer	29	36	32
Asian / Pacific Islander	0	0	0	Inhalant	*	0	*
Hispanic	23	17	19	Sedative	*	5	5
Other Race / Two or More Races	31	34	29	Other Medication or Illicit Drug	*	*	*
Other Race / Two or More Races	31	34	29	Average Age at First Use of Drug	17.5	17.3	17.0
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	532	532	624	Any Injection Use at Admission	121	80	80
High School Graduate or G.E.D.	628	632	759	- Daily Injection Use	22	14	13
Associate Degree or Some College	207	197	212	- Weekly Injection Use	29	21	17
Bachelor or Advanced Degree	21	18	24	- Less than Weekly Injection Use	70	44	50
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	396	396	549	Self / Family / Friend	279	268	325
Unemployed	564	555	589	School	*	7	*
Not in Labor Force	428	428	481	Mental Health Provider	16	18	30
				Health Care Provider	39	29	44
LIVING ARRANGEMENT				Court / Criminal Justice	929	931	1,119
Independent Living	1,038	1,047	1,295	Other Referral Source	124	126	99
Dependent Living	312	292	287	005044 00044 474040			
Homeless	25	27	24	SPECIAL POPULATIONS		2.	0.4
				Pregnant when Admitted to any Episode	15	24	21
LIFETIME DUI / DWI ARRESTS	20.1	7.40	200	Military Veteran	59	71	88
0	804	742	868	Special Education Services Needed	131	119	100
1 or 2	367	412	466	Co-Occurring Psychological Problem	413	371	435
3 or More	217	225	285	Co-Occurring Developmental Problem	55	45	45



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Eastern 22 Not Applicable 218,733 219,480



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	2,758	2,859	2,894
Mother Reported Drinking while Pregnant ¹	2,700	7	8
Mother Reported Smoking while Pregnant	613	574	561
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	11	7	3
IDU and MSM ²	*	*	0
IDU without MSM ²	*	*	0
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	1,823	1,772	1,740
Suicides	37	32	33
Self-inflicted Injuries	260	155	218
Homicides	9	6	8
Assault Injuries	563	543	539
Alcohol Induced Deaths	4	7	12
Drug Induced Deaths	57	47	29
Smoking Induced Deaths	373	363	364
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	1,711	1,600	1,683
Direct Hospitalizations	579	528	555
Emergency Room Hospitalizations	624	634	609
Emergency Room Outpatient	508	438	519
Drug RelatedTotal	1,953	1,514	1,387
Direct Hospitalizations	719	501	474
Emergency Room Hospitalizations	568	554	440
Emergency Room Outpatient	666	459	473
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	221	295	316
Fatal Crashes	8	14	17
Injury Crashes	97	117	129
Property Damage Crashes	116	164	170
Crash Fatalities	8	13	16
Crash Injuries	139	158	153
Drug Involved CrashesTotal	35	43	30
Fatal Crashes	5	5	3
Injury Crashes	11	13	11
Property Damage Crashes	19	25	16
Crash Fatalities	5	5	3
Crash Injuries	22	27	17
EMPLOYMENT	2011	2010	2009
Labor Force	117,800	116,155	117,018
Employed	107,369	104,134	104,588
Unemployed	10,431	12,021	12,430
Unemployment Rate	8.9%	10.3%	10.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	174	183	215
Alcohol Package Carry-out Licenses	147	143	145
· ·			

■ Female ■ Male					
SCHOOL REPORTS	2010-2011	2009-2010	2008-2009		
Enrollment Grades 9-12	10,877	11,134	11,124		
Drop-outs	234	235	278		
Drop-out Rate	2.2%	2.1%	2.5%		
School Suspensions, 10 or More Days					
Alcohol Incidents	24	10	12		
Drug Incidents	110	115	111		
Tobacco Incidents	1	2	2		
POLICE REPORTS	2010	2009	2008		
DUI Arrests, DWI Tracking System	1,950	2,055	2,078		
Liquor Law Arrests	730	945	728		
Drug Arrests	1,574	1,682	1,318		
Methamphetamine Lab Incidents	228	227	203		
Violent Offenses	569	606	629		
Property Offenses	4,248	4,503	6,108		
Domestic Violence Reports	1,404	1,393	1,246		
JUVENILE COURT REFERRALS	2010	2009	2008		
Law Violation OffensesTotal	1,111	1,047	1,376		
Violent Offenses	377	372	420		
Alcohol Offenses	65	43	69		
Drug Offenses	113	115	138		
Status OffensesTotal	444	358	428		
Truancy	237	207	220		
Beyond Parental Control	47	44	41		
Habitually Absent from Home	93	54	113		
Injurious Behavior	65	53	54		
Abuse/Neglect/CustodyTotal	504	456	434		
Abuse	54	49	45		
Neglect	51	50	77		
Custody Disputes	399	357	312		
JUVENILE COURT PLACEMENTS	2010	2009	2008		
Out-of-Home PlacementsTotal	307	309	286		
Parental Alcohol Use Related	9	20	28		
Parental Drug Use Related	125	142	84		
Parental Alcohol and Drug Use	16	14	7		
Child Removed for Other Reason	157	133	167		
CRIMINAL JUSTICE	FY2011	FY2010	FY2009		
Drug Court Participants	99	84	115		
Probation/Parole AdmissionsTotal	923	847	837		
Probation/Parole AdmissionsDrug	271	258	257		
Probation/Parole AdmissionsDWI	99	72	63		
Prison AdmissionsTotal	369	362	308		
Prison AdmissionsDrug	105	113	85		
Prison AdmissionsDWI	41	42	40		
* An asterisk in a data cell indicates the co	unt was fewer t	han 5 and su	innressed		

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	162	142	148
CSTAR Women and Children	84	65	71
CSTAR General Adult	591	79	41
CSTAR Opioid	17	17	23
Primary Recovery Detoxification	136	118	136
Primary Recovery Treatment	172	678	673
Clinical SATOP (CIP, YCIP, SROP)	237	237	244
Other Substance Abuse Treatment	*	12	22

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	1,049	1,349	1,322
- Adolescent Diversion Education Program	11	85	73
- Offender Education Program	409	470	516
- Weekend Intervention Program	234	308	311
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	18	25	13
- Compulsive Gambling	*	9	13
- Recovery Supports	*	70	197
- Early Intervention	125	57	


The demographic and clinical profile data below summarize individuals who were admitted to ADA substance abuse treatment programs, based on their first treatment episode in the fiscal year. Individuals who were admitted only to non-clinical SATOP and non-substance abuse treatment programs are not included below. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	826	839	851	Never Married	811	775	746
Female	439	357	329	Married / Cohabitating	230	225	208
	400	001	020	Previously Married	224	195	226
AGE				•		100	220
Under 18	164	144	156	PRIMARY DRUG PROBLEM			
18 to 24	278	270	205	Alcohol	480	533	529
25 to 29	207	222	212	Marijuana / Hashish	292	273	265
30 to 34	190	135	159	Cocaine (total)	40	38	46
35 to 39	118	133	134	- Crack	25	24	30
40 to 44	99	116	135	Stimulant (total)	126	98	112
45 to 54	175	154	150	- Methamphetamine	118	94	105
55 and Over	34	22	29	Heroin	241	192	155
RACE / ETHNICITY				Analgesic except Heroin	54	47	50
Caucasian	1,221	1,148	1,126	- Non-Prescription Methadone	*	*	6
African American	,		•	PCP, LSD, other Hallucinogen	*	*	*
Native American / Alaskan	25 0	25	19	Tranquilizer	23	8	13
Asian / Pacific Islander	*	0	*	Inhalant	*	*	*
Hispanic		10	10	Sedative	*	*	*
Other Race / Two or More Races	7	_	_	Other Medication or Illicit Drug	*	0	*
Other Race / Two or More Races	13	17	24	Average Age at First Use of Drug	18.0	17.4	17.4
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	486	450	454	Any Injection Use at Admission	260	209	174
High School Graduate or G.E.D.	534	546	568	- Daily Injection Use	95	70	78
Associate Degree or Some College	228	184	145	- Weekly Injection Use	72	75	36
Bachelor or Advanced Degree	17	16	13	- Less than Weekly Injection Use	93	64	60
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	338	374	357	Self / Family / Friend	357	316	309
Unemployed	537	407	475	School	*	*	8
Not in Labor Force	390	415	348	Mental Health Provider	20	13	5
				Health Care Provider	33	29	25
LIVING ARRANGEMENT				Court / Criminal Justice	720	666	686
Independent Living	963	955	923	Other Referral Source	133	169	146
Dependent Living	201	179	204	ODEOLAL DODLU ATIONS			
Homeless	30	44	32	SPECIAL POPULATIONS	00	45	4.4
LIFETIME DUI / DIA/LADDECTO				Pregnant when Admitted to any Episode	20	15	14
LIFETIME DUI / DWI ARRESTS	740	004	0.47	Military Veteran	50	39	36
0	718	624	647	Special Education Services Needed	56 467	53	56
1 or 2	353	382	322	Co-Occurring Psychological Problem	467	428	401
3 or More	194	190	211	Co-Occurring Developmental Problem	39	40	40

ADA SERVICE AREAS 23-25 (SL)



ADA/CPS REGION ADA SERVICE AREA FIPS COUNTY CODE CENSUS 2010 2011 POP. ESTIMATE Eastern SL Not Applicable 1,318,248 1,316,761



BIRTH RISK FACTORS	2010	2009	2008
Resident BirthsTotal	16,486	16,906	17,594
Mother Reported Drinking while Pregnant ¹		115	91
Mother Reported Smoking while Pregnant	1,895	1,624	1,771
HIV DISEASE RISK FACTORS	2010	2009	2008
New HIV/AIDS CasesTotal	273	226	252
IDU and MSM ²	*	*	8
IDU without MSM ²	*	*	4
DEATHS and INJURIES	2010	2009	2008
Resident DeathsTotal	12,297	12,150	12,753
Suicides	160	179	139
Self-inflicted Injuries	1,358	1,299	1,357
Homicides	186	206	211
Assault Injuries	6,738	6,954	7,101
Alcohol Induced Deaths	95	84	74
Drug Induced Deaths	228	210	188
Smoking Induced Deaths	1,908	1,927	2,067
HOSPITAL / EMERGENCY ROOM	2010	2009	2008
Alcohol RelatedTotal	15,387	14,607	14,768
Direct Hospitalizations	4,055	3,652	3,665
Emergency Room Hospitalizations	5,168	5,515	5,204
Emergency Room Outpatient	6,164	5,440	5,899
Drug RelatedTotal	15,710	13,437	12,730
Direct Hospitalizations	4,590	4,256	3,947
Emergency Room Hospitalizations	4,839	4,874	4,602
Emergency Room Outpatient	6,281	4,307	4,181
TRAFFIC IMPAIRED DRIVER	2010	2009	2008
Alcohol Involved CrashesTotal	1,000	984	1,043
Fatal Crashes	17	7	14
Injury Crashes	349	346	381
Property Damage Crashes	634	631	648
Crash Fatalities	18	5	14
Crash Injuries	554	320	350
Drug Involved CrashesTotal	151	123	116
Fatal Crashes	8	4	4
Injury Crashes	68	50	53
Property Damage Crashes	75	69	59
Crash Fatalities	8	4	4
Crash Injuries	113	53	54
EMPLOYMENT	2011	2010	2009
Labor Force	672,447	671,936	674,679
Employed	612,186	604,353	609,648
Unemployed	60,261	67,583	65,031
Unemployment Rate	9.0%	10.1%	9.6%
RETAIL ALCOHOL OUTLETS	2011	2010	2009
Alcohol On-Premise Drink Licenses	2,030	2,002	2,231
Alcohol Package Carry-out Licenses	830	846	831

2010-2011 57,776	2009-2010	2008-2009
57,776		
	59,498	60,620
3,101	3,191	4,066
5.4%	5.4%	6.7%
98	61	94
637	537	540
16	21	16
2010	2009	2008
5,714	6,735	6,575
1,507	1,870	2,325
10,535	9,221	9,243
78	38	37
9,503	10,560	10,937
60,146	60,384	69,331
7,465	7,216	6,855
2010	2009	2008
8,193	9,098	10,315
2,394	2,588	2,420
124	194	139
602	624	627
2,001	1,835	2,287
590	464	554
234	226	240
1,076	1,026	1,376
63	57	59
1,835	2,025	1,759
556	597	472
1,056	1,209	1,099
223	219	188
2010	2009	2008
664	799	813
22	16	15
126	122	174
10	17	7
506	644	617
FY2011	FY2010	FY2009
862	940	966
7,562	8,156	8,907
2,145	2,556	3,071
197	103	72
3,112	3,243	3,676
889	932	1,185
114	73	40
	637 16 2010 5,714 1,507 10,535 78 9,503 60,146 7,465 2010 8,193 2,394 124 602 2,001 590 234 1,076 63 1,835 556 1,056 223 2010 664 22 126 10 506 FY2011 862 7,562 2,145 197 3,112 889 114	637 537 16 21 2010 2009 5,714 6,735 1,507 1,870 10,535 9,221 78 38 9,503 10,560 60,146 60,384 7,465 7,216 2010 2009 8,193 9,098 2,394 2,588 124 194 602 624 2,001 1,835 590 464 234 226 1,076 1,026 63 57 1,835 2,025 556 597 1,056 1,209 223 219 2010 2009 664 799 22 16 126 122 10 17 506 644 FY2011 FY2010 862 940 7,562 8,156 2,145 2,556 197 103 3,112 3,243 889 932

An asterisk in a data cell indicates the count was fewer than 5 and suppressed

to avoid disclosure of identifying information.

Reporting of this information on the birth long form was discontinued in 2010.

IDU (injection drug use) and MSM (men who have sex with men) indicate risk factors for transmission of HIV disease.

ADA SERVICE AREAS 23-25 (SL)

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

SUBSTANCE ABUSE TREATMENT	FY2011	FY2010	FY2009
CSTAR Adolescent	327	374	417
CSTAR Women and Children	1,208	1,291	1,262
CSTAR General Adult	1,502	690	643
CSTAR Opioid	514	333	330
Primary Recovery Detoxification	1,343	1,334	1,202
Primary Recovery Treatment	1,638	3,112	3,036
Clinical SATOP (CIP, YCIP, SROP)	973	989	843
Other Substance Abuse Treatment	683	740	771

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2011	FY2010	FY2009
Offender Management Unit	4,668	5,650	5,469
- Adolescent Diversion Education Program	197	370	398
- Offender Education Program	1,925	2,199	2,268
- Weekend Intervention Program	989	1,235	1,242
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
- Co-Dependency	509	395	235
- Compulsive Gambling	46	71	65
- Recovery Supports	336	2,413	2,497
- Early Intervention	65	78	

The demographic and clinical profile data below summarize individuals who were admitted to ADA substance abuse treatment programs, based on their first treatment episode in the fiscal year. Individuals who were admitted only to non-clinical SATOP and non-substance abuse treatment programs are not included below. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

GENDER	FY2011	FY2010	FY2009	MARITAL / FAMILY STATUS	FY2011	FY2010	FY2009
Male	4,566	5,248	4,994	Never Married	4,690	5,229	5,021
Female	2,015	2,128	2,148	Married / Cohabitating	985	1,118	1,107
	_,	_,	_,	Previously Married	906	1,028	1,009
AGE						,	,
Under 18	340	382	418	PRIMARY DRUG PROBLEM			
18 to 24	941	1,199	1,145	Alcohol	2,081	2,384	2,246
25 to 29	1,104	1,282	1,231	Marijuana / Hashish	1,434	1,878	1,848
30 to 34	1,013	1,024	866	Cocaine (total)	922	1,071	1,231
35 to 39	783	783	816	- Crack	803	931	1,069
40 to 44	712	848	894	Stimulant (total)	72	82	92
45 to 54	1,267	1,447	1,423	- Methamphetamine	64	71	80
55 and Over	421	412	350	Heroin	1,861	1,743	1,479
RACE / ETHNICITY				Analgesic except Heroin	143	147	166
Caucasian	2,685	2,894	2,761	- Non-Prescription Methadone	10	7	10
African American	3,707	4,275	4,169	PCP, LSD, other Hallucinogen	40	44	41
Native American / Alaskan	11	*	8	Tranquilizer	16	14	25
Asian / Pacific Islander	10	11	8	Inhalant	*	*	*
Hispanic	62	78	80	Sedative	5	*	7
Other Race / Two or More Races	131	150	153	Other Medication or Illicit Drug	6	9	6
Carlot Nacco / Two of More Nacco	101	150	100	Average Age at First Use of Drug	19.5	18.8	18.8
EDUCATION				INJECTION DRUG USE			
Less than High School Diploma	2,562	2,796	2,865	Any Injection Use at Admission	1,005	924	789
High School Graduate or G.E.D.	2,639	3,089	2,885	- Daily Injection Use	573	496	435
Associate Degree or Some College	1,203	1,276	1,222	- Weekly Injection Use	204	192	140
Bachelor or Advanced Degree	177	216	171	- Less than Weekly Injection Use	228	236	214
EMPLOYMENT				TREATMENT REFERRAL SOURCE			
Employed	1,321	1,614	1,510	Self / Family / Friend	2,333	2,305	2,318
Unemployed	2,638	3,046	2,889	School	9	10	27
Not in Labor Force	2,622	2,717	2,744	Mental Health Provider	72	72	91
				Health Care Provider	164	239	165
LIVING ARRANGEMENT				Court / Criminal Justice	3,483	4,199	3,988
Independent Living	4,740	5,499	5,299	Other Referral Source	519	552	553
Dependent Living	875	1,069	1,138	ODEOLAL DORUMATIONS			
Homeless	679	528	471	SPECIAL POPULATIONS	474	450	4.40
LIFETIME DUI / DW/ A DRESTS				Pregnant when Admitted to any Episode	171	153	142
LIFETIME DUI / DWI ARRESTS 0	4 000	F 060	E 000	Military Veteran	261	237	146
1 or 2	4,826	5,260	5,282	Special Education Services Needed	464 1 590	487	458 1 740
· · · ·	1,249	1,562	1,305	Co-Occurring Psychological Problem	1,589	1,763	1,740
3 or More	506	555	556	Co-Occurring Developmental Problem	182	241	200

CPS SERVICE AREA 1



ADA/CPS REGION Northwest CPS SERVICE AREA CENSUS 2010 183,003 **2011 POP. ESTIMATE** 183,205

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

Individuals who received CPS services had the following types of

DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
Adjustment Disorder	150	97	88
Anxiety Disorder	407	396	341
Dementia	8	11	10
Developmental Disorder	11	8	11
Impulse Control Disorder	501	455	457
Mood Disorder	1,105	1,105	1,035
Personality Disorder	92	102	106
Psychotic Disorder	437	443	409
Sexual Disorder	*	*	*
Other Diagnosis	288	271	247
Diagnosis Unknown	368	263	259

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	2,562	2,411	2,301	Hearing Impaired	131	115	91
Male	1,369	1,285	1,171	Past or Current Military Service	82	81	71
Female	1,193	1,126	1,130	·	02	0.	
	1,100	1,120	1,100	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	394	15	11
Under 6	87	103	52	Dependent Living	78	132	6
6 to 9	277	271	225	Homeless	*	*	*
10 to 13	316	261	247	Other	7	*	0
14 to 17	291	233	240	Housing Unknown	2,081	2,259	2,282
18 to 24	175	158	172	EMPLOYMENT			
25 to 29	142	155	164	Employed	48	*	5
30 to 34	152	146	136	Unemployed	417	23	10
35 to 39	176	175	179	Not in Labor Force	16	*	*
40 to 44	181	173	173	Employment Status Unknown	2,081	2,386	2,285
45 to 49	221	221	242		2,001	2,000	2,200
50 to 54	238	220	190	ARRESTS			
55 to 59	140	145	136	Arrested in Past 12 Months	44	27	*
60 and Over	166	150	145	Not Arrested in Past 12 Months	436	125	15
35 4114 5751	100	100	140	Arrest Status Unknown	2,082	2,259	2,282
RACE / ETHNICITY				TD5.4.TM5.WT D5.55DD.4. 0.0MD0.5			
Caucasian	2,182	2,076	1,972	TREATMENT REFERRAL SOURCE	000	704	070
African American	206	180	174	Self / Family / Friend	830	721	672
Native American / Alaskan	26	12	12	School Martal Haalth Brasidas	145	136	127
Asian / Pacific Islander	*	*	*	Mental Health Provider	604	571	546
Hispanic	54	47	46	Health Care Provider	406	367	392
Other Race	92	93	95	Court / Criminal Justice	172	164	133
Race/Ethnicity Unknown	0	*	0	Other	402	446	422
·				Referral Source Unknown	*	6	9
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	160	8	*	Voluntary	2,430	2,279	2,178
High School Grad or G.E.D.	196	10	9	Civil	18	14	20
A.A. Degree or Some College	108	7	*	Criminal	108	110	94
Bachelor or Advanced Degree	16	0	*	Sexual Predatory	*	*	*
Education Level Unknown	2,082	2,386	2,285	Commitment Type Unknown	*	5	8

CPS SERVICE AREAS 2, 3, 4, 5



ADA/CPS REGION Northwest CPS SERVICE AREA 2-5 CENSUS 2010 674,158 2011 POP. ESTIMATE 676,360

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. EV2011 EV2010 EV2000

Individuals who received CPS services had the following types of

DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009
Adjustment Disorder	531	584	482
Anxiety Disorder	2,368	2,211	1,551
Dementia	17	22	16
Developmental Disorder	65	75	51
Impulse Control Disorder	1,640	1,573	1,189
Mood Disorder	5,751	5,385	4,581
Personality Disorder	221	213	244
Psychotic Disorder	2,511	2,280	2,106
Sexual Disorder	12	13	10
Other Diagnosis	682	598	523
Diagnosis Unknown	2,692	5,501	6,838

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	13,020	15,376	14,909	Hearing Impaired	202	244	255
Male	6,540	7,736	7,682	Past or Current Military Service	289	347	383
Female	6,480	7,640	7,227	HOUSING / LIVING ARRANGEMENT			
405				Independent Living	2,152	2,232	1,230
AGE Under 6	404	000	455	Dependent Living	336	664	277
	164	223	155	Homeless	161	184	154
6 to 9	760	846	726	Other	177	366	177
10 to 13	912	993	883	Housing Unknown	10,194	11,930	13,071
14 to 17	1,061	1,165	1,166	EMBL OVMENT			
18 to 24	1,123	1,513	1,434	EMPLOYMENT			
25 to 29	1,029	1,387	1,414	Employed	295	420	272
30 to 34	1,159	1,357	1,316	Unemployed	2,438	2,485	1,392
35 to 39	1,061	1,342	1,323	Not in Labor Force	89	121	59
40 to 44	1,177	1,440	1,459	Employment Status Unknown	10,198	12,350	13,186
45 to 49	1,448	1,802	1,839	ARRESTS			
50 to 54	1,411	1,521	1,520	Arrested in Past 12 Months	450	731	399
55 to 59	962	996	932	Not Arrested in Past 12 Months	2,364	2,715	1,439
60 and Over	753	791	742	Arrest Status Unknown	10,206	11,930	13,071
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	6,195	7,334	6,681	Self / Family / Friend	5,526	6,586	7,127
African American	5,437	6,606	6,762	School	177	224	238
Native American / Alaskan	64	69	48	Mental Health Provider	1,485	1,639	1,433
Asian / Pacific Islander	51	50	51	Health Care Provider	1,636	1,848	1,407
Hispanic	384	456	470	Court / Criminal Justice	913	1,366	1,601
Other Race	888	861	896	Other	3,235	3,634	2,962
Race/Ethnicity Unknown	*	0	*	Referral Source Unknown	3,233 48	79	141
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	921	1,017	617	Voluntary	12,766	15,115	14,376
High School Grad or G.E.D.	1,229	1,274	688	Civil	94	100	303
A.A. Degree or Some College	478	551	281	Criminal	124	111	124
Bachelor or Advanced Degree	173	155	96	Sexual Predatory	8	*	*
Education Level Unknown	10,219	12,379	13,227	Commitment Type Unknown	28	46	105

CPS SERVICE AREA 6



ADA/CPS REGION Northwest CPS SERVICE AREA 6 CENSUS 2010 334,755 2011 POP. ESTIMATE 339,294 disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 83 87 98 **Anxiety Disorder** 1,200 1,164 1,137 Dementia 20 12 15 **Developmental Disorder** 36 41 41 Impulse Control Disorder 459 474 466 **Mood Disorder** 2,119 2,153 2,128 Personality Disorder 325 314 357 **Psychotic Disorder** 436 432 451 Sexual Disorder Other Diagnosis 200 226 234

538

1,008

911

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	3,272	3,831	3,580	Hearing Impaired	55	66	61
Male	1,343	1,623	1,491	Past or Current Military Service	42	51	60
Female	1,929	2,208	2,089	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	299	182	109
Under 6	17	25	5	Dependent Living	58	116	22
6 to 9	92	102	72	Homeless	7	6	7
10 to 13	140	187	166	Other	10	17	*
14 to 17	203	296	274	Housing Unknown	2,898	3,510	3,439
18 to 24	311	427	346	EMPLOYMENT			
25 to 29	326	414	402	Employed	34	23	12
30 to 34	351	387	366	Unemployed	326	194	113
35 to 39	335	402	385	Not in Labor Force	14	6	*
40 to 44	340	378	381	Employment Status Unknown	2,898	3,608	3,451
45 to 49	389	430	411	Employment Status Shikhown	2,090	3,000	3,431
50 to 54	333	341	347	ARRESTS			
55 to 59	224	221	200	Arrested in Past 12 Months	34	45	24
60 and Over	211	221	200	Not Arrested in Past 12 Months	339	276	117
oo and over	211	221	223	Arrest Status Unknown	2,899	3,510	3,439
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	2,871	3,336	3,171	Self / Family / Friend	2,914	3,349	3,039
African American	167	198	159	School	2,914	5,349	3,039
Native American / Alaskan	13	19	14	Mental Health Provider	100	124	123
Asian / Pacific Islander	14	17	18	Health Care Provider	83	124	155
Hispanic	71	81	76	Court / Criminal Justice	38	52	91
Other Race	132	175	138	Other		_	_
Race/Ethnicity Unknown	*	5	*	Referral Source Unknown	105 27	152 28	125 38
				Referral Source Officiowit	21	20	30
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	99	56	42	Voluntary	3,230	3,782	3,488
High School Grad or G.E.D.	193	110	64	Civil	6	9	38
A.A. Degree or Some College	64	45	18	Criminal	7	10	17
Bachelor or Advanced Degree	16	11	5	Sexual Predatory	*	*	0
Education Level Unknown	2,900	3,609	3,451	Commitment Type Unknown	28	28	37

CPS SERVICE AREA 7



ADA/CPS REGION Northwest
CPS SERVICE AREA 7
CENSUS 2010 185,454
2011 POP. ESTIMATE 186,700

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 87 74 67 **Anxiety Disorder** 435 345 219 Dementia **Developmental Disorder** 23 17 9 Impulse Control Disorder 265 245 171 **Mood Disorder** 717 852 533 Personality Disorder 33 38 32 **Psychotic Disorder** 189 179 161 Sexual Disorder 0 Other Diagnosis 106 104 84 Diagnosis Unknown 280 421 110

Individuals who received CPS services had the following types of

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,480	1,451	1,309	Hearing Impaired	45	49	44
Male	674	704	632	Past or Current Military Service	42	47	57
Female	806	747	677	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	362	99	54
Under 6	20	29	19	Dependent Living	25	139	34
6 to 9	122	116	96	Homeless	7	5	*
10 to 13	164	157	148	Other	9	*	10
14 to 17	198	184	176	Housing Unknown	1,077	1,204	1,210
18 to 24	134	153	130	EMPLOYMENT			
25 to 29	120	122	103	Employed	41	15	8
30 to 34	121	120	102	Unemployed	346	89	56
35 to 39	132	128	111	Not in Labor Force	16	6	*
40 to 44	112	104	102	Employment Status Unknown	1,077	1,341	1,243
45 to 49	122	126	120		.,	.,	.,
50 to 54	112	102	101	ARRESTS			
55 to 59	67	66	53	Arrested in Past 12 Months	52	52	25
60 and Over	56	44	48	Not Arrested in Past 12 Months	351	195	74
				Arrest Status Unknown	1,077	1,204	1,210
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	1,345	1,308	1,167	Self / Family / Friend	1,138	1,144	993
African American	61	61	67	School	1,130	1,144	993
Native American / Alaskan	*	7	*	Mental Health Provider	32	36	30
Asian / Pacific Islander	5	*	*	Health Care Provider	75	50	28
Hispanic	20	25	21	Court / Criminal Justice	46	56	66
Other Race	46	47	48	Other	183	158	180
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	*	5	12
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	119	40	28	Voluntary	1,468	1,436	1,260
High School Grad or G.E.D.	206	53	25	Civil	*	1,430	26
A.A. Degree or Some College	63	15	9	Criminal	5	7	9
Bachelor or Advanced Degree	15	*	*	Sexual Predatory	*	*	*
Education Level Unknown	1,077	1,341	1,243	Commitment Type Unknown	*	5	12
	1,077	1,571	1,273	Community type officionin		5	12

CPS SERVICE AREA 8A



ADA/CPS REGION Southwest CPS SERVICE AREA 8A CENSUS 2010 82,114 2011 POP. ESTIMATE 81,749

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009				
Adjustment Disorder	88	54	73				
Anxiety Disorder	333	225	230				
Dementia	0	*	*				
Developmental Disorder	21	17	15				
Impulse Control Disorder	176	134	155				
Mood Disorder	543	392	440				
Personality Disorder	127	78	73				
Psychotic Disorder	108	97	100				
Sexual Disorder	*	*	*				
Other Diagnosis	81	55	74				
Diagnosis Unknown	177	450	200				

Individuals who received CPS services had the following types of

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,056	1,115	1,060	Hearing Impaired	79	76	67
Male	496	499	491	Past or Current Military Service	13	12	12
Female	560	616	569	LIQUEINO / LIVINO ARRANGEMENT			
				HOUSING / LIVING ARRANGEMENT	444	0.5	_
AGE				Independent Living	144	85	5
Under 6	19	18	15	Dependent Living	15	57 *	34
6 to 9	57	59	68	Homeless	*	*	0
10 to 13	95	94	117	Other			4 040
14 to 17	96	92	100	Housing Unknown	895	971	1,019
18 to 24	89	112	100	EMPLOYMENT			
25 to 29	81	99	89	Employed	7	8	0
30 to 34	104	90	89	Unemployed	153	85	5
35 to 39	111	126	98	Not in Labor Force	*	*	0
40 to 44	108	94	93	Employment Status Unknown	895	1,018	1,055
45 to 49	102	127	110	ADDECTO			
50 to 54	95	94	86	ARRESTS Arrested in Past 12 Months	40	11	*
55 to 59	50	50	44	Not Arrested in Past 12 Months	10		07
60 and Over	49	60	51	Arrest Status Unknown	151	133 971	37
				Ariest Status Officiowif	895	971	1,019
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	1,007	1,064	1,016	Self / Family / Friend	550	682	574
African American	5	11	*	School	19	11	16
Native American / Alaskan	*	*	*	Mental Health Provider	120	109	111
Asian / Pacific Islander	*	*	*	Health Care Provider	167	150	161
Hispanic	24	23	16	Court / Criminal Justice	61	57	62
Other Race	16	9	18	Other	137	105	133
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	*	*	*
				Nototial Source Stilliowit			
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	53	31	0	Voluntary	1,030	1,103	1,044
High School Grad or G.E.D.	77	48	*	Civil	16	10	10
A.A. Degree or Some College	26	16	*	Criminal	5	*	*
Bachelor or Advanced Degree	5	*	0	Sexual Predatory	*	0	0
Education Level Unknown	895	1,019	1,055	Commitment Type Unknown	*	*	*

CPS SERVICE AREA 8B



ADA/CPS REGION Southwest CPS SERVICE AREA 8B CENSUS 2010 112,950 2011 POP. ESTIMATE 112,522 disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 57 51 41 **Anxiety Disorder** 385 623 603 Dementia **Developmental Disorder** 20 21 20 Impulse Control Disorder 248 251 192 **Mood Disorder** 778 1,118 1,083 Personality Disorder 104 136 129 **Psychotic Disorder** 227 215 198 Sexual Disorder Other Diagnosis 104 137 130 Diagnosis Unknown 521 121 231

Individuals who received CPS services had the following types of

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,732	1,719	1,651	Hearing Impaired	31	32	36
Male	771	801	775	Past or Current Military Service	43	47	44
Female	961	918	876	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	633	446	285
Under 6	16	13	7	Dependent Living	62	149	69
6 to 9	92	84	101	Homeless	8	6	*
10 to 13	133	142	139	Other	12	14	*
14 to 17	142	154	184	Housing Unknown	1,017	1,104	1,293
18 to 24	157	165	142	EMPLOYMENT			
25 to 29	144	141	133	Employed	77	58	42
30 to 34	140	145	124	Unemployed	606	436	267
35 to 39	143	151	134	Not in Labor Force	32	26	23
40 to 44	168	170	154	Employment Status Unknown	1,017	1,199	1,319
45 to 49	214	201	205		, -	,	,
50 to 54	188	168	144	ARRESTS			
55 to 59	107	92	93	Arrested in Past 12 Months	94	85	47
60 and Over	88	93	91	Not Arrested in Past 12 Months	621	528	311
				Arrest Status Unknown	1,017	1,106	1,293
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	1,669	1,646	1,585	Self / Family / Friend	1 220	1,203	1,071
African American	16	15	9	School	1,230	7,203	1,071
Native American / Alaskan	7	10	12	Mental Health Provider	132	7 147	155
Asian / Pacific Islander	0	0	*	Health Care Provider	116	77	93
Hispanic	20	23	19	Court / Criminal Justice	45	58	64
Other Race	20	25	23	Other	201	222	251
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	201 *	5	13
				Tolonal Godiso Chalowi		3	13
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	254	188	117	Voluntary	1,687	1,669	1,580
High School Grad or G.E.D.	365	239	165	Civil	31	35	42
A.A. Degree or Some College	80	78	40	Criminal	8	9	17
Bachelor or Advanced Degree	15	13	10	Sexual Predatory	*	*	0
Education Level Unknown	1,018	1,201	1,319	Commitment Type Unknown	*	5	12

CPS SERVICE AREA 9



ADA/CPS REGION Southwest
CPS SERVICE AREA 9
CENSUS 2010 211,003
2011 POP. ESTIMATE 212,153

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 420 376 471 **Anxiety Disorder** 1,690 1,385 1,280 Dementia 50 18 18 **Developmental Disorder** 54 51 66 Impulse Control Disorder 1,015 793 764 **Mood Disorder** 2,454 2,039 2,077 Personality Disorder 1,049 947 952 **Psychotic Disorder** 429 370 365 Sexual Disorder 16 15 13 Other Diagnosis 401 358 316 Diagnosis Unknown 949 287 1,332

Individuals who received CPS services had the following types of

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	4,223	4,603	4,356	Hearing Impaired	43	49	42
Male	1,899	2,043	1,948	Past or Current Military Service	73	85	99
Female	2,324	2,560	2,408	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	657	540	329
Under 6	68	96	68	Dependent Living	71	222	67
6 to 9	290	287	253	Homeless	49	41	19
10 to 13	358	367	337	Other	24	34	22
14 to 17	374	356	352	Housing Unknown	3,422	3,766	3,919
18 to 24	447	439	452	EMPLOYMENT			
25 to 29	369	427	459	Employed	92	78	46
30 to 34	397	417	401	Unemployed	674	569	338
35 to 39	391	426	420	Not in Labor Force	35	31	10
40 to 44	338	404	431	Employment Status Unknown	3,422	3,925	3,962
45 to 49	412	472	438		,	,	•
50 to 54	391	423	379	ARRESTS			
55 to 59	215	223	208	Arrested in Past 12 Months	104	109	53
60 and Over	173	266	158	Not Arrested in Past 12 Months	695	727	382
				Arrest Status Unknown	3,424	3,767	3,921
RACE / ETHNICITY				TOTATMENT DECEDDAL COURSE			
Caucasian	3,935	4,274	4,077	TREATMENT REFERRAL SOURCE Self / Family / Friend	0.004	0.050	2.020
African American	67	78	72	School	3,281	3,358	3,036
Native American / Alaskan	17	25	26	Mental Health Provider	5 177	6	11 237
Asian / Pacific Islander	12	15	11	Health Care Provider		275	_
Hispanic	85	89	43	Court / Criminal Justice	153 256	181 345	221 385
Other Race	106	121	127	Other			
Race/Ethnicity Unknown	*	*	0	Referral Source Unknown	339 12	409 29	436 30
				Releital Source Offictiowif	12	29	30
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	266	236	134	Voluntary	3,973	4,344	4,109
High School Grad or G.E.D.	363	297	171	Civil	223	208	190
A.A. Degree or Some College	134	124	68	Criminal	13	18	23
Bachelor or Advanced Degree	38	21	21	Sexual Predatory	0	0	0
Education Level Unknown	3,422	3,925	3,962	Commitment Type Unknown	14	33	34

CPS SERVICE AREA 10



ADA/CPS REGION Southwest CPS SERVICE AREA CENSUS 2010 520,589 2011 POP. ESTIMATE 525,141

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 257 87 160 **Anxiety Disorder** 896 662 1,183 Dementia 24 18 13 **Developmental Disorder** 101 79 55 Impulse Control Disorder 534 358 252 **Mood Disorder** 2,342 1,936 1,452 Personality Disorder 574 531 538 **Psychotic Disorder** 932 842 727 Sexual Disorder 10 12 9 Other Diagnosis 351 263 183 Diagnosis Unknown

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	4,662	4,425	3,975	Hearing Impaired	111	89	87
Male	2,276	2,162	1,910	Past or Current Military Service	106	97	105
Female	2,386	2,263	2,065	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	1,161	242	259
Under 6	170	184	90	Dependent Living	283	335	182
6 to 9	369	381	225	Homeless	39	14	*
10 to 13	355	380	263	Other	35	16	8
14 to 17	381	364	323	Housing Unknown	3,144	3,818	3,523
18 to 24	300	305	281	EMPLOYMENT			
25 to 29	295	270	284	Employed	118	42	41
30 to 34	378	326	294	Unemployed	1,298	272	278
35 to 39	379	334	356	Not in Labor Force	1,290	21	26
40 to 44	424	414	421	Employment Status Unknown	3,144	4,090	3,630
45 to 49	544	486	435	Employment Status Shikhown	5,144	4,030	3,030
50 to 54	447	427	445	ARRESTS			
55 to 59	313	262	278	Arrested in Past 12 Months	226	80	52
60 and Over	307	292	280	Not Arrested in Past 12 Months	1,290	527	399
oo and over	307	292	200	Arrest Status Unknown	3,146	3,818	3,524
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	4,208	4,028	3,611	Self / Family / Friend	3,244	3,086	2,173
African American	126	98	94	School	23	3,000	2,173
Native American / Alaskan	11	10	10	Mental Health Provider	23 187	216	256
Asian / Pacific Islander	10	11	8	Health Care Provider	270	121	177
Hispanic	65	52	51	Court / Criminal Justice	129	118	138
Other Race	242	226	201	Other	761	833	
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	48	633 40	1,158 61
				Referral Source Officiowif	40	40	01
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	441	119	95	Voluntary	4,507	4,290	3,800
High School Grad or G.E.D.	679	124	144	Civil	62	48	61
A.A. Degree or Some College	302	76	82	Criminal	38	43	49
Bachelor or Advanced Degree	86	13	23	Sexual Predatory	*	*	*
Education Level Unknown	3,154	4,093	3,631	Commitment Type Unknown	52	42	63

1,553

667

1,144

CPS SERVICE AREA 11



CPS SERVICE AREA CENSUS 2010 246,463 **2011 POP. ESTIMATE** 247,623

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.									
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009						
Adjustment Disorder	42	35	84						
Anxiety Disorder	704	640	479						
Dementia	6	11	12						
Developmental Disorder	16	23	23						
Impulse Control Disorder	207	209	189						
Mood Disorder	1,137	1,099	948						
Personality Disorder	187	202	234						
Psychotic Disorder	350	360	367						
Sexual Disorder	*	6	6						
Other Diagnosis	180	183	195						
Diagnosis Unknown	121	1/13	290						

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,836	1,755	1,795	Hearing Impaired	59	66	59
Male	822	805	902	Past or Current Military Service	60	57	88
Female	1,014	950	893	,			
	,-			HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	725	468	230
Under 6	14	17	12	Dependent Living	127	219	99
6 to 9	84	70	62	Homeless	15	5	*
10 to 13	145	150	154	Other	8	8	6
14 to 17	167	181	199	Housing Unknown	961	1,055	1,459
18 to 24	136	139	150	EMPLOYMENT			
25 to 29	153	143	130	Employed	97	69	42
30 to 34	151	143	140	Unemployed	721	416	207
35 to 39	169	147	150	Not in Labor Force	57	59	30
40 to 44	163	163	173	Employment Status Unknown	961	1,211	1,516
45 to 49	227	205	208	4005070			
50 to 54	183	169	167	ARRESTS Arrested in Past 12 Months	445	00	00
55 to 59	119	103	105	Not Arrested in Past 12 Months	115	88	32
60 and Over	125	125	145	Arrest Status Unknown	758	610	304
				Arrest Status Unknown	963	1,057	1,459
RACE / ETHNICITY				TREATMENT REFERRAL COURCE			
Caucasian	1,645	1,585	1,617	TREATMENT REFERRAL SOURCE Self / Family / Friend	983	935	050
African American	98	90	102	School	963	935	858 9
Native American / Alaskan	8	*	7	Mental Health Provider	o 210	o 221	9 244
Asian / Pacific Islander	*	*	*	Health Care Provider	164	119	131
Hispanic	33	26	23	Court / Criminal Justice	112	134	254
Other Race	49	48	44	Other	359	338	296
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	359 0	0	296 *
				Referral Source Offictiown	U	U	
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	308	209	103	Voluntary	1,808	1,705	1,557
High School Grad or G.E.D.	394	235	126	Civil	8	28	208
A.A. Degree or Some College	137	83	41	Criminal	20	22	26
Bachelor or Advanced Degree	27	17	9	Sexual Predatory	0	0	*
Education Level Unknown	970	1,211	1,516	Commitment Type Unknown	0	0	*

CPS SERVICE AREA 12



ADA/CPS REGION Central
CPS SERVICE AREA 12
CENSUS 2010 334,670
2011 POP. ESTIMATE 337,491

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.										
DIAGNOSIS CATEGORY	FY2011	FY2010	FY2009							
Adjustment Disorder	68	32	209							
Anxiety Disorder	1,104	862	790							
Dementia	19	16	27							
Developmental Disorder	25	28	32							
Impulse Control Disorder	350	256	302							
Mood Disorder	1,853	1,485	1,773							
Personality Disorder	222	200	336							
Psychotic Disorder	529	466	538							
Sexual Disorder	*	*	*							
Other Diagnosis	141	101	196							
Diagnosis Unknown	275	391	899							

Individuals who received CPS services had the following types of

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	3,150	2,653	3,631	Hearing Impaired	74	64	82
Male	1,391	1,152	1,770	Past or Current Military Service	78	74	120
Female	1,759	1,501	1,861	·	. •		0
	.,. 55	.,00.	.,00.	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	1,313	705	543
Under 6	15	8	32	Dependent Living	172	353	138
6 to 9	102	95	195	Homeless	25	12	11
10 to 13	210	180	287	Other	55	23	11
14 to 17	226	203	387	Housing Unknown	1,585	1,560	2,928
18 to 24	361	264	410	EMPLOYMENT			
25 to 29	288	229	308	Employed	228	113	90
30 to 34	286	242	275	Unemployed	1,251	684	532
35 to 39	277	239	301	Not in Labor Force	84	35	27
40 to 44	308	250	312	Employment Status Unknown	1,587	1,821	2,982
45 to 49	347	320	372		,	•	,
50 to 54	298	254	318	ARRESTS			
55 to 59	241	198	227	Arrested in Past 12 Months	297	188	92
60 and Over	191	171	207	Not Arrested in Past 12 Months	1,263	894	610
				Arrest Status Unknown	1,590	1,571	2,929
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	2,519	2,147	2,973	Self / Family / Friend	1,618	1,568	1,980
African American	444	358	447	School	1,616	1,366	1,960
Native American / Alaskan	7	7	9	Mental Health Provider	359	338	440
Asian / Pacific Islander	14	11	18	Health Care Provider	555	192	392
Hispanic	48	38	52	Court / Criminal Justice	225	192	392 469
Other Race	118	91	129	Other	382	346	324
Race/Ethnicity Unknown	0	*	*	Referral Source Unknown	30Z *	346 6	16
				Noional Oddice Chilliown		O	10
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	435	245	208	Voluntary	3,069	2,562	3,136
High School Grad or G.E.D.	725	357	283	Civil	18	35	441
A.A. Degree or Some College	298	173	125	Criminal	56	45	35
Bachelor or Advanced Degree	76	35	31	Sexual Predatory	*	*	0
Education Level Unknown	1,616	1,843	2,984	Commitment Type Unknown	*	9	19

CPS SERVICE AREA 13



ADA/CPS REGION Northwest
CPS SERVICE AREA 13
CENSUS 2010 80,509
2011 POP. ESTIMATE 79,803

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 54 79 83 **Anxiety Disorder** 585 610 572 Dementia **Developmental Disorder** 24 27 25 Impulse Control Disorder 211 230 260 **Mood Disorder** 922 996 1,020 Personality Disorder 92 110 116 **Psychotic Disorder** 163 146 142 Sexual Disorder Other Diagnosis 116 146 164

109

192

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,379	1,587	1,610	Hearing Impaired	23	17	14
Male	544	617	660	Past or Current Military Service	30	34	39
Female	835	970	950	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	452	315	206
Under 6	*	7	6	Dependent Living	67	138	60
6 to 9	63	96	94	Homeless	*	*	*
10 to 13	120	130	129	Other	*	5	*
14 to 17	112	148	183	Housing Unknown	856	1,125	1,338
18 to 24	117	158	144	EMPLOYMENT			
25 to 29	117	141	133	Employed	63	41	35
30 to 34	120	130	126	Unemployed	430	284	182
35 to 39	99	120	126	Not in Labor Force	30	22	6
40 to 44	149	148	140	Employment Status Unknown	856	1,240	1,387
45 to 49	115	139	142	Employment States States and	030	1,240	1,507
50 to 54	128	133	150	ARRESTS			
55 to 59	105	92	92	Arrested in Past 12 Months	79	63	46
60 and Over	131	145	145	Not Arrested in Past 12 Months	444	399	226
oo and over	131	143	143	Arrest Status Unknown	856	1,125	1,338
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	1,326	1,531	1,541	Self / Family / Friend	564	673	643
African American	16	17	23	School	16	27	38
Native American / Alaskan	*	*	*	Mental Health Provider	227	270	306
Asian / Pacific Islander	0	*	*	Health Care Provider	273	276	281
Hispanic	18	20	24	Court / Criminal Justice	273 95	89	79
Other Race	18	17	19	Other	196	240	244
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	8	12	19
					Ü		10
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	133	86	65	Voluntary	1,361	1,567	1,571
High School Grad or G.E.D.	287	191	126	Civil	*	*	15
A.A. Degree or Some College	86	60	24	Criminal	7	6	6
Bachelor or Advanced Degree	16	9	9	Sexual Predatory	0	0	0
Education Level Unknown	857	1,241	1,386	Commitment Type Unknown	8	12	18

185

CPS SERVICE AREA 14



ADA/CPS REGION Central
CPS SERVICE AREA 14
CENSUS 2010 107,082
2011 POP. ESTIMATE 106,649

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 91 64 59 **Anxiety Disorder** 306 279 287 Dementia 9 **Developmental Disorder** 8 8 5 Impulse Control Disorder 268 180 201 **Mood Disorder** 924 855 890 Personality Disorder 78 39 61

327

133

166

306

101

272

307

115

380

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Psychotic Disorder

Sexual Disorder

Other Diagnosis

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,738	1,699	1,936	Hearing Impaired	16	17	23
Male	870	850	967	Past or Current Military Service	58	60	68
Female	868	849	969	r ast or current wintery service	30	00	00
Tomalo	000	043	303	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	699	569	293
Under 6	8	*	6	Dependent Living	226	300	179
6 to 9	88	57	72	Homeless	12	*	5
10 to 13	156	103	123	Other	11	15	6
14 to 17	168	142	193	Housing Unknown	790	811	1,453
18 to 24	176	194	258	EMPLOYMENT			
25 to 29	162	168	181	Employed	116	115	80
30 to 34	149	157	160	Unemployed	794	635	365
35 to 39	145	159	184	Not in Labor Force	38	34	17
40 to 44	145	154	154	Employment Status Unknown	790	915	1,474
45 to 49	192	202	217	Employment Status Offichiown	190	913	1,474
50 to 54	152	151	156	ARRESTS			
55 to 59	95	97	105	Arrested in Past 12 Months	132	120	56
60 and Over	101	114	105	Not Arrested in Past 12 Months	816	769	427
60 and Over	101	114	127	Arrest Status Unknown	790	810	1,453
RACE / ETHNICITY				TREATMENT REFERRAL COURSE			
Caucasian	1,566	1,544	1,760	TREATMENT REFERRAL SOURCE	400	444	500
African American	121	114	126	Self / Family / Friend School	423	441	500
Native American / Alaskan	*	*	0		8	10	20
Asian / Pacific Islander	0	*	*	Mental Health Provider	139	150	174
Hispanic	19	15	18	Health Care Provider	111	109	163
Other Race	31	22	29	Court / Criminal Justice	56	98	166
Race/Ethnicity Unknown	0	0	0	Other	988	869	890
				Referral Source Unknown	13	22	23
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	308	249	146	Voluntary	1,692	1,605	1,786
High School Grad or G.E.D.	480	403	238	Civil	13	53	98
A.A. Degree or Some College	123	106	59	Criminal	17	18	30
Bachelor or Advanced Degree	35	26	19	Sexual Predatory	*	*	0
Education Level Unknown	792	915	1,474	Commitment Type Unknown	13	21	22

CPS SERVICE AREA 15



ADA/CPS REGION Central
CPS SERVICE AREA 15
CENSUS 2010 119,620
2011 POP. ESTIMATE 119,843

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 67 100 61 **Anxiety Disorder** 206 236 192 Dementia 5 11 **Developmental Disorder** 6 8 16 Impulse Control Disorder 363 361 396 **Mood Disorder** 1,086 1,202 1,365 Personality Disorder 53 57 91 **Psychotic Disorder** 232 243 263 Sexual Disorder 5 5 Other Diagnosis 39 45 69

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,903	2,101	2,437	Hearing Impaired	52	46	52
Male	886	978	1,167	Past or Current Military Service	50	55	74
Female	1,017	1,123	1,270	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	424	218	163
Under 6	29	29	18	Dependent Living	125	221	111
6 to 9	126	125	115	Homeless	8	*	*
10 to 13	167	151	183	Other	6	7	*
14 to 17	182	178	199	Housing Unknown	1,340	1,652	2,160
18 to 24	197	227	292	EMPLOYMENT			
25 to 29	160	212	236	Employed	74	38	35
30 to 34	182	192	225	Unemployed	428	251	177
35 to 39	148	179	216	Not in Labor Force	61	56	43
40 to 44	148	185	218	Employment Status Unknown	1,340	1,756	2,182
45 to 49	180	224	232		.,	.,	_,
50 to 54	169	182	219	ARRESTS			
55 to 59	97	97	122	Arrested in Past 12 Months	67	70	33
60 and Over	118	120	162	Not Arrested in Past 12 Months	497	379	244
				Arrest Status Unknown	1,339	1,652	2,160
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	1,716	1,900	2,208	Self / Family / Friend	1,307	1,623	1,799
African American	123	138	165	School	23	20	1,799
Native American / Alaskan	*	*	*	Mental Health Provider	143	109	119
Asian / Pacific Islander	*	5	*	Health Care Provider	143	61	111
Hispanic	14	13	17	Court / Criminal Justice	49	54	130
Other Race	44	43	43	Other	271	230	251
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	*	*	11
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	204	126	92	Voluntary	1,863	2,039	2,266
High School Grad or G.E.D.	261	167	119	Civil	7	26	92
A.A. Degree or Some College	82	43	38	Criminal	24	28	64
Bachelor or Advanced Degree	15	9	7	Sexual Predatory	6	*	*
Education Level Unknown	1,341	1,756	2,181	Commitment Type Unknown	*	*	11

305

132

211

CPS SERVICE AREA 16



ADA/CPS REGION Eastern
CPS SERVICE AREA 16
CENSUS 2010 547,056
2011 POP. ESTIMATE 552,680

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 88 90 119 **Anxiety Disorder** 1,026 1,632 1,269 Dementia 18 16 16 **Developmental Disorder** 91 138 114 Impulse Control Disorder 985 780 632 **Mood Disorder** 2,936 2,295 1,898 Personality Disorder 566 540 566 **Psychotic Disorder** 620 583 559 Sexual Disorder 7 9 9 320 Other Diagnosis 323 300

370

322

374

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	4,266	3,500	3,123	Hearing Impaired	64	48	49
Male	2,117	1,806	1,606	Past or Current Military Service	68	67	74
Female	2,149	1,694	1,517	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	1,965	1,301	964
Under 6	32	23	17	Dependent Living	113	525	249
6 to 9	303	226	186	Homeless	31	14	21
10 to 13	430	349	287	Other	15	25	20
14 to 17	459	373	322	Housing Unknown	2,142	1,635	1,869
18 to 24	432	358	298	EMPLOYMENT			
25 to 29	369	305	257	Employed	291	236	178
30 to 34	330	243	246	Unemployed	1,660	1,092	842
35 to 39	303	277	247	Not in Labor Force	169	94	55
40 to 44	362	308	290	Employment Status Unknown	2,146	2,078	2,048
45 to 49	430	366	328		, -	,	,
50 to 54	377	314	304	ARRESTS			
55 to 59	229	178	169	Arrested in Past 12 Months	402	332	270
60 and Over	210	180	172	Not Arrested in Past 12 Months	1,720	1,535	983
				Arrest Status Unknown	2,144	1,633	1,870
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	3,851	3,128	2,813	TREATMENT REFERRAL SOURCE	E 45	504	
African American	233	219	183	Self / Family / Friend	545	591	557
Native American / Alaskan	9	7	8	School	353	401	396
Asian / Pacific Islander	*	5	6	Mental Health Provider Health Care Provider	491	552	552
Hispanic	45	39	31	Court / Criminal Justice	294	235 174	239
Other Race	124	102	81	Other	113		157
Race/Ethnicity Unknown	0	0	*	Referral Source Unknown	2,444 26	1,523 24	1,191 31
				Releital Source Offictiown	20	24	31
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	698	480	364	Voluntary	4,175	3,321	2,952
High School Grad or G.E.D.	823	589	451	Civil	32	119	109
A.A. Degree or Some College	486	288	214	Criminal	31	35	31
Bachelor or Advanced Degree	113	63	44	Sexual Predatory	*	*	0
Education Level Unknown	2,146	2,080	2,050	Commitment Type Unknown	26	24	31

CPS SERVICE AREA 17A



ADA/CPS REGION Southeast
CPS SERVICE AREA 17A
CENSUS 2010 109,907
2011 POP. ESTIMATE 109,835

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 22 34 35 **Anxiety Disorder** 350 516 463 Dementia 0 **Developmental Disorder** 25 20 23 Impulse Control Disorder 201 205 188 **Mood Disorder** 846 758 631 Personality Disorder 91 105 91

153

101

56

0

152

99

140

160

94

290

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Psychotic Disorder

Sexual Disorder

Other Diagnosis

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,232	1,213	1,254	Hearing Impaired	39	46	34
Male	520	531	571	Past or Current Military Service	26	28	34
Female	712	682	683	•			٠.
		002	000	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	398	156	87
Under 6	10	15	9	Dependent Living	41	119	45
6 to 9	60	69	75	Homeless	*	6	*
10 to 13	78	81	115	Other	9	*	*
14 to 17	103	115	124	Housing Unknown	783	928	1,115
18 to 24	122	127	131	EMPLOYMENT			
25 to 29	115	115	107	Employed	46	24	19
30 to 34	121	93	95	Unemployed	363	139	83
35 to 39	103	106	98	Not in Labor Force	40	19	*
40 to 44	114	99	95	Employment Status Unknown	783	1,031	1,150
45 to 49	147	152	138			•	•
50 to 54	112	102	115	ARRESTS			
55 to 59	80	76	86	Arrested in Past 12 Months	43	29	23
60 and Over	67	63	66	Not Arrested in Past 12 Months	405	256	116
				Arrest Status Unknown	784	928	1,115
RACE / ETHNICITY				TREATMENT REFERRAL COURCE			
Caucasian	1,174	1,158	1,187	TREATMENT REFERRAL SOURCE Self / Family / Friend	744	740	700
African American	28	21	26	School	744	743	732 17
Native American / Alaskan	*	*	0	Mental Health Provider	6 27	13 28	46
Asian / Pacific Islander	*	*	*	Health Care Provider	112	26 78	
Hispanic	18	21	19	Court / Criminal Justice	48	78 58	89 49
Other Race	10	9	14	Other	295	287	302
Race/Ethnicity Unknown	0	*	7	Referral Source Unknown		20 <i>1</i>	19
				Referral Source Officiowif	0	O	19
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	159	77	38	Voluntary	1,207	1,159	1,189
High School Grad or G.E.D.	208	81	43	Civil	13	36	33
A.A. Degree or Some College	69	18	19	Criminal	11	11	13
Bachelor or Advanced Degree	6	6	*	Sexual Predatory	*	*	0
Education Level Unknown	790	1,031	1,150	Commitment Type Unknown	0	6	19

CPS SERVICE AREA 17B



ADA/CPS REGION Southeast
CPS SERVICE AREA 17B
CENSUS 2010 101,184
2011 POP. ESTIMATE 101,309

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 91 41 90 **Anxiety Disorder** 326 346 340 Dementia 21 28 23 **Developmental Disorder** 55 46 48 Impulse Control Disorder 234 234 231 **Mood Disorder** 936 1,137 1,096 Personality Disorder 601 426 605 **Psychotic Disorder** 534 591 539

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,953	2,297	2,314	Hearing Impaired	84	104	97
Male	1,135	1,331	1,313	Past or Current Military Service	125	179	165
Female	818	966	1,001	HOUSING / LIVING ARRANGEMENT			
				Independent Living	400	289	312
AGE				Dependent Living	188	222	196
Under 6	8	7	8	Homeless	10	11	*
6 to 9	61	41	42	Other	12	*	6
10 to 13	108	95	84	Housing Unknown	1,343	1,774	1,797
14 to 17	126	102	140		1,040	1,777	1,707
18 to 24	161	255	225	EMPLOYMENT			
25 to 29	140	205	198	Employed	29	20	29
30 to 34	150	185	184	Unemployed	565	410	444
35 to 39	157	198	215	Not in Labor Force	16	17	21
40 to 44	166	203	204	Employment Status Unknown	1,343	1,850	1,820
45 to 49	229	289	316	ARRESTS			
50 to 54	243	263	268	Arrested in Past 12 Months	75	52	49
55 to 59	175	199	170	Not Arrested in Past 12 Months	535	471	49
60 and Over	229	255	260	Arrest Status Unknown	1,343	1,774	1,798
RACE / ETHNICITY							
Caucasian	1,761	2,096	2,117	TREATMENT REFERRAL SOURCE			
African American	141	143	145	Self / Family / Friend	631	823	872
Native American / Alaskan	5	7	5	School	20	8	5
Asian / Pacific Islander	*	*	*	Mental Health Provider	283	275	267
Hispanic	20	19	11	Health Care Provider	176	237	198
Other Race	24	25	27	Court / Criminal Justice	370	434	396
Race/Ethnicity Unknown	0	*	7	Other	459	506	556
•	_		-	Referral Source Unknown	14	14	20
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	244	184	208	Voluntary	1,647	1,863	1,924
High School Grad or G.E.D.	284	197	211	Civil	29	157	126
A.A. Degree or Some College	71	55	60	Criminal	149	140	99
Bachelor or Advanced Degree	9	11	15	Sexual Predatory	127	135	155
Education Level Unknown	1,345	1,850	1,820	Commitment Type Unknown	*	*	10

71

287

339

65

323

279

56

184

204

CPS SERVICE AREA 18



ADA/CPS REGION Southeast CPS SERVICE AREA 18 CENSUS 2010 127,952 2011 POP. ESTIMATE 127,909 disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 38 94 59 **Anxiety Disorder** 386 423 377 Dementia 0 **Developmental Disorder** 8 8 10 Impulse Control Disorder 116 97 98 **Mood Disorder** 855 860 969 Personality Disorder 25 29 18 **Psychotic Disorder** 106 110 115 Sexual Disorder Other Diagnosis 37 39 40

73

152

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,364	1,394	1,657	Hearing Impaired	60	65	93
Male	605	639	726	Past or Current Military Service	40	43	54
Female	759	755	931	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	459	252	291
Under 6	8	23	30	Dependent Living	23	80	60
6 to 9	35	27	42	Homeless	37	24	19
10 to 13	68	52	55	Other	*	*	5
14 to 17	75	68	72	Housing Unknown	843	1,035	1,282
18 to 24	168	212	218	EMPLOYMENT			
25 to 29	156	159	197	Employed	23	22	35
30 to 34	129	135	166	Unemployed	482	262	278
35 to 39	108	131	176	Not in Labor Force	16	7	19
40 to 44	150	150	210	Employment Status Unknown	843	1,103	1,325
45 to 49	186	174	207	Employment States States and	040	1,100	1,020
50 to 54	136	133	141	ARRESTS			
55 to 59	90	84	88	Arrested in Past 12 Months	65	57	61
60 and Over	55	46	55	Not Arrested in Past 12 Months	456	300	312
oo and over	55	40	55	Arrest Status Unknown	843	1,037	1,284
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	1,323	1,346	1,576	Self / Family / Friend	449	476	527
African American	9	9	13	School	*	476	527
Native American / Alaskan	*	5	7	Mental Health Provider	97	146	237
Asian / Pacific Islander	*	*	*	Health Care Provider	460	355	383
Hispanic	14	16	29	Court / Criminal Justice	50	82	103
Other Race	14	16	28	Other	307	334	400
Race/Ethnicity Unknown	0	0	*	Referral Source Unknown	0	*	400 *
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	148	104	111	Voluntary	1,357	1,365	1,630
High School Grad or G.E.D.	305	138	171	Civil	*	1,505	18
A.A. Degree or Some College	56	41	38	Criminal	*	*	6
Bachelor or Advanced Degree	11	6	9	Sexual Predatory	0	0	0
Education Level Unknown	844	1,105	1,328	Commitment Type Unknown	0	*	*
	044	1,100	1,020	Community type officionin	U		

CPS SERVICE AREA 19



ADA/CPS REGION Southeast CPS SERVICE AREA 19
CENSUS 2010 133,625
2011 POP. ESTIMATE 133,801

served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 56 145 99 **Anxiety Disorder** 365 551 480 Dementia **Developmental Disorder** 9 9 6 Impulse Control Disorder 156 184 184 **Mood Disorder** 902 1,133 1,263 Personality Disorder 243 194 237 **Psychotic Disorder** 258 266 273 Sexual Disorder 5 Other Diagnosis 90 133 134

128

366

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	1,427	1,997	2,654	Hearing Impaired	59	66	81
Male	647	917	1,099	Past or Current Military Service	40	65	70
Female	780	1,080	1,555	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	404	269	154
Under 6	*	7	7	Dependent Living	74	122	61
6 to 9	42	, 47	67	Homeless	*	*	*
10 to 13	96	140	143	Other	9	5	*
14 to 17	86	115	165	Housing Unknown	936	1,600	2,436
18 to 24	115	202	260	EMPLOYMENT			
25 to 29	118	188	258	Employed	23	14	*
30 to 34	126	178	250	Unemployed	445	308	186
35 to 39	126	205	256	Not in Labor Force	23	17	17
40 to 44	144	196	272	Employment Status Unknown	936	1,658	2,447
45 to 49	176	237	345		300	1,000	2,777
50 to 54	144	175	248	ARRESTS			
55 to 59	119	154	182	Arrested in Past 12 Months	31	43	13
60 and Over	132	153	201	Not Arrested in Past 12 Months	460	355	205
35 4114 5751	102	100	201	Arrest Status Unknown	936	1,599	2,436
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	1,228	1,773	2,399	Self / Family / Friend	433	852	1,303
African American	172	190	209	School	31	40	1,303
Native American / Alaskan	0	0	*	Mental Health Provider	251	317	336
Asian / Pacific Islander	0	*	*	Health Care Provider	260	204	283
Hispanic	13	14	20	Court / Criminal Justice	236	243	194
Other Race	14	19	21	Other	198	270	356
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	18	71	155
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	199	151	104	Voluntary	1,371	1,851	2,399
High School Grad or G.E.D.	240	157	81	Civil	1,371	58	2,399 75
A.A. Degree or Some College	46	28	19	Criminal		58 16	75 26
Bachelor or Advanced Degree		28 *	19	Sexual Predatory	19	16	
Education Level Unknown	6			Commitment Type Unknown			0 154
Education Level OffKnown	936	1,658	2,448	онининент туре опкложи	17	70	154

813

CPS SERVICE AREA 20



ADA/CPS REGION Southeast CPS SERVICE AREA 20 CENSUS 2010 102,473 2011 POP. ESTIMATE 102,032 served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 202 206 186 **Anxiety Disorder** 308 297 281 Dementia **Developmental Disorder** 10 16 14 Impulse Control Disorder 229 265 284 **Mood Disorder** 983 909 1,000 Personality Disorder 191 170 197 **Psychotic Disorder** 250 234 259 Sexual Disorder 0 Other Diagnosis 90 127 137

164

338

414

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

, , , , , , , , , , , , , , , , , , , ,	3 27	56	51
	27		
		30	44
Female 1,073 1,069 1,190 HOUSING / LIVING ARRANGEMENT			
AGE Independent Living 35		322	205
Under 6 33 52 49	33	111	39
6 to 9 130 153 153	*	0	0
10 to 13	*	*	*
14 to 17 248 270 307 Housing Unknown 1,54	1	1,571	1,992
18 to 24 158 172 194 EMPLOYMENT			
	21	21	18
30 to 34 150 134 163 Unemployed 36	9	314	195
35 to 39 115 134 153 Not in Labor Force	*	6	*
40 to 44 138 128 153 Employment Status Unknown 1,54	1	1,667	2,022
45 to 49 197 206 242		,	•
50 to 54 189 174 191 ARRESTS			
55 to 59 131 117 123	10	64	33
60 and Over 146 145 142 Not Arrested in Past 12 Months 38		373	214
Arrest Status Unknown 1,54	ŀ1	1,571	1,992
RACE / ETHNICITY TREATMENT REFERRAL SOURCE			
Caucasian 1,595 1,630 1,849 TREATMENT REFERRAL SOURCE		700	000
African American 260 306 333 Self / Family / Friend 82 School 2		766	880
Native American / Alaskan 5 * Mental Health Provider 27	11	54	51
Asian / Pacific Islander * * * *		316	385
Hispanic 33 31 17 Court / Criminal Justice 10		279 177	343 163
Other Race 41 37 34 Other 42	-		402
Race/Ethnicity Unknown 0 0 0 Referral Source Unknown	6	404 12	15
Relettal Source Officiowit	O	12	15
EDUCATION TYPE OF COMMITMENT			
Less than High School Diploma 163 158 95 Voluntary 1,9°	3	1,930	2,170
High School Grad or G.E.D. 177 131 98 Civil	2	57	45
A.A. Degree or Some College 44 46 21 Criminal	*	6	7
Bachelor or Advanced Degree 9 6 * Sexual Predatory	*	*	*
Education Level Unknown 1,542 1,667 2,022 Commitment Type Unknown	6	12	15

CPS SERVICE AREA 21



ADA/CPS REGION Southeast CPS SERVICE AREA CENSUS 2010 137,379 2011 POP. ESTIMATE 138,348

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 216 74 45 **Anxiety Disorder** 363 223 128 Dementia **Developmental Disorder** 5 12 Impulse Control Disorder 292 327 112 **Mood Disorder** 1,560 993 641 Personality Disorder 102

87

355

77

172

307

89

577

119

267

83

967

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Psychotic Disorder

Sexual Disorder

Other Diagnosis

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	2,632	2,301	2,039	Hearing Impaired	139	114	119
Male	1,203	1,123	927	Past or Current Military Service	73	71	74
Female	1,429	1,177	1,112		70		, ,
· Single	1,420	1,111	1,112	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	499	352	338
Under 6	6	25	15	Dependent Living	207	249	174
6 to 9	119	149	64	Homeless	8	*	*
10 to 13	129	215	105	Other	5	7	*
14 to 17	136	199	116	Housing Unknown	1,913	1,691	1,523
18 to 24	284	268	229	EMPLOYMENT			
25 to 29	271	207	206	Employed	50	45	52
30 to 34	292	195	216	Unemployed	602	426	412
35 to 39	248	169	179	Not in Labor Force	63	50	49
40 to 44	267	215	210	Employment Status Unknown	1,917	1,780	1,526
45 to 49	283	230	243		.,	.,	,,,_,
50 to 54	256	192	192	ARRESTS			
55 to 59	175	124	136	Arrested in Past 12 Months	65	63	47
60 and Over	166	113	128	Not Arrested in Past 12 Months	651	546	465
				Arrest Status Unknown	1,916	1,692	1,527
RACE / ETHNICITY				TREATMENT REFERRAL COURSE			
Caucasian	2,229	1,895	1,773	TREATMENT REFERRAL SOURCE	4.000	4 400	4 000
African American	160	169	149	Self / Family / Friend	1,683	1,429	1,333
Native American / Alaskan	*	*	*	School Mantal Haalth Provides	18	25	9
Asian / Pacific Islander	*	*	*	Mental Health Provider Health Care Provider	197	170	135
Hispanic	162	145	51	Court / Criminal Justice	259	197	184
Other Race	77	87	59	Other	110	124	133
Race/Ethnicity Unknown	0	0	0	Referral Source Unknown	359	347	233
				Referral Source Offichiown	6	9	12
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	261	217	212	Voluntary	2,589	2,220	1,953
High School Grad or G.E.D.	329	222	204	Civil	17	53	60
A.A. Degree or Some College	81	54	70	Criminal	21	22	19
Bachelor or Advanced Degree	37	27	26	Sexual Predatory	*	*	0
Education Level Unknown	1,924	1,781	1,527	Commitment Type Unknown	*	5	7

CPS SERVICE AREA 22



CPS SERVICE AREA 22
CENSUS 2010 218,733
2011 POP. ESTIMATE 219,480

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 51 44 44 **Anxiety Disorder** 845 740 661 Dementia 16 10 16 **Developmental Disorder** 65 65 62 Impulse Control Disorder 321 304 320 **Mood Disorder** 1,448 1,420 1,340 Personality Disorder 717 655 562 **Psychotic Disorder** 307 312 320 Sexual Disorder

183

199

174

187

162

207

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Other Diagnosis

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	2,065	2,059	2,011	Hearing Impaired	8	9	14
Male	908	921	918	Past or Current Military Service	43	38	32
Female	1,157	1,138	1,093	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	455	152	180
Under 6	7	5	9	Dependent Living	67	111	77
6 to 9	33	42	68	Homeless	*	*	*
10 to 13	73	80	92	Other	5	*	*
14 to 17	112	122	158	Housing Unknown	1,536	1,790	1,748
18 to 24	194	225	196	EMPLOYMENT			
25 to 29	243	240	198	Employed	88	32	45
30 to 34	223	213	183	Unemployed	429	188	211
35 to 39	203	200	200	Not in Labor Force	11	0	*
40 to 44	213	222	217	Employment Status Unknown	1,537	1,839	1,751
45 to 49	261	266	264		1,001	1,000	1,701
50 to 54	244	217	210	ARRESTS			
55 to 59	135	124	119	Arrested in Past 12 Months	44	35	21
60 and Over	124	103	97	Not Arrested in Past 12 Months	484	234	242
35 4114 5751	124	100	31	Arrest Status Unknown	1,537	1,790	1,748
RACE / ETHNICITY				TREATMENT REFERRAL SOURCE			
Caucasian	1,975	1,973	1,872	Self / Family / Friend	1,023	1,061	864
African American	43	41	67	School	1,023	1,001	10
Native American / Alaskan	*	*	*	Mental Health Provider	172	175	176
Asian / Pacific Islander	8	7	6	Health Care Provider	212	149	139
Hispanic	10	8	9	Court / Criminal Justice	106	116	108
Other Race	26	27	15	Other	531	532	654
Race/Ethnicity Unknown	0	0	39	Referral Source Unknown	15	16	60
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	179	98	113	Voluntary	2,022	1,984	1,904
High School Grad or G.E.D.	237	89	99	Civil	18	49	40
A.A. Degree or Some College	83	23	34	Criminal	10	11	8
Bachelor or Advanced Degree	26	10	13	Sexual Predatory	*	0	0
Education Level Unknown	1,540	1,839	1,752	Commitment Type Unknown	14	15	59
	.,510	.,550	.,		• •	.0	

CPS SERVICE AREA 23



ADA/CPS REGION Eastern
CPS SERVICE AREA 23
CENSUS 2010 998,954
2011 POP. ESTIMATE 998.692

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 71 78 70 **Anxiety Disorder** 808 706 742 Dementia 12 17 **Developmental Disorder** 86 101 86 Impulse Control Disorder 642 497 428 **Mood Disorder** 2,618 2,435 2,290 Personality Disorder 593 690 710 **Psychotic Disorder** 1,662 1,638 1,567 Sexual Disorder 10 9 8 Other Diagnosis 265 308 332 Diagnosis Unknown 333 820 551

Individuals who received CPS services had the following types of

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	4,847	4,736	4,730	Hearing Impaired	114	80	78
Male	2,395	2,389	2,426	Past or Current Military Service	103	113	116
Female	2,452	2,347	2,304	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	1,417	568	535
Under 6	6	9	6	Dependent Living	147	166	115
6 to 9	124	90	89	Homeless	33	24	27
10 to 13	235	175	184	Other	41	23	25
14 to 17	409	385	389	Housing Unknown	3,209	3,955	4,028
18 to 24	476	484	473	EMPLOYMENT			
25 to 29	408	415	411	Employed	207	89	117
30 to 34	394	403	372	Unemployed	1,396	559	515
35 to 39	374	398	399	Not in Labor Force	34	27	24
40 to 44	417	444	445	Employment Status Unknown	3,210	4,061	4,074
45 to 49	576	591	611		-,	,	,-
50 to 54	557	539	542	ARRESTS			
55 to 59	421	387	396	Arrested in Past 12 Months	210	134	128
60 and Over	450	416	413	Not Arrested in Past 12 Months	1,428	645	573
				Arrest Status Unknown	3,209	3,957	4,029
RACE / ETHNICITY				TOTATMENT DEFENDAL COURSE			
Caucasian	2,308	2,243	2,302	TREATMENT REFERRAL SOURCE	4.005	4 440	4 400
African American	2,319	2,295	2,235	Self / Family / Friend School	1,295	1,413	1,460
Native American / Alaskan	*	*	*	Mental Health Provider	83 960	72	67
Asian / Pacific Islander	14	18	17	Health Care Provider	487	1,003 443	1,059 422
Hispanic	53	44	50	Court / Criminal Justice	46 <i>1</i> 295	391	373
Other Race	149	130	112	Other			
Race/Ethnicity Unknown	0	*	10	Referral Source Unknown	1,722 5	1,408 6	1,332 17
				Referral Source Offictiown	3	O	17
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	439	190	200	Voluntary	4,736	4,495	4,463
High School Grad or G.E.D.	670	263	257	Civil	35	167	163
A.A. Degree or Some College	378	164	150	Criminal	71	70	89
Bachelor or Advanced Degree	142	54	46	Sexual Predatory	5	*	*
Education Level Unknown	3,218	4,065	4,077	Commitment Type Unknown	0	*	14

CPS SERVICE AREAS 24, 25



ADA/CPS REGION Eastern
CPS SERVICE AREA 24-25
CENSUS 2010 319,294
2011 POP. ESTIMATE 318,069

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2011 FY2010 FY2009 **DIAGNOSIS CATEGORY** Adjustment Disorder 88 123 167 **Anxiety Disorder** 614 644 650 Dementia 27 21 19 **Developmental Disorder** 49 49 57 Impulse Control Disorder 548 458 478 **Mood Disorder** 2,852 2,832 2,669 Personality Disorder 711 865 898

2,424

13

288

664

2,341

16

378

1,647

2,132

12

428

2,928

Individuals who received CPS services had the following types of

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2009-2011. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

Psychotic Disorder

Sexual Disorder

Other Diagnosis

NUMBER SERVED	FY2011	FY2010	FY2009	SPECIAL POPULATION	FY2011	FY2010	FY2009
Total	6,228	7,117	8,112	Hearing Impaired	137	145	152
Male	3,218	3,683	4,193	Past or Current Military Service	192	231	267
Female	3,010	3,434	3,919	•	102	20.	201
	0,010	0, 10 1	0,010	HOUSING / LIVING ARRANGEMENT			
AGE				Independent Living	1,593	777	788
Under 6	15	12	6	Dependent Living	296	255	181
6 to 9	161	115	178	Homeless	107	104	105
10 to 13	223	253	329	Other	58	52	57
14 to 17	294	326	561	Housing Unknown	4,174	5,929	6,981
18 to 24	474	696	796	EMPLOYMENT			
25 to 29	443	616	658	Employed	230	130	162
30 to 34	512	562	631	Unemployed	1,786	911	871
35 to 39	490	634	673	Not in Labor Force	36	41	55
40 to 44	586	729	887	Employment Status Unknown	4,176	6,035	7,024
45 to 49	869	1,006	1,100		.,	-,	.,
50 to 54	921	968	1,039	ARRESTS			
55 to 59	690	660	647	Arrested in Past 12 Months	257	208	165
60 and Over	550	540	607	Not Arrested in Past 12 Months	1,784	978	966
				Arrest Status Unknown	4,187	5,931	6,981
RACE / ETHNICITY				TREATMENT REFERRAL COURSE			
Caucasian	1,600	1,808	1,946	TREATMENT REFERRAL SOURCE	0.474	0.000	0.500
African American	4,370	5,048	5,875	Self / Family / Friend	2,474	2,993	3,532
Native American / Alaskan	*	*	5	School Mantal Haalth Provides	21	40	76
Asian / Pacific Islander	26	27	24	Mental Health Provider Health Care Provider	976	1,050	1,224
Hispanic	42	46	56	Court / Criminal Justice	517	502	523
Other Race	185	181	203	Other	550	766	871
Race/Ethnicity Unknown	*	*	*	Referral Source Unknown	1,667	1,736	1,779
				Referral Source Offknown	23	30	107
EDUCATION				TYPE OF COMMITMENT			
Less than High School Diploma	825	421	434	Voluntary	5,896	6,590	7,501
High School Grad or G.E.D.	721	375	358	Civil	78	220	255
A.A. Degree or Some College	344	216	219	Criminal	227	274	247
Bachelor or Advanced Degree	125	62	74	Sexual Predatory	6	*	*
Education Level Unknown	4,213	6,043	7,027	Commitment Type Unknown	21	30	108

MISSOURI: 2011 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN


	Age		All Races		Wh	ite	Black or African American		America or Alaska		Asi	an	Hawaiian or Pacific Islander		Two or M	ore Races
	Group	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
	All Ages	6,010,688	2,944,434	3,066,254	2,484,400	2,564,022	334,302	369,652	15,883	15,390	48,646	54,459	3,698	3,624	57,505	59,107
	0-4	384,293	196,270	188,023	153,270	146,355	27,578	26,559	1,117	1,062	3,643	3,569	367	396	10,295	10,082
	5-9	388,699	198,931	189,768	158,673	150,177	26,815	26,174	1,068	1,020	3,484	3,817	371	339	8,520	8,241
	10-14	396,831	202,889	193,942	162,778	154,689	28,454	27,390	1,158	1,151	3,017	3,387	295	344	7,187	6,981
	15-19	413,892	212,356	201,536	168,940	159,861	32,175	30,703	1,365	1,244	3,570	3,383	346	310	5,960	6,035
	20-24 25-29	420,450 403,360	211,028 201,833	209,422 201,527	169,784 168,165	168,200 164,788	29,958 24,034	29,998 26,361	1,261 1,116	1,196 1,094	5,124 4,751	4,913 5,239	382 402	362 365	4,519 3,365	4,753 3,680
	30-34	384,356	192,147	192,209	160,807	157,351	22,347	25,225	1,114	1,074	4,731	5,065	351	312	2,992	3,232
_	35-39	354,174	176,073	178,101	147,237	145,611	20,456	23,676	1,051	967	4,543	4,994	291	276	2,495	2,577
Total	40-44	381,325	189,241	192,084	160,830	159,989	20,951	24,032	1,116	1,074	3,939	4,361	245	218	2,160	2,410
-	45-49	425,748	210,763	214,985	181,596	182,583	22,519	25,282	1,229	1,184	3,072	3,475	184	190	2,163	2,271
	50-54	449,211	220,783	228,428	192,090	195,736	22,754	25,975	1,264	1,245	2,347	2,921	166	175	2,162	2,376
	55-59	401,084 352,613	194,310 168,495	206,774 184,118	171,126 151,064	178,934	18,290	21,885 17,594	1,019 770	1,118 776	1,875 1,648	2,784 2,441	126 68	130 85	1,874	1,923 1,458
	60-64 65-69	261,825	123,508	138,317	111,714	161,764 123,203	13,579 9,103	12,033	494	471	1,040	1,565	42	45	1,366 945	1,436
	70-74	199,479	91,646	107,833	83,458	96,464	6,210	9,193	355	318	934	1,067	37	26	652	765
	75-79	156,364	68,544	87,820	63,020	79,028	4,397	7,295	206	204	494	722	14	24	413	547
	80-84	119,385	47,905	71,480	44,523	65,284	2,722	5,185	111	134	283	482	5	13	261	382
	85+	117,599	37,712	79,887	35,325	74,005	1,960	5,092	69	108	176	274	6	14	176	394
	All Ages	5,789,533	2,829,275	2,960,258	2,385,395	2,473,560	328,640	363,960	12,326	12,229	47,625	53,560	2,943	2,978	52,346	53,971
	0-4	357,451	182,591	174,860	142,028	135,505	26,750	25,743	728	761	3,527	3,455	264	303	9,294	9,093
	5-9	364,135	186,432	177,703	148,121	139,990	26,166	25,556	724	680	3,394	3,734	274	255	7,753	7,488
	10-14	376,159	192,193 201,968	183,966 191,892	153,677 160,149	146,404 151,687	27,939 31,603	26,786 30,166	869 1,039	839 947	2,926 3,474	3,316 3,307	234 273	271 253	6,548 5,430	6,350 5,532
	15-19 20-24	393,860 400,373	200,045	200,328	160,149	160,552	29,361	29,428	909	908	5,020	4,828	293	312	4,063	4,300
	25-29	383,525	191,034	192,491	158,799	157,011	23,483	25,876	799	829	4,659	5,160	307	312	2,987	3,303
<u>.</u> 2		365,951	182,204	183,747	152,248	150,126	21,846	24,732	782	764	4,420	4,993	292	253	2,616	2,879
Non-Hispanic	35-39	338,145	167,622	170,523	139,790	139,075	20,118	23,302	777	724	4,471	4,900	243	214	2,223	2,308
His	40-44	368,002	182,194	185,808	154,630	154,488	20,685	23,757	859	864	3,872	4,300	196	184	1,952	2,215
Ė	45-49	414,315	204,863	209,452	176,392	177,731	22,257	25,026	1,021	997	3,030	3,438	153	162	2,010	2,098
2	50-54 55-59	439,969 394,416	215,991 190,883	223,978 203,533	187,869 168,079	191,886 176,106	22,556 18,155	25,770 21,723	1,097 893	1,073 989	2,298 1,845	2,887 2,755	145 116	149 119	2,026 1,795	2,213 1,841
	60-64	347,735	166,101	181,634	148,926	159,530	13,482	17,498	702	712	1,629	2,421	60	78	1,773	1,395
	65-69	258,712	121,958	136,754	110,329	121,821	9,037	11,957	447	433	1,197	1,552	39	40	909	951
	70-74	197,258	90,630	106,628	82,550	95,362	6,180	9,159	322	294	923	1,052	31	24	624	737
	75-79	154,750	67,826	86,924	62,366	78,206	4,365	7,260	195	190	489	715	13	23	398	530
	80-84	118,199	47,416	70,783	44,078	64,652	2,703	5,157	102	124	278	476	5	12		362
	85+	116,578	37,324	79,254	34,965	73,428	1,954	5,064	61	101	173	271	5	14	166	376
	All Ages	221,155	115,159	105,996	99,005	90,462	5,662	5,692	3,557	3,161	1,021	899	755	646	5,159	5,136
	0-4	26,842	13,679	13,163	11,242	10,850	828	816	389	301	116	114	103	93	1,001	989
	5-9 10-14	24,564 20,672	12,499 10,696	12,065 9,976	10,552 9,101	10,187 8,285	649 515	618 604	344 289	340 312	90 91	83 71	97 61	84 73	767 639	753 631
	15-14	20,072	10,388	9,644	8,791	8,174	572	537	326	297	96	76	73	73 57	530	503
	20-24	20,032	10,983	9,094	9,385	7,648	597	570	352	288	104	85	89	50	456	453
	25-29	19,835	10,799	9,036	9,366	7,777	551	485	317	265	92	79	95	53	378	377
	30-34	18,405	9,943	8,462	8,559	7,225	501	493	332	260	116	72	59	59	376	353
Hispanic	35-39	16,029	8,451	7,578	7,447	6,536	338	374	274	243	72	94	48	62	272	269
Sp	40-44	13,323	7,047	6,276	6,200	5,501	266	275	257	210	67	61	49	34	208	195
王	45-49 50-54	11,433 9,242	5,900 4,792	5,533 4,450	5,204 4,221	4,852 3,850	262 198	256 205	208 167	187 172	42 49	37 34	31 21	28 26	153 136	173 163
	50-54 55-59	6,668	3,427	3,241	3,047	2,828	135	162	126	172	30	29	10	11	79	82
	60-64	4,878	2,394	2,484	2,138	2,234	97	96	68	64	19	20	8	7	64	63
	65-69	3,113	1,550	1,563	1,385	1,382	66	76	47	38	13	13	3	5	36	49
	70-74	2,221	1,016	1,205	908	1,102	30	34	33	24	11	15	6	2	28	28
	75-79	1,614	718	896	654	822	32	35	11	14	5	7	1	1	15	17
	80-84	1,186	489	697	445	632	19	28	9	10	5	6	0	1	11	20
	85+	1,021	388	633	360	577	6	28	8	7	3	3	1	0	10	18



MISSOURI DEPARTMENT OF MENTAL HEALTH

Divisions of Alcohol and Drug Abuse and Comprehensive Psychiatric Services

NATIONAL SURVEY ON DRUG USE AND HEALTH Sampling Areas for Missouri Substate Estimates



Legend



ARCGIS\SMITH\NSDUH-MO.MXD ~ NOVEMBER 2012



MISSOURI DEPARTMENT OF MENTAL HEALTH DIVISION OF ALCOHOL AND DRUG ABUSE

REGIONS AND SERVICE AREAS





MAP LEGEND ADA/CPS REGION BOUNDARIES WESTERN REGION ADA SERVICE AREA BOUNDARIES CENTRAL REGION COUNTY BOUNDARIES EASTERN REGION SOUTHWEST REGION SOUTHWEST REGION SOUTHEAST REGION SOUTHEAST REGION



MISSOURI DEPARTMENT OF MENTAL HEALTH DIVISION OF COMPREHENSIVE PSYCHIATRIC SERVICES

REGIONS AND ADULT SERVICE AREAS





$$^{\circ}$$
 > $\times \pm^{\circ}$ $^{\circ}$ $^{\circ}$ $^{\circ}$ † † $\pm \mathbb{R}^{\circ}$ † † $^{\bullet}$ $^$

Survey data represent a valuable source of information on prevalence estimates, use and behavior patterns, drug preferences, and emerging trends. Survey data, however, are not without limitations. No single survey exists which covers all populations abusing substances. Substance abuse surveys typically fall into the following categories: 1) household surveys, 2) criminal justice surveys, and 3) school surveys. These surveys can miss segments of the population that have been impacted by substance abuse including the incarcerated, the homeless, and school dropouts. The survey data are self-reported and have inherent validity concerns due to respondent dishonesty, forgetfulness, or poor comprehension. Assessments of validity have been mixed. Research suggests that validity concerns are more evident for the criminal justice population and for reporting use of some drugs such as cocaine and heroin that may have an associated stigma. Nevertheless, collection of alcohol and drug use data via surveys provides useful information on large diverse populations that would not otherwise be available. Characteristics and highlights of the following survey data sources are provided:

Missouri Student Survey (MSS)

Missouri College Health Behavior Survey (MCHBS)

National Survey on Drug Use and Health (NSDUH)

Youth Risk Behavior Surveillance System (YRBSS)

Behavioral Risk Factor Surveillance System (BRFSS)

Monitoring the Future (MTF)

Missouri Student Survey (MSS)

• Conducted by: Missouri Department of Mental Health (DMH)

• Established: 2000

• Frequency of Reporting: Even-numbered years

• Type of survey: School

• Mode of survey: Web-based

• Grade levels: Grades 6-12 but most concentrated on grade 9

• Completed surveys: 108,526, with final adjusted sample of 98,140

• Level of reporting: Missouri and Missouri counties

- Some strengths: MSS is offered to all Missouri public school districts. MSS includes the younger middle school population in addition to the high school population. MSS also captures data on risk and protective factors and mental health issues in addition to substance use behaviors. 2010 and 2012 data are weighted by county population estimates for age groups 10-14 and 15-19, gender, race and Hispanic origin.
- **Some limitations:** Some school districts opt out of the survey, so county-level data are not available for non-participation counties. Data are not publicly available for counties that contain only one school district, including the City of Saint Louis. Data are only available every other year, and data prior to 2010 are un-weighted.
- Other notes: MSS combines ecstasy with other club drugs which is different than NSDUH.
- Website: http://dmh.mo.gov/ada/rpts/survey.htm

Missouri College Health Behavior Survey (MCHBS)

- Conducted by: Missouri Partners in Prevention
- Established: 2007 to replace annual Core Alcohol and Drug Survey
- Frequency of Reporting: Annual
- **Type of survey:** School/Higher Education
- Mode of survey: On-line survey using stratified random samples of student email addresses
- Grade levels: Undergraduate students at 21 Missouri higher education institutions
- Completed interviews: Varies by campus
- Level of reporting: Campus level
- **Some strengths:** The MCHBS measures attitudes, perceptions, and opinions about use of alcohol and drugs in addition to use and consequences of use. Other behaviors surveyed include gambling, safe driving, mental health issues, and tobacco use. Key items have been validity tested against the Core Alcohol and Drug Survey with comparable results.
- **Some limitations:** MCHBS is not a national survey.
- Website: http://pip.missouri.edu

National Survey on Drug Use and Health (NSDUH)

- Conducted by: Substance Abuse and Mental Health Services Administration (SAMHSA)
- Established: 1971, originally titled National Household Survey on Drug Abuse
- Frequency of Reporting: Annual
- Type of survey: Household survey of civilian non-institutionalized population
- Mode of survey: Face-to-face interview
- Age groups: Ages 12 or older
- Completed interviews: 70,109 nationwide and about 900 in Missouri for 2011 survey year.
- Level of reporting: National but can also obtain state and sub-state planning regions by combining multiple survey years
- Some strengths: NSDUH allows for year-to-year comparisons for national data and a rolling multi-year comparison for state and sub-state data. In addition to substance use data, NSDUH provides data on past year alcohol or illicit drug dependence or abuse.
- Some limitations: NSDUH interviews household residents only, and the survey estimates are based on these populations. Not represented in the surveys are prison and jail inmates, other institutionalized individuals, and the homeless. Limited drug and demographic data are available at the state level because of the small sample size. NSDUH does not separate out smokeless tobacco and chewing tobacco. Age categories generally limited to 12-17, 18-25, and 26 and older.
- Other notes: NSDUH definitions of binge drinking and heavy drinking do not depend on gender and therefore differ from those of the Behavioral Risk Factor Survey (BRFS).
- Website: http://www.samhsa.gov/data/NSDUH.aspx

Youth Risk Behavior Surveillance System (YRBSS)

- Conducted by: Centers for Disease Control
- Established: 1991
- Frequency of Reporting: Every odd-numbered year
- Type of survey: School
- Mode of survey: Paper questionnaire
- **Grade levels:** 9 through 12
- Completed and usable questionnaires: 15,425 nationwide in 2011
- Level of reporting: National and State
- Some strengths: YRBSS target population includes all public, Catholic, and other private school students in grades 9-12. Survey has questions on alcohol, tobacco, and drugs including lifetime steroid and IV drug use.
- Some limitations: Some states do not participate in the YRBSS—three in 2011. Some states, including Missouri in 2011, participate but do not have data available for every survey year due to small sample size. YRBSS does not capture data on home-schooled children. Questions on past 30-day use are limited to alcohol, tobacco, marijuana, and cocaine. Data are only available every other year.

- Other notes: YRBSS definition of binge drinking similar to that of the National Survey on Drug Use and Health (NSDUH).
- Website: http://www.cdc.gov/HealthyYouth/yrbs/index.htm

Behavioral Risk Factor Surveillance System (BRFSS)

- Conducted by: Centers for Disease Control (CDC) in partnership with state health departments
- Established: 1984
- Frequency of Reporting: Annual
- Type of survey: Household
- Mode of survey: Telephone interview
- Age groups: Ages 18 or older
- **Completed interviews:** Annually about 350,000 nationwide including 6,000 in Missouri in 2011.
- Level of reporting: National, state, and Missouri Department of Health and Senior Services planning regions
- **Some strengths:** BRFSS includes data on adult consumption of alcohol and use of tobacco. BRFS has a relatively large sample size. The survey allows for year-to-year comparisons.
- **Some limitations:** BRFSS does not include data on drug use nor does it include adolescents in its target population.
- Other notes: BRFSS definitions of binge drinkers and heavy drinkers differ from that of the National Survey on Drug Use and Health (NSDUH); BRFSS binge drinking definitions are genderspecific.
- Website: http://www.cdc.gov/brfss

Monitoring the Future (MTF)

- Conducted by: National Institute on Drug Abuse (NIDA)
- Established: 1975
- Frequency of Reporting: Annual
- Type of survey: School
- Mode of survey: Paper questionnaire
- Grade levels: 8, 10, 12; college students; young adults
- **Completed questionnaires:** About 50,000 students in 420 public and private secondary schools nationwide
- Level of reporting: National
- Some strengths: MTF provides data on lifetime, past year, and past 30 day use of various illicit drugs. Questions regarding prescription drug use including use of OxyContin, Vicodin, and Ritalin have been added in recent years. MTF also captures data on perception of harm and disapproval.
- Some limitations: MTF does not provide state level data.
- Other notes:
- Website: http://www.monitoringthefuture.org